

INDEX

Numbers in heavy type denote papers in Bibliography.

- Aakerman, 159, **762**
 Abbott, **459**
 Abderhalden, 110, **233**
 Abrus, 30; *A. precatorius*, 33
 Abutilon, 149
 Acacia, 43
Acalypha, 22
 Acanthaceae, 22, 44, 138
Acantholimon, 35
 Acer, 24, 25, 37, 44, 85, 137; *A. campestre*, 24; *A. pseudoplatanus*, 24, 85
 Aceraceae, 44
Achillea, 45; *A. Millefolium*, 28, 154
Achyranthes angustifolia, 93; *A. Verschaffeltii*, 53
 Acids, anthocyanin and, 4, 10, 50, 57
 Aconitum, 29
 Adenantha, 30
 Adiantum, 20
 Adonis, 41
 Aechmea, 33
 Aerva, 37
Aeschynanthus, 22; *A. atropurpureus*, 37
 Aesculus, 24
 Agrostemma, 28, 157, 159
Ailanthus, 111, 260; *A. glandulosa*, 92
 Aira, 42; *A. caespitosa*, 28
 Aitchison, 53
 Aizoaceae, 43, 53
Ajuga, 37; *A. pyramidalis*, 226; *A. reptans*, 156, 226
 Albinism, 148; partial, 155
 Albinos, 12, 112
 Alcohol, loss of colour of anthocyanin in, 48, 119
 Aleurone, anthocyanin and, 36
 Algae, 130
Alisma, 42
 Alkalies, anthocyanin and, 4, 10, 49, 51, 52, 54
 Alkanet, 4
 Allard, 158, 176, **785**
Allium, 42, 101; *A. Ceba*, 98; *A. giganteum*, 214; *A. Schoenoprasum*, 33
 Allocyanidin, 124
Alnus, 26, 29, 30, 137; *A. glutinosa*, 26
 Alocasia, 22
 Aloe, 20
Alopecurus, 29, 42
 Alpine plants, anthocyanin in, 8, 27, 85, 103
 Alsinoaceae, 39
 Alsinoideae, 43
Alternanthera, 22
Althaea, 11, 47, 48, 52, 56, 59, 68, 269, 279; analysis of pigment, 75; colour-varieties, 150, 154, 199
 Althaein, 68, 74, 80
Alyssum, 43
 Amarantaceae, 11, 22, 43, 48, 53
Amaranthus, 53, 90, 227; *A. caudatus*, 157, 159
 Amaryllidaceae, 20, 42
Amelanchier, 43
 Amentales, 26, 29
Amherstia, 24, 133, 142, 143
Amorpha, 34
 Ampelopsidin, 68, 69
 Ampelopsin, 68
Ampelopsis, 16, 25, 38, 125, 127, 228, 235; *A. hederacea*, 92, 95, 120, 121; *A. humulifolia*, 34; *A. muralis*, 34; *A. quinquefolia*, 34, 53, 68
Amsonia, 35
 Anacardiaceae, 44
Anagallis arvensis, 35, 157, 159, 270; var. *ciliata*, 35; var. *coerulea*, 35, 153, 269
 Anderson, E. G., 159, 190, **821**, **862**
 Anderson, R. J., 60, 75, **350**
Andropogon, 157, 160, 193
 Androsace, 44, 131
Anemone, 29, 101, 155, 274; *A. fulgens*, 47; *A. Hepatica*, 43; *A. japonica*, 43, 96, 101, 120, 154; *A. nemorosa*, 270; *A. Pulsatilla*, 43; var. *rubra*, 149
 Angiosperms, 17, 20, 108
Angraecum, 33
Anthemis, 31
Anthericum, 217
 Anthocyanin, analysis of, 10, 11, 14, 15, 59 *et seq.*; and decortication, 6, 83; and drought, 27, 93; and injury, 6, 27, 83; and light, 7, 88, 91; and organic acids, 8, 101, 102; and oxidising enzymes, 13, 18, 91, 117; and respiration, 8; and sugar-feeding, 93 *et seq.*; and sugars, 6, 8, 86, 102, 107; and tannins, 36, 51; and temperature, 7, 8, 27; and translocation, 7, 8, 84, 87, 103, 134; and transpiration, 135, 138; artificial, 16, 17, 18, 121, 122, 123, 124; as glucoside, 48; as indicator, 10, 56; as stain, 32; autumnal, 6, 7, 25, 86, 90; biological function of, 9, 129; bodies, 33 *et seq.*; chromogen of, 6, 7, 10, 13, 84, 103, 117; constitution of, 66; crystalline, 33 *et seq.*, 47; in alcohol, 48, 119; in Alpine plants, 8, 27, 85, 103; in Arctic plants, 29; in cell-wall, 32, 33; in colour-varieties, 68; in corolla, 29, 39 *et seq.*; in fruit, 29; in Gymnosperms, 20; in halophytes, 29, 93; in leaves, 21 *et seq.*, 37, 38; in parasites, 31, 86; in Pteridophyta, 20; in roots, 30; in tropics, 22 *e*

INDEX

301

- seq.*; isomer of, 49, 54, 63; periodic, 37; permanent, 37; physiological function of, 9; and assimilatory inhibition, 134, 139; as light screen, 129, 132; as protection for translocation, 130, 134, 135; for conversion of light into heat, 131, 133, 135–138; hypotheses as to, 129; in tropics, 133; plants lacking in, 20; reactions in formation of, 112–115, 120–128; reactions of acids with, 4, 10, 50; of alkalies with, 4, 10, 49; solubilities of, 4, 48; spectrum of, 9, 57
- Anthriscus*, 96
- Antirrhinum*, 269, 270
- Antirrhinum*, 7, 12, 13, 14, 17, 18, 19, 35, 41, 59, 89, 112, 117, 119, 122, 123, 157, 193, 206, 279, 280, 282, 284; colour-varieties, 149, 150, 151, 153, 154, 156, 191, 195, 196, 198; inheritance of colour, 160; isolation of pigment, 60, 76; properties of pigment, 48, 52; reactions in pigment formation, 114, 115, 118; striping, 199, 200, 201, 205, 206, 207; *A. majus luteum rubrostriatum*, 200
- Apigenin, 14, 111, 115, 163
- Apium*, 111; *A. Petroselinum*, 14
- Apocynaceae, 44
- Aquilegia atrata*, 34; *A. vulgaris*, 96, 149, 157, 164, 191, 193, 196
- Arabis*, 21
- Araceae, 22, 23, 29, 138
- Arctic plants, anthocyanin in, 29
- Arctostaphylos*, 111
- Arisarum*, 37
- Aristolochiaceae, 43
- Armeria*, 90; *A. vulgaris*, 156
- Armstrong, 13, 14, 16, 17, 18, 49, 123, 244, 245, 246, 254, 255, 267; artificial anthocyanin, 122; oxidases, 117–120
- Aroideae, 30, 42
- Artemisia*, 31
- Arum*, 22, 37, 138, 157, 164, 196, 198
- Ascherson, 30, 43
- Asclepiadaceae, 44
- Asclepias*, 39
- Askenasy, 7, 85, 89, 369
- Asphodelus*, 217
- Assimilatory inhibition, anthocyanin as protection against, 134, 139, 140
- Aster, 39, 58, 59, 68, 69, 70, 164; *A. Tri-polium*, 157, 272
- Asterin, 68, 70, 79
- Atkins, 119, 248, 261, 262, 276
- Atriplex*, 29, 58; *A. hortensis*, 37, 53, 156; *A. litoralis*, 53
- Atropa*, 30; *A. Belladonna*, 35, 156, 157, 164, 191, 194, 222, 269, 270; *A. Belladonna lutea*, 149, 164
- Autumnal coloration, 6, 7, 25 *et seq.*, 86, 90; in Alps, 26; on Danube, 25
- Avena*, 42
- Ayyangar, 158, 177, 763
- Azalea*, 202; *A. indica*, 40; *A. Vervaeana*, 206
- Azolla*, 20
- Bach, 159, 182, 786
- Baldingera*, 42
- Ballota*, 44
- Balls, 158, 169, 194, 197, 618, 626
- Banana, 155, 156
- Baptisia australis*, 34
- Barker, 158, 171, 752
- Barley, 122; crown variety of, 155
- Bartlett, 116, 205, 347, 771
- Bartsia*, 28
- Basella*, 53
- Basellaceae, 53
- Bassett, 14, 48, 52, 57, 115, 119, 123, 162, 270, 271, 272
- Batalin, 90, 380
- Bateson, 11, 157, 158, 159, 186, 193, 205, 578, 583, 584, 590, 599, 602, 603, 610, 619, 627, 652, 653, 696, 740, 822, 863; *Antirrhinum*, 160; bud-variation, 206, 207; *Clarkia*, 149, 166; *Lathyrus*, 153, 154, 171, 172, 192; *Phaseolus*, 180; *Pisum*, 182; *Primula*, 184
- Bauhinia*, 24
- Baumgärtel, 84
- Baur, 12, 157, 158, 162, 175, 620, 639, 654, 671
- Bayley Balfour, 129
- Beaverie, 313
- Becker, 158, 178, 769, 844, 877
- Beech, 24, see *Fagus*; red-leaved, 43, 138, 143, 205, 266
- Beet-root, 58, 60, 75, 132, see *Beta*
- Begonia*, 22, 29, 33, 101, 140; *B. discolor*, 35; *B. floribunda*, 40; *B. heracleifolia*, var. *nigricans*, 137; *B. maculata*, 33, 35; *B. semperflorens*, 155
- Begoniaceae, 23, 44, 138
- Beilstein, 195
- Bellis*, 98, 101, 154
- Benecke, 30, 399
- Benthams, 157
- Berberidaceae, 43
- Berberis*, 29; *B. vulgaris*, 25, 156; *B. vulgaris atropurpurea*, 37
- Berg, 159, 183, 792
- Bergenia*, 29
- Bernowitz, 100
- Berthold, 37, 39, 83, 85, 64
- Berzelius, 135
- Beta*, 7, 53, 89, 101, 157, 164, 191, 227; *B. vulgaris*, 30, 37, 60, 99, 156
- Betanidin, 75
- Betanin, 75
- Betonica*, 44
- Betula*, 26, 29; *alba*, 26; red-leaved, 156, 272
- Betulaceae, 43
- Beulaygue, 89, 426
- Beyerinck, 30, 390
- Bidgood, 12, 40, 42, 18, 591
- Biffen, 158, 171, 604
- Bignoniaceae, 44
- Bilberry, see *Vaccinium*, 11, 15, 48, 55, 57, 59, 68, 73
- Billbergia*, 214; *B. gigantea*, 22

- Biological function of anthocyanin, 9, 129
- Bitter, **592**
- Blackman, 88, 142
- Blakeslee, 159, 187, **823**
- Blaringhem, **481**
- Blechnum*, 20
- Blitum*, 53
- Böhm, 35, **92**
- Bokorny, 35, **103**
- Bolton, 71, **286, 300, 301**
- Bommer, 116
- Bonnier, Gaston, 8, 27, 85, 103, **375, 376, 381, 394, 415**
- Boraginaceae, 44
- Borbás, 42, **38**
- Bořšcov, 159
- Bouffard, **204**
- Bougainvillea*, 29
- Bouget, **482, 483, 484**
- Bouvardia*, 206
- Boyle, 3, 10, 50, 56, 58, **121**
- Braconnot, 10, **124**
- Bracts, anthocyanin in, 29
- Brandza, 42
- Brassica*, 29, 35, 36, 88, 157; *B. napus*, 165; *B. oleracea*, 34, 156; *B. rapa*, 165
- Braya*, 43
- Bregger, 159, 190, **770**
- Briza*, 42; *B. media*, 28
- Bromeliaceae, 22, 36, 42
- Bromus*, 42
- Brown, 135
- Brownea grandiceps*, 24; *B. hybrida*, 24
- Brun, **451**
- Buchenau, **573**
- Bud-scales, anthocyanin in, 24
- Bud-variation, 205, 206
- Bunyard, **628**
- Burbridge, 72
- Burdick, 70, 74, **277, 302, 303**
- Burgerstein, **439**
- Burkill, 158, 167, 191, 194, **677**
- Burlinghame, 158, **824**
- Burt-Davy, 159, **672**
- Buscalioni, 5, 35, 37, 39, 91, 17
- Butomus*, 42
- Buxus*, 20
- Cabbage, 32, 35, 122, 157, 166, see *Brassica*
- Cactus*, 53
- Caesalpinaeae, 24
- Caladium*, 22, 142
- Calamagrostis*, 42
- Calathea*, 22
- Calceolaria*, 279
- Callistephin, 67, 70, 78
- Callistephus*, 59, 67, 68, 69
- Calluna*, 38, 111; *C. vulgaris*, 156, 277
- Camelina*, 43
- Camellia*, 40, 202; *C. japonica*, 199
- Campanula*, 8, 29, 37; *C. carpatica*, 157, 166; *C. latifolia*, 157; *C. medium*, 149, 157, 166; *C. persicifolia*, 21; *C. pusilla*, 28; *C. rotundifolia*, 156; *C. Trachelium*, 87, 272
- Campanulaceae, 45
- Canavalia*, 158, 166
- Candolle, de, 4
- Canna*, 37; *C. indica*, 98, 156, 158, 166
- Caprifoliaceae, 45
- Cardamine*, 31; *C. amara*, 28; *C. trifolia*, 21
- Carduus crispus*, 272; *C. nutans*, 156; *C. palustris*, 156
- Carex aterrima*, 28; *C. atrata*, 28; *C. nigra*, 28
- Carles, **196**
- Carlina*, 28
- Carnation, 206, see *Dianthus*
- Carpels, anthocyanin in, 29
- Carpinus*, 26, 29, 137; *C. Betulus*, 26
- Carrot, 122
- Caryophyllaceae, 20, 43, 53
- Casares, **514**
- Castanea*, 26; *C. vesca*, 38
- Catabrosa*, 42
- Catalpa*, 83
- Catleya*, 43, 158, 166; *C. quadricolor*, 33
- Ceanothus*, 83
- Celosia*, 90; *C. variegata cristata*, 199, 202
- Centaurea*, 15, 19, 45, 59, 67, 68, 76, 199, 272; colour varieties, 68, 149; pigment, constitution of, 66; preparation of, 63; properties of, 48, 52, 54, 57
- Centradenia*, 35
- Centranthus*, 157
- Centrospermae, 11, 53
- Cerastium*, 37
- Ceratophyllum*, 95
- Cercis*, **43**
- Cerefolium*, 100
- Chabert, 157, **564**
- Chaerophyllum Cicutaria*, 28; *C. sylvestre*, 25; *C. temulum*, 24, 25, 44
- Chamaenerium*, 44
- Chappel, **209**
- Characeae, 130
- Chargueraud, **366, 367**
- Chartier, **468**
- Chatin, 39, **28, 34, 35**
- Cheiranthus*, 41, 111, 122, 150, 152; *C. annuus*, 37; *C. Cheiri*, 40, 151, 154, 156, 199, 269
- Chenopodiaceae, 48, 53
- Chenopodium*, 227; *C. album*, 38
- Cherry, 15, 59, 68, 72
- Chevallier, 10, **127, 128, 129**
- Chevreul, **24, 25, 148**
- Chionanthus*, 44
- Chlorophyll, bleaching of, by light, 130; origin of anthocyanin from, 105; by oxidation, 106; by dehydration, 106; protection of, by anthocyanin, 130, 132, 134, 139, 140
- Chodat, **243, 348, 629**
- Chromogen, of anthocyanin, 6, 7, 10, 13, 16, 17, 85, 86, 102, 103, 104, 117; and photosynthesis, 102; flavone as, 112, 114
- Chrysanthemin, 68, 71, 79

INDEX

303

- Chrysanthemum*, 15, 59, 68, 71, 120, 152
 Chrysin, 111
Chrysozplenium, 20
 Church, 59, 76, 161
Cichorium, 272
Cineraria, 40, 153
Cinnamomum, 24
Circaea, 44
Cissus, 36, 92; *C. discolor*, 23
Citrus, 30
Clarkia elegans, 149, 158, 166, 269; *C. pulchella*, 199, 202
 Claudel, 54
 Claudius, 32, 199
 Clausen, 158, 176, 825, 856
Clerodendron, 40
 Cloëz, 10, 46, 49, 140
Cobaea, 126
 Cobb, 205, 771
 Cockerell, 151, 155, 158, 170, 171, 177, 192, 200, 278, 404, 709, 710, 722, 723, 724, 753, 754, 772
Codiaeum, 22
Coffea, 35
Coleus, 37, 44, 59, 76, 200, 229; *C. Blumei*, 93; *C. Verschaffeltii*, 22
 Colgan, 22, 157, 164, 196, 73, 655
 Colin, 460, 468
 Colladon, 361
 Collins, 159, 673, 787
Collinsia, 167, 193, 269; *C. bicolor*, 158, 196
 Colour-factors, 11, 12, 147; chemical interpretation of, 114; in vegetative organs, 190–193
 Colour-varieties, 41, 147; albino, 148; and flavones, 114; and hoariness, 193; and vigour, 193; blue, 153; cream, 153; deep, 154; effect of salts on, 273, 282; of insolation on, 278; in fruits and seeds, 155; in nature, 156; pigments in, 69; plastid-yellow, 151; red, 149; soluble-yellow, 150; tinged, 153
Columnnea, 35
 Combes, 18, 19, 59, 102, 107, 125, 126, 127, 222, 223, 234, 235, 249, 250, 251, 263, 308, 336, 337, 349, 461, 464, 465, 466, 472; artificial anthocyanin, 16, 17, 121, 122; carbohydrates in leaves, 84; decortication experiments, 6, 27, 83, 84; gaseous exchange in leaves, 92
 Combinations of pigments, 40, 41, 150–152
 Comes, 129, 135, 487, 488, 489
 Commelinaceae, 22, 42
 Compositae, 45, 108, 157
 Compton, 159, 187, 674
Conium, 24, 44
 Constitution of anthocyanin, 66
Convallaria, 33
 Convolvulaceae, 39, 44
Convolvulus, 199
Corchorus, 158, 167, 191, 194
 Cordemoy de, 455
 Corenwinder, 355
Coreopsis tinctoria, 158, 168, 195; *C. var. brunnea*, 168, 195
Corispermum, 53
 Cornaceae, 44
 Cornflower, 15, 52, 58, 59, 63, 68, see *Centaurea*
Cornus, 25, 38; *C. florida*, 100; *C. mas*, 25; *C. sanguinea*, 25, 53, 90; *C. sibirica*, 90
 Corolla, anthocyanin in, 29, 39–42
 Correns, 158, 159, 175, 182, 189, 204, 575, 579, 585, 588, 589, 593, 600, 640
Corydalis, 40
Corylus, 26, 29, 37, 137; *C. Avellana*, 24, 156
 Costantin, 319
 Costerus, 384
Costus, 23
Cotoneaster, 43
 Coulter, 159, 803
 Coupin, 42, 82, 580
 Courchet, 33, 35, 101
 Coutagne, 594
 Cramer, 89
 Cranberry, 15, 59, 68, 72, see *Vaccinium*
 Crassulaceae, 30, 43, 108, 260
Crataegus, 24, 25, 26, 89, 90, 111, 155; *C. Oxyacantha*, 154
Crepis, 89
Crocus, 7, 16, 88, 122; *C. aureus*, 42; *C. sativus*, 88
Croton, 22, 37, 43
 Cruciferae, 21, 43, 108
 Crystalline anthocyanin, 36, 47, 48
 Crystalloids, anthocyanin and, 37
Cucurbita, 30, 88
 Cucurbitaceae, 20
 Currant, 69
 Currey, 60, 75, 338, 339
 Curtel, 400, 417
Cuscuta, 6, 31, 44, 86, 90
 Cyanidin, 15, 48, 66, 78; in colour varieties, 68
 Cyanin, 48, 68, 79; from *Centaurea*, 63; from Cranberry, 72; from Radish, 75; from *Rosa*, 72
Cyclamen, 44, 122, 154, 202; *C. europaeum*, 21; *C. hederifolium*, 21; *C. persicum*, 154, 199; *C. persicum giganteum*, 101; *C. repandum*, 21
Cydonia, 37, 43; *C. japonica*, 40
Cynometra, 24
Cynosurus, 29
 Cyperaceae, 20, 30
Cypripedium, 40, 41, 43, 158, 168, 196, 198
Cystopus, 253
Cytisus Adami, 236; *C. Alschingeri*, 34; *C. Laburnum*, 34, 236; *C. purpureus*, 236; *C. scoparius*, 34
 Czapek, 210
 Czartkowski, 469, 474

Dactylis, 29
 Daffodil, 16, 122
 Dahlgren, 158, 159, 171, 183, 773

- Dahlia*, 59, 68, 69, 148, 150, 251; *D. variabilis*, 41, 59, 67, 150, 154, 199
Dalechampia, 40
Daniel, 83, 424, 431
Daphne, 156
D'Arbaumont, 36
Datura Stramonium, 149, 158, 168, 191, 194; *D. Tatula*, 168, 191, 194
Daucus Carota, var. *Boissieri Schweinfurth*, 156
Davallia, 20
Davis, 158, 177, 697, 711
Decortication and anthocyanin, 6, 83
Delphinidin, 15, 67, 73, 80
Delphinin, 68, 73, 80
Delphinium, 29, 34, 42, 57, 76, 111, 214; colour varieties, 68; constitution of pigment, 67; *D. Ajacis*, 18, 149, 157, 199, 200; *D. Consolida*, 59, 68, 125, 199, 200; *D. Consolida striatum plenum*, 199; *D. elatum*, 34; *D. formosum*, 34; *D. tricolor*, 34; *D. tricornis*, 270
Dendrobium, 43, 158, 168; *D. tirsiflorum*, 40
Dennert, 33, 35, 40, 42, 14
Dentaria, 31
Deutzia, 38; *D. gracilis*, 101
Devaux, 30, 90, 395
Dezani, 229
Dianthus, 40, 43, 118; *D. barbatus*, 118, 120, 149, 151, 154, 199, 202; *D. Caryophyllus*, 34, 120, 150, 154, 199; *D. inodorus (sylvestris)*, 28; *D. superbus*, 269
Dicentra, 36
Dicotyledons, 33, 96
Dictamnus, 149, 270
Diels, 65
Dielytra, 40
Digitalis, 44, 111, 198; *D. purpurea*, 25, 85, 156, 158, 168, 191, 270
Dionaea, 212
Dippel, 198
Dipsacaceae, 45
Dolichos lablab, 158, 169, 193
Doodia, 20
Draba, 43
Dracaena, 22, 37; *D. Jonghi*, 33
Dracocephalum, 28
Drought and anthocyanin, 27, 93
Dryobalanops, 24
Duchatre, 353
Dufour, 30, 90, 392
East, 159, 188, 190, 193, 529, 630, 641, 656, 675
Eberhardt, 93, 434
Echeveria grandiflora, 40; *E. metallica*, 30
Echium, 272
Eckert, 558
Egyptian Cotton, 169
Elatine, 93
Eleocharis, 20
Elodea, 98, 130; *E. canadensis*, 94, 97
Emerson, 159, 586, 595, 631, 632, 657, 676, 698, 699, 712, 725, 755, 774, 826, 827, 845, 862; beans, 181, 190, 195, 197; Maize, 193; striping, 202–204, 206
Emery, 92, 396
Empetrum, 38; *E. nigrum*, 156
Engelmann, 9, 33, 37, 57, 132, 143, 494
Epacridaceae, 44
Epacris, 40
Epidendrum, 33
Epilobium, 44; *E. angustifolium*, 149; *E. montanum*, 21, 33, 272; *E. parviflorum*, 96, 100
Epipactis, 43
Episcia, 22
Erdmann, 53, 54, 55, 163
Erica, 40; *E. cinerea*, 156
Ericaceae, 44, 108
Eriophorum, 31, 33
Erodium, 198; *E. cicutarium*, 196; *E. Manescari*, 34
Eryngium, 44
Erythrina, 30, 33
Erythronium, 37
Eucalyptus, 111
Eucomis, 37
Euonymus, 25; *E. Europaeus*, 25, 38; *E. radicans*, 100; *E. verrucosus*, 25
Eupatorium atrorubens, 45; *E. Cannabinum*, 96
Euphorbia, 29, 36, 43; *E. amygdaloides*, 21; *E. Cyparissias*, 100
Euphorbiaceae, 22, 43
Euphrasia, 44
Everest, 18, 113, 122, 123, 125, 260, 264, 265, 266, 279, 280, 314, 316, 326
Ewart, 25, 108, 129, 134, 135, 138, 140, 141, 501, 506
Exner, 80
Fagaceae, 43
Fagopyrum, 90; *F. esculentum*, 91
Fagus, 26, 29, 37, 206; red-leaved, 156; *F. sylvatica*, 24, 26, 156
Farsetia, 43
Festuca, 28
Ficus, 43; *F. indica*, 30
Filarszky, 502
Filhol, 10, 12, 49, 51, 59, 139, 146, 147
Filices, 130
Finlow, 158, 167, 191, 194, 677
Fintelmann, 49
Fischer, 57, 456
Fisetin, 111
Fittonia, 22
Flahault, 8, 375, 376, 377, 379
Flavones, 12, 14, 17, 50, 53; colour-variation and, 114; constitution, 110; distribution, 110–112; origin of anthocyanin from, by oxidation, 112, 114, 115; by reduction, 120 *et seq.*; properties of, 110; synthesis of, 112
Flax, 143, see *Linum*
Flesch, 32, 174
Fletcher, 158, 611
Focke, 129, 524, 549, 554, 612

INDEX

305

- Formánek, 57, 201
Forsythia, 44; *F. viridissima*, 86
Fragaria, 30, 90, 157; *F. vesca*, 156, 158, 169
 Franck, 105, 131
 Fraustadt, 37
Fraxinus, 29, 137; *F. excelsior*, 24
Freesia, 154
 Fremy, 10, 46, 49, 140
 Friedel, 470
 Frimmel, 804
Fritillaria, 95, 149
 Fritsch, 34, 35, 98
 Fruit, anthocyanin in, 29
 Fruwirth, 158, 173, 726, 846
Fuchsia, 44, 53, 93
 Fugii, 159, 741
 Fumariaceae, 214
 Fungi, 27, 37, 84
- Gaillardia*, 69
 Gain, 409
Galanthus, 20
Galeopsis, 84
Galsium, 157, 272; *G. Aparine*, 25; *G. silvestre*, 272
 Gallastegui, 159, 789
 Gardiner, 173
 Garjeanne, 22, 74
 Gärtner, 533
 Gates, 158, 177, 192, 642, 658, 678, 713, 727, 728, 756
 Gaucher, 36
Gaura, 38, 44
 Gautier, 11, 27, 47, 59, 76, 83, 85, 107, 164, 190, 236, 445
 Gawalowsky, 659
 Genau, 427
Genista, 111
Gentiana, 39; *G. punctata*, 196
 Gentianaceae, 44
 Geraniaceae, 43
 Geranium, 15, 59, 67, 71, 75; *G. molle*, 31; *G. pratense*, 199, 202; *G. Robertianum*, 21, 33, 155; *G. sanguineum*, 118, 149
 Gertz, 5, 20, 85, 19, 109, 112, 118, 309, 471, 473, 475; anthocyanin and sugar-feeding, 6, 98, 101; effect of light on, 89, 90; in Arctic plants, 29; in cell, 32, 36; in cell-wall, 33; in leaves, 37; in Natural Orders, 42; in roots, 31; 'Rübenroth' group of, 53; solid, 33, 35, 36
Gesneria, 30; *G. caracasana*, 35; *G. cinaberina*, 22, 23; *G. Donkelaari*, 37
 Gesneriaceae, 44, 138
Geum, 34, 158, 169; *G. coccineum*, 40; *G. rivale*, 85
 Gierke, 32
 Gilbert, 159, 182, 197, 729
Gilia, 269; *G. tricolor*, 35
 Gillot, 157, 560, 565
Gladiolus, 69
 Glan, 59, 75, 191
 Glaser, 529
Glaucium, 214; *G. fulvum*, 34; *G. luteum*, 269
- Gleditsia*, 43
 Glénard, 10, 59, 76, 143, 144
 Glucosides, 6, 48, 84, 86, 102; anthocyanin formation and, 112, 113, 114, 117; in pigment formation, 115; of flavones, 112, 113; of respiration pigments, 109
Glycyrrhiza, 43
 Gmelin, 106, 159, 151, 730
Godetia, 44, 158, 169, 195, 196, 269
 Goff, 194, 547
 Goiran, 101, 397
Goodia, 33
 Goodspeed, 158, 176, 825, 856
Goodyera, 43
 Goppelsroeder, 203
Gossypium, 158, 169, 191, 194, 196, 198
 Grafe, 11, 47, 48, 52, 56, 57, 59, 60, 76, 212, 224, 237; *Pelargonium*, pigment of, 56
 Graham, 157, 160, 193, 742
 Gramineaceae, 29, 99
 Gramineae, 42
 Granier, 451
 Grape, 15, 48, 55, 57, 59, 60, 74, 75, 85, 89, 228, 231, 235, 253; isolation of pigment, 74
 Gregory, 150, 154, 155, 159, 184, 186, 193, 195, 197, 205, 613, 660, 661, 714, 863
 Grew, 4, 49, 105, 1
 Griffiths, 47, 59, 76, 206
 Griffon, 37, 418
 Guibourt, 22
 Guilliermond, 110, 111, 116, 117, 119
 Guinier, 157, 559
 Gunn, 75
Gunnera, 31
 Guttenberg, 84, 440
Gymnocladus, 43
 Gymnosperms, 20, 27
Gynura, 45
Gypsophylla, 28, 269
- Haas, A. R., 295, 296
 Haas, P., 20
 Haberlandt, 60, 370
 Haden, 238
Haemaria, 43
 Haematoxylon, 24, 111
 Haemodoraceae, 30
 Hagiwara, 158, 171, 864
 Haig-Thomas, 158, 176, 700
 Hall, A. D., 267
 Hall, A. J., 326
 Hallier, 90, 359
 Hallqvist, 157, 158, 174, 193, 731, 828
 Halophytes, anthocyanin in, 29, 93
 Hammarlund, 159, 183, 865
 Hanausek, 100
 Hansen, 46, 49, 11, 102
 Hansgirg, 510
 Harland, 158, 159, 169, 187, 188, 193, 788, 805, 806, 807, 847, 848
 Hartig, 32, 35, 36, 87, 91
 Hassack, 22, 23, 33, 37, 132, 493
 Hasslinger, 572
 Haverland, 192

- Hayes, 159, 190, 193, **656**, **757**
 Hazel, red-leaved, 138, 143, 205
Hebeclinium, 45
 Heckel, 85, **387**
 Hector, 158, 177, **743**
Hedera, 7, 38, 86; *H. Helix*, 95
 Hedrick, **679**
Hedysarum, 34
 Heim, **405**
 Heinricher, **50**
 Heinsius, 129, 135, **516**
 Heise, 11, 48, 59, 76, **182**, **193**
Helenium, 69
Helianthemum, 152, 154
Helianthus, 90, 155, 170, 200; *H. annuus*,
 151, 158, 170, 191; *H. tuberosus*, 254
Helichrysum, 199
Helleborus, 40
 Helobiae, 42
Hepatica, 158, 202; *H. triloba*, 21
 Heribert-Nilsson, 157, 158, 160, 177, **680**,
681, **732**, **733**
 Hering, 33
Herniaria, 20
Hesperis, 199, 202
 Heterozygous forms, anthocyanin in, 194–
 196
 Heuser, 159, 188, **866**
 Hibbert, 63
Hibiscus, 40, 111
Hieracium, 90, 158; *H. Pilosella*, 214; *H.*
tenuifolium, 21
 Hieronymus, 84, **401**
Higginsia, 37
 Hildebrand, 30, 33, 34, 35, 39, 40, 158, 199,
10, **30**, **44**, **561**, **569**, **576**, **633**
 Hilger, 165, 171
 Hill, A. W., 149, 153, **682**
 Hill, T. G., **20**
 Hoffmann, **534**, **535**, **536**, **537**, **538**, **539**,
540, **541**, **543**, **544**, **545**, **546**, **548**, **550**
Holcus, 42
 Holdeffeiss, **701**
 Hollyhock, 15, 59, 60, 68, 74, see *Althaea*
Homalomena, 33
 Honing, 158, 166, 715, 734
 Hooker, H. D., 297
 Hooker, J. D., 156
 Hopkirk, 531
Hordeum, 158, 171
 Horowitz, **281**
 Horse Chestnut, 229, see *Aesculus*
 Howard, 22, **29**
Hoya, 35
 Hryniewiecki, 517
 Hünefeld, 56, **133**, **134**
 Hurst, 158, 166, 168, 178, 196, **605**, **634**, **643**,
702
 Husemann, 171
Hutchinsia, 131
 Hutchison, 159, 190, **829**, **849**
Hyacinthus, 7, 89, 150, 202; *H. orientalis*,
 40, 153, 154
Hydrangea, 34, 269, 279
Hydrilla, 97, 101; *H. verticillata*, 96
Hydrocharis, 6, 7, 22, 42, 87, 93, 95, 98, 10
 Hydrocharitaceae, 96
Hyoscyamus, 158; *H. niger*, 35
 Hypericaceae, 44
Hypericum, 29
Hypochaeris, 138
 Ichimura, 34, **85**, **207**
 Idaein, 68, 72, 79
 Ikeno, 159, 183, 193, **830**
Ilex, 95
 Imai, 158, 159, 168, 179, 188, **795**, **811**, **872**,
833
Impatiens, 130, 158, 267; *I. Balsamina*, 171,
 199
 Indian Cotton, 169, 191, 194, 196, see
Gossypium
 Indican, 115
Indigofera, 43, 111
 Indimulsin, 116
 Inhibiting factor, 154, 155
 Injury, anthocyanin as result of, 6, 20, 27,
 83, 84
Ipomoea, 158, 171, 193, 196, 197
Iresine, 22; *I. Herbstii*, 37; *I. Lindeni*, 53
Iris, 7, 88, 90, 119, 274; *I. foetidissima*, 157;
I. pumila, 33, 88; *I. xiphioides*, 200
 Irmisch, 30, **27**
 Iron salts, reaction of anthocyanin with, 56
 Isomer, of anthocyanin, 49, 54, 55, 63
 Iversen, 157, 165, **794**
 Jackson, 574
 Jacobasch, 556
Jacquinia, 33
 Jaenicke, 31
 Jäger, 551
Jasione, 155, 272
Jasminum, 44
 Johannsen, 430
 Johow, 25, **401**
 Jonas, 181
 Jones, D. F., 159, **789**
 Jones, W. N., 117, 119, 120, 122, 123, 158,
 168, 191, 196, **252**, **253**, **254**, **255**, **645**, **683**
 Jonesco, 18, 48, 126, **327**, **328**, 329, 330, **331**,
340, **341**, **342**, **343**
Jonesia, 24
Juglans, 26, 36; *J. regia*, 24
 Jumelle, **457**, **496**
 Juncaceae, 42
Juncus castaneus, 28; *J. Jacquinii*, 28;
J. trifidus, 28
Juniperus, 25
Jussiaea, 44
Justicia, 35
 Kaempferol, 15, 111
 Kajanus, 153, 157, 158, 159, 165, 178, 179,
 183, 188, 191, **662**, **663**, **684**, **685**, **686**, **703**,
704, **716**, **717**, **758**, **759**, **790**, **791**, **792**, **867**,
878
 Kakizuki, 868

INDEX

307

- Kappert, 159, 183, **869**
 Karzel, **446**
 Kasiwagi, **321**
 Kastle, **57, 211, 238**
 Katić, **6, 59, 92, 96, 97, 98, 101, 116, 441**
 Keeble, **13, 14, 16, 18, 24, 25, 158, 159, 244, 245, 246, 254, 255, 267, 503, 507, 644, 645, 687**; anthocyanin and oxidases, **117, 118, 119, 120**; anthocyanin in alcohol, **49, 119, 120**; artificial anthocyanin, **122, 123**; *Digitalis*, **168, 191, 196**; physiological significance of anthocyanin, **129, 133, 138**; *Primula*, **185, 186, 192**
 Keegan, **200, 435**
 Kelly, **159, 182, 197, 808**
 Kempton, **159, 190, 760, 793, 831**
 Keracyanin, **68, 72, 79**
 Kerner, **31, 498, 555**; anthocyanin, autumnal, **25**; in Alpine plants, **28, 103**; in leaves, **21**; physiological function of, **129, 130, 131, 135, 137, 143**
 Killby, **150**
 Kishida, **124, 284, 299**
 Klebs, **8, 85, 88, 436, 447, 448**
 Klein, **39, 322, 332**
Kniphofia, **20**
 Knuth, **9, 129, 527**
 Kny, **129, 132, 136, 32, 55, 497**
 Kohler, **102, 333, 334**
 Kohlrabi, **122**
 Koning, **129, 135, 516**
 Kooiman, **159, 181, 801, 841, 860**
 Körnicke, **557**
 Koschewnikow, **39, 40**
 Kostanecki, **17, 110**
 Kostka, **530**
 Kozłowski, **18, 127, 335**
 Kraemer, **208, 606**
 Kraus, **33**
 Kraus, C., **157, 363, 364, 368, 388**
 Kraus, G., **83, 398**
 Kristofferson, **157, 159, 164, 166, 181, 189, 191, 193, 196, 832, 850, 870, 879**
 Kroemer, **35, 106**
 Kronfeld, **59**
 Kryz, **53, 323**
 Kuhlmann, **56, 132**
 Kuntze, **523**
 Küstenmacher, **84, 413**
 Küster, **83, 84, 200, 437, 735, 775, 776**
 Kuwada, **159, 741**
- Labiatae, **22, 39, 44, 108**
 Laborde, **107, 214, 215, 216**
 Lachenmeyer, **532**
 Lacour, **185**
Lactuca, **158**; *L. atropurpurea*, **171**; *L. muralis*, **22, 171**; *L. sativa*, **156, 282**
Laelia, **43**; *L. Perrinii*, **34**
Lamium, **38**; *L. purpureum*, **40, 156**
Laportea, **220**
Larix, **20**
 Larkspur, **15, 59, 67, 68, 73, 200**, see *Delphinium*
Laserpitium, **28**
 Lathouwers, **157, 166, 851**
Lathraea, **31**
Lathyrus, **11, 12, 14, 18, 19, 57, 164, 176, 193, 194, 197, 205**; *L. heterophyllus*, **34**; *L. odoratus*, **158, 192**; colour-inheritance, **171**; colour-varieties, **153, 154**; oxidases, **118**; *L. silvestris*, **34**
 Laudel, **410**
 Laurent, **89, 402**
Laurus, **37**
Lavatera, **149**
 Lavdowsky, **32, 175**
 Lead acetate, reaction of anthocyanin with, **50, 53, 61**
 Leake, **169, 194, 195, 197, 664, 809, 852**
 Leaves, anthocyanin in, **21 et seq.**; localisation of, **37, 38**
 Léger, **310**
 Leguminosae, **24, 29, 43, 166**
 Leitgeb, **30**
Lemna, **138**; *L. minor*, **94**; *L. polyrrhiza*, **22**; *L. trisulca*, **94**
 Lemnaceae, **42**
 Lengerken, **34**
 Lentibulariaceae, **44**
Leontodon, **45**
Lepeirosia, **30**
 Lepel, von, **57, 166**
Leucanthemum, **28**
Leucocjum, **20**
 Levi-Morenos, **52, 58**
Libanotis, **28**
 Lidforss, **87, 189**
 Lierau, **30, 51**
 Light, as stimulus reaction, **91**; effect of, on colour in flowers, **88**; in fruits, **89**; in leaves, **89**; in roots, **90**
Ligustrum, **7, 29, 86**; *L. vulgare*, **27, 95, 121**
 Lilac, **205, 247, 256**
 Liliaceae, **22, 42**
Lilium candidum, **25, 91, 128**; *L. Martagon*, **33, 95, 102**
 Lily of Valley, **122**
Limodorum, **43**
Limosella, **44**
 Linaceae, **43**
Linaria, **44**; *L. alpina*, **149, 158, 173**; *L. Cymbalaria*, **149**
 Lindhard, **157, 165, 794**
 Lindinger, **30, 42, 76**
 Lindman, **614**
 Lindstrom, **159, 190, 761, 871**
 Lindt, **178**
 Linsbauer, **83, 91, 428, 458, 511**
Linum, **137, 143, 269**; *L. usitatissimum*, **131, 158, 173, 193, 194**
 Lister, **123**
 Liverworts, **266**
Lobelia, **149**
 Localisation of anthocyanin, in leaves, **37, 38, 39**; in Natural Orders, **42 et seq.**; in stems, **39**

- Lock, 158, 159, 179, 180, **596**, **607**, **615**, **621**, **635**, **688**; *Canavalia*, 166; *Nicotiana*, 176; *Pisum*, 149, 182, 192, 197; *Zea*, 189
Lonicera, 30; *L. brachypoda*, 100
Lotus, 28
Lourea, 43
Lowe, 22, **29**
Löwschin, **113**
Lüdi, 84, **429**
Ludwig, **525**, **526**
Lundberg, 159, **762**
Lupinus, 43, 158, 174, 193
Luteolin, 51, 163
Lychnis, 269; *L. coronaria*, 120; *L. dioica*, 158, 174; *L. Flos-cuculi*, 156; *L. vesper-tina*, 174; *L. Viscaria*, 28
Lycopersicum, 30
Lycopus, 44
Lythraceae, 44
- Macaire-Princep, 90, 105, 106, **3**
Macchiati, **186**, **509**, **528**
MacDougal, **504**
Macroplectrum, 33
Magnolia, 40; *M. acuminata*, 101
Mahonia, 7, 27, 86; *M. aquifolium*, 83, 92, 95
Maize, 19, 189, 190, 193, 202, 271, 286, 291, 292, 293, 294, 295, 296, 297, see *Zea*
Malcomia, 43
Malinowski, 159, **744**
Mallison, 72, **274**, **287**, **288**
Mallotus, 38
Mallow, 15, 59, 68, 74, see *Malva*
Malope, 149, 158, 174, 193
Malpighi, 21
Malte, 33, 34
Malva, 37, 59, 74, 76; *M. moschata*, 149, 157; *M. sylvestris*, 59, 68; *M. tinctoria*, 282
Malvaceae, 44
Malvezin, 217
Malvidin, 68, 70, 74, 81
Malvin, 68, 74, 81
Mann, 159, 188, **718**
Maranta, 22, 37
Marantaceae, 22, 23, 138
Marchantia, 20
Marquart, 3, 46, 88, 106, 5
Marquis, **176**, **177**
Marryat, 151, 158, 175, 195, 200, **636**
Martens, **9**, **141**
Martin, K., 74, **289**
Martin, W. K., **393**
Martin Leake, 158, 178, 193, 194, **664**, **809**, **852**
Massalongo, **406**
Massart, 37, **70**
Matricaria, 45
Matthaei, 142
Matthiola, 11, 12, 14, 158, 164, 176, 193, 194, 199; colour-inheritance, 174; colour-varieties, 149, 153, 154; hoariness, 193; oxidases, 119
- Maumené, 172
Medicago, 43; *M. falcata*, 127; *M. maculata*, 22; *M. sativa*, 34
Meehan, 41, **383**, **566**
Mekocyanin, 68, 72, 78
Melampyrum, 44
Melandri, **125**
Melandrium album, 174; *M. rubrum*, 174
Melastomaceae, 23, 138
Melica, 42
Menyanthes, 44
Mer, 34, 92, **371**, **373**
Mesembryanthemum, 53
Mesua, 142
Meunissier, 159, 182, **810**
Meyen, **6**, **23**
Microstylis, 43
Middendorff, 352
Mieg, 73, 74, **290**, **291**
Milium, 28
Mimosa, 43; *M. pudica*, 140
Mimulus, 198; *M. quinquevulnerus*, 197
Mirabilis, 204, 205; *M. Jalapa*, 41, 151, 158, 175, 195, 199, 200
Mirande, 6, 31, 59, 84, 86, 90, 91, 102, 107, 128, **344**, **345**, **419**, **449**, **452**, **485**, **486**
Miyake, 158, 159, 168, 179, 188, 795, **811**, **833**, **872**
Miyazawa, 158, 171, 193, 196, **777**, **834**
Miyoshi, 27, 93, **202**, **462**
Möbius, 29, 30, 33, 41, **68**, **86**
Mogiphanes, 53
Mohl, von, 33, 35, 105, 106, **7**, **8**, **88**
Molecular weight of anthocyanin, 62
Molinia, 29
Molisch, 32, 34, 35, 47, 93, 116, **108**, **183**, **256**, **403**, **570**; crystalline anthocyanin, 35, 36, 47
Molliard, 116, **453**, **463**, **480**
Monocotyledons, 33, 96
Montemartini, 508
Moraceae, 43
Moreau, **114**, **115**
Morot, 10, 49, 59, 76, **136**
Morren, 37, 89, **26**
Morris, 135
Morus, 26
Mountain Ash, 69
Mulder, **142**
Müller, L., 35, 39, **61**
Müller, N. J. C., 46, 57, **184**
Müller-Thurgau, 87, 89, 116, **385**
Multiplicity of anthocyanin pigments, 46, 47
Musa, 139; *M. zebrina van Houtte*, 23
Muscari, 40
Musci, 130
Myosotis, 269, 274; *M. sylvatica*, 149
Myrica, 29, 111
Myricetin, 15, 111
Myrtaceae, 44
Myrtillidin, 68, 70, 81
Myrtillin, 81; from Bilberry, 68, 73; from Hollyhock, 74
Myrtillus, 32

- Nagai, 20, 124, **83**, **298**, **299**, **311**, **835**
 Nägeli, **33**, **34**, **35**, **37**, **51**, **89**, **94**, **152**
Najus major, 94; *N. minor*, 94
Narcissus, 20; *N. incomparabilis*, 121
 Naylor, **209**
Nemesia, 44
Nemophila, 35; *N. insignis*, 199
Nepenthes, 138
Neptunia, 34
 Newbigin, **15**, **16**
 Newell, **562**
 Nicklès, **145**
 Nicolas, 92, 102, **478**, **479**
Nicotiana, 158, 176
Nidularium, 22
 Nienhaus, **411**
 Nierenstein, **239**, **247**, **320**
 Nivière, **196**
 Noack, 18, 125, **315**, **346**
 Nohara, 158, 178, **736**
 Nolan, 72, 73, **292**, **293**
 Noll, **407**
 Norton, 159, 181, **782**
 Nyctaginaceae, 43, 53
Nymphaea, 138; *N. Lotus*, 22; *N. thermalis*, 22
- Oats, 'Crown' variety of, 155
Odontites, 37, 44
 Oenidin, 68, 70, 74, 81
 Oenin, 68, 74, 81
Oenothera, 27, 38, 44, 83, 158, 176, 177;
O. biennis, 177; *O. franciscana*, 177;
O. grandiflora, 177; *O. Lamarckiana*, 92,
 177, 192; *O. rubricalyx*, 177, 192; *O.*
rubrinervis, 177
 Oenotheraceae, 38, 44
 Oleaceae, 44
 Oliver, **498**
Oncidium, 43; *O. sphacelatum*, 34
Onobrychis, 43
Ononis arvensis, 156; *O. natrix*, 34
 Onslow, 108, 109
Oplismenus, 42; *O. imbecillis*, 99, 101
Opuntia, 103; *O. leucotricha*, 89; *O. robusta*,
 89
 Orange, 30, 122, 155
 Orchidaceae, 23, 30, 43, 138
Orchis, 37, 43; *O. latifolia*, 89, 138;
O. maculata, 22, 138; *O. mascula*, 33,
 272
Ornithogalum, 20
 Orobanchaceae, 44
Orobanche, 31
Oryza sativa, 158, 177
Osmunda, 20
 Ostenfeld, 158, **608**, **646**
Ostrya, 137
 Overton, 6, 7, 26, 33, 47, 52, 59, 107, **420**,
421; anthocyanin and temperature, 86,
 87; sugar-feeding, 93, 95, 96, 98, 99, 100,
 101
Oxalis, 158; *O. corniculata*, 178; *O. Ort-*
giesii, 33
- Oxidising enzymes and anthocyanin, 13, 18,
 91, 116, 117; relative distribution of, 118,
 119; distribution of, 17, 108
 Oxonium salts of anthocyanin, 15, 48, 54
Oxybaphus, 53
 Oxybenzoic acids, 112
 Oxygen and anthocyanin, in gaseous ex-
 change, 91, 92, 116
- Paasche, **81**
Paenonia, 59, 68, 228; *P. coriacea*, 43
 Palladin, 13, 59, 91, 100, 102, 108, 109, 116,
 120, **218**, **225**
 Pammel, **553**
Panicum, 42; *P. variegatum*, 93
 Pansy, 59, 68, 73, 125, 152, see *Viola*
Papaver, 34, 41, 51, 57, 88, 89, 130, 193, 194,
 198, 199, 269, 270, 275; *P. alpinum*, 269;
P. nudicaule, 199; *P. orientale*, 197; *P.*
Rhoeas, 59, 68, 158, 178, 197; *P. somni-*
ferum, 158, 178, 197, 269
 Papaveraceae, 43
Paphiopedilum, 158, 168, 196
 Papilionaceae, 39
 Parasites, anthocyanin in, 31, 86
Parietaria, 30
 Parkin, 5, 38, 39, 90, 116, 77
 Parnell, 158, 177, **763**
 Parsley, 14
Passiflora acerifolia, 34; *P. alata*, 34; *P.*
laciniata, 34; *P. limbata*, 35; *P. suberosa*,
 35
 Pattern in colour variation, 196–198
 Payen, 10, **128**, **129**
 Pea, Sweet, 11, see *Lathyrus*
 Peche, **257**
Pedicularis, 44; *P. incarnata*, 28; *P. re-*
cutita, 28; *P. rostrata*, 28; *P. sylvatica*,
 156
Peireskia, 93
 Pelargonidin, 15, 67, 68, 69, 71, 75, 78; in
 colour-varieties, 67; synthesis of, 15, 67
 Pelargonin, 67, 68, 69, 71, 78
Pelargonium, 11, 27, 47, 48, 51, 59, 60, 67,
 76, 83, 93, 101, 122, 273; colour-varieties,
 68, 69; preparation of pigment, 60, 67,
 71; properties of pigment, 56, 57; *P.* 'Don
 Juan,' 206; *P. Odier hortorum*, 34; *P.*
peltatum, 69, 137; *P. zonale*, 34, 47, 59, 67,
 69, 96, 256
Pellaea, 20
 Pellagri, 56, **160**
 Pellat, **378**
 Pellew, 157, 158, 159, 166, 168, 185, 186,
 191, 192, 196, **644**, **645**, **764**
Pellionia, 37
Peltaria, 21
Pennisetum, 42
Pentstemon, 44
 Peonidin, 68, 73, 79
 Peonin, 68, 73, 79
 Peony, 59, 68, 73
Peplis, 93
Perilla, 156, 229

- Perkin, 12, 110, 125, **316**
 Pethybridge, 22, **78**
 Petioles, anthocyanin in, 23
Petunia, 15, 68, 74, 159, 179, 199
 Petunidin, 68, 70, 74, 80
 Petunin, 68, 74, 80
 Pfeffer, 32, 108
Phajus, 116
Phalaenopsis, 43
Phalaris, 89, 101; *P. arundinacea picta*, 249
 Phanerogams, 130
Pharus, 42
Phaseolus, 30, 41, 155, 156, 195, 197, 198, 205; *P. multiflorus*, 47, 159, 179; *P. vulgaris*, 159, 181
Philadelphus, 38; *P. coronarius*, 51
Phleum, 29, 42
 Phlobaphenes, 19, 126
 Phlobatannins, 19, 126
 Phloroglucinol, 111, 112
Phlox Drummondii, 112, 118, 150, 153, 154, 159, 182, 197
Phormium, 33
Photinia, 43
 Photosynthesis and anthocyanin, 82, 87
Phragmites, 31
 Physiological function of anthocyanin, 9, 129 *et seq.*
Phyteuma, 159; *P. Halleri*, 182; *P. spicatum*, 138, 182, 270
Phytolacca, 53, 100, 227, 229, 230
 Phytolaccaceae, 11, 48, 53
Picea, 20
 Pick, 24, 37, 129, 131, 134, 135, 137, **490**
 Pillsbury, 567
Pilosella, 90
 Pim, 35, **99**
 Pimental, 219
Pimpinella, 28
Pinguicula, 44
 Pink, 58, 122, see *Dianthus*
Pinus, 20; *P. excelsa*, 83
 Piperaceae, 23, 43
 Pirotta, 30, 42
Pistacia, 44
Pistia, 94
Pisum, 30, 155, 156, 194, 197, 198; *P. sativum*, 101, 159, 192; colour-inheritance in, 182; colour-varieties of, 149; peroxidases in, 118
Pitosporum, 98
 Plantaginaceae, 44
Plantago, 83; *P. major*, 31, 100, 156
Platanus, 137
Plumbago, 120
Poa annua, 28; *P. nemoralis*, 28, 30
 Podalyriaceae, 30
Pogonia, 43; *P. crispa*, 23
Poinsettia, 29
Polemonium caeruleum, 149, 159, 183; *P. flavum*, 183
 Politis, **120, 240**
 Pollacci, 5, 35, 37, 39, 91, 17
 Pollen, anthocyanin in, 29
Polyanthus, 16, 122
Polygala, 155, 157
 Polygalaceae, 43
 Polygonaceae, 43, 53
Polygonum, 89, 90, 111; *P. compactum*, 125; *P. Persicaria*, 22, 138; *P. tartaricum*, 89
Pontederia, 33
 Pontederiaceae, 30
 Poppy, 15, 59, 68, 72
Populus, 26, 29, 37, 38, 85, 111, 137; *P. alba*, 26; *P. nigra*, 26; *P. tremula*, 26
 Porthheim, 47, **219, 477**
Portulaca, 41, 53, 112, 159, 183, 193, 199
 Portulacaceae, 11, 43, 53
Potamogeton, 20; *P. pectinatus*, 94; *P. perfoliatus*, 94; *P. pusillus*, 94
 Potato, 122, see *Solanum*
Potentilla anserina, 31; *P. Tirolensis*, 29
Poterium, 137
 Potonié, 30, **56**
 Praeger, **563**
 Prehn, **568**
Prenanthes, 96
 Preyer, 30, 33, 42, **66**
 Prillieux, 116
Primula, 8, 13, 14, 18, 19, 118, 269, 274; *P. acaulis*, 154, 279; *P. sinensis*, 35, 88, 122, 279; colour in vegetative parts, 192; colour-varieties, 149, 150, 153, 154, 155, 156, 195; inheritance of colour, 184; oxidases, 117, 118; pattern, 197, 198; striping, 199, 205; *P. veris*, 154, 155
 Primulaceae, 44
 Pringsheim, 9, 129, 130, 132
Prunella, 7, 89; *P. vulgaris*, 44
 Prunicyanin, 75
Prunus, 25, 29, 38, 111; *P. avium*, 59, 68, 269; *P. Chamaecerasus*, 25; *P. Padus*, 25, 90; *P. Pissardi*, 83, 127; *P. spinosa*, 25, 59
 Przyborowski, 158, 179, **853**
Puccinia, 27, 84
Pulmonaria, 7, 89
 Punnett, 11, 154, 158, 171, 172, 192, 193, 197, 207, 590, 599, 603, 619, 652, 653, 689, 705, 765, 854, 873
 Pynaert, **382**
Pyrus, 26, 30, 43; *P. communis*, 34
 Quercetin, 15, 111
Quercus, 26, 27, 36, 38, 43, 111; *Q. coccinea*, 26; *Q. heterophylla*, 213; *Q. macrocarpa*, 38; *Q. palustris*, 33; *Q. Robur*, 24, 26; *Q. rubra*, 26, 38, 135
 Radish, 57, 60, 75, 202, 235
 Rafarin, **365**
 Ramiah, 158, 177, **763**
 Ram Pershad, 158, 178, 193, 194, 809, **852**
 Ranunculaceae, 43, 157
Ranunculus acris, 138
Raphanus, 159, 270; *R. sativus*, 30, 60, 187

INDEX

311

- Rasmuson, 157, 158, 159, 165, 167, 169, 171, 174, 178, 188, 189, 193, 195, 196, 737, 745, 746, 778, 779, 796, 797, 812, 813, 814, 836, 874
- Raspberry, 69
- Ráthay, 408
- Rathbone, 422
- Raum, 159, 188, 798, 837
- Ravaz, 85, 442, 467
- Rawson, 622, 706
- Red-leaved varieties, 29, 156
- Reduction of anthocyanin, 57
- Reinke, 9, 130, 132, 139, 205, 738
- Remy, 159, 855
- Renner, 158, 838
- Reseda*, 111, 159; *R. lutea*, 20; *R. odorata*, 20, 187
- Respiration pigments, 13, 108, 109, 120; and anthocyanin, 109
- Restrepia*, 43
- Reversion to type-colour, 12
- Rhamnus*, 111
- Rheum*, 27, 83, 90
- Rhinanthus*, 44
- Rhododendron*, 40
- Rhodotypos*, 83
- Rhus*, 25, 37, 44, 111; *R. Coriaria*, 90; *R. typhina*, 53
- Ribes*, 29, 36, 43, 206; *R. grossularia*, 155; *R. rubrum*, 156; *R. sanguineum*, 205
- Riccia*, 212
- Rice, 'Crown' variety of, 155
- Richardson, 158, 169, 719, 780, 815
- Richter, 454
- Ricinus*, 29, 43, 134, 135, 159, 187
- Riolle, 159, 187, 816
- Robinet, 22
- Robinia*, 111; *R. Pseudacacia*, 83, 155
- Rodrigue, 69
- Roemer, 157, 165, 766
- Roos, 442
- Roots, anthocyanin in, 30
- Rosa*, 24, 89, 90, 122, 130, 153; autumnal coloration, 26; galls, 27; localisation of anthocyanin, 38; pigment, 57; solid pigment, 34; *R. centifolia*, 282; *R. gallica*, 59, 60, 68; preparation of pigment of, 72; *R. 'Maréchal Niel'*, 98
- Rosaceae, 26, 43
- Rosanoff, 34, 96
- Rose, 15, 59, 72, 75
- Rosé, 92, 476
- Rosenheim, 48, 124, 317, 324, 325
- Rostrup, 84, 432
- Rouge, 348
- Roux, 10, 130
- Rouze, 495
- 'Rübenroth' group of anthocyanins, 11, 53
- Rubiaceae, 44
- Rubus*, 24, 29, 36, 37, 38, 90, 96; *R. caesius*, 34; *R. corylifolius*, 34; *R. fruticosus*, 92; *R. glandulosus*, 34; *R. Idaeus*, 156; *R. laciniatus*, 34; *R. lasiocarpus*, 34
- Rudbeckia*, 159, 187
- Rumex*, 27, 29, 83, 90; *R. Acetosella*, 31, 33; *R. crispus*, 92; *R. domesticus*, 99, 100, 101; *R. Patentia*, 100; *R. scutatus*, 137
- Ruscus aculeatus*, 48
- Russell, 267
- Russo, 220
- Russula*, 127
- Saccharum*, 30
- Sacher, 56, 230
- Sachs, 7, 85, 88, 89, 356, 358
- Sachsowa, 159, 744
- Sachs-Skalifiska, 158, 159, 176, 179, 839, 840
- Sagittaria*, 98
- St Clair Caporn, 159, 188, 193, 781
- Salaman, 30, 156, 159, 188, 197, 647, 690
- Salicaceae, 43
- Salicornia*, 29, 93
- Salix*, 26, 27, 29, 30, 37, 38, 90, 137
- Salpiglossis*, 152
- Salvia*, 29, 37, 71; *S. coccinea*, 59, 68; *S. Horminum*, 149, 159, 187, 193; *S. splendens*, 35, 51, 59, 68
- Salvianin, 68, 71
- Salvin, 71
- Salvinin, 71, 78
- Sambucus*, 30, 89, 267; *S. Ebulus*, 45; *S. nigra*, 86; *S. racemosa*, 45
- Sando, 347
- Saponaria*, 43; *S. ocyroides*, 28
- Saraca*, 142, 143
- Sarcanthus*, 136
- Satureja*, 131, 137, 143; *S. hortensis*, 28
- Saunders, 11, 157, 158, 159, 578, 590, 599, 603, 609, 619, 665, 666, 691, 692, 707; *Atropa*, 164, 191, 194; *Datura*, 168, 191, 194; *Digitalis*, 168, 191; *Linaria*, 149, 173; *Lychnis*, 174; *Matthiola*, 149, 153, 154, 174, 194; *Salvia*, 149, 187
- Sauromatum*, 256
- Savory, 131
- Saxifraga*, 43, 101, 131; *S. cordifolia*, 98; *S. crassifolia*, 96; *S. cuneifolia*, 21; *S. Geum*, 21; *S. umbrosa*, 27
- Saxifragaceae, 20, 30, 43
- Scabiosa arvensis*, 214; *S. succisa*, 272
- Schell, 30, 90, 372, 374
- Schellenberg, 747
- Schenckia*, 116
- Schenkling-Prévôt, 423
- Schiemann, 282
- Schilberszky, 519
- Schimper, 34, 47, 97
- Schlockow, 33, 34, 41
- Schmidt, 67
- Schnetzer, 167, 168, 169, 170
- Scholl, 47, 219
- Schönbein, 56, 137, 138
- Schönn, 154
- Schroeder, 312
- Schübler, 105, 131, 532
- Schudel, 60, 75, 318
- Schunck, 386

- Schwendener, 33, 51, **152**
 Schwertschlagler, **231**
Scilla amoena, 40; *S. nutans*, 156; *S. verna*, 272
 Scitamineae, 42
Scopolia, 36
Scorzonera, 45
 Screen-theory, 9, 129, 132, 133
 Scrophulariaceae, 44
Secale, 38, 42, 89, 257
Sedum, 29; *S. acre*, 28; *S. album*, 28; *S. atratum*, 28; *S. sexangulare*, 28
 Seeds, anthocyanin in, 30
Sempervivum, 255; *S. tectorum*, 136
 Sempolowski, **42, 36**
 Senebier, 88, 2
Senecio nebrodensis, 21; *S. nemorensis*, 21; *S. vulgaris*, 159, 187
 Senior, 59, 76, **162**
Setaria, 42
 Setchell, 158, **856**
 Sewell, **13**
 Shaw, 159, 181, **782**
 Shibata, K., 124, **283, 284, 298, 299, 321**
 Shibata, Y., **321**
 Shull, 158, 159, 170, 174, 177, 178, 180, 181, 192, 195, 197, **616, 623, 624, 648, 649, 693, 720**
Silene, 37, 38, 89, 90; *S. acaulis*, 43; *S. Armeria*, 159, 187
 Silenoideae, 43
Sinningia atropurpurea, 22; *S. purpurea*, 37
 Sirks, 159, 181, **817, 857**
Sisyrinchium, 159, 188
Sium, 100
 Sloe, 59, 75
 Smith, A. M., 9, 25, 133, 142, 143, **520**
 Smith, F. G., 23, 512
 Smith, G., 158, 173, **751**
 Smithsonian, 46, **126**
 Sodium bisulphite, bleaching of anthocyanin by, 56
 Solanaceae, 44
Solanum, 30; *S. americanum*, 35, 37; *S. Dulcamara*, 48; *S. etuberosum*, 188; *S. guineense*, 35; *S. Melongena*, 35; *S. nigrum*, 35, 156, 159, 254; *S. tuberosum*, 30, 89, 156, 159, 188, 197, 254; *S. verrucosum*, 188
Soldanella, 21
 Solid anthocyanin, 33; obtained in cell by reagents, 35, 36
Solidago, 39, 45
 Sorauer, 34, 84, **391, 438, 443**
 Sorby, 57, 89, **153, 158, 221, 389**
Sorghum, 33
 Sostegni, **197, 205**
 Spectrum of anthocyanin, 9, 57; and protection of chlorophyll, 132
 Spiess, 37, **107**
 Spillman, 159, 181, 188, **667, 708**
Spiraea, 27, 38, 83; *S. prunifolia*, 92
 Spots of anthocyanin, on flowers, 41; on leaves, 22; on seeds, 41
Stachys, 31
 Stahl, 9, 22, 23, 24, 25, 37, 129, 133, 135, 136–139, 140, 141, 143, **62, 505**
 Staining with anthocyanin, 32; of cell-wall, 33; of protoplasm, 32
Stellaria, 37
 Stems, anthocyanin in, 39
 Stock, 202, see *Matthiola*
 Stout, 207, **799**
 Strasburger, **46**
Strelitzia, 33, 214
 Striping, 198; bud-variation and, 205; inheritance of, 200–205
Strobilanthes, 232; *S. Dürrianus*, 36
 Stuckey, 159, **800**
Suaeda, 29, **93**
 Sudborough, 63
 Sugar, anthocyanin and, 6, 8, 86, 87, 101, 116, 117; flavones and, 112
 Sugar-feeding, and anthocyanin, 6; Gertz on, 98, 99; in flowers, 101; Katić on, 96, 97; localisation of pigment in, 100; Overton on, 93
 Sunflower, 195
 Suzuki, **450**
Swainsonia, 120
 Sweet Pea, 19
 Sweet William, 120, see *Dianthus*
Swertia, 35
 Sylvén, **818**
Symphytum, 44; *S. officinale*, 156
 Synthetic products, anthocyanin and, 83, 84, 85, 86; lack of, 85
Syringa, 44

Tagetes, 199; *T. signata*, 40
 Tait, 32
 Taliew, **581**
 Tammes, 116, 158, 173, 193, **668, 721, 739, 748, 749, 858, 875**
 Tannin, anthocyanin and, 36, 51; origin of anthocyanin from, 107
Taraxacum, 37, 45; *T. officinale*, 28, 96
 Tassi, 33
 Tedin, 159, 182, 194, **819, 876**
 Temperature, anthocyanin and, 7, 8, 27, 86, 87, 88; in leaves, 9, 136, 137, 141–143
 Terasawa, **859**
Terminalia, **93**
 Terreil, **179**
Tetragonia crystallina, 53; *T. expansa*, 156
Tetranychus, 257
 Theaceae, 44
Theobroma, 142, 143
 Thoday, 153, 158, 172, **650**
 Thomas, Fr., **513, 515**
 Thomas, S. B., **393**
Thunbergia, 35
 Tiegham, van, 30, **33**
Tilia, 85, 90; *T. europaea*, 24
 Tiliaceae, 44
Tillaea, 93
Tillandsia, 22; *T. amoena*, 33; *T. diantioidea*, 33
 Timpe, **425**

INDEX

313

- Tischler, 518
 Tjebbes, 159, 181, **801, 841, 860**
 Toni, de, 213
Tradescantia, 93, 101; *T. discolor*, 22; *T. Loekensis*, 99; *T. zebrina*, 23, 31
Tragopogon, 45
 Translocation, and anthocyanin, 7, 8, 84, 103, 104; protection of, by anthocyanin, 131, 134, 135
 Transpiration, accelerated by anthocyanin, 136; in tropics, 138
 Trécul, 34, 35, **93**
 Treviranus, **354**
Trifolium, 43, 153, 156, 159, 188; *T. pratense*, 30, 33, 272
Triticum, 42, 159, 188, 193
 Tropaeolaceae, 43
Tropaeolum, 40, 88, 89, 148, 159, 198; *T. majus*, 40, 41, 69, 101, 151, 188, 198
 Trow, 159, 187, **694**
 Tschermak, 158, 159, 175, 180, 181, 197, **582, 587, 597, 695, 750, 802**
 Tschirch, 33, 35, **104**
 Tswett, 119, 120, 122, **258, 268**
 Tubeuf, von, 84, **416**
Tulipa, 7, 40, 88, 89, 90, 103, 199, 217, **274**; *T. Gesneriana*, 69, 88; *T. Greigi*, 137
Turritis, 21
Tussilago, 84; *T. Farfara*, 27, 100

Ulloa, 39
Ulmus, 137; *U. campestris*, 24
 Umbelliferae, 24, 28, 29, 44, 108
Uncaria, 140
 Unger, 34, 35, **90**
Utricularia Bremii, 94; *U. minor*, 94; *U. vulgaris*, 94

Vaccinium, 30; *V. Myrtillus*, 59, 68, 76; *V. Vitis-Idaea*, 59, 68, 76
 Valerianaceae, 45
Valeriana montana, 21; *V. tripteris*, 21
Vallisneria, 42; *V. spiralis*, 94, 98
Vanda, 40
 Vargas Eyre, 158, 173, **751**
 Vavilov, 147, **861**
 Veitch, **63**
Verbascum, 44
Verbena, 199
Veronica, 37, 38, 44, 206; *V. Beccabunga*, 157; *V. Chamaedrys*, 98, 157; *V. longifolia*, 159, 188, 205; *V. officinalis*, 157; *V. spicata*, 157
 Vervain, 51
 Vesque, 33
Viburnum, 25, 30, 38, 267; *V. Lantana*, 27, 90; *V. Opulus*, 27, 51, 90, 101; *V. Tinus*, 35
Vicia, 37; *V. Cracca*, 28; *V. Faba*, 41, 159, 188; *V. sepium*, 28, 272
Victoria, 22
Vigna sinensis, 159, 188, 193
Villarsia, 138; *V. nymphoides*, 22
 Vilmorin, 159, 182, 199, **842**
Vinca, 149, 155, 202

 Vine, 11, 27, 47, 48, 59, 85, 121
Viola, 15, 31, 111, 159; *V. arvensis*, 189; *V. cornuta*, 189; *V. odorata*, 149; *V. tricolor*, 18, 34, 59, 68, 125, 152, 189
 Violaceae, 44
 Violanin, 68, 73, 80
 Virville, de, **484**
Viscaria, 90
 Vitaceae, 23, 44
Vitis, 25, 29, 34, 38, 53; *V. alexandrina*, 38; *V. Labrusca*, 38; *V. vinifera*, 59, 68, 76, 156, 159, 189, 193
 Vöchting, 85, **412**
 Voigt, 90, **351**
 Vouk, **625**
 Vries, de, 32, 154, 156, 157, 158, 159, 160, 164, 169, 174, 187, 188, 189, 155, **180, 577, 601, 669**; *Antirrhinum*, 160, 161; bud-variation, 205; *Corcopsis*, 168, 195; *Papaver*, 178; pattern, 196, 197; red varieties, 154; striping, 199, 200, 201, 202, 205
Vriesia, 22

 Waage, **187**
Wachendorfia, 30
 Walker, **522**
 Wallflower, 16, see *Cheiranthus*
 Wallin, 36, **105**
 Warming, 93, **414, 430, 433**
 Webster, **552**
 Weevers, 25, **521**
 Wehrli, **499**
 Weigert, 11, 46, 53, 56, **194**
 Weil, 72, 73, **304, 305**
Weingaertneria, 42
 'Weinrot' group of anthocyanins, 11, 53
 Weiss, A., 33, 34, 35, **95**
 Weiss, F. E., 157, 159, **637, 670**
 Wellington, **679**
 Weretennikow, 90, **360**
 Wheat, 27
 Wheldale, 12, 13, 14, 17, 59, 76, 121, 157, 226, 227, 228, 232, 239, 241, 259, 269, 270, 271, 272, 285, 617, 638, 651; anthocyanin, alkali reaction of, 52, 53; artificial, 123; formation of, 110, 112, 114, 115; in alcohol, 57, 119; oxidases and, 91; *Antirrhinum*, colour-varieties of, 150, 153–154, 191, 195, 196; inheritance of colour of, 160, 161, 162, 163; preparation of pigments of, 60; properties of pigments of, 48, 52, 121; striping of, 205; flower-pigments, 40, 58; oxidases, 109
 White, 159, 182, 187, **767, 768, 783, 784**
 Wied, **357**
 Wiesner, 11, 46, 51, 129, 133, 149, 156, **362, 500**
 Wigand, 10, 33, 46, 51, 59, 91, 107, 12, 150
 Willis, 24
 Willstätter, 15, 18, 19, 48, 57, 58, 59, 67–75, 76, 113, 260, 273, 274, 275, 286–294, 300–307; allocyanidin, 124; anthocyanin, alkali reaction of, 52, 54, 55, 56; artificial,

Cambridge University Press

978-1-107-63090-1 - The Anthocyanin Pigments of Plants: Second Edition

Muriel Wheldale Onslow

Index

[More information](#)

314

INDEX

- 17, 123; constitution, 66; groups of, 57; preparation, 63; properties, 48, 49, 52, 57
- Wine, 10, 11, 53, 59
- Winton, de, 159, 186, 193, **863**
- Wissemann, **242**
- Witt, 110, 112
- Wittmack, 156, **79**, **598**
- Wortmann, 134, 135, **492**
- Wray, **122**
- Wulf, 29, 33, 43, 71
- Xanthogène, 51
- Xanthosoma*, 22
- Yamaguchi, 158, **843**
- Yasui, 159, 183, **820**
- Zacharewicz, **444**
- Zea*, 30, 37, 90, 159, 189, 193, 202–204, 206–207
- Zechmeister, **275**
- Zerewitinoff, 63
- Zimmermann, 34
- Zinnia*, 40, 41; *Z. elegans*, 69, 151, 199
- Zollinger, 72, 73, 74, 75, **294**, **306**, **307**
- Zopf, 30, 36, **48**, **188**, 571