

Index

Note: page numbers in *italics* refer to figures and tables, those in **bold** refer to boxes

Abbreviated Mental Test Score <i>118</i>	achalasia 423–425	pre-renal causes 39
abdominal mass 1–8	acidosis, acute kidney injury 43	prescribing 41–42
abdominal pain 9–15	activated partial thromboplastin time (APTT) <i>91</i> , 92–93	renal causes 39–40
acute 9–13	active cycle of breathing technique (ACBT) 87	risk factors 38
clinical assessment 10–12	acuity	acute liver failure
elderly patients 13	acute loss 452–453	assessment 264–265
examination 10–11	chronic loss 453	jaundice 263, 264–266
history taking 10	acute abdomen, surgical 12–13	management 265–266
investigations 11–12	acute alcoholic hepatitis 264	non-paracetamol-related 266
management 12–13	acute aortic syndromes 113–114	paracetamol-related 266
surgical acute abdomen 12–13	investigation 113–114	acute papillary necrosis 287–288
chronic 13–15	treatment 114	acute tubular necrosis (ATN) 39
investigations 14	acute coronary syndrome (ACS)	acute vestibular syndrome 476–477
descriptions 9	chest pain 106–110	adenosine 334
dyspepsia 142	complications 110	adrenal gland, functional anatomy 246
functional 13	discharge arrangements 110	adrenal insufficiency 236, 390–391
functional abdominal bloating 14–15	initial therapy 109–110	adrenal tumours, incidental 246–247
irritable bowel syndrome 14	non-invasive investigations 109	aetiology 246
hospital admission primary diagnosis <i>xvii</i>	risk stratification 106–109	functional adenoma 247
red flags 9	troponin levels 106	malignant 246–247
abdominal swelling <i>xvii</i> , 16–23	acute exanthematous generalized pustulosis (AGEP) 374	management 247
acute management 4–5	acute fatty liver disease of pregnancy (AFLP) 305	adrenaline 61–63, 397–398
ascites 4–5, 6, 18–21	acute inflammatory demyelinating polyneuropathy, <i>see</i> Guillain–Barré syndrome	adrenergic receptors 389
blood tests 17	acute interstitial nephritis 39	adsorbents, oral 350
cancer diagnosis 4–5	acute kidney injury <i>xvii</i> , 6, 38–40	advance decisions to refuse treatment (ADRT) 323, 326
multidisciplinary team approach to follow-up 5	with acute liver failure 265	advanced life support 97, 98
causes 2	causes 39–40	afterload 389
clinical assessment 16–17	chronic kidney disease progression 41	ageing
colonoscopy 4	distinction from first presentation of chronic kidney disease 42	cognitive 307
communication of bad news 5–6	fluid prescribing 44	<i>see also</i> older patients
computed tomography 3, 4	fluid status	aggressive behaviour 47–51
constipation 21–22	assessment 44	de-escalation 48
endoscopy 4	monitoring 44	escalation 48–49
examination 2–3, 17	glomerular causes 39–40	legal framework 50
gastroscopy 4	investigations 38, 44, 45	psychosis 49–50
history taking 1–2, 16–17	life-threatening complications 42–44	sedation 50–51
imaging 3, 4, 17	management 38–39	airway 391, 437–438
investigations 3, 17	multiple myeloma 40	lower airway obstruction 86
large bowel obstruction 22	nephrology referral 45	<i>see also</i> upper airway
magnetic resonance imaging 4	post-renal causes 40	alcohol dependence <i>xvii</i> , 52–53
malignancy 1–6		approach 55–56
small bowel obstruction 22		brief intervention 56
surgical exploration 3–4		community detoxification 57
ultrasonography 3, 4		disease risk 53
abuse, falls patients 161		inpatient detoxification 57
acamprosate 57		risk levels 52

Index

- treatment 56–57
- withdrawal 54–55, 56, 57
- alcohol intake, bleeding problems 90
- alcoholic liver disease 264, 266
- alcohol-related dementia 310
- allergic angio-oedema 60–61
- allergy
 - iodinated contrast 285
 - penicillin 64
 - see also* anaphylaxis
- Alzheimer's disease 309
- ambulation 237
- ambulatory oesophageal pH monitoring 146
- 5-aminosalicylic acid (5-ASA) 381–382
- amiodarone 339
- amitriptyline 322
- amniotic fluid embolism 82, 302
- amoebic liver abscess 167
- anaemia
 - abdominal swelling 2–3
 - breathlessness 81, 84
 - syncope 435
- analgesia
 - acute abdominal pain 12
 - acute back pain 33
 - acute kidney injury 42
 - breathlessness 87
 - chronic kidney disease 42
 - falls 160
 - palliative care 328–330
- analgesic headache 221
- anaphylaxis *xviii*, 59–64
 - clinical features 60
 - diagnosis 60
 - differential diagnosis 60–61
 - discharge from hospital 63
 - follow-up 63–64
 - haemodynamic support **396**
 - investigations 63
 - management 61–63
 - algorithm 62
 - pathophysiology 59
 - resuscitation 61–63
 - signs/symptoms 59–60
 - triggers for fatal reactions 59
- angina, dialysis complications 132
- angiodysplasia 376
- angio-oedema 60
 - allergic 60–61
 - idiopathic 61
- angiotensin-converting enzyme (ACE)
 - inhibitor(s) 125–126
- angiotensin-converting enzyme (ACE)
 - inhibitor-related allergic angio-oedema 61
- anion gap, poisoning 348–349
- ankylosing spondylitis 32, 320
- anorexia nervosa 466
- anti-arrhythmic agents 338, 339
- antibiotics
 - acute kidney injury 42
 - cellulitis 280–281
 - chronic kidney disease 42
 - cough 125, 126
 - diarrhoea cause 136
 - fever 165, 167, 172
 - Helicobacter pylori* 197
 - infective colitis 136
 - meningitis 168–169, 170
 - prophylaxis 172–173
 - sepsis 168–169, 385
 - variceal upper gastrointestinal haemorrhage 198
- anticholinergic drugs 308
- anticoagulants
 - atrial fibrillation 336, 337
 - cardiac arrhythmias 336, 337
 - deep vein thrombosis 277
 - novel oral 336, 337
 - stroke prevention 481–482
- anticonvulsants 181–182, *181*
- anti-cyclic citrullinated peptide antibodies (anti-CCP) 272
- antidepressants 67, 87
- antidiuretic hormone (ADH) 354
- antidotes to poisons 348, 351–352
- antiemetics 463, *464*
- anti-nuclear antibodies (ANA) 272
- antiplatelet treatment for stroke 481
- antipsychotics 51, 67
- antipyretics 163
- anti-tussives 125
- anxiety disorder 65–67
 - co-morbidity 65–66
 - examination 66
 - generalized anxiety disorder 66–67
 - history 65–66
- anxiolytics 67
- aortic dissection 113, 302
 - examination 113
 - history 113
 - syncope 434–435
- aorto-enteric/oesophageal fistula 193–194
- aphasia
 - anomic 412
 - characteristics *412*
 - conduction 412
 - expressive (Broca's) 411
 - global 412
 - non-fluent 410
 - receptive 411
 - transcortical
 - motor 411
 - sensory 411
 - Wernicke's 411
- apnoea 445
 - obstructive sleep apnoea 81
- apraxia of speech 408
- arbovirus infection 167
- arcuate fasciculus 409
- arginine vasopressin 397
- Argyll Robertson pupil 456
- arterial ulceration 403–404
- arthritis
 - crystal 268, 270
 - inflammatory 271–272, 320
 - reactive 271
 - septic 268, 270
 - sexually acquired reactive 152
- articulation 411
- ascites 18, 262
 - abdominal swelling 4–5, 6, 18–21
 - drainage 20
 - management 18–21
- ascitic tap procedure 18, *19*
- Aspergillus* infection 172, 385
- aspirin 197, 479
 - gastrointestinal bleeding 145, 193
- asterixis 253
- asthma 80, 86
 - cough-variant 124, 126
- atlanto-occipital joint 318
- atlas 318
- atrial fibrillation (AF) 331, 335–336
 - anticoagulation 336, 337
 - classification 335
 - management 335
 - stroke prevention 481–482
 - thromboembolic stroke risk 336
 - time of onset 335–336
- atrial flutter 335
- atrioventricular nodal conduction slowing 333, 337
- atrioventricular nodal re-entrant tachycardia 336–337
- atrioventricular tachycardia 336–337
- atrophic vaginitis 187
- auditory comprehension 410
- autoimmune disease, cough 124
- automatisms 255
- autonomy, respect for 326
- autosomal dominant polycystic kidney disease 41
- axis 318
- back pain
 - acute 29–37
 - differential diagnosis 29
 - general evaluation 31
 - history 29–30
 - investigations 32
 - management 33
 - musculoskeletal 30
 - myelopathy 36
 - neurological assessment 31
 - neurological compromise 29
 - osteoporotic vertebral compression fractures 34–35
 - physical examination 30–31

Index

- back pain (*cont.*)
 radiculopathy 36
 range of motion 30–31
 referred pain 30
 risk factors 36
 sciatica 36
 spinal infection 33–34
 spinal nerve root lesions 31
 spondyloarthritis 35–36
 spondylolisthesis 36
 spondylosis 36
 systemic disease 29–30
 chronic
 socioeconomic impact 36–37
 yellow flags 36–37
 bacterial infections
 bacterial prostatitis 152
 bacterial vaginosis 186
 Campylobacter 382
 Escherichia coli UTIs 149
 meningitis 170
 mycobacterial 293
 streptococcal group A infections 281, 386
 see also chlamydia; gonococcal infection/
 gonorrhoea; *Helicobacter pylori*;
 spontaneous bacterial peritonitis
 (SBP); staphylococcal infections;
 Staphylococcus aureus
 bacterial toxins 386
 bad news, communication 5–6
 Baker's cyst, ruptured 279
 balance 447
 anatomy 447
 balance disturbance *xx*, 447
 history 447–448
 investigations 451
 lesion site correlation 448
 see also disequilibrium; dizziness;
 presyncope; vertigo
 balloon tamponade, variceal upper
 gastrointestinal haemorrhage 198
 Bamford (Oxford Community Stroke
 Project) classification of stroke
 477, 477
 barium studies
 dysphagia 423
 GORD diagnosis 146
 Barrett's oesophagus 147
 basal cell carcinoma (BCC) 404
 Behçet's disease 189, 190, 406
 beneficence 326
 benzodiazepines 51, 120
 poisoning 348
 best interests of patient 326, 446
 beta-blockers 339
 bile salt malabsorption 135, 138
 bi-level positive airways pressure (BiPAP) 86
 biliary colic 142–143
 biologic therapy 273
 bitemporal hemianopia 453
 blackouts *xvii*, 428
 causes 429
 bladder
 sphincter disturbance 471
 urinary tract obstruction 314
 bleeding problems *xx*, 88–89, 234
 aspirin-induced gastrointestinal 145, 193
 assessment tools 90
 clotting times 92–93
 examination 90
 general health 90
 history 89–90
 investigations 90–93
 risk in surgical patients 297
 systemic disorders 93
 urethral catheterization 316
 see also lower gastrointestinal bleeding;
 upper gastrointestinal haemorrhage
 blepharospasm 255
 blood count, bleeding problems 90–92
 blood film, bleeding problems 90–92
 blood loss, surgical patients 295
 blood pressure
 control in stroke 480–481, 482
 invasive arterial monitoring 395–396
 postural in falls patients 158
 see also hypertensive *entries*; orthostatic
 hypotension; postural hypotension
 bodily distress syndrome 341
 Boerhaave's syndrome 422
 bone density measurement 35
Borrelia burgdorferi 271
 bowel
 irrigation 350–351
 sphincter disturbance 471
 see also colon/colorectal cancer;
 large bowel obstruction; lower
 gastrointestinal bleeding;
 small bowel
 bradyarrhythmias
 cardiac pacemaker implantation 72–73
 intermittent 73–74
 persistent 73
 bradycardia 72–73, 96
 brain, arterial supply 475
 brainstem
 central herniation 440
 function 440–441
 lesion identification 456
 reflex testing 445
 brainstem death 445
 diagnosis 445
 breathing 391
 unconscious patient 438–439
 breathlessness *xvii*, 77–87, 94–95
 acute physiological disturbance 79
 arterial blood gases 84
 causes 77–79, 87
 clinical assessment 79
 examination 82
 history 79
 imaging 84
 impact 79
 investigations 82–85
 management 85–87
 MRC scale 87
 neurological disease 79
 pathophysiology 77
 pharmacological treatment 87
 specific situations 79–82
 see also cardiorespiratory arrest
 Broca's area 408–409
 bronchiectasis 80, 126
 bronchiolitis 80
 bronchoscopy
 cough 125
 haemoptysis 208–209
 hoarseness 230
 stridor 230
 bronchospasm 86
 bruising *xvii*, 88–89
 bulbar palsy 413, 471
 bulimia nervosa 466
 bullous skin disorders 375
 bullous pemphigoid 375, 406
 buprenorphine 57–58
 buspirone 67
 C1 esterase inhibitor deficiency 61
 calciphylaxis 132, 405
 calcium channel blockers 339
 calcium pyrophosphate arthropathy 268,
 270, 321
Campylobacter 382
 cancer
 abdominal swelling 1–6
 communication of bad news 5–6
 disease trajectory 325
 mortality 323
 palliative care 329
 quality targets for investigation/
 treatment 5
 symptom management 329
 TNM staging 5
 see also malignancy
 candidiasis 385
 mouth ulcers 405
 vaginal 186, 189
 carbamazepine 304
 carcinoid syndrome 61
 cardiac arrhythmias
 anti-arrhythmic agents 339
 anticoagulants 336
 novel oral 336, 337
 bleeding rate 337
 classification 334–339
 management 334–339
 poisoning 349
 risk factors for bleeding 337
 supraventricular arrhythmias 334–337

Index

- supraventricular tachycardia 333
- ventricular arrhythmias 337–339
 - admission indications 334
 - see also* atrial fibrillation (AF)
- cardiac contractility 389
- cardiac disease, dyspepsia 143
- cardiac failure, refractory 74
- cardiac output 388–389
 - monitoring 396
- cardiac pacemakers 69–76
 - cardiac resynchronization therapy 74
 - checks 71
 - classification 69–71, 70
 - complications of insertion 71
 - development history 70
 - dual chamber pacing 73–74
 - external 76
 - implantable cardiac defibrillators 74
 - implantable loop recorder 70
 - indications for implantation 72–73
 - insulated lead wires 69
 - malfunctions 71–72
 - mechanism of operation 69
 - permanent 69–71, 73–74
 - temporary 74–76
 - emergency 75
 - procedure 75, 75
- cardiac resynchronization therapy 74
- cardiomyopathy, peripartum 302
- cardiorespiratory arrest 94–100
 - advanced life support 97, 98
 - basic life support 97
 - care after 99
 - communication 94
 - deteriorating patient 95
 - early warning scores 102
 - ICU outreach teams 101–103
 - informing next of kin 99
 - paediatric life support 98
 - pre-arrest 95
 - resuscitation 94
 - advanced life support 97, 98
 - basic life support 97
 - ethical/legal framework 100–101
 - paediatric life support 98
 - reversible contributor recognition/
 - treatment 95
 - specific conditions 95–97
 - successful return of spontaneous
 - circulation 99
 - team debrief 99–100
 - unsuccessful 99–100
- cardiovascular disease
 - breathlessness 81
 - dialysis complications 132
 - falls 158
- care delivery, geriatric 242–243
- carotid endarterectomy 482
- carotid sinus hypersensitivity 432–433
- carotid sinus massage 333
- carotid stenosis 482
- carpal tunnel syndrome 28
- catastrophizing 342
- cauda equina 29, 31
- cellulitis
 - adjunctive therapy 281
 - antimicrobial therapy 280–281
 - characteristics 279
 - co-morbidities 280
 - complications 281
 - laboratory investigations 280
 - leg swelling 279–281
 - necrotizing fasciitis differential diagnosis
 - 281–282
 - severity classification 280, 280
- central venous oxygen saturation 395
- central venous pressure (CVP) 395
- cephalosporins 64
- cerebral perfusion pressure (CPP) 215
- cerebral salt wasting 359
- cerebral vasoconstriction syndrome,
 - reversible 225, 476
- cerebral venous sinus thrombosis 304, 476
- cerebral venous thrombosis 225
- cerebrospinal fluid (CSF)
 - unconscious patient 442
 - see also* lumbar puncture
- cervical artery dissection 476
- cervical cord compression 322
- cervical myelopathy 318, 320, 322
- cervical radiculopathy 318, 320, 322
- cervical spine 318, 437
 - anatomy 319
- cervical spondylosis 318, 319–320, 322
- chancroid 188, 189
- charcoal, activated 351
- Charcot neuroarthropathy 402
- Charles Bonnet syndrome 455
- chemoreceptor trigger zone 458
- chemosis 455
- chemotherapy 27, 463
- chest injury, breathlessness 81
- chest pain *xvii*, 104–114
 - acute aortic syndromes 113–114
 - acute coronary syndrome 106–110
 - clinical assessment 104–105
 - differential diagnosis 105, 107
 - examination 105
 - history 105
 - investigations 105–106
 - management 106, 110
 - pregnancy 302–304
 - pulmonary embolism 110–113
 - specific conditions 106–114
- chest X-ray
 - acute liver failure 265
 - breathlessness 83
 - chest pain 105–106
 - cough 124
- Chinese restaurant syndrome 61
- chlamydia 150, 152
 - clinical features 186
 - lymphogranuloma venereum 189
- chlordiazepoxide 57
- cholestasis, obstetric 306
- cholinesterase inhibitors 311
- chorea 255
- chronic interstitial nephritis 41
- chronic kidney disease *xvii*, 40–42
 - acute kidney injury distinction 42
 - causes 40–41
 - classification 41
 - multiple myeloma 40
 - prescribing 41–42
- chronic obstructive pulmonary disease
 - (COPD)
 - breathlessness 80, 86, 87
 - cough 126
- chronic reflux nephropathy 41
- circulation
 - maintenance in self-poisoning 349
 - shock management 391–392
 - unconscious patient 439
- cirrhosis 18, 264
- Clexane 303
- clindamycin 386
- Clinical Institute Withdrawal Assessment
 - (CIWA) scoring 57
- Clostridium difficile*-related colitis 136, 139
- clotting cascade 91
- clotting factor deficiencies 88, 93
- coagulopathy, non-variceal upper
 - gastrointestinal haemorrhage
 - 195–196
- coeliac disease 138, 143, 366
- cognitive ageing 307
- cognitive behavioural therapy (CBT) 344
- cognitive function
 - assessment in dementia 308
 - falls 155–156
 - treatment for decline 311
- cold sores 405–406
- colitis
 - 5-aminosalicylic acid treatment 381–382
 - Clostridium difficile*-related 136, 139
 - collagenous 138
 - infectious 382
 - inflammatory bowel disease 381–382
 - microscopic 138
- colon/colorectal cancer 138–139, 143
 - large bowel obstruction 22
 - risk factors 377
- colonoscopy, lower gastrointestinal bleeding
 - 379, 380
- coma 436, 445
- common bile duct, diameter 262
- communication
 - of bad news 5–6
 - cardiorespiratory arrest 94
 - dementia patients 312

Index

- computed tomography (CT)
 haemoptysis 208–209
 head injury 212
 head scan for falls patient 159–160
 headache 219
 hoarseness 229, 230
 incidental findings 244–245
 stridor 230
 stroke 478
 subarachnoid haemorrhage 222
- computed tomography (CT) angiography
 acute coronary syndrome 109
 lower gastrointestinal bleeding 379–380
 pulmonary embolism 111–112
 subarachnoid haemorrhage 222
- computed tomography kidney, ureter, bladder (CTKUB) 285
- concussion 216
- conduction defects, cardiac pacemaker implantation 72–73
- confusion *xvii*, 115
 see also delirium
- Confusion Assessment Method (CAM) 117, 117
- consciousness, impaired in delirium 309
- consciousness loss
 concussion 216
 differential diagnosis 175
 irreversible 445
 stroke symptom 476
 see also transient loss of consciousness (TLoC); unconsciousness
- constipation *xvii*, 21–22, 328–329
 causes 21
 investigations 21
 management 21–22
- continuous ambulatory peritoneal dialysis (CAPD) 131
- continuous positive airway pressure (CPAP), breathlessness 86
- contrast agents, risk 285
- contrast X-ray venography for DVT 276
- controlled drugs 53–54
- convulsions 330, 350
- coronary disease
 dialysis 129
 see also acute coronary syndrome (ACS)
- coronary stenting 110
- cough 121–127
 acute 122–123
 associated features 122, 124
 chronic 123, 126
 clinical assessment 122
 examination 124
 history 122–124
 hospital admission *xvii*, 126–127
 investigations 124–125
 management 125–126
 persistent of unidentified cause 124, 126
 post-infective 125
 referral to respiratory physicians 126
 smokers 126
 sputum production 123
 subacute 123
 syncope 126
 timing 123–124
- cough reflex 121, 122
- Creutzfeldt–Jakob disease 311
- Crohn's disease 135, 136–137, 381
- crowned dens syndrome 321
- crystal arthritis 268, 270
- cubital tunnel syndrome 28
- Cushing's triad 215
- cystitis, drug-induced 152
- D-dimer testing 111, 275–276
- decompressive hemicraniectomy 480
- deep vein thrombosis (DVT) 274–279
 above knee 276–277
 anticoagulants 277
 below knee 277
 clinical assessment 275
 D-dimer testing 275–276
 diagnostic criteria 275
 Homan's sign 275
 investigations 275–276
 malignancy screening 278
 management 276–278
 negative scans 277
 post-phlebotic syndrome 278–279
 radiological imaging 276
 risk factors 275
 thrombolysis 278–279
 thrombophilia screening 278
 treatment duration 277–278
- dehydration, hypothermia 234
- delirium 115–120, 307, 476
 causes 116
 clinical evaluation 117
 complications prevention 119
 dementia differential diagnosis 309
 diagnosis 117–118, 117
 hyperactive 117
 hypoactive 117
 investigations 118
 management 118–120
 mixed 117
 non-modifiable risk factors 116
 predisposing factors 116
 prevalence 115
 recovery 120
 symptom management 119–120
 treatment of cause 119
- delirium tremens 55
- dementia 307–313
 alcohol-related 310
 anticholinergic burden scale 308
 behavioural and psychological symptoms 311–312
 cognitive assessment 308
 communication with patient 312
 Creutzfeldt–Jakob disease 311
 diagnosis 307
 differential diagnosis 307, 309
 disease trajectory 325
 epidemiology 307
 examination 308–309
 fronto-temporal 310
 history 307–308
 investigations 309
 with Lewy bodies 310
 mixed aetiology 310
 mortality 323
 neurodegenerative 311
 patients in acute hospital 312–313
 reversible 310
 subtypes 309–311
 treatment 311–312
 vascular 309–310
- dependency, delirium patients 119
- depression 132, 309, 343–344
- dermatitis herpetiformis 366
- diabetes insipidus 363
 investigations 363
 nephrogenic 363
 neurogenic 363
 treatment 363
- diabetes mellitus
 end-stage renal failure 128
 foot problems 402–403
 investigations 364
 new onset 364–365
 polydipsia 364–365
 polyuria 362, 364–365
 treatment 364–365
- diabetic foot ulcers 400–403
 investigations 402
 management 402
 pathophysiology 401–402
- diabetic ketoacidosis 365
- diabetic nephropathy 40–41, 132
- dialysis 128–132
 access 129
 clinical assessment of patient 128–129
 definition 128
 fluid balance 129
 history 128–129
 infective foci 129
 investigations 129
 long-term complications 132
 renal service contact for complications 130
 withdrawal 132
- diarrhoea *xvii*, 133–139
 acute 133
 bile salt malabsorption 135, 138
 chronic 133, 139
 classification 133
 clinical assessment 133–134
 Clostridium difficile 136, 139

- coeliac disease 138
- colon cancer 138–139
- diverticular disease 137–138
- drug-induced 136, 137
- endoscopy 135
- examination 134–135
- history 133–134
- infection control measures 139
- inflammatory bowel disease 135, 136–137, 139
- investigations 135
- irritable bowel syndrome 137
- malnutrition 139
- management 135–136
- microscopic colitis 138
- multidisciplinary approach 139
- radiological evaluation 135
- seeking specialist advice 139
- small bowel bacterial overgrowth 135, 138
- specific causes 136–139
- ulcerative colitis 139
- urgent surgical review 136
- VIPoma 139
- Dieulafoy lesion 193
- diffusion 128
- digoxin 339
- diplopia 454, 456, 471
- disability, unconscious patient 439
- discitis, dialysis infections 129
- disease-modifying anti-rheumatic drugs (DMARDs) 273
- disequilibrium 448–449
 - examination 448–449
 - history 448
- disseminated intravascular coagulation (DIC) 91–92
- disulfiram 57
- diuretics 20, 359
- diverticular disease 137–138, 376
- Dix–Hallpike test for vertigo 449, 450
- dizziness 156, 447–449
 - investigations 451
 - psychogenic 448, 450–451
 - see also* disequilibrium; presyncope; vertigo
- dobutamine 398
- donovanosis 188, 189
- dopamine 398
- driving restrictions 431
- drug overdose 346
 - see also* self-poisoning
- drug reactions
 - acute exanthematous generalized pustulosis 374
 - with eosinophilia and systemic symptoms 374
 - maculopapular 374–375
- drug toxicity
 - acute kidney injury 44
 - anticonvulsants 181, 182
 - cystitis 152
 - diarrhoea 136, 137
 - extrapyramidal side effects 157
 - falls 157
 - movement disorders 256
 - neuropathies 27
 - opioids 328–329
 - subacute hyperkinetic movement disorders 256
 - surgical patients 295–296
- drug-induced parkinsonism 157, 254
- dual energy X-ray absorptiometry (DEXA) 35
- duplex ultrasonography, deep vein thrombosis 276
- dysarthria 408, 412–413
 - ataxic 413
 - cerebellar 413
 - flaccid 413
 - hyperkinetic 413
 - hypokinetic 413
 - spastic 412–413
 - with weakness 471
- dyspepsia *xix*, 141–148
 - abdominal pain 142
 - aetiology 141–142
 - alarm features 142
 - Barrett's oesophagus 147
 - cardiac disease 143
 - clinical assessment 142–143
 - coeliac disease 143
 - colon cancer 143
 - definition 141
 - differential diagnosis 142–143
 - drug history 142
 - endoscopy 143–144
 - examination 142
 - functional 147–148
 - gastric cancer 141–142
 - gastro-oesophageal reflux disease 145–147
 - Helicobacter pylori* 143, 145
 - history 142
 - investigations 143–144, 144
 - management 143, 144
 - mesenteric ischaemia 143
 - NSAIDs 145
 - pancreatic disease 143
 - peptic ulceration 145
 - prevalence 141
 - proton pump inhibitors 143, 145
 - small bowel disease 143
 - symptom patterns 142
 - terminology 141
- dysphagia 421, 471, 481
 - acute 421–422
 - assessment algorithm 424
 - causes 423–426
 - cervical spondylosis 320
 - chronic 422
 - classification 421
 - examination 422
 - history 421–422
 - intermittent 422
 - investigations 422–423
 - management 423, 424
 - oesophageal 421, 423, 426 427
 - oropharyngeal 421, 423, 427
 - causes 426
 - painful/painless 422
 - progressive 422
 - specialist advice seeking 427
 - water swallow test 423
 - see also* swallowing difficulties
- dysphasia 408, 411–412
 - Broca's 409, 411
 - causes 412
 - characteristics 412
 - expressive 409, 411
 - fluent 409
 - nominal 409, 412
 - receptive 409, 411
 - Wernicke's 409, 411
- dysphonia 228, 408
- dyspnoea 77
- dystonia 256
- dysuria *xviii*, 149–153
 - aetiology 149
 - causes 150
 - chlamydia 150, 152
 - clinical evaluation 151
 - clinical presentation 151–152
 - community-acquired UTIs 149–150
 - gonorrhoea 150, 152
 - herpes simplex 152
 - infections 149
 - sexually transmitted infections 150, 152, 153
 - treatment 153, 153
- echocardiography
 - breathlessness 84–85
 - cardiac output monitoring 396
 - palpitations 333
 - pulmonary embolism 112
 - pulmonary hypertension 248
- eclampsia, pregnancy 304–305
- ecthyma 405
- ectopic beats 334–335
- electrocardiogram (ECG)
 - ambulatory monitoring 333
 - breathlessness 83
 - chest pain 105
 - dialysis 129
 - exercise 333
 - falls 159
 - Guillain–Barré syndrome 473–474
 - hypothermia 234, 235
 - incidental findings 244
 - seizures 178
 - transient loss of consciousness 429–430

Index

- electroencephalogram (EEG)
 - dementia 309
 - seizures 179
 - unconscious patient 443
 - electrolyte balance, regulation 354–356
 - electromyography (EMG), weakness 474
 - emesis, induced 350
 - endocarditis, dialysis infections 129
 - end-of-life care, *see* palliative care
 - endoscopic retrograde cholangio-pancreatography (ERCP), jaundice 262
 - endoscopy
 - Barrett's oesophagus 147
 - capsule for lower gastrointestinal bleeding 380–381
 - diarrhoea 135
 - dyspepsia 143–144
 - GORD diagnosis 146
 - nausea and vomiting 462–463
 - non-variceal upper gastrointestinal haemorrhage 196
 - variceal upper gastrointestinal haemorrhage 198
 - end-stage renal failure 128
 - enteral feeding 488–489
 - enteric fever 167
 - eosinophilic bronchitis 124
 - eosinophilic oesophagitis 425
 - epidermolysis bullosa 375
 - epigastric pain syndrome 148
 - epilepsy 177, 182–183, 304
 - see also* seizures; status epilepticus
 - erythema
 - acute 373–375
 - nodosum 271
 - erythroderma 373
 - acute 371
 - Escherichia coli* UTIs 149
 - ethical principles 326
 - European Convention on Human Rights (1988) 50
 - euvolaemia 356
 - exercise testing, acute coronary syndrome 109
 - exposure
 - shock 392
 - unconscious patient 439
 - extradural haemorrhage 213
 - extrapyramidal side effects 157
 - eyes
 - appearance 455
 - movements 456
 - see also* visual disturbance
 - facial movements, abnormal 254–255
 - facial sensation, altered 28
 - factitious disorder 342
 - factor Xa inhibitors 277
 - falls *xvii*, 155–161
 - abuse 161
 - cardiovascular disease 158
 - clinical assessment 155–159
 - cognitive ability 155–156
 - communication with GP/other agencies 161
 - delirium patients 119
 - dizziness 156
 - examination 158–159
 - gait assessment 158
 - head CT 159–160
 - history 155–157
 - hospital discharge 160–161
 - follow-up 161
 - support for patient 161
 - impact on patient 155
 - incontinence 159
 - investigations 159–160
 - key information 156
 - management 160–161
 - mechanical 156
 - medication review 157
 - neglect 161
 - postural blood pressure 158
 - radiological examination 159–160
 - same-day discharge 160
 - skin examination 158
 - therapy assessments 160
 - urine testing 159
 - vertigo 156–157
- false localizing signs 440
- FAST (focused assessment with sonography for trauma) 392
- fatiguability with weakness 470
- fever *xvii*, 163–173
 - antibiotics 165
 - prophylactic 172–173
 - causes 163
 - clinical approach 163–165
 - examination 164
 - history 164
 - immunocompromised patient 170–172
 - infection control 165, 172–173
 - investigations 164
 - lymphadenopathy 164
 - management 164–165
 - meningitis 168–170
 - pathophysiology 163
 - presentations 165–173
 - prostaglandin E2 release 163
 - pyrexia of unknown origin 165, 166
 - resuscitation 164
 - returning traveller 165–168
 - causes 167–168
 - history 165
 - investigations 167
 - management 167
 - septic acutely unwell patient 168–170
 - skin examination 164
 - see also* meningitis
- fibromyalgia 320
- fine needle aspiration (FNA), lymphadenopathy 292
- fits *xvii*, 175–176
 - history 175–176
 - see also* seizures
- flecainide 339
- fluid balance 353–354
 - dialysis 129
 - regulation 354–356, 354
 - see also* hypernatraemia; hyponatraemia
- fluid challenge 393–394
- fluid homeostasis 353–354
 - disturbances 353
- fluid loss, hypotonic 360
- fluid overload, acute kidney injury 43–44
- fluid therapy 393–394
 - crystalloid *versus* colloid 393
 - hypertonic sodium-containing infusions 360
- flumazenil 348
- folate deficiency in dementia 310
- forced vital capacity (FVC) 474
- foreign body, vaginal 187
- FOUR (Full Outline of UnResponsiveness) score 436, 438
- frailty 155, 323
 - disease trajectory 325
 - foot problems 402
- frailty syndrome 237
- fronto-temporal dementia 310
- functional abdominal bloating 14–15
- functionally somatic syndromes (FSS) 341–342
- fundoscopy 455
- fungal infections, immunocompromised patients 172, 385
- gabapentin 322
- gait assessment 158
- gait disturbance, lesion site correlation 448
- gastric antral vascular ectasia (GAVE) 193
- gastric cancer, dyspepsia 141–142
- gastric lavage 350
- gastrointestinal bleeding, aspirin-induced 145, 193
- gastrointestinal obstruction 463
- gastro-oesophageal reflux disease (GORD)
 - ambulatory oesophageal pH monitoring 146
 - barium studies 146
 - cough 124, 126
 - diagnosis 145–146
 - dyspepsia 145–147
 - endoscopy 146
 - Helicobacter pylori* 147
 - management 146–147
 - prevalence 145
 - surgical therapies 147

Index

- gastroparesis 466
- gastroscopy
 - dyspepsia 143–144
 - dysphagia 422–423
- generalized anxiety disorder (GAD)
 - 66–67
 - elderly patients 66–67
 - management 67
 - stepped care 67
- genital discharge 185–187
 - clinical features 186–187
 - examination 185–186
 - laboratory investigations 187
 - management 187, 187
 - pathophysiology 186
 - sexual history 185
 - treatment 187
 - women 185
- genital herpes 188, 190
- genital ulcer disease/ulceration 185–186,
 - 188–190
 - clinical features 188–190
 - examination 185–186
 - HIV infection 188
 - malignancy 190
 - management 189, 190
 - pathophysiology 188
 - sexual history 185
 - squamous cell carcinoma 190
- gestational epilepsy 304
- giant cell arteritis, *see* temporal arteritis
- Gilles de la Tourette’s syndrome
 - 255–256
- Glasgow Coma Scale 436, 436
 - head injury 211, 212, 216
- Glasgow–Blatchford score 194, 195
- globus 421
- glomerular filtrate, pH alteration 351
- glomerulonephritis, chronic kidney disease 41
- glucose
 - hyperosmolar non-ketotic hyperglycaemia 365
 - levels in shock 392
 - unconscious patient 439
 - see also* hypoglycaemia
- Gold Standards Framework for palliative care 324, 325
- gonococcal infection/gonorrhoea 150,
 - 152, 186
 - disseminated 152
 - treatment 153
 - urethritis 150
- gout 268, 270
 - polyarticular 270
- Guillain–Barré syndrome 26–27, 468, 474
 - ECG 473–474
 - lumbar puncture 474
- gut motility, abnormal 23
- Guyon’s canal syndrome 28
- haemarthrosis 268, 270
- haematemesis, *see* upper gastrointestinal haemorrhage
- haematochezia 376
- haematuria *xvii*, 200–205
 - blood tests 203–204
 - causes 200
 - clinical assessment 200–204
 - examination 201–202
 - glomerular causes 204–205
 - history 200–201
 - nephrological 204–205
 - blood tests 204
 - proteinuria 204
 - referral 204–205
 - ultrasound 204
 - urine output 204
 - proteinuria
 - origin 204
 - quantification 204
 - urine investigations 202–203
 - culture 203
 - cytology 203
 - dipstick testing 202
 - microscopy 202–203
 - urological 205
- haemodialysis 128, 130–131
 - access 129
 - arteriovenous fistula 130
 - lifestyle complications 130–131
 - medical complications 131
 - self-poisoning 351
 - vascular access 130
 - vascular access catheter 130
- haemofiltration, self-poisoning 351
- haemolysis with elevated liver enzymes (HELLP) syndrome 91
- haemolytic uraemic syndrome (HUS)
 - 40, 91–92
- haemophilia, acquired 92
- haemoptysis *xvii*, 206–209
 - bronchial artery angiogram 208
 - causes 206, 209
 - examination 207
 - history 206–207
 - investigations 207–209
 - life-threatening 209
 - major 208–209
 - malignancy 208
 - management 208–209
 - non-life-threatening 209
- haemorrhage
 - head injury 211–212, 213–214, 213, 215
 - hypothermia 234
 - see also* bleeding problems; intracerebral haemorrhage; lower gastrointestinal bleeding; upper gastrointestinal haemorrhage
- haemostasis
 - primary 88
 - secondary 88
- hallucinations, visual 454–455
- handwashing, infection control 173
- head injury *xvii*, 211–216
 - admission criteria 212–213
 - cerebellar tonsils herniation 215
 - cerebral herniation 216
 - cerebral metabolic requirement reduction 215
 - cerebral perfusion pressure maintenance 215
 - clinical assessment 211–213
 - complications 216
 - concussion 216
 - coning 215
 - CT scan 212
 - Glasgow Coma Scale 211, 212, 216
 - haemorrhage sites 211–212, 213–214, 213
 - haemorrhage volume reduction 215
 - intracranial pressure 215
 - raised 212
 - reduction 215
 - management 213–216
 - conservative 214–215
 - surgical 214
 - treatment failure 215–216
- MRI 212
- neurosurgical team contact 214
- nursing observation 213
- primary injuries 213–214
- prognosis 216
- raised intracranial pressure 212
- secondary 214
- seizures 214, 215
- severity determination 211–212
- temporal lobe incus herniation 215
- headache *xvii*, 218–227
 - analgesia-induced 221
 - cerebral venous thrombosis 225
 - cluster 220–221
 - coital 224
 - history 218–219
 - idiopathic intracranial hypertension 225–226
 - investigations 219
 - lumbar puncture 219
 - management 218
 - migraine 219–220
 - pathophysiology 218
 - pituitary apoplexy 224
 - primary 218, 219–221
 - red flags 219
 - reversible cerebral vasoconstriction syndrome 225
 - secondary 218, 221–227
 - spontaneous arterial dissection 223–224
 - spontaneous intracranial hypotension 225

Index

- headache (*cont.*)
 - stroke 223–224
 - subarachnoid haemorrhage 222–223
 - syndromes 219–227
 - temporal arteritis 226–227
 - tension-type 221
 - thunderclap 221–225
- heart disease
 - structural 434
 - see also* cardiac *entries*
- heart failure, breathlessness 81
- Helicobacter pylori*
 - antibiotic therapy 197
 - diagnosis 197
 - dyspepsia 143, 145
 - GORD 147
 - peptic ulcer disease 193
 - proton pump inhibitor therapy 196–197
 - upper gastrointestinal haemorrhage 193, 196–197
- HELLP (haemolysis, elevated liver enzymes and low platelets) syndrome 305–306
- hemiballismus 256
- hemifacial spasm 255
- hepatic encephalopathy 261
- hepatomegaly 6, 8
- hepatorenal failure 6
- hepatorenal syndrome (HRS) 20
- hepatosplenomegaly 6, 7
- herpes simplex 152, 188, 190, 405–406, 409
- HIV infection 188, 293, 310, 311
- hoarseness
 - causes 228
 - definition 228
 - examination 229–230
 - history 229
 - investigations 229, 230
 - management 231
- Holmes–Adie syndrome 456
- Homan’s sign 275
- homonymous hemianopia 453–454, 471
- homonymous quadrantanopia 454
- Horner’s syndrome 229, 455, 456
- hospital admissions, primary diagnosis *xvii*
- Hospital Anxiety and Depression Scale (HADS) 343–344
- human albumin solution 393
- Human Tissue Act (2004) 446
- Human Tissue Act (Scotland, 2006) 446
- hyperaldosteronism 247, 360
- hypercalcaemia 362
 - of malignancy 363–364
- hypercortisolism 247
- hyperemesis gravidarum 305, 466
- hyperkalaemia 43, 96
- hyperkinetic movement disorders 255–257
 - subacute 256–257
- hypernatraemia 353, 359–360
 - causes 360
 - investigations 360
 - management 360
 - symptoms/signs 360
- hyperosmolar non-ketotic hyperglycaemia 365
- hypersensitivity syndrome 374
- hypersplenism 7–8
- hypertensive emergencies 249, 250–251
- hypertensive nephropathy 40
- hypertensive retinopathy 250
- hypertensive urgencies 248–250
 - examination 249
 - history 249
 - investigations 250
 - management 250
- hypertrophic cardiomyopathy 434
- hyperventilation syndrome 81
- hypervolaemia 356
- hypnagogic hallucinations 455
- hypoadrenalism 357, 359
- hypoalbuminaemia, surgical patients 296
- hypoglycaemia 157, 435
- hyponatraemia 353, 356–359
 - acute 356, 357–358
 - algorithm for identification 355
 - causes 356
 - cerebral salt wasting 359
 - chronic 356, 358
 - correction 358–359
 - dilutional 356, 359
 - diuretic therapy 359
 - history 357
 - hypoadrenal states 359
 - investigations 357
 - overcorrection 359
 - signs 357
 - sodium infusion 358
 - treatment 357–358
- hypotension, *see* orthostatic hypotension;
- postural hypotension
- hypothermia 233–236
 - causes 233–234
 - clinical assessment 234–235
 - co-morbidities 236
 - dehydration 234
 - drug-induced 233–234
 - ECG 234, 235
 - haemorrhage 234
 - high risk groups 233
 - investigations 234–235
 - management 235–236
 - medical conditions 233
 - poisoning 350
 - resuscitation 235–236
 - rewarming 236
 - sepsis 234
 - severity 234
 - surgical patients 296
- hypothyroidism 310, 357
- hypovolaemia 38, 96, 356
- hypoxia, cardiorespiratory arrest 95
- ICU outreach teams 101–103
 - expectations 102–103
- idiopathic intracranial hypertension 225–226, 456, 457
- IgA nephropathy 41
- immobility *xx*, 237–243
 - assessment 237
 - care delivery for older patients 242–243
 - causes 238
 - clinical assessment 238–239
 - complications 240–241, **241**
 - emergency therapy 239–240
 - examination 240
 - history 240
 - management 242
 - multidisciplinary team 238–239
 - poisoning 350
 - pressure sores **241**
 - rehabilitation 242–243
 - sudden/rapid loss 238
- immune thrombocytopenia (ITP) 91
- immunocompromised patients 170–172
 - acquired conditions 170
 - clinical approach 170–172
 - congenital conditions 170
 - fungal infections 172, 385
 - neutropenia 170
 - T-cell-mediated conditions 170
 - see also* HIV infection
- implantable cardiac defibrillators 74
- implantable pulse generator 69
- incidental findings *xvii*, 244–251
 - adrenal tumours 246–247
 - detection 244–245
 - hypertensive emergencies 249, 250–251
 - hypertensive urgencies 248–250
 - management 245
 - pituitary tumours 245–246
 - pulmonary hypertension 247–248
- incidentalomas 244
- incontinence 119, 159, 240, 471
- Independent Mental Capacity Advocate (IMCA) 326
- infection 383
 - antibiotic prophylaxis 172–173
 - colitis 382
 - cough 125
 - decompensated liver disease 263
 - diabetic foot ulcers 401
 - dialysis 129
 - dysuria 149
 - examination 384
 - fungal 172
 - hepatosplenomegaly 6, 7
 - history 383–384
 - intervertebral disc space 33
 - intravenous drug abuse 54
 - investigations 384
 - lymphadenopathy 290
 - management 384–385

- mouth ulcers 407
- notifiable diseases 173
- patient isolation 173
- peripheral neuropathy 27
- retropharyngeal abscess 321
- sepsis-induced acute kidney injury 39
- spinal 33–34
- streptococcal group A 386
- surgical patients 296
- urethral catheterization complication 316
- see also* bacterial infections; fungal infections; *named conditions and organisms*; sepsis; viral infections
- infection control
 - fever 165, 172–173
 - handwashing 173
 - measures for diarrhoea 139
- infective colitis 136
- inflammatory arthritis 271–272
 - associated findings 271–272
 - diagnosis 271
 - examination 272
 - history 271
 - investigations 272
 - neck pain 320
 - radiology 272
- inflammatory bowel disease
 - diarrhoea 135, 136–137, 139
 - lower gastrointestinal bleeding 381–382
 - see also* Crohn's disease; ulcerative colitis
- influenza 385
- inotropes 397–398
- internal carotid artery dissection 320
- interpersonal problems 342
- intervertebral disc space infections 33
- intra-aortic balloon counterpulsation 398
- intracerebral haemorrhage 214, 480
- intracranial hypertension, benign,
 - see* idiopathic intracranial hypertension
- intracranial pressure
 - head injury 212, 215, 215, 216
 - raised 212, 216, 440, 444
 - spontaneous intracranial hypotension 225
- intramural haematoma 113
- intravenous drug abuse 54
- intravenous immunoglobulin (IVIG) 386
- invasive arterial blood pressure monitoring 395–396
- inverted supinator reflex 322
- involuntary movements *xvii*, 252–258
 - asterixis 253
 - chorea 255
 - classification 253
 - drug-induced 256
 - drug-induced parkinsonism 254
 - dystonia 256
 - emergencies 257–258
 - examination 252–253
 - exposures 252
 - facial movements 254–255
 - focal seizures 254
 - hemiballismus 256
 - history 252
 - hyperkinetic movement disorders 255–257
 - lip movements 255
 - motor tics 255–256
 - myoclonus 256
 - neuroleptic malignant syndrome 257
 - neurological localization 253
 - onset 252
 - progression 252
 - rigor 253
 - serotonin syndrome 257–258, 257
 - sleep-associated movement disorders 257
 - spasm 253
 - spot diagnosis 252
 - stereotypies 256
 - symptoms/signs 252–253
 - timing/triggers 252
 - tongue movements 255
 - see also* tremor
- irritable bowel syndrome (IBS) 14, 137
 - management 14
- ischaemic heart disease 81
- ischaemic nephropathy 40
- jaundice *xvii*, 259–266
 - acute alcoholic hepatitis 264
 - acute liver failure 263, 264–266
 - alcoholic liver disease 264, 266
 - causes 259
 - clinical presentation 260
 - decompensated liver disease 263–264
 - examination 261
 - hepatic 259
 - history 260–261
 - investigations 261–262, 263
 - pathophysiology 259–260
 - post-hepatic 259–260
 - pre-hepatic 259
 - sepsis 259
- joint(s), types 268
- joint swelling 268–273
 - inflammatory arthritis 271–272
 - knee arthrocentesis 269
 - osteoarthritis 272–273
 - rheumatoid arthritis 273
 - septic 268–270
 - clinical features 269
 - differential diagnosis 268–269
 - investigations 269–270
 - management 270
 - risk factors 269
 - 'just in case' boxes 326–327
 - justice 326
- juvenile inflammatory arthritis 320
- Katayama fever 168
- kidney, *see* acute kidney injury; chronic kidney disease; renal *entries*
- knee arthrocentesis 269
- kyphosis/kyphoscoliosis 81
- labetalol 251
- lactate, serum concentration 392
- language, neuroanatomy 408–409
- large bowel obstruction 22–23
- lasting power of attorney 323, 326
- laxatives 21–22
- left ventricular failure 81, 124
- leflunomide 273
- leg swelling *xvii*, 274–282
 - causes 274
 - cellulitis 279–281
 - deep vein thrombosis 274–279
 - examination 274
 - history 274
 - lipodermatosclerosis 281
 - necrotizing fasciitis 281–282
 - ruptured Baker's cyst 279
 - superficial thrombophlebitis 278
- Lewy body dementia 310
- Lhermitte's phenomenon 320
- lichen planus 406
- lichen sclerosus 187
- lichen simplex chronicus 367
- life space diameter 155
- lip movements, abnormal 255
- lipid-lowering therapy 482
- lipodermatosclerosis 281
- liver
 - non-invasive screen 263
 - transplantation 266
- liver disease
 - cirrhosis 6, 7
 - decompensated 263–264
- Liverpool Care Pathway 327
- loin pain *xvii*, 283–288
 - acute papillary necrosis 287–288
 - CTKUB 285
 - differential diagnosis 283, 285–286
 - examination 284
 - history 284
 - imaging 284–285
 - intravenous urography 285
 - investigations 284–285
 - iodinated contrast risk 285
 - management 286–287
 - pelviureteric junction obstruction 288
 - polycystic kidney disease 288
 - pyelonephritis 286–287
 - renal colic 285–286, 287
 - ultrasonography 284–285
 - ureteric distension 283
 - urinary tract pathology 283

Index

- lower airway obstruction 86
- lower gastrointestinal bleeding 376–382
 - aetiology 376
 - capsule endoscopy 380–381
 - cause determination 379–380
 - clinical assessment 377–378
 - colon cancer risk factors 377
 - colonoscopy 379, 380
 - CT angiography 379–380
 - examination 377
 - flexible sigmoidoscopy 378
 - haemostasis 380
 - history 377
 - infectious colitis 382
 - inflammatory bowel disease 381–382
 - inflammatory disorders 381–382
 - investigations 377–378, 380–381
 - management 377, 378–379
 - nuclear scintigraphy 380
 - push enteroscopy 380
 - resuscitation 377, 378
 - SIGN guideline 378
 - surgery 380
 - transcatheter embolization 380
 - upper gastrointestinal haemorrhage
 - diagnostic exclusion 378–379
 - very severe 378
 - visceral angiography 379
- lower limb
 - motor innervation 473
 - venous drainage 276
- lower oesophageal sphincter, achalasia 423–425
- lumbar puncture
 - headache 219
 - interpretation of results 171
 - meningitis 169–170
 - subarachnoid haemorrhage 222–223
 - unconscious patient 441, 442–443
 - visual disturbance 457
 - weakness symptoms 474
- lung disease
 - parenchymal 80
 - see also* chronic obstructive pulmonary disease (COPD); pulmonary *entries*
- lung function tests, breathlessness 85
- Lyme disease 271
- lymphadenopathy 2–3, 164, 289–294
 - axillary 290
 - biopsy 292–293
 - causes 290
 - cervical 290
 - clinical approach 289–290
 - communicable diseases guidelines 293
 - emergencies 293–294
 - examination 291–292
 - fine needle aspiration 292
 - generalized 290
 - history 290–291
 - HIV infection 293
 - infections 290, 293
 - inguinal 290
 - investigations 292–293
 - localized 290
 - mycobacterial infections 293
 - neoplastic 290
 - referral guidelines 293
 - splenomegaly 290
 - supraclavicular 290
 - symptoms 291
- lymphatic system 289
 - anatomy 289
 - examination 291–292
 - functions 289
- lymphocytic colitis 138
- lymphogranuloma venereum 188, 189
- lymphoproliferative disorders, hepatosplenomegaly 6, 7
- magnetic resonance cholangio-pancreatography (MRCP), jaundice 262
- magnetic resonance imaging (MRI)
 - head injury 212
 - hoarseness 230
 - incidental findings 244–245
 - stridor 230
 - stroke 478–479
- malaria 167
- malignancy
 - abdominal swelling 1–6
 - cough with sputum production 123
 - dyspepsia 141–142
 - dysphagia 425–426, 427
 - genital ulcer disease 190
 - haemoptysis 208
 - hypercalcaemia of 363–364
 - lymphadenopathy 290
 - mouth ulcers 406
 - oesophageal strictures 425
 - pancreatic 143
 - red flags 1–2
 - screening in deep vein thrombosis 278
 - skin ulcers 404
 - small bowel 143
 - smoker's cough 126
 - symptom management 329
 - upper gastrointestinal 463–466
 - urological haematuria 205
 - see also* cancer
- malingerer 342
- Mallory–Weiss tears 193
- malnutrition 119, 139, 484
 - assessment 484
 - physical signs 487
- Marchiafava–Bignami disease 310
- Marjolin's ulcer 404
- mastocytosis, systemic 61
- mean arterial pressure 389
- medical complications in surgical patients, *see* surgical patients, medical complications
- medically unexplained symptoms (MUS) 341–345
 - approach to 342–343
 - assessment 343–344
 - body scanning 342
 - cultural differences 343–344
 - definition 341
 - depression scales 343–344
 - factitious disorder 342
 - functionally somatic syndromes 341–342
 - interpersonal problems 342
 - malingerer 342
 - management 344–345
 - negative self-view 342
 - pathophysiology 342
 - prognosis 342
 - psychotherapy 344
 - safety behaviours 342
- medications
 - mouth ulcers 407
 - palliative care 329–330
 - palpitations 334
 - prostate cancer 315
 - surgical patients 295–296
 - vertigo inducing 449
 - see also* drug reactions; drug toxicity
- melaena *xvii*, 191, 198–199, 376, 459
- melanoma 368–369, 404
- memantine 311
- membranous glomerulonephritis 41
- memory loss *xvii*, 307
 - see also* dementia
- meningism 441
- meningitis 168–170
 - acute bacterial 170
 - antibiotics 168–169, 170
 - aseptic 188
 - examination 168
 - history 168
 - investigations 168
 - lumbar puncture 169–170
 - management 168–170
- mental capacity 326
- Mental Capacity Act (2005) 50, 326, 418–419
 - best interests decision 446
 - mental health, immobility 240
- Mental Health Act (1983) 50, 419–420
- mesenteric ischaemia 143
- metabolic disorders, hepatosplenomegaly 7
- metaraminol 397
- methadone 57–58
- meticillin-resistant *Staphylococcus aureus* (MRSA) 172–173
- methotrexate 273
- microangiopathic haemolytic anaemia (MAHA) 91–92

microscopic colitis 138	investigations 462–463	obstructive sleep apnoea 81
micturition difficulties 314–316	management 460, 463	occupational therapists 239
oliguria 316	opioid side effects 329	oculogyric crisis 256
<i>see also</i> urinary tract obstruction	palliative care 330, 466	odynophagia 422
migraine 219–220	pregnancy 466	OESIL score for syncope 430
with aura 220	upper gastrointestinal malignancy	oesophageal cancer 141–142, 425–426,
management 220	463–466	427, 427
neurological deficit 220	neck anatomy 318	oesophageal motility disorders 425
prophylaxis 220	neck pain 318–322	oesophageal ring/web 425
without aura 220	examination 321–322	oesophageal rupture 422
mononeuritis multiplex 27	history 319–321	oesophageal strictures 425
monoparesis 477	investigations 322	oesophagitis
monosodium glutamate (MSG) symptom	management 322	eosinophilic 425
complex 61	pathophysiology 318–319	minor 146–147
motility studies, nausea and vomiting 463	red flags 320	severe 147
motor tics 255–256	referral to spinal team 322	oesophagogastrroduodenoscopy (OGD)
mouth ulcers 405–407	torticollis 321	462–463
aphthous 405	whiplash injury 321	older patients
Behçet’s disease 406	yellow flags 320	acute abdominal pain 13
candidiasis 405	necrotizing fasciitis 281–282	care delivery 242–243
cold sores 405–406	risk scoring 282	generalized anxiety disorder 66–67
lichen planus 406	neglect, falls patients 161	senile purpura 89
malignancy 406	<i>Neisseria gonorrhoeae</i> 150	Older Persons Assessment and Liaison
medication-induced 407	nephrectomy 41	(OPAL) 239
pemphigus/pemphigoid 406	nephropathy, contrast-induced 285	oliguria 44, 316, 383
Stevens–Johnson syndrome 406	nerve conduction studies, weakness 474	opiates
movement, anatomy 447	nerve entrapment 28	abuse 56, 57–58
movement disorders, involuntary,	nerve root compression 28	breathlessness 87
<i>see</i> involuntary movements	nerve root lesions 28, 31	poisoning 348
multi-organ dysfunction 484	neuroleptic malignant syndrome 257	surgical patient complications
multiple myeloma 40	neuroleptics 120	295–296
multiple sclerosis 27–28	neuromuscular disease 79	opioids
myasthenia gravis 455, 470	neuropathy	oral therapy 328
myelodysplastic syndrome 368	dialysis complications 132	palliative care 328–330
myeloma kidney 40	drug toxicity 27	parenteral 328
myelopathy 36	neurosyphilis 310	side effects 328–329
myeloproliferative disorders 6, 7	neutropenia, immunocompromised	transdermal 328
mycobacterial infections 293	patients 170	withdrawal 55
myocardial infarction (MI)	NICE guidelines, transient loss of	organ donation 446
dialysis complications 129, 132	consciousness 430	organ donor registry 446
pregnancy 302	NMDA receptor antibody-mediated	organ failure, chronic 323, 325
myoclonus 256	encephalopathy 255	orthopnoea 81
myokimia 254–255	non-epileptiform attack disorder	orthostatic hypotension 433, 450
	(NEAD) 182	oscillopsia 454
	non-gonococcal urethritis (NGU) 150,	osmotic demyelination syndrome 358
	152	osteoarthritis 272–273
	non-maleficence 326	investigations 273
	non-steroidal anti-inflammatory drugs	joints 273
	(NSAIDs) 42, 145, 193, 281	osteomyelitis, vertebral 33
	noradrenaline 397	osteoporosis 32
	notifiable diseases, infections 173	treatment in falls patients 160
	nuclear scintigraphy	vertebral compression fractures 34–35
	lower gastrointestinal bleeding 380	oxygen delivery 388
	pulmonary embolism 112	oxygen saturation
	nutrition 158–159, 240	breathlessness 83
	<i>see also</i> malnutrition	central venous 395
	nystagmus 456, 471	oxygen supplementation,
		breathlessness 85–86
	obesity 81, 225	oxygenation, maintenance in self-
	obstetric cholestasis 306	poisoning 349

Index

- paediatric life support 98
- pain
 - referred 9, 30
 - surgical patients 295
 - with weakness 470
 - see also* abdominal pain; back pain, acute; chest pain; neck pain
- palliative care *xviii*, 323–330
 - advance care planning 324–326
 - best interests of patient 326
 - cancer 329
 - care goals 324–326
 - clinical assessment 323
 - emphasis shift 327
 - ethical framework 326
 - Gold Standards Framework 324, 325
 - ‘just in case’ boxes 326–327
 - management 324
 - medications 329–330
 - mental capacity 326
 - nausea 466
 - opioids 328–329
 - prescribing in 328–330
 - subcutaneous infusions 329
 - terminal phase recognition 324
 - treatment 327
 - vomiting 466
 - WHO Performance Status 324
- palpitations *xvii*, 331–339
 - admission indications 334
 - cardiac monitoring 332–333
 - cardiology review indications 334
 - clinical assessment 331–334
 - examination 332
 - history 331–332
 - investigations 332–334
 - medications 334
 - risk stratification 331
 - see also* cardiac arrhythmias
- pancreatic disease 143
- panic disorder 65, 67–68
 - management 68
 - symptoms 67–68
- Panton Valentine leukocidin (PVL) 386
- paralysis *xvii*
- paralytic ileus 22–23
- paraphasia 410
- paraphimosis 316
- parenteral nutrition 489
- parietal pain 9
- parkinsonism, drug-induced 157, 254
- Parkinson’s disease dementia 310
- Parkinson’s disease medications 295–296
- peak expiratory flow volume (PEFV) 84
- pelviureteric junction obstruction 288
- pemphigoid, bullous 375, 406
- pemphigus, mouth ulcers 406
- pemphigus vulgaris 375
- penicillin allergy 64
- peptic ulcer disease 145, 193
- perfusion 389
- perfusion scanning, acute coronary syndrome 109
- pericardial effusion, breathlessness 81
- periodic limb movement disorder 257
- peripheral nerve entrapment 28
- peripheral neuropathy 25–27
- peritoneal dialysis 128, 131–132
 - automated 131
 - lifestyle complications 131
 - medical complications 131–132
- peritonitis 131
 - see also* spontaneous bacterial peritonitis (SBP)
- peroneal nerve compression syndrome 28
- persistent generalized lymphadenopathy (PGL) 293
- pertussis, adult 125
- phaeochromocytoma 247
- pharyngeal pouch 422
- physical assault 47
- physical symptoms in absence of organic disease, *see* medically unexplained symptoms (MUS)
- physiotherapists 239, 240
- pituitary apoplexy 224
- pituitary tumours, incidental 245–246
 - investigations 245–246
 - macroadenomas 245–246
 - management 246
 - microadenomas 245
- platelet abnormalities 88
- pleural effusions 81
- pneumothorax 80–81
- poisoning *xvii*, 79, 346–352
 - anion gap 348–349
 - antidotes 348, 351–352
 - epidemiology 346
 - shock 349
 - see also* drug toxicity; self-poisoning
- polycystic kidney disease 288
- polycythaemia vera 368
- polydipsia *xvii*, 361
 - causes 361
 - psychogenic 362–363
- polymyalgia rheumatica 320
- polyuria *xvii*, 44–45, 361–362
 - causes 361, 362
 - examination 362
 - history 362
 - investigations 362
- portal hypertension 6, 7, 18
- post-obstructive nephropathy 41
- post-phlebotic syndrome 278–279
- postprandial distress syndrome 148
- postural hypotension 157
- postural orthostatic tachycardia syndrome (POTS) 433, 450
- Pott disease 34
- prednisolone, cough-variant asthma 126
- pre-eclampsia 304–305
- pregabalin 67
- pregnancy 82, 301–306, 466
 - acute fatty liver disease 305
 - cerebral venous sinus thrombosis 304
 - chest pain 302–304
 - eclampsia 304–305
 - epilepsy 304
 - HELLP syndrome 305–306
 - hyperemesis gravidarum 305
 - imaging risks 303–304
 - medical emergencies
 - differential diagnosis 302
 - examination 302
 - history 302
 - investigations 302–303
 - obstetric cholestasis 306
 - pre-eclampsia 304–305
 - pulmonary embolism 302, 303–304, 303
 - seizures 178
- pressure sores 119, 158, **241**
- presyncope *xvii*, 428, 448, 449–450
 - examination 450
 - history 449–450
- propafenone 339
- proptosis 455
- prostaglandin E2 163
- prostate cancer
 - investigations 315
 - management 315
 - prescribing 315
 - urinary tract obstruction 315
- prostate-specific antigen (PSA) 315
- prostatitis, bacterial 152
- prothrombin time (PT) 91, 92–93
- proton pump inhibitors (PPIs)
 - dyspepsia 143, 145, 148
 - GORD 146–147
 - Helicobacter pylori* 196–197
- prurigo, nodular 367
- pruritus *xvii*, 366–370
 - aetiology 366, 367
 - aquagenic 368
 - cholinergic 368
 - coeliac disease 366
 - examination 368
 - generalized
 - with dermatosis 367
 - without dermatosis 367
 - history 368
 - investigations 368
 - localized
 - with dermatosis 367
 - without dermatosis 367
 - nocturnal generalized 368
 - pathophysiology 366
 - scratching 367
 - seasonal 368
 - skin biopsy 368
 - skin cancer staging 368–369

Index

- specialist referral 369–370
- treatment 369
- pseudobulbar palsy 412–413, 471
- pseudogout
 - acute of neck 321
 - see also* calcium pyrophosphate arthropathy
- pseudohyponatraemia 356
- pseudo-obstruction of large bowel 23
- psychogenic pseudosyncope 428
- psychological conditions, urinary tract obstruction 314
- psychosis, acute 49–50
- psychotherapy, medically unexplained symptoms 344
- ptosis 455, 456
- pulmonary embolism
 - approach to patient 110–111
 - breathlessness 80
 - chest pain 110–113
 - D-dimer testing 111
 - diagnosis of non-life-threatening 111
 - imaging 111–112
 - long-term follow-up 112–113
 - massive 111
 - pathophysiology 110
 - pregnancy 302, 303–304, 303
 - scoring system 111
 - syncope 157, 434
 - thrombolysis 111
 - treatment 111, 112
 - underlying cause investigation 112–113
- pulmonary hypertension, incidental 247–248
 - examination 247–248
 - history 247
 - investigations 248
 - management 248
 - WHO classification 247
- pulmonary oedema 86–87
- pulmonary-renal syndrome 39
- pupils 455–456
- pustulosis, acute exanthematous generalized 374
- pyelonephritis 286–287
 - with ureteric obstruction 287
- pyocystis, dialysis infections 129
- pyoderma gangrenosum 404
- pyrexia
 - postoperative 296
 - of unknown origin 165, 166
- radial nerve lesions 28
- radiculopathy 36
- rash *xvii*, 164, 371–375
 - bullous skin disorders 375
 - erythema 373–375
- examination 372
- history 371–372
- investigations 372–373
- skin biopsy 373
- terminology 372, 372
- vasculitic 375
- reactive arthritis 271
- rectal bleeding *xx*, 376–382
 - resuscitation 377
 - see also* lower gastrointestinal bleeding
- refeeding syndrome 423, 427, 486–487
- referred pain 9, 30
- regurgitation 458, 462
- rehabilitation, immobility 242–243
- REM behavioural sleep disorder 257
- renal amyloidosis 132
- renal artery stenosis 41
- renal bone and mineral disorder 132
- renal colic 285–286, 287
- renal conditions, urinary tract obstruction 314
- renal osteodystrophy 132
- renal service contact for dialysis complications 130
- renal transplant 128
- renin-angiotensin-aldosterone system 354
- respiratory disease, breathlessness 80–81
- respiratory secretions, excess in palliative care 330
- restless legs syndrome 257
- restlessness, palliative care 330
- resuscitation
 - acute abdominal pain 10, 12
 - anaphylaxis 61–63
 - cardiorespiratory arrest 94
 - advanced life support 97, 98
 - basic life support 97
 - paediatric life support 98
 - chest pain 104
 - ethical/legal framework 100–101
 - fever 164
 - goal-directed 391
 - haematemesis 191–192
 - haemoptysis 209
 - hypothermia 235–236
 - lower gastrointestinal bleeding 377, 378
 - self-poisoning 349–350
 - sepsis 385
 - shock 391–392
 - upper gastrointestinal haemorrhage 191–192, 197
- retching 458
- retropharyngeal abscess 321
- return of spontaneous circulation (ROSC) 99
- reversible cerebral vasoconstriction syndrome 225, 476
- rewarming in hypothermia 236
- rhabdomyolysis 39, 350
- rheumatoid arthritis 32, 273, 320
- rheumatoid factors 272
- rhinosinusitis 126
- rickettsial infection 167–168
- rigor 253
- Rockall score 194, 194
- ROSIER (Recognition of Stroke in the Emergency Room) screening tool 475, 475
- rumination 458, 462
- safety behaviours 342
- salmonellosis 382
- salt balance, *see* sodium homeostasis
- sarcopenia 484
- schistosomiasis 168
- Schober's test 31
- sciatica 36
- scombroid fish poisoning 61
- scotoma 454
- scrofula 293
- sedation 50–51, 329
- sedatives 51, 157
- seizures *xvii*, 175–183, 428
 - alcohol-related 55, 178
 - antecedent risk factors 176–177
 - anticonvulsant prescription 181–182
 - blood tests 178–179
 - causes 177–178
 - classification 176, 177, 177, 181
 - clinical features 176
 - diagnosis 176–177
 - ECG 178
 - EEG 179
 - focal 254
 - head injury 214, 215
 - history 175–176
 - imaging 179
 - investigations 178–179
 - management
 - of first 179, 180
 - known epileptic 181
 - nocturnal 257
 - non-epileptiform attack disorder 182
 - pregnancy 178
 - sudden unexpected death in epilepsy 182–183
 - unconscious patient 439, 443
 - urinalysis 179
 - women of childbearing age 182
 - see also* epilepsy; status epilepticus
- self-poisoning 346
 - accelerated elimination 351
 - anion gap 348–349
 - antidotes 351–352
 - clinical assessment 346
 - drug exposure reduction 350–352
 - examination 347–348
 - history 346–347
 - investigations 348–349
 - management 346, 349–352

Index

- self-poisoning (*cont.*)
 prevention of further absorption 350–351
 psychosocial assessment 352
 resuscitation 349–350
- senile purpura 89
- sensation, abnormal 24–28
 clinical assessment 24–25
 clinical entities 25–28
 peripheral neuropathy 25–27
 spinal cord lesions 25
 symptoms 24–25
- sepsis *xvii*, 383–386
 acute kidney injury 39
 acutely unwell patient 168–170
 antibiotics 168–169, 385
 assessment 383
 care bundle 384–385
 dialysis infections 129
 early goal-directed therapy 385
 examination 384
 high risk groups 383
 history 383–384
 hypothermia 234, 236
 investigations 384
 jaundice 259
 management 384–385, 386
 resuscitation 385
 severe 383
 spectrum 384
 Surviving Sepsis Campaign Bundle 385
 swollen joints 268–270
- septic arthritis 268, 270
- septic shock 383, 385, 397
- septicaemia, staphylococcal 320
- serotonin syndrome 257–258, 257
- serum-ascites-albumin gradient (SAAG) 18
- sexual history taking 185
- sexually transmitted infections 186, 190
 clinical features 186
 diagnosis 153
 dysuria 150, 152
 genital discharge 186, 187
 genital ulceration 188, 189
 management 187
 sexually acquired reactive arthritis 152
- SFSR score for syncope 430
- shigellosis 382
- shock 388–398
 adrenal insufficiency 390–391
 advanced haemodynamic monitoring 395
 cardiac output 396
 cardiogenic 390, 396, 398
 central venous oxygen saturation 395
 central venous pressure 395
 classification 389–391
 critical care 394–395
 distributive 390, 396
 fluid therapy 393–394
 goal-directed therapy 391, 395
- haemodynamic status 392
- haemodynamic support 396
- hospital admission primary diagnosis *xvii*
- hypovolaemic 389–390, 396
- imaging 392–393
- inotropes 397–398
- invasive arterial blood pressure
 monitoring 395–396
- investigations 392–393
- management 391–392
- neurogenic 391
- obstructive 390
- oliguria 316, 383
- physiology 388–389
- poisoning 349
- resuscitation 391–392
- surgical management 393
- vasopressors 396
- ventricular assistance 398
see also septic shock
- sickle cell disease 81
- SIGN guideline for lower gastrointestinal
 bleeding 378
- skin
 examination 158, 164
 human 401
- skin biopsy 373
- immunofluorescence 373
- skin cancer, staging 368–369
- skin conditions 189–190, 372, 372
- bullous 375, 406
see also lichen *entries*; pruritus; rash
- skin ulcers 400–405
 arterial 403–404
 calciphylaxis 405
 classification 400
 diabetic foot ulcers 400–403
 ecthyma 405
 malignancy 404
 pyoderma gangrenosum 404
 vasculitis 404
 venous 403
- sleep-associated movement disorders 257
- sleep-disordered breathing 81
- small bowel
 bacterial overgrowth 135, 138
 malignancy 143
 obstruction 22
- smoking, cough 126
- sodium depletion 356
- sodium homeostasis
 disturbances 353
 regulation 354
see also hypernatraemia; hyponatraemia
- sodium nitroprusside 250
- spasm 253
- speech
 neuroanatomy 408–409
 production 408
 spontaneous 410
- speech and language therapist (SALT) 414, 423, 481
- speech disturbance 408–414, 471
 articulation 411
 clinical assessment 409–411
 examination 409–411
 history 409
 swallowing problems 413–414
see also dysarthria; dysphasia
- spinal cord lesions 25
- spinal infection 33–34
- spinal nerve root lesions 31
- spirometry, breathlessness 84
- spleen 6
 rupture 8
- splenomegaly 7
 complications 7–8
 isolated 6–8
 lymphadenopathy-associated 290
- splinter haemorrhages 2–3
- spondyloarthritis 35–36
- spondylolisthesis 36
- spondylosis 36
- spontaneous arterial dissection 223–224
 carotid artery 223
 clinical features 223–224
 management 224
 prognosis 224
 vertebral artery 223–224
- spontaneous bacterial peritonitis (SBP) 6, 20–21, 262
- spontaneous intracranial hypotension 225
- sputum production 123
- squamous cell carcinoma (SCC) 368, 404
- staphylococcal infections 320, 386
- Staphylococcus aureus* 34, 129, 149, 172–173
- statins 482
- status epilepticus 182, 183, 439
- ST-elevation myocardial infarction (STEMI) 104–105
- stereotypies 256
- steroids
 chemotherapy-induced vomiting 463
 intravenous 397
 topical 369, 369
- Stevens–Johnson syndrome 373–374, 406
- streptococcal group A infections 281, 386
- stridor 82
 biphasic 228
 causes 228
 definition 228
 examination 229–230
 inspirational 228
 investigations 230–231
 management 231
 severity 229
- stroke *xvii*, 474–482
 acute ischaemic 479–480
 atypical symptoms 476–477
 bleeding rate 337

- blood pressure control 480–481, 482
- cerebellar 156–157
- chameleons 476–477
- classification 477–478, 477
- dysphagia 481
- examination 475
- headache 223–224
- history 475
- imaging 478–479
- intracerebral haemorrhage 480
- investigations 478–479
- lipid-lowering therapy 482
- management 479–482
- mimics 475–476
- outcomes 478
- peripheral nervous system symptoms 476–477
- physiological monitoring 480–481
- risk factors for bleeding 337
- risk in AF 336
- screening tools 475, 475
- secondary prevention 481–482
- severity assessment 477–478
- spontaneous arterial dissection 223–224
- surgical intervention 480
- swallowing difficulties 413–414
- thrombolysis 479
- venous thromboembolism
 - prophylaxis 481
- stroke unit care 480
- stroke volume 388
- subarachnoid haemorrhage
 - clinical presentation 222
 - complications 223
 - CT scan 222
 - headache 222–223
 - lumbar puncture 222–223
 - management 223
 - risk factors 222
 - traumatic 214
- subdural haemorrhage 213–214
- substance dependence *xvii*, 53–55
 - controlled drugs 53–54
 - drug classification 54
 - novel psychoactive substances 54
 - opiate abuse 56, 57–58
 - withdrawal 54, 55
 - see also* alcohol dependence
- sudden cardiac death 434
- suicide/suicidal ideation 415–420
 - completed 415
 - legislative framework 418–420
 - management 418
 - mental capacity 418–419
 - mental health issues 419–420
 - prediction 415
 - psychiatric history 416
 - psychiatric interview elements 416–417
 - risk assessment 416, 417
 - risk level determination 417
- supraventricular arrhythmias 334–337
- supraventricular tachycardia 333, 433–434
- surgical acute abdomen 12–13
- surgical patients, medical complications
 - xvii*–*xx*, 295–300
 - assessment of patient 297–298, 299
 - bleeding problems 297
 - blood loss 295
 - differential diagnosis 298–299, 300
 - examination 298, 300
 - history 297–298
 - hypoalbuminaemia 296
 - hypothermia 296
 - infection 296
 - investigations 298, 299, 300
 - management 300
 - medications 295–296
 - pain 295
 - predisposing factors 295–297
 - thromboprophylaxis 296–297
- swallowing, physiology 421
- swallowing difficulties *xvii*, 421–427
 - globus 421
 - odynophagia 422
 - speech disturbance 413–414
 - stroke 413–414
 - with weakness 471
 - see also* dysphagia
- syncope *xvii*, 72–73, 126, 157, 428
 - anaemia 435
 - aortic dissection 434–435
 - arrhythmogenic 433–434
 - causes 431–435
 - clinical features 176
 - hypoglycaemia 435
 - orthostatic 433
 - pulmonary embolism 157, 434
 - reflex 431–433
 - scoring systems 430
 - structural heart disease 434
 - vasovagal 431–432
- syndrome of inappropriate antidiuretic hormone secretion (SIADH) 356
 - correction 358–359
 - investigations 357
- synovial fluid examination 269–270
- syphilis 188, 189, 190, 310
- syringomyelia 321
- systemic inflammatory response syndrome (SIRS) 383
- systemic vascular resistance 389
- tachycardias, cardiorespiratory arrest 96–97
- tampon, retained 187
- tardive dyskinesia 255
- temporal arteritis 226–227, 321
- temporal lobe, lateral herniation 440
- thermoregulation 233
- thrombin inhibitors 277
- thromboembolic stroke risk in AF 336
- thrombolysis
 - pulmonary embolism 111
 - stroke 479
- thrombophilia screening in DVT 278
- thrombophlebitis, superficial 278
- thromboprophylaxis
 - atrial fibrillation 336
 - surgical patients 296–297
- thrombotic thrombocytopenic purpura (TTP) 91–92
- thrush 405
- tongue movements, abnormal 255
- torticollis 321
- TOXBASE database 349, 351
- toxic epidermal necrolysis 373
- toxic shock syndrome 187
- transcatheter embolization, lower gastrointestinal bleeding 380
- transient loss of consciousness (TLoC) 157, 428–435
 - admissions 430, 431
 - cardiological referral 431
 - causes 431–435
 - driving restrictions 431
 - examination 429
 - history 428–429
 - investigations 429–430
 - NICE guidelines 430
 - no clear diagnosis 431
 - scoring systems 430
 - specialist review 430
- transjugular intrahepatic portosystemic shunt (TIPS) 198
- transverse myelitis 26
- trauma 236, 320, 440
- traumatic brain injury (TBI) 176
- traveller, returning 165–168
- tremor 253–254
 - causes 255
 - cerebellar 254
 - dystonic 254
 - essential 253–254
 - head 254
 - parkinsonian 254
 - physiological 253
- Trichomonas vaginalis* 152
- trichomoniasis 186, 187
- Troisier's sign 290
- tropoin levels in acute coronary syndrome 106
- tubercular cervical lymphadenitis 293
- tuberculosis, spinal infection 34
- tumour markers, abdominal swelling investigations 3
- typhoid 167
- ulceration, *see* mouth ulcers; skin ulcers
- ulcerative colitis 135, 136–137, 139, 381
- ultrafiltration 128
- unconsciousness *xvii*, 436–446

Index

- assessment 437–439, 440–441
- brainstem death 445
- causes 436–437
- examination 440
- history 439–440
- imaging 441, 442
- investigations 441–443
- laboratory analysis 441–442
- localizing neurological signs 441
- lumbar puncture 441, 442–443
- management 443–444
- microbiology 442
- neurological insults 436–437
- neurosurgery 443–444
- organ donation 446
- patient transfer for neurosurgery 444
- prognosis 444
- psychogenic 440
- raised intracranial pressure 440, 444
- seizures 439, 443
- systemic insults 437
- toxicology 442
- see also* transient loss of consciousness (TLoC)
- upper airway
 - disease 126
 - obstruction 86
- upper gastrointestinal haemorrhage *xvii*, 191–199, 376, 378–379, 459
 - aspirin use 197
 - blood tests 192–193
 - causes 193–194
 - classification 192, 195
 - endoscopic therapy 191
 - erosive disease 193
 - Helicobacter pylori* 193, 196–197
 - non-variceal bleeding 191, 193
 - blood loss correction 195
 - coagulopathy 195–196
 - endoscopic therapy 196
 - level of care 196
 - medical therapy 194–197
 - post-endoscopic therapy 196–197
 - resuscitation 191–192, 197
 - risk scoring 194, 194, 195
 - symptoms 191
 - variceal bleeding 191, 193, 197–198
 - airway protection 197
 - endoscopic therapy 198
 - failure to control haemorrhage 198
 - fluid resuscitation 197
 - infections 198
 - secondary prophylaxis 198
 - vasopressin therapy 197–198
- upper gastrointestinal malignancy 463–466
- upper limb, motor innervation 472
- uraemia, acute kidney injury 43
- ureters
 - distension 283
 - obstruction 287
- stones 152
- urinary tract obstruction 314
- urethra
 - strictures 316
 - urinary tract obstruction 314
- urethral catheterization 316
 - complications 316
 - procedure 317
- urethritis
 - gonococcal 150
 - investigations 152–153
 - management 152–153
 - sexually related 150, 152
- urinary acidification 351
- urinary alkalization 351
- urinary tract 201
 - pathology and loin pain 283
- urinary tract infection
 - community-acquired 149–150
 - diagnosis 152
 - prevention of recurrent 153
 - treatment 153
- urinary tract obstruction 314
 - clinical assessment 314–315
 - examination 315
 - history 314
 - investigation 315
 - management 315–316
 - prostate cancer 315
 - urethral catheterization 316
 - urological referral 316
- vagal manoeuvres 333
- vaginal discharge 186, 187, 187
- Valsalva manoeuvre 333
- variceal bleeding 191, 193, 197–198
- vascular calcification, premature 132
- vascular dementia 309–310
- vasculitic rash 375
- vasculitis 404
- vasoactive intestinal peptide (VIP) 139
- vasopressin 197–198
- vasopressors 396, 397
- vasovagal episodes 157
- vasovagal syncope 431–432
- Vaughan-Williams classification of anti-arrhythmic agents 338, 339
- venous thromboembolism 296–297
 - prophylaxis 160, 481
- ventilation, breathlessness 86
- ventricular arrhythmias 334, 337–339
- ventricular assistance, shock 398
- ventricular ectopy 338
- ventricular tachycardia 338, 433–434
 - polymorphic 338–339
- verapamil 334
- verbal abuse 47
- vertebro-basilar insufficiency 319
- vertigo 156, 447, 448, 449
 - benign paroxysmal 156–157
- examination 449
- falls 156–157
- history 449
- vessel wall abnormalities 88
- vestibular neuritis 156–157
- video-fluoroscopy, dysphagia 423
- violent behaviour 47–51
 - de-escalation 48
 - escalation 48–49
 - legal framework 50
 - priority one 48–49
 - priority two 49
 - psychosis 49–50
 - red card 49
 - sedation 50–51
 - warning signs 47–48
 - yellow card 49
 - zero tolerance in NHS 47
- VIPoma 139
- viral infections 385
 - viral exanthema 375
 - viral haemorrhagic fever 168
 - see also* herpes simplex; HIV infection
- Virchow's node 290
- visceral angiography 379
- visceral pain 9
- visual acuity 455
- visual disturbance *xx*, 452–457
 - acuity
 - acute loss 452–453
 - chronic loss 453
 - examination 455–456
 - history 452–455
 - imaging 457
 - investigations 456–457
 - referral to specialties 457
 - symptoms 452
 - visual field defect 453–454
 - with weakness 471
- visual evoked responses 457
- visual fields examination 455
- visual hallucinations 454–455
- visual inattention 454
- visual neglect 454
- visual perception symptoms 454–455
- vitamin B₁₂ deficiency 310
- vitamin K antagonists 277
- vomiting *xvii*, 458–467
 - anorexia 466
 - bulimia nervosa 466
 - causes 460, 463–467
 - clinical approach 459
 - cyclical 467
 - definition 458
 - differential diagnosis 458
 - examination 462
 - gastrointestinal obstruction 463
 - gastroparesis 466
 - history 459–462
 - imaging 462

Index

- investigations 462–463
management 460, 463
palliative care 330, 466
pathophysiology 458–459
pregnancy 466
psychogenic 466–467
upper gastrointestinal malignancy 463–466
vomiting centre 458
von Willebrand factor 88
von Willebrand’s disease 93

warfarin, upper gastrointestinal bleeding 193
water intake, reduced 360
water swallow test 423
weakness *xvii*, 157, 158, 468–474
 accompanying symptoms 470–471
- anatomy 472, 473
differential diagnosis 472
distribution 469
examination 471–473
falls patients 157, 158–159
history 468–471
imaging 474
investigations 473–474
management 473–474
onset timing 469–470
pathology 468
respiratory function tests 474
sensory symptoms 469
weight loss *xvii*, 484–489
 avoidance 487–488
 causes 486
 clinical assessment 484
 enteral feeding 488–489
- examination 485
history 484–485
investigations 485–486
management 486–489
oral intake 488
parenteral nutrition 489
physical signs 487
 see also refeeding syndrome
Wernicke–Korsakoff syndrome 53, 310
Wernicke’s area 409
wheeze 82, 230
whiplash injury 321
WHO Performance Status for palliative care 324
whole-bowel irrigation 350–351
Wolff–Parkinson–White syndrome 434

Zenker’s diverticulum 422