

Cambridge University Press

978-1-107-63618-7 - Wireless: A Treatise on the Theory and Practice of High-Frequency Electric Signalling

L. B. Turner

Index

[More information](#)

INDEX

Titles of Sections and Subsections are not, as such, entered in the Index. See the Table of Contents.

Authorship of publications referred to is indicated by the use of italic type.

- Abraham, M., 33
 Acoustic conditions in rectifier, 346
 Acoustic measurements, amplifier for, 251
 Acoustic vibrations, theory of, 416
 Action at a distance, 12, 14
 Adcock, F., 460
 Adherent air, 420
 Aerial, 432
 Aether, 1, 6
 Air condensers, variable, 64, 65
 Air friction, heating by, 137
 Air gap in steel cores, 36
 Air reaction, 416, 420
 Alexanderson, E. F. W., 135
Alexanderson, E. F. W., 137, 378
 Alice and the looking glass, 47
 Alternating current, meters for, 144
 Alternators in cascade, 138
 American Telephone and Telegraph Co., 405, 492
 Ammeter for A.C., types of, 144
 Ampère's law, 14, 19
 Amplification factor, 196, 202, 203, 208
 Amplification factor, inverted, 340
 Amplifier instability, 257
 Amplifier triode, 225
 Amplitude: effect of—on damping, 356, 361
 Anode, 172, 185
 Anode-anode conductance, 202
 Anode battery: economy in—by use of reactance, 233
 Anode current, discontinuous, 281
 Anode dissipation, 211, 274, 277, 281, 286
 Anode-grid capacitance, 219, 220, 255
 Anode-grid conductance, 202
 Anode rectification in grid rectifier, 328, 341, 350
 Anode rectifier, 321
 Anode resistance, 203
 Anode tap, 278
 Antenna, 432
 Antenna array, 468
 Antenna, effect of atmospherics on, 78
 Antenna, effective height of, 33, 433
 Antenna, electrical dimensions of, 78
 Antenna, patterns of, 79
 Antenna resistance, components of, 152, 440
 Antennas, capacitance values of, 80, 82
 Antennas: loop and open—compared, 441
 Antennas, resistance values of, 82, 83
 Anti-atmospheric devices, 516
 Antipodes, 39, 476
 Aperiodic retroaction, 260
 Appleton and Barnett, 59
 Appleton, E. V., 47
Appleton, E. V., 48, 59, 60
Appleton Watt and Herd, 507
 Arc characteristics, 122, 124, 126
 Arcing in spark-gap, 110, 112, 116
 Arc lengths, ignition and extinction, 130
 Arc, nature of, 120
 Arc transmitters, examples of, 131, 132
 Armstrong, E. H., 365
Armstrong, E. H., 365, 367
 Array of antennas, 468
Ashbridge—see *Eckersley*
 Assel, transmitter at, 141
 Atmospheric interference, measure of, 511
 Atmospherics, 507
 Atmospherics and short waves, 513
 Atmospherics: effect of—on antenna, 78
 Atmospherics, optical parallel to, 516
 Attenuation by dispersion, 36
 Attenuation by dissipation, 41
 Attenuation constant, 66
 Attenuation, no, 496
 Auditive reception, optimum damping for, 356
 Austin-Cohen formula, 41

Cambridge University Press

978-1-107-63618-7 - Wireless: A Treatise on the Theory and Practice of High-Frequency Electric Signalling

L. B. Turner

Index

[More information](#)

520

INDEX

- Austin, L. W.*, 41
 Australia, dark and light routes to, 475
 Autoheterodyne, 360
 Autoheterodyne, limitation of amplitude in, 361
- Backlash, 187
Bailey Dean and Wintringham, 373, 400, 446, 467
 Balanced demodulator, 414
 Balanced modulator, 395
 Balancing no-signal current, 226
 Baldock, beam receiver at, 425
Ballantine, S., 82, 438
 Ballast resistance of arc lamp, 121
 Band-pass filter, 503
Barfield—see *Smith-Rose*
 Barnett—see *Appleton*
 Beacons, wireless, 455
 Beam, oscillating or rotating, 462
 Beam stations, Marconi, 211
 Beam transmitter of very short wavelength, 443
 Beat reception, 167
 Beats in coupled circuits, 91
 Bei, 484
 Bel, 372
 Bell, A. G., 372
 Bellini-Tosi system, 456
 Bell Telephone Laboratories, 383, 416, 492
 Ber, 484
 B. E. S. A. nomenclature, 203
 Bessel function, 335
Best—see *Turner*
Beverage Rice and Kellogg, 446
Bijl, H. J. van der, 173, 175, 275
Bligh, N. R., 220
Bloemsma—see *Burch*
 Bordeaux, arc generator at, 132
 Bordeaux, signals from, 43
 Boucherot, P., 138
 Branly, 16
 Breit and Tuve, 59
 Breit Tuve and Dahl, 60
 British Broadcasting Corporation, vii, 278, 300, 423, 425, 517
 Brookman's Park station, 292, 423
Burch, C. R., and J. Bloemsma, 514, 516
 Butterworth, S., 485, 486, 487
Butterworth, S., 488
 Buzzer, 117
- Cady, W. G.*, 301, 306
 Caernarvon, antenna at, 442
 Caernarvon, signals from, 40, 43
 Cambridge Instrument Co., 66
 Campbell, G. A., 492
Campbell, G. A., 492
 Capacitance adjustment, 64
 Capacitance coupling, 94
 Capacitance of vertical wire, 436
 Capacitance retroaction, 345
 Capacitance, stray, 8, 76, 233, 241
 Carborundum rectifier, 154
 Cardioid directivity, 450
 Cardioid systems, spaced, 467
 Carrier-wave, 390
 Carrier-wave multiplex telegraphy, 405
 Carrier-wave unnecessary, 393
Carson, J. R., 516
 Cathode, 172, 185
 Cathode, manners of heating, 186
 Centre Radioélectrique de Paris—see *Sainte Assise*
 Centripetal force in alternators, 133, 136
 Chain of selective circuits, 357, 408
 Chalcopyrite-zincite rectifier, 154
 Characteristic impedance of line, 446, 475
 Charges, electric and magnetic, 17
 Choke control, 385
 Choke, high-frequency, 234
 Choke, steel-cored, 235
 Chronometer accuracy, 264
 Circular polarisation, 55
 Clapping, sound of, 391
 Classical mechanics, 1
 Clock as oscillator, 264
Cobbold, G. W. N., and A. E. Underdown, 301
 Coils, losses in, 488
 Coils, variables in design of, 487
Colebrook, F. M., 311, 334, 411
 Collision between electrons and massive ions, 52
 Colour filters, 516
 Colpitts circuit, 318
 Common battery, 238, 430
 Compagnie Générale de T. S. F., 137
 Complementary function, 66
 Complex triode circuit, 310
 Condenser connection between triodes, 239
 Condenser retroaction, 345
 Conductors, nature of, 35, 174
 Cone of loud-speaker, 417
 Constantinesco water-wave transmission, 2

Cambridge University Press

978-1-107-63618-7 - Wireless: A Treatise on the Theory and Practice of High-Frequency Electric Signalling

L. B. Turner

Index

[More information](#)

INDEX

521

- Contact E.M.F., 198, 214
 Contact resistance, 153
 Continuous spectrum, 516
 Continuous wave, 119
 Control electrode, 192, 197
 Conversation, range of acoustic power in, 374
 Cooled-anode triodes, 210
 Copper versus iron for screening, 480
 Copper wires, graphs of conductance of, 479
 Corona loss, 433
 Corpuscles, 172
Cosens, C. R. G., 420, 421
 Coupled circuit in arc generator, 131
 Coupled circuits, 85, 94
 Coupling, coefficient of, 91
 Coupling, internal and external, 96
 Coupling, methods of, 94
Crandall, I. B., 384, 416
 Critical velocities for emission, 176
 Croix d'Hins—see Bordeaux
 Crossed-antenna D.F., 461
 Crystal rectifiers, 154
 Cumulative grid rectifier, 351
 Curvature of ray, 51
 Cut-off frequency, 499
 Cut-off of high tones, 392, 407
C.W., 119
C.W. and spark reception compared, 170
C.W. generator, types of, 120
 Cylindrical electrodes, 192, 196
- Dahl—see Breit
 Damped oscillation, 84
 Damping caused by rectifier, 151
 Damping for auditive reception, optimum, 356
 Damping, microphonic control of, 380
 Damping: rectifier—and strength of signal, 342
 Damping, very low, 356
 Dash, Morse, 374
 Daventry (5XX), frequency characteristic of, 392
Dean—see *Bailey*
 Decibel, 372
 Decrement, 66
 Decrement from resonance curve, 71
 Degrees Kelvin, 177
 Depth of modulation, 389
 Detector as rectifier-amplifier, triode, 323, 326
 Detector sluggishness, 162, 351
 D.F., 453
- D.F. aberrations, 45, 458, 461
 D.F. at night, 460
 Dielectric constant, 17
 Dielectric constant of upper atmosphere, 47
 Dielectric current, 15
 Differential coefficients in grid characteristic, 328, 332, 334
 Differential conductance, 202
 Differential resistance, 121
 Diffraction formula, 40
 Diode, 172, 186
 Direction: effect of—on propagation, 45
 Discontinuity in anode current, 281
 Discontinuity in arc current, 126
 Dispersive medium, 56
 Distributed capacitance and inductance, 77
Dorling—see *Shearing*
 Dot, Morse, 374
 Double-ended triode, 212
 Double modulation, 403
 Duddell, W., 120
 Dull filaments, emission voltages of, 334
 Duplex working, 430, 442, 443
Dye, D. W., 300
Dyke, K. S. van, 303
 Dynamic theory of gases, 175, 176
 Dynamo, high-tension, 292
 Dynamometer ammeter, 144
 Dynatron, 222, 261
- Ear, change of intensity perceived by, 373
 Earth connection, 432
 Earth wires, 34
Eccles, W. H., vii, 48, 197
Eccles, W. H., 10, 16, 173, 183, 188, 196
Eccles, W. H., and *F. W. Jordan*, 300
 Echoes, 58
 Echoes of long delay, 60
Eckersley, P. P., 392
Eckersley, P. P., and *N. Ashbridge*, 423
Eckersley—see *Round*
Eckersley, T. L., 42
Eckersley, T. L., 37, 38, 439, 460
 Eddy-current heating of anode, 209
 Eddy loss in iron cores, 63, 133, 143, 248, 481
 Edison effect, 172, 174
 Edison, T. A., 174

Cambridge University Press

978-1-107-63618-7 - Wireless: A Treatise on the Theory and Practice of High-Frequency Electric Signalling

L. B. Turner

Index

[More information](#)

522

INDEX

- Eiffel Tower, spark transmitter at, 112
 Eilvese, alternator at, 139
 Electrodes, cylindrical form of, 192
 Electrodes, plane form of, 188
 Electrodynamics, first law of, 19
 Electrodynamics, second law of, 20
 Electron, 17, 172, 174
 Electron affinity, 175
 Electron evaporation constant, 175
 Electron theory of matter, 174
 Elliptic path of electron, 54
Elmen, G. W., 235
Elwell, C. F., 210
 Elwell-Poulsen arcs, 131
Emde—see *Jahnke*
 Emission and temperature, graphs of, 180, 182
 Emission, heating power for, 181
 Emission, maximum, 180
 Emission velocity, effect of, 195, 198
Encyclopaedia Britannica, 3
 Energy of field, 19
 Engineering, electrical and mechanical, vi
 Epstein-Joly frequency doubler, 139
 Equivalent concentrated circuit, 78
 Equivalent volts, 176
 Escapement, 264
 Extinction directions, maximum number of, 471
 Extinction from two spaced antennas, 463
 Extinction in arc oscillation, 126, 131
 Extinction of arc, 126
- Facsimile reproduction, 374
 Fading, 44, 426
Fahie, J. J., 3, 16
 Faraday, 1
 Faraday's law, 20
 Faraday tube, 17
 Farnborough, rotating beacon at, 454
Faulkner—see *Hansford*
 Ferranti resistor, 263
 Ferranti transformers, 246, 249
 Fessenden, R. A., 167
 Field strengths, received, 38, 43, 44, 426, 434, 435
 Filament, types of, 182
 Filaments in grid rectifier: dull and bright—compared, 336
 Filter, 408, 492
 First wireless telegraphy, 107
 Flat ground, 36
 Flat top of antenna, 28, 433, 445
 Fleming, J. A., 172, 319
Fleming, J. A., 319, 478
 Fleming valve, 193, 319
Fletcher, H., 416
 Flexural waves on rod, 56
 Flux-density, electric and magnetic, 18
 Flux-density in air-gap of moving-coil speaker, 420
 Flux, electric and magnetic, 17
 Forced oscillation, 65
 Forced synchronisation, 362
 Forest, L. de, 172, 193
 Fortescue, C. L., 486
Fortescue, C. L., 487
 Fourier integral, 513
 Fourier series, 99, 142, 287, 513
 Four-wire working, 430
 Franklin, C. S., 474
 Franklin suppression coils, 474, 475
 Freak ranges, 39
 Free electricity, 174, 179
 Free oscillation, 66
 Frequencies of coupled circuits, 90
 Frequency and wavelength, 75
 Frequency, effect of grid current on, 269
 Frequency, effect of resistance on, 67
 Frequency meter, 75
 Frequency reduction by heterodyne, 362
 Frequency spacing between stations, 309, 357
 Frequency, unit of, 76
 Frequency wandering, effects of, 306
 Frequency wandering, observations of, 308
 Funkentelegraphie, 109
- Gain, amplification expressed as, 372
 Gain control, automatic, 429
 Gecosite rectifier, 158
 General Electric Co., 158
 Generalised triode circuits, 310
 German Post Office, vii, 143
 Gettinger, 209
Gill—see *Lee*
Gill, T. H., and *N. F. S. Hecht*, 454
 Goldschmidt, R., alternator of, 138
Goldsmith, A. N., 375
 Goniometer, 456
 Gramophone record, reproduction of, 374
 Gravity, pendulum for measuring, 66
 Great-circle track of ray, 52, 459, 476
 Grid, 192
 Grid bias, automatic, 286

Cambridge University Press

978-1-107-63618-7 - Wireless: A Treatise on the Theory and Practice of High-Frequency Electric Signalling

L. B. Turner

Index

[More information](#)

INDEX

523

- Grid capacitance, 212
 Grid current: dependence of—on anode potential, 340
 Grid current: effect of—on frequency, 269
 Grid leak, 239, 329
 Grid leak in rectifier, value of, 328
 Grid leak line, 329
 Grid mesh, 196, 205–7
 Grid, physical action of, 193
 Grid power, 270
 Grid rectifier, 321
 Grid rectifier, coefficients of performance of, 328
 Grid rectifier, no-signal state-point in, 329
 Grimsby short-wave station, 475
Groenveld van der Pol and Posthumus, 335
 Ground: effect of—on non-earthed antenna, 7, 439
 Ground loss, 34, 445, 479
 Group velocity, 57
 Growth, condition for, 269
 Growth of oscillation, rate of, 365
Gutton, C., 275
- Half-wave suppression, 474
 Hals—see *Störmer*
 Hanover, signals from, 43
Hansford, R. V., and *H. Faulkner*, 33, 34, 64, 83, 293
Harley—see *Hodgson*
 Harmonics, cultivation of, 289, 299
 Harmonics, elimination of, 288
 Harmonics in oscillator, 269, 287
 Hartley circuit, 279
Hartley, R. V. L., 395, 405
 Heaviside layer, 36
 Heavisidelayerimaginednon-existent, 40
 Heaviside layers, two, 60
Hecht—see *Gill*
 Height of antenna, effective, 33, 433
Heising, R. A., 403
Heising Schelleng and Southworth, 44
Herd—see *Appleton*
 Hertz as unit of frequency, 76
 Hertz, H. R., 16, 432, 439
 Heterodyne, 167
 High-pass filter, 500
 High receiving antennas unnecessary, 440
Hodgson Harley and Pratt, 181
 Holweck demountable valve, 210
 Homopolar alternator, 134
 Hot-wire ammeter, 144
 Howe, G. W. O., 486
Howe, G. W. O., 23, 58
 Hughes, D. E., 16, 107
Hughes—see *Morris-Airey*
 Hull, A. W., 221, 222, 261
 Hydrogen in arc, 125
 Hyper-acoustic frequency, 362
 Hyper-acoustic quenching, 367
 Hypo-acoustic frequency, 362
- Image impedance, 493
 Imperial and International Communications Ltd., 475
 Incandescent solid, 516
 Inchkeith, rotating beacon at, 443, 455
 Inductance adjustment, 64
 Inductance coupling, 94
 Inductor alternator, 112, 133
 Inertias in moving-coil speaker, 419
 Infinity, engineer's grasp on, 356
 Input impedance of amplifier, 258
 Insulation of masts, 83
 Interference a controlling factor, 440, 507
 Interference from echoes, 59
 Interference, reduction of, 443, 446, 450
 Intermediate frequency in super-heterodyne, 364
 Intruder frequencies from rectifier, 410
 Inverted amplification factor, 340
 Ion, 174
 Ionisation gradient in atmosphere, 48
 Ionisation in arc, 121
 Ions in atmosphere, recombination of, 48
 Iron cores, eddy loss in, 63, 133, 143, 248, 481
 Iron cores for high-frequencies, 63
 Iron tape in saturated chokes, 143
 Iron versus copper for screening, 480
 $j \equiv \sqrt{-1}$, steady-state analysis by, 99
Jahnke und Emde, 335
Jeans, J. H., 11, 15
 Jordan—see *Eccles*
- Kallirotron, 260
 Kay see *ess*, 76
Kellogg—see *Beverage*
 Kelvin, 480
 Keying arc oscillator, 131
 Kilocycle, 76

Cambridge University Press

978-1-107-63618-7 - Wireless: A Treatise on the Theory and Practice of High-Frequency Electric Signalling

L. B. Turner

Index

[More information](#)

524

INDEX

- Kirke, H. L.*, 351
 Königs Wusterhausen, transmitter at, 143, 379
Kühn, L., 378
- Landale, S. E. A.*, 338, 339, 340, 411
 Langmuir, I., 172, 179
Langmuir, I., 179, 188, 192
 L antenna, inverted, 29, 442
 Larmor, J., 48
 Lateral deviation of ray, 459
 Latour, M., 137
Latour, M., 134, 138
 Leaffield, arc generators at, 131
Lee, A. G., 300, 309, 373, 429, 447, 467
Lee, A. G., and A. J. Gill, 131
 Lepel, E. von, 114
 Light, visible, 7
 Lighthouses, wireless, 454
 Lightning, 507
 Line, infinite, 2
 Line, short, 2
 Linear performance of detectors, 160
 Lodge, O. J., 432
 Logarithmic decrement, 66
 Loop abandoned for D. F., 460
 Loop acting as open antenna also, 452, 457
 Loop antennas, spaced, 464
 Lorenz Aktiengesellschaft, 143, 379
 Loss, attenuation expressed as, 372
 Lower side-band, 391
 Lower side-wave, 390
 Low-pass filter, 499
Lucas, H. J., 301
 Lumped characteristic, 273, 285
 Lumped potential, 197
Lunnon—see *Round*
- Magnetic alloys, 235
 Magnetic amplifier, 137, 378
 Magnetic blast in arc, 125
 Magnetic field of filament current, 199
 Magnetic saturation, use of, 136, 139, 141
 Magnetic shell, 14
 Magnetomotive force, 14
 Maintenance, condition for, 269
 Malabar, transmitter at, 141
Mallett, E., 275, 423, 430
 Mallock, R. R. M., 397
 Marconi Co., vii, 42, 112, 118, 212, 371, 381, 442, 456, 475
 Marconi, G., 432
- Marconi International Marine Commn. Co., 294, 370
 Margin of stability in triode circuits, 356
 Marine service, receiver for, 370
 Mark, Morse, 374
 Marking and spacing waves, 131
Martin, W. H., 372
 Master oscillator, 292
 Masts, 33, 433
 Masts, effect of insulating, 83
 Mathematician, description of, vii
 Maxwell, Clerk, 1, 14
 Maxwell equations, 15, 477, 507
 Meacham, L. A., 263
Meacham—see *Turner*
 Mechanical distortions in telephony, 415
 Mechanical model of oscillatory circuit, 105
 Mechanical oscillators, 66
 Mercury seal, 480
 Meshwork antenna arrays, 474
 Metal-glass envelope, 210
 Mica condenser, 64, 65
 Microhenry, 8
 Micromicrofarad, 8
 Microphone, carbon, 376
 Microphone, condenser, 383
 Microphone, electromagnetic, 383, 417
 Microphone, inventor of, 16
 Modulation, double, 403
 Modulation ratio, 389, 410
Mögel—see *Quick*
Morris-Airey Shearing and Hughes, 210
 Morse code, 374
 Morse signals, frequency of, 356, 374
 Morse signals, frequency wandering in, 307
 Morse switch, position of, 112, 131, 136, 293
 Most probable speed, 176
 Motional impedance, 422
 Moullin, E. B., vii
Moullin, E. B., v, 11, 13, 73, 83, 145, 159, 441, 480, 485, 509, 510, 512
 Moullin voltmeters, 145
 M.O. Valve Co., 211, 220, 278
 Moving-iron ammeter, 144
 Mullard Wireless Service Co., 218, 223, 263, 297
 Mumetal, 235
 Munich, broadcasting station at, 143
 Mush in arc oscillation, 130
 Music, frequencies in, 374

Cambridge University Press

978-1-107-63618-7 - Wireless: A Treatise on the Theory and Practice of High-Frequency Electric Signalling

L. B. Turner

Index

[More information](#)

INDEX

525

- Music, range of acoustic power in, 374
 Music, reproduction of, 244
 Musical spark transmitter, 111
 Mutual conductance, 203
 Mutual coupling, 94
 Mutual formula, 94
 Mutual inductance, variation of, 93
- National Physical Laboratory wave-meter, 300
 Natural frequency, 66
 Nauen, alternator transmitters at, 161
 Nauen, signals from, 43
 Navy, stranded wire used by, 487
 Negative conductance, 221, 261, 268, 295
 Negative dielectric constant, 47
 Negative resistance of arc, 121
 Neper, 373
 Neutrodyne, 259, 345
 New Brunswick, alternators at, 136
Nichols, H. W., and J. C. Schelleng, 55
 Night effect, 458
 Night errors, 458
 No attenuation, 496
 Nodes of current along antenna, 80, 436, 474
 Non-dispersive medium, 56
 Northolt station, 300
 No-signal state-point of grid rectifier, 329
- Ohm's law not followed, 120, 145
 Optical parallel to atmospherics, 516
 Optical refraction, 48
 Orontes, S.S., wireless cabin of, 371
 Oscillation: α and β —, of arc, 125
 Oscillator for very short waves, 279
 Oscillatory valve relay, 361
Oswald, A. A., and J. C. Schelleng, 402
 Our reference triode, 225
 Output triode, 225
 Oxide-coated filaments, 181
- Pacific Ocean, attenuation over, 42
Palmer, L. S., 97, 99
 Parabolic rectifier characteristic, 148
 Parabolic reflector, 443
 Particular integral, 65, 99
 Pass frequencies, 496
 Passive chain, 493
 Peak voltmeter, Moullin's, 159
 Peakiness of resonance curve, 69
Pedersen, P. O., 167
Pedersen, P. O., 57, 58, 59, 61, 120
 Pendulum for gravity measurement, 66
 Pendulum model, 105
 Pendulums, damping of, 66
 Penetration into conductors, graphs for, 479
 Pentode, 223
 Perfect rectifier, 146, 347
 Periodic representation of speech and music, 391
 Periodogram, 514
 Permalloy, 235
 Permeability, 16, 17
 Phantom telephone circuit, 393
 Phase displacement by detuning, 72, 463
 Phase velocity, 57, 446
 Photo-electric emission, 176
Picken, W. J., 210, 211, 278
Pidduck, F. B., 15
Pierce, G. W., 11, 15, 29, 33, 87, 92, 477, 501
 Piezo-electric property, 301
 Pitch: changing—, effect of, 400
 Plane polarisation, 45
 Pliodynatron, 261
Pol, van der, 40, 362
Pol, van der—see *Groenveld*
 Polarisation changes in propagation, 45, 55, 459
 Polarisation, circular, 55
 Polarisation of aeroplane signals, 460
 Polarisation, plane, 45
 Portable receiver, antenna for, 441
Posthumus—see *Groenveld*
 Post Office, viii, 131, 309, 426, 455, 475
 Potential, electric and magnetic, 18
 Potential gradient along filament, 198
 Poulsen, V., 120, 125
 Power consumed in ammeters, 144
 Power factors of coils, 64
 Power factors of condensers, 65
 Power output from anode, 227
 Power transmission systems, 1
 Power valve, 225
Pratt—see *Hodgson*
 Preece, W. H., 2
 Primary anode rectifier, 350
 Primary rectifier, 319
 Profane point of circuit, 8
 Propagation distortions in telephony, 395
 Proximity effect, 486
 Puddle, drying of, 180

Cambridge University Press

978-1-107-63618-7 - Wireless: A Treatise on the Theory and Practice of High-Frequency Electric Signalling

L. B. Turner

Index

[More information](#)

526

INDEX

- Pupin-loaded line, 492
 Push-pull disposition, 249, 347, 395, 413, 426
 Quäck and Wagner, 58
Quäck, E., and H. Mögel, 59
 Quartz crystal, cut of, 301
 Quartz slab, natural frequencies of, 302
 Quartz slab, shapes of, 303
 Quenched spark gap, 114
 Quenching an oscillation, 114, 366
 Quenching, methods of, 367
 Radiated field, 26
 Radiated field, alternative ways of regarding, 31
 Radiation in vertical plane, distribution of, 437
 Radiation neglected at low frequency, 11
 Radiation resistance, 32
 Radiation resistance of loop, 13, 441, 454
 Radiation resistance of open antenna, 13
 Radio Corporation of America, 444
 Rayleigh, Lord, 420
 Receiver, overall efficiency of, 10
 Rectangular frequency characteristic, 407
 Rectified current, 149
 Rectifier detector, 145
 Rectilinearity of triode characteristic, 199, 202
Reed, M., 493
 Reference triode, our, 225
 Reflection at end of line, 446
 Reflections at ends of filter, 501
 Refraction, 48
 Rejector circuit, 101
 Rejector circuit, graphs for resistance and reactance of, 104
 Residual gas, 185, 319
 Resistance: effect of—on frequency, 67
 Resistance, location of, 89
 Resistance, meaning of term, 120
 Resistance of retroacted circuit, 353, 358
 Resistor for high frequency, 233
 Resistor, reactance impurity in, 263
 Resistor, self-capacitance in, 233
 Resonance curve, 69, 72
 Resonance curves of coupled circuits, 98
 Resonance effect of Earth's magnetic field, 54
 Resonance frequency, 66
 Resonance in low-frequency circuit, 112, 116
 Retroaction, avoidance of, 259
 Retroaction, capacitance, 345
 Retroaction in quartz oscillator, 305
Rice—see Beverage
 Richardson, O. W., 172, 175
Richardson, O. W., 175, 179, 183
 Ringing of signals, 364
 Röntgen rays, 23
 Rotary spark gap, 111
 Rotating beacon, 454, 455
Round Eckersley Tremellen and Lunnon, 42
 Rugby station, 33, 34, 64, 65, 82, 286, 292, 293, 300, 309, 434, 487
Rukop—see Zenneck
 Rundfunk, 109
Russell, Bertrand, vii
 R valve, 173
 Sacred point of circuit, 8
 Sainte Assise, alternators at, 137
 Saturation current, 180
Schelleng—see Heising
Schelleng—see Nichols
Schelleng—see Oswald
 Schottky, W., 219
Schreihage—see Schuchmann
Schuchmann and Schreihage, 308
 Screened Bellini-Tosi antennas, 457
 Screening box, joints in, 480
 Screening D.F. antennas, 457, 460
 Secondary emission, 176, 221, 223, 261, 275
 Secondary rectifier, 320
 Selective circuits, chain of, 357
 Selectivity, acoustic, 253
 Selectivity, adjustment of, 253
 Self-inductance, 11
 Self-supporting field, 21
 Sense discrimination, 449, 458, 472
 Series condenser in antenna, 82
 Severn, early wireless across, 3
 Sharpness of tuning, 69, 357
Shaughnessy, E. H., 32, 300
Shea, T. E., 493
Shearing, G., and J. W. S. Doring, 487
Shearing—see Morris-Airey
 Ships, D.F. apparatus on, 455, 457
 Shortest wave for terrestrial signalling, 46, 51
 Short-wave beam transmitter, very, 443

Cambridge University Press

978-1-107-63618-7 - Wireless: A Treatise on the Theory and Practice of High-Frequency Electric Signalling

L. B. Turner

Index

[More information](#)

INDEX

527

- Short-wave propagation, 44
 Short waves, amplifier for, 253
 Side-bands, 391
 Side-waves, 390
 Side-waves unequally treated, 396
 Signal current, 149
 Silicia envelope, 210
 Singing arc, 120, 122, 124
 Skin effect in wire, 484
 Skip, 44
 Slide-back in detector, 158, 347
 Slide-back of grid potential, 331
 Slope conductance, 202
 Slope permeability, 235
 Slope resistance, 121
 Slot pitches in inductor alternator, 134
 Slot-wound A.C. dynamo, 471
 Smith, C. G., 247
Smith-Rose, R. L., and R. H. Barfield, 460
 Soft triodes, 185
 Sound, analysis of, 374
 Sounder, telephone, 375, 422
Southworth—see Heising
 Space, Morse, 374
 Space-charge, 188, 193
 Spacing wave in arc generator, 131
 Spark and C.W. reception compared, 170
 Spark gap, current in, 113
 Spark, nature of, 107
 Spark signals, 119
 Spark transmitter, obsolescence of, 107
 Sparking P.D., 108
 Speech, intelligible, 374
 Speed of electrons in conductors, 26
 Speeds of electrons, distribution of, 177, 183
 Stalloy core, 235
 Static, 507
 Steadiness of arc oscillation, 130
 Steady state, algebraic treatment of, 99
 Steel masts, effect of, 33
 Steel-quartz oscillator, 306
 Stokes, G., 16
 Störmer, G., and J. Hals, 60
 Stranded wire, 64, 454, 487, 489, 491
 Stray capacitance, 8, 76, 233, 241
 Stress, electric and magnetic, 17
 Striking an arc, 131
 Strong signals for linear rectification, 347
 Submarine, reception by, 478
 Submarine telegraph, 2, 9
 Superheterodyne, 362, 426
 Superimposed telephone circuit, 393
 Super-regenerative receiver, 367
Symonds, A. A., 236
 Synchronisation, forced, 362
 Synthetic crystal rectifier, 157

 T antenna, 442
 Tariffs and carrier-wave suppression, 393
 Telefunken Co., vii, 114, 141
 Telegraphy, 373
 Tele-kinematography, v
 Telephone line, 9
 Telephone sounder, 375
 Telephony, 374
 Television, v, 374
 Temperature gradient along filament, 197
 Temperatures of filaments, 182
 Tetrode, 214
 Thackeray, E. St J., viii
 Then, meaning of, 374
 Thermionic emission, 176
 Thermionic tube, history of, 172
 Thermionic voltmeter, 145
 Thermo-couple ammeter, 144
 Thomson, J. J., 23, 172
 Three-dimensional array, 474
 Three-halves-power law, 192, 195, 199
 Tikker, 167
 Tilt of wave-front, 445, 479
 Time-constant in rectifier, 346, 351, 412
 Time lag in amplifier, 228
 Towers, 433
 Transatlantic telephony, 403, 426, 467, 517
 Transformer for high frequencies, 241
 Transformer, resistance of, 248
 Transients in sound, 391
 Transmission line, 425, 467, 475, 480
 Transmission unit, 372
Tremellen—see Round
 Triode, 172
 Triode and transformer compared, 197
 Triode, combined rectifying-amplifying function of, 323, 326
 Triode oscillator, alternating values in linear, 272
 Triode oscillator: linear and high-efficiency cycles in—compared, 283
 Triode oscillator, total values in linear, 273
 Triode rectifier dispositions, 320

Cambridge University Press

978-1-107-63618-7 - Wireless: A Treatise on the Theory and Practice of High-Frequency Electric Signalling

L. B. Turner

Index

[More information](#)

528

INDEX

- Trumpet of loud speaker, 417
 Tube noise, 373
 Tuckerton, alternator at, 139
 Tungsten, 181
 Tuning curves, general, 72
 Tuning-fork, constancy of, 300
 Tuning-fork restraint on triode oscillator, 299
 Tuning, manners of, 88
Turner, L. B., 37, 117, 236, 260, 275, 361, 364, 405
Turner, L. B., and F. P. Best, 356
Turner, L. B., and L. A. Meacham, 277
Turner, P. K., 421
 Tuve—see Breit
- Ultra-violet light, 48
Underdown—see *Cobbold*
 Unidirectional property, 449, 472
 Unipivot instrument, 144, 226
 Units, electrostatic and electromagnetic, 22
 Unsteadiness in triode, 356, 368
 Upper side-band, 391
 Upper side-wave, 390
- Vacuum in thermionic tube, 172
 Vacuum, production of, 209
 Vacuum-tight seal, 210
 Valve, thermionic, 187
 Velocity acquired by electrons, 176, 185, 216
 Velocity exceeding velocity of light, 48
 Velocity of light, 21, 75
 Velocity of wave in wire, 446
 Verne, Jules, 61
- Vertical-plane directivity, 437
Vigoureux, J. E. P., 301
 Voice-operated switching, 430
 Voltmeter, Moullin, 145
- Wagner—see Quäck
Walmsley, T., 475
 Washington Conference of 1927, 107
 Watson, G. N., 40, 42
 Watson-Eckersley formula, 42, 434
Watt—see *Appleton*
 Wave antenna, 444
 Wave-band theory of modulation, 390
 Wavelength and frequency, 75
 Wavelength, choice of, 13, 434
 Wavemeters, 75, 76, 117
 Wave motion, 3
 Wave terms, definitions of, 5
 Wells, H. G., 61
Wells, N., 443
 Wentz, E. C., microphones of, 383
 Western Electric Co., 293
 Wien, M., 114
 Will and control electrode, 197
 Wind, drying action of, 180
 Wind, on antenna, effect of, 292
Wintringham—see *Bailey*
 Wire resistor, 234
 Wired wireless, 405, 492
 Wires, resistance at high frequency, 480
 Work function, 175
- Young's modulus, 19
- Zenneck, J., and H. Rukop*, 275
 Zincite-chalcopyrite rectifier, 154