

Cambridge University Press

978-1-107-64025-2 - Theory of Differential Equations: Part II: Ordinary Equations,
not Linear: Vol. II

Andrew Russell Forsyth

Table of Contents

[More information](#)

CONTENTS.

CHAPTER I.

INTRODUCTORY.

ART.		PAGE
1—3.	Initial explanations	1
4.	Some typical forms of equations to be considered	6
5.	Weierstrass's normal form for a system	11
6—9.	Preparation of normal forms for consideration	15
	<i>Note.</i> Weierstrass's theorem on the form of a regular function of several variables in the vicinity of a zero value	19

CHAPTER II.

CAUCHY'S THEOREM ON THE EXISTENCE OF REGULAR INTEGRALS OF A
SYSTEM OF EQUATIONS.

10.	Cauchy's fundamental theorem on the regular integrals of a system of differential equations stated, and proved	26
11, 12.	Uniqueness of the regular system	33
13.	Jordan's proof of the uniqueness	35
	Bibliographical Note	40

CHAPTER III.

CLASSES OF NON-ORDINARY POINTS CONNECTED WITH THE FORM OF THE
EQUATION OF THE FIRST ORDER AND FIRST DEGREE IN THE DERIVATIVE.

14.	Continuation of regular integrals: exceptional or critical points	42
15.	On the possibility of non-regular integrals, satisfying the same conditions as regular integrals	44

Cambridge University Press

978-1-107-64025-2 - Theory of Differential Equations: Part II: Ordinary Equations,
not Linear: Vol. II

Andrew Russell Forsyth

Table of Contents

[More information](#)

viii

CONTENTS

ART.		PAGE
16.	Classes of exceptional points indicated by the form of the differential equation	47
17—21.	Various classes of singularities of the equation when it is uniform: with respective typical expressions valid in their vicinity	49
22.	Discrimination between isolated singularities and continuous singularities	55
23.	Branch-points, as determined by the form of the equation	58

CHAPTER IV.

INFLUENCE, UPON THE INTEGRAL, OF AN ACCIDENTAL SINGULARITY OF THE FIRST KIND POSSESSED BY THE EQUATION.

24.	Character of the integral in the vicinity of an accidental singularity of the first kind: first case, when the point is an algebraical branch-point of the integral	61
25.	Second case, when the integral does not exist: or, if it exists, has the point for an essential singularity	63
26.	Infinite values of the integral function	65
27.	Some examples	68
28.	Non-regular integrals: Fuchs's points of indeterminateness	69
29—32.	Fuchs's methods of discussing the character of the integral in the vicinity of possible points of indeterminateness: with examples	71
33.	General summary of results, relating to the vicinity of an accidental singularity of the first kind	79
34.	On the uniqueness of Cauchy's regular integral: Fuchs's condition, with an example	80

CHAPTER V.

REDUCTION OF THE DIFFERENTIAL EQUATION TO FINAL TYPICAL FORMS, VALID IN THE VICINITY OF AN ACCIDENTAL SINGULARITY OF THE SECOND KIND.

35—37.	Comprehensive form of the equation in the immediate vicinity of an accidental singularity of the second kind	83
38.	Preliminary discussion of simplest case	89
39—42.	Puiseux diagram applied to obtain the leading term of an integral in the vicinity of a singularity; with an example, and remarks	91
43—46.	Construction of the various typical reduced forms of equation in the first and most general instance	96
47, 48.	Construction of these forms in the remaining instances	101

Cambridge University Press

978-1-107-64025-2 - Theory of Differential Equations: Part II: Ordinary Equations,
not Linear: Vol. II

Andrew Russell Forsyth

Table of Contents

[More information](#)

CONTENTS

ix

ART.		PAGE
49.	The remaining cases of § 37	105
50—53.	Case I	107
54—56.	Case II	114
57, 58.	Case III	120
59.	General summary of results for all the cases considered	121
60.	Examples	124

CHAPTER VI.

THE CHARACTER OF THE INTEGRALS POSSESSED BY THE RESPECTIVE
REDUCED FORMS OF THE ORIGINAL EQUATION IN THE VICINITY OF
THE ACCIDENTAL SINGULARITY OF THE SECOND KIND.

61—63.	Transformation of the first typical reduced form	
	$t \frac{dv}{dt} = av + bt + \dots$	140
64.	Case I, when a is not a positive integer; Briot and Bouquet's theorem as to regular integrals	143
65, 66.	Theorems as to non-regular integrals in Case I, due to Briot and Bouquet, and to Poincaré; Jordan's proof	146
67.	Summary of results in Case I	153
68.	Case II, when a is a positive integer > 0 : indications derived by making this a limit of the first Case	154
69.	Briot and Bouquet's theorem on the regular integrals of the equation, when a is unity	156
70.	Poincaré's theorem on the non-regular integrals of the equation, when a is unity	158
71.	Jordan's proof of Poincaré's theorem	162
72, 73.	Explicit expression of the non-regular integral, when a is a positive integer: with two Corollaries	167
74.	Special case, tacitly omitted in §§ 69—73	170
75.	Examples	171
76.	The second typical form $t \frac{dv}{dt} = gv^m + bt + \dots$, where $m > 1$; its regular integral	178
77, 78.	The non-existence of non-regular integrals in general	179
79.	Example of the theorems of §§ 76—78	183
80.	Special case, tacitly omitted in §§ 76—78	185
81.	The third typical reduced form $t^s \frac{dv}{dt} = \phi_1(v, t)$, where $s > 1$, does not unconditionally possess any regular integral	187
82.	Examples of this form	188
83, 84.	Two omitted cases, with examples	198
85—87.	The remaining typical forms, with examples	201
88.	General summary of results relating to all the typical forms	207

Cambridge University Press

978-1-107-64025-2 - Theory of Differential Equations: Part II: Ordinary Equations,
not Linear: Vol. II

Andrew Russell Forsyth

Table of Contents

[More information](#)

x

CONTENTS

CHAPTER VII.

EFFECT, UPON THE INTEGRAL, OF ESSENTIAL SINGULARITIES OF THE
EQUATION.

ART.		PAGE
89.	An essential singularity of the equation is an essential singularity of the integral	209
90.	Painlevé's theorem that all the essential singularities of the integral of an equation of the first order are fixed, not parametric	211
91.	Fundamental difference between an equation of the first order and an equation of higher order, as regards the possibly parametric character of an essential singularity of the integral	216
92, 93.	Illustrations of various kinds of singularities of integrals .	217

CHAPTER VIII.

BRANCH-POINTS OF AN EQUATION OF THE FIRST ORDER AND ANY
DEGREE, AS DETERMINED BY THE EQUATION: SINGULAR AND PART-
ICULAR SOLUTIONS.

94.	The equation $F=0$ of order unity and degree n : existence of an integral under initial conditions	224
95.	Integral when the discriminant of $F=0$ does not vanish for initial values	226
96, 97.	Discussion of integral function when the discriminant vanishes for initial values: application of the Puiseux diagram	229
98.	Discussion of various omitted cases: with an example .	234
99.	General summary of results	239
100.	Geometrical illustration: with examples	241
101, 102.	Relation of the discriminant equation to $F=0$: it does not, in general, provide a solution	245
103.	Hamburger's investigation of the relation of a root of the discriminant $\Delta(z, \eta)=0$ to the equation $F=0$	249
104.	Analytical tests, when roots of $F(z, \eta, w)=0$ are finite and η is not an integral of $F=0$	250
105.	Similarly when some of the roots of $F=0$ are infinite and η is not an integral of $F=0$	252
106, 107.	Analytical tests, when η is an integral of $F=0$: discrimination between <i>singular</i> integrals and <i>particular</i> integrals	255
108.	Summary of results	260

Cambridge University Press

978-1-107-64025-2 - Theory of Differential Equations: Part II: Ordinary Equations,
not Linear: Vol. II

Andrew Russell Forsyth

Table of Contents

[More information](#)

CONTENTS

xi

ART.		PAGE
109.	Statement of results when the discriminant is irreducible: with bibliographical note, and some examples . . .	262
110.	Painlevé's theorem (§ 90) extended to equations of first order and any degree	266

CHAPTER IX.

DIFFERENTIAL EQUATIONS OF THE FIRST ORDER HAVING THEIR
INTEGRALS FREE FROM PARAMETRIC BRANCH-POINTS.

111.	Statement of the problem	270
112—115.	The only equation of the first degree having the required property is of Riccati's form: with a discussion of the integral	271
116—120.	Discussion of equations of higher degree, algebraical in w and w' : Fuchs's investigation	277
121.	Summary of results: Fuchs's theorem	284
122.	Association of a Riemann surface with the equation	286
123.	Case $p=0$	287
124.	Case $p=1$; Poincaré's investigation	288
125.	Case $p>1$; Picard's application of the theory of birational transformation	291
126.	Summary of results additional to Fuchs's theorem	295
127—130.	Binomial equations with fixed critical points: and examples of the general theory	296

CHAPTER X.

EQUATIONS OF FIRST ORDER WITH UNIFORM INTEGRALS, AND WITH
ALGEBRAICAL INTEGRALS.

131—134.	Conditions that the integral of $f(w', w)=0$ should be uniform	310
135, 136.	Classes of uniform functions that can be defined by the equation $f(w', w)=0$, with criteria of discrimination	317
137.	Application to the binomial equation $w'^a=\phi(w)$	325
138, 139.	General considerations on equations compatible with a given equation of the first order	333
140.	Limitations upon the range of problem to be discussed	337
141—144.	Elementary considerations relating to equations that possess algebraical integrals	338