

Index

- α-receptors, 162
 abdominal compartment syndrome (ACS), 270, 354–5, 380–1
 abnormal automaticity, 324
 acid/base analysis, 107
 acute cardiogenic pulmonary edema (ACPE), 91
 acute colonic pseudo-obstruction, 385–8
 acute coronary syndromes (ACS). *See also* ischemic heart disease
 clinical presentation, 290
 complications, 298–9
 diagnosis, 291
 epidemiology, 290
 management, 291–8, 457
 oxygen therapy, 23
 perioperative management, 299–300
 risk stratification, 296–7
 spectrum, 290
 acute heart failure (AHF)
 chronic care transition, 315
 classification, 303
 clinical profile, 307
 diagnosis, 304–6
 diuretics/ultrafiltration, 309–10
 etiology, 304
 inotropes, 311–12
 laboratory testing, 305
 management, 306–9
 MCS, 312–15
 oxygenation/ventilatory support, 311
 patient characteristics, 304
 score, 306
 vasodilators, 310
 acute kidney injury (AKI), 197, 348–9
 causes, 348
 diagnosis and assessment, 350
 impact and outcomes, 350
 incidence, 348
 pathogenesis, 349
 post-cardiac surgery, 437
 prevention and treatment, 351–3
 staging, 349
 syndromes associated with, 353–8
 acute liver failure (ALF), 356–8
 acute lung injury (ALI)
 diagnosis, 361
 ventilation strategies, 148
 acute mesenteric ischemia, 383–5
 acute pancreatitis
 etiology, 381
 management, 382
 management controversies, 383
 scoring systems, 381–2
 surgery, 383
 acute renal failure (ARF). *See* acute kidney injury (AKI)
 acute respiratory distress syndrome (ARDS)
 adjuvant therapy, 367–70
 clinical features, 364
 definition, 361
 diagnosis, 361–2
 drug therapies, 370–1
 fluid balance and, 48
 incidence, 363
 management, 364–7
 NIPPV management, 92
 outcome, 371
 oxygen therapy and, 25
 pathophysiology, 363–4
 predispositions, 362–3
 sepsis, 338, 343
 TRALI and, 60
 ventilation strategies, 148, 362, 365–7
 acute respiratory failure, 100
 adrenal hormones, 448
 adrenal insufficiency, 431
 adrenaline (epinephrine), 18, 164, 167–8, 340
 cardiac arrest, 455
 side effects, 167
 adrenergic receptor antagonists, 170
 adrenoreceptors, 162
 advanced life support (ALS)
 guidelines, 454–5
 AECC criteria, 361–2
 afferent limb, 222, 224–6
 afterload, 3–5
 airway management
 adjunct devices, 82–3
 algorithm, 80
 assessment and documentation, 78
 awake intubation, 82
 cardiac arrest, 455
 failed/difficult airway, 80, 83
 NAP4, 85
 optimization, 79
 post-intubation, 84
 reducing complications, 84
 RSII, 81
 surgical airway, 84
 trauma patient, 262–3
 ventilated patient, 134
 airway pressure release ventilation (APRV), 146
 AKIN criteria, 348–9
 albumin, 41, 46–7
 albuterol, 418
 aldosterone, 110
 alfentanil, 190
 aminoglycosides, 180–1
 amiodarone, 322, 325, 437, 455
 amniotic fluid embolism, 409–10
 amphotericin, 178
 ampicillin, 176
 analgesia
 management, 190–2
 therapeutic agents, 189–90
 trauma patient, 271
 anaphylactic shock, 18–19
 anemia. *See also* blood transfusion
 epidemiology and etiology, 53–4
 hemoglobin levels, 53
 management in the critically ill, 56–7

- anemia. (cont.)
 morbidity and mortality role, 56
 physiologic effects, 54–6
 anemic hypoxia, 21
 anesthesia
 fast-track cardiac, 434
 volatile, 423
 angiography, 269
 angiotensin converting enzyme (ACE) inhibitors, 119, 407
 angiotensin receptor blockers (ARB), 119
 anion gap metabolic acidosis, 106
 anoxic-ischemic encephalopathy, 397
 antepartum hemorrhage, 410
 anterior pituitary hormones, 447
 antiarrhythmics, 320–1
 antibiotics. *See also* infections
 acute pancreatitis, 383
C. difficile, 379
 catheter-related infections, 34
 critically ill patient, 176
 dosing, 180–3
 GI bleeding, 376
 minimizing toxicity, 183
 pharmacokinetics/
 pharmacodynamics, 179–81
 principles of therapy, 174–80
 reassessment for effect, 183–4
 sepsis, 341
 spectrum of coverage, 174–9
 timely administration, 183
 trauma patient, 271
 anticoagulation, 201–3, 296
 regional, 202
 antidiuretic hormone (ADH), 110
 antifungals, 175, 178
 antihistamines, 19
 anti-ischemics, 294
 antioxidants, 98
 antithrombotics, 294–6
 ARDSNet trial, 362, 366
 arginine, 101
 arrhythmias, 299
 bradyarrhythmias, 330–1
 classification, 321
 critically ill patients, 319
 mechanism, 319–24
 post-cardiac surgery, 436
 tachyarrhythmias, 324–30
 arterial oxygen content, 1
 arterial puncture, 31
 assist control ventilation (ACV), 145
 asthma. *See* critically ill asthmatic
 asystole, 267
 atracurium, 194
 atrial contraction, 4
 atrial fibrillation, 324–7, 436
 atrial flutter, 324–7
 atropine, 387, 455
 auditory evoked potentials (AEP), 192
 autonomic nervous system, 161
 awake intubation, 82
 axial myoclonus, 398
 β_2 agonists, 370, 418
 β receptors, 162
 β -blockers, 294, 320, 325, 328, 437
 bag-mask ventilation (BMV), 82
 balancing measures, 230
 balloon tamponade, 376–7
 barotrauma, 141
 basic life support (BLS) guidelines, 453–4
 benzodiazepines, 258, 395–6
 Berlin criteria, 361–2
 biotrauma, 147
 bispectral index (BIS), 192
 bleomycin, 25
 blood product ratios, 264
 blood transfusion
 complications from, 59–60
 critically ill patient, 57–8, 62
 harmful effects of, 59–62
 indications for, 62–4
 oxygen delivery and, 58–9
 patient outcome and, 62
 practical approach to, 64
 sepsis, 342
 trauma patient, 264
 blood, age of, 61–2
 body fluid compartments, 38
 bradyarrhythmias, 330–1
 brain injury. *See* traumatic brain injury (TBI)
 bronchoscopy, 83, 174
 buffers, 201
 calcium-channel blockers, 320, 325, 328
 calcium chloride, 455
 calcium disorders
 hypercalcemia, 122–4
 hypocalcemia, 121–2
 carbohydrate (CHO) intake, 97
 cardiac action potential, 319–20
 cardiac arrest
 advanced life support, 454–5
 anoxic-ischemic encephalopathy, 397
 axial myoclonus, 398
 basic life support, 453–4
 causes, 452
 chain of survival, 451
 characteristics, 398
 classification, 451
 education and training, 458
 EEG, 399
 familial support, 458
 neurological examination, 398
 obstetric patient, 413, 456
 oxygen therapy, 24
 post-cardiac surgery, 436
 post-resuscitation care, 456–7
 prevention of in-hospital, 452
 prognosis and hypothermia treatment, 397–400
 somatosensory evoked responses, 398
 special circumstances, 455–6
 survival/neurological outcomes, 457–8
 cardiac function, 2–4
 monitoring. *See* monitoring
 cardiac index, 2
 cardiac output, 1–2
 cardiac surgery patient
 cardiac arrest, 456
 care transfer, 434
 critical care unit, 433
 fast-track anesthesia, 434
 post-operative complications, 435–9
 pre-operative assessment, 434
 special procedures, 439–40
 cardiac tamponade, 30, 435
 cardiogenic shock, 14, 18, 303, 313
 care bundle
 sepsis, 227, 344–5
 ventilator, 141

- catecholamines, 5, 163
- catheter-associated urinary tract infection (CAUTI), 174
- catheter-related bloodstream infection (CRBSI), 30
diagnosis, 33
management, 34
microbiology, 33
prevention, 34
- catheter-related thrombosis (CRT), 31–2
- cefepime, 176
- ceftaroline, 176
- ceftriaxone, 176
- central diabetes insipidus (CDI), 115–16, 447
- central-line-associated bloodstream infection (CLABSI), 174
- central venous catheters (CVCs)
arterial puncture and, 31
characteristics, 28
complications, 29–35
indications, 28
infections, 30, 32–5
insertion, 28–9
misplacement, 30
pneumothorax, 31
shock, 16–17
thrombosis complications, 31–2
- central venous pressure (CVP)
monitoring, 8–9
- cerebral blood flow (CBF), 278
- cerebral perfusion pressure (CPP), 277
- cervical spine injury, 262
- chest radiography, 134, 306
- chloride resistant metabolic alkalosis, 109–10
- chloride responsive metabolic alkalosis, 108–9
- chronic critical illness (CCI).
See also critically ill patient
care models, 210–11
cognitive care, 215
definition, 209
end-of-life care, 217
nutrition, 214–15
outcomes, 209–10
palliative care, 217
patient communication, 216
physiotherapy, 216
- PMV, 213
PMV, progression to, 210
ventilatory support/weaning, 211–14
- chronic kidney disease (CKD), 348
- chronic obstructive pulmonary disease (COPD)
NIPPV management of, 91
oxygen therapy, 23
- ciprofloxacin, 177
- circulatory assessment/
management, 264–7
- cis*-atracurium, 194, 370
- citrate, 202–3
- clonidine, 189
- Clostridium difficile*, 99, 174, 378
antibiotics, 379
diagnosis, 378
surgery, 379
- coagulation factor deficiencies, 75–6
- coagulopathy
critically ill patient, 71–4
diagnostic algorithm, 71
global coagulation assays, 68
management principles, 74–6
mechanisms, 69–71
platelet count, 68
trauma patient, 265
- colloids, 41, 46–8
versus crystalloids, 44
- comatose patient.
See also cardiac arrest
alertness/awareness, 391
blood/urine testing, 394
EEG, 394
history, 391
lumbar puncture, 394
motor tone assessment, 393
neuro-imaging, 394
neurological examination, 393
prognosis and level of care, 400
scoring systems, 391–2
status epilepticus, 395–7
therapy, 395
- compliance, 4–5
- computed tomography (CT), 268
- concentration-dependent drug effects, 181
- consciousness, decreased level of, 228
- continuous positive airway pressure (CPAP), 88
ACPE management, 91
masks, 22
selecting and adjusting, 90
- continuous renal replacement therapy (CRRT), 197–8
advantages, 198
anticoagulation, 201–3
buffers, 201
drug removal, 203
efficacy, 199
filters, 200
fluid/electrolyte control, 205
high volume, 204
indications for starting, 198
initial settings, 200
optimal intensity, 203
replacement fluid, 200
septic shock/multiorgan failure, 205–6
technology advances, 206
timing, 199
vascular access, 201
versus IRT, 203–4
- contractility (inotropy), 3, 5
- contrast nephropathy, 353
- cooperation criteria, 239
- coronary angiography, 306
- coronary artery bypass grafting (CABG), 298, 436
- corticosteroids, 343, 418
in the ICU, 430–2
- CPR. *See* resuscitation
- cricoid pressure, 82
- critical care definitions, 405
- critical care outreach teams, 228
- critical illness polyneuropathy (CIP), 238
- critically ill asthmatic
additional medical therapies, 422–4
cardiac arrest, 455
clinical examination, 417
differential diagnosis, 416
dynamic hyperinflation, 422
ICU admission, 419
incidence, 416
intubation, 420
investigations, 417
management, 418–19
mechanical ventilation, 420
noninvasive ventilation, 419–20
oxygen therapy, 420

- critically ill asthmatic (cont.)
 pathophysiology, 416
 permissive hypercapnia, 421
- critically ill patient.
See also Rapid Response Systems (RRS), chronic critical illness (CCI)
 airway management, 78–85
 anemia in, 53–4
 anemia management, 56–7
 antibiotics, 176
 antifungals, 178
 arrhythmias, 319
 blood transfusion, 57–8, 62
 coagulopathy, 71–4
 corticosteroids, 430–2
 glycemic control, 429–30
 ICU outreach, 228
 infections, approach to, 173–4
 nutrition, 96
- crystalloids, 40, 44–6
 balanced solutions, 45
 saline versus balanced solutions, 45–6
 versus colloids, 44
- cycle variable, 145
- cytokines, 73
- damage-control resuscitation, 269–70
- damage-control surgery (DCS), 268
- daptomycin, 177
- decannulation, 159
- deep-vein thrombosis (DVT)
 prophylaxis, 131
- delirium, 215
- desflurane, 189
- deteriorating patient. *See* rapid response systems (RRS)
- dexmedetomidine, 189
- dextrans, 42, 47
- diabetic ketoacidosis (DKA), 428
 diagnosis, 427
 fluid therapy, 428
 ICU admission, 427
 insulin, 429
 treatment principles, 428
- diazepam, 189
- digoxin, 325
- direct arterial BP monitoring, 7
- disseminated intravascular coagulation (DIC), 72–3
- distributive shock, 14
- diuretics, 309–10, 353
- DNACPR order, 227
- dobutamine, 18, 164, 166, 312
- dopamine, 164, 168
 adverse effects, 168
 renal-dose, 168
- dopaminergic receptors, 163
- dopexamine, 169
- drug removal, 203
- drug withdrawal, 191
- dynamic hyperinflation, 422
- early warning scores (EWSs), 225
- echocardiography, 9, 17, 306
- eclampsia, 406–7
- e-FAST, 268
- efferent limb, 226
- ejection fraction, 3
- electrical cardioversion, 327
- electrical impedance tomography (EIT), 192
- electrocardiography, 305
- electroencephalography (EEG), 192, 394, 396, 399
- emergency department thoracotomy (EDT), 266
- end-of-life care, 217
 definition, 253
 goals/decision-making, 255
 RRS, 227
 withdrawal of life support protocol, 257–8
 withholding/withdrawal of support, 257
- endoscopy, 376
- endpositive airway pressure (EPAP), 88, 91
- energy requirements, nutrition, 97
- enoximone, 312
- enteral nutrition, 97–9, 215
 complications of, 99
 trauma patient, 271
- ephedrine, 165
- epidural analgesia, 190, 271
- epinephrine. *See* adrenaline (epinephrine)
- ergometrine, 411
- erythromycin, 99
- erythropoietin (EPO), 57
- esmolol, 164, 170
- ethical issues, 254
- ethylene glycol poisoning, 106
- etomidate, 81
- EuroSCORE, 434
- euthanasia, 253
- euvolemic hypernatremia, 115–16
- euvolemic hyponatremia, 111
- external fixation, 269
- extracorporeal membrane oxygenation (ECMO), 182, 369–70, 423
- extubation
 failures, 93, 158
 predictors, 154
 versus weaning, 153
- eye problems, 132
- face masks, 21–3, 89
- fast-track cardiac anesthesia (FTCA), 434
- femoral vein, 28
- fentanyl, 190
- fiber, 101
- fiberoptic intubating bronchoscopy, 83
- fish oil, 100
- fluconazole, 178
- fluid therapy in ICU, 38–49
 AKI, 352
 ARDS, 367
 body fluid compartments, 38
 colloids, 41, 44, 46–8
 consequences of mismanagement, 38
 crystalloids, 40, 44–6
 DKA/HHS, 428
 fluid classes, 39–40
 fluid intake, 39
 fluid output, 39
 organ donors, 446
 positive fluid balance, 48
 sepsis, 49, 340
 TBI, 284
- FOUR scoring system, 391–2
- Fourth National Audit Project (NAP4), 85
- free-water deficit, 116
- full-face mask, 89
- functional testing, 239–42
- gastroesophageal varices, 375
- gelatins, 41, 47
- gentamicin, 177
- GI bleeding
 antibiotics, 376
 balloon tamponade, 376
 endoscopy, 376
 gastroesophageal varices, 375
 lower GI, 374

- management principles, 375
 medications, 375–6
 stress ulcers, 375
 surgery, 377
 TIPS, 377
 upper GI, 374
- GI problems
 acute colonic pseudo-obstruction, 385–8
 acute mesenteric ischemia, 383–5
 acute pancreatitis, 381–3
C. difficile infection, 378–80
 IAH/ACS, 380–1
 ischemic colitis, 378
- Glasgow Coma Scale (GCS), 391–2
- global coagulation assays, 68
 glucose, 46
 control, 343, 353, 429–30
 glutamine, 101
- GOLD MARK, 106
- grip strength, 240
- gum-elastic bougie, 82
- haloperidol, 189
- hand-held dynamometry, 240
- heart failure. *See* acute heart failure (AHF)
- heart rate, 3
- heart transplantation, 439
- heliox, 423
- HELLP syndrome, 407
- helmet, 90
- hemodialysis. *See* intermittent renal replacement therapy (IRT)
- hemofiltration. *See* continuous renal replacement therapy (CRRT)
- hemorrhage, 265
 major obstetric, 410–12
 post-cardiac surgery, 435
- heparin
 low-molecular-weight, 132, 202, 409
 pre-filter unfractionated, 202
 prophylactic, 272
- heparin-induced thrombocytopenia, 72, 75
- hepatorenal syndrome (HRS), 357
- high-frequency oscillatory ventilation (HFOV), 145, 368
 strategies, 149
- histotoxic hypoxia, 21
- hydralazine, 169
- hydrocortisone, 430
- hydroxyethylstarches (HES), 42, 48
- hypercalcemia, 122–4
- hypercapnia, 367, 421
- hyperchloremia, 44
- hyperfibrinolysis, 74
- hyperglycemia, 100, 448
- hyperglycemic crises.
See hyperosmolar hyperglycemia (HHS), diabetic ketoacidosis (DKA)
- hyperkalemia, 119–21, 455
- hypermagnesemia, 126
- hyponatremia, 114–17, 284
- hyperosmolar hyperglycemia (HHS), 428
 diagnosis, 427
 fluid therapy, 428
 ICU admission, 427
 treatment principles, 428
- hyperosmolar hyponatremia, 111
- hyperosmolar therapy, 283
- hyperoxia, 24–5, 456
- hyperphosphatemia, 130
- hypertonic saline, 113, 283
- hypervolemic hyponatremia, 115
- hypervolemic hyponatremia, 111
- hypocalcemia, 121–2
- hypokalemia, 117–19
- hypomagnesemia, 125–6
- hyponatremia, 110–14, 284
 acute, 113
 chronic, 113
- hypo-osmolar hyponatremia, 111–12
- hypophosphatemia, 128–9
- hypotension
 organ donors, 446
 sepsis, 336
 shock and, 15
 vital sign, 224
- hypotensive agents, 164, 169–70
- hypotensive resuscitation, 264
- hypothermia
 induced, 456
 treatment, 397–400
- hypovolemia, 54
- hypovolemic hyponatremia, 114, 116
- hypovolemic hyponatremia, 111
- hypovolemic resuscitation, 264
- hypovolemic shock, 13, 17
- hypoxemic hypoxia, 21
- hypoxia
 tissue, 21
 vital sign, 224
- ibutilide, 327
- ICF model, 235–6
- ICP management, 281–3
 hyperosmolar therapy, 283
- ICU-acquired weakness (ICU-AW), 236–7,
See also ICU rehabilitation
 definition and mechanisms, 237
 diagnosis, 238–9
 functional tests, 240–2
 strength and function
 assessment, 239
 strength and function tests, 241
 strength tests, 240
- ICU rehabilitation, 242–3,
See also ICU-acquired weakness (ICU-AW)
 future prospects, 248
 interventions, 244–8
 neurocognitive, 248
 resources, 248
 trials, 245
- immunity
 coagulation system and, 69
 immunomodulation, 334
 immunosuppression, 93
- indirect calorimetry, 97
- infections. *See also* antibiotics
 blood transfusions and, 59
 catheter-related, 30, 32–5
 critically ill patient, 173–4
- inferior vena cava (IVC) size, 10
- inflammation
 coagulation system and, 69
 sepsis, 338
- inotropes, 5, 164, 166–7, 270
 AHF, 311–12
 AKI, 353
- inspiratory breath characteristics, 144
- inspiratory flow rates, 421

- inspiratory positive airway pressure (IPAP), 88, 91
- inspiratory to expiratory ratio, 421
- insulin, 429
- Intensive Care Society, 405
- intermittent positive-pressure ventilation (IPPV)
- beneficial effects, 139
 - cardiovascular effects, 137–8
 - contraindications, 136–7
 - goals, 139
 - indications for, 135–6
 - initial settings, 140–1
 - limitations, 139
 - management plan/checklist, 133
 - principles of, 135
 - respiratory effects, 138
 - VILI, 141–2
- intermittent renal replacement therapy (IRT), 198
- versus CRRT, 203–4
- internal jugular vein, 28, 281
- intra-abdominal hypertension (IAH), 380–1
- intra-aortic balloon pump (IABP), 298, 312
- intrathoracic pressure (ITP), 4, 8, 137
- intravascular volume, 9–10
- ischemic colitis, 378
- ischemic heart disease, 62–3
- ischemic stroke, 394, 437
- isoflurane, 189
- isoproterenol, 164, 167
- ketamine, 81, 423
- labetalol, 170, 407
- lactic acidosis, 58
- laryngeal mask airway (LMA), 83
- left ventricle (LV), 6
- LEMON evaluation tool, 78–9
- levosimendan, 312
- lidocaine, 271, 327–8
- life support, 253
- withdrawal protocol, 257–8
 - withholding and withdrawal, 257
- linezolid, 177
- lipids, 98
- long-bone fracture fixation, 269
- lorazepam, 396
- low tidal volume ventilation, 148
- lung injury score (LIS), 361
- lung-protective ventilator strategy, 147
- lung recruitment, 366
- lung volume, limiting, 365
- magnesium disorders, 124–5
- hypermagnesemia, 126
 - hypomagnesemia, 125–6
- magnesium sulfate, 422
- major obstetric hemorrhage, 410–12
- mannitol, 283
- maternal critical care, 404–6
- mechanical circulatory support (MCS), 312–15
- mechanical ventilation.
- See also* intermittent positive-pressure ventilation (IPPV), noninvasive positive-pressure ventilation (NIPPV)
 - assisted modes, 145–7
 - asthmatic, 420
 - controlled modes, 145
 - discontinuing. *See* weaning
 - inspiratory breath characteristics, 144
 - modes of, 144
 - prolonged, 210, 213
 - sepsis-induced ARDS, 343
 - strategies, 147–50
- meropenem, 176
- MET syndromes, 227–8
- metabolic acidosis
- acid–base analysis, 107
 - anion gap, 106
 - approach to, 105
 - asthma, 105, 119, 129, 380, 417
 - causes, 105
 - definition, 105
 - nonanion gap, 106
 - treatment, 108
- metabolic alkalosis
- clinical features, 109
 - definition, 108
 - investigations, 109
 - pathophysiology, 108
 - treatment, 109
- methicillin-resistant *Staphylococcus aureus* (MRSA), 33–4
- methyl prednisolone, 371
- metoclopramide, 99
- metronidazole, 379
- micafungin, 178
- midazolam, 189, 396
- milrinone, 164, 166–7, 312
- minimum inhibitory concentration (MIC), 180
- mixed venous oxygen saturation SvO₂, 16
- mobilization, early, 156, 272
- monitoring, 6
- central venous pressure, 8–9
 - direct arterial BP, 7
 - noninvasive blood pressure, 7
 - pulmonary artery catheters, 10–11
 - pulse oximetry, 7
 - pulse pressure variation, 9
 - shock, 15–17
- morphine, 190
- MUD PILES, 106
- multiorgan failure, 205–6
- muscle biopsies, 240
- muscle relaxation.
- See* neuromuscular blockade
- muscle testing, 238
- myocardial infarction, 290,
- See also* acute coronary syndromes (ACS)
 - hypotension and shock, 15–16
- myocardial ischemia, 92
- narcotics, 258, 434
- nasal cannulae, 21
- nasal mask, 89
- nasal tracheal tubes, 134–5
- National Institute for Health and Care Excellence (NICE), 406
- natriuretic peptides, 305
- neostigmine, 387
- nephrogenic diabetes insipidus (DI), 115–16
- neurally adjusted ventilatory assist (NAVA), 146
- neurocognitive interventions, 248
- neurogenic shock, 266
- neurological determination of death (NDD), 442–4
- neurological injury, 267
- blood transfusions, 63

- post-cardiac surgery, 437
 spinal cord, 285–6
 neuromonitoring, 280–1
 neuromuscular blockade, 81, 193
 agents, 193–4
 ARDS, 370
 monitoring, 194
 problems, 193
 neurotransmitters, 162
 neurotrauma. *See* spinal-cord injury (SCI), traumatic brain injury (TBI)
 nitric oxide, inhaled, 369
 nitroglycerin, 164, 169
 nonanion gap metabolic acidosis, 106
 noninvasive blood pressure (NIBP) monitoring, 7
 noninvasive positive-pressure ventilation (NIPPV), 88–94
 ACPE management, 91
 ARDS management, 92
 choosing an interface, 89–90
 COPD management, 91
 immunosuppression management, 93
 indications/
 contraindications, 137
 initiating, 90
 interfaces, 89
 pneumonia management, 92
 weaning adjunct, 93
 noninvasive ventilation (NIV)
 asthmatics, 419–20
 weaning and, 157
 nonocclusive mesenteric ischemia (NOMI), 384
 non-rebreathing masks, 22
 norepinephrine, 18, 163–4, 340
 normo-osmolar hyponatremia, 111
 NSAIDs, 294
 NSTEMI, 290–1
 nutrition, 95–102,
 See also enteral nutrition
 acute pancreatitis, 383
 acute respiratory failure, 100
 CCI patient, 214–15
 critically ill patient, 96
 early or late feeding, 96
 energy and protein requirements, 97
 hyperglycemia, 100
 nonprotein requirements, 97
 novel substrates, 100–2
 oral feeding, 98
 other requirements, 98
 sepsis, 342
 nutritional status, 96
 assessment, 96
 Ω -3 fatty acids, 100
 obstetric patient
 amniotic fluid embolism, 409–10
 cardiac arrest, 413, 456
 cardiovascular system, 404
 changes in pregnancy, 403
 eclampsia and pre-eclampsia, 406–7
 HELLP syndrome, 407
 major hemorrhage, 410–12
 maternal critical care, 404–6
 parturient, 413–14
 renal system, 404
 respiratory infections, 412
 respiratory system, 403
 sepsis, 412
 trauma, 412
 VTE, 407–9
 obstructive shock, 14
 octreotide, 376
 Ogilvie's syndrome, 385–8
 open-lung concept, 365
 oral feeding, 215
 oral tracheal tubes, 134–5
 organ donors
 investigations, 445
 monitoring, 444
 NDD, 442–4
 therapeutic interventions, 445–9
 organ dysfunction, 336
 outcomes measures, 229
 oxygen cascade, 20
 oxygen consumption, 1, 55
 oxygen delivery, 1–2, 54
 blood transfusion and, 58–9
 oxygen saturation monitoring.
 See pulse oximetry
 oxygen therapy, 20–6
 asthmatic patient, 420
 delivery devices, 21–3
 hazards of, 24–6
 physiology and pathology, 20–1
 specific illnesses, 23–4
 oxygen toxicity, 24–5
 oxyhemoglobin dissociation curve (ODC), 55
 oxytocin, 411
 palliative care, 217, 252
 components of high quality, 254
 definition, 253
 integration models, 253
 key components in ICU, 254–6
 practical approach in ICU, 256
 pancuronium, 194
 paracetamol (acetaminophen), 190
 parasympathetic nervous system, 161
 parenteral nutrition, 97, 99–100
 paroxysmal supraventricular tachycardias, 327–8
 parturient patient, 413–14
 pericardial complications, 298
 permissive hypercapnia, 421
 permissive hypoxemia, 26
 pharmacodynamics, 180–1
 pharmacokinetics, 179–81
 phentolamine, 170
 phenylephrine, 164–5, 341
 phosphorus disorders, 127–8
 hyperphosphatemia, 129–30
 hypophosphatemia, 128–9
 physician-assisted suicide, 253
 physiotherapy, 216
 piperacillin, 176
 PIRO staging system, 335
 plasma, 40
 Plasmodium aeruginosa, 175
 platelet abnormalities, 75
 platelet count, 68
 platelet function defects, 74
 platelet transfusions, 75
 pneumonia
 NIPPV management, 92
 ventilator-associated, 174
 pneumothorax
 CVC complication, 31
 tension, 266
 positive end-expiratory pressure (PEEP), 8, 20, 146–7, 421
 ventilatory strategies, 148–9
 post-intensive care syndrome (PICS), 235–6
 post-intubation management, 84
 post-partum hemorrhage, 411
 post-traumatic shock
 hemorrhagic sources, 265
 neurogenic, 266

- post-traumatic shock (cont.)
 nonhemorrhagic sources,
 266
- potassium, 429
- potassium disorders
 hyperkalemia, 119–21, 455
 hypokalemia, 117–19
- prebiotics, 102
- pre-eclampsia, 406
 features, 406
 HELLP syndrome, 407
 management, 407
- pre-load, 3–4
- pressure control ventilation,
 145
- pressure support ventilation,
 146
- pressure support wean, 155
- pressure ulcers, 132
- PRIDE acute heart failure
 score, 306
- probiotics, 102
- procainamide, 329
- process measures, 229
- prolonged coagulation times,
 72
 diagnostic approach, 73
- prolonged mechanical
 ventilation (PMV), 213
 progression to, 210
- prone positioning, 367
- propofol, 81, 189, 271
- proportional assist ventilation
 (PAV), 146
- prostacyclin, 203
- prostaglandin F₂-α, 411
- protein C system, 69
- protein requirements, 97
- Pseudomonas aeruginosa*, 175
- pulmonary artery catheters
 (PACs), 10–11
- pulmonary edema, 91, 303
- pulmonary embolism, 455
- pulmonary hypertension, 6
- pulmonary oxygen toxicity, 25
- pulse oximetry, 7
- pulse pressure variation
 (PPV), 9
- pyroglutamic acidemia, 106
- Ramsay system, 192
- Ranson's criteria, 381–2
- rapid response systems (RRS)
 4 Rs, 221
 afferent limb, 222, 224–6
 audit, 230
 case for, 222–3
 clinical research, 223
 controversies, 232
 efferent limb, 226
 interventions, 226–7
 measuring impact, 229–30
 MET syndromes/SOPs,
 227–8
 model, 231
 outcomes, 230
 safety chain, 222
 set-up considerations, 231
 training, 230
- rapid response teams (RRTs),
 223
- rapid sequence induction and
 intubation (RSII), 81
 controversies in, 82
- reactive oxygen species (ROS),
 25
- receptor physiology, 162–3
- re-entry, 324
- refeeding syndrome, 100
- refractory shock, 431
- regional anticoagulation, 202
- regional blockade, 190
- reintubation, 158
- remifentanyl, 190
- renal-dose dopamine, 168
- renal replacement therapy
 (RRT), 182, 197,
See also intermittent renal
 replacement therapy
 (IRT), continuous renal
 replacement therapy
 (CRRT)
 sepsis, 343
- renal tubular acidosis (RTA),
 106
- renin-angiotensin system, 70
- reperfusion therapy, 297
- replacement fluid, 200
- respiratory rate, 420
- resuscitation
 advanced life support, 454–5
 basic life support, 453–4
 damage-control, 269–70
 fluid, 352
 hypovolemic/hypotensive,
 264
 post-care, 456–7
 quality improvement in, 459
 sepsis, 339–40
- retinopathy of prematurity
 (ROP), 24
- rhabdomyolysis, 355–6
- Richmond Agitation–Sedation
 Scale (RASS), 192
- RIFLE criteria, 348
- right ventricle (RV), 6
- Ringer's lactate solution, 40, 45
- road traffic accidents, 413
- rocuronium, 194
- SAFE trial, 46
- salicylate toxicity, 106
- saline, 40, 44–5
 glucose, 46
 hypertonic, 113, 283
 versus balanced solutions,
 45–6
- sarcopenia, 96
- score-to-door time, 229
- scoring systems
 acute pancreatitis, 381–2
 comatose patient, 391–2
 DIC, 73
 organ dysfunction, 336
 sedation, 192
- sedation
 hold, 191
 impact of, 156
 indications for, 187–8
 management, 190–2
 measuring, 192
 therapeutic agents, 188–9
 trauma patient, 271
- sepsis/septic shock, 14
 AKI patients, 352
 blood transfusion and, 58,
 63
 care bundle, 227, 344–5
 clinical features and
 diagnosis, 336–8
 corticosteroids, 430
 CRRT and, 205–6
 incidence and causes, 335
 management, 339–45
 obstetric patient, 412
 organ dysfunction, 336
 pathophysiology, 338–9
 quality assurance
 management, 345
 screening and infection
 prevention, 343
 source control, 341
 staging system, 335
 surviving guidelines, 49, 339,
 345, 431
 terminology and concepts,
 335–6
 serial lactate concentrations, 15

- shock, 16, *See also* post-traumatic shock, sepsis/septic shock
 anaphylactic, 18–19
 clinical presentation, 15
 cycle, 14
 definition, 13
 management of, 17–18
 monitoring, 15–17
 oxygen therapy, 24
 pathophysiology, 13
 types of, 13
 sleep cycle, 188
 sodium bicarbonate, 108
 sodium disorders
 hypernatremia, 114–17, 284
 hyponatremia, 110–14, 284
 sodium nitroprusside, 164, 169
 somatostatin, 376
 sotalol, 327
 spinal-cord injury (SCI), 285
 cardiovascular effects, 287–8
 gastrointestinal effects, 288
 genito-urinary effects, 288
 hematology and, 288
 neurological, 285–6
 rehabilitation, 289
 respiratory effects, 286–7
 spontaneous breathing trials (SBTs), 154
 discontinuing criteria, 155
 versus other techniques, 155
 stagnant hypoxia, 21
 starches, 42, 48
 statins, 294
 status epilepticus
 classification, 395
 definition, 395
 drug therapy, 396
 EEG monitoring, 396
 management goals, 395
 pathophysiology, 395
 prognosis, 396
 STEMI, 290–1, 295
 stent implantation, 299
 steroids
 ARDS patients, 371
 corticosteroids, 343, 418, 430–2
 storage lesion, 61
 strength testing, 239–41
 stress ulceration, 375
 stroke
 ischemic, 394, 437
 neuro-imaging, 394
 oxygen therapy, 24
 stroke volume, 3
 STS score, 434
 subclavian vein, 28
 succinylcholine, 81
 supraventricular arrhythmias, 324–7
 supraventricular tachycardia, 326
 Surviving Sepsis Guidelines, 49, 339, 345, 431
 suxamethonium, 193
 sympathetic nervous system, 161
 synchronized intermittent mandatory ventilation (SIMV), 155
 systemic inflammatory response syndrome (SIRS), 335
 tachyarrhythmias, 324–30
 paroxysmal supraventricular, 327–8
 supraventricular, 324–7
 ventricular, 328–30
 tachycardia
 supraventricular, 326
 ventricular, 328–9
 vital sign, 224
 tachypnea, 224
 temazepam, 189
 tension pneumothorax, 266
 terlipressin, 376
 therapeutic drug monitoring (TDM), 182
 thermodilution, 10
 thoracic trauma, 271
 thrombocytopenia, 68, 71, 75
 diagnostic approach to, 71–2
 thyroid hormones, 447
 tidal volume, 421
 tigecycline, 177
 time-dependent drug effects, 181
 TIMI risk score, 297
 tissue hypoxia, 21
 tissue remodelling, 70
 Torsades de pointes, 329–30
 total face mask, 90
 trace elements, 98
 tracheostomy, 158
 tracheostomy masks, 22
 tranexamic acid, 265
 transfusion-related acute lung injury (TRALI), 60
 transfusion-related immune modulation (TRIM), 60
 transjugular intrahepatic portosystemic shunt (TIPS), 377
 trauma patient
 ACS, 270
 antibiotics, 271
 early mobilization, 272
 enteral nutrition, 271
 epidemiology, 261
 heparin prophylaxis, 272
 intraoperative management, 268–9
 obstetric, 412
 outcome, 273
 post-operative care/resuscitation, 269–70
 sedation/analgesia, 271
 trauma patient assessment
 advanced, 267–8
 airway, 262–3
 breathing, 263–4
 circulatory, 264–7
 disability, 267
 exposure, 267
 initial, 262
 traumatic brain injury (TBI), 277–8
 classification, 278
 fluid therapy/feeding/glycemic control, 284
 hyperosmolar therapy, 283
 ICP management, 281–3
 initial assessment/resuscitation, 278–80
 intensive care management, 280
 neuromonitoring, 280–1
 temperature control, 284
 treppe phenomenon, 3
 TRICC trial, 62
 trigger variable, 144
 triggered activity, 324
 troponin, 305
 tumor lysis syndrome, 355
 ultrafiltration, 309–10
 ultrasonography, 240, 268
 ultrasound guidance
 catheter insertion, 29
 vancomycin, 175–6, 379
 vascular homeostasis, 70

- vasoactive drugs, 161,
See also inotropes
 dosing/receptors activity/
 clinical effect, 164
 hypotensive agents, 164,
 169–70
 mixed agents, 164, 167–9
 organ donors, 446
 sepsis, 340
 shock management, 18
 vasodilators, 169, 298, 310–11
 vasoplegic syndrome, 438
 vasopressin, 164–5, 375
 vasopressors, 163–5, 270, 340
 AKI, 352
 complications, 165
 Vaughan Williams
 classification, 320
 vecuronium, 194
 venous oxygen saturation, 2
 venous thromboembolism
 (VTE), 407
 diagnosis, 408
 risk factors, 408
 treatment, 409
 venous tone, 4
 ventilated patient, care of
 airway management, 134
 chest X-rays, 134
 daily assessment/
 management planning,
 133
 DVT prophylaxis, 131
 eye care, 132
 general issues, 131
 pressure area care, 132
 ventilator care bundles, 141
 ventilator dependence, 211
 ventilator-induced lung injury
 (VILI), 147, 365
 barotrauma, 141
 care bundles, 141
 volutrauma, 141
 ventilator-associated
 pneumonia (VAP), 174
 ventilatory strategies
 AHF, 311
 ARDS, 148, 362, 365–7
 asthmatic patient, 420
 CCI patient, 211–14
 HFOV, 149
 low tidal volume ventilation,
 148
 PEEP, 148–9
 trauma patient, 263–4
 ventricular assist devices
 (VADs), 314–15,
 439
 ventricular end-diastolic
 volume. *See* preload
 ventricular interdependence, 6
 ventricular tachycardia,
 328–9
 Venturi masks, 22
 video laryngoscopes, 83
 vital signs, 225
 vitamins, 98
 volatile anesthetics, 423
 volume-control ventilation
 (VCV), 145
 volume loading, 38, 81
 volutrauma, 141
 voriconazole, 178
 wakefulness assessment, 239
 waveform capnography, 84
 weaning
 CCI patient, 211–14
 classification, 152
 daily screening criteria, 155
 definition, 152
 failures, 157–8
 NIPPV and, 93
 NIV and, 157
 other techniques, 155
 predictors, 153–4
 protocols, 156, 212
 spontaneous breathing trials,
 154–5
 stages of, 212
 threshold values, 154
 tracheostomy and, 158
 versus extubation, 153
 whole-body CT (WBCT), 268
 withdrawal of life support, 253,
 257
 protocol, 257–8
 withholding of life support,
 253, 257