

TABLE OF CONTENTS

	PAGES
1. <i>Analytical development of Fresnel's optical theory of crystals</i> (Philosophical Magazine 1837, 1838)	1—27
2. <i>On the motion and rest of fluids</i> (Philosophical Magazine 1838)	28—32
3. <i>On the motion and rest of rigid bodies</i> (Philosophical Magazine 1839)	33—35
4. <i>On definite double integration, supplementary to a former paper on the motion and rest of fluids</i> (Philosophical Magazine 1839)	36—38
5. <i>On an extension of Sir John Wilson's theorem to all numbers whatever</i> (Philosophical Magazine 1838)	39
6. <i>Note to the foregoing</i> (Philosophical Magazine 1839)	39
7. <i>On rational derivation from equations of coexistence, that is to say, a new and extended theory of elimination, Part I.</i> (Philosophical Magazine 1839)	40—46
8. <i>On derivation of coexistence, Part II., being the theory of simultaneous simple homogeneous equations</i> (Philosophical Magazine 1840)	47—53
9. <i>A method of determining by mere inspection the derivatives from two equations of any degree</i> (Philosophical Magazine 1840)	54—57
10. <i>Note on elimination</i> (Philosophical Magazine 1840)	58

CONTENTS.

vii

	PAGES
11. <i>On the relation of Sturm's auxiliary functions to the roots of an algebraic equation</i> (Plymouth British Association Report 1841)	59, 60
12. <i>Examples of the dialytic method of elimination as applied to ternary systems of equations</i> (Cambridge Mathematical Journal 1841)	61—65
13. <i>Introduction to an essay on the amount and distribution of the multiplicity of the roots of an algebraic equation</i> (Philosophical Magazine 1841)	66—68
14. <i>A new and more general theory of multiple roots</i> (Philosophical Magazine 1841)	69—74
15. <i>On a linear method of eliminating between double, treble, and other systems of algebraic equations.</i> (Philosophical Magazine 1841)	75—85
16. <i>Memoir on the dialytic method of elimination, Part I.</i> (Philosophical Magazine 1842)	86—90
17. <i>Elementary researches in the analysis of combinatorial aggregation</i> (Philosophical Magazine 1844)	91—102
18. <i>On the existence of absolute criteria for determining the roots of numerical equations</i> (Philosophical Magazine 1844)	103—106
19. <i>An account of a discovery in the theory of numbers relative to the equation</i> $Ax^3 + By^3 + Cz^3 = Dxyz$ (Philosophical Magazine 1847)	107—109
20. <i>On the equation in numbers</i> $Ax^3 + By^3 + Cz^3 = Dxyz,$ <i>and its associate system of equations</i> (Philosophical Magazine 1847)	110—113
21. <i>On the general solution, in certain cases, of the equation</i> $x^3 + y^3 + z^3 = Mxyz$ (Philosophical Magazine 1847)	114—118

	PAGES
22. <i>On the intersections, contacts, and other correlations of two conics expressed by indeterminate coordinates</i>	119—137
(Cambridge and Dublin Mathematical Journal 1850)	
23. <i>An instantaneous demonstration of Pascal's theorem by the method of indeterminate coordinates</i>	138
(Philosophical Magazine 1850)	
24. <i>On a new class of theorems in elimination between quadratic functions</i>	139—144
(Philosophical Magazine 1850)	
25. <i>Additions to the articles 'On a new class of theorems,' and 'On Pascal's theorem,'</i>	145—151
(Philosophical Magazine 1850)	
26. <i>On the solution of a system of equations in which three homogeneous quadratic functions of three unknown quantities are respectively equated to numerical multiples of a fourth non-homogeneous function of the same</i>	152—154
(Philosophical Magazine 1850)	
27. <i>On a porismatic property of two conics having with one another a contact of the third order</i>	155, 156
(Philosophical Magazine 1850)	
28. <i>On the rotation of a rigid body about a fixed point</i>	157—161
(Philosophical Magazine 1850)	
29. <i>On the intersections of two conics</i>	162—164
(Cambridge and Dublin Mathematical Journal 1851)	
30. <i>On certain general properties of homogeneous functions</i>	165—180
(Cambridge and Dublin Mathematical Journal 1851)	
31. <i>Reply to Professor Boole's observations on a theorem contained in last November number of this Journal.</i>	181—183
(Cambridge and Dublin Mathematical Journal 1851)	

CONTENTS.

ix

	PAGES
32. <i>Sketch of a memoir on elimination, transformation and canonical forms</i>	184—197
(Cambridge and Dublin Mathematical Journal 1851)	
33. <i>On the general theory of associated algebraical forms</i>	198—202
(Cambridge and Dublin Mathematical Journal 1851)	
34. <i>An essay on canonical forms, supplement to a sketch of a memoir on elimination, transformation and canonical forms</i>	203—216
(George Bell, Fleet Street, 1851)	
35. <i>Explanation of the coincidence of a theorem given by Mr Sylvester in the December number of this Journal with one stated by Professor Donkin in the June number of the same</i>	217, 218
(Philosophical Magazine 1851)	
36. <i>An enumeration of the contacts of lines and surfaces of the second order</i>	219—240
(Philosophical Magazine 1851)	
37. <i>On the relation between the minor determinants of linearly equivalent quadratic functions</i>	241—250
(Philosophical Magazine 1851)	[See p. 647 below.]
38. <i>Note on quadratic functions and hyperdeterminants</i>	251
(Philosophical Magazine 1851)	
39. <i>On a certain fundamental theorem of determinants</i>	252—255
(Philosophical Magazine 1851)	
40. <i>Extensions of the dialytic method of elimination</i>	256—264
(Philosophical Magazine 1851)	
41. <i>On a remarkable discovery in the theory of canonical forms and of hyperdeterminants</i>	265—283
(Philosophical Magazine 1851)	
42. <i>On the principles of the calculus of forms</i>	284—327
(Cambridge and Dublin Mathematical Journal 1852)	
43. <i>On the principles of the calculus of forms</i>	328—363
(Cambridge and Dublin Mathematical Journal 1852)	

	PAGES
44. <i>Sur une propriété nouvelle de l'équation qui sert à déterminer les inégalités séculaires des planètes</i>	364—366
(Nouvelles Annales de Mathématiques 1852)	
45. <i>On a remarkable theorem in the theory of equal roots and multiple points</i>	367—369
(Philosophical Magazine 1852)	
46. <i>Observations on a new theory of multiplicity</i>	370—377
(Philosophical Magazine 1852)	
47. <i>A demonstration of the theorem that every homogeneous quadratic polynomial is reducible by real orthogonal substitutions to the form of a sum of positive and negative squares</i>	378—381
(Philosophical Magazine 1852)	
48. <i>On Staudt's theorems concerning the contents of polygons and polyhedrons, with a note on a new and resembling class of theorems</i>	382—391
(Philosophical Magazine 1852)	
49. <i>On a simple geometrical problem, illustrating a conjectured principle in the theory of geometrical method</i>	392—395
(Philosophical Magazine 1852)	
50. <i>On the expression of the quotients which appear in the application of Sturm's method to the discovery of the real roots of an equation</i>	396—398
(Hull British Association Report 1853)	
51. <i>On a theorem concerning the combination of determinants</i>	399—401
(Cambridge and Dublin Mathematical Journal 1853)	
52. <i>Note on the calculus of forms</i>	402, 403
(Cambridge and Dublin Mathematical Journal 1853)	
53. <i>On the relation between the volume of a tetrahedron and the product of the sixteen algebraical values of its superficies</i>	404—410
(Cambridge and Dublin Mathematical Journal 1853)	

CONTENTS.

xi

	PAGES
54. <i>On the calculus of forms, otherwise the theory of invariants</i>	411—422
(Cambridge and Dublin Mathematical Journal 1853)	
55. <i>Théorème sur les limites des racines réelles des équations algébriques</i>	423
(Nouvelles Annales de Mathématiques 1853)	
56. <i>Nouvelle méthode pour trouver une limite supérieure et une limite inférieure des racines réelles d'une équation algébrique quelconque</i>	424—428
(Nouvelles Annales de Mathématiques 1853)	
57. <i>On a theory of the syzygetic relations of two rational integral functions, comprising an application to the theory of Sturm's functions, and that of the greatest algebraical common measure</i>	429—586
(Philosophical Transactions of the Royal Society of London 1853)	
58. <i>On the conditions necessary and sufficient to be satisfied in order that a function of any number of variables may be linearly equivalent to a function of any less number of variables</i>	587—594
(Philosophical Magazine 1853)	
59. <i>On Mr Cayley's impromptu demonstration of the rule for determining at sight the degree of any symmetrical function of the roots of an equation expressed in terms of the coefficients</i>	595—598
(Philosophical Magazine 1853)	
60. <i>A proof that all the invariants to a cubic ternary form are rational functions of Aronhold's invariants and of a cognate theorem for biquadratic binary forms</i>	599—608
(Philosophical Magazine 1853)	
61. <i>On a remarkable modification of Sturm's theorem</i>	609—619
(Philosophical Magazine 1853)	

	PAGES
62. <i>Note on a remarkable modification of Sturm's theorem, and on a new rule for finding superior and inferior limits to the roots of an equation</i>	620—626
(Philosophical Magazine 1853)	
63. <i>On the new rule for finding superior and inferior limits to the real roots of any algebraical equation</i>	627—629
(Philosophical Magazine 1853)	
64. <i>Note on the new rule of limits</i>	630—633
(Philosophical Magazine 1853)	
65. <i>The algebraical theory of the secular inequality determinative equation generalised</i>	634—636
(Philosophical Magazine 1853)	
66. <i>On the explicit values of Sturm's quotients</i>	637—640
(Philosophical Magazine 1853)	
67. <i>On a fundamental rule in the algorithm of continued fractions</i>	641—644
(Philosophical Magazine 1853)	
68. <i>On a generalisation of the Lagrangian theorem of interpolation</i>	645, 646
(Philosophical Magazine 1853)	
NOTE ON SYLVESTER'S THEOREMS ON DETERMINANTS IN THIS VOLUME.	647—650