

Subject index

Underlined numbers show the pages where definitions are given.

- absolutely continuous, 9, 146, 174, 177, 439
- absolutely continuous part, 174
- additive process, 3, 30, 120, 121, 129
- broad-sense selfsimilar, 99
 - broad-sense semi-selfsimilar, 102
 - continuous part of, 121
 - jump part of, 121
 - selfsimilar, 99, 117, 272
 - semi-selfsimilar, 102, 103
- additive process in law, 3, 47, 51
- natural, 431
- almost periodic (function), 188
- almost surely, 2
- analytic (function), 335, 338
- arcsine distribution, 372
- generalized, 372
- associated Gaussian processes, 328
- associated sequence, 49
- atomless property, 431
- balayage operator, 283
- Banach space, 205
- Bernoulli convolution, 194
- Bernstein's theorem, 388, 389
- Bessel function, 20, 47
- modified, 21, 204, 233, 235, 421
- Bessel transform, 421
- bigger tail, 263
- bimodal, 148, 395, 420
- binomial distribution, 14, 17, 31
- birth-death process, 426
- Blumenthal's 0–1 law, 275, 313
- Bochner's theorem, 8
- Bondesson class, 389
- Borel–Cantelli lemma, 5
- bounded (linear operator), 205
- Brownian motion, 22, 22–28, 329, 335, 349, 360, 367, 380
- d -dimensional, 22
 - existence of, 64
 - law of the iterated logarithm for, 357, 368
 - multiple points of, 380
 - potential density of, 329
 - potential density of — with drift, 270
 - q -potential density of, 204
 - recurrence/transience of, 243
 - reflection principle for, 280
 - selfsimilarity of, 23
 - set Σ_0 of, 316
 - subordination of, 202, 217
 - weak/strong transience of, 262
- c -decomposable distribution, 453
- c -factor of, 453
- capacitary measure, 298, 331
- co-, 298, 331
- capacity, 300
- q -, 298, 330, 331
- carrier (of discrete measure), 176
- carrier (of measure relative to a pair of measures), 440
- Cauchy distribution, 11, 31, 202
- d -dimensional, 11, 447
 - density restricted to $[a, \infty)$, 479
- Cauchy process, 63, 87, 202, 271, 332
- recurrence/transience of, 243
 - set Σ_0 for, 316
- center (of infinitely divisible distribution), 39, 83
- center (of Lévy process), 65
- Chapman–Kolmogorov identity, 54
- characteristic function, 7

- χ^2 -distribution, 13
- Choquet's capacitability theorem, 331
- class B , [389](#), [425](#), [426](#)
- class $B(\mathbb{R}^d)$, [438](#)
- class $ID(\mathbb{R}^d)$, [436](#)
- class L , [90](#), [117](#)
- class \mathcal{L} , [450](#)
- locally of, [451](#)
- class $L(\mathbb{R}^d)$, [436](#)
- class \mathcal{L}_{ac} , [451](#)
- class L_∞ , [425](#)
- class $L_\infty(\mathbb{R}^d)$, [437](#), [439](#)
- class \mathcal{L}_{loc} , [451](#)
- class L_m , [118](#)
- class $L_m(\mathbb{R}^d)$, [439](#)
- class $\mathcal{L}_{(0,c]}$, [450](#)
- class LCV , [425](#)
- class ME , [389](#), [390](#), [425](#)
- class \mathcal{S} , [450](#)
- class $\mathfrak{S}(\mathbb{R}^d)$, [436](#)
- class \mathcal{S}_{ac} , [451](#)
- class \mathcal{S}_{loc} , [451](#)
- class $\mathcal{S}_{(0,c]}$, [450](#)
- class T , [425](#)
- class $T(\mathbb{R}^d)$, [438](#)
- class $U(\mathbb{R}^d)$, [438](#)
- closable (linear operator), [205](#)
- closed (linear operator), [205](#)
- closure (of operator), [206](#)
- compensated sum of jumps, [119](#), [120](#)
- completely monotone (density), [388](#)
- completely monotone (function), [388](#), [424](#)
- compound Poisson distribution, [18](#), [39](#), [45](#), [123](#), [171](#)
- compound Poisson process, [18](#), [18–21](#), [143](#), [175](#), [234](#), [292](#), [335](#)
- approximation by, [342](#)
- on \mathbb{R}^2 , [455](#)
- point recurrence of, [319](#)
- q -potential measure of, [204](#)
- support of, [149](#)
- compounding, [234](#)
- condition (ACP), [288](#), [289](#), [297](#), [303](#), [320](#), [328](#), [329](#)
- condition (ACT), [288](#), [310](#), [328](#), [446](#)
- condition (H), [332](#)
- conditional probability, [15](#)
- cone, [143](#)
- proper, [144](#)
- confluent hypergeometric function, [420](#)
- constant (random variable), [71](#)
- continuity (of sample functions), [59](#), [135](#)
- continuity set, [8](#)
- continuous (measure), [146](#), [174](#), [175](#)
- continuous in probability, [3](#)
- continuous part (of additive process), [121](#)
- continuous part (of function), [139](#)
- continuous part (of measure), [174](#)
- continuous singular (distribution), [183](#), [185](#), [194](#)
- continuous singular part, [174](#)
- convergence
- almost sure, [5](#)
- in probability, [5](#)
- L^2 -, [227](#)
- of finite measures, [7](#)
- of probability measures, [7](#)
- stochastic, [5](#)
- strong, [205](#)
- weak, [213](#)
- convex at infinity, [272](#)
- convolution, [8](#)
- coordinate projection, [429](#)
- core, [206](#), [208](#), [212](#), [215](#), [234](#)
- correct measure function, [379](#)
- countable additivity, [430](#)
- covariance matrix, [11](#), [163](#)
- creep (across a point), [378](#)
- cylinder set, [4](#)
- decreasing, [xiii](#)
- definable (improper integral), [433](#)
- absolutely, [434](#)
- degenerate (Lévy process), [157](#)
- degenerate (measure), [156](#)
- δ -distribution, [14](#)
- dense (in Banach space), [206](#)
- density
- of class C^∞ , [190](#)
- of class C^n , [146](#), [190](#)
- density transformation (of Lévy process), [218–220](#), [221](#), [221–233](#), [236](#)
- Descartes' rule of signs, [422](#)
- deterministic process, [71](#)
- diffusion, [426](#)

- direct product (of probability spaces), 4
 directing process, 198
 discrete, 146, [174](#), 176, 186, 188
 discrete part, 174
 dispersive, 209
 distinguished logarithm, 33, 251
 distinguished n th root, 33
 distinguished t th power, 33
 distribution, 2
 of random variable, 2
 system of finite-dimensional —s, 2
 divergence condition (of radially absolutely continuous measure), [178](#)
 domain (of linear operator), 205
 domain (of stochastic integral mapping), 438
 domain of attraction, 117
 dominated variation (function of), 448
 drift (of infinitely divisible distribution), [39](#), 83
 drift (of Lévy process), [65](#)
 drift transformation, 232
 drifting to ∞ , [256](#), 257, 363
 drifting to $-\infty$, [256](#), 257, 363
 dual (of probability measure), 8
 dual infimum process, 333
 dual process, [286](#), 295, 333
 dual reflecting process, 333
 dual space, 213
 dual supremum process, 333
 Dynkin's formula, 330
 Dynkin's lemma, 6

 elementary compound Poisson variable, [437](#)
 elementary Γ -variable, [437](#)
 elementary mixed-exponential variable, [437](#)
 energy, [307](#)
 energy integral, [307](#)
 entire (function), 160
 entropy, 146, [195](#), 455
 entropy function, 184, [195](#)
 epoch (of semi-selfsimilar process), [74](#)
 ε -translation number, 188
 equilibrium measure, [300](#), 303
 co-, 300
 Esscher transformation, 445
 essentially co-polar, 288, 306

 essentially polar, [288](#), 305, 310, 329
 one-point set, 313, 316, 317, 319, 322
 Euler's constant, 116
 excessive, [284](#), 289, 319
 co-, 286
 excursion, 377, 384
 expectation, 2
 exponent (of operator-stable distribution), 118
 exponent (of selfsimilar or semi-selfsimilar process), [74](#), 75, 117
 exponential (of linear operator), 207
 exponential distribution, 13, 31, 335, 382, 389, 390, 399
 two-sided, 98, 335
 extreme value distribution
 of type 1, 46
 of type 3, 46, 194

 F -distribution, 46, 98
 fast point, 381
 fine topology, 317
 first passage time process, [333](#), 345–351
 fluctuation theory, 384
 Fourier inversion formula, 250
 Fourier transform, 41, 250
 fractional power (of the negative of infinitesimal generator), 216
 F_σ set, [279](#)
 function $h^q(x)$, [313](#)

 g -moment, 159, 194
 Γ -distribution, 13, 15, 31, 45, 390
 mixture of, 47, 390
 Γ -process, 63, 147, 203, 217
 Gaussian covariance matrix, [38](#), [65](#)
 Gaussian distribution, [11](#), 22, 23, 31, 39, 70, 168, 399
 covariance matrix of, 11, 168
 nongenerate, 10, 11
 generalized gamma convolution, 425
 generating function, 196, 387
 generating triplet
 (A, ν, γ) of infinitely divisible distribution, [38](#)
 $(A, \nu, \gamma_{(a)})_{(a)}$, [427](#)
 $(A, \nu, \gamma_c)_c$, [39](#)
 $(A, \nu, \gamma_1)_1$, [39](#)
 $(A, \nu, \gamma_0)_0$, [39](#)
 of Lévy process, [65](#)

- system of —s of additive process, 53, 121
- genuinely d -dimensional (Lévy process), 157, 254
- genuinely d -dimensional (measure), 193
- geometric Brownian motion, 68
- geometric distribution, 14, 31, 234, 382
- geometric stable distribution, 203
- GGC, 425
- Goldie–Steutel–Bondesson class, 389, 438
- group (of Lévy process), 158, 193, 243
- Gumbel distribution, 46

- Hahn–Banach theorem, 213
- half-Cauchy distribution, 47, 98
- half-Gaussian distribution, 194
- harmonic measure, 329
- Hartman–Wintner theorem, 182, 187
- Hausdorff dimension (of measure), 196, 455
- Hausdorff dimension (of set), 196, 312, 379
- Hausdorff measure, 379
- Hellinger–Kakutani distance, 218, 441
- Hellinger–Kakutani inner product, 440
- Hilbert transform, 328
- Hille–Yosida theorem, 206
- hitting time, 202, 276, 279, 331, 426
- Hölder’s inequality, 165, 479
- Hunt’s switching formula, 296
- hyperbolic distribution, 236

- identical in law, 3
- identical tail, 263
- image set, 380
- increase time, 28, 378
- increasing, xiii, 137
- independence
 - condition for coordinates of random variable on \mathbb{R}^d with infinitely divisible distribution, 67
 - inheritance of, 6
- independent, 2, 5, 6
 - pairwise, 67
- independent increments property, 3, 430
- independently scattered random
 - measure, 430
 - homogeneous, 431
- index
 - analogue of — of stable process, 362, 367, 379, 380
 - of stable or semi-stable process or distribution, 76
- indicator function, xiii
- infimum process, 333
- infinitely divisible distribution, 31
 - condition for, 45, 385, 386
 - correspondence of — to Lévy process, 35, 63, 65
 - mean of, 39
- infinitely divisible process, 427
- infinitesimal generator (of semigroup of operators), 206, 213, 234
- integrable, 250
 - square, 174
- invariant distribution, 112, 194, 426
- invariant measure, 158, 194
- invariant semigroup (of Lévy process), 446
- inverse- Γ distribution, 452
- inverse Gaussian distribution, 233
 - generalized, 235, 452
- inversion formula, 9
- irregular (point), 313, 353
- isomorphism theorem, 328

- Jessen–Wintner law of pure types, 182
- jump part (of additive process), 121
- jump part (of function), 139
- jumping time, 131, 136
- Jurek class, 438

- k -function, 403
- K -increasing, 144
- Kolmogorov’s extension theorem, 4
- Kolmogorov’s inequality, 128
- Kolmogorov’s 0–1 law, 6
- Kolmogorov–Rogozin inequality, 384
- Krein’s correspondence, 426

- lack of memory, 15
- Lamperti transformation, 435
- Laplace distribution, 98
- Laplace transform, 10, 203
- Laplacian, 212
- large deviations, 169, 249
- last exit time, 101, 262, 303
- law (of random variable), 2
- law of large numbers

- analogue of — for Lévy process, 246
 strong, 245
 weak, 246
- law of the iterated logarithm, 356, 359, 361, 366–368, 381
- Le Cam's estimate, 114
- Lebesgue decomposition, 174, 440, 443
- Lebesgue measure, 158
- Lévy measure
 absolutely continuous change of, 445
 of infinitely divisible distribution, [38](#)
 of Lévy process, [65](#)
 radial part of — of stable distribution, 79
 spherical part of — of stable distribution, 79, 115
 truncation of support of, 445
 with bounded support, 168
- Lévy process, [3](#)
 d -dimensional, 3
 generated by (A, ν, γ) , 65
 infinitesimal generator of transition semigroup of, 208, 383
 linear transformation of, 65
 long time behavior of, 363–368
 mean of, 163
 of type A, [65](#), 68, 140, 324, 355
 of type B, [65](#), 68, 140, 324, 355
 of type C, [65](#), 68, 141, 324, 326, 351, 355
 projection of, 65
 short time behavior of, 323, 351–362
 strong transience for $d \geq 5$ of, 262
 symmetric, 264
 time dependent distributional property in the class of —es, [145](#)
 transience for $d \geq 3$ of, 254
 without positive jumps, 345–351
- Lévy process in law, [3](#), 35
- Lévy–Itô decomposition of sample functions, 119–135, 219, 343
- Lévy–Khintchine formula (of infinitely divisible distribution), 37
- Lévy–Khintchine representation (of infinitely divisible distribution), 37, 39, 41, 119, 210, 427
- limit distribution, 108
- linear functional, 213
 continuous, 213
- linear operator, 205
 extension of, 205
- Linnik distribution, 203
- local time, 236, 327, 332, 384
- locally M -integrable, 432
- locally bounded, 159
- log-concave, 395
- log-convex, 387, 388, 425
- log-moment, 109, 434, 453
- log-normal distribution, 47, 68, 98, 164, 452
- logarithm (of operator), 217
- logarithmic potential operator, 272
- logistic distribution, 47, 98
- long-tailed (distribution), [450](#)
 $(0, c]$ -, [450](#)
- long-tailed density, [451](#)
- lower semi-continuous, [288](#), 322, 328
- Markov process, [55](#)
 initial distribution of, 58
 path space representation of, 55
 temporally homogeneous, 55, 273
- Markov property, 57, 278
- martingale, 68, 349
- mean vector, 11
- measurable partition, 441
- measurable space, 1
- Meixner process, 445
- mesh (of partition), 26
- Mittag–Leffler distribution, 154, 194, 195, 383
- Mittag–Leffler function, 154, 234
- mixing measure, 388
- mixture, [388](#)
- modal interval, [395](#), 404
- mode, [147](#), 395
 location of, 408, 426
- modification, 2
- moment
 exponential, 161, 165
 of order α , 146
- more peaked, 265, 272
- multinomial distribution, 17, 122
- multiple point, 380
- mutually absolutely continuous, [218](#), 439
- n -modal, 146, 395
- nearly analytic set, 331

- nearly Borel set, 331
 negative binomial distribution, 14, 31, 39, 203
 Nikodým theorem, 431
 non-constant (random variable), [71](#)
 non-trivial (distribution), [71](#)
 non-trivial (process), [71](#)
 non-trivial (random variable), [71](#)
 non-zero (process), [71](#)
 non-zero (random variable), [71](#)
 nondegenerate (Lévy process), [157](#)
 nondegenerate (measure), [156](#)
 nonnegative-definite (function), 8, 331
 norm, 205
 norm (of linear operator), 205
 nowhere differentiable, 26
 null array, 47, 67, 91
- occupation density, 327
 joint continuity of, 328
 one-sided (set), 446
 operator-selfdecomposable distribution, 118
 operator-semi-stable distribution, 118
 operator-stable distribution, 118
 strictly, 118
 operator-stable process, 118
 Ornstein–Uhlenbeck process, 108
 driven by Lévy process, 108
 generalized (driven by two-dimensional Lévy process), 456
 stationary distribution of generalized, 456
 Ornstein–Uhlenbeck type
 limit distribution of process of, 109
 process of, 108–114, 116, 272, 426, 435
 stationary process of, 436
 oscillating (Lévy process), [256](#), 257, 363
 overshoot, [369](#)
- packing dimension, 379
 packing measure, 379
 Pareto distribution, 46, 98, 452
 partial fraction expansion, 391
 Peres–Solomyak number, 184, 454
 piecewise constancy (of sample functions), 135
 piecewise monotone, 394
 Pisot–Vijayaraghavan number, 184, 454
- point masses, 174
 point recurrent, 263, 319
 Poisson distribution, [10](#), 31, 39, 119, 122
 Poisson point process, 144
 Poisson process, [14](#), 15–18, 342
 Poisson random measure, [119](#), 120, 122, 123, 144, 323
 intensity measure of, 119, 120, 122, 123
 Poisson transform, 426
 polar, [288](#), 329
 co-, 288
 one-point set, 313
 polar decomposition (of measure on \mathbb{R}^d), 437
 positivity (of operator), 207
 potential density, 242
 q -, 242
 potential kernel, 282
 potential measure, [203](#), 237
 continuous singular q -, 294
 q -, [203](#), 251, 283, 334
 potential operator
 in the sense of Yosida, 212, 236, 272
 q -, 283
 precompact, 66
 principle of reflection, 153, 166
 probability measure, 1
 probability space, 1
 pure, [174](#)
 purely non-Gaussian, [38](#), [65](#)
- quasi-left-continuity, [279](#), 280, 302, 370
 quasi-unimodal, 263, 272
- radial part, 437
 radially absolutely continuous, [178](#)
 Radon–Nikodým derivative, 218
 random variable, 1
 random walk, [5](#), 249, 250, 336
 law of the iterated logarithm for, 357
 recurrence/transience of, 237, 238
 range (of matrix), 156
 range (of operator), 206
 range (of path), 326, 379, 382
 range (of stochastic integral mapping), 438
 recurrence/transience criterion
 by potential measures, 239

- of Chung–Fuchs type, 252
- of Spitzer type, 254
- recurrent, [237](#), 243, 270, 294
 - BG -, 329
- recurrent potential operator, 254
- reflecting process, [333](#), 384
- reflection (of probability measure on the line), 8
- reflection principle, 280
- regular (point), [313](#), 353
- regular for itself, [313](#), 316, 327
- regularly varying (function), [164](#)
- renewal theorem, 271, 472
- resolvent equation, 207, 283
- resolvent operator, 207
- Riemann–Lebesgue theorem, 174, 183, 190, 293, 294, 466
- Riesz potential, 261
- rotation invariant, 85, 114, 116
- row sum, 47

- sample function, 3
- sample path, 3
- scaled Poisson process with drift, 444
- selection theorem, 42
- selfdecomposable distribution, [90](#), 93, 99, 116, 117, 404, 436, 452
 - absolute continuity of, 177, 181
 - as distribution of selfsimilar additive process, 99
 - as limit distribution, 91, 108
 - asymptotics of density of, 409
 - completely, 439
 - Lévy measure of, 95, 112
 - m -times, 439
 - Q -, 118
 - smoothness of, 190
- selfdecomposable process, [93](#), 292, 403–416
- selfsimilar process, [70](#), 71, 117, 435
 - broad-sense, [70](#), 71, 75
 - broad-sense H -, 74
 - H -, 74
- semi-polar, 332
- semi-selfdecomposable distribution, [90](#), 93, 94, 102, 103, 181
- semi-selfdecomposable process, [93](#), 292
- semi-selfsimilar process, [70](#), 71
 - broad-sense, [70](#), 71, 73
 - broad-sense H -, 74
 - H -, 74
- semi-stable distribution, [70](#), 115, 117, 158, 399, 456
 - α -, 76
 - characteristic function of, 83
 - density of, 190
 - index of, 76
 - Lévy measure of, 77
 - Lévy measure of strictly, 81
 - 1-, 76
 - strictly, [70](#)
- semi-stable process, [70](#), 71, 143, 193, 418
 - α -, 76
 - drifting/oscillating of, 366
 - exponent of, 75
 - hitting time of $(0, \infty)$ for, 356
 - index of, 76
 - moment of, 162
 - 1-, 76, 270, 316
 - point recurrence of, 319
 - polarity and Hausdorff dimension for, 313
 - q -capacity for, 311
 - recurrence/transience of, 259, 260
 - regularity of 0 for itself for, 326
 - set Σ_0 for, 326
 - strictly, [70](#), 71, 311
 - support of, 447
 - variation function of, 143
- semigroup (closed additive), 446
- semigroup (of operators), 206
 - contraction, 206
 - property, 283
 - strongly continuous, 206
- semimartingale, 144, 236, 431
- set Σ_0 , [313](#)
- shift (of path), 327
- σ -algebra, 1
 - Kolmogorov, 4
- sign function, xiv
- simple function, 432
- singular, 146, [174](#), 186, 439
- slow point, 381
- slowly varying (function), [164](#), 410
- smallest closed extension (of operator), 206
- sojourn time, 238
 - mean, 238

- space $\mathbf{D} = D([0, \infty), \mathbb{R}^d)$, xiv, 121, 273
space $D([0, t], \mathbb{R}^d)$, 126, 249
span (of semi-selfdecomposable distribution), 90
span (of semi-selfsimilar process), [74](#)
span (of semi-stable distribution), [76](#)
spectral decomposition, 426
spherical part, 437
stable distribution, [69](#), 115, 116, 194, 195, 426
 α -, 76
as limit distribution, 94
characteristic function of, 83, 86
density of, 87, 190
duality between strictly —s, 90
estimate of density of multivariate, 449
index of, 76
Lévy measure of, 78
Lévy measure of strictly, 81
multivariate, 447
nondegenerate α -, 448
1-, 76, 84
one-sided strictly $\frac{1}{2}$ -, 12, 29, 45, 280, 399, 403
rotation invariant, 86, 115, 447
strictly, [69](#), 84, 87, 89
strictly 1-, 84
symmetric, 86
stable process, [70](#), 71, 115, 117, 193, 332, 384
 α -, 76
capacity of strictly, 304
drifting/oscillating of, 365
hitting time of $(0, \infty)$ for, 355
index of, 76
law of the iterated logarithm for, 358
mode behavior of, 415
1-, 76, 270, 316, 332, 362, 382
potential density of, 270
potential density of rotation invariant, 261
recurrence/transience of, 260
regularity of 0 for itself for, 325
rotation invariant, 202, 236, 304, 330, 381
set Σ_0 for, 325
strictly, [70](#), 71, 82, 115, 361, 367, 380
strictly $\frac{1}{2}$ -, 87
support of, 447
variation function of, 143
weak/strong transience of, 262
with parameters (α, β, τ, c) , 87
without positive jumps, 350
stationary increments property, 3
stationary process, 435
Stirling's formula, 171, 364
stochastic area, 98, 445
stochastic integral mapping, 438
stochastic process, 2, 3
stochastically continuous, 3
uniformly, 51
stopping time, [275](#), 275–280, 331
 σ -algebra \mathcal{F}_T' for, 275
 σ -algebra \mathcal{F}_T for, 275
strong Markov property, 278, 283, 373
strongly unimodal, 146, [395](#), 423, 424, 426
Student's t -distribution, 46, 98
subexponential (distribution), 146, [163](#), 450
locally, [451](#)
 $(0, c]$ -, [450](#)
subexponential density, [451](#)
submultiplicative (function), 159, 165, 167
subordinate, 198, 213
subordination (of Lévy process), [198](#), 198–205
iteration of, 201
subordination (of semigroup of operators), [213](#)
subordinator, [137](#), 138, 153, 185, 197, 212, 271, 330, 332, 383, 423
potential density of stable, 261
selfdecomposable, 234, 235, 415, 422
short time behavior of, 360
stable, 138, 153, 271
strictly $\frac{1}{2}$ -stable, 202, 280, 349
strictly stable, 202, 216, 233, 331
subexponentiality in, 164
subordination by, 198, 213
unimodality in, 417, 418
support (of function), 207
support (of Lévy process), [154](#), 243, 291, 306, 328, 446
support (of measure), [148](#)
support (of random variable), [148](#)

- supremum process, 167, 333
 symmetric (distribution), 8, 85, 114, 146, 417
 symmetric (set), 446
 symmetrization, 8, 67, 270, 329
 Tauberian theorem
 Karamata's, 410
 of exponential type, 466
 temporal homogeneity, 3
 thin, 332
 Thorin class, 438
 three-series theorem, 227
 time, 3
 time reversal, 287, 331
 total positivity, 422
 total variation measure, 442
 total variation norm, 441
 transient, 237, 294
 strongly, 262
 weakly, 262
 transition function, 54
 spatially homogeneous, 55
 temporally homogeneous, 54, 106
 translation invariant, 55
 transition kernel, 282
 transition operator, 283
 transition semigroup, 208
 triangular density, 251
 trivial (distribution), 71, 72
 trivial (process), 71
 trivial (random variable), 71
 type A, B, C, 65
 uniform continuity
 order of, 381
 uniform distribution, 14, 31
 uniformly integrable, 245
 unimodal, 145, 147, 195, 395, 400, 404, 416, 418
 unimodal correspondent, 265, 272
 universally measurable, 274
 variation, 138, 140
 η -, 381
 variation function, 138
 Weibull distribution, 46, 164, 194, 452
 Wiener integral, 106
 Wiener process, 22
 Wiener–Hopf factorization, 333–378
 Yamazato property, 400, 418
 zero (process), 71