

Index

- !, 92, 93, 292
- ' , 13, 14, 292
- ' * ', 68
- ' + ', 68
- ' - ', 68
- ' -- ', 68
- ' : ', 68
- *, 9, 291
- ., 11, 43, 292
- .., 13, 20, 23, 291
- .' , 292
- .*, 13, 50, 291
- .., 113
- ... , 36, 45, 102, 292
- ./, 13, 50
- .^, 13, 23, 50, 292
- /, 291
- :, 13, 51, 82, 88, 113, 259, 292
- :=, 113
- ;, 14, 15, 23, 32, 33, 39, 43, 58, 75, 292
- =, 43, 113
- ==, 52, 79, 83, 91, 303
- @, 16, 24, 31, 47, 63, 89, 90, 292
- \$, 113
- %, 30, 49, 113, 292
- %%, 30, 34, 292
- &, 79, 80
- \, 51, 67, 250, 291
- ^, 291
- |, 79, 80
- ~, 80
- ~=, 81
- aborting calculations, 9
- abs**, 78, 292
- AbsTol**, 53
- accuracy, floating-point, 85
- acos**, 292
- activate, 137
- adapthisteq**, 178
- Add, 129
- Add-Ins**, 39, 101
- addition, 8
- addpath**, 27, 31, 293
- agribusiness, 171
- air resistance, 213
- Algebraic Constraint, 304
- all**, 80, 302
- amperes, 210
- amplitude, 75
- animation, 75, 120, 300
- anonymous function, 16, 17, 22, 31, 47, 63, 89, 90, 292
- ans**, 8, 49, 88, 113, 216, 293
- any**, 80, 302
- app, 6
- APPS, 25, 26
- arctan**, 305
- area**, 298
- argument, 32, 44, 49, 50, 87, 88
- arithmetic, 8
 - complex, 50
 - exact, 8, 11
 - floating-point, 11
 - variable-precision, 11
- arithmetic operations, 217, 222
- arithmetic symbols, 219
- array, 14, 17, 44
- asin**, 53, 292
- assignment, 79, 216
- assume**, 21, 55
- asterisk, 8
- atan**, 15, 41, 292
- atan2**, 49, 292
- Attributes, 17
- audiowrite**, 76
- Automation Server, 100
- AVI, 75, 120
- Axes, 138, 139
- axes, 22, 68
- axes**, 298
- Axes Properties...**, 23
- axis**, 23, 42, 57–60, 66, 74, 75, 97, 175, 212, 298
- backslash, 51, 106, 250
- Band-Limited White Noise, 125, 214, 304
- bank**, 144, 169, 266

- bankrupt, 147
- bar**, 160, 299
- baseball, 213
- batting average, 208, 214
- Beethoven, 75
- bell curve, 149
- bessel**, 293
- besselj**, 15, 65, 98
- bifurcation point, 160
- Black–Scholes model, 184, 214
- Block Parameters, 123, 125, 129, 130, 196
- blocks, 121
- Boltzmann’s constant, 210
- border, 70
- braces, 88, 217, 218
- brackets, 88, 217, 218
 - curly, 218
- branch line, 123
- branching, 77, 79, 81, 85
- break**, 85, 302
- breakpoint, 92, 223, 227
- built-in constant, 15
- built-in function, 15, 222
- bull’s-eye, 109
- ButtonDownFcn, 140
- Bytes, 17

- C, xi, 92
- calculus, 52
- callback function, 133, 137–140
- Camera Toolbar, 64
- case**, 83, 218, 302
- casino, 147
- catch**, 99
- cd**, 27, 31, 92, 293
- cell, 30, 34, 95
 - corrupted, 103
- cell**, 86
- cell array, 86, 88, 139, 218
- Cell Markers, 101
- Central Limit Theorem, 149, 150
- chaos, 162, 163
- char, 17
- char**, 45, 293
- Checkbox, 136, 140
- checkcode**, 223, 302
- chessboard, 70
- Children**, 69
- circuit, electrical, 210
- cla**, 139, 299
- class, 44

- clear**, 18, 21, 26, 31, 48, 55, 293, 298
- clear variables, 222
- clf**, 290
- Clock, 129, 304
- close**, 23, 31, 64, 299
- cloud, 6
- Code Analyzer, 217, 222
- coefficient of friction, 186
- collect**, 293
- colon, xiv, 13, 51, 82, 113
- colon**, 292
- Color**, 69
- color, 68
 - background, 70
- colorbar**, 74
- colormap**, 72, 74, 175, 290, 299
- column, 50, 51
- column vector, 13, 14, 44
- comet**, 74, 299
- comma, 11, 43, 292
- Command Bar, 113
- Command History Window, 2, 9, 25, 28, 29, 216
- command prompt, 2
- Command Window, 2, 7, 17, 25, 36, 79, 95, 102, 121, 217, 219
- comment, 30, 34
- common mistakes, 222
- Commonly Used Blocks library, 123
- competing species, 212
- complex arithmetic, 50
- complex number, 15, 17, 19, 20, 50, 78, 80, 88
- compose**, 294
- computer**, 93, 302
- computer won’t respond, 215, 222
- concatenation, 45
- conductivity, thermal, 189, 193
- conj**, 293
- Constant, 213, 214, 304
- constant, built-in, 15
- containers, shipping, 126
- Continuous library, 122
- continuous model, 211
- contour**, 58, 62, 105, 240, 241, 299
- contour plot, 58
- contourf**, 299
- convex, 169
- corrcoef**, 181
- cos**, 15, 293
- cosh**, 293

- cot**, 293
- crane, 126
- ctranspose**, 13, 14, 294
- CTRL+C, 9, 36, 84, 222
- CTRL+ENTER, 39, 101, 103
- cumulative distribution function, 154
- currency exchange rate, 179
- current folder, 27–29, 32, 37, 219
- Current Folder Browser, 2, 25, 27, 29
- current, electrical, 210
- CurrentAxes**, 69
- curve, 105
 - level, 58
- cylindrical coordinates, 63

- D**, 52, 294
- damped harmonic oscillator, 122
- dashed line, 68
- data class, 17, 44, 47
- Data Cursor, 65
- data type, 86
- datetick**, 180
- dbclear**, 92, 223, 302
- dbcont**, 92, 222, 223, 302
- dbquit**, 92, 302
- dbstep**, 92, 223, 302
- dbstop**, 92, 223, 302
- deal**, 89
- Debian, 1
- debug, 39, 92, 222
- debugger, 29
- default variables, 55
- definite integral, 52, 53
- definitions, conflicting, 216
- delete**, 35, 36, 92, 294
- delimiters, 217, 218, 222
- demo**, 5
- Demux, 203, 304
- Denver, Colorado, 213
- Derivative, 124
- derivative, 52, 105
- descendants, 70
- Desktop, xiii, 2, 3, 6, 7, 17, 25, 26
- det**, 107, 252, 294
- Details Window, 27
- determinant, 107, 252
- detrend**, 180
- diag**, 258, 294
- diary, 34, 35
- diary**, 35, 36, 294
- diff**, 52, 118, 294, 305
- difference equation, 211
- differential equation, 122, 124, 211
- differential/difference equation, 305
- differentiation, 52
- diffusion coefficient, 189
- diffusion equation, 189
- digit, 18, 41
- digits**, 12, 20
- dingbats, xiv
- diode, 210
- dir**, 27, 92, 294
- directory, 27
- Dirichlet boundary condition, 190
- discrete model, 211
- disp**, 36, 43, 46, 90, 144, 267, 294
- div**, 116
- division, 8, 217
- do**, 119
- doc**, 3, 294
- Dock**, 6, 26
- doomsday, 212
- DOS, 92
- dos**, 93, 263, 302
- dotted line, 68
- double, 17, 79
- double**, 19, 45, 46, 53, 113, 294
- double-precision, 8, 17
- Dow Jones average, 179
- DOWN-ARROW, 9, 28
- dsolve**, 52, 56, 118, 211, 212, 275, 294
- dynamics, 155

- e*, 292
- earned run average, 214
- echo**, 31, 33–36, 39, 294
- Edit**, 23
- edit**, 29, 77, 294
- Edit Text, 135, 137–139
- editing input, 9
- Editor/Debugger, 29, 39, 78, 92, 95, 98, 99, 133, 138, 217, 220, 222, 223, 227
- eig**, 51, 145, 254, 261, 295
- eigenpair, 51
- eigenvalue, 51, 109, 145
- eigenvector, 51, 109, 145
- element, 14, 50
- element-by-element, 13, 14, 23, 50
- elliptic curve, 214
- else**, 78, 81, 302
- elseif**, 78–80, 83, 302
- end**, 33, 78, 81, 83–85, 99, 118, 295, 302

- end_for**, 119
- energy
 - kinetic, 126
 - potential, 126
- engineering, 126
- environment, 25, 28
- eps**, 292
- equal sign, 43
- erf**, 15, 118, 293
- error, 18, 99, 248
 - syntax, 9
- error**, 87, 90, 91, 262, 302
- error function, 293
- error message, 9, 215, 225
 - plotting, 220
- error messages, multiple, 220
- errors, common, 9
- euro, 179
- eval**, 89, 139, 295
- evalin**, 56, 295
- Evaluate Cell**, 39
- evaluation, 89
 - suppressing, 46, 47
- exact arithmetic, 8, 11
- execute, 30
- exit**, 6
- exp**, 10, 14, 15, 293
- expand**, 10, 295
- ExpansionPoint**, 55, 248, 249
- expm**, 14, 293
- exponential function, 14
 - matrix, 14
- exponential growth, 211
- exponential growth/decay, 155, 181
- Export...**, 114
- expression, 47
- external program, 92
- extinct, 155
- eye**, 51, 295
- ezcontour**, 59, 299
- ezmesh**, 63, 299
- ezplot**, 22, 24, 42, 57–59, 61, 86, 118, 299
- ezplot3**, 61, 299
- ezsurf**, 63, 249, 299

- fact**, 305
- factor**, 10, 45, 295
- factorial, 33, 305
- factorial**, 248
- fast Fourier transform, 182
- Feigenbaum parameter, 162

- Fermat's Theorem, 116
- feval**, 56, 295
- fft**, 182
- field, vector, 60
- figure, 74
 - current, 64
- figure**, 35, 37, 40, 64, 299
- Figure Palette, 65
- Figure Toolbar, 65
- figure window, 6
- file extension, 26, 30, 123, 136, 296
- fill**, 70, 71, 224–226, 262, 299
- financial data, 141, 179
- Financial Toolbox, 185
- find**, 131, 279, 295, 302, 304
- find_system**, 130, 304
- findobj**, 70, 139, 299
- finite difference, 190
- finite element method, 195
- flag
 - French, 109
 - Italian, 109
- flipdim**, 73
- fliplr**, 73, 227
- flipud**, 73
- float**, 113, 305
- floating-point arithmetic, 8, 11
- floating-point number, 44, 46, 113
- fminbnd**, 295
- FontName**, 67, 68
- FontSize**, 67, 68
- FontWeight**, 67
- football coach, 209
- fopen**, 94
- for**, 33, 38, 71, 77, 79, 84, 85, 118, 119, 302, 305
- forced oscillations, 125
- format**, 29–31, 295
- format long**, 8
- format short**, 8
- Fortran, xi, 92
- fprintf**, 94
- fractal, 290
- fraction, 8
- frequency, 75
- friction, 186
- From Workspace, 304
- Function, 129
- function, 47
 - built-in, 15
 - user-defined, 16

- function**, 32, 86, 302
- Function Browser, 4
- function handle, 17, 22, 24, 44, 47, 89, 292
- function M-file, 29, 32, 47, 49, 77, 86, 87, 226
- Fundamental Theorem of Linear Programming, 169
- fzero**, 19, 21, 42, 210, 234, 238, 273, 295

- Gain, 123, 129, 196, 305
- Galileo, 213
- gamma**, 15, 293
- gamma function, 293
- gca**, 68–70, 263, 290, 299
- gcbf**, 139
- gcbo**, 138
- gcf**, 64, 69, 70, 132, 290, 299
- gcs**, 130, 304
- genotype, 108, 109
- geometric series, 55
- get**, 69, 70, 138, 139, 299
- get_param**, 130, 304
- getframe**, 75, 300
- GIF, 72
- ginput**, 65, 91, 300
- gradient, 295
- graph, 42
- graph2d**, 57
- graph3d**, 57
- Graphical User Interface, xiii
- graphics, 21, 37, 57, 64
 - animated, 120
 - customizing, 69
 - M-book, 102
- Graphics Objects, 66
- gravity, 213
- grayscale, 72
- Greek letters, 68
- grid**, 300
- gtext**, 300
- GUI, xiii, 133, 135–138, 140
- GUIDE, 133, 135–139
- guide**, 133, 295
- Gwynn, Tony, 208

- handle, 69, 138
- hankel**, 261
- heat equation, 141, 189
- heat flow, 189
- helix, 61
- help, 3

- help**, 4, 5, 10, 32, 49, 102, 295
- Help Browser, 3, 66, 68
- help text, 44, 45, 49
- hist**, 300
- histogram, 110, 148
- hold**, 24, 37–39, 64, 74, 91, 97, 139, 300
- HOME, 25
- homogeneous equation, 122
- HTML, 34, 95, 114

- i**, 15, 19, 50, 292
- if**, 77–81, 83, 85, 87, 302, 305
- Im**, 305
- im2frame**, 261
- imag**, 293
- image, 71, 172
- image**, 70, 72–74, 214, 260, 300
- image compression, 141
- imagesc**, 74, 175, 214, 290, 300
- imaginary number, 50
- imfilter**, 179
- implicit plot, 59
- Import Data**, 71, 93, 180
- Import Wizard, 94
- improper integral, 53
- imread**, 72, 174, 300
- imsharpen**, 179
- imwrite**, 74, 177, 260, 300
- increment, 13
 - fractional, 13
 - negative, 13
- ind2rgb**, 72
- indefinite integral, 52
- indeterminate form, 81
- indexed image, 72
- Inf**, 15, 54, 292
- infinite loop, 84
- inhomogeneous equation, 125
- initial condition, 123, 124
- initial value, 211
- initialize variables, 221, 222
- inline**, 44, 47, 295
- inline function, 44, 47, 89, 90
- input, 7, 49, 87, 88
 - editing, 9
- input**, 36, 90, 139, 303
- inputdlg**, 139
- installation, 2
- int**, 47, 54, 295, 306
- int32**, 87

- integral, 105
 - definite, 52
 - improper, 53
 - indefinite, 52
 - multiple, 53
 - symbolic, 105
- integral**, 53, 105, 246, 295
- integral2**, 54
- Integrator, 122–124, 129, 196, 213, 305
- interest, 207
- interest rate, 142
- interrupting calculations, 222
- intersection point, 42
- inv**, 107, 253, 295
- inverse, 253
- InvertHardcopy**, 132
- isa**, 303
- ischar**, 87, 303
- isempty**, 91, 303
- isequal**, 83, 91, 303
- isfinite**, 290, 303
- ishold**, 91, 303
- isinf**, 303
- isletter**, 303
- isnan**, 303
- isnumeric**, 87, 88, 262, 303
- ispc**, 93, 303
- isreal**, 303
- isspace**, 303
- isunix**, 93, 303

- j, 292
- jacobian**, 295
- JPEG, 72, 109, 177
- Julia set, 214, 290

- keyboard**, 40, 90, 92, 222, 223, 303
- keyboard shortcuts, 26
- kinetic energy, 126
- Kirchhoff's Current Law, 210
- Kirchhoff's Voltage Law, 210

- label, 23
- Lagrangian mechanics, 127
- lambertw**, 240
- L^AT_EX, 34, 96, 98, 141
- Layout**, 25
- Layout Editor, 133, 135–137, 140
- lcm**, 110, 262
- least common multiple, 110
- left-arrow key, 28
- left-matrix-divide, 106

- legend**, 67, 102, 300
- lemniscate, 59, 67
- length**, 48, 82, 296
- level curve, 58, 105, 241
- license, 6
- limit, 54
 - one-sided, 54
- limit**, 54, 296
- linalg:eigenvalues**, 306
- Line**, 70
- line
 - dashed, 68
 - dotted, 68
 - solid, 68
- line**, 70
- line style, 68
- linear algebra, 12, 107, 144
- linear inequality, 165
- linear programming, 141, 165, 208, 209
- LineStyle**, 70
- linprog**, 169, 270
- linspace**, 191, 198, 262, 296
- Linux, 1, 2, 93
- Listbox, 136
- ln, 15
- ln**, 306
- load**, 26, 93, 179, 180, 296
- loan, 142
- local variable, 32, 49
- location of MATLAB, 2
- log**, 10, 15, 41, 50, 54, 293
- logical array, 79, 80
- logical expression, 79, 81
- logistic constant, 159
- logistic growth, 157, 211
- loglog**, 211, 275, 300
- lookfor**, 5, 28, 296
- loop, 33, 38, 71, 77, 84, 85, 223
- loops, avoiding, 82, 109
- lowercase, 18, 219
- ls**, 27, 296

- M-book, 34, 38, 95, 102
- M-books, enabling, 38
- M-file, xiii, 16, 25, 29, 37, 47–49, 66, 77, 86, 90, 92, 95, 96, 102, 130, 133, 136, 137, 216, 219
 - function, 29, 32, 47, 49
 - problems with, 215
 - script, 29, 31, 33, 48
- Mac OS, 1, 93
- Math Function, 305

- Math Operations library, 129, 212
- MathWorks Account, 6
- mating, 108
- matlab -nodesktop**, 2
- MATLAB Desktop, 2
- MATLAB Mobile, 6
- matrix, 14, 44, 50, 51
- matrix multiplication, 13
- max**, 261, 296
- mean**, 194, 296
- Mean Value Theorem, 114
- median**, 296
- memory, managing, 222
- menu bar, 64, 136
- Menu Editor, 136
- mesh**, 62, 300
- meshgrid**, 58, 59, 62, 117, 240, 300
- mex**, 303
- millionaire, 207
- min**, 296
- minimize, 18
- minus sign, 103
- mismatched delimiters, 217, 222
- mistake, 215
- mkdir**, 27
- mldivide**, 51
- mod**, 116, 262
- model window, 121
- Monte Carlo simulation, 141, 147, 208
- monthly payment, 142
- more**, 5, 296
- mortgage, 141, 142
- movie, 106, 109, 300
- movie2avi**, 75
- movieview**, 300
- MP4, 76
- mrdivide**, 81
- multiple curves, 24
- multiple integral, 53
- multiplication, 8
- MuPAD, xi, 56
- mupad**, 112, 296
- MuPAD kernel, 56
- MuPAD Tutorial, 111
- Mux, 203, 305

- NaN**, 81, 247, 292
- nargin**, 87, 303
- nargout**, 87, 88, 303
- Newton, 213

- nextprime**, 56
- noise, 125
- non-singular, 107
- normfit**, 185
- normplot**, 184
- Notebook**, 39
- notebook**, 38, 100, 296
- notebook, MuPAD, 112
- num2str**, 45, 90, 139, 296
- numerical differentiation, 124
- numerical integration, 53, 124
- numerical ODE solver, 212
- numerical output, 10
- numerical solution, 189

- objective function, 170
- ode**, 306
- ode45**, 47, 186, 195, 277, 296
- Ohm's Law, 210
- ohms, 210
- ones**, 51, 65, 81, 82, 259, 296
- online help, 3, 141, 220
- open**, 296
- open_system**, 163, 279, 304
- openvar**, 26
- Optimization Toolbox, 169
- Order**, 55, 248, 249
- order of integration, 54
- ordinary differential equation, 195
- oscillation, 186
- otherwise**, 83, 303
- output, 7, 49, 87, 88
 - numerical, 10
 - suppressing, 15
 - symbolic, 10
 - unexpected, 215
 - wrong, 215
- overloaded, 45

- $p - 1$ Factoring Method, 119
- p-value, 181
- parameter, 57
- parametric plot, 57
- parametric surface, 62
- parentheses, 79, 217, 218
- parsing, 87
- partial derivative, 52
- partial differential equation, 189, 193, 198
- patch**, 300
- path, 27, 32
- path**, 27, 296
- pathtool**, 28, 296

- pause**, 36, 39, 40, 90, 303
- PDE Toolbox, 195
- pdepe**, 198
- PDF, 34, 37, 96, 99, 114, 121
- peaceful coexistence, 212
- pendulum, 127, 141, 185, 212
- percent sign, 30, 49
- period, 13
- periodic cycle, 161, 163
- perl**, 93
- phase portrait, 212
- pi**, 11, 12, 15, 292
- pie**, 301
- pitch, of sound, 75
- pixel, 72
- platforms, 1
- plot
 - contour, 58
 - log-log, 300
 - parametric, 57
 - semi-log, 301
 - three-dimensional, 60
 - two-dimensional, 57
- plot**, 23, 24, 37, 42, 57, 60, 68, 71, 74, 113, 118, 216, 224, 237, 301, 306
- Plot Browser, 65
- plot style, 68
- plot3**, 60, 68, 301
- plot::Function2d**, 306
- plot::Function3d**, 306
- plot::Implicit2d**, 306
- plot::VectorField2d**, 306
- PLOTS, 25, 26, 57, 62
- plotting several functions, 24
- plottools**, 65
- PNG, 37, 72, 74
- polar**, 301
- polar coordinates, 49, 63, 88
- Polynomial, 305
- polynomial, 41
- population density, 160
- population growth, 155, 211
- Popup Menu, 136–138
- PostScript, 37
- potential energy, 126
- powermod**, 116, 306
- PowerPoint, 96
- precedence, 217, 222
- pretty**, 36, 37, 232, 233, 256, 297
- pretty print, 36
- prima donna, 209
- prime number, 45
- principal, 142
- print**, 37, 40, 132, 301
- printing, suppressing, 15
- problems, 215
- proc**, 306
- prod**, 54, 81, 82, 297
- Product, 129, 305
- product, element-by-element, 50
- Professional Version, 1, 6
- profit, 147, 165
- prompt, 33
- Property Editor, 65, 69, 70
- Property Inspector, 134–138
- PUBLISH, 29, 34
- publish, 25, 30, 34, 39, 95, 99, 223
- publish**, 34, 35, 95, 114, 297
- Pulse Generator, 164
- punct**, 292
- Push Button, 135, 139
- pwd**, 27, 92, 297
- qqplot**, 183
- quad**, 53
- quad1**, 53
- quit**, 6, 297
- quit MATLAB, 6
- quiver**, 60, 117, 301
- quote marks, 218
- Radio Button, 136, 140
- Ramp, 203, 305
- rand**, 147, 269, 297
- randn**, 153, 297
- random**, 153
- random number, 147
- range, 23
- rank, 107
- rank**, 107, 252, 297
- Re**, 306
- real**, 21, 239, 293, 298
- real number, 17
- rectangle**, 70
- Red Hat Enterprise, 1
- relational operator, 79–81, 83
- relop**, 79, 80
- RelTol**, 53, 246
- rescale**, 301
- reset**, 290
- reshape**, 82
- resistor, 210

- return**, 40, 82, 222, 303
- RGB, 69, 72
- rgb2gray**, 178
- right-arrow key, 28
- right-click, 28
- rmpath**, 31
- roots**, 297
- round**, 297
- round-off error, 292
- row, 50, 51
- row vector, 13, 14, 32, 44
- RSA cryptosystem, 119

- saddle point, 60
- saddle surface, 62
- save**, 26, 93, 297
- Save As...**, 37, 114
- SaveState**, 131, 279
- SaveTime**, 131, 279
- scalar, 14, 17, 44
- scale-factor, 60
- Scope, 123, 124, 129, 131, 164, 196, 203, 214, 305
 - rescaling axes in, 124
- script M-file, 29, 31–33, 48, 221, 223
- search path, 219
- sec**, 293
- sech**, 293
- sections, xiv
- select**, 306
- semicolon, 14, 15, 23, 32, 33, 39, 43, 58, 75, 113, 292
- semilogy**, 301
- set**, 68–71, 138, 263, 290, 301
- Set Path, 28
- set_param**, 130, 196, 304
- sign**, 78, 293
- signal, 122
- Signal Routing, 203
- sim**, 131, 164, 279, 304
- simpl**, 169, 304
- simple**, 10, 41, 297
- simplify**, 10, 41, 297
- simplplot**, 131, 164, 304
- simulation
 - Monte Carlo, 141, 147
- Simulink, xi, xiii, 122, 130, 141, 163, 169, 195, 213
- simulink**, 121, 304
- Simulink Library Browser, 121
- sin**, 15, 17, 52, 293
- Sine Wave, 305
- singular, 252
- singular values, 173
- sinh**, 293
- Sinks library, 123
- size**, 65, 81, 82, 174, 297
- slash, 50
- slash**, 29
- smiley face, 103
- snapshot**, 97
- solve**, 19–21, 42, 50, 56, 231, 233, 239, 297, 306
- solving equations, 19
- sound, 75
- sound**, 75, 76, 297
- soundsc**, 75
- Sources library, 125
- specgraph**, 57
- special function, 118, 240
- species, 155
- sphere, 63
- spherical coordinates, 63
- sqrt**, 8, 15, 50, 293
- square**, 23, 58, 59
- sscanf**, 93
- starting MATLAB, 2
- StateSaveName**, 131, 279
- Static Text, 135
- Statistics Toolbox, 183
- steady state, 193
- stochastic differential equation, 214
- stock market, 179, 208
- stopping execution, 9
- StopTime**, 131
- str2num**, 45, 93, 139, 297
- strcmp**, 83
- string, 12, 44, 45, 47, 68, 217, 218
- struct**, 86
- structure array, 86
- Student Version, xv, 1, 6
- style, line, 68
- subfunction, 86
- submatrix, 51
- submenu items, xiv
- subplot**, 65, 301
- subs**, 10, 48, 113, 118, 297, 306
- substitution, 48
- subsystem, 203
- subtraction, 8
- Sum, 123, 125, 129, 213, 305
- sum**, 54, 297
- summation sign, 68

- suppressing output, 32, 33, 39, 43
- surf**, 62, 191, 301
- surface**, 70
- surf1**, 62
- SUSE, 1
- svd**, 172
- switch**, 77, 83, 218, 303
- sym, 17
- sym**, 11, 12, 45, 46, 51, 298
- symbol, 67
- Symbol font, 68
- symbolic**, 10
- symbolic engine, 56
- symbolic expression, 11, 22, 44, 46, 47
- Symbolic Math Toolbox, xi, xiv, 2, 10, 11, 19, 41, 52, 56, 85, 105, 207
- symbolic output, 10
- symbolic variable, 17
- symengine**, 56, 295
- syms**, 10, 12, 21, 22, 46, 298
- symsum**, 54, 85, 298
- syntax error, 215, 217, 219

- tab, xiv
- Tag, 137
- tails
 - heavy, 184
- tan**, 15, 293
- tanh**, 293
- taylor**, 55, 248, 298
- Taylor polynomial, 55, 106
- TEX, 67
- text**, 67, 301
- thermal conductivity, 189, 193
- tick mark, 68
- TIFF, 72
- tight**, 23
- TimeSaveName**, 131, 279
- title**, 23, 24, 37, 38, 59, 66, 67, 97, 102, 301
- To Workspace, 305
- Toggle Button, 136, 140
- toolbar, 64
- toolboxes, xv, 2, 28, 141
- Toolstrip, xiv, 2, 3, 18, 25, 26, 29, 93, 95
- traffic flow, 141, 199
- Transport Delay, 203
- transpose, 13, 14
- transpose**, 14, 298
- Trigonometric Function, 129, 212, 305
- true**, 21
- try**, 99

- type**, 47, 77, 86, 92, 99, 298
- Ubuntu, 1
- uicontextmenu**, 133
- uicontrol**, 133
- uiimport**, 94
- uimenu**, 133
- uint32**, 87
- undefined function, 215, 219
- underscore, 18
- Undock**, 6
- Unit Delay, 305
- UNIX, 92, 93, 303
- unix**, 93, 263, 304
- UP-ARROW, 9, 28
- uppercase, 18, 219
- user-defined function, 16
- User-Defined Functions library, 129

- valid name, 18
- varargin**, 87, 88, 218, 262, 304
- varargout**, 87, 88, 218, 304
- variable, 8, 10, 18, 93
 - symbolic, 10
- variable-precision arithmetic, 11, 12
- variables
 - clearing, 18, 215, 221
 - default, 55
- Variables Editor, 17, 26
- vector, 12, 16, 20, 23, 50
 - column, 14, 44
 - element of, 50
 - row, 14, 44
- vector field, 60
- VectorFormat**, 116
- vectorize**, 45, 298
- vectorized, 16
- Verhulst, Pierre-François, 159
- versions, 1
- vertex, 169
- vertical range, 23
- VIEW, 29
- view**, 64, 301
- viewpoint, 64
- voltage, 210
- volts, 210
- vpa**, 12, 19, 245, 298

- warning, 215
- warning**, 90, 215, 304
- WAV, 76
- Waypoints**, 53

Cambridge University Press

978-1-107-66222-3 - A Guide to MATLAB®: for Beginners and Experienced Users: Third Edition

Brian R. Hunt, Ronald L. Lipsman and Jonathan M. Rosenberg

Index

[More information](#)*Index*

317

- web**, 95, 298
- which**, 216, 298
- while**, 84, 85, 304
- whos**, 16, 17, 26, 44, 79, 298
- Wiener, Norbert, 179
- wiener2**, 179
- window, figure, 64
- Windows, 1, 76, 92, 93, 303
- Windows Explorer, 101
- word processing, 100
- Word, Microsoft, 38, 96, 100
- Workspace, 26, 44, 48, 49, 93, 222
- workspace**, 26
- Workspace Browser, 2, 17, 18, 25, 26, 44
- wrap, 36
- wrong output, 215
- XData**, 70
- xlabel**, 23, 59, 67, 102, 192, 301
- XML, 96
- XTick**, 68
- XTickLabel**, 68
- XY Graph, 213, 305
- YData**, 70
- ylabel**, 23, 59, 67, 102, 192, 301
- zeros**, 51, 259, 261, 298
- zeta**, 293
- zlabel**, 67, 192
- zoom**, 64, 301
- zoom in, 64