

INDEX

Note that page numbers starting with EX- indicate that these pages can be found on the extended section EX, which is available at www.cambridge.org/nellisandklein. For example, E23–31 is pg. 31 of extended section E23.

- ablative shield, 84
- absorptance, 1018, *see also* radiation
- absorptivity, 1018, *see also* radiation
- adaptive step size, 332, *see also* numerical integration techniques
- adiabatic limit for heat transfer, 272–274, 277
- adiabatic saturation temperature, E23–31
- agar, 205
- air-water mixtures, E23–9
- angle factors, 989
- anisotropic properties, 272, 278–281, 285
- annular duct, 653
- annular flow regime, 790, *see also* boiling
- apparent friction factor, 643
- apparent heat flux, 555–556, 559, 568
- apparent shear stress, 553, 556, 558, 560, 562
- attenuation due to dynamic response, 316
- average area limit for conduction resistance, 275, 278
- average friction coefficient, 494
- average friction factor, 643
- average length limit for conduction resistance, 275
- average Nusselt number, 494, 646
- axial conduction in heat exchangers, 902–903, E19–1
 - approximate models for, 905
 - approximate model at low values of the axial conduction parameter, 907, 918
 - approximate model at high values of the axial conduction parameter, 907
 - axial conduction parameter, 905
 - behavior as axial conduction increases, 904
 - numerical solution for, E19–1
 - perforated plate heat exchanger, 918
 - temperature jump, 905, E18–9
 - temperature jump model, 909
- axial conduction in internal flow, 691
- balanced heat exchanger, 855, 939
- bank of cylinders, flow across, 617
- bent-beam actuator, 127, 457
- Bernoulli's equation, 571
- Bessel's equation, 150–151, 157, *see* Bessel functions
- Bessel functions, 142
 - behavior of, 148, 153
 - Bessel's equation, 150–151, 157, 162
 - differentiation of, 153–154, 159
 - first and second kind, 146, 153
 - flow chart for identification of the solution to Bessel's equation, 151
 - fractional order, 152, 162
 - integer order, 152, 154
 - modified, 147, 153
 - orthogonality of, E3–12, E3–19
 - rules for using, 150
 - separation of variables with, E3–12, E7–4
 - series representation of, 146
- binary mixtures, E23–7, E23–8, *see also* mass transfer
- Biot number, 94–95, 128, 143, 208, 232, 263, 287, 302, 307, 310, 339, 398–405, 418, 754, E3–1
- blackbody, 981, *see also* radiation
 - absorptivity of, 1019
 - characteristics of, 982
 - emission of, in specified wavelength bands, 985
 - intensity of, 1014
 - Planck's law, 982
 - radiation exchange between, 989, 1001, 1002
 - spectral emissive power of, 982
- Blasius solution, 521, 576, *see also* self-similar solution
- blood perfusion, 31, 161, 464
- blowing factor, E23–24, *see also* mass transfer
- boiling, 778
 - annular flow, 791
 - boiling number, 793
 - burnout point, 782
 - convection number, 793
 - correlations, *see* boiling correlations
 - crisis, 782
 - critical heat flux, 782, 785, 787, 809
 - curve, 780, 783
 - dimensionless heat transfer coefficient for flow
 - boiling, 791
 - dry out, 791
 - excess temperature, 780
 - Froude number, 793
 - heat transfer coefficient for, 781
 - film boiling, 782
 - flow boiling, 779, 790–791, 794
 - hysteresis, 783
 - Leidenfrost point, 783
 - natural convection regime, 780

- boiling (*cont.*)
 nucleate boiling, 780, 784, 790, 809
 nucleation sites, 780
 peak heat flux, 782
 pool boiling, 779, 786
 saturated pool boiling, 779
 sub-cooled pool boiling, 779
 superficial heat transfer coefficient, 792
 superficial Reynolds number, 792
- boiling correlations
 flow boiling, 791, 795
 pool boiling, critical heat flux, 785, 809
 pool boiling, nucleate boiling, 784, 787, 809
- boiling crisis, 782, *see also* boiling
- boiling curve, 780, *see also* boiling
- boiling number, 793, *see also* boiling
- Boltzmann's constant, E23–8
- boundary conditions, 7
 homogeneous, 210–211, 224, 236
 interface energy balance, 34
 transformations, 224, 227
 types of boundary conditions, 224
 using EES to evaluate constants of integration, 34
- boundary layer, 483
 approximate model of a laminar boundary layer, 485
 conduction in, 510
 equations, 495, *see also* boundary layer equations
 dimensionless boundary layer equations, 508, 520
 heat transfer coefficient estimated from boundary layer thickness, 490
 internal flow, 635
 laminar, 484
 momentum, 484, 635
 momentum boundary layer thickness, 484, 487, 594
 Prandtl number, effect on boundary layer, 485
 Reynolds number, effect on boundary layer, 486
 simplifications, 500
 temperature, 484
 thermal, 485
 thermal boundary layer thickness, 485
 thermal resistance of the boundary layer, 490
 thickness based on the self-similar solution, 533
 transport of energy in a laminar boundary layer, 485
 turbulent, 594
 velocity, 484
 viscous dissipation in, 510
 y-velocity in, approximate, 501
- boundary layer equations, 500, 507, 520
 continuity equation, 500, 508
 thermal energy equation, 503
 viscous dissipation, 504
 x-momentum equation, 502–503
 y-momentum equation, 502
- bounded transient problems, *see* separation of variables
 approximate solutions at large Fourier number, 400, 402, 404
 cylinder, 401
 Biot number, 398, 402, 404, 405
- derivation of boundary conditions for, 396, 401, 403
 derivation of governing differential equation for, 396, 401, 403
 dimensionless energy transfer, 398, 402, 404, 407
 dimensionless position, 397
 dimensionless radius, 402, 404
 dimensionless temperature difference, 397, 402, 404, 405
 discussion of, 395
 EES functions for, 398, 406
 eigenvalues and constants for, 397, 398, 402
 energy transfer, 398
 exact solution for common shapes, 397, 402, 404
 Fourier number, 397, 402, 404, 406
 Heisler charts, 398
 numerical solutions to, *see* numerical integration techniques
 plane wall, 396
 radiation with, 405
 separation of variables technique, 408
 sphere, 403
- boundary vector, E6–17, *see also* finite element solution
- Boussinesq approximation, 740
- Brinkman number, 691, 700
- Buckingham's pi theorem, 507
- buffer region, 564, *see also* turbulent flow
- bulk velocity, 637
- bulk temperature, 644
- burnout point, 782
- caloric theory, 1
- capacitance rate, 824, *see also* heat exchangers
- capacity ratio, 855, *see also* heat exchangers
- Chilton-Colburn analogy, 493, 592
- chlorofluorocarbons (CFCs), 981
- coefficient of thermal expansion, 127, 457
- Colburn j_H factor, 839, 950, 958
- cold-to-hot blow, 937, 940, *see also* regenerators
- collision integral, E23–8
- combined free and forced convection, 768, 771
- compact heat exchanger correlations, 838
- compactness of a heat exchanger, 937
- compiled programming language, 68–69
- complementary error function, 359
- complex combination, E10–1
- complex conjugate problem, E10–2
- complex variables, E10–1
- composite structure and material, 272, 278, 285, 363, 911, *see also* effective conductivity
- computational fluid dynamics, 483
- concentration (mass and molar basis), E23–4
- concentric tube heat exchanger, 824, *see also* heat exchangers
- condensation, 778
 average heat transfer coefficient for, 804
 characteristic velocity for, 800
 cooling coil, E23–36, *see also* mass transfer correlations for, 805, 808, *see also* condensation correlations

- drop, 798
- film, 798
- film Reynolds number, 805
- film thickness for, 804
- flow, 812
- Froude number, 814
- Galileo number, 813
- heat transfer coefficient for, 798, 804
- inertia-free solution, 799
- Lockhart Martinelli parameter, 813
- mass flux for, 813
- modified Froude number, 813
- momentum equation for, 800
- Nusselt's analytical solution for, 799
- thermal energy conservation equation for, 801
- vertical wall, 800, 805
- void fraction, 814
- condensation correlations
 - film condensation
 - vertical wall, 805, 808
 - horizontal downward facing plate, 810
 - horizontal upward facing plate, 811
 - single horizontal cylinder, 811
 - single horizontal finned tube, 811
 - bank of horizontal cylinders, 811
 - flow condensation, 813
- condenser, 876
- conductance, 675, 831, 832, *see also* heat exchangers
- conduction heat transfer, 1, 483
 - Fourier's law, 1
 - microscale energy carriers, 1, 483
- conduction in bounded shapes, *see* bounded transient conduction
- conduction in semi-infinite materials, *see* semi-infinite transient problems
- conduction matrix, E6–13, *see also* finite element solution
- conduction through composite materials, *see* effective conductivity
- conductivity, *see* thermal conductivity
- configuration factor, 989
- constants of integration, 7
- contact resistance, 14, 119
- continuity equation, 495, 500, 508, 739
- contour plots in EES, 120
- contraction loss coefficient, 840
- convection, 14, 483, *see also* internal flow, external flow, natural convection
- convection matrix, E6–19, *see also* finite element solution
- convection number, 793
- cooling coils, E23–36, E23–51
- correlated quantities, 552, 560, 567
- correlations, *see* external flow correlations, internal flow correlations, or natural convection correlations
- cosh, 101, 141
- Couette flow approximation, 558, 568
- counter-flow configuration, 824, 830, *see also* heat exchangers
- Crank-Nicolson Method, 330, 706, *see also* numerical integration techniques
- critical heat flux, 780, *see also* boiling
- critical Reynolds number, 542
- critical time step, 321, 324, 328, 435, *see also* numerical integration techniques
- cross-flow heat exchanger, 827, E20–1, E21–1, *see also* heat exchangers
- crossed and uncrossed strings method, 992, 993
- cumulative probability of direction of emission, 1061, *see also* Monte Carlo method
- current lead, 171
- cylinder
 - external flow over, 609, *see also* external flow correlations
 - natural convection from, 752, *see also* natural convection flow correlations
 - resistance to radial conduction through, 10
 - thermal energy generation in, 29
 - transient conduction in, 401, *see also* bounded 1-D transient conduction
- cylindrical coordinates
 - continuity equation in, 496
 - momentum conservation equation in, 498
 - separation of variables solutions in, E3–12, E7–1
 - thermal energy generation equation in, 499
 - viscous dissipation in, 499
- dead head pressure, 659
- dead volume, 940
- defrosting regenerators, 960
- design process, 670
- deterministic method, 1058
- dewar, 17
- differential equations, solving with Maple, 8, 26, 39, 98
- diffuse gray surfaces, 1016, 1023, *see also* radiation radiation exchange between, 1027
- diffusive transport, 488
- diffuse surfaces, 981, 1016, 1019, 1023, *see also* radiation radiation
- diffusion coefficient, E23–6, *see also* mass transfer
- diffusive time constant, 348, 351, 353, 416, 427, 460
- diffusion tube, E23–19
- dimensional analysis, 506, 515
- dimensionless continuity equation, 508
- dimensionless momentum equation, 509, 520
- dimensionless parameters
 - axial conduction parameter, 905
 - Biot number, 94, 95, 128, 143, 208, 263, 287, 302, 307, 310, 339, 398, 402–405, 418, 754, E3–1
 - boiling number, 793
 - Brinkman number, 691, 699
 - capacity ratio, 855
 - Colburn j_H factor, 839, 950
 - convection number, 793
 - drag coefficient, 513, 517
 - Eckert number, 510, 691
 - effectiveness, 852
 - Fourier number, 398, 402, 404, 406, 416, 425
 - friction coefficient, 492, 494, 511, 534, 579
 - friction factor, 641, 839
 - Froude number, 793, 814
 - Galileo number, 813

- dimensionless parameters (*cont.*)
 Graetz number, 662
 Grashof number, 738
 Knudsen number, 4
 Lewis number, E23–22
 Lockhart Martinelli parameter, 813
 modified Froude number, 813
 modified Reynolds number, 687
 number of transfer units, 855, 943
 Nusselt number, 491, 494, 513, 519
 Peclet number, 691, 699
 Prandtl number, 485, 510, 519, 546, 647, 739, 839
 Rayleigh number, 739
 Reynolds number, 485, 517, 542, 637, 839, 950
 Schmidt number, E23–22
 Sherwood number, E23–23
 Stanton number, 839
 utilization, 943
- dimensionless thermal energy conservation
 equation, 509, 520
- direct numerical simulation, DNS, 548
- distillation, 807
- drag coefficient, 513, 517
- drag force, 513, 517
- drawing a wire, 136
- drop condensation, 798, *see also* condensation
- dry coil/wet coil analysis of a cooling coil, E23–38,
 E23–52
- dry-out, 790, *see also* boiling
- Duhamel's theorem, 428, E9–1
- Eckert number, 510, 691
- economic analysis, Appendix A.5, E28–1
 economic figures of merit, E28–7
 EES functions for, E28–2
 life-cycle cost, E28–3
 life-cycle savings, E28–5
 P1/P2 method, E28–3
 payback time, E28–8
 present worth, E28–1
 return on investment, E28–8
- eddy diffusivity of heat transfer, 567, *see also*
 turbulent flow
- eddy diffusivity of momentum, 560, 562, 566, 717,
see also turbulent flow
 Prandtl-Taylor mixing length model, 561, 562, 565,
 717
 Spalding model, 565, 722
 van Driest model, 565
 von Kármán model, 565
 wake region, 566
- eddy temperature fluctuation, 557, 559, *see also*
 turbulent flow
- eddy velocity, 557, 558, *see also* turbulent flow
- EES, Engineering Equation Solver
 2-D interpolation in, E5–5
 altering values in parametric tables, 23, 120, 121,
 220–221
 arrays in, 48
 built-in constants in, 984
 Calculator window, 394
 checking units in, 21
 comments in, E24–6
 constants in, 984
 contour plots in, 120–121, 220–221
 curve fits with, 658, E5–6
 dealing with convergence issues in, 58–59, E24–5
 dealing with implicit sets of equations in, 20–21
 economic functions in, E28–2
 evaluating implicit eigenvalues with, 412, 420
 functions, user-defined in, 46, 340
 formatted equations window, 32, E24–3
 guess values, 44, 413, 424
 ideal vs real gas property functions in, 888
 Integral Table, 333, 343, 461, 583
 integration parameters, 334
 limits on variables, 413, 424
 interpolation in, E5–5
 logic statements in functions, 341
 lookup tables, 517, 658
 lower and upper bounds, 44
 Min/Max, 44, 367, 369, 765, 901
 Min/Max Table, 369
 nested duplicate loops, 255
 numerical integration in, 332
 parametric tables, 23, 221, 517, E24–12
 plots in, 22–24, E24–14
 procedures in, 656
 property functions, 2, E24–9
 property plots in, 877
 psychrometric functions, E23–52, E23–61
 optimization with, E2–3, 44, 367, 369, 765, 901
 setting units for arrays, 49
 setting units for variables in functions, 47
 solving tables, 21, 121, 517
 string variables in, 878
 uncertainty propagation in, 206
 units, E24–4, 21, 32
 update guess values, 59
 using EES effectively, E24–4
 Variable Information window, 21, E24–7
 X-Y plots, 22–24
 X-Y-Z plots, 120–121, 220
- EES heat transfer examples, E24–15
- EES functions, commands, and directives
 BesselK, BesselI, BesselY, BesselJ, 152, 159
 convert function, 19, 32
 conductivity function, 2
 convert function, E24–6
 converttemp function, E24–8
 cosh function, 142
 duplicate loop, 48, 255
 ek_LJ, E23–9
 if function, 716, 756
 if-then-else statements, 341
 Integral command, 332, 343, 452, 582, 622, 756,
 797, 890, 1011
 Interpolate2D function, E5–5
 k_ function, 2, 57, 892
 lookup function, 517
 max function, 53, 66, 859
 min function, 859

Index

1095

- MolarMass function, E23–10
- PWF function, E28–2
- sigma_LJ function, E23–10
- sinh function, 142
- sum function, 142, 220
- \$IntegralTable directive, 333, 343, 583, 623, 756, 892
- \$SumRow directive, 960
- \$TabStops directive, 2
- \$UnitSystem directive, 2, 32
- EES heat transfer libraries, E24–10
 - blackbody emissive power, 987, 988, 1026
 - boiling and condensation, 784, 785, 786, 793–794, 806, 808, 810, 883
 - compact heat exchanger, 840, 841, 879
 - diffusion coefficient, E23–10
 - dimensional vs nondimensional libraries, 108
 - effectiveness-NTU, 857, 860, 917
 - external flow convection, 601, 613, 771
 - fin efficiency, 108, 880
 - fouling factor, 831, 834
 - internal flow, 656, 657, 664, 668, 880
 - log-mean temperature difference, 847, 850
 - natural convection, 735, 743, 745, 755, 768, 771, 780, 789
 - regenerator packing correlations, 950, 957
 - regenerator solutions, 945, 958, 962
 - shape factor, 203, 276
 - transient conduction in bounded shapes, 398, 406, 416, 421
 - transient conduction in semi-infinite bodies, 362, 368
 - view factor, 996, 998, 1010, 1040, 1047
- EES heat transfer functions
 - AnnularFlow_N, 662
 - AxialConductionHX, 902
 - Blackbody, 987, 988, 1026, 1053
 - CHX_h_finned_tube, 841, 879
 - CHX_DELTAp_finned_tube, 841
 - Cond_finned_tube, 812
 - Cond_horizontal_Cylinder, 810
 - Cond_horizontal_Down, 810
 - Cond_horizontal_N_Cylinders, 811
 - Cond_horizontal_up, 811
 - Cond_horizontalTube_avg, 883
 - Cond_vertical_plate, 806, 808
 - Critical_heat_flux, 785
 - cylinder_T, cylinder_T_ND, cylinder_Q, and cylinder_Q_ND, 398, 406, 407
 - D_12_gas, E23–10
 - DuctFlow, 837
 - DuctFlow_local, 891, 901
 - DuctFlow_N, 666
 - eta_fin_annular_rect, 108, 880
 - External_Flow_Cylinder, 836
 - External_Flow_Cylinder_ND, 613, 614
 - External_Flow_Plate_ND, 601, 604, 771
 - External_Flow_Sphere_ND, 619, 622
 - F3D_1, 999, 1011, 1040, 1047
 - F3D_2, 999
 - F3D_21, 1068
 - FC_horizontal_cylinder_ND, 758, 780
 - FC_plate_horizontal1_ND, 745, 750, 789
 - FC_plate_horizontal2_ND, 746, 751
 - FC_plate_tilted, 748
 - FC_plate_vertical_ND, 743, 750, 771
 - FC_sphere_ND, 753, 755
 - FC_vertical_cylinder_ND, 760
 - FC_vertical_channel_ND, 762
 - FDiff_2, 1010
 - Flow_Boiling procedure, 792, 795
 - FoulingFactor, 831, 834
 - HX, 860, 917, 945, 958
 - LMTD_CF, 850
 - Nucleate_Boiling, 784, 787, 809
 - PackedSpheres, 950
 - PackedSpheres_ND, 950
 - PipeFlow, 833, 880, 915
 - PipeFlow_N, 656, 660, 664, 668, 723, 833
 - PipeFlow_N_local, 664, 668
 - planewall_T, planewall_T_ND, planewall_Q, and planewall_Q_ND, 398, 400, 421
 - RegeneratorHX, 962
 - Screens, 952
 - Screens_ND, pg. 951
 - SemiInf3, 368, 417
 - SF_7, 277
 - SF_11, 204
 - sphere_T, sphere_T_ND, sphere_Q, and sphere_Q_ND, 398
 - Tilted_Rect_Enclosure_ND, 768
 - Triangular_Channels, 953
 - Triangular_Channels_ND, 952, 957
- EES tutorial, Appendix A.1, E24–1
- effective
 - conductivity, 278, 279, 280, 284, 363
 - density, 279, 364
 - generation, 279, 282
 - kinematic viscosity, 485
 - specific heat capacity, 279, 364
 - turbulent thermal diffusivity, 547
- effectiveness, 852, 853
- effectiveness-NTU method, 851, 858, 895
 - behavior as capacity ratio approaches zero, 862
 - behavior as number of transfer units approaches zero, 863
 - behavior as number of transfer units becomes large, 864
 - capacity ratio, 855
 - derivation of for counter-flow heat exchanger, 853
 - EES library for, 857
 - effectiveness, 852, 853
 - heat exchanger design with, 865
 - maximum heat transfer rate, 852
 - number of transfer units, 855
 - regenerators, 943, *see also* regenerators
 - sub-heat exchanger modeling with, 897
 - summary of solutions, 856, 857
- eigenproblems and eigenfunctions, 212
 - orthogonality, 217
 - eigenvalues, 213
- electromagnetic radiation, 979

- electromagnetic spectrum, 980
- electronics cooling, 786
- electrons, 5
- emissivity, 16, 297
- emittance
 - hemispherical, 1012
 - spectral directional, 1012
 - total hemispherical, 1014
- enclosure rule, 990
- energy balance, 671, 828
- energy recovery wheel, 953
- enthalpy, 134, 483, 671
- enthalpy-based effectiveness analysis of a cooling coil, E23–58, E23–60
- entrained heat capacity, 940, *see also* regenerators
- erf function, 359
- erfc (complementary error function), 359
- Euler's technique, 318, 704, *see also* numerical integration techniques
- Evaporation, 778, E23–28, *see also* boiling and mass transfer
- excess temperature difference, 780, *see also* boiling
- expansion loss coefficient, 84
- exponential functions, 97, 212, 213
- exponentially distributed grid, E18–12
- exporting data from FEHT to EES, E5–5
- extended surfaces, 92
 - analytical solution for advanced constant cross-section, 122, 129, 136, 288
 - analytical solutions for constant cross-section, 95, 122
 - analytical solutions for non-constant cross-section, 139, 142, 158
 - Biot number, 94, 110, 128, 143, 232, 263, 289, E3–1
 - Bessel function solutions, 142, 157, 162
 - extended surface approximation, 92
 - fin efficiency, 105–106, 233
 - fin solutions for different end conditions, 104
 - fin solutions for different geometries, 109
 - homogeneous and particular solutions, 97, 123, 125, 144
 - moving extended surfaces, 133, 136
 - numerical solutions, 164, 165, 171
 - with additional thermal loads, 122, 284
- external flow, 483
- external flow correlations, 593
 - bank of cylinders, 617
 - cylinder, 609, 615
 - average Nusselt number, 611, 614
 - drag coefficient, 611
 - Nusselt number, 611, 613
 - Reynolds number, 611
- flat plate, 593, 602, 603
 - average friction coefficient, 596, 604
 - average Nusselt number, 599, 605, 771
 - local friction coefficient, 593
 - local Nusselt number, 598
 - momentum boundary layer thickness, 594
 - Reynolds number, 593
 - surface roughness, 607
 - unheated starting length, 606
 - uniform heat flux, 606
 - viscous sublayer thickness, 595
- non-circular extrusions, 617
 - average Nusselt number, 617, 618
 - Reynolds number, 618
- Sphere, 618, 622
 - average Nusselt number, 619
 - drag coefficient, 619
 - Reynolds number, 618
- external fractional function, 986, 988, 1024, *see also* radiation
- extrusions, flow across, 617, *see also* external flow correlations
- \hat{F} parameter, 1043, 1046, *see also* radiation
- Falkner-Skan transformation, 542, E12–1
- fan power, 959
- FEHT (Finite Element Heat Transfer) program, EX 2.8–1, 269, 271
 - anisotropic properties in, 272, 281, 285, E5–1
 - exporting data from FEHT to EES, E5–5
 - extended surface problems, E27–9
 - mesh, E5–4, E27–7
 - refining a mesh, E5–4
 - setting up geometry in, E5–3, E27–3
 - specifying boundary conditions in, E5–4, E27–5
 - specifying material properties in, E5–4, E27–5
 - temperature contours, E27–8
- FEHT tutorial, Appendix A.4 (E27–1)
- fiber optic bundle, 282
- Fick's Law, E23–5, *see* mass transfer
- film boiling, 782
- film condensation, 798, *see also* condensation
- film temperature, 593, 603
- film thickness, 798
- finite difference solution, *see* numerical solutions
- finite element software, E5–1
- finite element solution, E5–1, E6–1
 - boundary vector, E6–17
 - conduction matrix, E6–13
 - convection matrix, E6–17
 - FEHT, E5–1, *see* FEHT
 - Galerkin weighted residual method, E6–1, E6–7
 - implementation in MATLAB, E6–22
 - interpolating functions, E6–9
 - pde toolbox in MATLAB, E6–30
 - triangular coordinates, E6–12
 - triangular elements, E6–12
 - weak form of the heat diffusion equation, E6–4
 - weighted average residual equation, E6–2
 - weighting functions, E6–8
- fins, 92, 826, *see also* extended surfaces
 - adiabatic tip, 99, 104
 - applications that benefit from, 114
 - behavior, 103
 - convection from tip, 104, 107
 - constant cross-sectional fin, 95
 - dimensionless heat transfer rate, E2–3
 - finned surfaces, 113
 - fin efficiency, 105, 111, 113, 118, 148, 258, 835, 879

- fin efficiency for various fin geometries, 109
- fin efficiency library in EES, 108
- fin effectiveness (ϵ_{fin}), 114, 115
- fin parameter (mL), 103–104, 108, 111, 122, 149
- fin optimization, E2–1
- fin resistance, 106, 111, 115, 118
- in resistance networks, 110, 112, 119
- infinitely long fin, 104
- optimization, E2–1
- rectangular annular, 109
- rule of thumb for design, E2–4
- solutions for various tip conditions, 104
- specified tip temperature, 104
- spine rectangular, 109
- spine triangular, 109
- straight parabolic, 109
- straight rectangular, 109
- straight triangular, 109
- surface efficiency, 116, 117
- surface resistance, 117
- surfaces with, 113, 117
- tip condition, 99, 104
- wedge fin, 142, 143, 148
- 2-D solution for fin, 225, 252
- finned surfaces, 115, 835, 880
- flat plate, 484, *see also* external flow correlations
- flow boiling, 779, *see also* boiling
- flow condensation, 81, *see also* condensation
- form drag, 607
- fouling resistance, 831
- Fourier number (Fo), 397, 402, 404, 406, 416, 425
- Fourier's law, 1, 488
- free convection, 735, *see also* natural convection
- free-stream, 484
 - temperature, 484
 - velocity, 484
- friction coefficient, 593
 - approximate value, for laminar external flow, 492
 - average, 596
 - correlations for, 511, 593
 - definition, 492
 - EES procedures for, 601
 - flat plate, 593
 - integral solution for, 579, 592
 - self-similar solution for, 534
 - transpiration, 583
 - turbulent flow, 592
- friction factor, 641
 - apparent or average, 643
 - average, 643
 - compact heat exchange, 839
 - correlations for, *see* internal flow correlations and regenerator matrix correlations
 - Darcy, 642
 - effect of developing region, 642
 - Fanning, 643
 - local, 642
 - Moody, 642
 - parallel plate, 688
 - regenerator, 688
- Froude number, 793
- fully developed flow, circular tube, 689, 691, E14–1
- fully developed flow, parallel plates, 687
- fully implicit method, 328, *see also* numerical integration techniques
- fully rough surface, 607, 655
- functions in EES, 46
- functions in MATLAB, 77
- Galerkin method, E6–1
- gas, thermal conductivity of, E1–1
- gas-side, 838
 - conductance, 838
 - friction factor, 838
 - pressure drop, 838
- Gauss-Seidel iteration, E4–1
- Gaussian error function, 359
- generation, *see* thermal energy generation
- geometric resistance, 1001
- global warming, 1006
- Graetz number, 663
- Grashof number, 738, E15–3
- gravity force, 497
- gray surface approximation, 1016, 1023, *see also* radiation
 - radiation
- gray surface radiation exchange, 1029, *see also* radiation
- green house effect, 1006
- guess values for non-linear equations, 931
- heat exchanger, 823
 - applications of, 823
 - axial conduction, 902, 918, *see also* axial conduction in heat exchangers
 - capacitance rate, 829
 - classifications, 824
 - Colburn j_H factor, 839
 - compact heat exchanger correlations, 838, 841, 879
 - concentric tube, 824
 - condensation, E23–36, E23–52, *see also* mass transfer
 - condenser, 876
 - conductance, 831, 832
 - cooling coil, E23–36, E23–52
 - counter-flow configuration, 824, 830, 896, E17–1
 - cross-flow configuration, 827, 877, 919, E20–1, E21–1
 - design of, 865
 - direct transfer, 824
 - discretization into sub-heat exchangers, 897
 - duty curves, 869, 873
 - economic analysis of, 824
 - effectiveness-NTU method, 851, 897, E17–3, *see also* effectiveness-NTU method
 - EES libraries for, 840, 841, 847, 850
 - energy unbalance, 893
 - enthalpy-based effectiveness analysis of a cooling coil, E23–58, E23–60, *see also* mass transfer
 - EVAP-COND program, 888
 - finite difference solutions, 920
 - flow paths, 824

- heat exchanger (*cont.*)
 fouling resistance, 831
 graphical analysis, 867
 indirect transfer, 824
 laminations, 912
 local heat-transfer coefficients, 890
 log-mean temperature difference solutions, 841,
see also log-mean temperature difference
 mixed, 828, E20–1, E21–1
 networks, 872
 normalized unbalance, 894
 numerical integration of state equations, 888,
 E17–1
 numerical modeling of cross-flow, 919, E20–1,
 E21–1
 numerical modeling of parallel- and counter-flow,
 888
 numerical modeling of regenerator, E22–1
 numerical solution with axial conduction, E19–1
 overall energy balance, 828
 parallel-flow configuration, 826, 830, 889, 897
 perforated heat exchangers, 911
 phase change, 867, 870, 876
 pinch point, 867, 872, 918
 plate, 824, 890, 897
 pressure drop, 839, 841
 regenerators, 824, 937, E22–1, *see also*
 regenerators
 saturated section, 877
 shell-and-tube configuration, 824
 sub-heat exchanger models, 876, E18–1
 subcooled section, 877
 superheat section, 877
 Stanton number, 839
 temperature distribution in cross-flow heat
 exchanger, E20–7, E21–7
 types, 823
 unbalance in the heat transfer rate, 892
 unmixed, 828, E20–1
- heat and mass transfer, E23–28
 heat mass transfer analogy, E23–24
 heat sink, 117, 763
 heat transfer
 in micro-scale systems, 4
 in rarefied gases, 4
 modes of, 1
 resistance equations for, 9
 thermodynamic definition of, 1
 heat transfer coefficient
 based on boundary layer thickness, 490
 internal flow, 699
 local vs average, 494
 Heisler charts, 398
 hemispherical absorptivity, 1020, *see also* radiation
 hemispherical emissivity, 1014, *see also* radiation
 hemispherical reflectivity, 1020, *see also* radiation
 hemispherical transmittivity, 1020, *see also* radiation
 Heun's technique, 322, *see also* numerical
 integration techniques
 homogeneous differential equation, 96, 97, 123, 134,
 139, 144
 homogeneous material, 280
 homogeneous solution to differential equation, 97,
 123, 134, 144, 313, E3–4
 hot-to-cold blow, 937, 940, *see also* regenerators
 hot wire anemometer, 615
 humidity ratio, E23–41
 hydraulic diameter, 637, 650, 839
 hydrodynamically developing region, 635
 hydrodynamic entry length, 635
 laminar, 638
 turbulent, 635
 hydrodynamically fully developed region, 636
 numerical solutions for, 698, *see* numerical
 integration techniques
 hydrostatic pressure distribution, 736
 hyperbolic functions, 101, 141, 212
 hysteresis, 783
 ideal gas, E1–1, E23–4
 incompressible substance, 134, 496
 inertia-free flow, 687, 689, 799, E13–1
 infinite dilution, E23–11
 inner position, 557, 560
 inner region, 568
 inner temperature difference, 557, 559, 568
 inner variables, 557
 inner velocity, 557, 558
 integral form of the energy equation, 584, 586
 integral form of the momentum equation, 571, 575
 integral solutions, 571
 energy equation, 584, 586
 flat plate, 577, 580, 587, 591
 friction coefficient, 579, 583
 laminar velocity distributions, 576
 Maple, used to evaluate integral solutions, 578,
 580
 momentum equation, integral form of, 571, 575,
 580
 natural convection, E16–1
 numerical solutions with, 581
 Nusselt number, 590
 velocity distributions for, 575, 576
 singularity at leading edge, 582
 temperature distributions for, 587, 588
 transpiration, 580
 turbulent flows, 591
 unheated starting length, 606
 integration by parts, 378, 572, 585
 integration in EES, 332, 343, 452, *see also* numerical
 integration techniques
 integration in Maple, 216
 integration in MATLAB, 335, 453, *see also*
 numerical integration techniques
 intensity, 1012, 1018, *see also* radiation
 internal flow, pg. 635
 axial conduction in, 691
 circular tube, 689, 695, E14–1
 correlations, *see* internal flow correlations
 classification of, 650
 critical Reynolds number, 639
 energy balance, 671
 fully rough region, 655
 friction factor, 641, 650

Index

1099

- heat transfer coefficient, 644
- hydrodynamic characteristics, 635
- laminar, 635, 643, 650
- laminar hydrodynamic entry length for, 638
- laminar thermal entry length for, 644, 646
- momentum balance for, 641
- momentum equation for, 686
- numerical solutions of, 698, 712
- Nusselt number, 645, 661, 689
- parallel plates, 687, 695
- Reynolds number for, 637, 650, 689
- scaling/simplifying the thermal energy equation for, 689
- shear stress/pressure gradient relationship, 641, 713
- simultaneously developing, 650, 662
- surface roughness, 650
- thermal boundary conditions, 662
- thermal characteristics, 644
- thermal energy equation for, 689
- turbulent, 639, 643, 648, 650
- turbulent hydrodynamic entry length for, 640
- viscous dissipation in, 691
- viscous sublayer thickness in, 655
- internal flow correlations, 649, 657, 661, 668
 - laminar flow, 651, 662
 - annular duct friction factor, 653
 - annular duct Nusselt number, 667
 - circular tube friction factor, 651
 - circular tube Nusselt number, 661
 - rectangular duct friction factor, 652
 - rectangular duct Nusselt number, 665
 - turbulent flow, 654, 667
 - fully rough internal flow friction factor, 656
 - smooth duct friction factor, 654
- internal vs external flow characteristics, 636
- interpolating functions, E6–9
- irradiation, 1020, 1028, *see also* radiation
- isothermal limit for heat transfer, 272
- isotropic properties, 279

- k - ϵ model of turbulence, 556
- kinematic viscosity, 485
- kinetic theory, E1–1
- Kirchoff's Law, 1020, *see also* radiation
- Knudsen number, 4

- Laplace transform method, 369
 - description of, 369
 - inverse Laplace transform, 372, 377, 383, 389, 393, E29–1
 - Laplace transformation, 370, 378, 381, 387, 392
 - lumped capacitance solutions with, 380
 - numerical inverse Laplace transform, E29–1
 - ordinary differential equation solutions with, 380
 - partial differential equation solutions with, 386, 392
 - partial fractions, method of 372, 383
 - properties of Laplace transforms, 378, 380
 - semi-infinite body solutions with, 386, 392
 - supplemental inverse Laplace transforms for Maple, 378, 390
 - table of common transforms, 371
 - using Maple for, 371, 377, 380, 387, 389
- Laplace's equation, 209
- laser-assisted machining, E3–12
- law of the wall, 562
- Leidenfrost point, 783, *see* boiling
- Lennard-Jones 12–6 potential characteristic energies, E23–8
- Lewis number, E23–22
- Liebniz' rule, 574, 586
- life-cycle cost, E28–3
- limits, with Maple, 158, 163, 217, 239, 856
- linear differential equation, 96, 215
- linear system of equations, 70, 83, 258
- lithography, 38, 261
- local friction coefficient, 494
- local Nusselt number, 494
- Lockhart Martinelli parameter, 813
- log-law, 564, *see also* turbulent flow
- log-mean temperature difference, LMTD, 841, 848
 - correction factor for, 847, 850
 - counter-flow heat exchanger, 846, 849
 - cross-flow heat exchanger, 847
 - derivation for counter-flow heat exchanger, 842
 - EES libraries for, 847, 850
 - LMTD capacitance ratio, 847
 - LMTD effectiveness, 847
 - parallel-flow heat exchanger, 846
 - shell-and-tube heat exchanger, 847
- logarithmic distribution of nodes, 715
- lubrication problems, E13–1
- lumped capacitance problems, 302, 418
 - analytical solutions of, 306, 308, 312
 - approximation, 302
 - assumption, 302
 - Biot number, 302, 307, 310, 339, 754
 - conduction length, 302, 307, 311, 339
 - derivation of governing differential equation for, 303, 308
 - Laplace transform solution of, 380
 - lumped time constant, 304, 308, 311, 340, 353, 427, 435, 460
 - numerical solutions of, 317, 339, 344, 755, *see* numerical integration techniques
 - radiation in, 339, 344
 - response in some limiting conditions, 305
 - solutions to some typical problems, 306
- lumped time constant, 304, 308, 311, 340, 353

- Maple
 - analytical solutions with, 26, 214, 314, 693
 - applet, E25–1
 - assuming a variable is positive in, 147, E25–7
 - assuming a variable has an integral value in, 214, 230–231
 - boundary conditions, evaluating symbolic expressions for, 41, 291, 313, E25–14
 - Bessel equations in, 146, 149, 158
 - comments in, E25–2
 - converting units in, E25–2
 - copying expressions to EES from Maple, 41
 - defining a function in, 214

- Maple (*cont.*)
 differentiation in, E25–6
 EES, using with Maple, 37, 41, 232, 288, 313, 426, E25–8
 evaluating a function in, 214, E25–3
 hyperbolic and trigonometric functions in, 102
 integral solutions with, 578, 580
 integrating in, 216, 219, 221, 231, E3–19, E25–7
 inverse Laplace transforms with, 376, 389
 Laplace transforms with, 371, 382, 387
 limits with, 158, 163, 217, 239, 856, E25–8
 partial fractions with, 374–376
 self-similar solutions with, 357, 360, 527, 537
 solving algebraic equations with, E25–4
 solving differential equations with, 98, 124, 126, 136, 146, 158, 212, 288, 313, 579, E25–12
 supplemental inverse Laplace transforms for, 378, 390
 symbolic equations for boundary conditions, 41, 289, 313, E25–14
 with EES, 37, 41, 232, 288, 313, 426, E25–8
- Maple functions, identifiers, and commands
 assume, 147, 214, 221, 385, E25–7
 BesselI, BesselK, BesselJ, BesselY, 147, 149, 158, 163
 convert, 102, 374, 377, E25–2, E25–3
 D operator, 527
 diff, 8, 98, 124, 126, 136, 146–149, 158–159, 288, 313, 357, 414, 579, E25–6, E25–12
 dsolve, 8, 98, 124, 126, 136, 146–147, 158, 212, 288, 313, 388, 579, E25–13
 exp identifier, 377
 eval, 8, 102, 159, 313, 414, E25–3
 evalf, E25–5
 int, 216, 219, 221, 230, 415, 426, 579, E25–7
 intrans library, 371, 377, 387, 389
 invlaplace, 376, 385, 389
 laplace, 372, 382, 387
 limit, 158, 163, 217, 239, 856, E25–8
 parfrac identifier, 374
 %, 29
 restart, 8
 rhs, 8, 100, 289, 313
 simplify, 29, 215, 414, E25–5
 solve, 9, 100, 385, E25–4
 subs, 9, 100, 382, 387, E25–5
 ~, 147
 with, 371, 382
- Maple tutorial, Appendix A.2, E25–1
- mass convection, E23–15, *see also* mass transfer
- mass flux, 792, 813, 839, 949
- mass fraction, E23–2
- mass transfer, E23–1
 air-water mixtures, E23–9, E23–26, E23–36
 analogies to momentum and energy transfer, E23–21
 binary mixtures, E23–7, E23–8
 blowing factor, E23–24, E23–27
 coefficient, mass transfer, E23–23
 composition relationships, E23–1
 concentration, E23–4
 concentration boundary layer, E23–21
 concentration gradient, E23–1
 cooling coil analysis, E23–36, E23–51
 diffusion of mass, E23–1, E23–21
 diffusion coefficient, E23–6, E23–7, E23–9, E23–11
 diffusion coefficient for binary mixture, E23–8
 diffusion tube, E23–20
 dry coil/wet coil analysis of a cooling coil, E23–38, E23–52
 enthalpy-based effectiveness analysis of a cooling coil, E23–58, E23–60
 Fick's law, E23–5
 heat mass transfer analogy, E23–24, E23–26
 humidity ratio, E23–41
 ideal gas relationships, E23–4
 infinite dilution, E23–11
 Lewis number, E23–22
 mass convection, E23–15
 mass fraction, E23–2
 mass transfer coefficient, E23–23, E23–26
 molar mass, E23–3
 mole fraction, E23–3
 partial pressure, E23–4
 saturation specific heat capacity, E23–37, E23–44, E23–60
 stationary fluid, E23–15
 stationary medium, E23–12
 Schmidt number, E23–22, E23–26
 Sherwood number, E23–23
 simultaneous heat and mass transfer, E23–28, E23–36
 Stefan's law, E23–18, E23–20
 wet-bulb temperature, E23–29, E23–31
 wet coil, E23–37
 wet coil conductance, E23–37, E23–47
- mass transfer coefficient, E23–23, *see also* mass transfer
- mass velocity, 792, 813
- MATLAB
 advantages of, 68–69
 command history, E26–1
 command line, E26–1
 comments in, 71
 computation time, 81
 contour plots in, E4–4
 element by element operations, E26–6
 for loops, E26–10
 functions, E26–6
 finite element solution in, E6–22
 for loops, 72, 264
 functions, user-defined, 77, 80, 172, 262, 344
 Gauss-Seidel iteration with, E4–1
 inverse Laplace transform with, E29–1
 logic statements in, 345, E26–9
 mapping function calls in, 337
 matrices, entering, E26–2
 M-file editor, 71, E26–6
 Monte Carlo method with, 1059, 1068
 nested for loops, 266
 numerical integration in, 335, 704

- minimization with, 182–185, E15–18
- optimization with, 182–185, E15–18
- ordinary differential equation solvers in
 - MATLAB, 335, 710
- parameterization of functions in, 184–185
- path definition, 71, E26–7
- pde toolbox, E6–30
- plotting in, 76, 79, 268
- random numbers with, 1060
- single-variable optimization in, 182–185
- script, 71, 77, E26–6
- search path, 71, E26–7
- slash, E26–4
- sparse matrices in, 81, 176, 265–266, 441, 709, 923
- solving matrix equations in, 75, 177
- sub-functions in, 80
- while loops, E26–10
- working with matrices in, E26–3
- workspace, 77, 184, E26–1
- MATLAB functions, commands, and keywords
 - abs, 177
 - @, 184–185
 - backslash, 75, 267
 - clear all, 179
 - colorbar, 268
 - contourf, E4–4
 - fminbnd, 182–184
 - fminsearch, E15–18
 - for-end, 72, 179, E26–10
 - function-end, 77
 - help, 86
 - if-then-else, 345, E26–9
 - interp1, 86, 173
 - inv, 75
 - invlap, E29–6
 - max, 79
 - mesh, 268
 - ode15s, 338
 - ode45, 335, 348, 453, 711
 - odeset, 337, 456, 711
 - ones, 455
 - optimset, 183
 - pathtool, 71, E26–7
 - pdeplot, E6–29
 - %, 71
 - plot, 76
 - rand, 1060
 - 'RelTol' property for odeset, 338, 456, 711
 - ;;, 72, 178
 - size, 711
 - sum, 90, 177, 712
 - spalloc, 82, 88, 176, 265–266, 441, 709, 923
 - tic, 81
 - toc, 81
 - while, 83, 176, 1059, E4–3, E26–10
 - zeros, 73
- MATLAB tutorial, Appendix A.3, E26–1
- matrix, 937, *see also* regenerators
- matrix equations, 69–71
- mean free path, E1–1
- mean temperature, 644, 702
- mean velocity, 637, 688, 716
- measurement of heat transfer coefficient, E5–1
- mesh, 951
- metabolic heat generation, 31
- method of undetermined coefficients, 125, 313
- micro-scale systems, 4
- mixed free and forced convection, 768
- mixing length model, 563–564, 566
- modified Bessel function, 147
- modified Froude number, 813
- modified Reynolds analogy, 493, 592
- modified Reynolds number, 687
- molar mass, E23–3
- mole fraction, E23–3
- momentum boundary layer, *see* boundary layer
- momentum conservation equations, 496, 501, 509, 686, 736, 739
- momentum diffusion time, E13–1
- Monte-Carlo methods, 1058
 - convergence of, 1065, 1075
 - cumulative probability of direction of emission, 1061
 - flow chart for radiation calculations with, 1069
 - radiation heat transfer determination, 1068
 - spherical coordinate system, 1060
 - surfaces with temperature variation, 1076
 - view factor determination with, 1058
- mounting error, 165
- moving extended surface, 133, 136
- multi-dimensional transient problems, E11–1
- multi-mode problems, 1055
- multi-scale modeling, E3–22
- nano-scale systems, 4
- Navier-Stokes equation, 498
- natural convection, 735
 - boiling regime, 780
 - boundary layer thickness, 759, E15–3
 - Boussinesq approximation, 740
 - cells, 735
 - characteristic velocity for, 737
 - combined free and forced convection, 768, 771
 - comparison to external flow correlations, 743
 - correlations for, 741, *see also* natural convection correlations
 - critical Rayleigh number for turbulence, 742
 - critical Rayleigh number in a cavity, 766
 - dimensionless differential equations for, 741
 - dimensionless parameters for, 735, 738, 741
 - flow induced in, 735
 - governing differential equations for, 741–742
 - integral solution for, E16–1
 - self-similar solution for, E15–1
 - stability of, 735
 - natural convection correlations, 741, 789
 - cavity, vertical parallel plates, 760, 763
 - cylinder, horizontal, 757, 780
 - cylinder, vertical, 758
 - enclosure, 766
 - plate, at an arbitrary tilt angle, 747, 748

- natural convection correlations (*cont.*)
 plate, heated downward facing or cooled upward facing horizontal, 745
 plate, heated upward facing or cooled downward facing horizontal, 744, 789
 plate, vertical heated or cooled, 742, 769
 sphere, 752, 753
 Newton's law of cooling, 14
 Newtonian fluid, 497
 non-linear system of equations, 83, 175
 NTU, 855, 937, 943, *see also* effectiveness-NTU solution and regenerators
 no-slip condition, E13-1
 nucleate boiling, 780, 784, *see also* boiling
 nucleation sites, 780, *see also* boiling
 number of transfer units, 855, 937, 943, *see also* effectiveness-NTU solution and regenerators
 numerical derivative, 368
 numerical integration techniques, 317
 adaptive step-size, 328, 343, 336, 452
 corrector step, 324, 342, 443
 Crank-Nicolson method, 330, 449, 532, 595, 706
 critical time step, 321, 324, 328, 435
 distribution of nodes for turbulent flow, 714
 distribution of time steps, 318, 430
 EES Integral command, 332, 343, 452, 461, 622, 702, 719, 756
 Euler's method, 318, 430, 704
 explicit techniques, 319, 322, 323
 finite element solution, *see* finite element solution
 fully implicit method, 328, 438
 global error, 321, 329, 331, 326
 heat exchanger solutions with, 888
 Heun's method, 322, 339, 344, 442
 implicit techniques, 328, 331
 instability, 319, 329, 435, 449, 706
 Integral command in EES, 332
 internal flow problems, 697
 local integration error, 319, 324, 326
 lumped capacitance transient problems, 317, 755
 mapping a function in MATLAB, 337, 711
 MATLAB ode functions, 335, 347, 453, 467, 710
 order of technique, 319, 324, 326, 332, 445, 449
 predictor-corrector technique, 322, 342, 442
 predictor step, 323, 326, 342, 443
 Runge-Kutta method, 326, 445
 self-similar solutions obtained using, 530
 state equation(s), 317, 332, 336, 342, 347, 430, 459, 466, 700, 890
 temperature-dependent properties, 463
 time step duration, 318, 332
 turbulent internal flow, 712
 1-D transient problems, 428, 458
 numerical solutions
 alternative rate models, 61, 63
 boundary nodes, 256-258
 dealing with convergence issues in EES, 59
 EES, 45, 62, 166, 251
 exponentially distributed grid, E18-12
 extended surfaces, 164, 166, 171
 Gauss-Seidel iterative technique, E4-1
 heat exchangers, 919, E19-1
 internal flow problems, 697
 linearization of radiation term, EX 1.9-2, 176
 MATLAB, 71, 172, 260, 923
 matrix format, 69-71, 73-75, 176, 260, 923
 mesh convergence, 44, 52-53, 169, 267, 317, 896
 non-uniform distribution of nodes, 47
 one-dimensional transient problems, 428
 plane wall, 429
 regenerator, 962
 sanity checks on, 45, 54, 251, 270, 317
 sparse matrices, 80, 88, 176, 923
 spherical, 1-D problem, 62
 steady-state 1-D conduction problems, 44, 68, 164
 steady-state 2-D conduction problems, 250, 260
 successive substitution, 83, 84, 176, 931
 temperature-dependent properties, 55, 82, 84, 171, 463, 927
 transient problems, *see* numerical integration techniques
 verification of, 45, 66-68, 170, 259, 317
 2-D distribution of nodes, 263
 Nusselt analysis of condensation, 799, *see also* condensation
 Nusselt number
 approximate value, for laminar external flow, 491
 approximate value, for laminar internal flow, 491
 as a length ratio, 491
 average, 599
 correlations for, 513, 519
 definition of, 491, 593
 EES procedures for, 601
 flat plate, 598
 integral solution, 590, 592
 internal flow, 644, 699, 713
 self-similar solution, 541
 turbulent flow, 592, 713
 ohmic heating, 165, 171, 457, 615
 opaque surface, 1019, *see also* radiation
 open-circuit flow, 660
 optimization, E2-4, 44, 182-184, 765
 order of magnitude analysis, 500
 ordinary differential equation, 207
 orthogonality, property of, 216, E3-12
 outer coordinates, 566
 overall surface efficiency, 116, 117, 835, 880
 ozone, 981
 P1/P2 method, E28-3
 packed bed of spheres, 950
 parabolic partial differential equation, 697
 parallel-flow configuration, 824, 830, *see also* heat exchangers
 parallel plates, flow between, 687
 partial differential equation, 207, 208
 partial fractions, 372, 383
 partial pressure, E23-4
 particular differential equation, 97, 123, 125, 135, 313
 particular solution to differential equation, 97, 123, 125, E3-4
 payback time, E28-8
 peak heat flux, 782, *see also* boiling

Index

1103

- Peclet number, 691, 699
 perforated plate heat exchanger, 911
 periodic steady state, 939, E10–1
 phase change in heat exchangers, 876
 phase lag due to dynamic characteristics, 316
 phonons, 5
 pinch point analysis, 867
 Planck's Law, 984, *see also* radiation
 plane wall, 5, 396, *see also* bounded transient problems
 resistance to conduction through, 9
 thermal energy generation in, 24
 transient conduction in, 396
 plate heat exchanger, 824, 889, *see also* heat exchangers
 polynomial series, 139
 pool boiling, 779, *see also* boiling
 pore volume, 940
 porosity, 948, *see also* regenerators
 potential flow theory, E12–1
 power law velocity distribution, 566
 Prandtl's mixing length mode, 561, 562
 Prandtl number (Pr), 485, 510, 546, 589, 647, 739, 839
 present worth, E28–1
 pressure forces, 497
 pressure gradient, 494, 566, 609, 642
 pressure-enthalpy diagram, 878
 prime surface area, 116, 835
 product solution, E11–5
 psychrometric chart, E23–37
 pump curve, 657

 quenching process, 365, 391

 radiation, 979
 absorptivity, 1018
 blackbody characteristics, 982, 1019
 blackbody emission, 981
 blackbody emission in wavelength bands, 985, 987
 blackbody spectral emissive power, 982
 blackbody radiation exchange, 1001, 1002
 crossed and uncrossed strings method, 992, 993
 description of, 979
 differential view factors, 1009
 diffuse gray surface, 1016, 1023
 diffuse gray surface radiation exchange, 1027, 1033
 diffuse surface, 981, 1016, 1019, 1023
 EES view factor library, 996, 998
 electromagnetic spectrum, 980
 emission of by a blackbody, 981
 enclosure rule, 990
 external fractional function, 986, 1026
 \hat{F} parameter, 1043, 1046
 geometric resistance, 1001
 gray surface, 1016, 1023
 gray surface radiation exchange, 1029, 1046
 heat transfer coefficient, 16, 339, 405, 1055
 hemispherical absorptivity, 1020
 hemispherical emissivity, 1014
 hemispherical reflectivity, 1020
 hemispherical transmittivity, 1020
 importance of, 1055
 intensity, 1012, 1018
 irradiation, 1020, 1028
 Kirchoff's law, 1020
 Monte Carlo method, radiation heat transfer with, 1068
 Monte Carlo method, view factors with, 1058
 multi-mode problems, 1055, 1057
 N -surface solutions, 1006, 1007, 1036, 1041, 1046
 net rate of heat transfer, 989
 opaque surface, 1019
 Planck's law, 982, 984
 radiosity, 1028
 real surfaces, 1012
 reciprocity, 991
 reflectivity, 1018
 re-radiating surface, 1043
 resistance networks, 1002, 1002, 1032, 1033, 1035, 1036, 1038
 selective surface, 1024
 semi-gray surface, 1016, 1023, 1024
 semi-gray surface radiation exchange, 1050, 1051
 shields, 1030
 solid angle, 1013
 space resistance, 1001, 1033
 spectral directional emissivity, 1014
 spectral emissive power, 981, 1013
 spectral irradiation, 1020
 specular surface, 1019
 spherical coordinate system, 1013
 Stefan-Boltzmann constant, 983
 surface resistance, 1029, 1033
 surface-to-surface resistance, 1001, 1033
 thermal, 980
 thermal resistance to, 16
 total hemispherical absorptivity, 1022
 total hemispherical emissivity, 1015
 total hemispherical reflectivity, 1022
 total hemispherical transmittivity, 1022
 transmittivity, 1018
 ultra-violet UV, 980
 view factors, 989, 993, 996, 998, 1040
 visible, 980, 983
 Wien's law, 983
 radiation shield, 1032, *see* radiation
 radiosity, 1028, *see* radiation
 random numbers, 1060
 rarefied gases, 4
 ray tracking method, 1058, *see also* Monte Carlo method
 Rayleigh number, 739
 reciprocity, 991
 recuperative heat exchanger, 913
 recursive formula for series solution, 145
 reduction of multi-dimensional transient problems, 468
 reflectivity, 1018, *see also* radiation
 regenerators, 824, 937, 953
 axial conduction in, 948
 balanced flow, 939, 942
 bed, 937
 behavior of, 946
 characteristic radius, 949, 956

- regenerators (*cont.*)
 Colburn j_H factor, 950, 958
 cold-to-hot blow, 937, 940
 compactness, 937
 correlations for, 948, *see also* regenerator matrix correlations
 core, 937
 dead volume, 940
 defrosting, 960
 dimensionless governing equations for, 942
 EES functions for, 945, 958
 effectiveness, 939, 944, 958
 energy recovery wheel, 953
 entrained fluid heat capacity, 940, 942
 fixed bed, 937
 friction factor, 949, 959
 frontal area, 949
 governing equations for, 939
 hot-to-cold blow, 937, 940
 hydraulic radius, 949
 mass flux, 949, 957
 matrix, 937
 number of transfer units (NTU), 939, 943, 949, 958
 numerical solution for, 962, E22–1
 packed bed of spheres, 948
 periodic steady state, 937
 pore volume, 940
 porosity, 949, 957
 pressure drop, 949, 959
 Reynolds number, 950, 957
 rotary, 937, 953
 screens, 951
 specific surface area, 949
 stationary bed, 937
 surface area, 940
 symmetric flow, 939, 942
 triangular passage array, 952, 954
 utilization, 943
 regenerator matrix correlations, 948
 screens, 951
 packed bed of spheres, 948
 triangular passage array, 952, 957
 relative humidity, E23–25
 re-radiating surface, 1043, *see also* radiation
 residual, 424, E6–2
 Residual Resistance Ratio (RRR), 172
 resistance, *see* thermal resistance
 resistance curve, 659
 return on investment, E28–8
 Reynolds analogy, 492, 520
 Reynolds averaged equations, 548, 556
 apparent heat flux, 555
 apparent shear stress, 553
 averaged quantities, 549
 averaging process, 549
 boundary layer assumptions applied to, 552, 555
 continuity equation, 550
 correlated quantities, 552, 554
 integration time, 549
 fluctuating quantities, 549
 momentum equation, 551
 momentum transport term, 553
 Reynolds stress, 553
 thermal energy equation, 554
 total heat flux, 555
 total stress, 554
 turbulent transport term, 553, 555
 Reynolds equation, 689, E13–1
 Reynolds number, 485, 509, 519, 542, 593, 637, 738, 839, 948
 Reynolds stress, 553, 560
 root diameter, 811
 rotary bed regenerator, 937
 roughness, 607
 Runga-Kutta fourth order technique, 326, *see also* numerical integration techniques
 sanity checks, 27–29
 saturation enthalpy difference, E23–49
 saturation pressure, E23–29
 saturation section, 877
 saturation specific heat, E23–37, E23–44
 scaling analysis, 500, 689, 800
 Schmidt number, E23–22
 Second-law of thermodynamics, 853, 869
 selective surface, 1024
 self-heating error, 165
 self-similar solution, 354, 521, 576, 588
 Blasius solution, 521
 boundary layer thickness based on, 533
 combination of variables, 356
 complementary error function, 359
 derivation of differential equation, 354
 dimensionless stream function, 525
 dimensionless temperature, 536
 Falkner-Skan Transformation, 542, E12–1
 for laminar flow over a flat plate, 521, 533
 for semi-infinite body, 354, 360
 friction coefficient based on, 534
 Gaussian error function, 359
 Maple used to identify solutions, 357, 360, 527, 595
 natural convection from a vertical plate, E15–1
 numerical solution to, 530, 595
 Nusselt number from, 541
 similarity variable, 356, 522, 536
 shooting technique, 531
 stream function, 524
 temperature in a laminar boundary layer, 535
 transformation from x and t to η , 356, 358
 transformation from x and y to η and ψ , 526
 transformation from x and y to η and $\bar{\theta}$, 536
 velocity in a laminar boundary layer, 521
 y -velocity in a boundary layer based on, 534
 semi-gray surface, 1014, 1023, 1024, *see also* radiation
 semi-gray surface radiation exchange, 1050, 1051, *see* radiation
 semi-infinite 1-D transient problems, 348
 approximate model for, 349, 353, 394
 convection from surface, 362, 367
 diffusive time constant, 348, 353, 365, 394, 395
 EES functions for, 362, 368

- generation of thermal energy in, 391
- Laplace transform solution of, 386
- self-similar solution for, 354, *see also* self-similar solution
- semi-infinite body resistance, 361
- sinusoidally varying surface temperature, 362
- solutions for some typical surface conditions, 362
- surface energy pulse, 362
- surface heat flux, 362
- step change in surface temperature, 360, 362, 366, 386
- temperature gradients induced in, 366
- thermal-wave, 348, 365, 394, 395
- two semi-infinite bodies in contact, 362
- sensible heat capacity, 804
- sensitivity, 617
- separation, 611
- separation of variables method, 207, 395
 - 1-D transient problems, 395, 396, 408, 420
 - 2-D steady state problems, 207, 225, 236
 - advanced solutions, 242
 - boundary condition transformations, 224, 227, 409, 422
 - Cartesian coordinates, in, 409
 - cylindrical coordinates, E3–12, E7–1, 427
 - dealing with the zeroth term in a cosine series, 236
 - derivation of partial differential equation, 208–209, 409, 422
 - eigenfunctions, 213, 217–219, 228, 410, 411, 424, E3–8, E3–16
 - eigenproblem, 212, 213, 227, 237, 411, 423, E3–15
 - eigenvalue, 213, 227, 237, 412, 420, E3–8, E3–16
 - evaluating constants for series solution, 219, 230, 240, 415, 425
 - evaluating implicit eigenvalues using EES, 412, 423
 - estimating the number of terms required, 222, 418
 - exponential solutions, 212, 213
 - generation term in partial differential equation, E3–1
 - homogeneous direction, 210, 211, 236, 409, E3–1, E3–6
 - homogeneous and particular components, E3–4
 - implicit eigencondition, 411, E3–16, E3–20, E7–6
 - initial condition, 409, 422
 - limits of separation of variables solution, 417
 - Maple, using to check solution to eigenproblem, 214, 229, 414, E3–17
 - multi-dimensional problems, E11–1
 - non-homogeneous boundary conditions, 428, E3–1, E8–1
 - non-homogeneous direction, 210, 215
 - non-homogeneous terms, 428, E3–1, E8–1
 - number of terms required, 222
 - orthogonality, 216, 230, 239, 415, 425, E3–9
 - particular component, E3–1, E8–2
 - requirements for using, 209–211, 245, 409
 - residual of eigencondition, 424
 - sine/cosine solutions, 212
 - sinh/cosh solutions, 212, 213
 - single term approximation, 418
 - solution to some transient conduction in common shapes, 396
 - sub-problems, 243, 248
 - summary of steps, 222–223, E3–11
 - superposition with, 245
 - transient, E7–1
- series solution, 139, 144, *see also* separation of variables
- shape factors, 202, 205, 277, 989
 - defined, 202
 - sanity check on, 202
 - shape factor library in EES, 203, 205
 - table of common shape factors, 204
- shear stress, 489, 635
- shell-and-tube heat exchanger, 825, *see also* heat exchangers
- Sherwood number, E23–23
- shooting technique, 531
- similarity variable, 522, 536, E15–1
- simple computational domain, 210
- sinh/cosh, 101, 141, 212, 213
- smooth surface, 607
- solar collector, 1024
- solid angle, 1013
- space resistance, 1001
- sparse matrices, 71, 73, 80, 88
- specific surface area, 949
- spectral directional emissivity, 1014
- spectral distribution, 981
- spectral emissive power, 981, 1013, *see also* radiation
- spectral irradiation, 1020
- specular surfaces, 1018, *see also* radiation
- speed of light, 980
- sphere
 - external flow across, 618, *see also* external flow correlations
 - natural convection from, 752, *see also* natural convection correlations
 - packed bed of, 950
 - resistance to conduction through, 11
 - thermal energy generation in, 29
 - transient conduction in, 403, *see also* bounded 1-D transient conduction
- spherical coordinate system, 1012, 1060, *see also* radiation
- stagnation point, 609
- Stanton number, 839
- state equation, 317
- stationary bed regenerator, 937, *see also* regenerators
- steady-state 1-D conduction
 - plane wall without generation, 5
 - plane wall with generation, 24
 - radial geometries with generation, 29
 - spatially non-uniform generation, 37
 - summary of formulae for 1-D uniform thermal energy generation cases, 31
 - superposition with, 242
- Stefan's law, E23–18, E23–20
- Stefan-Boltzmann equation, 982, *see also* radiation
- steradian, 1013

- stochastic method, 1058
 stream function, 522, 524, E15–1
 subcool section, 877
 successive substitution, 82–84
 superficial heat transfer coefficient of the liquid phase, 792
 superficial Reynolds number, 792, 813
 superheat section, 877
 superposition, 242, 245
 surface efficiency, 116
 surface resistance of finned surface, 117
 surface resistance for radiation, 1029
 surface roughness, 548, 607, 650, 656
 surface-to-surface resistance, 1001
 symmetric regenerator, 939
- tanh, 103
 Taylor series expansion, 6
 temperature boundary layer, *see* boundary layer
 temperature-dependent properties, 55, 82, 84, 463
 temperature distribution
 fully developed internal flow between parallel plates with a constant heat flux, 697
 fully developed internal flow in a round tube with a constant heat flux, 694
 temperature gradient, definition, 3
 temperature jump in heat exchangers, E18–9
 temperature law of the wall, 568
 temperature measurement error, 165, 310, 380
 thermal boundary layer, *see* boundary layer
 thermal conductivity, 2, E1–1
 estimation based characteristics of energy carriers, E1–1, 3
 gases, 5, E1–1
 values in EES, E1–1, 2
 thermal diffusivity, 135, 350
 thermal energy conservation equation, 498, 503, 509, 689, 739
 thermal energy generation, 24
 analytical solution of, 24
 for tissue ablation, 31
 in a plane wall, 24
 in radial geometries, 29
 numerical solution of, 44
 ohmic dissipation, 24
 spatially non-uniform, 37, 38
 viscous dissipation, 498
 thermal entry length, 646
 laminar, 646
 turbulent, 654
 thermal expansion, 131, 262
 thermal law of the wall, 568
 thermal penetration depth, 351
 thermal protection system, 84
 thermal radiation, 981
 thermal resistance
 adiabatic limit for, 272, 278
 approximations for multidimensional objects, 269, 270, 272, 275, 276
 average area limit for, 275, 278
 average length limit for, 275
 boundary layer, 490
 estimating bounds for, 272, 275, 276
 common resistance formulae, 17
 composite, 272
 concept of a thermal resistance, 9
 constriction, 241
 conduction through a plane wall, 9
 conduction through a cylinder, 10
 conduction through a sphere, 11
 contact resistance, 14–15
 convection, 14
 fin, 106, 111, 115
 finned surface, 117
 isothermal limit for, 272
 networks, 13–14, 17–24, 272
 radial conduction through a cylinder, 10
 radial conduction through a sphere, 11
 radiation resistance, 16
 shape factors, 202
 used for sanity checks, 28–30, 269, 270, 272, 275, 278
 thermally developing region, 644
 thermally fully developed region, 644
 thermoelectric heat sink, 117
 time constant, lumped, 304
 total hemispherical absorptivity, 1022, *see also* radiation
 total hemispherical emissivity, 1015, *see also* radiation
 total hemispherical reflectivity, 1022, *see also* radiation
 total hemispherical transmittivity, 1022, *see also* radiation
 transient conduction problems, 303, E9–1, E10–1
 transition to turbulence, 542
 transitionally rough surface, 607, 655
 transmittivity, 1018, *see also* radiation
 transpiration, 580
 turbulence closure problem, 556
 turbulent flow, 509
 apparent heat flux, 555, 556, 559, 568
 apparent shear stress, 553, 556, 558, 560, 562
 buffer region, 564
 closure for, 556
 Couette flow approximation, 558, 568
 compared to a laminar flow, 543
 critical Reynolds number, 542
 direct numerical simulation, DNS, 548
 eddies, 543, 561
 eddy diffusivity of heat transfer, 567
 eddy diffusivity of momentum, 560, 562, 565, 566, 717
 eddy temperature fluctuation, 557, 559
 eddy velocity, 557, 558
 effective turbulent conductivity, 545, 568, 717
 effective turbulent kinematic viscosity, 547
 effective turbulent thermal diffusivity, 547
 effective turbulent viscosity, 545, 561, 561
 fluctuations, 548
 friction coefficient for, 592

- fully rough region, 650
- heat transfer coefficient in, 545
- inner position, 557, 560, 568
- inner region, 568
- inner temperature difference, 557, 559, 568
- inner variables, 557, 714
- inner velocity, 557
- integral solutions for, 591
- internal flow, 639, 647
- log-law, 564
- mixing length model, 561, 566
- numerical solutions for turbulent internal flow, 712, *see also* numerical integration techniques
- Nusselt number for, 592
- outer coordinate, 566
- power law velocity distribution, 566
- Prandtl's mixing length model, 561, 562
- Reynolds stress, 553, 560
- Reynolds averaged equations, 548, *see also* Reynolds averaged equations
- selected eddy diffusivity of momentum models, 566
- selected universal velocity distributions, 565
- shear stress in, 546, 591
- Spalding model, 565
- surface roughness, 548, 607, 650
- temperature distribution in, 545
- temperature law of the wall, 568
- thermal law of the wall, 568
- turbulent boundary layer thickness, 547, 594
- turbulent layer, 564
- turbulent length scale, 548
- turbulent Prandtl number, 546, 568
- turbulent time scale, 548
- turbulent transport, 544
- transition to, 542
- universal velocity profile, 562
- van Driest model, 565
- viscous sublayer, 543, 595, 607, 639
- von Kármán constant, 562
- von Kármán mode, 565
- wake region, 566
- triangular passages, 952, 954
- turbulent Prandtl number, 546, 568
- turbulent conductivity, 545, 568
- turbulent viscosity, 545, 561
- two-dimensional, steady state conduction problems, 202
- two-phase heat transfer processes, 778
- ultra-violet radiation, 980
- uncertainty propagation, 206
- unit system, 19
- universal velocity profile, 562, 716
- utilization, 943, *see also* regenerators
- velocity boundary layer, *see* boundary layer
- velocity distribution
 - fully developed internal flow between parallel plates, 687, 699
 - fully developed internal flow in a circular tube, 689
- view factors (shape factor, angle factor, configuration factor), 989, *see also* radiation
 - crossed and uncrossed strings method, 992, 993
 - enclosure rule, 990, 995
 - differential, 996, 1009
 - EES library, 996, 998
 - reciprocity, 991, 995
 - relationships, 990
- viscosity, 489, 561
- viscous dissipation, 494, 498, 504, 510, 671, 691
- viscous shear forces, 497
- viscous sublayer, 543, 595, 607, 639
- visible radiation, 980, 983
- void fraction, 813
- volumetric thermal expansion coefficient, 737, 738
- von Kármán constant, 562
- wake region, 566, 609
- water purification, 807
- weak form of the heat diffusion equation, E6–4
- wedge flow, E12–1
- weighted average residual, E6–2
- wet coil and dry coil analyses, E23–52
- wet-bulb temperature, E23–29
- wet coil, E23–37
- wet-coil conductance, E23–37, E23–47
- Wiedemann-Franz law, 5
- Wien's Law, 983, *see* radiation
- zero-dimensional transient problems, *see* lumped capacitance