

Cambridge University Press

978-1-107-67287-1 - Plant-life on land: Considered in Some of its Biological Aspects

F. O. Bower

Index

[More information](#)

INDEX AND GLOSSARY

- Aconitum* (Monkshood), 93, 116
Acropera, a genus of Orchidaceae, 106
 “Adlerfarn,” the German name for the common Bracken, derived from the double-eagle seen in section of the leaf-stalk, 33
 Adventitious buds, additional buds formed at points not in the normal sequence, 132, 142
 Agencies for effecting distribution of germs, 98, 113, 161
Agrostis, a genus of Grasses, often called the “Bent”; but the “Bent” of golfers is *Ammophila*, 140
Aira, a genus of Grasses, 140
 Algae of the sea and freshwater, 13; blue-green, 113; green, 113; red, 113; brown, 113
 Algal Flora, term used collectively for Algae of the coast or freshwater, 13, 157
 Alternation of generations, the alternating succession of two phases in the life-history of plants, as seen in Mosses and Ferns, etc., 45
Ammophila arundinacea, see Marram Grass
Angiopteris, a genus of very ancient Ferns, 107
 Animal agency, 96
 Animals, distribution by, 99, 113; movements of, 82; mobility of, 161; predatory attack by, 89
 Annulus, a ring of hardened cells, which acts as a spring in opening the sporangium of Ferns, and scattering the spores, 38
 Antheridium, the male organ of Ferns, and other land-growing plants, which produces the spermatozoids, 39, 40, 41, 71
 Antipodal cells, a group of cells situated at the base of the embryo-sac in the Higher Flowering Plants, 73
 Archegonium, the female organ in Ferns and other land-growing plants: it produces the ovum or egg, 39, 40, 42, 43
 Asclepiad, member of the Asclepiadaceae, a family of the Higher Flowering Plants, 89
Ascophyllum nodosum, a common Brown Tangle (Alga) of our coast, growing about half-tide mark, 16

Cambridge University Press

978-1-107-67287-1 - Plant-life on land: Considered in Some of its Biological Aspects

F. O. Bower

Index

[More information](#)

INDEX AND GLOSSARY

165

- Aspergillus*, a genus of Moulds, including the common olive green Mould on Bread, 107
- Athyrium filix-joemina*, the Lady Fern, 107
- Axillary buds, buds which arise in the axil or angle between the leaf-stalk and the axis, 136
- Bacillus subtilis*, the common Hay Bacillus, one of the Bacteria, 108
- Bacteria, productivity of, 108, 113, 115
- "Barchan," a peculiarly shaped sand-hill, seen in the Libyan Desert, (Fig. 19), 123, 124
- Batrachospermum*, a genus belonging to the red Algae, which grows in freshwater streams, 13
- Beach, 12, 128
- Beech tree, storage in the common, 110
- Beet (*Beta maritima*), native on the coast, 122
- Begonia*, protected by acid taste, 89
- Bennettiales, a family of fossil plants allied to the Cycadaceae, 63
- Bents, a name for certain Grasses, but not always strictly applied. The golfer's "Bent" is the "Marram," which see, 147, 152
- "Blow-out," a term applied to the hollows scooped out of sand-hills by the action of the wind, 151, 152
- Bracken Fern (*Pteridium aquilinum*), 29, 31
- Buds, adventitious, 132, 142; axillary, 136
- Burnet Rose (*Rosa spinosissima*), 142
- Buttercup (*Ranunculus*), (Fig. 10) 53
- Cactaceae, self-protection of, 90
- Calyx, the outermost series of floral organs, 53; origin of, 64
- Cardoon Thistle, dispersal of its fruits, 114
- Carpels, the innermost series of floral organs, 53
- Carrot, 122
- Cell-division, the common process by which cells are multiplied in plants, 19
- Cell-wall, 18, 19, (Fig. 18) 85, 157; permeability of, 84
- Cephalanthera*, a genus of Orchids, 106
- Chlorophyll-body, green coloured, embedded in protoplasm of the cell, 18
- Cilia, threads of protoplasm attached to certain free cells of water plants: by their active lashing movements they cause motion in the cells that bear them, 20, 41, 78
- Cladonia*, a genus of Lichens, 140
- Clavaria*, a genus of Fungi, 140
- Climate, risks from, 90
- Clover, 140; clover and cats, 116
- Club-Mosses, a very ancient family of plants, represented by the living genus *Lycopodium*, 45, 53 56, 156
- Colouring, physiological meaning of, 14
- Conidiophore, a fungal filament that bears propagative cells (conidia), 107

Cambridge University Press

978-1-107-67287-1 - Plant-life on land: Considered in Some of its Biological Aspects

F. O. Bower

Index

[More information](#)

166 INDEX AND GLOSSARY

- Conifers, the family of Pines and Firs, 5
- Convolvulus Soldanella*, the Convolvulus of sandy shores, 129
- Cord Moss (*Funaria hygrometrica*), 114
- Corolla, collective name for the petals of flowers, 53; origin of, 64
- Cotton grass (*Eriophorum*), a genus of Sedges, 140
- Couch grass (*Triticum repens*), 129
- Creeping Willow (*Salix repens*), 140, (Fig. 27) 149
- Cross-fertilisation, 91
- Cross-pollination, 92, 160
- Crystals, protection by, 90
- Culbin sands, 138
- Cyathea dealbata*, a large Tree Fern, 107
- Cycadeoidea*, a Mesozoic fossil; flower of, 65
- Cycads, an ancient family of Fern-like plants, bearing naked seeds: now only sparsely represented, 63, 78
- Cycle of Life, the whole series of events, sometimes varied and complex, comprised in the life of the individual, 22, 44
- Cytoplasm, the protoplasmic body of the cell, exclusive of the nucleus and plastids, 72
- Danaea*, a genus of Ferns of ancient type, 107
- Darwin, 82, 91, 92, 105, 106, 114, 116
- Depth, distribution of Algae in the sea with regard to, 13
- Diatoms, minute unicellular Algae, 113
- Disk of attachment, as seen at base of many Algae, 17, 18
- Distribution, agencies for effecting, 98, 113, 161; by animals, 99, 113
- Dock (*Rumex*), 89
- Dunes, 122, 130, (Fig. 22) 131, 146
- Dune-Flora, 134, 138, 140
- Egg-apparatus, a group of three cells, one of which is the egg itself, attached to the apical end of the embryo-sac in the Higher Flowering Plants, 72, (Fig. 15) 73
- Egg-cell or ovum, the female cell which is to be fertilised, 42, 43, 73, 94
- Elimination of weaklings, 118
- Embryo, the product of fertilisation, 42
- Embryo-sac, a large cell (megaspore) embedded in the tissue of the ovule of the seed-bearing plants, in which the ovum and ultimately the embryo are produced, 72, (Fig. 15) 73
- Encysted cell, 22, 24, 157
- Encysted state, secondary, 27
- Encystment, the surrounding of the protoplasm by a covering cell-wall, 84, 86, 99, 157
- Enteromorpha*, a genus of green Algae, 18
- Ernst, A., 113
- Evolutionary tree, blind branches of, 28
- Explosive fruits, 99
- Eye-spot, 21
- Female cell, 69
- Ferns, life-cycle of, 44; pro-

Cambridge University Press

978-1-107-67287-1 - Plant-life on land: Considered in Some of its Biological Aspects

F. O. Bower

Index

[More information](#)

INDEX AND GLOSSARY

167

- ductivity of, 107; wind-borne germs of, 113
- Fertilisation, 42, 45, 68, 73, 74, 75, 156
- Filamentous structure, 19
- Findhorn river, 139
- Fixed position, secondary, 28
- Flagellates, certain unicellular organisms, motile in water, 24, 156
- Fleabane (*Erigeron*), 106
- Flies, as bearers of spores, 117
- Flixweed (*Sisymbrium sophia*), 106, 108
- Flora of the land, 48, 163; new, 112; of the sea, 13
- Flower, 48, 49, 53; parts of, 51, (Fig. 10) 53; origin of, 55, 67
- Flowering Plants, 47, 55, 70, 77, 156
- Fluctuating variations, 119
- Foliage-shoot, distinct from flower, 50, 54
- Foot, the part of the embryo in Ferns and some other plants, which serves as a haustorium or sucker, 39
- Fucus platycarpus*, one of the common brown Tangles (Algae), 16
- Fungi, 140; productivity of, 107
- Funiculus, the stalk of the ovule, 72, (Fig. 15) 73
- Gametes, the sexual cells, undifferentiated in some of the lower forms, but distinct as male and female in all the higher, 21, 23, 26, 72, 78; inequality of, 26; origin of, 25
- Gametophyte, that stage or phase in the life-history which bears the gametes, or sexual cells. In the Fern it is represented by the prothallus, 46
- Generative cells, the male gametes in the pollen-tube of a Flowering Plant, (Fig. 14) 71
- Geometrical ratio of increase; for explanation see p. 105
- Germs, detachable living products of the plant, used generally for spores, seeds, or other bodies from which a new individual may spring, 102, 109; transfer of, 104, 111; chances of life of, 110; over-production of, 117; spread of, 161
- Ginkgo*, the Maiden Hair Tree of Japan, 78, 79
- Goebel, K., 116
- Goethe, 54, 67
- Golf Links, 145
- Gorse or Whin (*Ulex europaeus*), 142, 153
- Grey Dune, that type of Dune in which the sand is covered by a coat of vegetation, 140, 142, 147
- Ground-water, 138
- Gulf Weed (*Sargassum bacciferum*), a form of Tangle, which is found floating freely in large quantities in the neighbourhood of the Gulf of Florida, 87
- Gymnosperms, a large body of primitive Seed Plants, including the Pines and Firs and Cycads, characterised by having their seeds exposed, 78
- Gynoecium (p. 72), the central part of the flower in the Higher Flowering Plants, composed of the carpel or carpels, and enclosing one or more ovules: e.g. Fig. 15, p. 73

Cambridge University Press

978-1-107-67287-1 - Plant-life on land: Considered in Some of its Biological Aspects

F. O. Bower

Index

[More information](#)

168 INDEX AND GLOSSARY

- Halophytes, plants which grow where the water contains salt; the effect upon them is seen in their fleshy habit, 129
- Hard Fern (*Lomaria spicant*), 60
- Heath (*Erica*), 142
- Henbane (*Hyoscyamus niger*), 106, 108
- Hermaphroditism, the existence of the male and female organs on the same individual, 97
- Higher Plants, generally equivalent to Seed-bearing Plants, 47, 50, 70, 156
- Himantalia lorea*, one of the common brown Tangles of the coast, 16
- Hofmeister, W., 56
- Horse-tails, a very prevalent family of plants in early geological times, but now represented only by the genus *Equisetum*, 45, 53, 56, 156
- Horticulture, 5
- Humble Bees, 116
- Immobility of Plants, 82, 89, 96, 157
- Increase, geometrical ratio of, 105
- Indusium, a protective covering, usually thin and membranous, which overarches the sporangia in Ferns, 35, (Fig. 6) 37, 38
- Inflorescence, a branch-system in the Higher Plants, specially developed for bearing flowers, 135
- Insects, attraction of, 64
- Insect-agency, 70
- Integuments, the outer coats of the ovule, 72, (Fig. 15) 73
- Internode, the length of stem intervening between the insertion of two successive leaves, 136
- Intra-cellular movement, the movement of the protoplasm of the living cell within its cell-wall, 82, (Fig. 18) 85
- Ipomoea Pes-caprae*, a member of the Convolvulus family, prevalent on tropical shores, 129
- Kaulfussia*, a genus of Ferns, 107
- Kerner, A., 106, 108
- King Charles' oak, 33
- Krakatau, Island of, 112
- Ladies bedstraw (*Galium verum*), 140
- Lake Michigan, 139
- Land Flora, 159, 163
- Land, vegetation of, 45, 87, 156, 158
- Lantana*, a genus of Verbenaceae, dispersal of, 114
- Leaf, fall of, 91
- Lemanea*, a genus belonging to the Red Algae, which grows in mountain streams, 13, 14
- Libyan Desert, 123, 124
- Lichens, 140
- Lilium Martagon*, Turk's Cap Lily, 71
- Ling or Heather (*Calluna vulgaris*), 142, 153
- Links, 124, 126
- Linnaeus, 106
- Liverworts, 45, 156
- Lopsided or dorsiventral forms, of shoot or flower, 51
- Lotus*, a genus of Leguminosae, 140
- Lovage (*Ligusticum scoticum*), one of the Umbelliferae, 122

Cambridge University Press

978-1-107-67287-1 - Plant-life on land: Considered in Some of its Biological Aspects

F. O. Bower

Index

[More information](#)

INDEX AND GLOSSARY

169

- Lycopodium Selago*, a common Club Moss, 60, (Fig. 12) 61, 62
- Lyme grass (*Elymus arenarius*), 137, 144
- Magnolia*, 66
- Maiden-hair Tree (*Ginkgo biloba*), 80
- Male cell, 69
- Male Fern (*Nephrodium filix-mas*), 31, 35, 59, 60, and Figs. 5, 6, 7
- Mammoth Trees (*Sequoia*), 88
- Marattia*, an ancient genus of Ferns, 107
- Marram Grass (*Ammophila arundinacea*), 124, (Fig. 23) 133, 134, (Fig. 24) 137, 144, 147
- Maviston, (Fig. 25) 141, (Fig. 26) 143
- Maxillaria*, a genus of Orchidaceae, 106
- Memorised records, 120
- Metamorphosis, 49, 54, 63
- Mice, 116
- Micro-zoospores, small free cells of certain Algae, motile in water, but not sexual, 20, 21
- Mimosa*, the Sensitive Plant, movements of, 82
- Molecular movement, such movements as are not in mass, but molecule by molecule, 82
- Monkshood (*Aconitum*), 93, 116
- Monostroma*, a genus of green Algae, 18
- Moray Firth, 138
- Moss, 45, 140, 156
- Moulds, productivity of, 107, 114
- Mouse-ear (*Hieracium pilosella*), 140
- Movement, 82, 156
- Müller, H., 68, 92
- Mutations, 119
- Name, specific, 4
- Natural selection, 118
- Nephrodium filix-mas* (common Male Fern), 31, 35, 59, 60, and Figs. 5, 6, 7
- Nucellus, the central body of the ovule in Seed Plants; it is covered by the integuments and encloses the embryo-sac, 72, (Fig. 15) 73
- Nucleus, a clearly defined and highly refractive part of the protoplasm of the cell, 18, 72, (Fig. 18) 85
- Nutrition, method of, 83, 88; precedes propagation, 50
- Orache (*Atriplex*), 129
- Orchids, 51, 67, 106
- Orchis*, 70
- Orchis maculata* (common spotted Orchis), 106
- Osmunda regalis* (Royal Fern), 60
- Ovary, the part of the flower which contains and protects the ovules, 72, (Fig. 15) 73
- Ovule, the body which develops into the seed after fertilisation, 52, 53, 72, (Fig. 15) 73
- Ovum, the female cell, 42, (Fig. 9) 43, 72
- Parenchymatous cell, a cell usually thin-walled, with living protoplasm, approximately cubical or oblong, (Fig. 18) 85
- Pea, 51
- Pelvetia*, a genus of Brown Seaweeds, 16

Cambridge University Press

978-1-107-67287-1 - Plant-life on land: Considered in Some of its Biological Aspects

F. O. Bower

Index

[More information](#)

170 INDEX AND GLOSSARY

- Penzig, O., 113
Pilobolus, a Mucorineous Mould, which grows on dung, 117
 Pinnae, segments of leaves, 33 ; fertile, 65
 Pistil, the central region of the flower, which bears and protects the ovules, 72
 Plankton, a general term for the floating life of the sea, or of freshwater, 72, 86
 Plant, the, 23, 156 ; immobile, 161 ; movements of, 82, 156
 Plant-life on Land, origin of, 155
 Plant-population, 102
 Pollen, the detachable male spores of Seed-plants, 52, 70, (Fig. 14) 71
 Pollen-grain, (Fig. 14) 71
 Pollen-tube, the tube which grows out from the pollen-grain, and traversing the style, conveys the sexual cells or gametes to the ovule, (Fig. 14) 71, (Fig. 15) 73, 74, 77, 156
 Pollen-sac, the chamber in which the pollen-grains are produced. There are usually four of them on each anther, 52, 53, 70
 Pollination, the transfer of pollen from the anther to the receptive surface of the stigma, or, in Gymnosperms, directly to the ovule, 68, 95, 160
 Pollination, difficulty of, 91 ; agents for effecting, 96
 Pollinating mechanisms, 69, 160
Polygonum convolvulus, a climbing Dock, common in corn fields, 73
Polypodium aureum, a common cultivated Fern, 107
 Population of plants, 102
 Position, fixity of, 81, 87
 Propagation, period of, 19
 Prothallus, the sexual stage, or gametophyte, as in a Fern, (Fig. 7) 39
 Protoplasm, movements of, (Fig. 18) 85
 Protoplast, the whole body of living protoplasm belonging to a single cell, 18, 19, 84, 99
Pteridium aquilinum, the Common Bracken, 30
Pteris aquilina, the older synonymous name for the Bracken Fern, 30
 Puff-balls, 140
 Rabbits, 150
 Race, maintenance of, 97 ; spread of, 97, 161
 Radish (*Raphanus*), 106
 Raw Material of Golf Course, (Fig. 27) 149, 150
 Receptacle, the enlarged outgrowth of the Fern leaf on which the sporangia are inserted, 37
 Rest Harrow (*Ononis spinosa*), 142
 Rhizoid, a cellular outgrowth which has an absorptive function, 20, 39
 Rhizome, an underground stem, as in the common Bracken, (Fig. 4) 31, 44
 Roots, attachment of, 87
 Royal Fern (*Osmunda regalis*), 60
 Rue, Meadow (*Thalictrum*), 96
 Runners, horizontal underground stems, 132
 Rush (*Juncus*), 140
 Salt-wort (*Salsola*), 127, 129, (Fig. 21) 132

INDEX AND GLOSSARY

171

- Salvia* (Sage), 71
 Samphire (*Crithmum maritimum*), 122
 Sand, its composition, 12, 126; shifting, 12; binders, 129, 130, 136, 147; Dunes 122, (Fig. 22) 126
 Sand-sedge (*Carex arenaria*), 129, 138
 Sand-streamers, (Fig. 20) 125, 128
Sargassum, the Gulf Weed, a brown Tangle, 87
 Scotch Fir (*Pinus sylvestris*), (Fig. 25) 139
 Sea-blite (*Suaeda*), 129
 Sea-buckthorn (*Hippophaë rhamnoides*), 142
 Sea-couch-grass (*Triticum junceum*), 129, 138
 Sea-kale (*Crambe maritima*), 122
 Sea-lettuce (*Ulva*), 16
 Sea-rocket (*Cakile maritima*), 129
 Seaweeds, brown, green, and red, 13, 14, 16
 Seaweeds, coralline, 12
 Seaweeds, nutrition of, 15
 Sedges, members of the family of Cyperaceae, 140
 Seeds, distribution of, 97
 Seed-plants, 47, 77
 Seed-plants, earliest, 95
 Self-nutrition, period of, 19
 Self-pollination, 97
 Self-protection of plants, 89
Sequoia, Mammoth Trees of California, 88
 Sewage impurities, 16
 Sex, differentiation of, 25, 53
 Sexuality, origin of, 25, 27
 Sexual organs, 40
 Sexual propagation, 93, 94
 Sexual zooids, 21
 Sheep, 150
 Sheep's fescue (*Festuca ovina*), 140
 Shepherd's purse (*Capsella*), 106
 Shield fern (*Nephrodium filix-mas*), 31, 35, 107
 Shifting Dunes, 132, 138, (Fig. 25) 139, 140, (Fig. 26) 143, 147
 Silica, 12
 Silver weed (*Potentilla anserina*), 129
 Snails, attacks by, 90, 92
 Sorus, one of those groups of sporangia, seen on the under surface of Fern-leaves, (Fig. 5) 35, 37, 38
 Specialisation of study, 11
 Species, new, 2
 Spectrum, 14
 Spermatozooids male fertilising cells, motile in water, (Fig. 8) 41, 42, 76, (Fig. 16) 77, (Fig. 17) 79, 94
 Sperm-cells, which give rise to spermatozooids, (Fig. 8) 41
 Splachnaceae, a family of Mosses, which grow on dung of herbivorous animals, 116
 Sporangium, a capsule-like organ which bears one or usually numerous spores, (Fig. 6) 37, 38, 52
 Sporangium, abortion of, 63
 Spores of Fern, 37, 38, 52; dissemination of, 40, 45; germination of, 40
 Sporophyte, the phase or generation in the life-history which bears the spores, and is non-sexual, 46
 Sprengel, K., 68, 89
 Spurge (*Euphorbia*), 89
 Stahl, E., experiments with snails, 90

Cambridge University Press

978-1-107-67287-1 - Plant-life on land: Considered in Some of its Biological Aspects

F. O. Bower

Index

[More information](#)

- Stamen, that part of the flower which bears the pollen-sacs, usually four in number, 53, 70
- Staminate disc of *Cycadeoidea*, (Fig. 13) 65
- Sterilisation, theory of, 58, 63
- Stigma, the receptive surface for the pollen, (Fig. 15) 73
- Stock, or rhizome, an underground stem, 30
- Storage of material, 34, 50
- Struvea*, a genus of green Algae, 15
- Style, the part of the pistil below the stigma, which is often elongated, (Fig. 15) 73
- Sweet rush (*Acorus*), 90
- Swimming-free stage, 25, 28, 156
- Talipot Palm (*Corypha*), 110
- Tangles, brown Algae, 16
- Teesdalia*, a genus of Cruciferae, 140
- Terminology, 6
- Tobacco (*Nicotiana*), 106
- Transition from aquatic to terrestrial, 77, 156
- Treub, M., 113
- Ulva lactuca*, sea lettuce, (Fig. 1) 17
- Ulva latissima*, 16, 156
- Ulothrix*, a filamentous green Alga, 18, 156
- Ulothrix zonata*, (Fig. 2) 21, (Fig. 3) 23
- Vacuole, pulsating, (Fig. 2) 21
- Variations, fluctuating, 119
- Vegetation of the earth, 27; origin of, 155
- Vegetative cell, (Fig. 14) 71
- Vetch (*Vicia*), 140
- Volvox*, a free-swimming green organism of freshwater, 157
- Water, distribution of germs by, 98, 113; medium of fertilisation, 79
- Water-problem, or water-relation, 45, 155, 163
- White dunes, those in which the vegetation does not cover the surface, and the sand gives the prevalent colour, 130, 138, 140, 147
- Whitlow-grass (*Erophila verna*), 140
- Wieland, G. R., 65
- Wild Cabbage (*Brassica oleraceae*), 122
- Wind, distribution by, 98, 113; ripples on sand produced by, 125
- Wolff, 54
- Wood sorrel (*Oxalis acetosella*), 89
- Xerophytic specialisation, the special structural development of plants so as to fit them for resisting extremes of drought and heat, 134, 137, 142
- Zamia floridana*, one of the Cycadaceae, 77
- Zonation of seaweeds, 15, 16; of vegetation of the shore, 81
- Zoid, an independently motile primordial cell, 20
- Zoospores, motile propagative cells consisting of naked protoplasm, 20, 21, 23
- Zygospore, the result of fusion of two equal gametes, 23
- Zygote, the result of fusion of two gametes, 22, 23, 74