

## Index

- abdominal pain scenarios
  - appendicitis, 64–6, 71–5
  - radiating to back, 68–9, 81–4
  - with left shoulder pain, 70, 84–5
  - with microscopic haematuria, 70–1, 85–7
- ABPI examination, 9, 28
- Allen's test, 25
- anatomical snuffbox, 27
- angiography, 9, 28, 59, 91–2, 105–6
- ankle, 14, 40–1
- ankle brachial pressure index (ABPI)
  - examination, 9, 28
- ansa cervicalis, 106
- anterior cruciate ligament (ACL), 12, 13, 38–9
- aorta, 81–3
  - anterior relations of, 68, 83
  - anterior unpaired branches of, 69, 83
  - aortic aneurysm, 69, 82, 83
  - arch of, 50, 59–60
  - bifurcation of, 68, 82
  - identification of, 65, 68, 74, 82
  - passage through diaphragm, 51, 62
- aortogram, 59–60
- appendicitis/appendectomy scenario, 64–6, 71–5
- arcuate line, 65, 74
- arterial blood gas sampling, 8, 25
- arterial disease, ABPI examination, 28
- axilla
  - injury scenario, 5–6, 19–21
  - lymph nodes and dissection, 52–3, 63
- axillary artery, 20, 63
- axillary nerve, 6, 18, 21, 22
- azygos vein, 59, 62
  
- back pain scenarios
  - abdominal pain radiating to back, 68–9, 81–4
  - radiating down leg, 15–16, 43–5
- baroreceptors, 105
- basilic vein, 24
  
- bile duct, 79, 80
- bladder, 70, 86
- bowel
  - appendicitis/appendectomy scenario, 64–6, 71–5
  - duodenum, 66, 75, 76–7
  - ileum, 66, 75
  - jejunum, 66, 75, 76–7
- brachial plexus, 6, 20–1, 92, 106, 107
- brachiocephalic vein, 50, 60
- breast, breast lump scenario, 52–3, 63
- bronchial arteries, 55
- bronchopulmonary segments, 47, 55
- bronchus, 47, 55
  
- cancer scenarios
  - oesophageal, 50–2, 60–3
  - thyroid, 89–90, 100–3
- carotid artery
  - common, 105, 106
  - external, 105
  - internal, 105, 106, 108
- carotid endarterectomy, 92, 106
- carotid sheath, 106
- carotid sinus, 105
- carpal tunnel, 8, 27
- cartilaginous joints, 44
- central venous access, 89, 99–100
- cephalic vein, 24, 27
- chest drain scenario, 46–7, 53–6
- clavicle, 106
  - fracture of, 5, 19
- coeliac trunk, 83, 84
- common fibular nerve, 11, 33, 34
- common iliac artery, 68, 82
- compartment syndrome, 41
- conjoint tendon, 64, 73
- coracohumeral ligament, 22
- coracoid process, 5
- coronary arteries, 49, 57–8
- cricoarytenoid muscles, 107–8

## 112 Index

- cricothyroidotomy, 89, 99  
 cubital fossa, 8, 24–5  
 cystic artery, 81
- deglutition, 94, 108  
 deltoid ligament, 14, 40  
 dermatomes, 12, 35  
 diaphragm, 51, 60–1, 62–3  
 dorsalis pedis artery, 8, 27, 28  
 duodenum, 66, 75, 76–7
- facial artery, 110  
 facial nerve, 103–8  
 femoral artery, 8, 12, 27, 36, 37  
   superficial, 27, 28  
 femoral nerve, 12, 36–7  
 femoral triangle, 12, 36–7  
 femur, fractured neck of, 9–10, 29–32  
 flexor digitorum profundus (FDP), 8, 25, 27  
 flexor digitorum superficialis (FDS), 8, 25, 26  
 flexor pollicis longus, 27  
 flexor tendon pulley system, 8, 26  
 foot, acute ischaemia, 8–9, 27–9  
 foramen magnum, 109
- gallbladder, 67, 81  
 gastric arteries, 77  
 gastrocnemius, 11, 14, 35, 42, 43  
 gastroduodenal artery, 77, 78  
 glenohumeral ligaments, 22  
 glenoid fossa, 21, 22  
 gluteal nerve, superior, 32  
 gluteus medius/minimus, 32  
 greater trochanter, 9, 10, 29, 32  
 greater tubercle, 5, 18
- haematuria, and abdominal pain scenario, 70–1, 85–7  
 hamstring muscles, 37  
 hand trauma, 8, 25–7  
 head, 108–10  
 heart, stab wound scenario, 47–50, 56–60  
 hepatic vessels, 67, 79, 80  
 Hesselbach's triangle, 66, 75  
 hip joint, 9–10, 30–2  
 humerus, injury scenario, 4–5, 17–19  
 hyoid bone, 88, 97, 98  
 hypoglossal canal, 108  
 hypoglossal nerve, 106, 108–9
- ileum, 66, 75  
 iliac fossa (right), pain, 64, 71  
 iliacus, 31
- ilium, 30  
 inferior vena cava (IVC)  
   identification of, 66, 67, 69, 74, 81, 82  
   main tributaries of, 69, 84  
   passage through diaphragm, 51, 62  
   vertebral level of beginning of, 69, 84  
 infrahyoid muscles, 88, 98, 99  
 infraspinatus, 23  
 inguinal hernia, 66, 74–5  
 intercostal muscles, 46, 53  
 intercostal neurovascular bundle, 46, 53  
 intercostal vessels, posterior, 59  
 interosseous membrane, 42  
 intervertebral disc, prolapsed, 44–5  
 intervertebral joints, 15, 44  
 intestine, *See* bowel; *specific anatomical parts*  
 ischium, 30
- jaw, lump over, 90–1, 103–5  
 jejunum, 66, 75, 76–7  
 Jenkins' rule, 64, 72  
 jugular foramen, 108  
 jugular vein  
   external, 97  
   internal, 89, 99–100
- Kehr's sign, 84  
 kidneys, 67, 81, 82, 85  
   renal vessels, 68, 82–3  
 knee, injury scenario, 14, 37–41
- laparotomy, 64, 72, 76  
 laryngeal muscles, 107–8  
 laryngeal nerve  
   external branch of superior, 102, 107  
   internal, 108  
   recurrent, 101–2, 108  
 laryngoscopy, 93–6, 107–8  
 lateral cutaneous nerve of the thigh, 36  
 lateral meniscus, 12, 13, 38–9  
 left anterior descending artery (LAD), 57–8  
 leg, *See also specific anatomical parts*  
   back pain radiating down, 15–16, 43–5  
   compartments of, 41–2  
 lesser trochanter, 9, 29  
 lesser tubercle, 5, 18  
 lift-off test, 23  
 ligamentum teres, artery of, 30  
 liver, 67–8, 78–81  
 long thoracic nerve (of Bell), 24  
 lumbar puncture, 17, 45  
 lung, 47, 53–6

- lymphatic system
  - axillary lymph nodes/dissection, 52, 63
  - lower limb, 11, 35
- mandibular nerve, 109
- maxillary nerve, 109
- McBurney's point, 71
- medial malleolus, 8, 14, 27, 40
- medial meniscus, 12, 13, 38–9
- median cubital vein, 24
- median nerve, 6, 20–1, 25, 26
- mediastinum, 49, 51, 58–9, 61
- mental nerve, 110
- meralgia paraesthetica, 35
- mesenteric artery
  - inferior (IMA), 69, 83
  - superior (SMA), 82, 83
- metaphyseal vessels, 30
- musculocutaneous nerve, 6, 20–1
- myotomes, 11, 35
- neck lump scenario, 88–9, 96–100
- oblique muscles (abdominal)
  - external, 64, 72, 73
  - internal, 64, 72–3
- oesophageal cancer scenario, 50–2, 60–3
- omentum, 67, 80
- ophthalmic nerve, 109
- pancreas, 67, 68, 78, 85
- pancreaticoduodenal arteries, 78
- parathyroid glands, 102–3
- parotid gland and duct, 90, 91, 103–4
- patella, 39
- pelvic girdle, 9, 30
- peptic ulcer, 66, 77
- peroneal (common fibular) nerve, 11, 33, 34
- phrenic nerve, 61
- pneumothorax scenario, 46–7, 53–6
- popliteal fossa, lump scenario, 10–11, 32–5
- popliteal vessels, 10, 34
- popliteus, 11, 35
- portal triad, 80
- portal vein, 79–80
- portosystemic anastomosis, 62
- posterior cruciate ligament (PCL), 12, 13, 38–9
- Pringle manoeuvre, 80
- psoas major, 31
- pubis, 30
- pulmonary embolism, 47, 55
- pulmonary valve, 57
- pulmonary vessels, 47, 55
- radial artery, 8, 25, 27
- radial nerve, 6, 18–19, 21, 25
- rectus sheath, 64–5, 73
- reflexes
  - ankle, 14, 41
  - knee, 41
- renal vessels, 68, 82–3
- retinacular vessels, 29–30
- ribs, 53
- rotator cuff, 7, 22–3
- salivary glands, 90–1, 103–5
- saphenous nerve, 28
- saphenous vein
  - great (long), 9, 28, 35
  - small (short), 9, 28, 35
- scalene muscles, 106
- scaphoid, 27
- scapula, winging of, 24
- sciatic nerve, 37–8
- semitendinosus, 11, 34
- serratus anterior muscle, 7
- shock, 68, 84
- shoulder pain scenarios
  - abdominal and left shoulder-tip pain, 70, 84–5
  - pain on abduction, 6–7, 21–4
- skull, 108–10
- spinal accessory nerve, 88, 97–8
- spine, 15–16, 43–5, 88
- spiral groove, 5, 18–19
- spleen, ruptured, 70, 84–5
- splenic artery, 84
- sternocleidomastoid (SCM) muscle, 88, 96, 97, 99
- stomach, 67, 77–8, 80, 85
- strap (infrahyoid) muscles, 88, 98, 99
- subclavian artery, 51, 59–60, 106, 107
- subclavian vein, 89, 100, 107
- submandibular gland and duct, 91, 104
- subscapular nerves, 22
- subscapularis, 7, 23
- superior vena cava (SVC), 59
- suprahyoid muscles, 98
- suprascapular nerve, 18, 22
- supraspinatus, 23
- sural nerve, 33
- sympathetic trunk, 59
- synovial joints, 21
- temporal artery, superficial, 108
- thigh, tingling/numbness scenario, 11–12, 35–7
- thoracic outlet/thoracic outlet obstruction syndrome, 93, 106–7

Cambridge University Press

978-1-107-67299-4 - Anatomy Vivas for the Intercollegiate MRCS

Nick A. Aresti, Manoj Ramachandran and Mark D. Stringer

Index

[More information](#)**114** Index

- thromboembolic deterrent (TED) stockings, 8, 28
- thyroid gland, 89–90, 101, 102–3
  - thyroid cancer, 90, 102
  - thyroidectomy, 90, 101–2
- thyroid vessels, 101, 102, 105
- tibia, fracture of, 14–15, 41–3
- tibial nerve, 10, 33, 42
- tibial vessels, 8, 28, 42, 43
- tibialis anterior, 43
- transient ischaemic attack (TIA), 91–3, 105–7
- Trendelenburg's sign, 32
- trigeminal nerve, 109
- ulnar artery, 8, 25
- ulnar nerve, 6, 21
- ureters, 70, 85–6
  - ureteric colic, 85
- urethra, 70, 86–7
- vagus nerve, 59, 105, 106
- venepuncture, upper limb, 8, 24–5
- vertebrae, 16, 43–4, 88, 98
- vocal cords, 93, 102, 107–8