

Index

- σ -compact, 455
- accumulation point, **337**, 342
 - in a topological space, **354**
- addition, 593
- adherent, **608**
- adjoint, **405**
- adjugate, 599
- algebra, **601**
 - graded, **604**
 - unital, **601**
- altitude, **542**
- annihilator, **316**
- arc, 470, 471
- Arzelà–Ascoli theorem, ix, 446, 448
 - local, 459
- attractor, **452**
- axiom of choice, 609
- azimuth, **542**
- Baire’s category theorem, ix, 381, 420–430
- Banach sequence space, **430**
- Banach space, **395**
- Banach, S., 395
- Banach–Steinhaus theorem, 423
- base for a topology, **348**, **354**
- base of neighbourhoods, **349**, **354**
- basis, **592**
 - standard, **593**
- Bernoulli space, **365**
 - sequence space, **365**, 370, 436, 443
- between, **323**
 - halfway, **323**
- bilinearity, 312
- bivector
 - simple, **604**
- Bolzano–Weierstrass theorem, 431, 435, 452, 609
- boundary, **346**, 349, **354**, 382, 533
- bounded, 306, 439
 - in norm, **311**
 - locally uniformly, 459
- Cantor set
 - fat, 523, 537
- Cantor’s ternary set, 370, 394, 457
- Carlyle, T., 481
- Cauchy sequence, **386**
 - uniform, **388**
- Cauchy’s
 - inequality, **304**, 312
- Cauchy, A.-L., 304
- Cauchy–Schwarz inequality, **314**, 461, 481
- cell, 513
- central core, **324**
- centre, **324**
- chain, 609
- chain rule, 488, 492, 498, 506, 510, 543
- change of variables, **471**, 534–543
- chart, **549**, **551**
- checker-board colouring, 476
- choice
 - axiom of dependent, 348, 373, 421
- circle, 467
 - unit, **472**
- closed graph theorem, 424
- closed set
 - in a metric space, 342–349
 - in a topological space, 360
- closure
 - in a metric space, 342–347, 349
 - in a topological space, **354**, 356
- closure point
 - in a metric space, 342–345, 349
 - in a topological space, **354**, 359
- coordinate projection, **361**
- column, **593**
- column operation, **596**

- compact
 - countably, 437
 - sequentially, **435**
- compact set
 - in $C(K)$, 445–448
 - in a metric space, 441–445
 - in a topological space, 431–435
- compactification, **454**
 - one-point, **454**
 - two-point, 457
- complete metric space, 386–394
- completely regular, 371
- completion of a metric space, **409–411**
- component
 - path-connected, **474**
- configuration space, **449**
 - n -point, **450**
 - finite, **450**
- conjugate linear, **403**
- conjugation, 313, 320
- connected, 464–470
- constituent cells, 513
- content, 513
- continuity
 - in a metric space, 337–342
 - in a topological space, **354**
 - joint, **362**
 - separate, **362**
 - uniform, 388
- contraction mapping, **412**
- contraction mapping theorem, 412
- convergence
 - absolute
 - in a Banach space, **396**
 - absolutely uniform, **397**
 - coordinate-wise, 331
 - in a topological space, **354**
 - local uniform, **457**
 - of a filter, **607**
 - of mappings between metric spaces, 337–342
 - of sequences in a metric space, 330
 - uniform, 332
 - uniform on compact sets, **457**
- convex, **309**
 - body, 532
 - strictly convex normed space, 326
- countability properties, 375–379
- cover, 431
 - finite, 431
 - open, 431
- Cramer's rule, 599
- cross product, 604–606
- cross-section, **361**, 363
 - mapping, **361**, 363
- curl, **573**, 587–590
- curve, 470, **548**
 - simple, **548**
 - simple closed, **548**
 - steady, **548**
- cylindrical polar coordinates, **542**
- dense, 349
 - in a metric space, 343
 - in a topological space, **354**
- derivative, **486**
 - directional, 496–500, 507
 - higher, 507
 - partial, 496–500, 507
 - second, **504**
- derived set, **342**, 349, **354**
- determinant, **597**
- diameter, **306**
- diffeomorphism, **502**, 545
- differentiable, 486
 - continuously, **487**
- differential manifold, **545**, **546**
- differentiation, 485
 - under the integral sign, 543
- dimension, **593**
- Dini's theorem, 438, 448, 528
- Dirichlet problem, 585
- disc, open, 382
- discontinuity, **338**
- dissection, 513
- distance, **303**, 481
- divergence, **573**
- divergence theorem, 572–582
- dual space, **403**
- dyadic rational number, 325, 373
- edge, **471**
- endomorphism, **595**
- entropy
 - Shannon, **560**
- equicontinuous, **446**
 - uniformly, **448**
- Euclidean metric, 386, 387
- Euclidean space, **317**
- Euler, L., 399
- exterior algebra, 601–604
- F_σ set, **392**
- filter, 357, **607**
 - base, 611
 - free, **611**
- final point, **470**
- finite intersection property, **431**, 609
- finite-dimensional, **592**
- first category, **422**
- first countable, 375, 380, 384
- fixed point, **412**
- frontier, **346**, 349, **354**
- function
 - $C^{(k)}$, **508**
 - convex, **309**

614

harmonic, **573**, 582–587
 Lipschitz, 493
 fundamental sequence of compact sets, **456**
 fundamental theorem
 of calculus
 vector-valued, 524

 G_δ set, **392**
 general principle of convergence
 in $\mathbf{R}$, 386
 local uniform, 459
 uniform, 388, 395
 grad, **486**
 gradient, **486**
 normal, **556**
 tangential, **556**
 Gram–Schmidt orthonormalization, 317
 graph, **375**
 group
 alternating, **597**
 general linear, **418**, 534, **595**
 orthogonal, 327
 permutation, 597

 Hahn–Banach theorem, 510
 Hausdorff space, 371, 379, 380, 607
 Heine–Borel theorem, 431, 452
 Hermitian, 313
 Hermitian bilinear form, **313**
 Hilbert cube, **370**, 436, 442
 Hilbert space, **395**
 Hilbert, D., 395
 homeomorphism, **341**, **355**
 uniform, **389**
 hypersurface, **546**

 image, 594
 immersion, **545**
 $C^{(k)}$, **545**
 smooth, **545**
 implicit function theorem
 differentiable, 502
 Lipschitz, 413, 503
 inclination angle, **542**
 indicator function, 364
 initial point, **470**
 inner product, **312**
 usual, 313
 inner-product space, **313**
 inside, **568**
 integral
 Cauchy principal value, 524
 elementary, 513
 improper, 527
 Lebesgue, 524
 repeated, 525
 Riemann

Index

 of several variables, 517–525
 integral equation, 414
 Fredholm, 418
 Volterra, 419
 interior, interior point, 349
 in a metric space, **345**
 in a topological space, **354**
 intermediate value theorem, 465
 inverse, **595**
 inverse function theorem
 Lipschitz, 416, 537
 inverse image, 351
 inverse mapping theorem
 differentiable, 500
 invertible, 417, 500, **595**
 involution, 320
 isolated point
 in a metric space, **337**, **342**, 349
 in a topological space, **354**
 isometry, 319–323
 linear, 319
 isomorphism
 linear, **594**
 isomorphism theorem, 424

 Jacobian, 498
 Jordan content, **523**, 530–534
 inner and outer, **531**
 Jordan measurable, **523**, 530
 Jordan–Brouwer separation theorem, 568
 juxtaposition, **470**

 Lagrange multipliers, **557**
 Lagrange’s identity, 304
 Lagrangian, **562**
 Laplacian, **574**
 lattice, 365, 513
 length, **480**
 limit
 in a metric space, 337
 of a filter, **607**
 limit point, **337**, 342, 349
 in a metric space, 337, 342
 in a topological space, **354**, 360, 371
 line segment, **470**
 linear functional, **403**
 linear operator, **400**
 linear subspace, **591**
 linearly independent, 317, 592
 linked, **469**
 local coordinates, **549**
 local maximum, **555**
 constrained, **556**
 constrained strict, **556**
 strict, **555**

- local minima, **555**
- local minimum
 - constrained, **556**
 - constrained strict, **556**
 - strict, **555**
- locally compact, **453**
- locally connected, 468
- locally path-connected, 479
- manifold
 - $C^{(k)}$, **546**
 - differential, **545**
 - smooth, **546**
- map, mapping
 - bilinear, 489
 - linear, 309, **594**
 - bounded, **401**
 - Lipschitz, **340**, 389
 - orthogonal, 327
 - restriction, 447
- matrix, 497, **593**
 - diagonal, **596**
 - elementary shear, **596**
 - invertible, **595**
 - orthogonal, 328
 - square, **594**
- maximal
 - connected subset, 468
 - path-connected subset, 474
- maximum
 - strict local, **348**
- Maxwell, J.C., 486
- Mazur–Ulam theorem, ix, 323
- mean-value inequality, 491–496
 - for integrals, 520
- mesh size, 513, 523
- metric, **303**
 - p -adic, **308**
 - arc-length, **308**
 - discrete, 305
 - equivalent, **341**
 - Euclidean, **304**, 305
 - Hamming, **308**
 - Hausdorff, **448**, 450
 - infinite product, **369**
 - Lipschitz equivalent, **341**
 - product, **367**
 - standard, 305
 - subspace, 305, 340
 - uniform, **307**, 332, 345
 - uniform product, **389**, 393
 - uniformly equivalent, **389**
 - usual, **303**
- metric space, **303**
 - congruent, 322
 - similar, 322
- metric subspace, 305
- metric symmetry, 322
- metrizable, **353**
- mirror, 320
- multiplication, 601
 - matrix, 595
- nabla, 486
- neighbourhood
 - in a metric space, **349**
 - closed ϵ -neighbourhood, 350
 - open, **330**
 - punctured ϵ -neighbourhood, **337**
 - in a topological space, **354**, 607
 - punctured, **354**
 - well-behaved, **570**
- net, ϵ -net, **439**
- Neumann series, 417
- Newton–Raphson method, 496
- Niemytzki space, 382
- norm, 309
 - dual, **403**
 - equivalent, **401**
 - Euclidean, **311**
 - operator, 402
 - product, **367**
 - uniform, **311**
- norm bounded, **311**
- normal, 371, 383, 384, 432
- normal space, **549**
- normed space, **309**
 - finite-dimensional, 460
- nowhere dense, **422**
- null-space, 328, **594**
- nullity, **594**
- open ϵ -ball, **345**
- open ϵ -neighbourhood, 345
- open mapping theorem, 423
- open set
 - in a metric space, **345**
 - in a topological space, 353
- open unit ball, **345**
- operator
 - elementary shear, **534**, **596**
 - scaling, **534**, **596**
 - self-adjoint, **546**
- order
 - partial, 365, 513
- ordinary differential equation, 414
- orthogonal, **315**
- orthogonal projection, **318**
- orthonormal
 - basis, **317**
 - sequence, **317**
- oscillation, **306**, 425, 515
- Osgood’s theorem, 381, 385
- outside, **568**

616

parallelogram law, **315**
 parametrization, **549**
 path-length, 495
 parametrization, path-length, 482, 495
 normalized, 482
 parity, 476
 odd, even, 476
 partial order, 365, 513
 partition of unity, smooth, **565**
 path, **470**
 circular, **472**
 closed, **470**
 continuously differentiable, 493
 dyadic, **471**
 equivalent, **471**
 Hilbert's, 476–478, 480
 linear, **470**
 piecewise continuously differentiable, 493
 piecewise linear, or polygonal, **471**, 495
 rectifiable, **480**
 rectilinear, **471**
 similar, **471**
 similar closed, **471**
 simple, 471
 simple closed, **472**
 space-filling, 478
 path-connected, **473**
 locally, **474**
 path-connected component, **474**
 Peano, 475
 perfect set
 in a metric space, **342**, 349
 in a topological space, **354**
 point at infinity, **454**
 Poisson kernel, 584
 polarization formula, **315**
 positive definite, 313
 positive semi-definite, **316**
 pre-inner-product space, **316**
 precompact, **439**
 principle of condensation of singularities, 423
 principle of uniform boundedness, 422
 projection
 orthogonal, **406**
 pseudometric, **307**, 311

 quadratic form, **558**
 quotient vector space, 312

 radius, **542**
 rank, 328, **594**
 rank-nullity formula, 328, 594
 refine, 513, **607**

Index

reflection
 simple, 320
 regular, 371, 380
 removable discontinuity, **349**
 reparametrization, **471**
 reverse, **471**
 Riemann integral, x , 515–517
 right shift, **405**
 Rolle's theorem, 555
 rotation, 320
 elementary, 328
 row, **593**
 row operation, **596**

 saddle point, **559**
 sandwich principle, 339
 scalar, **591**
 scalar multiplication, **591**
 scalar potential, **573**
 scalar triple product, **605**
 Schwarz, H.A., 312
 second category, **422**
 second countable, 375, 384, 442
 self-adjoint, 547
 seminorm, **311**
 separable, **347**, 349, **354**, 375, 380, 384, 442
 separation properties, 370–375
 sesquilinearity, 313
 signature, **597**
 span, **591**
 special linear group, **548**
 sphere, unit, 342, 499, 546
 spherical polar coordinates, **542**
 split, **464**
 splitting, **464**
 splitting point, **469**
 stationary point, **555**
 constrained, **556**
 step function, 514
 subadditive, **309**
 subcover, 431
 submersion, **545**
 $C^{(k)}$, **545**
 smooth, **545**
 Sunyer y Balaguer, F., 426
 symmetric, 316, **324**
 symmetric bilinear form, **313**
 symmetric difference, 308
 symmetry, 313

 T_1 space, 371, 379
 tail sequence, **392**
 tangent, 382
 tangent bundle, **551**
 tangent space, **549**
 tangent vector, **548**

- tend, 330, 337, 354
- test
 - Abel's
 - for Banach spaces, 399
 - Cauchy's
 - for Banach spaces, 396
 - D'Alembert's ratio
 - for Banach spaces, 397
 - Dirichlet's
 - for Banach spaces, 398
 - Hardy's
 - for Banach spaces, 398
 - uniform, 398
 - Weierstrass' uniform M , 397, 399
 - for products, 397
- Tietze's extension theorem, 406, 407
- topological space, 353
 - subspace, **355**
- topologically complete, **392**
- topology, 349
 - Bernoulli, **365**
 - coarser or weaker, **354**
 - cocountable, **355**
 - cofinite, **355**, 379, 433
 - discrete, **355**
 - finer or stronger, **354**
 - indiscrete, **355**
 - metric space, **353**
 - of a metric space, **345**
 - of local uniform convergence, 458
 - of pointwise convergence, **364**
 - one-sided, **355**
 - product, **363**
 - quotient, **355**
 - right half-open interval, **356**
 - subspace, **355**
 - Zariski, **355**
- totally bounded, **439**
- trace, **600**
- track, 473
- translation, 320
- translation-invariant, **309**
- transpose, 546
- triangle inequality, **303**
- Tychonoff's theorem, ix, 607, 610
- ultrafilter, **609**
- ultrametric, **349**
- unit sphere bundle, **552**
- unit vector, **310**
- unit volume element, **604**
- unitary space, **317**
- upper semi-continuous, 360
- Urysohn's lemma, 352, 373, 408
- Urysohn's metrization theorem, 378, 443
- vector, **591**
- vector derivative, 589
- vector field, **572**
 - conservative, **573**
 - solenoidal, **573**
- vector space, **591**
- vector triple product, **606**
- vertex, **471**
- volume, 513
- well-linked, **469**