

Index

-
- abandonment fears/schema, 14, 17, 24
 - acceptance, 90, 172–173
 - accurate empathy in therapy, 83–84
 - acknowledgement, in patient-therapist relationship, 93
 - acute crises management, 137–139
 - adaptive niches, 255–256
 - adaptive systems
 - behavior, 184, 256
 - narratives, 185–186
 - nature of emotions, 169
 - self-states, 234
 - sense of self, 229
 - aetiology and development of BPD
 - biological factors, 42
 - environmental influences, 41
 - general conclusions, 39
 - general influences, 39
 - genetic factors, 40–41
 - psychosocial adversity, 42–44
 - agreeableness, 18
 - alcohol misuse/abuse, 44
 - alienation feelings, 256
 - alliance
 - building during assessment, 63–64
 - case studies, 70, 98–99
 - difficulties establishing, 96
 - formation in therapy, 89–90
 - managing problems, 95–98
 - persistent failure to form, 97–98
 - pseudo-alliance
 - management, 96–97, 128
 - Allison case study
 - building community links, 258
 - developing interests, 257
 - pathways of care, 267
 - personal niche building, 261–262
 - self-knowledge and, 253
 - self-narratives, 245–247, 250–251
 - ambivalence in treatment, 123, 128, 130, 183–184
 - anger intolerance, 205
 - Anna case study
 - alliance building, 70
 - avoidance management, 119–120
 - change as ongoing, 265
 - comments with therapist, 201–203
 - commitment to change, 206–207
 - consolidation and generalization of schemas, 201
 - core interpersonal conflict, 226
 - core schema, 197
 - developing social networks, 258
 - diagnosis and assessment, 51–52
 - differential problems, 56
 - discussions of formulations, 72
 - early stages of treatment, 146, 155, 157–159
 - emotional dysregulation constellation of traits, 62
 - exploration of self-states, 235–238
 - identification of self-states, 235
 - illustrative formulations, 67–68
 - integration of self-states, 238–239
 - management of feelings, 173
 - managing social environment, 258–259
 - medication, 73, 142–143
 - modelling by therapist, 147
 - non-verbal schemas, 195
 - pathways of care, 267
 - personal niche building, 259–261
 - personality disorder of, 59
 - presence of the therapist, 147–148
 - relaxation exercises, 175
 - relinquishing neediness, 218–219
 - sadness, 219–221
 - self-efficacy, 217
 - self-reflexive thinking, 211
 - shame, 221–222
 - submissiveness, 206, 208–209, 210
 - sudden realization experiences, 116
 - transition among self-states, 239
 - treatment across time, 263
 - unloved, needy self-state, 235, 236, 239
 - anxiousness trait, 29–30, 34, 252
 - appraisal component in emotions, 165
 - approach-avoidance conflict, 213
 - approval needs, 33, 205
 - assertiveness skills, 211
 - attachment problems, 32–33, 42–43
 - attachment theory, 197
 - attentiveness in empathy, 84
 - auditory hallucinations, 34
 - authenticity experiences, 54, 231
 - avoidance behavior, 32, 95, 119–120, 173, 198–199
 - awareness treatment modules, 167
 - behavioral avoidance. *See* avoidance behavior
 - behavioral disorganization, 25
 - behavioral expression, 210–211
 - behavioral genetic research, 40–41
 - behavioral instability, 2, 3
 - behavioral
 - manifestations, 204
 - strategies, 198
 - biological factors of BPD, 42
 - bond in patient-therapist relationship, 92

- borderline personality disorder (BPD). *See also* aetiology and development of BPD; normal and disordered personality
 cognitive traits, 34–35
 concluding comments, 37–38
 core pathology and, 37
 domains of impairment, 26*f*, 26–27
 emotional traits, 29–32
 features, 5–7
 framework for
 describing, 5–7
 genetic factors of, 2, 40–41
 heterogeneity, 3
 interpersonal traits, 32–34, 35–37
 introduction, 1–2, 29*t*, 29
 major characteristics, 2–3
 overview, 2
 self-harming behavior, 10, 35
 traits, overview, 29–35
 treatment outcome, 3–4
 boundary development, 232
- catastrophizing, 45
 categorical thinking, 45
 certainty/clarity in personality disorders, 54
 change model, phases, 8, 10
 childhood abuse, 149
 childhood and schooling, in
 assessment, 50
 childhood attachments, 43
 chronic interpersonal
 dysfunction, 25
 clinical assessment of
 personality disorder,
 55–57
 clinician activities and positive
 alliance, 64
 cognitive-analytic therapy
 (CAT), 1, 3
 cognitive-behavioral methods,
 189, 266
 cognitive-behavioral therapy
 (CBT), 1, 4, 10, 76
 cognitive processes, 2, 45
 cognitive traits, 34–35
 coherent self. *See* self-
 coherence
 collaborative treatment
 relationship
 building and strengthening
 of, 90–95
- building of, 92–95
 concluding comments,
 98–99
 credibility in, 90–92
 difficulty in establishing,
 89–90
 introduction, 9, 88
 managing alliance problems,
 95–98
 professional and social
 relationships, 88–89
 communication of realistic
 hope, 91
 community building, 258,
 260–261
 competence of patients in
 treatment, 91–92
 compliant non-compliance, 97
 compulsivity co-occurrence, 3
 confidence in treatment
 relationship, 90
 conflict and functional
 incoherence, 47
 conflict avoidance, 205
 conflict characteristic, 2
 confrontational ruptures, in
 patient-therapist
 relationship, 94
 conscientiousness, 18
 consistency in treatment
 concluding comments,
 107–108
 counter-transference
 management, 105–107
 defined, 101
 explicit structure, 103
 interpersonal boundaries, 103
 introduction, 9, 101
 maintaining the frame,
 102–103
 recognizing “red flags,”
 105–106
 resisting pressures, 103
 rigidity vs., 101–102
 setting limits, 103–105
 strategies for consistency,
 102–105
 therapeutic benefits of, 102
 constellation of traits in BPD, 7
 consultant function of
 therapists, 84–85
 containment concerns, 10
 continuity in personality
 disorders, 54
 coping behavior/mechanisms,
 141, 264
- core interpersonal conflict
 associated emotions, 216
 change process, 222–223
 concluding comments,
 226–227
 demandingness, 217
 dependency and, 213–214,
 217–218, 225
 emotion regulation, 224–225
 generalization and
 consolidation, 222
 introduction, 213
 maintaining schemas, 216
 overview, 226
 pattern recognition and
 commitment to change,
 214–215
 promoting change, 216–222
 rejection sensitivity, 222,
 224–225
 relinquishing neediness,
 218–219
 sadness, 219–221
 shame, 221–222
 stages of change model, 214
 strengths and self-efficacy,
 217
 therapeutic relationship
 exploration, 215–216
 trust, 223–224
- core schemas, 197–198, 200
 core self and interpersonal
 problems
 differentiation of the self, 36
 integration of the self, 36–37
 manifestations of, 37
 overview, 7, 35–37
 pathology and borderline
 traits, 37
 psychosocial adversity, 46
 self as agent, 37
 self as knower, 35–36
 self as known, 36–37
- counter-balancing
 schemas, 225
 counter-transference
 management, 105–107
 credibility in treatment
 relationship, 90–92
 crises management
 acute crises management,
 137–139
 adaptive sense of self, 229
 concluding comments, 143
 containment strategies,
 139–143

- crisis behavior, 135
- crisis sequence, 136*f*, 136
- current distress
 - concerns, 139
- duration of sessions, 266
- in-patient treatment, 138–139
- intervention conflicts, 140
- introduction, 10, 135
- medication, 141–143
- preventing escalation, 141
- reflection *vs.* interpretation techniques, 139–140
- self-harming behavior, 135, 136–137
- stabilizing the environment, 140–141
- suicidality, 136–138
- understanding crises, 135–137, 136*f*
- within-session emotional arousal, 141
- crisis behavior, 67, 135, 149
- crisis sequence, 136*f*, 136
- crystallization of
 - discontent, 127
- current circumstances, in
 - assessment, 50
- current symptoms, problems and concerns, in
 - assessment, 49, 51, 52
- demandingness, 217
- demoralization feelings, 256
- dependency
 - core interpersonal conflict, 213–214, 217–218, 225
 - deprivation dependency, 213
 - emotional-dependent
 - cluster, 18
 - needs of patients, 96, 217–218
 - patterns, 213–214, 216
- depersonalization/
 - derealisation, 176
- deprivation dependency, 213
- descriptive reframing, 118
- desensitizing stimuli, 176–177
- development function of
 - therapists, 84
- diagnosis and assessment. *See also* treatment
 - Anna case study, 51–52
 - building alliances during, 63–64
 - clinical interview, 49–51
 - concluding comments, 64
 - formulation of patient problems, 72–73
 - introduction, 49
 - length of assessment, 53
 - Madison case study, 52–53
 - personality disorder, 53–60
 - psychopathology of, 62
 - trait constellations and primary traits, 60–62
- dialectical behavior therapy (DBT)
 - general care, 3
 - introduction, 1
 - support and supervision, 82
 - trauma and, 178–179
 - treatment contract, 75
- differentiation problems in
 - personality disorder, 56–57
- Dimensional Assessment of Personality Pathology-Basic Questionnaire, 62
- discontent as motivator, 127
- dissociative behavior, 135, 136
- distraction activities, 150–151, 174
- distress without resolution, 46
- distrust schema, 44
- domains of impairment, 26*f*, 26–27
- domestic abuse, 14
- dysfunctional attachments, 42–43
- dysfunctional thoughts, 197
- early stages of treatment
 - building everyday structure, 154
 - case examples, 146, 157–159
 - concluding comments, 159–160
 - crisis behavior, awareness, 149
 - distraction and self-soothing, 150–151
 - first session, 145–146
 - general issues, 146–149
 - help-seeking behavior, 151–152
 - interventions, 149–155
 - introduction, 145
 - level of therapist activity, 147
 - modelling importance, 147
 - monitoring safety, 149–150
 - pace of therapy, 146–147
 - presence of the therapist, 147–148
 - re-formulation during, 155–157, 157*f*
 - reducing self-harm, 155
 - regulation and modulation phase, 159
 - relationship issues, 146
 - self-efficacy, 151
 - significant others, help from, 153–154
 - therapeutic dialogue, 148–149
- emotional ability, 30
- emotional arousal, 34, 141
- emotional-dependent
 - cluster, 18
- emotional dysregulation
 - dependency and, 214
 - introduction, 2, 10
 - nature of, 170
 - personality disorder and, 252
 - reducing, 10
 - traits, 61
- emotional mind, 120
- emotional processing
 - adaptive narratives, 185–186
 - case study, 184
 - concluding comments, 186–187
 - creating options for, 183
 - developing flexibility, 182–183
 - flexibility in, 181–185
 - introduction, 181
 - positive emotions, 184–185
 - rigid reactions, 181–182
 - tolerating ambivalence, 183–184
 - treatment modules, 167
- emotional regulation
 - counter-balancing schemas, 225
- desensitizing stimuli, 176–177
- development of, 164*f*, 164–165
- effect of increasing, 224–225
- encouraging incompatible emotions, 174
- grounding methods, 176
- hypersensitivity
 - management, 177–178
- overview, 173–178
- reducing escalating thoughts, 174–175
- relaxation exercises, 175

- emotional regulation (cont.)
 - self-soothing and distraction, 174
 - specific emotions and, 170–171
 - strategies, 200–201
- emotional stability, building
 - awareness module, 170
 - concluding comments, 179
 - emotional regulation module, 173–178
 - increasing acceptance, 172–173
 - managing avoidance, 173
 - observing and tracking, 171
 - patient education model, 169–170
 - personal niche building and, 262
 - present-focused awareness, 171–172
 - recognizing emotions, 170–171
 - specific emotions and emotional regulation, 170–171
 - trauma module, 178–179
- emotional stability, improvement
 - concluding comments, 167–168
 - development of emotional regulation, 164f, 164–165
 - function of emotions, 163–164
 - general treatment modules, 167
 - general treatment plan, 166–167
 - introduction, 163
 - specific treatment modules, 167
 - structure and sequence of treatment, 166f, 166
- emotional traits in BPD
 - anxiousness, 29–30
 - attention and difficulty, 32
 - avoidance, 32
 - emotional lability, 30
 - escalating thoughts and self-talk, 32
 - fusion with self, 31–32
 - generalized hypersensitivity, 30
 - inner experience and, 30–32
 - limited emotional awareness, 31
 - overview, 29–32
 - pessimistic anhedonia, 30
 - subjective experience characteristics, 31
- emotions. *See also* feelings
 - core interpersonal conflict, 216
 - feelings vs., 164–165, 232
 - function of, 163–164
 - incompatible emotions, 174
 - instability in therapy, 90
 - positive emotions, 184–185
 - processing capacity, 71
 - recognition of, 170–171
- empathy, 63, 83–84, 94, 120
- environmental influences
 - introduction, 2
 - invalidating environments, 43–44
 - maladaptive schemas, 199–200
 - managing social environment, 258–259
 - overview, 41
 - personality disorders, 25
- escalating thoughts, 32, 174–175
- exploration function in therapy, 11, 84, 93
- expressive therapy, 70
- extraversion, 18
- “falling apart” label, 174–175
- family history, in assessment, 49, 50, 51, 52
- family-man state, 234
- fear of rejection, 34
- feelings. *See also* emotions; specific feelings
 - alienation feelings, 256
 - demoralization feelings, 256
 - emotions vs., 164–165, 232
 - management of, 173
 - sadness feelings, 174, 219–221
 - unstable emotions and, 232
- fight or flight trait, 30
- flexibility development, 182–183
- flexibility structure in therapy, 85
- formulation of patient problems
 - concluding comments, 77
 - contents of, 66–67
 - diagnosis, 72–73
 - discussions of, 71–72
 - form in, 67
 - function of, 67
 - illustrative formulations, 67–69
 - introduction, 66
 - medication treatment, 73
 - overview, 66–67
 - patient education, 76
 - treatment contract, 73–76
 - treatment planning, 70
- functional incoherence, 47
- generalized hypersensitivity, 30
- genetic basis of emotions, 169
- genetic factors of BPD, 2, 40–41
- genuineness in therapy, 83
- global emotional experiences, 170
- goal-setting and emotions, 169
- grounding methods, 176
- guilt schema, 205
- help-seeking behavior, 151–152
- heterogeneity of BPD, 40
- higher status individuals, 33
- hope as motivator, 127
- hypersensitivity management, 177–178
- in-patient treatment, 138–139
- incompetence issues, 45, 205
- inferiority issues, 45
- initial phase of treatment, 133
- inner experience and emotional traits, 30–32
- insecure attachment, 32–33
- Integrated Modular Treatment (IMT)
 - alliance through time, 269–270
 - comments, 12
 - defined, 4–5
 - emotion-regulating strategy of, 178
 - formulation, as tool in, 67
 - framework for describing BPD, 5–7
 - framework for organizing treatment, 7–8
 - general treatment modules, 8–11
 - ingredients of, 11–12

- introduction, 1, 2
- medication treatment, 73
- phases of change, 266
- phases of change
 - structure, 266
- structure in, 81
- structure of, 5–11
- treatment contract goals, 73–74
- work of therapy, 86
- integration
 - core self and interpersonal problems, 36–37
 - problems in personality disorders, 57
 - of the self, 36–37
 - self-coherence and, 232
 - self-knowledge and, 21–22
 - of self-states, 238–240
 - statements and summaries, 118–119
 - synthesis and, 11
- interpersonal pathology
 - approach to therapy, 83
 - boundaries in treatment, 103
 - self-pathology and, 55, 59–60, 224
 - strategies in maladaptive schemas, 200
 - treatment, 189, 268–269
- interpersonal traits in BPD
 - anxiousness trait, 34
 - core self and, 35–37
 - insecure attachment, 32–33
 - introduction, 2, 23–24
 - need for approval, 33
 - neediness *vs.* fear of rejection, 34
 - oppositionality, 33
 - overview, 32–34
 - submissiveness, 33
 - therapy, 11
- interventions, validation in treatment, 109–115
- invalidating environments, 43–44
- invalidating interventions, 114
- jealousy schema, 194
- language use, in patient-therapist relationship, 92
- limited emotional awareness, 31
- linkage process with ruptures, 95
- linking events, 118
- listening in treatment
 - relationship, 90
- long-term therapy, 4, 71, 266
- Madison case study
 - adaptive narratives, 186
 - alliance building, 98–99
 - core schema, 198
 - counter-balancing schemas, 225
 - crisis behavior, 67
 - developing interests, 257
 - diagnosis and assessment, 52–53
 - differential problems, 56
 - discussions of
 - formulations, 72
 - early stages of treatment, 146, 155, 159
 - emotional dysregulation
 - constellation of traits, 62
 - illustrative formulations, 68–69
 - jealousy schema, 194
 - managing anticipated problems, 264–265
 - managing emotions, 185
 - medication, 143
 - monitoring behavior, 150
 - pathways of care, 267
 - personal niche building, 259
 - personality disorder of, 59
 - re-formulation during treatment, 156–157, 157*f*
 - self-narratives, 244–245, 252
 - significant others, help from, 153–154
 - treatment goals, 74
 - trigger events, 182–183
- maintenance factors, 195
- maladaptive schemas
 - behavioral avoidance, 198–199
 - behavioral strategies, 198
 - cognitive strategies, 197–198
 - comments, 201–203
 - consolidation and generalization, 201
 - emotional strategies, 200–201
 - environmental changes, 199–200
 - exploration of, 194–196
 - formation of, 165
- interpersonal patterns, 24, 26, 191–193, 192*f*, 200
- introduction, 191
- links and components, 194
- maintenance factors, 195
- managing obstacles, 195–196
- motivation to change, 196–197
- new behaviors, 199
- non-verbal schemas, 195
- origins of, 194
- pattern changes, 196–201
- psychosocial adversity, 44–45, 46
- recognition and
 - commitment to change, 193–194
- relationships among, 194
- rupture and, 94
- schema-based rules, 199
- schema change, 192–193
- schema-maintaining behavior, 199
- self-states, 234
- stability of, 191–192, 192*f*
- stage of change
 - approach, 193
- submissiveness, 211
- teaching about, 191
- thinking as, 45, 111
- treatment focus on, 270
- martyrdom, 205
- meaning, in patient-therapist relationship, 93
- medication treatment, 73, 141–143, 158, 177
- mental state, in assessment, 50, 52, 53
- mentalization, 35, 120
- mentalizing-based therapy (MBT), 1, 3, 4
- metacognitive processes, 120, 270
- mindfulness, 120–121, 172
- modelling importance, 147
- modifying behavioral expression, 210–211
- modulation system, 24, 44
- monitoring safety, 149–150
- mood stabilizers, 142
- motivation in treatment
 - ambivalence to, 130
 - concluding comments, 130
 - discontent and hope as motivators, 127
 - focus on change, 125

- motivation in treatment (cont.)
 goal-focused approach to, 123–130
 incentives for not changing, 129–130
 introduction, 9, 123
 managing problems with, 128–130
 options for, 127
 persistence with, 127
 personal reaction problems, 128–129
 preparatory and mobilizing statements, 126
 reinforcing motivation, 124–125
 resistance problems, 128
 reviewing of progress, 125
 small-steps approach, 124
 strategies for building, 123
 support and validation, 125, 129
 talking about change, 125–126
- narrative construction. *See* self-narratives
- need for approval, 33
- neediness behavior, 34, 225
- negative self-talk, 171
- neuroticism, 18
- non-judgmental recognition/acceptance, 110
- non-lethal suicidal behavior, 149
- non-shared environmental influences, 41
- non-verbal schemas, 195
- normal and disordered personality. *See also* personality disorder
- Anna case study, 14–15
- basic processes, 24–25
- cognitive structure of, 16–17
- concluding comments, 27
- defined, 25–26
- domains of impairment, 26*f*, 26–27
- environmental factors, 25
- interpersonal system, 23–24
- introduction, 14
- overview, 15*f*, 15–16
- regulation and modulation system, 24
- self system, 20–23
- trait system, 17–20, 18*t*
- normality as pathology, 114
- object relationship theory, 16
- obsessional traits, 14
- openness to experience, 18
- oppositionality, 33, 128
- optimism in treatment relationship, 90
- over-protectiveness, 213
- pace of therapy, 146–147
- panic-like anxiety, 29
- parental favoritism, 41
- passive opposition to motivation, 128
- passive reaction, 96, 255
- patent treatment goals, 91
- patient education model, 76, 167, 169–170
- patient role in treatment, 74–75
- patient-therapist collaboration. *See* collaborative treatment relationship
- pattern changes in schemas, 196–201
- patterns and themes in behavior, 118
- personal autonomy, 46
- personal continuity, 231
- personal efficacy, lack, 45
- personal history, in assessment, 50, 51, 52–53
- personal niche building
- Allison case study, 261–262
- Anna case study, 259–261
- case examples, 259–262
- community links, 258, 260–261
- concluding comments, 262
- construction of, 256–257
- developing interests, 257
- developing social networks, 258
- encouraging activity, 257
- idea of, 255–256
- introduction, 255
- Madison case study, 259
- managing social environment, 258–259
- personal unity, 54
- personality disorder. *See also* borderline personality disorder
- Anna case study, 59
- assessment of, 53–60
- certainty/clarity in, 54
- clinical assessment, 55–57
- continuity in, 54
- defined, 25–26, 54–55
- diagnosis of, 53–60
- differentiation problems, 56–57
- emotional dysregulation, 252
- environmental influences, 25
- integration problems, 57
- Madison case study, 59
- personal unity, 54
- self-narrative of, 251–252
- self-pathology, 54–55
- traits, 18*t*, 18
- personality pathology domains, 63
- personality traits, in assessment, 51
- pervasive distrust in therapy, 89
- pessimistic anhedonia, 30
- phased treatment, 269
- phases of change, 266
- phenylalanine metabolism, 40
- phenylketonuria disorder, 40
- polypharmacy, 142
- poorly defined boundaries, 36
- positive emotions, 184–185
- positive regard in therapy, 83
- post-traumatic stress disorder (PTSD), 42, 178
- powerlessness schema, 45
- present-focused awareness, 171–172
- primary traits, 60–62
- professional relationships in treatment, 88–89
- progress recognition, 91
- pseudo-alliance management, 96–97, 128
- pseudo-hallucinations, 34
- psycho-education in treatment relationship, 85, 90–91
- psychodynamic therapy, 11
- psychological mindfulness, 120
- psychopathology of assessment, 62
- psychosocial adversity
- attachment problems, 42–43
- concluding comment, 47–48
- conflict and functional incoherence, 47
- core self and interpersonal problems, 46
- distress without resolution, 46
- enduring effects of, 44–47
- impaired regulation and modulation, 44

- invalidating environments, 43–44
- maladaptive cognitive processes, 45
- maladaptive schemas, 44–45, 46
- overview, 42–44
- self system and, 46–47
- psychotherapy research on genetic factors, 40–41
- quasi-psychotic symptoms, 34, 70, 135
- rapport building, 63
- realistic hope, 91
- reasonable mind, 120
- recklessness trait, 3
- recognition and commitment to change, 193–194
- recognition of progress, 91
- reflection in treatment relationship, 90
- reflectiveness in empathy, 84
- regulation and modulation phase
 - in early treatment, 159
 - impairment, 44
 - improvements to, 161
 - introduction, 10–11
 - overview, 24
- rejection-sensitivity, 223, 224–225
- relationship fragility, 205
- relationship structure in treatment. *See* collaborative treatment relationship
- relaxation exercises, 175
- repair process with ruptures, 95
- resistance to motivation, 128
- retaliation, 205
- review procedures, in patient-therapist relationship, 93
- rigidity characteristic, 2, 101–102
- Rogerian supportive therapy, 4
- romantic relationships, in assessment, 50
- ruptures
 - avoidance process with, 95
 - confrontational ruptures, 94
 - linkage process, 95
 - in patient-therapist relationship, 93–95
 - repair process with, 95
 - validation in treatment, 95, 115
 - withdrawal ruptures, 94
- sadness feelings, 174, 219–221
- safety concerns, 10
- Schedule for Non-adaptive and Adaptive Personality, 62
- schema-based rules, 199
- schema-focused therapy (SFT), 1, 3
- schema-maintaining behavior, 199
- selective serotonin reuptake inhibitor (SSRI), 73
- self as agent, 37, 55, 58, 233, 240
- self as knower, 35–36, 54, 58, 231–232
- self as known, 36–37, 54–56, 232
- self-coherence
 - agency and self-directness, 240
 - concluding comments, 241
 - development of self as agent, 233
 - earlier therapeutic contributions, 231–233
 - enhancement of self as known, 232
 - introduction, 231
 - reconciling/integrating views of self, 233–240
 - strengthening self as knower, 231–232
- self-depreciation, 205
- self-derogation, 113–114
- self-development, 249–250
- self-efficacy, 151, 174, 182, 217
- self-esteem issues, 45, 205
- self-harming behavior
 - Allison case study, 245–246
 - case study, 14
 - change process, 125
 - crisis behavior, 135, 136–137
 - dependency and, 214
 - distress without resolution, 46
 - monitoring of, 149
 - overview, 10, 35
 - reducing incidents of, 10, 155
 - as symptom of disorder, 26
 - trauma and, 178
 - treatment contract, 75
 - treatment focus on, 270
- self-invalidation, 45, 113, 129, 193
- self-knowledge
 - details of experiences, 117–118
 - differentiation and integration, 21–22
 - increases in, 117
 - integrative statements and summaries, 118–119
 - managing avoidance, 119–120
 - mental processes, 117
 - open-ended questions, 117
 - personal niche and, 255
 - self-observation and self-monitoring, 119
 - self-reflection and, 9, 117–122
 - self-states and, 233–234
 - working self, 252–254
- self-loathing, 67–68
- self-monitoring, 119
- self-narratives
 - adaptive systems, 185–186
 - Allison case study, 245–247, 250–251
 - combining and extending, 244
 - concluding comments, 254
 - construction of, 118–119, 270
 - encouraging self-development, 249–250
 - fostering coherence, 243–249
 - function and structure of, 242–243
 - idea of having personality disorder, 251–252
 - incorporating changes, 250–251
 - introduction, 242, 243
 - Madison case study, 244–245
 - providing summaries, 245–249
 - reminiscing about therapy, 243–244
 - working self, 252–254
- self-observation, 119
- self-pathology
 - assessment case studies, 58–59
 - bipolar disorder, 20, 23
 - interpersonal pathology, 55, 59–60, 224
 - overview, 42
 - pathways of care, 267

- self-pathology (cont.)
 personality disorder, 54–55
 tolerance and, 183
 treatment work on, 268–269
- self-reflection in treatment
 alternative perspectives, 122
 concluding comments, 122
 explanation of, 121
 increasing of, 121
 introduction, 116–117
 modelling of, 121
 overview, 120–122
 questioning styles and, 121
 related concepts, 120–121
 self-knowledge, 117–120
 understanding from, 232
- self-reflexive thinking, 211
- self-regulation, 7, 167, 229, 267
- self-soothing treatment,
 150–151, 166, 174
- self-states
 changing and integrating,
 234–235
 common elements, 238–239
 exploration of, 235–238
 higher-order bridges,
 239–240
 identification of, 235
 integration of, 238–240
 introduction, 233–234
 overview, 234
 transition among, 239
- self-system
 differentiation and
 integration, 21–22
 introduction, 16
 normal and disordered
 personality, 20–23
 psychosocial adversity,
 46–47
 self as agent, 23
 self as knower, 20–21
 self as known, 21
 self as stable and dynamic,
 22–23
- self-talk, 32
- sensation seeking trait, 3
- sense of self and emotions, 169
- sexual abuse, 69
- shame, 221–222
- shared environmental
 influences, 41
- shared history, in patient-
 therapist relationship,
 92–93
- short-term therapy, 4, 71, 266
- significant others, help from,
 153–154
- social apprehensiveness trait, 3
- social environment, 258–259
- social interaction and
 emotions, 169
- social network
 development, 258
- social relationships in
 treatment, 88–89
- stage of change approach,
 193, 214
- stepped care, 269
- structure in therapy
 accurate empathy, 83–84
 concluding comments, 86
 context of treatment, 81–82
 flexibility, 85
 functions, 84–85
 genuineness, 83
 interpersonal approach, 83
 introduction, 81
 level of activity, 84
 positive regard, 83
 support and supervision, 82
 therapeutic stance, 83–85
 work of therapy, 86
- structured treatment process, 9
- subjective experience
 characteristics, 31
- submissiveness
 assertiveness skills, 211
 changing frequency and
 intensity of, 208–210
 channeling of, 210–211
 concluding comments, 212
 consolidation and
 generalization, 211–212
 costs and benefits of, 208
 dependency and, 214
 exploration of, 207–208
 generating change, 208
 introduction, 33, 204
 maladaptive schemas, 211
 modifying behavioral
 expression, 210–211
 nature of, 204
 origins of, 204–206
 recognition and change,
 206–207
 schemas associated with, 205
 small changes to, 210
 tracking associated schemas,
 207–208
- sudden realization
 experiences, 116
- suicide/suicidal behavior
 case study, 14
 chronic ideation, 35
 crises behavior, 136–138
 introduction, 2, 10
 non-lethal suicidal
 behavior, 149
 patient admissions for, 138
 reducing symptoms of, 10
 self-states and, 235
 trauma and, 178
 treatment contract, 75
 treatment schedules and
 routines, 82
- supportive therapy, 70
- sympathy vs. empathy, 83
- systematic desensitization, 177
- systems training for emotional
 predictability and
 problem-solving
 (STEPPS), 1
- talking about change, 125–126
- termination process in therapy,
 263–265
- therapy-interfering
 behavior, 75
- therapy/therapeutic
 relationship. *See also*
 collaborative treatment
 relationship; dialectical
 behavior therapy;
 structure in therapy;
 transference-focused
 therapy; treatment
 acknowledgement in, 93
 alliance formation in
 therapy, 89–90
 cognitive-analytic therapy,
 1, 3
 cognitive-behavioral
 therapy, 1, 4, 10, 76
 confrontational ruptures
 in, 94
 consultant function of
 therapists, 84–85
 dialogue, 148–149
 empathy in therapy, 83–84
 exploration function in, 11,
 84, 93
 exploration of, 215–216
 expressive therapy, 70
 flexibility structure in
 therapy, 85
 genuineness in therapy, 83
 language use in, 92

- long-term therapy, 4, 71, 266
- mentalizing-based therapy, 1, 3, 4
- pace of therapy, 146–147
- pervasive distrust in, 89
- psychodynamic therapy, 11
- reminiscing about therapy, 243–244
- reviewing therapy, 264
- Rogerian supportive therapy, 4
- ruptures in, 93–95
- schema-focused therapy, 1, 3
- shared history in, 92–93
- short-term therapy, 4, 71, 266
- supportive therapy, 70
- termination process in therapy, 263–265
- therapist role in treatment, 74–75
- trust in, 92
- understanding in, 93
- withdrawal ruptures in, 94
- work of therapy, 86
- threatening events, 19
- tolerance behavior, 172–173
- trait constellations, 60–62
- trait system, 17–20, 18*t*
- trans-theoretical treatment, 4
- transference-focused therapy (TFT), 105–107
 - introduction, 1
 - treatment contract, 76
 - treatment outcome, 3
- transient psychotic episode, 34, 135
- trauma
 - building emotional stability, 178–179
 - personality structure, 68
 - psychosocial factors, 42
 - reducing symptoms of, 10
 - validation in treatment, 112–113
- treatment. *See also* collaborative treatment relationship; consistency in treatment; diagnosis and assessment; early stages of treatment; emotional stability improvement; formulation of patient problems; Integrated Modular Treatment; motivation in treatment; validation in treatment
 - ambivalence in, 123, 128, 130, 183–184
 - duration and frequency of, 71
 - formulation of patient problems, 70
 - general treatment modules, 79
 - implications of, 4
 - in-patient treatment, 138–139
 - initial phase of treatment, 133
 - intensity and severity of, 70
 - interpersonal problems, 189
 - listening in treatment relationship, 90
 - medication, 73, 141–143, 158, 177
 - outcome studies, 3–4
 - patent treatment goals, 91
 - results of, 3–4
 - schedules and routines, 82
 - structural context in, 81–82
 - structured treatment process, 9
 - trans-theoretical treatment, 4
- treatment across time
 - alliance through time, 269–270
 - alternative treatment pathways, 267–269
 - attribution of change, 265
 - change as ongoing, 265
 - change reconsidered, 270–271
 - concluding thoughts/ comments, 269–271
 - duration of treatment/ treatment pathways, 265–266
 - introduction, 263
 - maintenance of changes, 264
 - managing anticipated problems, 264–265
 - pathways of care, 266–269
 - phases of change, 266
 - reviewing therapy, 264
 - stepped care and phased treatment, 269
- support and rehabilitation, 268
- termination process, 263–265
- treatment contract
 - different approaches to, 75–76
 - establishing goals, 73–74
 - overview, 73–76
 - patient and therapist roles, 74–75
 - practical arrangements, 75
 - trigger events, 182–183
- trust, 92, 223–224
- understanding, in patient-therapist relationship, 93
- unloved, needy self-state, 235, 236, 239
- unpredictability schema, 44–45
- validation in treatment
 - areas of competence, 112
 - avoiding invalidating interventions, 114
 - case study vignette, 111–112
 - concluding comments, 115
 - counteracting self- invalidation, 113
 - experiences *vs.* causes and consequences, 111–112
 - functions of validation, 109
 - interventions, 109–115
 - introduction, 109
 - meaning and understanding, 110
 - motivation and, 125, 129
 - non-judgmental recognition/ acceptance, 110
 - over painful and traumatic events, 112–113
 - promotion of, 9
 - reducing self-derogation, 113–114
 - ruptures, 95, 115
- wise mind, 120
- withdrawal ruptures, in patient-therapist relationship, 94
- work history, in assessment, 50
- work of therapy, 86
- working self, 252–254