

INDEX

- acanthocytosis, 135
- accidental hypothermia, 90
- acetaminophen, 185
- activated coagulation time (ACT), 125
- activated prothrombin time (aPTT), 127
- activated prothrombin time ratio (APR), 127, 129
- acute kidney injury (AKI), 172, 173
- acute lung injury, 73
- acute mechanical defect, 86
- acute respiratory distress syndrome (ARDS), 6
- acute respiratory failure, 72
- age, 71, 74
- air embolism, 115, 116, 177
- air entrainment, 37, 49, 58
- air transfer of patient, 163
- albumin, 183
- aminocaproic acid, 138
- amiodarone, 187
- anaemia, 121, 136
- antibiotics, 180
- antibodies, 131, 132
- anticoagulants, 121–3
- anticoagulation, 88, 89
 - assessment, 51
 - ECCO₂R, 201
 - monitoring of, 123–9
 - need of, 120
 - renal replacement therapy, 177
- antiepileptics, 187
- antithrombin, 122, 123, 126, 128
- anti-Xa levels, 126, 128
- arrhythmias, 83, 115
- arterial cannulas, 103, 106, 107, 117
- arterial pressure waveform, 64
- arterio-venous ECCO₂R, 198–9
- artificial lung, 41
- aseptic technique, 96, 109, 115
- assays, 120
- asthma, 70
- Avalon Elite®, 108
- barotrauma, 148
- benchmarking, 23
- beta adrenergic receptor antagonists, 79
- bleeding. *See* haemorrhage
- blood count abnormalities, 131–4
- blood films, changes to, 134

- blood flow
 - through the circuit, 51
 - veno-venous ECMO, 146
- blood gas monitoring, 49
- blood product transfusion, 131
- blood pump, 38–41
- blood samples, 120
- bone marrow biopsy, 134
- brain injury, 75
- bridge configuration in tubing, 37
- bubble oxygenators, 1, 2
- bupropion, 79

- calcium channel antagonists, 79
- cannulas
 - circuit configuration, 112
 - comparisons, 105
 - dislodgement, 53
 - double lumen, 105, 108
 - fixation, 111, 195
 - insertion, 109
 - length, 103
 - main features, 101
 - materials, 102
 - pressure monitoring, 59
 - pump flow and, 40
 - shape, 103–4
 - sidearms, 105
 - side holes, 104, 108
 - surface coating, 102
 - veno-arterial ECMO, 103, 106, 107, 117
 - veno-venous ECMO, 103, 104, 108
- cannulation, 96, *See also* decannulation
- angle of, 110
- complications, 114
- insertion checklists, 97
- location of procedure, 100
- personnel involved, 96
- technique, 109–12
- carbohydrates, 191
- carbon dioxide removal, 45, *See also* ECCO₂R
- cardiac arrest, 81, 84, 85
- cardiac diseases, 22, 78–90
 - acute mechanical defect, 86
- arrhythmias, 83, 115
- ECMO bridge, 86
- eCPR, 81–5
- pulmonary embolism, 88
- reversibility, 80–1
- cardiopulmonary bypass, 3, 5, 7, 15, 87, 89, 168
- cardiopulmonary resuscitation (CPR), 91
- eCPR, 81–5
- cardioversion, 83
- case selection. *See* patient selection
- caspofungin, 186
- catabolism, 188, 190
- cavitation, 115
- centrifugal pumps, 38–41
 - pressure monitoring, 48
- cerebral haemorrhage, 72, 76
- Cesar trial, 3, 6, 72, 77
- chest physiotherapy, 194
- chronic obstructive pulmonary disease, 71

212 Index

- chronic thromboembolic
 - hypertension, 89
- clotting factors, 122, 124, 128
- coagulation cascade, 124
- competencies
 - assessment, 9
 - doctors, 12
 - ECMO specialist, 13
- contamination, water, 45
- continuous peritoneal dialysis, 175
- continuous veno-venous
 - haemodialysis, 176
- continuous veno-venous
 - hemodiafiltration, 176
- continuous veno-venous
 - hemofiltration, 176
- controlled donors, 205, 206
- cyclosporine, 187
- cystic fibrosis, 71
- decannulation, 96
 - arterial cannula, 117
 - checklists, 98
 - venous cannula, 115–17
- dexmedetomidine, 185
- diazepam, 184
- digoxin, 79
- direct thrombin inhibitors, 123
- distal limb ischaemia, 199, 200
- doctors, 10, 12
 - arbitration role, 21
 - cannulation, 96
 - ECMO training topics, 11
 - patient transfer, 160
- double lumen cannulas, 105, 108
- drainage cannula, 114
- drug availability, changes, 183–4
- drug intoxication, 78, 91
- duration of ventilation, 72, 76
- ECCO₂R, 197–8
 - arterio-venous, 198–9
 - circuit monitoring, 201
 - complications, 200
 - veno-venous, 199
- echocardiography, 66
- ECMO. *See also* veno-venous
 - ECMO
 - developmental milestones, 1, 2
 - first patients, 4
 - first trial, 4
 - future of, 209
 - intensive care management, 171–95
 - next generation v2.0, 6
 - organ donation, 204–6
 - paediatric, 5, 19, 178
 - prediction scores, 92
 - survival after, x
 - weaning patient from, 165–9
 - when not to use, 92
- ECMO circuit, 12, 25–31, *See also*
 - cannulas
 - cannula configuration, 112
 - components, 32–46
 - diagram illustrating, 35
 - gas and electric supplies, 19
 - maintenance, 55
 - monitoring, 46–53
 - perfusionist role and, 15
 - RRT connection to, 175

- selection, 53
- training in, 9
- ECMO coordinator, 10, 14
- ECMO director, 10, 15
- ECMO service, 6
 - co-located clinical services, 18
 - infrastructure, 17–21
 - key team members, 10
 - organisation of, 21–3
 - staffing, 9–17
- ECMO specialists, 10, 13
- eCPR, 81–5
- electrolyte plasma levels, 191
- emphysema, 69, 71
- end-of-life care, 168
- enteral nutrition, 189–90
 - complications from, 192
- ethics, 78, 205, 206
- extracorporeal life support, 1
- Extracorporeal Life Support
 - Organization (ELSO), 5, 207
- extracorporeal membrane
 - oxygenation. *See* ECMO
- Factor Xa, 124
 - anti-Xa levels, 126, 128
- femoral artery, 112
- fentanyl, 183, 184, 185
- fibrinolysis, 138
- finances, 22
- flecainide, 79
- fluid balance, 150, 156
 - optimisation, 174
- fluoroscopy, 99, 101, 109, 111
- folic acid, 136
- fondaparinux, 122, 123
- fractionated heparin, 122
- frailty, 71, 74
- free haemoglobin, 51
- furosemide, 187
- gastrointestinal bleeding, 137
- gentamicin, 184, 185
- glucose, 191
- glutamine supplementation, 191
- glyceryl trinitrate, 112
- H1N1 pandemic, 3, 6, 20
- haematology support, 119
- haemofiltration, 175
- haemoglobin, free, 51
- haemoglobinopathy, 136
- haemolysis, 115, 121, 135
- haemophilia, 125
- haemorrhage, 114, 115, 137–40
 - cerebral, 72, 76
 - ECCO₂R, 200
 - intracranial, 137
 - management of, 139
 - pulmonary, 137
 - risk of, 120
 - tracheostomy risk and, 151, 156
- harlequin syndrome, 65
- heart transplantation, 86
- heat exchangers, 45
- heparin, 1, 2, 187
 - cannulation and, 112
 - coatings, 34, 102, 120
 - fractionated, 122
 - monitoring, 125–9
 - thrombocytopenia, 132, 200

214 Index

- heparin (cont.)
 - unfractionated, 121, 126
- high arterial blood pressure, 173
- high frequency oscillatory ventilation, 148
- HIV/AIDS, 71
- hydralazine, 187
- hypothermia, accidental, 90
- hypoxaemia, 73, 147
- immune thrombocytopenia, 133
- immunoglobulins, 134, 136
- immunosuppression, 70
- impellers, 38
- inotropes, 143, 157
- insulin, 187
- intensive care management, 171–95
- intensive care unit, 17, 58
- International ECMO Network (ECMONet), 207
- international registry, 23, 207
- intra-aortic balloon pump, 157
- intracranial haemorrhage, 137
- intravascular pressures, 58
- irreversibility, respiratory diseases, 77
- ischaemia, distal limb, 199, 200
- isolation facilities, 19
- jugular vein, 109
- least damaging lung ventilation, 4, 141
- levetiracetam, 187
- lipaemia, 121
- lipids, 191
- lipophilic drugs, 183, 186
- liver failure, 91
- lorazepam, 184
- low flow alarms, 52
- low molecular weight heparin (LMWH), 122
- lumbar puncture, 138
- lung fibrosis, 71
- lung transplantation, 6, 77, 198
- magnetically levitated pumps, 38
- major bleeding, 137, 139
- mattress suture, 116
- Mayo-Gibbon pump-oxygenator, 2
- mechanical ventilation
 - veno-arterial ECMO, 154
 - veno-venous ECMO, 142, 148–50
- membrane oxygenators, 2, 5, 41
 - schematics, 42
- meropenem, 184, 186
- metabolic response, 188
- midazolam, 183, 184
- minor bleeding, 137, 139
- M-number formalism, 106
- monitoring. *See also* patient monitoring
 - ECMO circuit, 46–53
- morphine, 185
- Murray score, 72, 73
- National Respiratory ECMO service, 71

- negative pressure monitoring, 49
- neuraminidase inhibitors, 186
- neuromonitoring, 59
- nicardipine, 187
- nitric oxide, 152, 173
- nosocomial infections, 179–80
- Novaport Twin cannula, 108
- nurses, 10, 14, 193
- nutrition, 187–92
- obesity, 75
- operating theatre, 100
- organ donation, 90, 169, 204–6
 - dead brain donors, 204
 - non-heart-beating donors, 205
- oseltamivir, 186
- oxygenation
 - veno-arterial ECMO, 155
 - veno-venous ECMO, 145–6
- oxygenators, 27, 41–5, *See also*
 - membrane oxygenators
 - bubble, 1, 2
 - failure, 49
 - Mayo-Gibbon pump, 2
 - monitoring, 47, 49
 - second oxygenator, 44, 145
- paediatric ECMO, 5, 19, 178
- paralysis, 171
- parenteral nutrition, 190
- patient monitoring, 58–67
 - anticoagulation, 123–9
 - veno-arterial ECMO, 63–7
 - veno-venous ECMO, 46, 60–2
- patient selection, 12, 68
 - cardiac diseases, 78–90
 - ECMO prediction scores, 92
 - other diseases, 90–2
 - respiratory diseases, 69–78
 - when not to use ECMO, 92
- patient transfer, 159–64
 - by air, 163
 - care during, 162
 - planning, 159
- peak inspiratory pressure, 149
- pentasaccharides, 123
- peptic ulceration, 188
- perfusionists, 10, 15
- peripheral veno-arterial
 - configuration, 65, 80, 86
 - cannulas, 104, 107
- personal protection equipment, 20
- pharmacists, 10
- pharmacokinetics, 181, 184
- pharmacology, 181–7
- phenobarbital, 187
- phenytoin, 187
- physiotherapy, 194
- piperacillin, 186
- plasmapheresis, 178
- platelet count, 131, 139
- pneumonia, 70, 179, 181
- polymethylpentene, 43
- polyurethane, 102
- polyvinylchloride, 34
- positive end-expiratory pressure (PEEP), 73, 149
- post-oxygenator pressure, 48
- pre-centrifugal pump pressure, 48
- prediction scores, 92
- prednisolone, 133

216 Index

- pre-oxygenator pressure, 47
- pressure flow tables, 105
- pressure monitoring, 47–9, 59
- pressure sores, 193
- prone positioning, 151
- prophylactic antibiotics, 181
- propofol, 185
- propranolol, 184
- protamine, 122, 123, 127
- proteins, 190
- pulmonary embolism, 88
- pulmonary haemorrhage, 137
- pump afterload, 40
- pump preload, 40
- pump-oxygenators, 2
- pumps
 - centrifugal, 38–41
 - intra-aortic balloon, 157
 - pressure monitoring, 48
 - requirement for, 25, 26
- ranitidine, 187
- recirculation in veno-venous ECMO, 61, 145
- recombinant factor VIIa, 139
- red cell transfusion, 144
- rehabilitation, 194
- renal function, 172–8, 184
- renal replacement therapy (RRT), 172
 - anticoagulation with, 177
 - indications for, 174
 - methods of, 175–7
 - nutrition and, 190, 192
- reperfusion lines, 60, 105, 107, 111, 156
- RESP scores, 92
- respiratory diseases, 22, 69–78, 141
 - ECCO₂R support, 197
 - irreversibility, 77
 - reversibility, 70
 - specifics considerations, 71–7
 - ventilator-associated lung injury, 148
- return cannula, 114
- return of spontaneous circulation, 81
- reversibility
 - cardiac diseases, 80–1
 - respiratory diseases, 70
- revolutions per minute, 40
- rhesus negative women, 131
- SAVE scores, 92
- sedation, 171
- Seldinger technique, 96
- sepsis, 178–81, 191
- sickle cell disease, 136
- side ports in tubing, 36
- sidearms in cannulas, 105
- side holes in cannulas, 104, 108
- staff training, 9, 13
- staffing, 9–17
- surface area of membrane, 43
- survival-to-discharge, 83
- sweep gas, 45, 143, 148, 165, 197
- tachypnea, 150
- theophylline, 186
- thrombin, 126
 - direct inhibitors, 123
- thrombocytopenia, 131

- heparin-induced, 132, 200
 - other causes, 133
- thromboelastography, 128
- thrombosis, 88
 - ECCO₂R and, 198, 200
 - veno-arterial ECMO, 63
- thrombotic thrombocytopenia
 - purpura, 134
- tidal volume, 149
- tracheal extubation, 151
- tracheostomy, 151, 156
- tranexamic acid, 138
- transfer equipment, 161–2
- transfer team, 16, 160
- transmembrane pressure, 49, 50
- transplantation, 70, 90
 - heart, 86
 - lung, 6, 77, 198
- transthoracic pressure, 149
- tricyclic antidepressants, 79
- tubing, 32–8
- ultrasound, 111, 112
 - in cannulation, 97
- uncontrolled donors, 205
- unfractionated heparin, 121, 126
- valsalva manoeuvre, 116
- vancomycin, 184, 185
- vasculitis, 70
- vasoactive drugs, 143
- veno-arterial ECMO, 7, 26, 30, 34, 92, 153–7
 - arterial pressure waveform, 64
- cannulas, 106, 107
- cardiac recovery problems
 - with, 80
- mechanical ventilation, 154
- oxygenation during, 155
- patient monitoring, 63–7
- peripheral configuration, 65, 80, 86
- pump afterload, 40
- pump flow and, 41
- stabilisation on, 154
- weaning patient from, 168
- veno-venous ECCO₂R, 199
- veno-venous ECMO, 25, 31, 141–2
 - cannulas, 103, 104, 108
 - cannulas removal, 115–17
 - cerebral haemorrhage, 72, 76
 - fluid balance, 150
 - mechanical ventilation, 142, 148–50
 - oxygenation during, 145–6
 - patient monitoring, 46, 60–2
 - stabilisation on, 142–5
 - standard ventilation settings, 143
 - weaning patient from, 165–8
- ventilator-associated lung injury, 148
- ventricular assist device, 86
- ventricular vents, 157
- visual inspection of the ECMO, 53
- voriconazole, 186
- water drills, 9