

Index

Figures and tables are denoted in bold typeface.

- abdominal aortic aneurysm, 267–268, 270–271
- abdominal compartment syndrome (ACS), 525, 525–526, 526
- acceleromyography, 105
- acetylcholinesterase, 140–141, 141, 531
- acid–base fluid balance, 205, 205–208
- acidemia acid–base balance, 206
- ACS. *See* abdominal compartment syndrome
- active cardiac risk assessment, 4, 15, 15
- acute lung injury. *See* acute respiratory distress syndrome
- acute respiratory distress syndrome (ARDS), 490–492
- Addison's disease, 348–349
- ADH. *See* antidiuretic hormone
- adjustable pressure limiting valve, 82
- adrenal disorders, 348, 348–349, 349
- advanced care directive, 516
- advanced trauma life support (ATLS), 378–379
- adverse effects
 - ephedra, 539
 - heparin, 238
 - herbal supplements, 540
 - HIV medicine, 537–538
 - reporting, 430
 - spinal anesthesia, 188
 - thiazide diuretics, 151
- aesthetic surgery, 523–524
- AICD. *See* automated implantable cardioverter defibrillators
- airflow
 - asthma, 12
 - DM, 35
 - limitations in COPD, 9
 - resistance, 274, 274
- airway
 - anatomy of, 61–63, 63
 - assessment, 5, 64, 164, 375
 - BPF, 518–519
 - difficult, 70–72
 - fire hazard, 364, 364
 - neonatal, 401
 - obstruction during emergence, 174
 - perioperative care, 67–68
- Aladin vaporizing system, 77
- alcohol abuse, 57, 59, 172
- aldosterone, 348
- alkalemia, 206
- allergies
 - intravenous anesthetics, 156, 158
 - preoperative assessment, 5
- allodynia, 450
- alpha2-adrenoceptor agonists, 149
- alternative medicine anesthesia, 539–540, 540. *See also* herbal supplements
- alveolar
 - minimum concentration, 121, 122
 - pressure, 118–119, 119
- Alzheimer's disease, 46, 49
- ambulatory anesthesia, 423
- AMM. *See* anterior mediastinal mass
- amphetamine abuse, 58, 59
- amyotrophic lateral sclerosis, 48
- analgesics
 - for cancer pain, 469–470
 - in ICU, 485
 - non-opioid, 449
 - pediatric, 418
 - TIVA, 166–167, 167
- anaphylaxis (allergic reaction to), 156, 156, 158
- anatomy
 - autonomic nervous system, 300, 302
 - body fluid, 202
 - brachial plexus, 194, 194, 367
 - cardiac, 225
 - lumbar plexus, 197
 - neonatal airway, 401
 - pituitary gland, 345
 - spinal column, 183–185, 184, 185
 - tracheobronchial, 279
- anesthesia crisis resource management, 429
- anesthesia equipment
 - breathing, 82–84, 84
 - electrical safety, 85, 85, 91
 - gas supply, 74–75, 75
 - machine, 76–77, 77
 - ventilators, 79–80, 80
- anesthesia information management systems (AIMS), 545–546
- anesthesia practice management
 - billing and coding, 433
 - contracting, 433
 - ethics, 435–436
 - finances, 434
 - human resources, 433
 - patient safety, 217–429
 - quality assurance, 429
 - risk, 158, 430, 434, 438–439
 - scheduling, 433
 - statistics, 441, 441–443, 442
- anesthesia transition
 - and PONV, 179, 179–180
 - cognitive changes in, 181, 181
 - emergence, 174–175, 175
 - postoperative complications in the PACU, 177–178
- anesthetic techniques
 - general anesthesia, 164, 164–165
 - MAC care, 169, 169–170, 170
 - patient positioning, 172–173
- angiography, 425
- angiotensin-converting enzyme inhibitors
 - and blood transfusion, 220
 - cardiac, 236
- ankle block, 199, 199
- Ankle–Brachial index, 272
- antagonists
 - for pulmonary aspiration, 144–145
 - muscle relaxant, 138
 - opioid, 135
- antepartum hemorrhage, 390
- anterior longitudinal ligament, 184
- anterior mediastinal mass (AMM), 297, 298
- antibiotics
 - allergic reaction to, 157
 - sepsis, 500–501
- anticholinergic agents, 148
- anticoagulation
 - atrial fibrillation, 480
 - cardiac, 238–240
 - deep venous thrombosis, 508
- antidiuretic hormone (ADH), 345
- antiemetic therapies, 147, 147–148, 410, 423, 548
- antifibrinolytic drugs, 239–240
- antihistamines, 148
- antipsychotics, 54
- aorta
 - abdominal aneurysm, 267–268, 270–271
 - coarctation of the, 415
 - thoracic, 254, 254–255
- aortic regurgitation, 18, 19
- aortic stenosis, 18–19
- Apfel score, 423
- Apgar score, 421
- apnea
 - neonates, 405
 - sleep, 5, 362, 408
- apneic oxygenation, 292
- arachnoid mater, 184, 184
- ARDS. *See* acute respiratory distress syndrome
- arterial waveform, 88
- arteries
 - spinal, 184, 185
 - transposition of the great, 415

Index

- Artery of Adamkiewicz, 184, 185, 255
 arthritis, 372–373
 ascending bellows drive type, 79
 ascites, 30
 asthma
 intraoperative management, 11–12, 12
 obstetrics, 396
 pathophysiology, 12
 preoperative optimization, 12
 atlanto-occipital joint extension assessment, 64
 atrial fibrillation, 480
 atrial septal defects, 415
 atrioventricular nodal reciprocating tachycardia, 481
 atrioventricular reentry tachycardia, 481
 atropine
 for anticholinesterase toxicity, 531–532
 neuromuscular blockade reversal, 143, 144
 automated implantable cardioverter defibrillators (AICD), 249, 249–250
 autonomic hyperflexia, 48
 autonomic hyperreflexia, 316
 autonomic nervous system anatomy of, 300, 302
 and CRPS, 467–468
 autonomic neuropathy, 31
 autonomy, 435, 516
 axillary block, 195
 Avogadro's hypothesis, 74
 awake intubation, 72
 axillary block, 367
 azotemia, 26
 azygous vein, 185

 back pain management, 464, 464–466, 466
 Baralyme breathing equipment, 82
 bare metal stents (BMS), 5
 bariatric surgery, 329–330
 Batson's plexus, 185, 185
 Becker muscular dystrophy, 357
 behavioral pain therapy, 454, 455
 beneficence, 516
 benzocaine, 162
 benzodiazepines
 in ICU, 485
 intravenous induction agent, 125
 MAC technique, 170, 170
 benzylisoquinolones, 138
 beta-blocking drugs
 atrial fibrillation, 480
 cardiac, 231–236, 236
 common, 254
 Bier block, 195
 bilateral sequential lung transplantation indications, 287
 biologic warfare agents, 531–532, 535
 bipolar disorder, 52–53
 bipolar electrocautery, 85
 blepharoplasty, 523
 blood
 loss in burns, 515
 oxygen content, 277–278
 patch, 191
 pediatric estimation, 402
 products, 158, 217–218
 renal system, 314
 salvage and donation, 224
 spinal, 185
 transfusion, 219, 219–220, 220
 blood disorders
 anemia, 37
 catheter-related, 495, 495–497, 497
 coagulation, 38, 38
 fibrinolysis, 41
 hemostasis, 38, 38–40
 polycythemia, 11
 spinal, 184–185
 thrombosis, 40–41
 blood pressure monitoring, 88
 body fluid
 distribution, 202
 movement, 202
 perioperative deficit, 203, 203–204, 204
 preoperative assessment, 202
 Bohr effect, 277
 botulinum toxin, 532
 BPF. *See* bronchopleural fistula
 brachial nerve injury, 172
 brachial plexus anatomy, 194, 194
 bradycardia
 causes of, 305
 pediatric, 403
 postcardiac bypass, 257
 brain
 death, 504, 512
 failure of, 477
 brainstem auditory evoked potential, 109, 110
 breast surgery
 mammoplasty, 331
 regional vs. general anesthesia, 331
 tumor, 331
 breathing equipment, 82–84, 84
 bronchial blockers, 280
 bronchiectasis, 287
 bronchodilator effects, 121
 bronchopleural fistula (BPF), 518–519
 bronchoscopy
 apneic oxygenation, 292
 flexible fiberoptic, 291–292
 foreign body aspiration, 292–293
 jet ventilation, 292
 rigid, 292
 bronchospasm
 and anesthesia emergence, 175
 in pulmonary resection, 282
 bupivacaine, 162
 burn management, 513–515, 515

 CABG. *See* coronary artery bypass grafting
 caffeine halothane contracture test, 352
 calcium
 balance, 211–212
 channel blockers, 236
 citrate toxicity, 220
 in parathyroid disorders, 339
 cancer pain management, 469, 469–471
 capnograms, 102, 325
 carbon dioxide
 absorber, 84
 common medical gas, 74, 75
 end-tidal concentration, 101
 transport in thoracic anesthesia, 277–278
 carbon monoxide
 and inhalation anesthetics, 115
 breathing equipment, 82
 poisoning, 528, 528–529
 carbonic anhydrase inhibitors, 151–152
 carcinoid syndrome, 323, 343–344
 cardiac anesthesia
 AICD, 249, 249–250
 CABG, 241–243
 drugs, 230–240, 239
 heart transplantation, 257
 on thoracic aorta, 254–255
 OPCAB, 244
 persistent postoperative bleeding, 259, 259–263, 261, 262, 263
 physiology, 225, 225–228, 226, 227, 231
 TEE, 246, 246–247
 VAD, 252–253
 cardiac conduction system, 226
 cardiac cycle
 ECG correlation, 93
 physiology, 226, 227, 231
 cardiac denervation, 257
 cardiac evaluation
 ECG, 6
 preoperative, 3–4
 cardiac failure, 483–484
 cardiac herniation, 284
 cardiac morbidity assessment, 15, 15
 cardiac pressure–volume relationship, 19
 cardiogenic shock, 483
 cardiopulmonary bypass (CPB)
 anesthesia considerations, 242–243
 components, 241–242, 242
 lung transplantation, 289
 monitoring for CABG, 241
 physiologic effects of, 242
 postoperative bleeding, 262
 cardiopulmonary system
 effects during laparoscopic procedures, 325
 resuscitation, 89–472, 474
 cardiovascular system
 ACS and IAH effects, 525–526
 and elderly patients, 43
 cardiac cycle, 93
 changes during pregnancy, 385
 effects of spinal anesthesia, 187
 effects of epidural anesthesia, 191
 effects of opioids on, 134
 failure of, 477
 heart failure, 15–16, 16
 inhalation anesthetic effects, 121
 MI, 15
 physiology, 16
 preoperative assessment, 3
 role of electrolytes, 230, 230
 valvular heart disease, 18–20
 carotid endarterectomy (CEA), 265, 265
 categorical data, 441
 catheter infections, 495, 495–497, 497
 cauda equina, 184, 184
 CEA. *See* carotid endarterectomy
 celiac plexus block, 458, 463
 central core disease, 358
 central venous catheter
 indications, 88
 central venous pressure
 monitoring, 88
 cerebral aneurysm, 308–309
 cerebral blood flow
 at high altitudes, 543
 interventions, 303, 303
 protection strategy, 303
 cerebral hyperperfusion syndrome, 265
 cerebral oxygenation monitoring, 110–112, 112
 cerebral palsy, 406
 cerebral perfusion pressure, 300
 cerebral vasospasm, 309–310
 cerebrovascular disease, 45, 308–310
 cervical vertebrae anatomy, 183
 CHD. *See* congenital heart disease
 chemical warfare agents, 531–532, 535
 Cheyne–Stokes breathing, 542
 CHF. *See* congestive heart failure, chronic renal failure

- Child–Turcotte–Pugh classification, 30
 chloroprocaine, 162
 cholinergic crisis, 354–355
 chronic bronchitis, 9
 chronic obstructive pulmonary disease (COPD)
 classification, 8
 definition, 8–9
 intraoperative management, 11, 11–12
 pathophysiology, 9
 perioperative risk assessment, 10–11
 postoperative care, 12
 preoperative optimization, 11
 smoking cessation, 11
 transplant indications, 287
 treatment, 10, 10
 chronic pain management, 453–456, 454
 chronic renal failure (CHF)
 classification, 26
 comorbidities, 26–27
 complications, 27
 definition, 26
 dialysis effects, 27
 electrolyte effects, 27
 laboratory testing, 26
 pharmacokinetics, 27, 27–29
 cimetidine, 144
 circle of Willis, 308
 circulation
 cerebral, 308
 coronary, 225, 225
 neonatal, 401
 persistent fetal, 402
 cirrhosis, 30–31
 cirrhotic cardiomyopathy, 31
 classification
 airway assessment, 64
 breathing equipment, 85
 burns, 513–514
 cardiac risk for noncardiac surgery, 4
 CHD, 414
 chronic pain, 455
 diuretic, 151–152
 liver disease, 30
 of lung injury, 490–491
 pain, 445, 445
 surgical facilities, 427
 von Willebrand disease, 38
 clonidine, 191
 coagulation
 after cardiac surgery, 260–262
 blood disorders, 38, 38
 to stop persistent bleeding, 263
 coagulopathy (from transfusion), 222
 cocaine
 abuse of, 57–58, 59
 local anesthetic, 162
 codeine, 418
 colloid fluid replacement, 204
 colloids, 158
 Combitube, 67
 common gas outlet machine, 77
 common peroneal nerve injury, 172
 comorbidities (obstetrics), 396, 396–398
 complete heart block, 96–97, 97
 complex regional pain syndrome (CRPS), 467–468
 complications. *See also* risk
 in PACU, 177–178
 laparoscopic surgery, 326
 with PONV, 179, 179–180
 Compound A, 82, 115
 computed tomography (CT), 425
 congenital heart disease (CHD), 414, 415, 416
 congestive heart failure (CHF), 16, 26
 Conn syndrome, 349
 constrictive pericarditis, 90, 90
 context-sensitive half-time (CSHT), 131
 contrast-induced nephropathy, 27
 conus medullaris, 184, 184
 COPD. *See* chronic obstructive pulmonary disease
 Cormack–Lehane grades (larynx), 68
 coronary artery bypass grafting (CABG)
 indications, 241
 with CPB, 241–243, 242
 coronary artery disease (CAD), 272
 coronary perfusion pressure, 226
 corticosteroids (in obstetrics), 393
 cortisol, 348
 COX. *See* cyclooxygenase inhibitor
 CPB. *See* cardiopulmonary bypass
 cranial nerve monitoring
 procedures, 110
 craniotomy, 305–306
 cricoid cartilage, 62
 cricothyrotomy, 72
 critical temperature (gas), 74
 croup, 409
 CRPS. *See* complex regional pain syndrome
 cryoprecipitate (transfusion), 218
 crystalloid fluid replacement, 203–204
 Cushing's syndrome, 348, 348
 cut-off (intravenous), 127
 cyanide
 poisoning, 529
 toxicity, 532
 cyclooxygenase inhibitor (COX), 149, 149, 262, 417
 cystic fibrosis
 children with, 405
 transplant indications, 287
 cystourethroscopy, 316
 dead space
 breathing equipment, 82
 respiratory system, 274–275
 deep venous thrombosis, 508–509
 delayed emergence
 at high altitudes, 544
 from anesthesia, 174
 delirium, 169, 181, 181, 485
 dental surgery (non-OR), 426
 depression
 antidepressants, 51–52, 52
 definition, 51
 descending bellows, 79
 desflurane
 and PONV, 423
 inhalation anesthetic, 115
 vaporizer, 77
 designated health care proxy, 516
 DI. *See* diabetes insipidus
 diabetes insipidus (DI), 346, 346, 504, 511
 diabetes mellitus (DM)
 and hyperglycemia, 34, 34–35
 and ketoacidosis, 35
 and nerve damage from positioning, 172
 definition, 33
 intraoperative management, 35–36, 39
 obstetrics, 396
 preoperative assessment, 5
 types of, 34
 diameter index safety system (DISS)
 anesthesia machine, 76
 gas delivery system, 74
 difficult airway algorithm, 70
 difficult intubation (general anesthesia), 164
 diffusion hypoxia, 119
 digitalis, 231
 digoxin. *See* digitalis
 direct thrombin inhibitors (cardiac), 262
 discography, 460
 dissociative anesthesia, 124
 distal nerve blocks, 195
 DLT. *See* double-lumen tube
 DM. *See* diabetes mellitus
 do not resuscitate order (ethics), 435
 dopaminergic antagonists (antiemetic), 147–148
 dosage
 epidural anesthesia, 190
 local anesthetic, 161
 double-burst stimulation (neuromuscular), 105
 double-lumen tube (DLT), 279–280
 drug-eluting stents (DES), 5
 drugs. *See also* pharmacokinetics and liver disease, 32
 and muscle relaxants, 139
 and torsades de pointes, 548
 antiemetic therapies, 147–148
 ARDS, 492
 bronchodilator, 10
 cardiac, 230–240, 239
 cardiopulmonary resuscitation, 474
 comorbidities, 397–398
 DM, 39
 for ECT, 311
 for pulmonary aspiration, 144–145
 hyperthyroidism, 336
 hypnotic, 166
 neonatal, 403
 PONV, 179
 renal transplantation, 319–320
 spinal anticoagulation, 188
 that can trigger MH, 355
 Duchenne muscular dystrophy, 357
 diuretic classification, 151–152
 dura mater, 184, 184
 dynamic hyperinflation, 11, 11
 ECG. *See* electrocardiogram
 echinacea, 541
 echocardiography, 290
 ECT. *See* electroconvulsive therapy
 efficiency (operating room), 431–432
 Ehlers–Danlos syndrome, 521
 Eisenmenger syndrome, 414
 EKG. *See* electrocardiogram
 elderly patient, 43, 124, 132
 electrocardiogram (ECG)
 normal cardiac, 226
 patient monitoring, 93, 94, 95, 96, 97
 preoperative assessment, 6
 electrocautery, 85
 electroconvulsive therapy (ECT), 311, 311–312, 426
 electrocorticography (ECoG), 109
 electroencephalography (EEG)
 CEA, 265
 intraoperative awareness, 114
 patient monitoring, 109, 109–112, 110, 112
 electrolyte balance. *See also* fluid balance
 and cardiovascular performance, 230, 230
 and subarachnoid hemorrhage, 309
 ion, 214, 215

Index

- electromyography (EMG)
 and nerve damage, 173
 neuromuscular blockade, 105
 elimination
 drug, 153
 inhalation anesthetic, 119
 intravenous agent, 130–131, 131
 emergence
 delayed, 174
 delirium, 175, 181, 181
 in general anesthesia, 165
 Emery–Dreifuss muscular dystrophy, 357
 emphysema, 8
 endobronchial ultrasound, 293
 endocarditis prophylaxis, 18
 endocrine diseases
 adrenal, 348, 348–349, 349
 carcinoid syndrome, 343–344
 DI, 346, 346
 parathyroid disorders, 339–340
 pheochromocytoma, 342, 342–343
 SIADH, 345, 345–346, 346
 thyroid disorders, 336, 336–337
 endoleak, 271
 endoscopy (non-OR), 426
 endovascular approach
 (abdominal aortic aneurysm), 270–271, 271
 end-stage renal disease, 319
 end-tidal concentration, 114
 enteral nutrition, 214
 epidermolysis bullosa, 521–522
 epidural anesthesia
 for labor, 385, 386
 patient-controlled, 450–451
 pediatric pain, 418
 regional anesthesia, 190–191
 epidural steroid injections
 for back pain, 465
 pain management, 457
 epiglottis, 62
 epinephrine
 cardiac failure, 484
 neonatal resuscitation, 421
 equipment
 epidural anesthesia, 190
 gas supply, 74–75, 75
 lasers, 364, 364
 error (statistical), 441
 esophageal balloon manometry, 492
 esophageal surgery, 328–329, 411
 ether, 1
 ethics
 ICU, 516–517
 medical, 435–436
 etomidate, 125, 126
 evoked potential monitoring, 109–110, 121, 306, 376
 ex utero intrapartum treatment (EXIT), 399, 399
 exponential function (statistical), 443
 extracorporeal shock wave lithotripsy (ESWL), 317
 extubation
 and anesthesia emergence, 174
 in general anesthesia, 165
 facelift. *See* rhytidectomy
 failure
 brain, 477
 cardiac, 15–16, 26, 483–484
 cardiovascular system, 477
 hematopoietic system, 478, 478–479
 hepatic, 31
 multiorgan, 477, 477–479, 478, 499
 renal system, 26, 26–29, 27
 respiratory system, 174, 483
 famotidine, 144
 fast track cardiac anesthesia, 244
 fasting
 for general anesthesia, 164
 guidelines, 6
 infant, 405
 febrile nonhemolytic transfusion reaction, 219
 femoral nerve block
 lower extremity, 197
 orthopedic surgery, 367, 371
 fentanyl, 418
 fetal intervention, 399, 399
 feverfew, 540
 fibrinolysis, 41
 filum terminale, 184, 184
 fire hazard
 carbon monoxide, 529
 in OR, 158, 438–439
 flexible fiberoptic bronchoscopy, 291–292
 flexible fiberoptic intubation, 70–71
 flow meters, 76
 fluid balance. *See also* electrolyte balance
 abdominal surgery, 322
 acid–base, 205, 205–208
 ARDS, 492
 burns, 514
 nutrition, 214, 214–216, 215
 pediatric, 402, 411
 replacement, 202, 203, 204
 sepsis, 501
 focused assessment with sonography in trauma (FAST), 379
 foreign body aspiration
 bronchoscopy, 292–293
 pediatric, 409
 four principles guideline, 516
 Frank–Starling curve, 16, 227
 fresh frozen plasma
 blood disorders, 40
 blood products, 222
 fresh gas coupling, 80
 gamma-aminobutyric acid receptor (GABA), 128
 garlic, 540
 gas
 delivery system, 74–75, 75
 laws, 74
 medical, 74
 gas-driven ventilator, 79
 gastrointestinal system
 ACS and IAH effects, 526
 and CHF, 27
 and liver disease, 30
 preoperative assessment, 5
 surgery, 329–330
 gastrochisis, 411, 412
 general anesthesia
 ambulatory, 423
 and craniotomy, 305
 cesarean delivery, 388
 gynecology procedures, 331
 infant, 408
 intra-abdominal surgery, 322–323
 stages and signs of, 164
 techniques, 164, 164–165
 general surgical procedures
 ACS and IAH, 525, 525–526, 526
 breast and gynecology, 331–333
 esophageal surgery, 328–329
 gastric surgery, 329–330
 intra-abdominal surgery, 322–323
 laparoscopic surgery, 325, 326
 liver transplantation, 334–335
 geriatrics. *See* elderly patient
 ginger, 540
 ginkgo, 540
 ginseng, 540
 Glasgow coma scale, 379, 504, 506, 510
 glomerular filtration rate, 314
 glucocorticoids
 antiemetic therapies, 147
 treatment regimen, 350
 glucosamine, 540
 glycopyrrolate, 143, 144
 goldenseal, 540
 graft dysfunction
 liver transplantation, 335
 lung transplantation, 290
 graft-vs-host disease (GVHD), 218, 220
 guidelines
 ambulatory discharge, 423
 cardiac evaluation, 3, 3–4, 15
 cardiopulmonary resuscitation, 89–472
 common orthopedic procedures, 367–370
 ethical, 516
 golden hour, 506
 non-OR, 425
 pediatric transfusion, 402
 sepsis, 500
 spinal anticoagulation, 188
 surgical facilities, 427
 trauma patients, 378
 valvular heart disease, 18
 Guillain–Barré syndrome, 45–49, 49
 gynecological surgery
 anesthetic options, 331–332
 hysterectomy, 333
 laparoscopy, 331, 332–333
 prolapse repair, 333
 Haldane effect, 277
 hallucinogen abuse, 59, 59
 halothane
 MAC effects, 121
 Hamburger shift, 278
 heart transplantation, 257
 heart–lung transplantation, 287
 heliox
 common medical gas, 74
 for upper airway obstruction, 362
 thoracic anesthesia, 298
 hematology
 and CHF, 26
 and liver disease, 31
 blood disorders, 37–41
 hematoma
 effects of spinal anesthesia, 188
 from epidural anesthesia, 191
 hematopoietic system failure, 478, 478–479
 hemodilution
 acute normovolemic, 224
 transfusion, 222
 hemodynamic patient monitoring, 88, 88–90, 90, 373
 hemolysis elevated liver enzymes and low platelets (HELLP), 393
 hemolytic transfusion reaction, 219
 hemophilia (A and B), 39–40
 hemorrhage
 in PACU, 177
 in trauma patients, 380
 obstetrics, 390–391
 post-tonsillectomy, 409
 hemostasis (blood), 38, 38–40
 Henderson–Hasselbalch equation, 205
 heparin
 alternatives to, 239, 239
 blood disorders, 40
 cardiac drug, 238, 262
 heparin-induced thrombocytopenia
 thrombosis
 abdominal aortic aneurysm, 267
 blood disorders, 40–41
 cardiac, 239
 hepatopulmonary syndrome, 31

- herbal supplements, 154
See also alternative medicine
 anesthesia
- hereditary angioedema, 521
- herniation
 infant, 408, 408
 pediatric, 411
- high altitude anesthesia, 542–544
- high altitude cerebral edema, 543
- high altitude pulmonary edema, 543
- high-pressure system machine, 76
- highly active antiretroviral therapy, 537
- history
 anesthesia, 1–2
 anesthetic actions, 127, 127–128
 social, 5
- HIV. *See* human immunodeficiency virus
- homeopathy, 539
- HPV. *See* hypoxic pulmonary vasoconstriction
- human immunodeficiency virus (HIV), 537–538
- Huntington's disease, 47, 49
- hydralazine, 394
- hydromorphone, 418
- hyperalgesia, 445
- hyperbaric oxygen therapy, 543
- hypercalcemia, 211–212
- hyperglycemia, 34, 34–35
- hyperkalemia
 CHF, 27
 electrolyte balance, 210–211, 215
- hypermagnesemia
 CHF, 27
 electrolyte balance, 212
- hypernatremia, 209–210
- hyperparathyroidism, 339
- hyperphosphatemia, 213
- hypersensitivity reaction.
See allergies
- hypertension.
See also preeclampsia
 and cerebral blood flow, 303
 CEA, 265
 in PACU, 177
 intra-abdominal, 525, 525–526, 526
 laparoscopic surgery, 326
 vasodilators for, 254
- hyperthermia
 and inhalation anesthetics, 116
 definition, 107
 malignant, 351–352, 355
 muscle relaxant, 138
- hyperthyroidism, 336, 336
- hypertrophic cardiomyopathy (HCM), 547
- hypnotic drugs
 allergic reaction to, 157
- TIVA, 166, 166
- hypoadosteronism, 349, 350
- hypocalcemia
 ECG correlation, 97
 electrolyte balance, 212
- hypomagnesemia, 212
- hyponatremia, 210
- hypoparathyroidism, 339–340
- hypophosphatemia, 213
- hypoplastic left heart syndrome, 416, 416
- hypotension
 abdominal aortic aneurysm, 267–268
 atrial fibrillation, 480
 in PACU, 177
 in trauma patients, 379–380, 380
- hypothermia
 and cerebral blood flow, 300, 303, 303–304
 from transfusion, 222
 in PACU, 177
 in trauma patients, 380
 patient monitoring, 107, 107
 pediatric, 402
- hypothyroidism, 336, 337
- hypoventilation
 and anesthesia emergence, 175
 intra-abdominal surgery, 323
- hypovolemia, 203
- hypoxemia (PACU), 177
- hypoxia, 323
- hypoxic pulmonary vasoconstriction (HPV)
 in pulmonary resection, 283
 lung isolation, 280
- IAH. *See* intra-abdominal hypertension
- ICU. *See* intensive care unit
- implantable pain therapy, 460
- induction
 inhalation anesthetic, 118
 liver transplantation, 334
 lung transplantation, 288
 spinal surgery, 376
 TBI, 511
- information science, 545–546
- informed consent (ethical), 516
- infraclavicular block, 195, 367
- infusion delivery system
 intrathecal pump, 461
 TIVA, 167
- inhalation anesthetic
 ambulatory, 423
 anatomic sites, 128, 131
 and cerebral blood flow, 301
 at high altitudes, 543
 general techniques, 164, 164–165
 pharmacodynamics of, 121, 122
 pharmacokinetics of, 118–119, 119
- types of, 115–116
- injuries
 blunt aortic trauma, 379
 inhalation, 514
 traumatic brain, 380
 unintentional, 378
 ventilator-induced lung, 284
- innervation
 cardiac, 226
 CEA, 265
 of larynx, 62
- inotropic drugs
 cardiac failure, 484
 intravenous, 231
 sepsis, 501
- in-plane ultrasound technique, 192
- inspiratory ventilator pressure, 79
- intensive care unit (ICU)
 ARDS, 490–492
 burns, 513–515
 cardiac failure, 483–484
 cardiopulmonary resuscitation, 472–473
 ethics, 516–517
 multiorgan failure, 477–479
 nosocomial infections, 494–497
 supraventricular arrhythmias, 480–481
 surgery, 485
 weaning from mechanical ventilation, 487–489
- interactions
 herbal supplements, 154, 154
 pharmaceutical, 153
 pharmacodynamics of, 153
 pharmacokinetic, 153
- interincisor distance (in airway assessment), 64
- intermediate pressure system (machine), 76
- interscalene block
 orthopedic surgery, 367
 upper extremity, 194
- interspinous ligament, 184
- interval data, 441
- interventional pain management
 complications with, 462–463
 epidural, 457
 invasive therapies, 460–461
 nerve blocks, 457–458, 458
- interventions for cerebral blood flow, 303, 303
- intervertebral disc anatomy, 184
- intra-abdominal hypertension (IAH), 525, 525–526, 526
- intra-abdominal surgery
 anesthesia, 322–323
- intra-aortic balloon counterpulsation therapy, 483
- intra-aortic balloon pump (IABP), 16, 16
- intra cardiac shunts (inhalation), 118
- intracranial pressure monitoring
 during neurosurgery, 305
 patient monitoring, 110
 TBI, 510–511, 511
- intraocular pressure (IOP), 360–361
- intraoperative awareness, 113–114
- intraoperative bronchospasm, 12, 13
- intraoperative management
 bariatric surgery, 329–330
 BPF, 519
 cerebrovascular disease, 309
 DM, 35–36, 39
 esophageal surgery, 328–329
 intra-abdominal surgery, 323
 MAC technique, 169
 pulmonary resection, 283, 283
 renal transplantation, 319, 319
 scoliosis surgery, 373
 TBI, 511
 valvular heart disease, 18
- intravenous anesthetics
 allergic reactions, 156–158
 alpha2-adrenoceptor agonists, 149
 and cerebral blood flow, 301
 antiemetic therapies, 147–148
 COX inhibitors, 149
 diuretics, 151–152
 mechanisms, 127–128
 muscle relaxants, 137–139
 neuromuscular blockade reversal, 140–141
 opioids, 133–135
 perioperative antiemetic therapies, 147–148
 pharmacokinetics of, 130–132
 total, 166–167
 types of, 124–126
- intravenous feeding.
See parenteral nutrition
- invasive blood pressure, 88
- ionization (intravenous), 130
- IOP. *See* intraocular pressure
- isoflurane, 115
- isolated power supply and transformer, 85
- Jackson, C. T., 1
- jaw thrust, 67
- jet ventilation
 BPF, 519
 for upper airway obstruction, 362
- justice, 516
- kava kava, 541
- ketamine (intravenous), 125–126, 126

Index

- ketoacidosis, 35
ketorolac, 149
kidney
 failure of, 478
 transplantation, 319–320
kypheoplasty, 460
- labor anesthesia, 190–386, 385
laboratory testing
 CHF, 26
 DM, 35
 malnutrition, 214
 MH, 352
 preoperative assessment, 6
lactate (and sepsis), 501
Lambert–Eaton myasthenic syndrome, 355
laparoscopic surgery, 325, 326, 331, 332–333
Laplace's law, 227
laryngeal mask airway (LMA), 67, 316, 325
laryngoscopy, 376
laryngospasm
 and anesthesia emergence, 174
 treatment, 362
larynx
 anatomy of, 62–63, 63
 Cormack–Lehane grades, 68
 LMA, 67
lasers, 364, 364
lateral femoral cutaneous nerve block, 197
lateral position, 172, 306, 317
latex allergy, 157
laws
 common gas, 74
 Laplace's, 227
left ventricle (LV)
 coronary perfusion pressure, 16
 filling physiology, 16
 physiology, 16
levobupivacaine, 162
lidocaine, 162
ligaments (spinal), 184
ligamentum flavum, 184
limb-girdle muscular dystrophy, 357
line isolation monitor, 85
lipid solubility (local anesthesia), 160
liposuction, 523
lithium (for bipolar disorder), 53
lithotomy position
 and nerve damage, 172
 urology, 316
liver
 failure, 31, 477
 transplantation, 334–335
liver disease, 30–32, 131–132, 138, 263
living will, 516
LMA. *See* laryngeal mask airway
- local anesthetic
 AMM, 298
 for labor, 385, 385
 gynecology procedures, 331
 pediatric pain, 418
 toxicity, 523–524
local anesthetics
 allergic reaction to, 157
 clinical applications, 161, 161–162
 pharmacokinetics, 159, 159–160
Long, C. W., 1–2
loop diuretics, 151
loop electrosurgical excision procedure (LEEP), 331, 332
low molecular weight heparin
 abdominal aortic aneurysm, 268
low-pressure system (anesthesia machine), 76
low tidal volume ventilation (for AARDS), 491
lower extremity nerve blocks, 197, 199, 405
LQTS. *See* prolonged QT interval
lumbar plexus
 anatomy of, 197
 block, 369
lumbar vertebrae anatomy, 184
Lund and Bowler burn diagrams, 514
lung disease
 obstructive, 8–13
 restrictive, 13
lung failure, 477
lung injury (from transfusion), 219
lung isolation
 bronchial blockers, 280
 DLT, 279–280
 indications, 279
 one-lung physiology, 280
lung preservation, 288
lung transplantation
 anastomosis sequence, 289
 CPB, 289
 indications, 287–288
 lung preservation, 288
 operation considerations, 288
 preoperative assessment and indications, 286–287
 pulmonary edema, 289
 pulmonary hypertension, 289
 test clamp, 288–289
 types of, 286
lupus
 erythematosus, 521
 obstetrics, 397
- MAC. *See* monitored anesthesia care
machine (anesthesia), 76–77, 77
macroshock, 85, 91
- magnesium
 balance, 212–213
 sulfate, 394
mainstem bronchial intubation (perioperative), 68
malignant hyperthermia (MH), 351–352, 355
Mallampati airway classification, 64
mammoplasty, 331
management
 anesthesia practice, 429–430, 433–434
 impact of AIMS on, 545–546
 medical ethics, 435–436
 operating room, 431–432
 risk, 158, 438–439
 statistics, 441, 441–443, 442
manifold and pipeline gas
 delivery system, 74
mannitol, 320
Mapleson beathing equipment, 82
Marfan syndrome, 522
marijuana abuse, 59, 59
mask ventilation
 difficulties with, 164
 predictors of difficulties with, 64
Masseter muscle rigidity, 351
McGill Pain Questionnaire, 455
mechanisms
 pain, 448
mechanomyography, 105
mediastinoscopy, 293, 295–298
mediastinum
 anatomy of, 295
 anterior mediastinal mass, 297, 298
 pulmonary artery
 compression, 296
 signs of mass in, 295–296
 superior vena cava syndrome, 296
 tracheobronchial tree
 obstruction, 296
medical air
 common medical gas, 74, 75
 inlets, 76
medical informatics, 545–546
medications. *See* drugs
meningitis, 188
mepivacaine, 162
metabolism
 acidosis, 207, 222
 alkalosis, 207–208
 drug, 153
 local anesthetic, 160
 sepsis, 502
methadone, 418
 for cancer pain, 470
 LQTS, 548
methicillin-resistant
 Staphylococcus aureus (MRSA), 538
- metoclopramide, 145
Meyer–Overton theory
 inhalation anesthetic, 119
 mechanisms, 127, 127–128
MH. *See* malignant hyperthermia
microshock, 85, 91
midazolam, 125, 126
milrinone, 16
mitral regurgitation, 18, 19–20
mitral stenosis, 18, 19, 480
model for end-stage liver disease
 classification, 30
monitored anesthesia care (MAC)
 definition, 169
 in operation procedures, 169–170, 170
 inhalation anesthetic, 121, 122
 sedation levels, 133–169
monitoring. *See* patient monitoring
monoamine oxidase inhibitors (MAOIs), 52, 52
morphine, 417
Morton, W. T. G., 1
motion sickness, 543
motor evoked potential
 monitoring, 109, 109, 306
multifocal atrial tachycardia, 481
multiorgan failure, 477, 477–479, 478, 499
multiple sclerosis, 47, 49, 397
muscle
 opioid effects, 134
 paralysis, 104, 104–105
muscle relaxants
 allergic reaction to, 157
 conditions affecting, 138, 139
 depolarizing, 137–138
 for chronic pain, 453
 in robotic surgery, 534
 non depolarizing, 138
muscular dystrophy
 children with, 406
 neuromuscular and collagen diseases, 357–358
myasthenia gravis (MG)
 anesthetic techniques, 354–355, 355
 effect of muscle relaxants on, 138
myocardial infarction (MI), 96, 97
myocardial oxygen consumption, 15
myotonic dystrophy, 358
myxedema coma, 337
- nasal cavity anatomy, 61
nasotracheal intubations
 alternative approaches, 70–72
 complications, 68
 mainstem bronchial, 68
National Emergency
 X-Radiography Utilization Study criteria (NEXUS), 47

- necrotizing enterocolitis, 411
 negative predictive value (statistical), 441, 441
 neonatal resuscitation, 89, 420–421, 421
 nerve blocks
 lower extremity, 197, 199, 405
 pain management, 445
 sympathetic, 457–458, 458, 468
 ultrasound, 192–193, 193
 upper extremity, 194, 194–196, 195
 nervous system
 ACS and IAH effects, 526
 and alpha2-adrenoceptor agonists, 149
 and PONV, 179
 effects of opioids on, 133–134
 in channels in, 128
 intravenous induction effect, 124
 MAC effects, 121
 pain physiology, 444–445, 450
 spinal, 184
 neuraxial anesthesia
 cesarean delivery, 388
 pediatric pain, 418
 neuroanesthesia
 cerebral protection, 303, 303–304
 cerebrovascular disease, 308–310
 craniotomy, 305–306
 ECT, 311, 311–312
 principles of, 300, 300–301
 TBI, 510, 511
 neurokinin-receptor antagonist (antiemetic), 148
 neuroleptic malignant syndrome, 54
 neurologic conditions
 Alzheimer's disease, 46
 amyotrophic lateral sclerosis, 48
 and CHF, 26
 and liver disease, 31–32
 autonomic hyperflexia, 48
 cerebrovascular disease, 45
 from patient positioning, 172–173
 Guillain-Barré syndrome, 45–49, 49
 Huntington's disease, 47
 multiple sclerosis, 47
 Parkinson's disease, 46
 preoperative assessment, 5
 seizure disorders, 45–46
 spinal cord injury, 47–48
 syringomyelia, 48
 neuromuscular and collagen diseases
 MG, 354–355, 355
 MH, 351–352, 355
 muscular dystrophy, 357–358
 neuromuscular blockade
 CEA, 265, 265
 MAC effects, 121
 patient monitoring, 104, 104–105
 reversal, 139, 140, 140–141, 141, 143
 neuropathic pain, 448, 469
 neurophysiology
 of pain, 444–445, 445, 450
 patient monitoring, 109, 109–112, 110, 112
 nil per os guidelines (NPO), 6
 Nissen fundoplication, 329
 nitric oxide
 common medical gas, 74
 inhaled, 520
 lung transplantation, 290
 nitroglycerin, 483
 nitrous oxide, 1, 74, 75, 116, 119, 180, 362
 N-methyl-D-aspartate receptor (NMDA), 128
 nociception, 444
 noninvasive blood pressure monitoring, 88
 nonmaleficence, 516
 nonsteroidal anti-inflammatory drug (NSAID)
 and elderly patients, 43
 for back pain, 465
 for chronic pain, 453
 pediatric pain, 417
 nosocomial infections, 494–497, 495, 497
 nothing by mouth. *See* fasting
 NPO. *See* nil per os guidelines
 nurse-controlled analgesia, 418
 nutrition
 ARDS, 492
 enteral and parenteral, 214–216, 215
 sepsis, 502
 obesity
 anesthesia induction, 23–24
 bariatric surgery, 329–330
 cardiovascular system, 22
 definition, 22
 gastrointestinal system, 23
 intraoperative management, 25
 laparoscopic surgery, 326
 pharmacokinetics, 24
 postoperative care, 25
 pulmonary system, 22
 regional anesthesia, 24
 renal system, 22
 obstetrics
 cesarean delivery, 388
 comorbidities, 396, 396–398
 fetal intervention, 399, 399
 hemorrhage, 390–391
 labor, 190–386, 385
 preeclampsia, 393, 393–394
 pregnancy, 382
 obstructive lung disease
 asthma, 12, 12–13
 COPD, 8, 9, 10, 11
 obstructive sleep apnea. *See* sleep apnea
 obturator nerve block, 197
 ocular disease procedures, 360–361
 office-based anesthesia, 425–426
 off-pump coronary artery bypass (OPCAB), 244
 Ohm's law, 85
 oliguria, 177
 omphalocele (pediatric), 411
 one-lung ventilation, 283, 283, 534
 OPCAB. *See* off-pump coronary artery bypass
 open globe injury (eye), 361
 operating room
 management, 431–432
 risk, 438–439, 439
 robots in, 534
 opioids
 abuse of, 57, 59
 allergic reaction to, 157
 and IOP, 360–361
 antagonists, 135
 effects on nervous system, 133–134
 for cancer pain, 470–471
 for chronic pain, 453
 in epidural anesthesia, 190
 in ICU, 485
 MAC technique, 170, 170
 pediatric pain, 417–418
 pharmacokinetics, 133, 133
 postoperative acute pain, 448–449, 449
 receptors, 133
 synergism of, 124
 oral cavity anatomy, 61
 organ donation
 managing anesthesia transition, 504, 504
 medical ethics, 436
 orthopedic surgery
 common procedures, 367–370, 371
 rheumatoid arthritis, 372–373
 scoliosis, 373
 spinal, 375–377
 trauma, 378, 378–380, 379, 380
 orthotopic liver transplant, 334
 osmotic diuretics, 152
 osteogenesis imperfecta, 522
 otolaryngology procedures, 362
 out-of-plane ultrasound technique, 193
 oxycodone, 418
 oxygen
 at high altitudes, 542–543
 CABG, 241
 common medical gas, 74, 75
 failsafe device, 76
 fire hazard, 85
 flush, 77
 in ARDS, 490
 myocardial consumption, 483
 myocardial utilization, 228
 neonatal resuscitation, 421
 transport in thoracic anesthesia, 277–278
 pacemaker. *See* automated implantable cardioverter defibrillators
 pacer lead placement, 96–97
 PACU. *See* post-anesthesia care unit
 pain management
 back, 464–466
 cancer, 469–471
 chronic, 453–454
 HIV, 538
 interventional, 457–458, 460–463
 neurophysiology, 444–445
 postoperative acute, 448–451
 psychological aspects, 455–456
 regional, 467–468
 pancreas surgery, 320, 323
 pancuronium, 138
 paralysis
 ARDS, 491
 muscle, 104, 104–105
 parametric tests, 442
 parathyroid disorders
 calcium metabolism, 339
 hyperparathyroidism, 339
 hypoparathyroidism, 339–340
 parathyroid hormone, 339
 parenteral nutrition (TPN), 215, 215–216
 Parkinson's disease, 46, 49
 Parkland burn formula, 514
 patent ductus arteriosus, 415
 paternalism, 516
 patient assessment
 airway, 64
 positioning and nerve injuries, 172–173
 patient monitoring
 CEA, 265
 ECG in, 93–99
 HCM, 547
 hemodynamic, 88–90
 intraoperative awareness, 113–114
 laparoscopic surgery, 325–326
 LQTS, 547–548
 lung transplantation, 288
 neuromuscular blockade, 104–105
 neurophysiologic, 109–112

Index

- patient monitoring (cont.)
 pulse oximeter, 101
 PVD, 273
 standards for basic, 427
 temperature, 107–108
 TPN, 215
- patient privacy ethics, 436
- patient-controlled analgesia, 418, 450, 450
- pediatric anesthesia
 basic considerations, 401–403, 403
 CHD, 414–416
 common procedures, 408–410
 neonatal resuscitation, 420–421
 postoperative pain, 417–418
 preoperative assessment, 405–406
 surgical emergencies, 411–412
- PEEP. *See* positive end-expiratory pressure
- Pepcid. *See* famotidine
- percutaneous coronary intervention (PCI), 5
- perfusion distribution
 TBI, 511
 TEE, 246–247
- peribulbar block, 361
- perioperative β -blockade, 4
- perioperative care
 airway, 67–68
 alternative medicine in, 540
 blood salvage, 224
 BPF, 518
 deep venous thrombosis, 509
 fluid deficit, 203, 203–204, 204
 liver transplantation, 334
 persistent bleeding, 259–263
 pulmonary aspiration, 6, 143–145, 144
 PVD, 272
 TPN, 216
- peripheral nerve stimulator, 104, 461
- peripheral vascular disease (PVD), 272, 272–273
- persistant fetal circulation causes, 402
- persistent postoperative cardiac bleeding, 259, 259–263, 261, 262, 263
- pharynx anatomy, 62
- pharmacodynamics.
See interactions
- pharmacokinetics. *See also* drugs
 dynamics, 121, 122
 for pain, 448
 inhalation anesthetics, 118–119, 119
 intravenous anesthetics, 130–132, 131
 local anesthetic, 159, 159–160
 opioid, 133, 133
 phenylephrine, 16
- pheochromocytoma, 342, 342–343
- phosphorus, 213
- physical exam assessment, 6
- physical status classification system, 6
- physician impairment, 436
- physiology
 cardiac, 225–228
 neural, 300, 300–301
 ocular, 360
 one-lung, 280
 parathyroid disorders, 339
 renal system, 314
 respiratory system, 274, 274–276, 275, 276
- pia mater (spine), 184
- Pierre Robin syndrome, 405
- pin index safety system
 anesthesia machine, 76
 gas delivery system, 74
- piston-driven ventilators, 80
- pituitary gland
 anatomy, 345
 surgery on, 346–347
- placental support surgery, 399, 399
- plasma
 components of normal, 206
 renal system, 314
- platelets
 and alternative medicine, 540
 cardiac surgery bleeding, 259–260, 266
 CHF function, 26
 disorders, 38
 transfusion, 217
- pneumonectomy
 anesthetic considerations, 288
 high-risk criteria for, 284
- pneumonia (from ventilators), 494–495
- poisoning
 carbon monoxide, 528, 528–529
 cyanide, 529
 organophosphate, 531
- polycythemia, 11
- PONV. *See* postoperative nausea and vomiting
- porphyria
 effect of muscle relaxants on, 138
 intravenous induction agent risk, 124
- portal hypertension, 30
- portopulmonary hypertension, 31
- positioning
 lateral position, 317
 lithotomy, 316
 neurosurgery, 494–495
- positive end-expiratory pressure (PEEP)
 in thoracic surgery, 282–283
- intra-abdominal surgery, 323
- pediatric CHD, 415
- ventilator, 79
- positive predictive value (statistical), 441, 441
- positive pressure ventilation, 420
- post-anesthesia care unit (PACU), 177–178,
See also postoperative care
- postdural puncture headache, 188, 191
- posterior longitudinal ligament, 184
- postoperative care. *See also* post-anesthesia care unit
 bariatric surgery, 330
 BPF, 519
 DM, 36
 esophageal surgery, 329
 MAC technique, 170
 pain management, 107, 448, 448–451, 449, 450
 pediatric pain, 417–418
 pulmonary resection, 282
 renal transplantation, 320
- postoperative cognitive dysfunction (POCD), 181
- postoperative nausea and vomiting (PONV)
 drugs to prevent, 147–148
 effects of spinal anesthesia, 188
 laparoscopic surgery, 424
 pediatric, 409, 410
 postoperative management, 179, 179–180
- postpartum hemorrhage, 390
- post-pneumonectomy
 pulmonary edema (PPPE), 284
- post-tetanic count block, 105
- potassium sparing diuretics, 151
- pralidoxime chloride, 532
- preeclampsia, 393, 393–394
See also hypertension
- pregnancy
 changes in, 382
 laparoscopic surgery, 326
 preoperative assessment, 5
- preoperative assessment
 body fluid, 202
 BPF, 518–519
 DM, 35
 esophageal surgery, 328
 general anesthesia
 administration, 164
 general principles, 3, 3–6
 liver transplantation, 164
 lung transplantation, 286–287
 MAC technique, 169
 pediatric, 405, 405–406
 pulmonary resection, 282
 PVD, 272
 scoliosis surgery, 373
- pressure-controlled ventilation (PCV)
 intra-abdominal surgery, 323
 ventilator, 79
- pressure regulator machine, 76
- prilocaine, 162
- procaine, 162
- proflinone, 263
- prolonged QT interval (LQTS), 547–548
- prone position
 and nerve damage, 172
 neurosurgery, 306
- propofol
 and PONV, 180, 423
 in ICU, 485
 intravenous induction agent, 124, 126
- proportioning systems machine, 76
- prostaglandin, 290
- prostate
 prostatectomy, 317
 TURP, 316
- protamine, 238
- protein binding agent, 130
- prothrombin complex concentrate, 40
- proton pump inhibitors, 145
- pseudocholinesterase activity
 nerve agents, 531
 neuromuscular blockade reversal, 140
- psychiatric disease
 bipolar disorder, 52–53
 depression, 51–52, 52
 neuroleptic malignant syndrome, 54
 schizophrenia, 53–54
- psychology of pain management, 455–456
- pulmonary artery compression, 296
- pulmonary artery pressure monitoring, 90
- pulmonary aspiration
 and anesthesia emergence, 175
 definition and occurrence, 143–144
 drugs to reduce risk, 144–145
 fasting guidelines, 6
 induction techniques, 144
 perioperative risks, 144
- pulmonary disease transplant indications, 287
- pulmonary edema
 and anesthesia emergence, 175
 at high altitudes, 543
 lung transplantation, 289
 neurologic, 309
- pulmonary embolism
 deep venous thrombosis, 508
 orthopedic surgery, 370, 371
 TEE, 247

- pulmonary fibrosis transplant indications, 287
 pulmonary function test, 276
 pulmonary hypertension and COPD, 10
 lung transplantation, 289
 obstetrics, 396
 transplant indications, 287
 pulmonary resection, 282–284, 283
 pulmonary system
 ACS and IAH effects, 525–526
 and CHF, 26
 and elderly patients, 43, 43
 and liver disease, 31
 aspiration, 143–145, 144
 changes during pregnancy, 382
 circulation, 274
 MAC effects, 121
 preoperative assessment, 5
 pulmonary vascular obstructive disease, 414
 pulmonary vascular resistance (PVR), 414–415, 415
 pulmonary venous obstruction, 290
 pulse oximeter, 101
 pulse pressure variation physiology, 89–90
 PVD. *See* peripheral vascular disease
 pyloric stenosis, 412, 412
 pyridostigmine, 532
 quality assurance (management), 429
 radiation
 non-OR, 426
 safety, 439
 radiofrequency lesioning, 460
 ranitidine, 144
 rapid sequence induction, 68, 376
 rapid shallow breathing index, 487
 rebreathing, 82
 recurrent laryngeal nerve, 63, 63
 red blood cell transfusion, 217
 regional anesthesia
 epidural, 190–191
 lower extremity nerve blocks, 197–199
 pediatric pain, 418
 spinal, 187–188
 spinal column anatomy, 183–185
 tourniquets, 369–370
 ultrasound nerve blocks, 192–193
 upper extremity nerve blocks, 194–196
 regression analysis, 442, 442–443
 remote location anesthesia
 office, 425–426
 outside the OR, 425–426
 renal anesthesia
 kidney transplantation, 319–320
 pancreas transplantation, 320
 renal conditions assessment, 5–6
 renal system
 abdominal aortic aneurysm, 271
 ACS and IAH effects, 525–526
 and elderly patients, 43
 and liver disease, 31
 CHF, 26–29
 effect of muscle relaxants on, 138
 physiology, 314
 renin, 314
 renin-angiotensin, 348
 replacement fluid, 202, 203, 204
 rescue therapy, 147
 respiratory system
 cardiac failure insufficiency, 483
 effects of spinal anesthesia, 188
 failure, 174
 neonatal, 401
 physiology, 274, 274–276, 275, 276
 respiratory variation-based indicators, 89
 restrictive lung disease, 13
 retinal ischemia, 172
 retinopathy
 obstetrics, 397
 of prematurity, 411
 retrobulbar block, 361
 rheumatoid arthritis, 372–373, 397
 rhinoplasty, 523
 rhytidectomy, 523
 right-to-left intracardiac shunt, 284
 risk. *See also* complications
 abdominal surgery aspiration, 322
 atrial fibrillation, 480
 COPD, 10–11
 criteria for pneumonectomy, 284
 for POCD, 181
 from patient positioning, 172–173
 intraoperative awareness, 113
 management in a practice, 430, 434
 management in OR, 158, 438–439
 patient assessment, 3, 3–6
 PONV, 179
 postoperative bleeding, 263
 preoperative assessment, 4
 statistical, 443
 robots
 laparoscopic surgery, 332
 surgical, 534, 534–535
 rocuronium, 138
 ropivacaine, 162
 rule of nines (burns), 513–514, 515
 sacrum anatomy, 184
 safety
 electrical, 85, 85, 91
 fire hazard, 158, 438–439
 in anesthesia practice, 217–429
 needle, 438
 patient, 436
 radiation, 439
 WAGs, 438
 saw palmetto, 541
 scavenging gas delivery systems, 75
 schizophrenia, 53–54
 sciatic nerve block
 lower extremity, 197, 198
 orthopedic surgery, 367, 371
 scoliosis, 373
 second gas effect, 119
 sedation levels (MAC), 133–169
 seizure disorders, 45–46, 394
 selective serotonin receptor antagonists, 147
 selective serotonin reuptake inhibitors (SSRIs), 52, 52
 sensitivity (statistical), 441, 441
 sepsis
 and ARDS, 491
 ICU, 499–502
 serotonin syndrome, 52, 52
 serotonin–norepinephrine reuptake inhibitors (SNRIs), 52, 52
 sevoflurane
 and PONV, 423
 inhalation anesthetic, 115
 shunts
 respiratory system, 275
 right-to-left intracardiac, 284
 SIADH. *See* syndrome of inappropriate antidiuretic hormone
 sickle cell, 406
 single-lung transplantation
 indications, 287
 single twitch block, 104
 sitting position
 and nerve damage, 172
 neurosurgery, 306
 skin and collagen disorders, 521–522
 sleep apnea, 5, 362, 408
 smoking
 and carbon monoxide poisoning, 529
 and COPD, 11
 sniffing position, 64
 soda lime breathing equipment, 82
 SOFA score, 478
 somatic pain, 448, 448, 469
 somatosensory evoked potentials, 306
 specificity (statistical), 441, 441
 spina bifida, 411
 spinal anesthesia
 adverse neurologic effects, 188
 anticoagulation guidelines, 188
 cesarean delivery, 388
 effects of, 187–188
 equipment, 188
 pediatric, 408
 pros and cons of using, 187
 types of, 188
 spinal column anatomy, 183–185, 184, 185
 spinal cord injury
 acute, 47
 chronic, 47–48
 urologic procedures, 316
 spinal surgery, 375–377
 splenectomy, 323
 spontaneous breathing trial, 487
 St. John's wort, 540
 statistics, 441, 441–443, 442
 stellate ganglion block, 458, 463
 stenosis, 396, 396, 412, 412
 stereoselectivity, 127
 steroid injections
 complications with, 462–463
 sepsis, 502
 Stewart hypothesis, 206
 stimulation techniques
 for pain, 461
 peripheral nerve, 461
 stress (diabetic), 34
 stroke volume index, 90
 subarachnoid bleed, 97
 subarachnoid hemorrhage, 308
 subcutaneous pain therapy, 460
 substance abuse
 alcohol, 57
 amphetamine, 58
 cocaine, 57–58
 hallucinogens, 59
 marijuana, 59
 opioids, 57
 tobacco, 56
 substituted judgment, 516
 succinylcholine (Sch)
 and IOP, 360
 and MG, 355
 and muscular dystrophy, 358
 in neonates, 403
 muscle relaxant, 137–138, 140
 sugammadex, 141
 superior hypogastric plexus block, 458
 superior laryngeal nerve, 63, 63
 superior vena cava syndrome, 296

Index

- supine position
 and nerve damage, 172
 neurosurgery, 306
 supraclavicular block
 orthopedic surgery, 367
 upper extremity, 194
 supraspinous ligament, 184
 supraventricular arrhythmias, 480, 480–481
 synchronized intermittent mandatory ventilation, 79
 syndrome of inappropriate antidiuretic hormone (SIADH), 345, 345–346, 346
 synergism, 138
 synthetic judgment, 516
 syringomyelia, 48
 systemic inflammatory response syndrome, 478–479, 499
 systemic lupus erythematosus, 521
 systemic vascular resistance (SVR), 414–415, 415
- tachycardia, 481
 Tagamet. *See* cimetidine
 TBI. *See* traumatic brain injury
 Tec 6 vaporizer
 at high altitudes, 115, 543
 TEE. *See* transesophageal echocardiography
 temperature
 compensation, 77
 effects of spinal anesthesia, 188
 patient monitoring, 107, 107–108
 tension pneumothorax, 506
 test clamp (lung transplant), 288–289
 tests
 laboratory, 6, 26, 35, 214, 352
 statistical, 442
 tetanus block, 105
 tetrolology of Fallot, 415, 416
 thiazide diuretics, 151
 thiopental, 124, 126
 thoracic anesthesia
 aorta considerations, 254–255
 BPF, 518–519
 bronchoscopy, 291–293
 inhaled nitric oxide, 520
 lung isolation techniques, 279–281
 lung transplantation, 212–286
 mediastinal mass, 295–298
 mediastinoscopy, 293
 oxygen and carbon dioxide transport, 277–278
 pulmonary resection, 282–284
 respiratory physiology, 274–276
 robotic surgery, 534–535
 thoracic vertebrae anatomy, 184
 thrombocytopenia
 blood disorders, 38
 persistent bleeding, 263
 thyroid crisis, 337
 thyroid disorders
 hyperthyroidism, 336, 336
 hypothyroidism, 336, 337
 thyromental distance assessment, 64
 titration to effect technique, 169
 TIVA. *See* total intravenous anesthesia
 tobacco
 abuse, 56, 59
 and carbon monoxide poisoning, 529
 tonsillectomy, 409
 torsades de pointes, 548
 total intravenous anesthesia (TIVA), 166, 166–167, 167, 423
 tourniquets, 369–370
 TOXALS advanced life support system, 535
 toxicity
 biochemical warfare, 532
 local anesthetic, 161–162
 nitric oxide, 520
 oxygen, 278
 TPN. *See* parenteral nutrition
 tracheobronchial anatomy, 63, 279
 tracheobronchial tree
 obstruction, 296
 tracheostomy, 72
 tracheotomy, 362, 364, 364
 train-of-four monitoring, 104
 transcranial Doppler ultrasound, 110
 transesophageal echocardiography (TEE)
 atrial fibrillation, 480
 indications, 246
 perfusion distribution, 246–247
 physics of, 11
 pulmonary embolism, 247
 transfusion medicine
 ARDS, 492
 blood, 219, 219–220, 220
 blood donation, 224
 blood products, 217–218
 blood salvage, 224
 hemodilution, 224
 massive, 222–223
 pediatric, 402, 402
 sepsis, 502
 trauma management, 506, 506
 transplantation
 heart, 257
 liver, 334–335
 lung, 212–286
 transtracheal jet ventilation, 71
 transurethral resection of the prostate (TURP), 316
 trauma
 management, 506, 506
 orthopedic, 378, 378–380, 379, 380
 traumatic brain injury (TBI), 380, 510–512, 511
 Trendelenburg position, 172
 tricyclic antidepressants (TCAs), 51, 52
 trigeminal nerve block, 458
 Triple H therapy, 309–310
 Trisomy 21, 406
 tubuloglomerular feedback, 314
 TURP. *See* transurethral resection of the prostate
- ulnar neuropathy, 172
 ultrasound
 deep venous thrombosis, 508
 endobronchial, 293
 guided nerve blocks, 192–193, 193
 unipolar electrocautery, 85
 Unitary Theory of Anesthesia, 127
 universal blood donor, 219
 upper extremity nerve blocks, 194, 194–196, 195
 upper respiratory infection (URI), 405
 uremia, 26
 ureteroscopy, 316
 urinary retention, 177
 urology
 common anesthetic procedures, 316–317
 robotic surgery, 535
- vacuum gas delivery system, 75
 VAD. *See* ventricular assist devices
 valerian, 540
 valleculla, 61
 valvular heart disease, 18–20
- vancomycin-resistant *Enterococcus* (VRE), 538
 vaporizer, 76–77, 77, 116
 vascular anesthesia
 abdominal aortic aneurysm, 267–268, 270–271, 271
 CEA, 265, 265
 deep venous thrombosis, 508–509
 PVD, 272, 272–273
 vasoconstrictors, 231
 vasodilators, 231, 231, 254, 483
 vecuronium, 138
 veins
 central lines, 483
 oxygen saturation, 278
 pressure in abdominal aneurysm, 268
 spinal, 184–185, 185
 venous air embolism, 306, 376
 ventilators
 and lung injury, 284
 and perfusion mismatch, 275, 275
 and sepsis, 501
 general concepts, 79–80, 80
 lung transplantation, 289
 pneumonia from, 494–495
 weaning from mechanical, 487–489, 488
 ventricular assist devices (VAD), 252–253
 ventricular function, 226–228, 227, 231
 ventricular hypertrophy, 16
 ventricular septal defects, 415
 vertebral anatomy, 183–184, 184
 vertebral augmentation therapy, 460
 vertebroplasty, 460
 visceral pain, 448, 448, 469
 visual analogue scale, 455, 485
 visual evoked potential monitoring, 109, 109
 vitamin K deficiency, 40
 volume of distribution agent, 130–131, 131
 von Willebrand disease, 38, 397
- WAGs. *See* waste anesthetic gases
 wake-up test, 110
 warfarin (drug), 40, 262
 waste anesthetic gases (WAGs), 438
 Wells, H., 1–2
 Zantac. *See* ranitidine