

Index

Aarskog-Scott syndrome 120-1 maternal source 45, 49-50, 53 AZFa 99, 121 paternal source 49, 53 AZFb 99-100, 121 abortion, spontaneous 52-3, 65-6 recurrent 148-9 PGD/PGS 167-8, 192-3 AZFc 100, 121 abortion, therapeutic 135 see also specific syndromes gr/gr deletions 100, 121 aCGH (array CGH) 20-3, 65, 167-8 Angelman syndrome 78, 174-5, 175 ADAR family (RNA editases) 88 anti-Müllerian hormone (AMH) 118, babies, newborn screening 132, 133 ADO (allelic drop-out) 17, 25, 163, BAC arrays (bacterial artificial 147 164 APOBEC family (RNA editases) 88-9 chromosomes) 20-2 adoption 134 apoptosis 63 base pairing 1 adrenal gland, CAH 114-15 Beckwith-Weidemann syndrome 78, Argonaute proteins 89 adult-onset diseases 131, 133-5, 138-9 array CGH (aCGH) 20-3, 65, 167-8 121, 175, 175-6 PGD 164-5, 189-90 Ashkenazi Jews 154, 195 bereavement 136-7 Affymetrix SNP-arrays 24-5 assisted reproductive technologies blastocysts age effects (ART) effect of mosaicism on embryonic maternal 49-50, 53 chromosomal abnormalities development 62-3 parental 147, 149-50 paternal 46, 49 PGD/PGS 62, 160 alleles 4 postimplantation 64-5 see also preimplantation embryos allelic drop-out (ADO) 17, 25, 163, preimplantation embryos 52-4, blastomeres, biopsy 159-60 blepharophimosis, ptosis, epicanthus Alu retrotransposons 87, 89, 93 epigenetics 173-4, 174, 182 inversus syndrome (BPES type amenorrhea 113-17 effect on the children 78, 174-6, 1) 117 see also female infertility 180, 181 BMP15 gene (bone morphogenetic protein 15) 106, 117 AMH (anti-Müllerian hormone) 118, effect on the embryo 177, 182 effect on the oocyte 176-7, 182 BRCA1/BRCA2 genes 131, 139, 147 amniocentesis 64, 136 effect on placental tissue and cord 189-90 blood 177-80, 182 BUB1 kinase 58 anaphase ethics see ethics meiosis 42, 45-6 mitosis 5, 54 gamete donation 139-42, 152-3, CAH (congenital adrenal hyperplasia) 114-15 anaphase lagging 54 184 - 8candidate gene method (reverse anaphase-promoting complex genetic testing 110, 151 (APC/C^{cdc20}) 45-6 genetics) 124 ICSI 97, 103, 122-3, 149-50, 152, androgen deficiency 114, 118-19 carrier testing 131-3, 154 androgen excess 114-15 indications for 97, 127, 139-40 ethics 134, 194-6 androgen insensitivity 114, 119 recurrent implantation failure 49, of gamete donors 141, 186-8 androgen receptor gene mutations 114 149 cascade screening 133 CDK1 (cyclin-dependent kinase androgenetic embryos 68 asthenozoospermia 119-20, 121 aneuploidy 12, 18-23 AURKC gene 122 1) 45-6 detection 7, 167-8 Aurora B/Aurora C proteins 58 cDNA (complementary DNA) 9-10 incidence 49, 52-3 autonomy 134 see also retrotransposons infertility in carrier screening 195 cell cycle 4-5, 45-6 female 104-6 in PGD/PGS 191-2, 194 see also meiosis autosomal dominant diseases 13 male 97-8 cell-free fetal DNA testing 136 meiotic errors 49-50, 52-4 autosomal recessive diseases 12 CENP-A histone 59 chromosomal segregation azoospermia see male infertility centrioles 43 errors 42-3, 54 azoospermia factor (AZF) region centromeres 7, 43, 45 environmental causes 50 microdeletions 98, 110, 151-2 epigenetic markers 59-61

centrosomes 43, 45, 55-7
CGH (comparative genomic
hybridization)
array CGH 20-3, 65, 167-8
metaphase CGH 18-20, 167
chemical factors affecting gametes 50,
94, 125
chiasmata 33, 36, 40, 42
children
conceived using donated
gametes 141-2, 185-6
epigenetic effects of ART 78, 174-6,
180–1
genetic testing 134
health effects of PGD 169
newborn screening 132-3
of parents with genetic
conditions 139, 142, 189
chimeric DNA artefacts in WGA 17
chorionic villus sampling (CVS) 63-5,
136
chromatin 3, 58–61
imprinting and 73, 77–8 chromosomal abnormalities 11–12
detection methods
CGH 18-23, 27, 65, 167-8
FISH 7, 110, 157, 166–7
karyotyping 7, 64
infertility
female 104–10, 147–9, 151
male 97–104, 110, 149–50
in IVF embryos 52–4, 61–2,
64–5
meiotic errors 42-3, 47-50, 52-4,
168
mitotic errors 54
mosaicism 66
effect on development 62-3
in IVF embryos 53-4, 61-2, 64-5
in preimplantation
embryos 53-4, 62-3
in prenatal diagnosis 63-5
in spontaneous abortion 65-6
in Turner syndrome 105
in patients undergoing ART 147,
149–50
PGD/PGS 166-9, 192-3
see also aneuploidy; translocations
chromosomal behavior during meiosis 33–45
chromosomal passenger complex
(CPC) 57-8, 60-1
cleavage stage embryos
biopsy 159–60 chromosomal mosaicism 53–4,
63
mitosis 55–61
codons 6
cohesion proteins 40, 42–3, 46, 50

communication
in genetic counseling 128, 132, 138 telling children they were conceived using donated gametes 141, 142, 185-6
comparative genomic hybridization (CGH)
array CGH 20-3, 65, 167-8 metaphase CGH 18-20, 167
complete androgen insensitivity 114 complex chromosome
rearrangements 103
confidentiality 138 confined placental mosaicism 64
congenital adrenal hyperplasia
(CAH) 114–15
congenital bilateral absence of the vas deferens (CBAVD) 119, 150-1
Congenital Disabilities Act (1976) (UK) 141
congression 43, 45
copy number variation 18–24, 109, 167–8
see also trinucleotide repeat diseases
counseling <i>see</i> genetic counseling CPC (chromosomal passenger
complex) 57–8, 60–1
CpG dinucleotides, methylation 75,
crossover of chromosomes 33, 38–42
cryopreservation
embryos 160
oocytes 176 cryptorchidism 93–4
CTFR gene (cystic fibrosis gene) 119,
150-1
culture medium used for
preimplantation embryos 177 cyclin-dependent kinase 1
(CDK1) 45–6
CYP21A2 mutations in CAH
114–15
cystic fibrosis (CF) 119, 150-1
cytogenetics FISH 7, 110, 157, 166–7
karyotyping see karyotyping
cytokinesis 54
cytosine, methylation 75, 172
cytotrophoblast 63-4
DAX1 (NR0B1) gene 108, 119
DAZ genes 100
Dazl protein 35
DBY gene deletion 99
deafness, selection for in PGD 191-2 decision-making in genetic
counseling 128, 135
in PGS 194–5
deletions 23

```
Y chromosome microdeletions 98,
      110, 121, 151-2
demethylation of DNA 78-81, 173
Developmental Origin of Health and
      Disease (DOHaD)
      paradigm 174, 181-2
DIAPH2 gene 106
DICER protein 89
dideoxynucleotides 8-9
differentially methylated domains
      (DMDs) 70, 75-6
  de novo methylation in
      gametes 71-4, 78, 92, 173
  erasure of methylation in
      PGCs 80-1, 173
  maintenance of methylation 74-5,
      78-80, 177
  transcriptional suppression 76-7
direct to consumer (DTC) genetic
      testing 132-3
disorders of sexual development or
      differentiation (DSD) 113-15
  androgen insensitivity 114, 119
  CAH 114-15
  isolated GnRH deficiency 115-16,
  Kallmann syndrome 115, 119,
      154
  Klinefelter syndrome
      (47,XXY) 97-8, 109, 150
  Swyer syndrome (46,XY
      females) 107-9, 114
  TDSD (46,XX males) 100-2, 118
  trisomy X 105-6
  Turner syndrome (45,X) 104-5,
      109-10, 147
DMDs see differentially methylated
      domains
DNA
  demethylation 78-81, 173
  genetic code 6
  methylation see methylation of
      DNA
  mitochondrial 3
  replication 4
  sequencing 8-9, 11, 26-9, 124
  structure 1-3
DNA polymerases (Taq) 8, 16, 163-4
DNA repair enzymes 89
DNA transposons 83
  see also retrotransposons
DNMT enzymes (DNA cytosine
      methyltransferases) 88
  DNMT1/Dnmt1 74-5, 78-80
  DNMT3A (de novo DNA
      methyltransferase) 71, 90
  DNMT3L (DNMT3A auxiliary
      factor) 71-4, 78
donation of gametes 139-42
```

ethics 140-2, 184-8	PGD 157, 188-92
telling the children 141-2, 185-6	PGS 192-4
genetic testing 141, 151–3, 186–8	sharing results with other family
double strand breaks 38, 40	members 128, 138
Down syndrome (trisomy 21) 49, 104	source of biopsied cells 159–60,
DPY19L2 gene 122 DSD see disorders of sexual	potential parents who have genetic
development or differentiation	conditions 139, 142, 189
Duchenne muscular dystrophy 131–3	prenatal diagnosis 192–3
duplications 23, 102, 108	ethnicity, carrier screening 133, 154,
dynamic mutations 13	186, 195
dystrophia myotonica type 1	European Cell and Tissue
(DM1) 13, 120, 137	Directives 152
	exclusion testing in PGD 164, 189
eggs see oocytes	exome sequencing 11, 28–9, 124
embryonic genome activation	exons 3-4
(EGA) 56 endocrine disrupting chemicals 50,	facio-digito-genital syndrome
94, 125	120-1
endogenous small interfering RNA	families
(endo-siRNA) 89	cascade screening 133
environmental factors	sharing a genetic diagnosis
affecting gametes 50, 94, 125	with 128, 138
epigenetic changes during	family history 129
pregnancy 174	female age 49–50, 53
epigenetics 68–81, 172–4 and ART 173–4, 174, 182	female infertility androgen insensitivity/
effect on the children 78, 174–6,	excess 114–15, 119
180-1	chromosomal abnormalities 147-9
effect on the embryo 177, 182	autosomal 107
effect on the oocyte 176-7, 182	monosomy X (Turner
effect on the placental tissue and	syndrome) 104–5, 109–10, 147
cord blood 177–80, 182	trisomy X 105-6
parental subfertility as source of abnormalities 180–1	X chromosome structural
DMD features 75–6	abnormalities 106–7, 110–11 XY gonadal dysgenesis (Swyer
DNA methylation 69–71	syndrome) 107–9, 114
acquisition 47, 71–4, 78, 92, 173	fragile X premutations 106, 111,
erasure in PGCs 69, 71, 80–1, 173	116–17, 151
maintenance 74-5, 78-80, 177	genetic testing 111, 147-9, 151, 154
in the early embryo 61, 78–80,	GnRH deficiency 115–16
173-4, 177, 181-2	POF/POI 105, 106–7, 116–17,
environmental influences 174	147–8 recurrent implantation failure 49,
histone modification 58–60, 73, 77–8	149
imprinting disorders 78, 121, 174–6	recurrent miscarriage 148-9
imprinting in the mouse 68–9	fertilization 45
milestones 68	fetal blood sampling 136
monoallelic expression 76-7	5-alpha reductase deficiency 118
retrotransposon transcriptional	fluorescent in situ hybridization
control 88, 90–2	(FISH) 7, 110, 157, 166–7
ethics	FMR1 gene ethical implications of testing
gamete donation 140, 142, 184–5 genetic testing 141, 186–8	gamete donors for the
telling the children 141–2, 185–6	premutation 187–8
genetic testing	female carriers of premutation
of children 134	alleles 106, 111, 116–17, 151
for HD 164-5, 189	folliculogenesis 46, 61
for HLA-typing 165, 191	

```
forward genetics (positional
       cloning) 124
fragile X syndrome 13, 116, 151
  ethical implications of testing
       gamete donors for the
       premutation 187-8
  FMR1 premutation alleles 106, 111,
       116-17, 151
  PGD 164
frameshift mutations 13
G-banding 7
galactosemia 117
gamete donation 139-42
  ethics 140-2, 184-8
    telling the children 141-2,
       185 - 6
  genetic testing 141, 151-3, 186-8
gametes see oocytes; spermatozoa
gametogenesis
  environmental chemicals
       affecting 50, 94, 125
  imprinting 71-4, 78, 92, 173-4
    effect of ART on the
       oocyte 176-7, 182
    errors associated with
       oligospermia 180-1
  iPS-derived 94
  meiosis see meiosis
  retrotransposons and 71, 89-94
  sexual dimorphism 37, 46-7,
       49 - 50
GCOS-24 score 129
GeneChip Human Mapping 250K NspI
       Array (Affymetrix) 24-5
genes 3-4
genetic code 6
genetic counseling 128-32
  carrier screening 195
  DTC tests 133
  fertility/infertility 111, 117
  of gamete donors 141
  grief and guilt 135-9
  implications of future parental
       ill-health 139, 142
  late-onset disorders 131, 138-9
  prior to PGD 136
  prior to prenatal diagnosis 135-6
  reproductive choice 134-6
  uncertainty 132, 135, 139
  and the wider family 128, 138
  in X-linked disorders 114, 117
genetic testing
  for carrier status 131-4, 154, 188,
       194-6
  in children 134
  diagnosis 131, 133-4
  ethics see ethics, genetic testing
  gamete donors 141, 151-3, 186-8
```

Index

genetic testing (cont.)

in infertile patients 109-11, 122-3,
146-54
females 111, 147–9, 151, 154
males 149–52, 154
preimplantation <i>see</i> preimplantation genetic diagnosis,
preimplantation genetic
screening
prenatal diagnosis 136
presymptomatic testing 133–4,
138-9
public health screening
programs 132–3, 195
sharing results with other family
members 128, 138
GenomePlex (Sigma-Aldrich) 25
GenomiPhi (GE Healthcare) 25
germ cells see primordial germ cells
globozoospermia 122
gonadal dysgenesis
46,XX males 100–2, 118
46,XY females 107–9, 114
Turner syndrome (45,X) 104–5,
109–10, 147 gonadotropin-releasing hormone
(GnRH) deficiency 115–16,
119
grief 136–7
guilt 133, 137–9
gynogenetic embryos 68
8/8
H19/Igf2/H19/IGF2 imprinted
genes 74-6, 78
H19 abnormalities in ART
176–8
haplotype analysis 29–30
HD see Huntington disease
hemophilia 191
hermaphroditism (true
hermaphrodites) 114, 118 HERVs (human endogenous
retroviruses, LTRs) 84–5
heterochromatin protein 1
(HP1) 59–60
high-throughput sequencing see whole
genome sequencing
histocompatibility selection using
PGD 161, 165–6, 191
histones 3
epigenetics 58-60, 73, 77-8
retrotransposon control 88
history-taking in genetic
counseling 129, 137
HLA (human leukocyte antigen)
typing in PGD 161, 165–6, 191
homozygosity mapping 124
Human Fertilisation and Embryology
Acts (1990, 2008) (UK) 140-1

```
Huntington disease (HD) 133-5
  PGD 164-5, 189
hypogonadotropic hypogonadism 154
  female 115-16
  male 119
ICSI (intracytoplasmic sperm
      injection) 97, 103, 122-3,
      149-50, 152
  imprinting disorders 174-5
Igf2/H19/H19/IGF2 imprinted
      genes 74-6, 78
Illumina HiSeq2000 sequencing
      system 26
Illumina SNP-arrays 25-6
immotile cilia syndrome 119-20
implantation, recurrent failure 49, 149
imprinting 68-81, 173-4
  ART and 174
    effect on the children 78, 174-6,
      180
    effect on the embryo 177, 182
    effect on the oocyte 176-7, 182
    effect on the placenta and cord
       blood 177-80, 182
    parental subfertility as source of
      abnormalities 180-1
  chromatin modification 73, 77-8
  disorders 78, 174-6
  DMD features 75-6
  DNA methylation 69-71
    acquisition 47, 71-4, 78, 92, 173
    erasure in PGCs 69, 71, 80-1, 173
    maintenance 74-5, 78-80, 177
  in the early embryo 61, 78-80,
       173-4, 177, 181-2
  milestones 68
  monoallelic expression 76-7
  in the mouse 68-9
imprinting control element (ICE) 75
in vitro fertilization (IVF)
  chromosomal abnormalities
    parental 147, 149-50
    postimplantation 64-5
    preimplantation embryos 52-4,
      61 - 2
  epigenetics 173-4, 174, 182
    effect on the children 78, 174-6,
    effect on the embryo 177, 182
    effect on the oocyte 176-7, 182
    effect on placental tissue and cord
      blood 177-80, 182
    parental subfertility as source of
      abnormalities 180-1
  genetic testing 110, 151
  recurrent implantation failure 49,
      149
in vitro maturation (IVM) 176
```

```
INCENP subunit of the CPC 60
incontinentia pigmenti 13
induced pluripotent cells (iPS) 94
infertility 113-25
  causes see female infertility, male
       infertility
  clinical examination 122
  genetic testing 109-11, 122-3,
       146-54
  research into new genetic
       diseases 109, 123-4
interchromosomal effect 168
interphase 4-5, 46
intracytoplasmic sperm injection
       (ICSI) 97, 103, 122-3, 149-50,
  imprinting disorders 174-5
introns 3-4
inversion 47-9, 102-3, 166
  detection 28
isolated gonadotropin-releasing
       hormone deficiency (IGD)
  females 115-16
  males 119
IVF see in vitro fertilization
IVM (in vitro maturation) 176
Jewish (Ashkenazi) ethnicity 154,
jumping genes see retrotransposons
KAL1 gene 115
Kallmann syndrome 115, 119, 154
Kartagener syndrome 119-20
karyomapping 29-30, 170
karyotyping 7, 154
  in female infertility 148-9
  limitations 64
  in male infertility 150
  normal karyotype 1-3
Kcnq1/KCNQ1 gene 76-8, 176, 177
Kennedy disease 120
Klinefelter syndrome (47,XXY) 12,
       97-8, 109, 150
L1 elements (LINEs) 85-7, 93, 94
  control mechanisms 87-9
late-onset disorders 131, 133-5, 138-9
  PGD 164-5, 189-90
legal issues
  confidentiality 138
  gamete donation and
       surrogacy 140-1, 152-3, 185
  PGD 159, 192
LH pre-ovulatory surge 45, 46
LH receptor mutations 114, 118
LINEs (long interspersed
       elements) 85-7, 93, 94
  control mechanisms 87-9
```

linkage analysis 161	MEST gene 176–7	muscular dystrophy 131–3
loss-of-heterozygosity (LOH) 23	metaphase	mutation types 13
Lsh (lymphoid specific helicase) 88	meiosis 45–6	myotonic dystrophy type 1 (DM1) 13,
LTRs (long terminal repeats,	mitosis 5	120, 137
HERVs) 84-5	metaphase CGH (mCGH) 18–20,	Cl () () () () () () () () () (
luteinizing hormone (LH)	167	neurofibromatosis type 1 (NF1) 135
pre-ovulatory surge 45, 46	methylation of DNA 69–71, 172	newborn screening 132–3
receptor mutations 114, 118	acquisition (<i>de novo</i> methylation) 71–4, 78, 92, 173	next generation sequencing (NGS) see whole genome sequencing
macrocephalia (spermatic) 122	and chromatin modification 73,	non-coding RNA (ncRNA) 5, 89
male age 46, 49	77–8	transcriptional suppression 76–7,
male infertility 97	maintenance 74–5, 78–80, 177	90-2
asthenozoospermia 119–21	transcriptional control	non-disclosure PGD 164-5
chromosomal abnormalities 149-50	of imprinted genes 76-7	nondisjunction 12, 54
46,XX males 100-2, 118	of retrotransposons 88, 90-2	nonsense mutations 13
47,XXY and variants (Klinefelter	see also demethylation of DNA	Noonan syndrome 120
syndrome) 97-8, 109, 150	methylation of histones 59, 88	NR0B1 (DAX1) gene 108, 119
47,XYY 98	microarray analysis 10, 109	NR5A1 gene 117
balanced chromosomal	aCGH 20-3, 65, 167-8	nucleotides 1
rearrangements 102-4, 149	compared with genome	
Y chromosome	sequencing 28	oligonucleotide arrays 22
microdeletions 98, 110, 121,	SNP-arrays 10, 23–6, 65, 170	oligo(zoo)spermia 102, 149
151-2	microRNA (miRNA) 5, 89	imprinting errors 180–1
genetic testing 149–52, 154 GnRH deficiency 119	microsatellite repeats (short tandem	see also male infertility
imprinting errors in	repeats), in PGD 161-4 microtubule organizing centers	oocytes cryopreservation 176
spermatozoa 180–1	(MTOC) (centrosomes) 43, 45,	donation 152–3, 187
mitochondrial diseases 121	55–7	see also ethics, gamete donation
retrotransposons 71, 89–94	mild androgen insensitivity 114,	effect of ART on imprinting 176–7,
synaptic failure 47	119	182
syndromic diseases 119–21, 150–1	Mili protein (PIWIL2) 90	PB biopsy 159, 192
teratozoospermia 122	miscarriage 52–3, 65–6	oogenesis 35, 46
maternal age 49-50, 53	recurrent 148-9	folliculogenesis 46, 61
maternal control of early	missense mutations 13	imprinting 74, 78, 173
embryogenesis 45, 56	mitochondrial diseases 121	compared with
maternal imprinting 68–9, 71, 74–5	PGD 161, 165, 190	spermatogenesis 47, 71, 74
Angelman syndrome 78, 174–5, 175	mitochondrial DNA 3	effect of ART 176-7, 182
MDA (multiple displacement	mitosis 5, 37	maternal age effects 49-50, 53
amplification) 15–17, 20, 25,	differences between the early	meiosis 37
164	embryo and adult cells 55-61	arrest 35-6, 45
meiosis 5, 35–46	errors 46, 54	cell cycle regulation 45–6
cell cycle regulation 45–6 chromosome cohesion 40, 42–3, 46,	Miwi protein (PIWIL1) 91–2 Miwi2 protein (PIWIL4) 90	errors 47, 53 initiation 35
50	mobile DNA elements see	progression 45
errors 42–3, 47–50, 52–4, 168	retrotransposons	X chromosome behavior 42, 47
inversion 47–9, 102–3, 166	monogenic diseases 12–13, 154	see also meiosis
see also aneuploidy;	female infertility 106–7, 113–17,	mRNA and protein stores 45, 56
translocations	148, 151, 154	recombination 33, 40, 42
initiation 35	male infertility 117-22, 150-1,	ovarian reserve, estimation 147
recombination 33, 38-42, 47	154	ovarian stimulation
sexual dimorphism 37, 46-7, 49-50	PGD 160-6, 168, 189-90	effect on imprinting 176-7, 182
meiotic arrest during	monosomy 12, 49	effect on oocyte quality 61-2, 192
oogenesis 35-6, 45	Turner syndrome (monosomy	ovulation 46
spindle formation and chromosome	X) 104-5, 109-10, 147	
segregation 33-4, 42-5	morula see cleavage stage embryos	pachytene piRNA 91-2
synapsis 35–8, 47	mosaicism see chromosomal	paired-end DNA sequencing 17, 26, 28
men	abnormalities, mosaicism	parental support algorithm 26
age 46, 49	multiple displacement amplification	partial androgen insensitivity 114, 119
infertility see male infertility	(MDA) 15–17, 20, 25, 164	paternal age 46, 49

paternal imprinting 61, 68–9, 71, 74, 75, 173	epigenetics effect of ARTs on 177, 182	prometaphase meiosis 42
abnormalities 78	environmental effects 174	in oocytes 45–6
paternal origin of zygotic	maintenance of DNA	in spermatocytes 43–5
centrosome 56–7	methylation 74–5, 78–80, 177	mitosis 5
PCR (polymerase chain reaction) 7–8	paternal chromatin 61	promoter sequences 4, 75
in PGD 162-5, 167	reprogramming 78-80, 173-4	prophase
Q-RT-PCR 9–10	preimplantation genetic diagnosis	meiosis 33, 35-8
in whole-genome amplification 16,	(PGD) 157–70	mitosis 5
25, 163–4	analytical techniques 157-8,	prospermatogonia 90-2
PCS (preconception carrier	161–2	protein synthesis (translation) 6–7
screening) 131–3, 154	aCGH 167-8	
ethics 134, 194–6	CGH 167	Q-RT-PCR (quantitative real time
pediatrics see children	FISH 157, 166-7	PCR) 9-10
persistent Müllerian duct	PCR 162-5, 167	quality assurance, in PGD 169
syndrome 118	WGA 29-30, 163-4, 167-8	
PGCs (primordial germ cells) 69, 71,	biopsy 159-60, 192	REC8 (cohesin protein) 46
80-1, 89-90, 173	for chromosomal	recombination 33-4, 38-42, 47
PGD see preimplantation genetic	abnormalities 166-9	see also translocations
diagnosis	cryopreservation of embryos 160	recombination nodules 38
PGS see preimplantation genetic	ethics 157, 159, 160, 164-5,	referral for genetic counseling/
screening	188–92	testing 129, 133
PIWI-interacting RNA (piRNA) 89,	genetic counseling 136	REPLI-g (QIAgen) 25
90-2	indications 160-1, 166	retinitis pigmentosa 133
PIWIL/PIWIL proteins/genes 89–93	legal issues 159, 192	retinoblastoma 176
placenta	misdiagnosis 169	retinoic acid 35
confined placental mosaicism 64	for monogenic conditions 160-6,	retrotransposons 83-4
epigenetics in ART babies 177-80,	168	association with disease 86-7, 89
182	BRCA1/BRCA2 189-90	control mechanisms 87-92
HERVs and 85	HD 164-5, 189	in iPS-derived gametes 94
polar bodies (PB) 45	HLA-typing and selection 161,	LINEs 85-7, 93-4
biopsy 159, 192	165–6, 191	LTRs (HERVs) 84–5
polymerase chain reaction see PCR	mitochondrial diseases 161, 165,	SINEs 87, 93
positional cloning (forward	190	spermatogenesis and 71, 89-94
genetics) 124	X-linked disorders 164, 165, 191	SVA elements 87
post-transcriptional control of	outcomes 168-9	reverse genetics 124
retrotransposons 88-92	quality assurance 169	reverse transcription 85–6
post-transcriptional processing of	research areas 29-30, 169-70	ribosomes 6–7
mRNA 5	preimplantation genetic screening	risk, patient understanding of 132
Prader-Willi syndrome 78, 176	(PGS)	RNA 5
precocious separation of sister	effect of mosaicism 62	non-coding 5, 89
chromatids 42-3, 49	ethics 192–4	transcriptional suppression 76-7,
preconception carrier screening	premature ovarian failure/insufficiency	90-2
(PCS) 131–3, 154	(POF/POI) 116–17	translation 6–7
ethics 134, 194-6	fragile X premutations 106, 111,	RNA editing 88–9
predictive testing 133-4, 138-9	116–17, 151	RNA interference (RNAi) 89
in children 134	X chromosome abnormalities 105,	RNA-Induced Silencing Complex
preimplantation embryos	106–7, 147–8	(RISC) 89
aneuploidy (meiotic errors) 52-4	prenatal diagnosis	Robertsonian translocations 12, 47,
chromosomal mosaicism	chromosomal mosaicism 63-5	166
(post-meiotic errors) 52–4, 66	counseling and support 135-6	infertility 103-4, 149
effect on embryonic	ethics 192–3	PGD 166, 169
development 62-3	timing 129	Roche 454 sequencing system 26
in IVF embryos 53–4, 61–2	presymptomatic testing 133-4,	<i>RSPO1</i> gene (R-spondin 1) 102, 114
culture medium for IVF	138-9	
embryos 177	in children 134	S phase 4
differences in mitotic mechanisms	primary ciliary dyskinesia 119–20	SAC (spindle assembly
when compared with adult	primordial germ cells (PGCs) 69, 71,	checkpoint) 43, 45, 57–8
cells 55–61	80-1, 89-90, 173	Sanger sequencing of DNA 8-9

screening	spermatozoa, origin of zygotic	transgenerational epigenetic
of gamete donors 141, 151-3,	centrosome 56–7	inheritance 181
186-8	spinal and bulbar muscular atrophy	translation 6-7
PCS 131-4, 154, 194-6	(Kennedy disease) 120	translocations 12, 166
PGS 62, 192–4	spindle assembly checkpoint	causing female infertility 147
public health programs 132–3,	(SAC) 43, 45, 57–8	causing male infertility 100–1,
195	spindle formation	149
	1	
Sertoli-cell-only syndrome 99	meiosis 42–5	detection 28, 166–8
sex chromosomes see X chromosome,	mitosis 5, 55–6	PGD 158, 162, 166-9
Y chromosome	zygotic centrosome is of paternal	Robertsonian 12, 47, 103–4, 166,
sex selection 191	origin 56–7	169
short interspersed elements	spinocerebellar ataxia type 1	transposons see retrotransposons
(SINEs) 87, 93	(SCA1) 133-4	trinucleotide repeat diseases 13,
short tandem repeats (STRs)	spontaneous abortion 52-3,	164–5
161-4	65-6	DM1 13, 120, 137
Silver–Russell syndrome 176	recurrent 148-9	fragile X syndrome 13, 116, 151,
single-cell genomics 15–31	SRY gene	164
aCGH 20-3, 65, 167-8	in 46,XX males 100-1, 118	Huntington disease 133-5, 164-5,
amplification (WGA) 15-18, 25,	in 46,XY females 108, 114	189
163-4, 167-8	Steinert's disease (DM1) 13, 120,	Kennedy disease 120
mCGH 18-20, 167	137	triploidy 11
in PGD 29-30, 164, 170	STELLA protein 79	trisomy 12, 52–3
sequencing 26–9	steroid hormone-related causes of	confined placental mosaicism 64
SNP arrays 23–6, 170	infertility	maternal age and 49-50
	female 114–15	
situs inversus 119–20	male 114–13	trisomy 21 (Down syndrome) 49,
small interfering RNAs (siRNA)		104
89	Stra8 protein 35	trisomy X 12, 105–6
SNP arrays 10, 23–6, 65, 170	STRs (short tandem repeats) 161-4	tRNA 6-7
SNPs (single nucleotide	superovulation see ovarian stimulation	Turner syndrome (45,X) 104–5,
polymorphisms) 23, 27–9	surrogacy 140, 142	109–10, 147
SNRPN/Snrpn gene	survivor guilt 139	
imprinting 176–80	SVA (SINE-R/VNTR/Alu)	UBE3A gene in Angelman
Angelman syndrome 174–5	elements 87	syndrome 78, 174–5
SOLiD sequencing system (Life	Swyer syndrome (46,XY	umbilical cord blood, epigenetics 177,
Technologies) 26	females) 107-9, 114	180
SOX3 gene 102	synapsis 35-8, 47	uniparental disomy (UPD) 23, 64,
SOX9 gene 101-2	syncytin proteins 85	69
sperm donation 139-42, 151-3,		United States of America, genetic
187-8	Ta elements	testing 134, 152–3
see also ethics, gamete donation	(L1PA1 retrotransposons)	USP9Y deletion 99
spermatogenesis	86	
environmental chemicals	Taq DNA polymerases 8, 16,	vas deferens, absent 119, 150-1
affecting 50, 94, 125	163-4	virilization, in CAH 115
imprinting 71–4, 78, 92, 173	target primed reverse	vitrification of oocytes 176
compared with oogenesis 47, 71,	- -	vicinication of oocytes 170
ž	transcription 85–6	ruh ala con omo ammlifaction
74	telophase 5	whole genome amplification
errors associated with	teratozoospermia 122	(WGA) 163-4
oligospermia 180–1	termination of pregnancy 135	amplification methods 15–18, 25,
meiosis 37, 43–7	testicular disorder of sex development	163-4
aneuploidy 49, 50, 53	(TDSD, XX male	artefacts (and solutions) 17–18, 20,
cell cycle regulation 45-6	syndrome) 100-2, 118	22–3, 25, 28
initiation 35	TET dioxygenases 79	in PGD 29-30, 164, 167-8
pachytene piRNAs 91-2	tetraploidy 11	whole genome sequencing 11,
sex chromosome	Tip60-p400 chromatin remodeling	26–9
segregation 35-6, 42	complex 78	exome sequencing 11, 28-9,
see also meiosis	transcription 5	124
paternal age effects 46, 49	retrotransposons 88, 90-2	in PGD 29-30, 164, 170
retrotransposons and 71,	suppression in imprinted	in PGS 193-4
89–94	genes 76–8	screening of gamete donors 186–8
	O	



Index

age 49–50, 53
infertility see female infertility

X chromosome
female infertility 147–8
structural abnormalities 106–7,
110–11
trisomy X 105–6
Turner syndrome 104–5, 109–10,
147
inactivation 105, 106

male infertility
46,XX males (XX male
syndrome) 100–2, 118
47,XXY (Klinefelter
syndrome) 97–8, 109,
150
in meiosis 35–6, 42, 47
X-linked diseases 13, 133
PGD 164–5, 191
see also fragile X syndrome
XPF (DNA repair enzyme)
89

Y chromosome abnormalities 46,XY females 107–9, 114 47,XYY males 12, 98 microdeletions 98, 110, 121, 151–2 in meiosis 35–6, 42, 47

zona pellucida breaching in PGD 159, 160 zygote 45, 56–7