

INDEX

- allometry 61
- alloys 28
 - mechanical properties 28
 - molecular structure 28
 - strengthening 28
 - see also* metals
- alumina 35
- anatomy
 - ankle 150–1
 - elbow 136–7
 - hip 98–9
 - knee 112–15
 - shoulder 126–9
- ankle 150–3
 - axis of motion 151
 - dorsiflexion–plantarflexion arc 150
 - functional anatomy 150–1
 - gait rockers 154–5
 - ligaments 205
 - loads acting on 150
- ankle arthrodesis 153
- ankle fractures 204
 - conservative treatment 204
 - lateral displacement of talus 17
 - Lauge–Hansen classification 70
 - open reduction and internal fixation 204–5
 - stable 205
 - unstable 205
- ankle replacement 152–3
 - biomechanics 152
 - component design/alignment 152–3
- annealing 26
- area moment of inertia 56–7
- articular cartilage 88–9
- axial force 52

- balanced (Hamilton–Russell) traction 162–3
- Bankart lesion 126
 - bony 126
- beams 54–7
 - geometric properties 56
 - mechanics 54–5
 - stiffness 57
 - theory 54–5
 - types of 55
- bending 50–1, 54–7
 - three-point 54
- bending load fractures 66
- biceps 11
- biceps brachii 136
- bioactive ceramics 34–5
- bioinert ceramics 34–5
- biomaterials 24–48
 - ceramics 24–5, 32–4
 - composites 24–5, 40–2
 - definition 24
 - metals 24–7
 - molecular structure 25
 - polymers 24–5, 36–9
 - structure and properties 24
- biomechanics 2–3
 - orthopaedic 3
- biotribology 80–94
 - friction 9, 81–3
 - lubrication 81, 86–93
 - wear 81, 84–5
- blister formation 81
- bone 10, 44–7
 - ageing 46–7, 61
 - anisotropy 46
 - arrangement of 70
 - brittleness 46
 - cancellous (trabecular) 44
 - characteristics 45
 - cortical (compact) 44
 - fatigue properties 65
 - mass 47
 - material properties 60, 70
 - mechanical properties 46–7
 - molecular structure 44–5
 - remodelling 45
 - stiffness 46
 - strength 16
 - structural properties 70
 - viscoelasticity 46
 - see under specific bones and types*
- bone cement 38–9
 - time–temperature curve 39
- bony Bankart lesion 126
- boosted lubrication 90–1
- boundary lubrication 86–7
- brachialis 11, 136, 140
- brittle fractures 62
- brittleness 21, 32
 - bone 46
- buckle fracture 68
- butterfly fragment fractures 66–7

- calcium carbonate 44
- calcium hydroxyapatite 34–5
- calcium phosphate 44
- cancellous screws 169
- cancellous (trabecular) bone 44
- cannulated screws 169
- cantilever beams 55
- carbon fibre composites 42
- carbon fibre reinforced polymer (CFRP) 43
- carrying (cubitus) angle 136–7
- case-based discussions 186–206
- casts 164–5
 - biomechanics 164
 - bone-cast construct 164
 - fracture reduction 165
 - full 164
 - spica 164
- ceramic on ceramic bearing surface 110
- ceramics 24–5, 32–4
 - bioactive 34–5
 - bioinert 34–5
 - chemistry 33
 - classification 33
 - mechanical properties 32
 - molecular structure 32
 - orthopaedic uses 34
- cerclage wires 167
- Charnley stem 102–3
- children
 - bone structure 46, 60
 - clubfoot deformity 23
 - cubitus angle 136
 - femoral fractures 178
 - fracture patterns 68–9
 - long bones 60
 - traction 160–3
- clavicle fractures 188
 - intramedullary nails 189
 - plate fixation 188–9
- cobalt–chrome 30–1
- collagen 44
- composite beam stem 102–3
- composites 24–5, 40–2
 - laminated 41
 - mechanical properties 40
 - molecular structure 40
 - orthopaedic uses 42
- compression 50–3
 - stresses 52
- compressive load fractures 66
- concrete 41
- copolymers 36
- corrosion 74–5
 - chemistry 75
 - protection against 74
 - types of 74
- cortical (compact) bone 44
- cortical screws 169
- couple 6–7
- creep 22–3
- crevice corrosion 74
- cruciate ligaments 114–15
- cubitus (carrying) angle 136–7

- deep flexion arc of knee 116
- deltoid 129
- double-leg stance 98
- dough time 39
- ductile fractures 62–3
- ductility 20
- dynamic hip screw 198–9
- dynamics 2

- elastic deformation 20
- elastic stability 179
- elastohydrodynamic lubrication 86, 91

- elbow 136–41
 - dislocation 139
 - flexion forces 11
 - functional anatomy 136–7
 - cubitus (carrying) angle 136–7
 - range of motion 136
 - supination–pronation 137
 - reaction forces 140–1
 - extension 140
 - flexion 140
 - stabilisers 138–9
 - dynamic 138
 - static 138
- equilibrium conditions 6
- erosive corrosion 74
- external fixation 180–5
 - bone–frame construct 182
 - bone–pin interface 182
 - ring fixator 184
 - spatial configuration 182
 - stiffness 183, 185
 - humerus fractures 190–1
 - monobody 181
 - pin diameters 181
 - pin-to-bar 180–1, 183
 - ring 184–5
- facet joints of vertebrae 142
- fatigue fractures 64
- fatigue life 65, 72
- fatigue limit 64–5
- fatigue strength 65
- femoral stem implants
 - cemented fixation 102–3
 - cementless fixation 104–5
- femur
 - age-related changes 61
 - fractures
 - dynamic hip screw 198–9
 - external fixation 181
 - intramedullary nails 178–9, 198–9
- fibre reinforced polymer composites 43
- filiform corrosion 74
- flexible nails 178–9
- fluid film lubrication 86–7, 93
- fluids, friction in 82
- foot 156–7
 - external fixation of fractures 181
 - gait rockers 154–5
 - as rigid lever 156
 - as shock absorber 156
 - subtalar joint 150–1, 156–7
- force 4–5, 12, 16, 53
 - alignment 53
 - axial 52
 - ground reaction 9
 - joint reaction 10
 - moment of 6–7
 - and musculoskeletal system 5
 - normal 52
 - shear 52
 - stress–strain relationships 17
 - transverse 52
- forearm fractures
 - external fixation 181
 - humerus
 - distal 194–5
 - mid-shaft 192–3
 - proximal 161, 190
 - intramedullary nails 179
 - radius 196
 - forearm mass 11
 - fractures (general) 62–79
 - acute 64
 - brittle 62
 - ductile 62–3
 - fatigue 64
 - fundamentals 62
 - healing 187
 - mechanics 70
 - mechanism 64–5
 - patterns 66–71
 - bending load fractures 66
 - children 68–9
 - compressive load fractures 66
 - tensile load fractures 66
 - torsional load fractures 66
 - S–N curve 64–5
 - fractures (specific)
 - ankle 204
 - lateral displacement of talus 17
 - Lauge–Hansen classification 70
 - clavicle 188–9
 - intramedullary nails 189
 - plate fixation 188–9
 - femur 178–9, 198–9
 - humerus
 - distal 194–5
 - mid-shaft 192–3
 - proximal 161, 190
 - radius 196
 - tibia
 - distal third 200
 - pilon 202–3
 - ulna 181
 - fracture fixation 187, 158–85
 - casts 164–5
 - external 180–5
 - intramedullary nails 176–9
 - plates 172–5
 - principles 158
 - surgical screws 168–71
 - traction 160–3
 - wires 166–7
 - see under individual methods for detail*
 - fracture gap length 17
 - fracture healing 76–7
 - biomechanical process 78–9
 - interfragmentary strain 78, 80–94
 - primary (cortical) bone 76–8
 - secondary (callus) bone 76–9
 - fracture point 18
 - fracture stiffness 78
 - free-body force diagrams 8
 - inclined surface 53
 - interactions between objects 9
 - lower limb 9
 - hip 99, 101
- knee 119
 - upper limb 11
 - elbow 141
 - shoulder 131
 - fretting corrosion 74
 - friction 9, 81–3
 - in fluids 82
 - in joints 82
 - friction equation 82
 - frictional torque 82
 - fully threaded screw 170
 - functional arc of knee 116
 - functional brace 164–7
 - functional spinal unit 145
- gait cycle 154–5
- Gallow's traction 162–3
- galvanic corrosion 74
- geometric properties 50–1
 - beams 56
 - columns and ties 52
 - long bones 60
 - shafts 58
- glass fibre reinforced polymer (GFRP) 43
- glenohumeral joint 126–7
- glenohumeral ligaments 128
- glenoid labrum 126–7
- grain boundary 26
- grain size reduction 28–9
- greenstick fracture 68
- ground reaction force 9
- Hamilton–Russell (balanced) traction 162–3
- hardness 20
- Haversian canals 44
- hip 96–110
 - functional anatomy 98–9
 - prosthesis *see* hip replacement
 - reaction forces 98–101
 - clinical implications 100
 - double-leg stance 98
 - single-leg stance 98–9
 - with 100N load in opposite hand 100–1
 - with cane support in opposite hand 100–1
- hip replacement 83, 100
 - bearing surfaces 110
 - advantages/disadvantages 111
 - ceramic on ceramic 110
 - metal on metal 110
 - metal on polyethylene 110
 - Oxinium™ 110
 - cemented fixation 102–3, 105
 - composite beam 102–3
 - femoral stem implant design 102–3
 - load transfer 103
 - surface finish 102
 - taper slip 102
 - vs cementless fixation 104
 - cementless fixation 104–5
 - femoral stem implant design 104–5
 - vs cemented fixation 104
 - components 106–7
 - alignment 106

INDEX

- design 106
- femoral head
 - head–neck ratio 109
 - jump distance to dislocation 109
 - size 108–9
 - wear patterns 91, 108
 - linear 108
 - volumetric 108
- hybrid fixation 105
- Hooke’s law 18, 23
- humero-ulnar articulation 138
- humero-ulnar joint 136
- humerus
 - distal 136–7, 195
 - fractures *see* humerus fractures
 - head 126
- humerus fractures
 - distal humerus 194–5
 - external fixation 181
 - mid-shaft 192–3
 - functional brace 193
 - intramedullary nails 192–3
 - plate fixation 192–3
 - proximal humerus 161, 190
 - open reduction/internal fixation 190–1
 - shoulder arthroplasty 190
- hydrodynamic lubrication 86, 91
- hydroxyapatite 44
 - coating of pin threads 182
- hysteresis 22–3
- incline plane-based simple machines 12–13
- inertia
 - area moment 56–7
 - moment 79
 - polar moment 58
- infraspinatus 128
- interfragmentary strain 78–9
- intervertebral disc 144–5
- intramedullary nails 176–9
 - biomechanics 176
 - bone–nail construct 176–7
 - flexible nails 178
 - clavicle fractures 189
 - elastic stability 179
 - femoral fractures 178–9, 198–9
 - flexible 178–9
 - forearm fractures 178–9
 - humerus 192–3
 - stiffness 177
 - tibial fractures 200–1
 - working length 177
- joint reaction force 10
- joints 10
 - artificial *see* prosthetic joints
 - friction in 82
 - synovial *see* synovial joints
 - wear 84
 - see under individual joints*
- k-wires 166–7
 - Kapandji technique 196–7
 - radius fractures 196–7
- Kapandji k-wiring technique 196–7
- kinematics 2
- kinetics 2
- knee 112–25
 - axes 113
 - flexion–extension arc 116–17
 - deep flexion arc 116
 - functional arc 116
 - patellofemoral contact zones 116–17
 - screw home arc 116
 - functional anatomy 112–15
 - geometry and alignment 112–13
 - patellofemoral joint 80
 - tibiofemoral joint 112
 - prosthesis *see* knee replacement
 - Q-angle 113
 - reaction forces 118–19
 - patellofemoral joint 118
 - tibiofemoral joint 118–19
 - soft tissues 114–15
 - cruciate ligaments 114–15
 - menisci 114–15
- knee replacement
 - classification of prostheses 121
 - component alignment 124–5
 - femoral component 124
 - patellar component 124
 - tibial component 124
 - component design 120–3
 - fixed bearing vs mobile bearing 122–3
 - patellar component 122
 - single-radius vs multi-radius 120–1
 - stability vs mobility 120
 - range of motion 125
- lag screw fixation 170–1
- lateral collateral ligament 139
- Lauge–Hansen classification 70
- lever-based simple machines 12
- levers 6, 7, 13
 - first-class 6
 - musculoskeletal system 6, 14
 - second-class 6
 - third-class 6
- ligamentotaxis 161
- ligaments
 - ankle 205
 - elbow 139
 - shoulder 128
 - spine 144
 - see under individual ligaments*
- load bearing 159
- loading 3, 50–1
 - geometric properties 50–1
 - material properties 50–1
 - modes of 50–1
- loading curve 23
- locking plates 172
- locking screws 169
- long bones 60–1
 - geometric properties 60–1
 - material properties 60
- lower limb
 - ankle 150–3
- axes 96–7
 - anatomical 96
 - mechanical 96
 - relationships 96
 - weight-bearing 96
- foot 156–7
- fractures *see* fractures (specific)
- hip 96–110
- knee 112–25
- relationships 97
- lubrication 81, 86–93
 - modes of 86
 - boundary 86
 - fluid film 86
 - mixed 86
 - prosthetic joints 92
 - Stribeck curve 88–9, 93
 - synovial fluid 88
 - synovial joints 90
 - boosted lubrication 90–1
 - squeeze film lubrication 90–1
 - weeping lubrication 90–1
- machines, simple 12
 - concept of 12
 - incline plane-based 12–13
 - lever-based 12
 - mechanism of action 13
- materials
 - classification 19
 - properties 50–1
 - bone 46–7, 60, 70
 - mechanical 20
 - viscoelastic 22–3
 - see also* biomaterials
- McKellop’s classification 85
- mean 3
- mechanical properties 20
 - bone 46–7
 - ceramics 32
 - metals 26
 - polymers 36
 - viscoelasticity 36
 - strain-rate dependent 22
- medial collateral ligament 139
- median 3
- menisci of knee 114–15
- metal on metal bearing surface 110
- metal on polyethylene bearing surface 110
- metals 24–7
 - ductile to brittle transition 63
 - mechanical properties 26
 - elasticity 26
 - plasticity 26–7
 - molecular structure 26–7
 - orthopaedic uses 30
 - see also* alloys, *individual metals*
- mixed lubrication 86–7
- mode 3
- moment of force 6–7
- moment of inertia 79
- monobody external fixator 181
- motion 12
 - Newton’s laws of 4

INDEX

- multimode lubrication 91
 - muscles 10
 - shoulder 128
 - spine 144
 - see under individual muscles*
 - musculoskeletal system 2
 - forces acting on 5
 - levers 6
 - simple machines 14
 - static analysis 10
 - nailing *see* intramedullary nails
 - Newton's laws of motion 4
 - ninety degree–ninety-degree traction 162–3
 - normal force 52
 - orthopaedic biomechanics 3
 - orthopaedic surgery 3
 - see also* prosthetic joints
 - osteons 44
 - overhanging beams 55
 - Oxinium™ bearing surface 110
 - paper-tearing experiment 70–1
 - partially threaded screw 170–1
 - patellofemoral contact zones 116–17
 - patellofemoral joint 80
 - reaction forces 118
 - physes (growth plates) 68
 - pilon fractures 202–3
 - pin-to-bar external fixator 180–1, 183
 - pitting corrosion 74
 - plaster of Paris 42–3
 - plastic deformation 18
 - plate fixation 172–5
 - biomechanics 172
 - bone–plate construct 172, 174–5
 - conventional vs locking plate 172
 - stiffness 172–3
 - clavicle fractures 188
 - humerus fractures 192–3
 - modes of application
 - bridging 174–5
 - buttress/antiglide 174–5
 - compression 174–5
 - neutralisation 174–5
 - tension band 174–5
 - tibial fractures 200–1
- point loads 10
- polar moment of inertia 58
- polo mint concept 70
- polydioxanone (PDS) 38
- polyethylene 37
 - UHMWPE 38–9
- polyglycolide (PGA) 38
- polylactide (PLA) 38
- polymers 24–5, 36–9, 46
 - biodegradable 38
 - long-term implantable 38
 - mechanical properties 36
 - molecular structure 36
 - orthopaedic uses 38
 - viscoelasticity 36–7
- polymethylmethacrylate (PMMA) bone cement 38
- prosthetic joints
 - lubrication 92
 - Stribeck curve 93
 - wear 83, 85
 - see under specific joints*
- proximal radioulnar joint 136
- pulleys 13
 - musculoskeletal system 14–15
- Q-angle 113
- radius fractures 196
 - external fixation 181
 - Kapandji k-wiring technique 196–7
 - open reduction and internal fixation 196–7
 - percutaneous k-wire fixation 196–7
- reaction forces
 - elbow 140–1
 - extension 140
 - flexion 140
 - hip 98–101
 - clinical implications 100
 - double-leg stance 98
 - single-leg stance 98–9
 - with 100N load in opposite hand 100–1
 - with cane support in opposite hand 100–1
 - knee 118–19
 - patellofemoral joint 118
 - tibiofemoral joint 118–19
 - shoulder 130–1
 - abduction with elbow in extension 130–1
 - abduction with elbow in flexion 130–1
 - clinical implications 130
- reversed shoulder arthroplasty 135
- reversed shoulder replacement 134–5
 - component design 134
 - mechanics 134
 - rotator cuff tear arthropathy 134
- ring external fixator 184–5
 - bone–frame construct 184
- rolling 12
- rotator cuff muscles 128–9
- rotator cuff tear arthropathy 134–5
- S–N curve 64–5
- scapula 126
- screw 13
 - see also* surgical screws
- screw home arc of knee 116
- self-tapping screws 169
- shafts 58–9
 - geometric properties 58
- shear force 52
- shoulder 126–35
 - functional anatomy 126–9
 - geometry and alignment 126–7
 - glenoid labrum 126
 - joint capsule 128
 - ligaments 128
 - rotator cuff muscles 128–9
 - range of motion 129
 - reaction forces 130–1
 - abduction with elbow in extension 130–1
 - abduction with elbow in flexion 130–1
 - clinical implications 130
- shoulder arthroplasty 190
- shoulder replacement 132–3
 - component alignment 133
 - glenoid component 132
 - humeral component 132
 - implant types 133
 - resurfacing 133
 - reversed 134–5
 - component design 134
 - mechanics 134
 - rotator cuff tear arthropathy 134
- simple beams 55
- simple machines, musculoskeletal system 14
- single-leg stance 98–9
 - with 100N load in opposite hand 100–1
 - with cane support in opposite hand 100–1
- skin structure 81
- SLAP tear 126
- sliding 12
- solid–solution strengthening 28–9
- spica cast 164
- spinal nerves 145
- spine 142–9
 - biomechanics 142–5
 - curvatures 143
 - functional spinal unit 145
 - intervertebral disc 144–5
 - ligaments and muscles 144
 - loads acting on 148–9
 - stability 146–7
 - three-column classification 146–7
 - two-column classification 146–7
 - vertebrae 142–3
- spinous process of vertebra 142
- spiral fractures 66–7
- spring-ball model 53
- squeeze film lubrication 90–1
- stability 158–9
- stainless steel 30–1
- standard screws 169
- static analysis 8
 - assumptions 11
 - musculoskeletal system 10
 - see also* free-body force diagrams
- statics 2
- stiffness 18, 20, 22, 158
 - beams 57
 - bone 46
 - fracture 78
- straight traction 162–3
- strain 16
 - force–stress relationships 17
- strain-rate-dependent mechanical properties 22
- strain–time curves 23
- strength 20
- stress raisers 72–3
- stress relaxation 22–3
- stress–strain curves 18
 - fractures 63
 - properties of 19
 - viscoelastic materials 23

INDEX

- stress–time curves 23
- stresses 16
 - compression 52
 - force–strain relationships 17
 - tension 52
 - torsion 58
- Stribeck curve 88–9
 - prosthetic joints 93
- subscapularis 128
- subtalar joint 150–1, 156–7
- supraspinatus 128–9
- surface finish, hip prosthesis 102
- surgical screws 168–71
 - biomechanics 168–9
 - bone–screw construct 170
 - characteristics 168–9
 - core diameter 168
 - fully threaded 170
 - functional anatomy 169
 - lag screw fixation 170–1
 - partially threaded 170–1
 - pitch 168
 - types of 169
- sutures, synthetic 42
- synovial fluid as a lubricant 88
- synovial joints 80
 - lubrication 90
 - boosted 90–1
 - squeeze film 90–1
 - weeping 90–1
 - wear 84
- talocalcaneal joint 150–1
- talocrural joint 151
- talus 150–1
- taper slip stem 102
- tensile load fractures 66
- tensile strength 18
- tension 50–3
 - geometric properties 50–2
 - stresses 52
- teres minor 128
- Thomas splint 162–3
- three-point bending 54
- tibial fractures
 - distal third 200
 - intramedullary nails 200–1
 - plate fixation 200–1
 - external fixation 181
 - pilon 202–3
 - external fixation 203
- tibiofemoral joint 112
 - reaction forces 118–19
- titanium 30–1
- titanium alloys 30–1
- torque 6
 - frictional 82
- torsion 50–1, 58–9
 - stresses 58
- torsional load fractures 66
- torus fracture 68
- toughness 18, 20–1
- traction 160–3
 - balanced (Hamilton–Russell) 162–3
 - clinical perspective 161
 - Gallow’s 162–3
 - ninety degree–ninety-degree 162–3
 - straight 162–3
 - Thomas splint 162–3
- transverse force 52
- transverse process of vertebra 142
- trauma meeting 186–206
 - clinical perspective 187
 - mechanics 186
 - see also* case-based discussions
- tribology 80
- β-tricalcium phosphate 34
- triceps brachii 140
- UHMWPE *see* ultra-high molecular weight polyethylene
- ulnar fractures, external fixation 181
- ultra-high molecular weight polyethylene (UHMWPE) 38–9
- unloading curve 23
- upper limb
 - elbow 136–41
 - fractures *see* fractures (specific)
 - free-body force diagram 11
 - shoulder 126–35
- van der Waal’s bonds 36
- vertebrae 142–3
 - facet joints 142
 - spinous and transverse processes 142
 - vertebral body 142–3
- viscoelastic materials 22–3
 - bone 46
 - polymers 36–7
 - stress–strain curves 23
- wear 81, 84–5
 - joints 84
 - rate of 85
- wear equation 84
- wedges 13
- weeping lubrication 90–1
- wheel and axle 13
 - musculoskeletal system 14–15
- windlass effect 156
- wires 166–7
 - biomechanics 166
 - bone–wire construct 166
 - cerclage wires 167
 - k-wires 166–7
 - radius fractures 196–7
 - tension band principle 167
- Wolff’s law 44
- work 12
- work hardening 28–9
- yield strength 18, 20–1
- Young’s modulus 18
- zirconia 35