

Index

Figures/tables are shown in **bold**

- abdominal pain 182–183. *see also* pain
- academic-practice links 45
- acceptance therapy 161
- access to CBT 127–128, 352, 385, 386
- accommodation, OCD rituals 277
- acculturation 114
- acronyms
 - OARS 60–61
 - PRACTICE **148**, 150–156, **153**
 - PRECISE 24
- activity scheduling
 - chronic health problems 163
 - depression 298–299
- adaptation, CBT. *see* modifications
- ADHD. *see* attention deficit hyperactivity disorder
- adherence, treatment 52, 53, 163–168, 347. *see also* engagement
- ADIS-C/P. *see* Anxiety Disorders Interview Schedule for Children
- adolescents, CBT 29–31
 - anxiety/depression 7
 - computer-based delivery 355
 - parents 97
 - self-help 339–340
 - substance misuse 356
 - see also* engagement
- adversity, psychosocial 53–54
- aetiology
 - conduct disorder 313–315
 - mental health problems 386
 - phobic anxiety 256–258
- affect modulation skills 152–153
- affirmation 60
- age of child
 - parents/carers 97–98
 - PTSD 237
 - 7–11s 26–29, 97
 - under 7s 24–26
 - see also* adolescents
- aggregated outcome data 43
- aggression
 - parental influences on 93
 - teacher reports 40
 - see also* conduct disorder
- algorithms
 - motivational interviewing 63–64
 - phobic anxiety 268, **269**
- alien from Mars metaphor 376–377
- all or nothing thinking 166, 215, 295
- Allen review 312
- ambivalence 58, 61–62, 209
- amenorrhea 203
- amnesia. *see* memory
- amplification 59
- amygdala 12
- anger management 315, 343
- anger monitoring 299
- animal phobias **260**
- anorexia nervosa
 - clinical descriptions 203
 - evidence-based practice 204
 - self-help 339–340
 - see also* eating disorders
- antisocial behaviour. *see* conduct disorder
- anxiety disorders 1, 7, 15, 222–223, 231
 - and autism 194–195
 - case examples 71–72
 - computer-based CBT 353–354, 362–366, **363**, **365**, **366**
 - copied skills 26
 - d-cycloserine 228–229
 - developmental perspective 8–10, 11–13, 13–14, 15
 - emotional domain 23
 - genetics 2, 10–11, 230–231
 - group-based CBT 342–343
 - maintenance factors 93–95, **94**
 - neural modifications 2
 - and parents/carers 93, 96–98, 229–230
 - self-help 341
 - teacher reports 40
 - telephone CBT 344–345
 - under 7s 24
 - see also* Cool Kids treatment programme; phobic anxiety; prevention of anxiety
- Anxiety Disorders Interview Schedule for Children (ADIS-C/P) 225, 364
- OCD 279
- phobic anxiety 263, 266
- PTSD 243
- arbitrary inferences 295
- arousal, increased 236
- Asperger's syndrome 361. *see also* autism spectrum disorders
- assertiveness training 227, **227**

390 Index

- assessment
 black/ethnic minorities 116–119
 chronic health problems 164–165, 168–169
 computer-based CBT 364
 depression 292–293, 303
 eating disorders 206–209
 executive functioning 196
 home settings 126–127
 OCD 279
 pain, chronic 177–179, **177**
 phobic anxiety 258–260, **260**, 263, 266–267
 PTSD 242–243
 theory of mind 196
 therapeutic (TA) 56–57
 trauma-focused CBT 148
see also indications, treatment
- assumptions
 conditional 71
 eating disorders 214–215
 identifying/working with 301–303
 maladaptive 69, 295–296
 assumptive world 239–241, **239**
- attachment 76–77, 313
- attendance 52. *see also* engagement
- attention bias 35, 36, 166, 215, 328–329, 386
- attention deficit hyperactivity disorder (ADHD)
 formulation 76
 mindfulness 373–374, 375–381
 and phobic anxiety 263
 telephone CBT 344–345
- attention, enhancing 191–192
- attitudes 13–14, 26, 52
- attributional style
 anxiety/depression 14, 92
 hostile 93–95, **95**
- Australia 113, 325, 344
- autism spectrum disorders 189–191, 197–198
 CBT 191–193, 194–197
 computer-based CBT 361
 future developments 197
 mindfulness 372
- autobiographical memory 387
- automatic thoughts, negative (NATs) 214–215, 295, 300
- autonomy 304
- avoidance
 anxiety 224
 interventions 244–245
 maintenance factors **239**
 OCD 279–280
 parental influences on 93
 PTSD 236, 246, 247
 vicarious 240–241, **242**
- barriers to treatment model 99
- BAT (behavioural approach test) 259, **260**
- behaviour
 and cognitions/emotion 22, 225–226, 303
 and depression 293–294
 inappropriate/sexual 146–147
 parental influences on 93
- behavioural
 activation 298–299
 components of engagement 52
 experiments. *see* experiments
- inhibition 327–328, 329–330
 strategies for pain **180**
 systems formulation 69
 techniques for depression 23
- behavioural approach test (BAT) 259, **260**
- behaviourism 1
- beliefs 71
 adherence to treatment 167
 chronic health problems 163
 eating disorders 214–215
 and perceptions **239**
 phobic 259–260
 religious/spiritual 118–119
 and values 116–117
- benchmarking 43, 386
- bias. *see* cognitive bias modification; information-processing bias; interpretational bias
- bibliotherapy 340. *see also* self-help
- bigger picture 304
- biofeedback for pain **180**
- biopsychosocial models
 abdominal pain 182
 chronic pain 176, **181**
 mental health problems 386
 phobic anxiety 255–256.
see also genetics
- black and white thinking 166, 215, 295
- black/ethnic minorities 110–111, 122
 assessment/formulation 116–119
 CBT effectiveness 112–113
 chronic health problems 163
 engagement/effectiveness 53–54, 113–119, 120
 therapeutic alliance 115–116
 wider-system perspectives 120–122
see also cultural competence
- body awareness 377
- body image, computer-based CBT delivery 357–358. *see also* eating disorders
- books 340. *see also* self-help
- boot camps 315
- boredom, monitoring 299
- botox face metaphor 100–101
- BRAVE-ONLINE programme 353, 362–366, **363**, **365**, **366**
- bravery bead programme 163
- Breaking Free from OCD* (Derisley *et al*) 340
- breathing awareness 377
- Building Bridges Service 120–121
- bulimia nervosa
 clinical descriptions 203–204
 evidence-based practice 204–205
 online programme 358
 self-help 339–340
see also eating disorders
- bullying 8, 227, 293–295
- CAMHS (Child and Adolescent Mental Health Services) 39, 40, 43, 129
- Camp Cope-A-Lot 354
- CAPS (Children's Attributions and Perceptions Scale) 148
- CAPS (Coping and Promoting Strength programme) 329

391 Index

- card games 150
- carers. *see* parents/carers
- Caring for Kids: What Parents Need to Know about Sexual Abuse 150
- cartoons 25, 27, 192, 299
- case examples
- abdominal pain 182–183
 - chronic health problems 163, 165–170, 171
 - computer-based CBT 362–366, **363**, **365**, **366**
 - depressive disorders 293–296, 302, **298**
 - engagement 52, 53, 57
 - formulations 71–72, 73, 79–84, **80**
 - headache 181–182, **181**
 - mindfulness 379–381
 - OCD 284–285, **185**
 - phobic anxiety 262–264, 266–268
 - trajectory tracking 42–43, 44
 - vicious cycles **294**
- catastrophisation 29
- chronic health problems 166
 - chronic pain 178, 182
 - eating disorders 215
- catch it, check it, change it 27
- CATCH-IT programme 355
- CATS (Children's Attributions Thoughts Scale) 225
- causation, and correlation 35. *see also* aetiology
- causal mechanisms of change 35–37
- CBM (cognitive bias modification) 15, 306, 386. *see also* information-processing bias
- CBT. *see* cognitive behaviour therapy
- CD-ROMs 352–353, 359
- CGAS (Children's Global Assessment Scale) 364
- change
- eating behaviours 212–213
 - importance 62
 - meaningful 38
 - readiness 62
 - rulers 62–63
 - worksheets 63
- changing the subject 59
- chat/discussion forums 352–353, 359, 360
- Child and Adolescent Mental Health Services (CAMHS) 39, 40, 43, 129
- child-centred approaches 317
- Child Health Questionnaire (CHQ) 178
- Child Post Traumatic Cognitions Inventory 243
- Child PTSD Symptom Scale 148, 243
- child self-reports 40
- child sexual abuse 145, 156–145, **181**
- formulation **241**
 - impact 145–147
 - symptom prediction 147
 - treatment. *see* trauma-focused CBT
- children and families formulation 73–75, 74
- Children and Young People's Improving Access to Psychological Therapies (CYPIAPT) 1, 39, 40
- Children's Attributions and Perceptions Scale (CAPS) 148
- Children's Attributions Thoughts Scale (CATS) 225
- Children's Global Assessment Scale (CGAS) 364
- Children's PTSD Inventory 243
- Children's Revised Impact of Events Scale 243
- Children's Yale–Brown Obsessive Compulsive Scale (CY-BOCS) 279
- child–teacher relationships 135–136
- chocolate factory metaphor 247–248
- CHQ (Child Health Questionnaire) 178
- chronic fatigue syndrome 170
- chronic health problems 159–160, 172
- adherence to treatment 163–168
 - CBT 160–161
 - CBT adaptations 161–168
 - medical procedures 168–170
 - medically unexplained symptoms 170–172
 - see also* pain, chronic
- classical conditioning 257
- client/co-client role 92
- clinical applications
- academic practice links 45
 - computer-based CBT 358–360, 361–362
 - formulation 74
 - significance of change 38
- clinical interviews, PTSD 242–243
- clowns, phobic anxiety 266–268
- coaching 303. *see also* collaborative partnerships
- co-clinician role 92, 95, 169
- cognitions. *see* thoughts
- cognitive behaviour models. *see* cognitive models
- cognitive behaviour therapy 22, 31
- adapting. *see* modifications
 - adolescents 29–31
 - delivery 138. *see also* computer-based CBT
 - effectiveness. *see* efficacy
 - interpersonal processes 55–56. *see also* therapeutic alliance
 - process 23–24, 26, 28–29, 30–31
 - schools 137–138
 - 7–11s 26–29
 - techniques 22–23
 - under 7s 24–26
- cognitive bias modification (CBM) 15, 306, 386. *see also* information-processing bias
- cognitive coping 153–154, **153**, **181**
- cognitive domain, PTSD 23
- cognitive models
- depressive disorders 293–296
 - eating disorders 205–207, **207**, **208**
 - OCD 280–284, **282**, **283**
 - PTSD 237–241, 246, **239**, **241**, **242**, **238**
- cognitive psychology 386
- cognitive restructuring
- anxiety 224, 226, **227**
 - black/ethnic minorities 117
 - depressive disorders 301–303
 - PTSD 244–245, 250–251
 - see also* meaning
- cognitive systems formulation 69
- cognitive techniques for pain **180**
- cognitive vulnerability 13–14, 327–329. *see also* diathesis-stress hypothesis
- collaboration 387
- collaborative empiricism 297, 300
- collaborative partnerships 31, 55, 69
- chronic health problems 162–163, 167
 - depressive disorders 296–297, 303
 - eating disorders 209
 - ethnic minorities 115–116
 - motivational interviewing 58
 - OCD 286

392 Index

- collaborative partnerships (cont.)
 - parents/carers, working with 100
 - wider-system perspectives 134–136
 - see also* therapeutic alliance
- collectivist cultures 117, 118
- commitment therapy 161
- communication
 - and adherence to treatment 167
 - black/ethnic minorities 116
 - chronic health problems 161
 - wider-system perspectives 136
- comorbidity, psychiatric
 - autism spectrum disorders 193
 - chronic health problems 159–160
 - OCD 278, **283**
 - phobic anxiety 256, 263, 268
 - PTSD 237
- compensatory behaviours 213–214
- completion tendency 240
- compliance. *see* adherence; engagement
- computer-based CBT 2, 29–30, 351–360, 366–367, 387
 - case examples 362–366, **363, 365, 366**
 - chronic pain 183
 - clinical applications 358–360, 361–362
 - self-help 339–342
 - technological adjuncts 360–362
 - see also* self-help
- computer games 360
- computer spam metaphor 29
- conditional assumptions 71
- conditioning 146, 257, 261. *see also* modelling
- conduct disorder 311–315, **314**
 - and autism 195
 - effective programmes 315–320, **316**
 - engagement of adolescents 53
 - intervention implementation 320
 - mindfulness 373–374
 - parents/carers 92
 - prevention 313, **314**
 - self-help 340–341
 - teacher reports 40
- confidence to change 62
- confidentiality 55, 82, 359
 - black/ethnic minorities 116
 - computer-based CBT 352
 - eating disorders 210
 - and information sharing 134
- conflicts, parent-child 9, 104
- consequences of behaviour 318
- continuum lines 215
- continuum technique 302
- control, being in 205–206
- controlling parenting 8
- Cool Kids treatment programme 92, 223–228, **227**, 329–330, 354
- coping
 - anxiety 26
 - avoidant 247
 - cognitive 153–154, **153, 181**
- Coping and Promoting Strength programme (CAPS) 329
- Coping Power* anger management programme 315
- CORC (CAMHS Outcomes Research Consortium) 39, 40
- core beliefs. *see* beliefs
- correlation, and causation 35
- cost-effectiveness 385
- costume characters phobia 266–268
- counter-transference 337
- court appearances 243
- criminality 311, 312
- critical events 296
- cultural competence, therapist 111–112, 114–116
- cultural factors 387. *see also* black/ethnic minorities
- CY-BOCS (Children's Yale-Brown Obsessive Compulsive Scale) 279
- CYPIAPT (Children and Young People's Improving Access to Psychological Therapies) 1, 39, 40
- Cyberball paradigm 9
- datasets, large scale 36–37
- David gNATenborough's Island 30
- d-cycloserine (DCS) 228–229
- defensiveness, adolescents 30
- definitions
 - child sexual abuse 145
 - cultural competence 111–112
 - engagement 51
 - informed consent 118
 - low intensity CBT 338, **338**
 - OCD 275
 - self-help 339
- Delivering Race Equality (DRE) 111
- delusions 2
- depressive disorders 7, 15, 292, **294**
 - attributional style 92
 - assessment 292–293
 - and autism 194–195.
 - CBT 296–304, 305, **298**
 - cognitive behaviour model 293–296
 - computer-based CBT 354–355
 - developmental perspectives 11–14
 - early interventions 15
 - environmental/social changes 8–10
 - failure thoughts 23
 - future developments/challenges 305–306
 - genetic factors 10–11
 - group-based CBT 343
 - interventions 23
 - self-help 340
 - teacher reports 40
- desensitisation 1
- developmental perspectives 385
 - anxiety/depression 7, 9, 10–11, 12–13, 306
 - wider-system perspectives 133
- developmental psychology 386
- diagnosis/presenting symptoms
 - OCD 275
 - PTSD 235–237
- diagrams 29
 - depressive disorders 304
 - PTSD 243–244, **244**
 - self-evaluations 216–217
- diaries
 - activity scheduling 299
 - chronic pain 177–178, 181
 - chronic health problems 166
 - OCD 286
- diathesis-stress hypothesis 14. *see also* vulnerability
- disaster thinking 29. *see also* catastrophising

393 Index

- discharge, routine practice 39
 discipline, harsh 93
 discrepancy 58
 discussion forums 352–353, 359, 360
 disgust, and phobic anxiety 257–258
 disinhibition, computer-based CBT 352
 disruptive behaviour. *see* conduct disorders
 dissociation, PTSD 249
 distraction 153
 chronic health problems 170
 mindfulness 377–378
 diuretics 213
 doctor–patient relationship. *see* therapeutic alliance
 dog phobia **260**
 domains, outcomes 41
 Dot Probe test 328
 double standards, eating disorders 215
 double-sided reflection 59
 drawings
 adaptation for under 7s 25
 autism spectrum disorders 192
 DRE (Delivering Race Equality) 111
 DVDs 122, 339–342
 dysfunctional assumptions 69, 295–296
 dysfunctional attitudes 13–14, 26

 early interventions 15, 51, 312
 eating behaviours 212–213
 eating disorders 203, 219
 assessment/formulation 206–210
 clinical descriptions 203–204
 cognitive behaviour model 181, 205–208
 computer-based CBT 357–358
 evidence-based practice 204–205
 outcomes 219
 perfectionism 218–219
 phobic anxiety 262–264
 relapse prevention 219
 self-help 339–340
 treatment 210–218
 ecological contexts, ethnic minorities 114
 ecological systems 126. *see also* environmental factors; wider-system perspectives
 education. *see* psychoeducation; schools
 efficacy, CBT 385
 anxiety 228
 black/ethnic minorities 112–113
 depressive disorders 305
 emergency departments 53, 54
 emotion
 and anxiety 23
 and cognitions/behaviour 22, 225–226, 303
 monitoring 299–300
 emotional
 bingo 152
 brain, maturation 11–13
 domain 23
 processing 37
 reasoning 215
 regulation 152–153
 systems formulation 69
 empathy 58, 59
 empiricism, collaborative 297, 304

 empowerment 167, 347
 ending therapy 104–105
 engagement 30, 51, 64–65
 case examples 52–53, 57
 chronic health problems 162–163
 computer-based CBT 353
 eating disorders 209–210
 ethnic minorities 113–120
 factors influencing 53–56
 importance 52–53
 joint formulations 64
 motivational interviewing 57–64
 and parents/carers 96, 101–102
 psychoeducation provision 64
 therapeutic alliance 51–52, 55–56
 therapeutic assessment 56–57 *see also* adherence to treatment
 environmental factors 8–10, 91, 96, 230–231.
 see also ecological systems; wider-system perspectives
 epidemiology
 anxiety/depression 7
 child sexual abuse 145
 chronic pain 176
 mental health problems 51
 OCD 275
 phobic anxiety 255–256
 ethnic identity 119
 ethnic minorities. *see* black/ethnic minorities
 evidence-based practice 385
 chronic health problems 165–168
 depression 23
 engagement of adolescents 56–57
 phobic anxiety 260–268
 PTSD 243–251, **244**, **245**
 evolution, phobic anxiety 257
 executive functioning 196
 exercise
 depressive disorders 298–299
 eating disorders 213–214
 expectations
 adherence to treatment 167
 black/ethnic minorities 117
 engagement of adolescents 54
 parental influences 92
 parents 95–96
 experiments 23, 29, 167, 300
 depressive disorders 304
 eating disorders 215–216
 OCD 284–285
 exposure therapy 228–229
 anxiety 224, 226–227, **227**
 case examples **366**
 OCD 279–280
 phobic anxiety 260–261
 PTSD 247
 trauma-focused CBT 149, 155
 extended families 117, 119
 externalising disorders
 mindfulness 373–374
 teacher reports 40
 see also attention deficit disorder; conduct disorder; oppositional defiant disorder
 eye contact 115

Cambridge University Press

978-1-107-68985-5 - Cognitive Behaviour Therapy for Children and Families: Third Edition

Edited by Philip Graham and Shirley Reynolds

Index

[More information](#)**394 Index**

- Facebook 359
 facilitator role, parents 92
 failure thoughts 23
 falsification hypotheses 2
 families
 depressive disorders 303
 engagement of adolescents 54
 ethnic minorities 114, 115
 formulation 73–75, 81–84, **74**
 OCD 277–278
 therapy 1
 wider-system perspectives 133
 see also parents/carers
 Family Accommodation Scale (FAS) 279
 family–nurse partnerships 315
 fat, feeling 218
 Fathers and Sons Project 121–122
 fatigue 170–172
 FDI (Functional Disability Inventory) 178
 fear
 monitoring 299
 non-associative model 257
 parental influences on 93
 see also anxiety
 Fear Survey Schedule for Children Revised (FSSC-R) 258–259
 feedback about progress 135
 feeling fat 218
Feeling Good (Burns) 340
 feelings. *see* emotion
 fidelity, trauma-focused CBT 150
 firewall metaphor 29
 flashbacks 236, 240
 flexibility
 chronic health problems 162
 trauma-focused CBT 150
 follow-up appointments 54
 formulations 69–70, 85–86
 black/ethnic minorities 116–119
 bridging child's life 133–134
 child sexual abuse **241**
 children and families 73–75, **74**
 chronic health problems 163, 165–168, 169–170
 depressive disorders 297–298, 300–301, **298, 301**
 eating disorders 209
 integrated 76–77, **77**
 PTSD 243–244, 246, **244**
 traditional structure 70–73, **71**
 training/supervision 85–86
 wider-system perspectives 85, 126–127
 working with child 79–81
 working with child and parent 81
 working with family 81–84
 four systems formulation 69, 74, 75, 77–79, **73, 74, 75**
 frequency, measurement 41–42
 friend/foe letters 212
 FRIENDS for Life programme 132
 FRIENDS programme 324–325, 326
 FSSC-R (Fear Survey Schedule for Children Revised) 258–259
 Functional Disability Inventory (FDI) 178
 functional neuroimaging 12
 funnel plots 43
 future developments 386–387
 autism 197
 depressive disorders 305–306
 eating disorders 212
 low intensity methods 345–347
 motivational interviewing 62–63
 OCD 287–288
 games 25, 28, 150. *see also* play
 gender, therapist 116
 generalised anxiety disorder (GAD) 223. *see also*
 anxiety
 genetics
 ADHD 375
 anxiety 2, 230–231, 327–328
 mental health problems 386
 OCD 276
 phobic anxiety 256–257
 glucose metabolism 2
 goals, evaluation of outcomes 41
 goal-setting
 eating disorders 211
 group-based CBT 343
 gold standard treatments. *see* randomised controlled trials
 gradual exposure. *see* exposure therapy
 green thoughts 27
 grooming 146
 group-based CBT 2, 131–132, 342–344
 guided self-help (GSH) 339–342
 guilt **241**
 hand washing, OCD 284–285, **285**
 hard-to-reach children 128
 Head Start parenting programme 344
 headache
 assessment 178
 CBT 179–182, **181**
 computer-based CBT 357
 see also pain, chronic
 Headstrong computer-based CBT delivery 357
 health problems. *see* chronic health problems
 hierarchical models, outcomes 44
 hierarchy of needs 70
 highway-walking metaphor 378
 home settings 126–127, 128
 home–school partnerships 135
 homework tasks 103, 224
 hospital stays 159
 hostile attributional style 93–95, **95**
 hot thoughts 23, 27
 humour 83, 100
 hypervigilance 236
 hypnosis **180**
 hypotheses
 falsification 2
 testing 215–216, 300. *see also* experiments
 identifying children at risk 129–130
 identity, ethnic 119
 ignoring bad behaviour 104. *see also* negative reinforcement
 illness behaviour 179, 342
 Illness Behaviour Encouragement Scale 179, 342
 illness. *see* chronic health problems
 immediate thoughts 74

395 Index

- importance, change 62
- Improving Access to Psychological Therapies (IAPT) programme 38, 338
- in vivo exposure 155
- inappropriate behaviour, CSA 146–147
- incidence. *see* epidemiology
- Incredible Years parenting programme 113, 316, **316**, 318
- independence, fostering 82
- indicated prevention
 - anxiety disorders 325–327
 - conduct disorder 313, **314**
- indications, treatment
 - Cool Kids programme 225
 - trauma-focused CBT 148–149
 - see also* assessment
- individual differences
 - anxiety/depression 7
 - engagement of adolescents 53–54
 - meeting needs 70
- individual interventions 132
- individualistic cultures 117, 118
- information-processing bias
 - anxiety/depression 13–14, 224, 328–329
 - attentional 35, 36, 166, 328–329, 386
 - CBM 15, 306, 386
- information. *see* psychoeducation
- information sharing 134
- informed consent 118
- informing practice outcomes 42–43
- integrated approaches 76–77, 385, 77
- intergenerational studies 91
- internalising disorders
 - and attributional style 92
 - mindfulness 372–373
 - teacher reports 40
- Internet-based CBT delivery 339–342, 352–353. *see also* computer-based CBT delivery; websites
- interpersonal processes. *see also* therapeutic alliance
- interpretational bias 386
 - anxiety 328–329
 - trauma 239–241, **239**, **241**
- interpreters, ethnic minorities 116
- interventions. *see* evidence-based practice
- interviews, clinical 242–243
- intrusions, PTSD 239, **239**
- joint formulations 64
- Joyce, James 3
- Junior Detective Training Programme 361
- jumping to conclusions 215
- Kids Helping Kids (Foltz) 154
- labelling feelings 299–300, 304
- language barriers 116
- language use, therapist 55
- large-scale datasets 36–37
- last observation carried forward (LOCF) 37
- Lawrence, D.H. 3
- laxatives 213
- letters, friend/foe 212
- levels, service delivery 130–132, 313, **130**
- life cycle, family 115
- life events, stressful 74
- anxiety/depression 8, 9
- chronic pain 176, 181
- OCD 276
- parents/carers, working with 102–103
- life-limiting health problems. *see* chronic health problems
- LifeSkills Training 356
- longitudinal formulation 300–301, **301**
- low intensity methods 2, 337
 - development of 337–338, **338**
 - future developments 345–347
 - group-based 2, 131–132, 342–344
 - self-help 2, 98, 339–342, 356
 - telephone 2, 128, 344–345, 361
 - video-conferencing 339–342, 345
 - see also* computer-based CBT
- magical thinking 275
- magnification 215
- maintenance factors 37
 - chronic pain 182
 - chronic health problems 171
 - depressive disorders 293
 - eating disorders 205–206, **208**
 - guilt **241**
 - OCD 277
 - parents/carers 93–96, **95**
 - PTSD **239**
 - vicarious avoidance **242**
- maladaptive
 - assumptions 69, 295–296
 - cognitions 146–147
 - family interactions 96
 - family schemas 83
- males, engagement 53–54
- MASSI (Multimodal Anxiety and Social Skills Intervention) 194
- Master Your Mood Online 355
- maturational theories 11–13
- meaning
 - PTSD 244–245
 - traumatic events 239–241, **239**, **241**
 - uprooting of 114
 - see also* cognitive restructuring
- meaningful change 38
- measures
 - outcomes 41–42
 - PTSD 243
 - see also* assessment
- mechanisms of change 37
- mediators, child sexual abuse 147
- medical procedures 168–170
- medically unexplained symptoms 170–172
- medication
 - adherence to 163–168
 - anxiety 228–229
 - depressive disorders 305
 - and engagement 54
- meditation. *see also* mindfulness
- memory 69
 - and anxiety/depression 13
 - autobiographical 387
 - interventions 244–245
 - and PTSD 146, 236, 238–239, **208**, **239**
- meta-cognitive beliefs model 281

396 Index

- metaphor 27–28
 - computer firewall 29
 - highway-walking 378
 - mythbusters 191–192
 - parents/carers, working with 100
 - PTSD 247–248, 249
- migraine 179–182, **181**
- migration, ethnic minorities 114
- mind reading 215
- mindfulness-based interventions 3, 161, 305, 371, 381–382, 386
 - ADHD 375–381
 - RCTs 371–375
- minimisation 215
- mixed-effects models 44
- mobile phones. *see* telephone CBT; text messages
- modality, prevention of conduct disorder 313, **314**
- modelling
 - anxiety 386
 - depressive disorders 304
 - parental 93
 - phobic anxiety 257, 261–262
- moderators
 - child sexual abuse 147
 - chronic pain 176, 178
- modifications, CBT
 - autism spectrum disorders 191–193
 - chronic health problems 161–168
 - cultural 121–122
 - depression 299, 303–304
 - group-based CBT 342–344
 - OCD 281
 - self-help 339–340
 - 7–11s 27–28
 - under 7s 25
- Mood and Feelings Questionnaire 293
- MoodGYM 354–355
- moods, monitoring 299–300. *see also* depressive disorders
- mothers. *see* parents/carers
- motivation
 - adolescents 30
 - autism spectrum disorders 191–192
 - eating disorders 209–210, 211–212
 - OCD 285–286
 - see also* engagement
- motivational interviewing 101, 164, **298**
- multi-determined outcome models 44
- multi-dimensional comparative frameworks 114–115
- multi-level outcome models 44
- Multimodal Anxiety and Social Skills Intervention (MASSI) 194
- multiple sclerosis 170
- My Body, My Life programme 357
- mythbusters metaphor 191–192

- naming feelings 299–300, 304
- narrative approaches 114, 154–155, 244–245, 247–250
- National Academy for Parenting Practitioners 318
- National Child Traumatic Stress Network (NCTSN) 168
- National Comorbidity Survey 7
- National Service Framework for Children and Young People 160

- needs hierarchy 70, 181
- negative automatic thoughts (NATs) 214–215, 295, 300
- negative glasses 29
- negative information learning pathway 257
- negative reinforcement 93, 151, 205, 294
 - behaviour 104, 294
 - conduct disorder 318
- neuroimaging 12
- neuroscience of anxiety/depression 2, 11–12, 228–229
- new technologies 351, 361, 366–367, 387. *see also* computer-based CBT delivery
- non-associative model, fear 257
- non-judgementalism 115
- non-Western cultures 387
- normalising 83, 131, 286
- nuanced models, outcomes 44–45
- numbing, emotional 236
- nurses 315, 338

- OARS acronym 60
- object relations theory 76
- objective empiricism 30
- obsessive compulsive disorders 1, 275–276
 - under 7s 24, 25
 - CBT 279
 - challenges of treating 285–287
 - development in young people 276–285, **283**
 - future developments 287–288
 - glucose metabolism 2
 - mindfulness 381
 - models 280–284, **283**
 - personal responsibility 23
 - self-help 340
 - telephone CBT 344–345
- OCD trap 281–284, **283**, **285**
- one-session treatment (OST) 264–266
- open-ended questions 59, 60
- operant conditioning 146, 257, 261
- oppositional defiant disorder (ODD) 311, 373–374. *see also* conduct disorder
- outcomes
 - aggregated outcome data 43
 - computer-based CBT 365–366, **365**
 - conduct disorder 320
 - eating disorders 219
 - evaluation 34–43
 - large-scale datasets 36–37, 42
 - research questions 34–38
 - trajectory tracking 42–43
- Outcomes Oriented CAMHS 43
- Overcoming Bulimia Online programme 358
- overgeneralising 215
- over-simplicity 3

- paediatric illness. *see* chronic health problems
- paediatric psychosocial preventive health model 161
- pain, chronic 170–172, 176–177, 180–184
 - assessment 177–179, 177
 - CBT 179–183, **130**, **180**
 - computer-based CBT 183, 356–357
- pain diaries 177–178, 181
- PAM (parental anxiety management) 229–230

397 Index

- Parental Emotional Reaction Questionnaire (PERQ) 148
- parental
 perceptions 53–54
 psychopathology 98, 102, 277, 327–328, 386
 reports 40, 178–179
- Parental Support Questionnaire (PSQ) 148
- parenting
 and aggression 93
 and anxiety/depression 8, 9
 and cognitions/behaviours 92–93
 and OCD 276, 277–278
 and phobic anxiety 257
 programmes 113, 316, **316**, 318, 344
- parents/carers, working with 3, 25, 26, 28–29, 91–92, 105
 adolescents 30
 age of child 97–98
 anxiety 224, **227**, 229–230, 326
 areas of childhood difficulty 96–97
 autism 193, 372
 barriers to 98–99
 child sexual abuse 151–152
 chronic health problems 160, 169
 chronic pain 179
 collaborative partnership 100
 computer-based CBT **363**
 conduct disorder 315–318
 depressive disorders 304
 eating disorders 210
 ending therapy 104–105
 engagement 101–102
 formulation 81
 group-based CBT 343, 344
 humour 100
 maintenance factors 93–95, **94**
 metaphor 100–101
 methods of involving 92, 95–96
 mindfulness 376, 378, 379, 382
 OCD 286–287
 obstacles 102–105
 pain, chronic **180**
 roles 92, 95, 101–102, 169
 self-help 340–342
 supervision 101
 trauma-focused CBT 149–150, 155
 working with parents alone 97, 326–327
- parent–therapist relationship 99
- partial responses 268
- participant modelling (PM) 261–262
- partners 103, 105
- partnerships. *see* collaborative partnerships
- PAS (Preschool Anxiety Scale) 364
- PATHS (promoting alternatives thinking strategies) 319
- patient-reported experience measures (PREMS) 40
- patient-reported outcome measures (PROMS) 40
- Pediatric Quality of Life Inventory (PedsQL) 178
- PedMIDAS chronic pain assessment 178
- peer relationships 8, 9–10
- perceptions
 and beliefs **239**
 and engagement 54
- perfectionism 218–219
- personal responsibility
 depressive disorders 304
 OCD 23
- perspectives, differing
 motivational interviewing 62–63
 outcomes 41
- pharmacotherapy. *see* medication
- phobic anxiety 1, 223, 255, 269–270
 aetiology 256–258
 algorithm, treatment **269**
 assessment 258–260, **260**, 263, 266–267
 CBT 262–268
 epidemiology 255–256
 evidence-based practice 260–268
 phone CBT 2, 128, 344–345, 361
- physiological systems formulation 69
- pie charts 29, 216–217
- PIRCs (Prevention and Intervention Research Centres) 312
- placebo effects 35
- play 25, 28, 317. *see also* games
- Please Tell (Jesse) 154
- pleasure, increasing 298–299
- PM (participant modelling) 261–262
- Popper, Karl 2
- pop-ups metaphor 29
- positive reinforcement 151
 activity scheduling 298–299
 conduct disorder 317
 depression/anxiety 12
 illness behaviour 179, 342
 praise 114
 time out 318
- positive self-talk. *see* self-talk
- post-traumatic stress disorder 235, 251–252
 assessment 242–243
 child sexual abuse 146
 cognitive domain 23
 cognitive model 237–241, **238–239**, **241–242**
 diagnosis/presenting symptoms 235–237
 interventions 243–251, **244**, **245**
 under 7s 24
- power balance
 black/ethnic minorities 120
 therapeutic alliance 31
see also empowerment
- PRACTICE acronym **148**, 150–156, **153**
- praise. *see also* positive reinforcement
- PRECISE acronym 24
- prefrontal cortex 12–13
- PREMS (patient-reported experience measures) 40
- Preschool Anxiety Scale (PAS) 364
- prevalence. *see* epidemiology
- prevention, anxiety disorders 323, 331
 indicated 325–327
 selective 327–330
 universal 323–325
- prevention, conduct disorder 313, **314**
- Prevention and Intervention Research Centres (PIRCs) 312
- Private I 27
- problem solving 82, 227, **227**
- promoting alternative thinking strategies (PATHS) 319
- PROMS (patient-reported outcome measures) 40
- PSQ (Parental Support Questionnaire) 148

398 Index

- psychiatric comorbidity. *see* comorbidity
- psychoeducation
 adherence to treatment 167
 anxiety 225–226, **227**, 330
 autism spectrum disorders 192–193
 depression 297, 303
 eating disorders 211
 engagement of adolescents 64
 OCD 286
 pain, chronic **180**
 phobic anxiety 264
 PTSD 246
 trauma-focused CBT 150–151
- psychological factors, chronic pain 176, 182, **181**
- psychopathology, child. *see* comorbidity *and see* *specific conditions*
- psychopathology, parental 98, 102, 277, 327–328, 386
- psychosocial adversity 53–54
- PTSD Reaction Index 148. *see also* post-traumatic stress disorder
- qualitative outcome evaluation 42
- questionnaires 3, 258–259
- questions
 motivational interviewing 61–62, 63
 research 34–38
- quizzes 27
- randomised controlled trials 2, 35–36, 386
 mindfulness 371–375
 PTSD 245
- rating scales
 change rulers 62–63
 visual 29
see also assessment
- Reach for Resilience programme 324
- RealTeen programme 356
- reasoning skills, 7-11s 26
- reassurance seeking 276
- recent events analysis 70
- recovery 38
- red thoughts 23, 27
- reductionism 3
- re-experiencing trauma 236
- reflection 60–61
 amplification 59
 double-sided 59
- reflective empathy 59
- reframing 59
- regression to the mean 35
- reinforced practice (RP) 261
- reinforcement. *see* negative *and* positive reinforcement
- relapse prevention, eating disorders 219
- relationships
 child–teacher 135–136
 parent–child 9, 104
 parent–therapist 99
 peer 8, 9–10
 therapist–child. *see* therapeutic alliance
- relaxation skills 152
 chronic health problems 163, 170
 chronic pain **180**, 181, 183
- reliable change indices 38
- religious beliefs 118–119
- religious obsessions 275
- re-living, PTSD 251
- reports, user 35
- repression 76
- research questions 34–38
- resistance, rolling with 59
- Resourceful Adolescent Programme (RAP) 132
- resources, focusing on 75
 formulation 83
 PTSD 246–247
- respect, ethnic minorities 115
- response prevention, OCD 279–280
- responsibility. *see* personal responsibility
- reward. *see* positive reinforcement
- rituals, OCD 279–280
- role play 28
- rolling with resistance 59
- romantic relationships 8, 9–10
- Rose, Jacqueline 3
- routine practice evaluation 38–43
- rule-setting 317–318
- rumination 294
- SAD (separation anxiety disorder) 222–223. *see also* anxiety
- safety skills 155–156, 245–246
- SAMS (situationally accessible memories) 238, **238**
- scales. *see* rating scales
- SCAS (Spence Children's Anxiety Scale) 225
- scepticism, encouraging 2
- schizophrenia 2
- schools 127–128, 129–130, 133, 138
 anxiety interventions 324
 child–teacher relationships 135–136
 CBT delivery 137–138
 child–teacher relationships 135–136
 conduct disorder interventions 318–319
 feedback about progress 135
 group work 131–132
 individual interventions 132
 realistic demands on teachers 135
 refusal, anxiety-based 96–97
 teachers' insights 134–135
 therapist knowledge of 136
 transitions between 9, 10
- Scotland 326
- secure attachment 313
- SEL/SEAL (social and emotional learning) 131, 318–319
- selective attention 35, 36, 166, 215, 328–329, 386
- selective prevention
 anxiety disorders 327–330
 conduct disorder 313, **314**
- self-confidence 62
- self-efficacy 58
- self-harm
 case examples 57
 engagement 53
 group-based CBT 343
 motivational interviewing 58
- self-help 2, 98, 339–342, 356. *see also* computer-based CBT
- self, nature of 387
- self-reports 35, 82, 171, 212
 child 40

399 Index

- chronic pain 178–179
- eating disorders 216–217
- PTSD 243
- self-rewards for anxiety **227**
- self-soothing 153
- self-talk
 - adolescents 29
 - chronic health problems 163, 170
 - 7–11s 27
 - under 7s 24
- sensitivity. *see* vulnerability
- sentences, unfinished 27
- separation anxiety disorder (SAD) 222–223. *see also* anxiety
- serotonin transporter gene 2, 10, 230–231
- service delivery, tiered model 130–132, **130**
- sexual abuse. *see* child sexual abuse
- sexual obsessions 275
- sexualised behaviour 146–147
- SFSC (Strengthening Families Strengthening Communities) 113–114
- Shame Scale 148
- shared environments, twins 8
- shared formulations 75
- shared narratives, ethnic minorities 119
- significance of change 38
- situational triggers 75
- situationally accessible memories (SAMS) 238, **238**
- Smith, Ali 3
- social anxiety 96–97
- social and emotional learning (SEL) 131, 318–319
- social brain 11–13
- social changes, anxiety/depression 8–10
- social factors. *see* biopsychosocial models
- social impairment, autism spectrum disorders 196–197
- social phobia 223. *see also* anxiety
- Social Responsive Scale (SRS) 196
- social skills training 132, 227, **227**
- social support
 - anxiety/depression 8
 - black/ethnic minorities 119
- socially desirable reporting 40
- socioeconomic status 53–54
- Socratic closure process 82
- Socratic questioning 2, 23, 69
 - adolescents 30
 - black/ethnic minorities 117
 - depressive disorders 302
 - formulation 83
 - PTSD 246
- Sorting Task 196
- spam metaphor 29
- SPARKS computer-based CBT programme 30
- special interests, utilising 191–192
- Spence Children's Anxiety Scale (SCAS) 225
- Spider Phobia Questionnaire for Children (SPQ-C) 258–259
- spiritual beliefs 118–119, 119
- SRS (Social Responsive Scale) 196
- stability, establishing 245–246
- startle response 236
- starvation, cognitive effects 209. *see also* eating disorders
- stepped care 338, 358
- stigma 53
 - anxiety disorders 324
 - child sexual abuse 150
 - computer-based CBT 352
 - engagement of adolescents 52
 - low intensity methods 347
 - mental health problems 118
- Strange Stories assessment 196
- Strengthening Families Strengthening Communities (SFSC) 113
- strengths, focusing on 63, 75, 83
- Strengths and Difficulties Questionnaire 293, 311
- stressful life events. *see* life events
- StudentBodies2BED 357
- Subjective Units of Distress Scale (SUDS) 154
- substance misuse 311, 312
 - ambivalence 61–62
 - computer-based CBT 356
 - engagement of adolescents 53
 - motivational interviewing 58
 - and PTSD 237
- suicide 293, 305
- summaries, motivational interviewing 61
- summer camps 313
- superstition 275
- supervision
 - formulation 85, 86
 - working with parents 101
- SureStart early intervention programmes 313, 344
- surveys 215–216. *see also* experiments
- symptoms, presenting. *see* diagnosis
- systematic desensitisation 260–261. *see also* exposure
- systemic approach 385. *see also* formulation
- TA (therapeutic assessment) 56
- TAF (thought-action fusion) model 280–281
- Targeted Mental Health in Schools (TaMHS) programme 129
- targeted prevention, conduct disorder 313, **314**
- teachers
 - behavioural reports 40
 - child relationships 135–136
 - conduct disorder interventions 318–319
 - identifying children at risk 129–130
 - wider-system perspectives 134–135
- technological adjuncts, computer-based CBT 360–362
- telephone CBT 2, 128, 344–345, 361
- ten steps to cultural competence framework 114
- TESI-C (Traumatic Events Screening Inventory for Children) 148
- text messages 128, 361
- theory of mind 24, 196, 372
- therapeutic alliance 1, 3, 23, 35
 - autism spectrum disorders 191–192
 - black/ethnic minorities 115–116
 - engagement of adolescents 51–52
 - formulation 69, 82, 83
 - interpersonal processes 55–56
 - OCD 286
 - parent relationships 99
 - phobic anxiety 264
 - PTSD 246
 - see also* collaborative partnerships

400 Index

- therapeutic assessment (TA) 56–57
- therapist characteristics
 cultural competence 111–112, 114, 115–116
 engagement of adolescents 55
 gender 116
 language use 55
- thingishness 235, 252
- third-wave approaches 2
- thought-action fusion (TAF) model 280–281
- thought(s)
 bubbles 27, 304
 catchers 28
 child sexual abuse 146–147
 diaries. *see* diaries
 and emotion/behaviour 22, 225–226, 303
 immediate 74
 parental influences on 92–93
 replacement 153
 stopping 153
 trackers 27
 and values 116–117
- threat stimuli 12, 13–14, 23
- tick-box culture 3, 39
- tiered model of service delivery 130–132, **130**
- time out 318
- timelines 75
- timing, interventions for conduct disorder 313, **314**
- training formulation 85, 86
- training, staff 320
- trajectory tracking 42–43, 44
- transdiagnostic theory of eating disorders 206
- transference 1, 76
- trauma-focused CBT 147–150
 empirical support 156
 PRACTICE acronym **148**, 150–156, **153**
see also child sexual abuse
- trauma, managing 168–170. *see also* post-traumatic stress disorder
- Trauma Memory Quality Questionnaire 243
- Trauma Symptom Checklist for Children 148
- Traumatic Events Screening Inventory for Children (TESI-C) 148
- treatment, adherence 163–168, 347. *see also* engagement
- treatment refractory specific phobia 268
- triggers
 chronic health problems 163
 migraine 181
 situational 75
- tripartite model. *see* biopsychosocial models
- Triple P Positive Parenting Programme 113, 344
- trust, home–school partnerships 135
- twin studies 8, 9, 10
- UCLA PTSD Reaction Index 148
- unconditioned stimuli 146
- unemployment 311, 312
- unfinished sentences 27
- universal prevention
 anxiety disorders 323–325
 conduct disorder 313, **314**
 uprooting of meaning 114
 US Surgeon General's report on youth violence 312
 USA 344
 user reports. *see* self reports
- values
 and cognitions/beliefs 116–117
 conflicting 117, 118
 verbally accessible memories (VAMS) 238, **238**
- vicarious avoidance 240–241, **242**
- vicarious conditioning. *see* modelling
- vicious cycles 69, 70
 behavioural experiments 300
 case examples **294**
 depressive disorders 294, **298**
- video-conferencing 339–342, 345
- virtual reality 359
- visual aids 299
 adaptation for under 7s 25
 autism spectrum disorders 192
- visual rating scales 29
- visualisation 170
- volcano metaphor 27–28
- vomiting, self-induced 213
- vulnerability, cognitive 13–14, 230–231, 327–329 *see also* diathesis-stress hypothesis
- wardrobe metaphor 248
- washing machine metaphor 27–28
- waste paper bin metaphor 249
- Web-MAP computer-based CBT 357
- websites
 child sexual abuse 150, 151
 chronic health problems 163
 computer-based CBT 30
 CORC 39
 IAPT programme 38, 39
 TESI-C 148
- weight checking 217–218
- What Do You Know card game 150
- wider-system perspectives 126
 access to CBT 127–128
 black/ethnic minorities 120–122
 bridging child's life 133–134
 collaborative partnership 134–136
 communication 136
 formulation 85, 126–127
 guiding principles 133
 service delivery, tiered model 130–132, **130**
see also ecological systems; environmental factors; schools
- willingness to change 62
- worksheets 63
- World Health Organization 236
- YouTube CBT delivery 359
- zipper mouth metaphor 100–101