

Cambridge University Press

978-1-107-69661-7 - Orthopedic Emergencies: Expert Management for the Emergency Physician

Michael C. Bond, Andrew D. Perron and Michael K. Abraham

Index

[More information](#)

Index

- ABCDE evaluation, 155
 abscesses, 152
 foot, 152
 spinal epidural, 159–160, 186
 acetabular fractures, 89–93,
 99, 223
 Achilles tendon injuries,
 142–143, 258, 269
 acromioclavicular injuries,
 57–60
 acromioclavicular joint, 213
 acute osteomyelitis, 183, 184
 airway management, 155
 Allis technique, 223, 225
 Allman Type fractures, 54
 amoxicillin–clavulanate, 182
 ampicillin–sulbactam, 181
 amputation, 114
 below knee, 151, 153
 hand and wrist, 38, 42–43
 anesthesia. *See* local anesthetics,
 See regional anesthetics,
 See intra-articular
 anesthetic injections
 angular deformity, 206
 angulation of fingers, 210
 ankle brachial index (ABI), 110,
 112, 228
 ankle fractures and
 dislocations, 145, 146, 153,
 192, *See also* foot and ankle
 injuries
 reductions, 212
 ankylosing spondylitis, 154, 158
 anterior ankle dislocations, 212
 anterior cruciate ligament
 (ACL) injuries, 105, 107,
 117–120, 122, 226, 227
 anterior drawer test, 107,
 118, 121
 anterior elbow dislocations, 68,
 216, 218
 anterior hip dislocations,
 99, 223
 anterior inferior iliac spine, 83
 anterior posterior pelvic
 fracture, 88, 89, 90
 anterior radial head dislocation,
 234, 235
 anterior shoulder dislocations,
 44, 236, 237
 anterior sternoclavicular
 dislocations, 55, 56,
 213, 215
 anterior superior iliac spine,
 82, 83
 anteromedial knee dislocation,
 112
 anteroposterior radiography.
 See AP view
 antibiotics, 18
 amputations, 43
 clenched fist injuries, 182
 foot infections, 145, 152
 infectious tenosynovitis, 181
 metacarpal head fracture,
 18, 20
 open fractures, 186
 osteomyelitis, 184
 septic arthritis, 179
 spinal epidural abscess,
 159, 160
 vertebral osteomyelitis,
 185, 186
 AP view, 9
 acetabular fractures, 93
 carpal bone dislocations, 15
 femoral neck fractures, 95
 hip dislocations, 100, 223
 hip fractures, 96, 98
 non-accidental trauma, 172
 normal arcs, 17
 pelvic fractures, 84, 87
 scapholunate dissociation, 12
 SCFE, 174
 triquetral fracture, 9, 10
 Apley's test, 107, 115
 apprehension sign, 107, 136
 arm fractures, 60
 humeral shaft, 62–65
 proximal humerus, 60–62
 arm slings, 268
 arterial injury, 69
 brachial, 69
 knee, 110, 113
 arthritis, 150, 189, 200, *See also*
 septic arthritis
 arthrocentesis, 178, 179, 180,
 200–203
 arthroplasty, 94, 225
 arthroscopy, 114, 115, 117,
 120, 137
 aseptic technique, 203
 ASIA impairment scale
 (AIS), 156
 avascular necrosis (AVN), 6
 femoral neck fractures, 94, 100
 hip dislocation, 225
 hip fractures, 93, 223
 lunate, 9
 proximal humerus fracture, 61
 scaphoid, 6, 8
 talus, 148
 avulsion fractures, 31, 33, 34,
 35, 37, 82–84
 foot, 148, 149
 patella, 135, 138
 tibial spine, 118, 119
 axial compression of the
 thumb, 7
 axillary nerve injuries, 44, 66,
 67, 236
 axonotmesis, 40, 41
 Babinski response, 156
 back pain, 185
 bacteremia, 178
 Bankart lesions, 236
 Barton fracture, 1, 2, 3, 4
 Bennett fracture, 24
 Bier block, 193–194
 bimalleolar fracture, 212
 bipartite patella, 138, 139
 blood loss, 81
 femoral shaft fractures, 101
 pelvic fractures, 81

Cambridge University Press

978-1-107-69661-7 - Orthopedic Emergencies: Expert Management for the Emergency Physician

Michael C. Bond, Andrew D. Perron and Michael K. Abraham

Index

[More information](#)

Index

- blood pressure management, 158
- blood transfusion, 81
- blunt aortic injury, 155
- bone biopsy, 183, 184, 185
- Boutonniere deformity, 36–37, 221
- Boxer's fracture, 20
- brachial artery injury, 69
- brachial plexus, 65
- brachial plexus injuries, 54, 66, 67
- bracing, 56
 - compression fractures, 161
 - dynamic, 269
 - epicondylitis, 74
 - figure-of-8, 56, 57
 - knee braces, 268
 - patella, 137
- bradycardia, 155
- breathing management, 155
- buckle fractures, 165, 166
- buddy-taping, 28
- bulbocavernosus reflex, 156
- Burgess and Young system, 82, 88
- bursitis, 103–104
- calcaneus fractures, 146, 149, 150, 155
- calcifications, 74
- CAM boot, 143, 146, 269
- Canadian C-spine rules, 157
- capillary refill, 39
- Captain Morgan technique, 225
- cardiac lidocaine, 191
- C-arm fluoroscopy, 243
- carpal bone dislocations, 11–18
- carpal bone fractures, 6
 - lunate fracture, 8–9
 - pisiform fracture, 10–11
 - scaphoid fracture, 6–8
 - triquetral fracture, 9–10
- carpal tunnel syndrome, 18
- carpometaacarpal (CMC) joint dislocation, 27
- cast padding, 248, 265
- casting, 165, 166, 167
- cauda equina syndrome, 158–159, 163
- cefazolin, 103, 145, 187
- cefepime, 184, 186
- cefotaxime, 179
- ceftazidime, 179
- ceftriaxone, 179, 181, 182
- central slip injury, 37
- cephalic tilt views, 54
- cervical spine injuries, 66, 67, 154, 155, 158
- chair raise test, 74
- Charcot arthropathy, 152
- Chauffer's fracture, 1
- child abuse, 101, 171–172
- chondral lesions, 136
- chronic osteomyelitis, 183, 184
- ciprofloxacin, 181, 184, 186
- circulation management, 155
- clavicle fractures, 53–55
 - reduction, 213–215
- clenched fist injuries, 12, 181–183
- closed reduction, 18, 206
 - fibula dislocations, 220
 - hip dislocations, 100
 - metacarpal fractures, 21, 22, 25, 210–211
 - patella dislocations, 229
 - pediatric fractures, 165
 - sternoclavicular injuries, 57, 214
- coaptation splint, 63, 64, 65
- coccyx fractures, 88
- Colles fracture, 1, 2, 208
- combined mechanical pelvic fracture, 88
- comminuted fractures, 101
 - femoral shaft, 101, 103
 - patellar, 140
 - tibial plateau, 129
 - compartment syndrome, 187–189
- compartment syndrome of the lower leg, 112, 113, 114, 127, 130, 131
- coracoclavicular injuries, 57, 58
- coronoid process fracture, 69
- corticosteroids, 73, 74, 75, 104
- counter-traction, 102, 206, 212, 223
- crystal-induced arthritis, 200
- CT angiography, 109, 113
- CT scans, 8
 - acetabular fractures, 89
 - femoral neck fractures, 96
 - foot, 149
 - hip fractures, 94, 96
 - knee, 109
 - lunate fracture, 9
 - myelogram, 160
 - non-accidental trauma, 172
 - osteomyelitis, 184
 - pelvic fractures, 84, 87
 - pisiform fracture, 11
- scaphoid fracture, 8
- scapula fracture, 52
- SCIWORA, 173
- spinal injuries, 157, 158
- sternoclavicular injuries, 56
- tibial plateau fractures, 127, 128
- upper extremity nerve injuries, 67
- vertebral osteomyelitis, 185
- Cunningham technique, 237
- debridement, 179, 183, 184, 186
- deep trochanteric bursitis, 104
- deep vein thrombosis, 268, 269
- Destot's sign, 81
- diabetes, 151, 152, 159
- diabetic foot infections, 152
- diastolic blood pressure, 187
- digital block, 43, 197
- digital nerves, 40, 42
- digital rectal exam, 155
- DIP joint, 31, 221, 222
 - amputations, 42, 43
- Boutonniere deformity, 36, 37
- DIP joint dislocation, 33, 34, 35
- disability evaluation, 155
- DISH patients, 158
- displaced mid-shaft clavicle fractures, 53, 55
- displaced pelvic fractures, 88–89
- disseminated *Neisseria gonorrhoeae*, 178, 180, 181
- distal fibular fractures, 146
- distal phalanx fracture, 28–29
- distal radioulnar joint (DRUJ) injury, 5–6, 76
- distal radius fracture, 5, 166, 192, 243, 244
 - reduction, 208–209
- distal tibial fracture, 144, 168
- dorsal angulation, 244
- dorsal Barton fracture, 1
- dorsal dislocations, 243
 - DRUJ, 5
 - finger, 221, 222
- dorsal splint, 27, 30, 34, 36, 255
- dorsalis pedis artery, 212
- double sugar tong splint, 249, 256–252
- drop foot, 110, 125, 130
- dual pubic ramus fractures, 84
- dynamic braces, 269
- dynamic splinting, 269
- Earle's sign, 81
- elastic bandage, 248, 249
- elbow dislocations, 68–70

Cambridge University Press

978-1-107-69661-7 - Orthopedic Emergencies: Expert Management for the Emergency Physician

Michael C. Bond, Andrew D. Perron and Michael K. Abraham

Index

[More information](#)

Index

- elbow injuries, 71
 arthrocentesis, 202
 epicondylitis, 72–75
 nursemaid's elbow, 71–72, 73, 229–231
 radial head, 75–78
 radial nerve block, 195
 splint, 249, 252, 256
 traction, 208
 ulnar nerve block, 194
 elbow reduction, 70, 71, 72, 216–219, 220, 245
 electromyogram (EMG)
 testing, 52
 electromyogram/nerve
 conduction velocity
 studies (EMG/NCV), 67
 emergency decompression, 158
 epicondylitis, 72–75
 epinephrine, 191
 eversion stress, 143, 148
 exposure evaluation, 155
 exsanguination, 193
 extensor carpi radialis brevis (ECRB), 73
 extensor pollicis longus (EPL), 201
 extensor tendon injury, 182
 external rotation dial test, 107, 125
 external rotation method, 48, 49, 51, 238, 239
 external rotation recurvatum test, 125
 external rotation slings, 46
 fabella, 108
 fasciotomy, 187, 189
 femoral head fractures, 94, 95, 99
 femoral neck fractures, 94–96, 99, 100, 223
 femoral nerve block, 96, 97, 99, 200
 femoral shaft fractures, 101–103
 fiberglass, 248, 249
 fibula fractures and
 dislocations, 129–133
 reduction, 220–221, 224
 fibular head dislocations, 130, 132, 133
 fight bite injury, 18, 19, 181, 182
 figure-of-8 bandages, 54
 figure-of-8 brace, 56
 finger dislocations, 221–223
 finger traps, 208, 244
 five “P”s, 187
 flexor carpi ulnaris tendon, 195
 flexor digitorum profundus (FDP), 33, 34
 floating elbow, 62, 63
 fluid bulge sign, 106, 115
 fluid resuscitation, 155, 158
 fluoroquinolone, 142, 151
 fluoroscopy, 151, 243
 foley catheter, 159
 foot and ankle injuries. *See also*
 ankle fractures and
 dislocations
 Achilles tendon, 142–143
 arthrocentesis, 203
 foreign bodies, 150–151
 hind and mid-foot, 146–150
 infections, 151–153
 posterior leg splint, 258
 stirrup splint, 260
 foot drop, 112, 226
 foreign bodies, 151
 frozen shoulder, 268
 Garden system, 95
 gentamicin, 187
 glenohumeral dislocations, 44–48
 glenohumeral reduction, 48, 49, 51
 glenoid fracture, 48, 52
 gout, 104
 Gram-negative bacilli, 178, 179, 180, 181
 greenstick fractures, 165, 166, 167
 growth plate injury, 167–169
 hand and wrist injuries, 37
 amputations, 39, 42–43
 arthrocentesis, 201, 202
 digital block, 197
 ligaments, 37–38
 nerve, 40–42
 radial nerve block, 196
 reduction, 243–246
 ring block, 198
 splint, 249, 252, 254, 256, 264, 266
 sugar tong splint, 249
 tendons, 33–37
 ulnar nerve block, 194–195
 vascular, 39–40
 hand sensory distribution, 41
 hand surgery, 21, 27, 181, 182
 Harris axial view, 149
 hemarthrosis, 61, 105, 115, 117, 126, 139, 200, *See also*
 lipohemarthrosis
 patellar dislocation, 136
 hematoma block, 193
 hemorrhagic shock, 155
 Hill–Sachs lesions, 236
 hind foot injuries, 146–150
 hinged knee braces, 268
 hip dislocations, 99–101
 reduction, 223–225
 hip fractures, 93–99
 hot microcautery unit, 205
 humeral shaft fractures, 62–65
 Hutchinson fracture, 1, 2, 3, 5
 hydrocodone/acetaminophen, 84
 hyperextension, knee, 124, 226, 229
 hyperpronation method, 71, 72, 73, 232
 hypotension, 101, 155, 158
 ibuprofen, 83, 174
 idiopathic avascular necrosis of the lunate, 8
 iliac wing fractures, 86
 iliopsoas bursitis, 104
 ilium fractures, 86–87
 immobilization, 102, 206, 269, *See also* splint
 ankle, 146
 distal radius, 208
 knee, 109, 113, 118, 123, 126
 patella, 138
 spinal injuries, 154, 155
 tibial fractures, 131
 immobilization devices, 268–269
 immunocompromised patients, 178, 179
 incontinence, 158
 infections, foot and ankle, 151–153
 infectious tenosynovitis, 180–181
 inferior hip dislocations, 99
 inferior shoulder dislocations, 236, 241
 inflammatory arthritis, 200
 informed consent, 192
 ingrown toenails, 152
 in-line immobilization, 155
 Insall–Salvati index, 135
 intertrochanteric fractures, 96–97
 intra-articular anesthetic
 injections, 46, 47, 146, 237
 intra-articular fracture, 108, 109
 intra-compartment pressure, 188
 intravenous drug use, 159
 intravenous regional
 anesthesia, 193–194

Cambridge University Press

978-1-107-69661-7 - Orthopedic Emergencies: Expert Management for the Emergency Physician

Michael C. Bond, Andrew D. Perron and Michael K. Abraham

Index

[More information](#)

Index

- inversion stress, 143, 148
- ipsilateral forearm fracture, 62, 63
- ipsilateral Horner's syndrome, 66
- ipsilateral knee injuries, 100
- irrigation, 151, 179, 186
- ischemia, 187
- ischial body fractures, 86
- ischial tuberosity, 82, 83
- ischioogluteal bursitis, 104
- Jersey finger, 33
- joint effusion, 106, 115, 118, 200
- Jones bandage, 138
- Jones fractures, 148, 150
- Kanavel's cardinal signs, 180
- Kienböck's disease, 8
- Klein's line, 174, 175
- knee braces, 268
- knee dislocations, 105, 107, 109, 110–114
 - reduction, 226–228
- knee fractures, 105, 108
- knee "giving way", 105
- knee immobilizers, 268
- knee injuries, 105–131
 - ACL, 105, 107, 117–120, 122, 226, 227
 - arthrocentesis, 201
 - LCL, 107, 123–124
 - MCL, 76, 107, 117, 122–123
 - meniscal, 107, 114–117, 120
 - PCL, 107, 120–121, 226, 227
 - PLC, 107, 124–125
 - tibial plateau fractures, 125–128
- knee "pop", 105, 117, 134
- Kocher reduction, 49
- Lachman test, 107, 118
- lateral ankle dislocation, 212
- lateral collateral ligament (LCL) injuries, 107, 123–124
- lateral compression pelvic fracture, 88, 89, 91
- lateral epicondylitis, 72, 73, 75
- lateral joint-line pain, 126
- lateral knee dislocation, 111, 113
- lateral position hip reduction, 224
- lateral tibial plateau fracture, 122, 125, 127
- lateral view, 2
 - carpal bone dislocations, 16
 - distal radius fracture, 2
 - DRUJ, 6
 - non-accidental trauma, 172
 - normal arcs, 17
 - shoulder dislocation, 44, 45
 - triquetral fracture, 9
- Legg–Calves–Perthes, 174
- lidocaine, 46, 47, 75
 - Bier block, 193
 - toxicity, 191, 194
- ligament injuries, hand and wrist, 37–38
- ligament stress testing, 107
- lipohemarthrosis, 108, 109, 126, 137
- Lisfranc injuries, 148, 149, 150
- Lister's tubercle, 201
- local anesthetics, 191–192
- locked knee, 115, 117
- log roll, 155
- long-arm splint, 2, 18
- longitudinal traction, 207, 208, 210, 217
- Look, Feel, Move approach, 106
- lumbar disc herniation, 161–164
- lunate dislocation, 11, 12, 14, 15, 18
- lunate fracture, 8–9
- Lyme arthritis, 173
- Maisonneuve-type fracture, 130, 144, 145
- mallet finger, 34
- manual in-line traction, 155
- Mason Classification, 77, 78
- Mayfield's study, 11
- McMurray's test, 107, 115
- MCP joint, 181, 182, 268
- MCP joint dislocation, 29–30, 222
- medial collateral ligament (MCL) injuries, 76, 107, 117, 122–123
- medial epicondylitis, 73, 74, 75, 216
- medial malleolus, 130, 145, 203
- median nerve, 40, 42
- median nerve injury, 67, 69
- mediastinal injuries, 55
- meniscal knee injuries, 107, 114–117, 120
- meniscectomy, 116
- metacarpal base fracture, 26
- metacarpal head, 197, 198
- metacarpal head fracture, 18–20
- metacarpal neck fracture, 20–22
 - reduction, 210–211
- metacarpal shaft fracture, 23, 210
- metatarsal fractures, 148, 149
- methylprednisolone, 75, 173
- metronidazole, 182
- mid-foot injuries, 146–150
- Milch reduction, 49, 239
- modified Hippocratic reduction, 49
- Monteggia-type fracture, 234
- mortise view, 144
- motor examination, 155, 157
- MRI scans
 - cauda equina syndrome, 159
 - femoral neck fractures, 96
 - gadolinium, 160
 - growth plate injury, 168
 - hip fractures, 94, 96
 - knee, 109, 116
 - osteomyelitis, 184
 - scaphoid fracture, 8
 - SCFE, 176
 - SCIWORA, 173
 - spinal injuries, 157, 158
 - upper-extremity nerve injuries, 67
 - vertebral compression fractures, 161
 - vertebral osteomyelitis, 185
- MRSA, 179, 181, 184, 186, 187
- muscle strength scoring system, 156
- nail avulsion, 32
- nail bed injuries, 31–32
- nail trephination, 32, 205
- nailed laceration, 32
- naproxen, 83
- NAVEL, 200
- Neer classification, 61
- nerve injury
 - acetabular fractures, 93
 - hand and wrist, 40–42
 - knee, 110, 113, 114
 - pelvic fractures, 81, 87
 - shoulder, 236
 - spine, 154
 - upper extremity, 65–68
- neurogenic shock, 155
- neurologic deficits, 160
- neurologic evaluation, 155, 163
- neurologic symptoms, 185, 186
- neuropraxia, 40, 68, 216
- neurotmesis, 40, 41
- neurovascular injury, 54
 - acromioclavicular injuries, 58
 - clavicle fracture, 54
 - humeral shaft fractures, 62
 - proximal humerus fractures, 61
- neurovascular status, 194, 206, 209, 226, 228, 234

Cambridge University Press

978-1-107-69661-7 - Orthopedic Emergencies: Expert Management for the Emergency Physician

Michael C. Bond, Andrew D. Perron and Michael K. Abraham

Index

[More information](#)

Index

- NEXUS spine rules, 157
 non-accidental trauma, 171–172
 non-displaced pelvic fractures, 84–88
 non-union, scaphoid fracture, 8
 NSAIDs, 74, 104, 116, 165, 174
 nursemaid's elbow, 71–72, 73, 231–234
 obesity, 174
 oblique view, 9
 metacarpal neck fracture, 20
 triquetral fracture, 9
 occipito-cervical dissociation, 158
 occult fractures, 108
 occult infection, 174
 occult tibial plateau fracture, 126
 open book pelvis, 81, 89, 90
 open fractures
 classification, 186
 femoral shaft, 103
 management, 186–187
 open reduction internal fixation (ORIF), 18
 fibula dislocations, 220
 metacarpal base fracture, 25
 radial head fractures, 76
 tibial plateau fractures, 127
 Orthoglass®, 248
 os acromiale, 50
 Osgood–Schlatter disease, 169–170
 osteoarthritis, 110, 116, 119, 139
 osteochondral fracture, 136, 137
 osteomyelitis, 151, 152, 159, 160, 174, 183–184
 post-traumatic, 186
 vertebral, 185–186
 osteoporosis, 94, 126, 160, 161
 osteotomy, 169
 Ottawa knee rules, 107, 108
 oxycodone/acetaminophen, 84
 PA view
 carpal bone dislocations, 15
 distal radius fracture, 2
 MCP joint dislocation, 29
 perilunate dislocation, 12, 14
 scapholunate dissociation, 11
 pain out of proportion, 188
 palpation, 106
 paresthesias, 192, 200
 patella, 201
 patella *alta*, 134, 135
 patella *baja*, 135
 patellar apprehension test, 107
 patellar ballottement, 106, 115
 patellar dislocations, 135–137
 reduction, 229–230
 patellar fractures, 108, 138–139, 140
 patellar tendon rupture, 133–135
 pediatric fractures, 165
 growth plate injury, 167–169
 non-accidental, 171
 unique features, 165–167
 Pellegrini–Stieda disease, 123
 pelvic binder, 89
 pelvic fractures, 81–84, 88, 91
 displaced, 88–89
 non-displaced, 84–88
 pelvic instability, 82
 pelvic sheet, 89
 pelvis, 81
 Pennal and Sutherland system, 82
 perilunate dislocation, 11, 12, 13, 16, 18
 periosteum, 206
 peripheral nerve syndromes, 67
 peroneal nerve palsy, 110, 113, 114, 130, 220, 226
 phalangeal bone fractures, 28
 distal, 28–29
 proximal and middle, 28
 phalanx dislocation
 DIP joint, 31
 MCP joint, 29–30
 PIP joint, 31
 physal injuries, 168
 piece of pie sign, 12
 pilon fracture, 143, 155
 PIP joint, 181
 Boutonniere's deformity, 36, 37
 PIP joint dislocation, 31, 221, 222
 pisiform fracture, 10–11
 Pittsburgh knee rules, 108
 pivot shift test, 118
 plantar flexion, 142
 plaster of Paris, 248, 249
 plastic deformation, 165, 166
 platelet-rich plasma (PRP)
 injections, 75
 popliteal artery, 110, 226
 post reduction
 ankle, 146, 212
 elbow dislocations, 72, 219
 fibula dislocations, 221
 finger dislocations, 223
 hip dislocation, 225
 knee dislocations, 228
 nursemaid's elbow, 233, 234
 patella dislocations, 230
 shoulder, 242
 sternoclavicular injuries, 214
 wrist, 245
 post traumatic lateral knee pain, 107
 posterior ankle dislocations, 212
 posterior cruciate ligament (PCL) injuries, 107, 120–121, 226, 227
 posterior drawer test, 107, 121
 posterior elbow dislocation, 68, 69, 70, 216
 posterior hip dislocations, 99, 100, 223
 posterior interosseous nerve, 234
 posterior leg splint, 258
 posterior long-arm splint, 256, 257
 posterior radial head dislocation, 234, 235
 posterior sag sign, 107, 121
 posterior shoulder dislocation, 44, 45, 236, 241
 posterior sternoclavicular dislocations, 55, 56, 213, 215
 posteroanterior radiography
 See PA view
 posterolateral corner (PLC) injuries, 107, 124–125
 povidone–iodine solution, 205
 pre-ganglionic injuries, 68
 pressure transducer, 188
 prolotherapy, 75
 prosthetic joint, 179, 203
 proximal and middle phalangeal fracture, 28
 proximal humerus fractures, 60–62
Pseudomonas aeruginosa, 187
 pubic ramis fractures, 84, 85
 push/pull technique, 242
 quadriceps relaxation, 136
 quadriceps tendon rupture, 133–135
 radial collateral ligament injury, 37
 radial gutter splint, 21, 22, 28, 210, 266, 267
 radial head fracture, 69, 75–78
 radial head subluxation, 71–72, 231–234
 radial inclination, 209

Cambridge University Press

978-1-107-69661-7 - Orthopedic Emergencies: Expert Management for the Emergency Physician

Michael C. Bond, Andrew D. Perron and Michael K. Abraham

Index

[More information](#)

Index

- radial length, 209
- radial nerve, 40, 196
- radial nerve block, 196
- radial nerve injuries, 62, 67, 76
- radial pulse, 39
- radiculopathy, 104
- radiocarpal dislocations, 243
- radiography. *See also* PA view, *See also* lateral view, *See also* AP view
- acromioclavicular injuries, 58
- ankle, 144
- clavicle fractures, 54
- foot, 149, 150
- knee, 112
- radial head fractures, 76
- scapula fractures, 50
- SCFE, 174
- spinal injuries, 157
- tibia/fibula, 131
- vertebral compression fractures, 161
- rectal exam, 88
- reduction. *See also* elbow reduction, *See also* open reduction internal fixation (ORIF), *See also* closed reduction, *See also* shoulder reduction, *See also* traction
- ankle dislocations, 212, 213
- ankle fracture, 146
- clavicle fractures, 213–215
- distal radius, 208–209
- fibula dislocations, 220–221, 224
- finger dislocations, 221–223
- general techniques, 205–206
- hip dislocations, 223–225
- knee dislocations, 226–228
- metacarpal neck fractures, 210–211
- nursemaid's elbow, 231–234
- patella dislocations, 229–230
- patellar dislocations, 229
- shoulder dislocations, 236–242
- wrist injuries, 243–246
- reflexes, 156
- regional anesthetics, 192–200
- reimplantation, hand and wrist, 42, 43
- reverse Bennett fracture, 24, 25
- reverse Colles fracture, 1
- reverse sugar tong splint, 253
- rheumatic disease, 134
- ring block, 198
- Rockwood classification, 57, 59
- Rolando fracture, 24, 25
- rotational alignment, 25
- rotational deformity, 206
- rotator cuff injuries, 44, 60, 61
- Roux's sign, 82
- sacral fractures, 87
- saddle anesthesia, 158
- sail sign, 76
- Salter–Harris classification, 167, 168, 169, 211
- sandwich splint, 255
- scaphoid fracture, 6–8
- scapholunate advanced collapsed deformity ("SLAC wrist"), 18
- scapholunate dissociation, 11, 12, 15
- scapular fractures, 48–53
- scapular manipulation, 49, 238
- sciatic nerve injury, 93, 100
- sciatica, 162
- SCIWORA, 172–173
- Scotchcast®, 248
- Segond fracture, 118, 120
- seizures, 44
- self-reduction, 237
- sensory examination, 155, 157
- septic arthritis, 173, 178–180, 200
- septic bursitis, 104
- short-arm splint, 3, 9
- short volar finger splint, 29
- shoulder fractures
 - clavicle, 53–55, 214
 - proximal humerus, 60–62
 - scapular, 48–53
- shoulder injuries, 44
 - acromioclavicular, 57–60
 - glenohumeral, 44–48
 - sternoclavicular, 55–57
- shoulder reduction, 46, 56, 236–242
 - glenohumeral, 48, 49, 51
- signet ring sign, 11
- single pubic ramus fractures, 84
- skier's thumb, 37
- skyline view, 108, 138, 140
- slipped capital femoral epiphysis (SCFE), 165, 174–177
- Smith fracture, 1, 3, 4, 243
- Snowbird method, 50
- snuff box tenderness, 7
- soft tissue injuries, 109, 171
- Spaso method, 50
- spilled teacup sign, 13, 16
- spinal cord compression, 186
- spinal cord injury, 66, 155, 156, 157, 158
 - ASIA impairment scale (AIS), 156
 - without radiographic abnormality, 172–173
- spinal epidural abscess, 159–160, 186
- spinal shock, 156
- spine injuries, 154–158
 - cauda equina syndrome, 158–159, 163
 - lumbar disc herniation, 161–164
 - muscle strength scoring system, 156
 - vertebral compression fractures, 160–161, 162
- spine surgery, 186
- spiral humeral shaft fractures, 62
- splint
 - ankle dislocation, 212
 - ankle fracture, 146
 - dorsal, 27, 30, 34, 36, 255
 - double sugar tong, 249, 252–256
 - dynamic, 269
 - elbow dislocation, 219
 - pediatric fractures, 166
 - posterior leg, 258
 - posterior long-arm, 256, 257
 - radial gutter, 21, 22, 28, 210, 266, 267
 - stirrup, 260
 - sugar tong, 208, 249–252, 253
 - thumb spica, 8, 9, 25, 30, 38, 262, 263
 - tibial fractures, 133
 - ulnar gutter, 21, 22, 25, 28, 210, 264, 265
 - volar, 27, 34, 36, 253–254
- splint material, 248, 249
- Spurling's test, 66
- Staphylococcus aureus*, 42, 43, 159, 178, 180, 181, 186. *See also* MRSA
- sternoclavicular injuries, 55–57, 213
- sternoclavicular joint, 213
- steroids, 134, 158
- Stimson technique, 50, 218, 237
- stirrup splint, 260

Cambridge University Press

978-1-107-69661-7 - Orthopedic Emergencies: Expert Management for the Emergency Physician

Michael C. Bond, Andrew D. Perron and Michael K. Abraham

Index

[More information](#)

Index

- stockinette, 248, 249, 259, 263
 straddle fracture, 84, 85
 straight leg raise, 106, 111, 134, 135, 138, 162
Streptococcus, 178, 180, 181
 Stryker pressure tonometer, 188
 subtalar dislocations, 212
 subtrochanteric fractures, 99
 subungual hematoma, 31–32, 205
 sugar tong splint, 208, 249–252, 253
 sunrise view, 108, 138, 140
 superficial trochanteric bursitis, 104
 supination/flexion method, 71, 72, 232, 235
 supine position hip reduction, 224
 supracondylar fractures, 72, 216
 swan-neck deformity, 36
 swelling, knee, 106, 117
 synovial fluid analysis, 179, 180
 synovial fluid aspiration, 201
 talus dislocation, 145
 talus fractures, 147, 149, 150
 tendon injuries
 Boutonniere deformity, 36
 distal phalanx fracture, 28
 extensor, 182
 hand and wrist, 33–37
 Jersey finger, 33
 mallet finger, 34
 tension band wiring, 140
 terrible triad injuries, 117, 122
 Terry Thomas sign, 11, 12
 tetanus immunization, 150, 151, 187
 Thessaly's test, 107
 Thompson test, 142
 thoracolumbar burst fracture, 155
 thoracolumbar flexion
 distraction injury, 155
 thumb spica splint, 8, 9, 25, 30, 38, 262, 263
 tibia fractures and dislocations, 129–133, 186
 tibia tuberosity, 169, 170
 tibial plateau fractures, 125–128, 155
 tibial spine fractures, 119
 tibiotalar dislocation, 212
 tinea infections, 152, 153
 tourniquet, 193, 194
 toxicity, lidocaine, 191, 194
 traction, 102, 206, 207, 208, 210, 212, 216
 distal radius fracture, 244
 elbow, 208
 hip, 223
 metacarpal shaft fracture, 210
 traction-counter-traction, 240, 241
 transient synovitis, 165, 173–174
 transverse humeral shaft fractures, 62
 Trendelenburg's sign, 104
 triamcinolone, 75
 trimalleolar fracture, 144, 212
 triquetral fracture, 9–10
 triquetrum dislocation, 12
 trochanteric fractures, 97–98
 tufts fracture, 28–29
 two-step reduction, 242
 two-tourniquet technique, 194
 ulcers, 183
 ulnar collateral ligament (UCL) injury, 37–38
 ulnar gutter splint, 21, 22, 25, 28, 210, 264, 265
 ulnar nerve, 40, 42, 195
 ulnar nerve block, 194–195
 ulnar nerve injury, 10, 67, 74, 269
 ulnar pulse, 39
 ultrasound
 arthrocentesis, 201, 203
 foot, 150
 septic arthritis, 179
 transient synovitis, 173
 upper-extremity nerve injuries, 65–68
 urinary retention, 158
 valgus strain, 117, 122, 126
 valgus stress, 107, 122
 vancomycin, 179, 181, 184, 186
 varus forces, 123
 varus stress, 107, 124, 125
 vascular examination, 145
 vascular injury
 hand and wrist, 39–40
 knee, 114
 vasopressors, 155, 158
 vertebral compression fractures, 160–161, 162
 vertebral discitis, 159, 160, 185–186
 vertebral levels, 157
 vertebral osteomyelitis, 185–186
 vertical shear pelvic fracture, 88
 viral upper respiratory infection, 165, 173
 volar angulation, 28, 243, 245
 volar Barton fracture, 1, 4
 volar dislocations, 5, 221, 222, 243
 volar plate, 221
 volar splint, 27, 34, 36, 253–254
 volar tilt, 209
 web space, 197, 198
 Webril™, 248
 white blood cell (WBC) count, 179
 wire placement, 27, 210
 wrist drop, 62
 wrist injuries, *See* hand and wrist injuries