

Index

- abdominal compartment syndrome, 206
 abdominal injuries, 279
 abdominal pain, recurrent (RAP), 219, 221–2
 abdominal wall, 136–8
 developmental anatomy, 136
 developmental anomalies, 136–8, 205–6
 abscesses
 causing airway obstruction, 352
 peritonsillar, drainage, 231
 absorption, drug, 27
 acceleromyography, 16
 accommodation of eye, 256
 acetaminophen, 29, 218, 222
 acetazolamide, 99
 acetylcholinesterase inhibitors, 34
 achondrogenesis, 179–80
 achondroplasia, 179–80
 acrocephalosyndactyly syndromes, 245–7
 ACTH (adrenocorticotrophic hormone), 153
 actinomycin-D, 168
 acupuncture, 224
 acute kidney injury (AKI), 146–7
 acute liver failure, pediatric (PALF), 132–3, 135
 acute lung injury (ALI), 370
 acute lymphoblastic leukemia (ALL), 165
 acute myelogenous leukemia (AML), 165
 acute normovolemic hemodilution (ANH), 264, 309
 acute respiratory distress syndrome (ARDS), 20, 370
 A-delta fibers, 213
 adenoidectomy, 231–3
 adrenal glands, 154
 adrenergic receptors, eye, 257
 adult congenital heart disease, 88–92
 morbidity, 90–1
 pathophysiology, 89–90
 predictors of clinical outcome, 91–2
 age-related differences
 anesthetic risk, 295
 congenital heart disease outcome, 91
 air embolism, venous (VAE), 105–6, 117, 250–1
 Airtraq indirect laryngoscope, 347
 airway
 anatomy and physiology, 230
 developmental anatomy, 1
 devices, supraglottic, 4
 difficult. *See* difficult airway
 fire risks, 235
 iatrogenic injuries, 355
 laser procedures, 235
 masses, 45–6
 neonates and infants, 1, 189
 preoperative assessment, 294
 problems, craniofacial anomalies, 244
 procedures, anesthesia for, 230–5
 regional anesthesia, 4
 surgical, 4
 airway management
 burns, 283–5
 facial injury, 278
 general anesthesia, 343–9
 laparoscopic surgery, 368
 relevant anatomy, 3–4
 remote locations, 375
 trauma, 248, 273–5
 airway obstruction, 45–8, 352–4
 causes, 352–4
 intrathoracic vs. extrathoracic lesions, 46–7
 mechanical causes, 354
 signs and symptoms, 354
 tracheobronchial, 47–8
 upper, 45–7
 Alagille syndrome, 131, 141, 387
 albumin, human (HA), 301
 aldosterone, 300
 alfentanil, 29
 allodynia, 215
 α_1 -acid glycoprotein (AAG), 33, 324
 α_1 -antitrypsin deficiency, 387
 α_2 -adrenergic agents, central, 31, 320
 amino acid metabolism, disorders of, 135
 amitriptyline, neuropathic pain, 222
 analgesia
 balanced, 218
 burn injuries, 216, 287–8
 neonates, 216–18
 postoperative. *See* postoperative analgesia
 traumatic pain, 215–16
 analgesics, 29–30, *See also* opioid analgesics
 burn injury, 216
 chronic pain, 222–5
 head trauma, 215–16
 anaphylactic reactions, 361
 anaphylactoid reactions, 361
 anemia, 162–3
 end-stage liver disease, 389
 indications for transfusion, 306–7
 of prematurity, 193–4
 anesthesia
 awareness and recall under, 361–2
 complications, 352–64
 general. *See* general anesthesia
 monitoring depth of, 11–12, 341, 362
 stages and signs, 341
 anesthesia equipment, 8–10
 MRI-compatible, 377
 remote locations, 374–5
 anesthesia machine, 8
 anesthetic agents
 cardiovascular effects, 54–7, 63–4
 in congenital heart disease, 63
 inhalational. *See* inhalational anesthetics
 intravenous. *See* intravenous anesthetics
 remote locations, 375–6
 thermoregulatory effects, 402
 aneuploidies, 185
 Angelman syndrome, 186
 angiosarcoma, cardiac, 73
 angiotensin II, 300
 angiotensin II blockade, Marfan syndrome, 261
 annular pancreas, 123, 141
 anorectal malformations, 129, 141, 208–9
 anterior spinal cord syndrome, 266
 anticoagulants, 35

- antidiuretic hormone (ADH).
 See vasopressin
- antiemetics, 32–7
- antiepileptic drugs, 103, 109
 anesthetic agent interactions, 108
 anesthetic implications, 100–2
 mechanisms of action, 108
 neuropathic pain, 222–3
- antifibrinolytic agents, 35, 308
 oncology patients, 264
- antisialagogues, 376
- antithymocyte globulin, 173–4
- anxiety
 parental, 316, 318
 preoperative. *See* preoperative anxiety
 separation, 309, 315
- anxiolysis, preoperative, 318–20
- anxiolytic agents, 31–7
 routes of delivery, 319
- aortic dilation/dissection, Marfan syndrome, 260–1
- aortic stenosis, 67–8
- Apert syndrome, 246–7
- Apgar score, 188
- apnea
 of prematurity (AOP), 192–3
 postoperative, 42
 rapid arterial desaturation, 41
- aprotinin, 308
- aqueous humor, 256
- Ara-C, 168
- Arnold–Chiari malformation, 115
- arrhythmias, cardiac, 17, 73–4, 358–9
 congenital heart disease, 78–84
 drowning, 278
 electrophysiologic procedures, 83–4
 management devices, 83
 perioperative, 358–9
- arterial blood pressure, 17–19
 intra-arterial monitoring, 18, 367
 neonates, 189
 oscillometric, 18
- arterial pressure transducers, 18–19
- arterial switch procedure, Jatene, 65–6
- arteriovenous malformations (AVMs), intracranial, 109–11
- artery of Adamkiewicz, 266
- asparaginase, 168
- aspirin, 29
- asplenia syndrome (right isomerism), 126
- assent, informed, 296
- asthma
 airway obstruction, 48–9, 353
 preoperative evaluation/
 preparation, 292
 severe, perioperative management,
 369–70
- ataxia–telangiectasia, 185
- atlantoaxial instability, 260, 265
- atrial septal defect (ASD), 66
- atrial septostomy, 69
- atrial switch procedures, 66, 69
- atriopulmonary anastomosis, 68–9
- atrioventricular (AV) block, 73, 358
- atrioventricular (AV) canal defects, 67
- atrioventricular (AV) nodal re-entrant tachycardia, 73
- atrioventricular (AV) re-entrant tachycardia, 73
- atropine, 35, 376
- attention deficit hyperactivity disorder (ADHD), 101–4
- auditory brain response (ABR), otologic surgery, 235
- autism spectrum disorders, 101–4, 293–4
- autoimmune disorders, 184
- automated external defibrillator (AED), 360
- autonomic nervous system, 96, 189
- autoregulation
 cerebral blood flow, 96, 98
 renal blood flow, 298
- awake craniotomy, 115
- awareness and recall under anesthesia, 361–2
- axillary block, 335
- axillary temperature measurement, 24
- B lymphocytes, 172
- bag–mask ventilation, 4
- balanced analgesia, 218
- barbiturates, 31, 108
- bariatric surgery, 139–40
- batteries, ingested, 124
- B-cell deficiencies, 172–3
- BCNU, 173
- Becker muscular dystrophy, 262–3
- Beckwith–Wiedemann syndrome, 137, 179
- behavioral changes, postoperative, 362–3
- benzodiazepines, 30, 108, 190
- beta-blockers
 controlled hypotension, 366–7
 Marfan syndrome, 261
- bicuspid aortic valve, 67
- biliary atresia, 130–1, 141, 387
- bioavailability, drug, 27
- biofeedback, 224
- biotransformation, 28
- bispectral index (BIS) monitoring, 11, 109, 341, 362
- bladder catheter temperature monitoring, 24
- bladder exstrophy, 149
- Blalock–Taussig shunt (BTS), 68
- bleomycin, 168
- blood conservation strategies, 307–10
 controlled hypotension, 309, 366–7
 lowering transfusion triggers, 307
 orthopedic surgery, 264
- blood loss
 burn wound excision, 285–6
 maximum allowable (MABL), 3
 replacement, 3
 spinal surgery, 266
- blood pressure, arterial. *See* arterial blood pressure
- blood transfusion. *See* transfusion
- blood volume, 298
 estimated (EBV), 3, 298
 neonates and infants, 190
- blood–brain barrier, 27
- Bochdalek hernia, 202
- body habitus, 1–2
- body surface area (BSA) estimation
 burns involvement, 285–6
 fluid and medication administration, 2
- body weight, drug dosing by, 2
- bone marrow aspiration, hypnosis for, 224
- bone marrow transplantation, 163–73
- bone sarcomas, 166–7
- Bonfils optical stylet, 348
- brachial plexus blocks, 333–5
- brachycephaly, 243, 245
- bradyarrhythmias, 17
- bradycardia
 apnea of prematurity, 192–3
 perioperative, 359
 sinus, 358
- brain
 controlled hypotension and, 366
 development and maturation, 95–6, 191
 function monitoring, 11–13
 herniation, 95, 276
 respiratory system control, 38
 tissue oxygenation ($P_{bt}O_2$), 12–13
 tumors, 104–6
- brain injury
 drowning-related, 277
 traumatic. *See* traumatic brain injury
- breastfeeding analgesia, 217
- breathing
 control of, 41–2
 fetal in utero, 38, 41
 mechanics, 41
 periodic, 41–2
- breathing circuits, 8–9
- bronchial blockers, 349

Index

- bronchopulmonary dysplasia (BPD), 48, 194
 bronchoscope, rigid, ventilation via, 231, 233
 bronchoscopic procedures, 230–1
 bronchospasm, 353
 Brooke formula, modified, burns resuscitation, 285
 brown fat, 3, 401
 Bruton's agammaglobulinemia, 172
 buccal administration of premedicants, 319
 Bullard laryngoscope, 348
 bupivacaine
 central neuraxial blockade, 327
 doses, 33, 324
 pharmacokinetics, 33, 323–4
 burns, 281–8
 airway management, 283–5
 anesthesia, 285–8, 383
 body surface area estimation, 285–6
 classification, 281–2
 criteria for burn center transfer, 282–3
 fluid resuscitation, 285
 pain management, 216, 224–5, 287–8
 pathophysiology, 283–4
 busulfan, 173
 C-fibers, 213
 calcium chloride, 276, 286
 calvarial physiology, 243
 capnography, 21–2, 43
 capnometry, 21
 carbamazepine
 epilepsy, 100, 103, 108
 neuropathic pain, 223
 carbon dioxide
 cerebral blood flow and, 96
 end-tidal. *See* end-tidal carbon dioxide measurements
 laparoscopic surgery, 368
 carbon monoxide poisoning, 284
 carbonic anhydrase inhibitors, 99
 carboplatin, 168, 173
 cardiac arrest, pediatric (PCA), 359–61
 diagnosis, 359
 etiology, 359
 prevention, 359–61
 stages, 360
 cardiac arrhythmias. *See* arrhythmias, cardiac
 cardiac disease. *See* heart disease
 cardiac output (CO)
 measurement, 18–20
 neonates, 52, 188–9
 cardiac rhythm management devices (CRMD), 83
 electromagnetic interference, 81–3
 intraoperative management, 83
 magnet use, 83
 perioperative management, 80–2
 postoperative care, 83
 cardiac rhythm/rate monitoring, 16–17
 cardiac trauma, 279
 cardiac tumors, 72–3
 cardiogenic shock, 357
 cardiomyopathies, 71–2, 393–4
 cardiopulmonary bypass (CPB), 84–8, 395
 extracorporeal circuitry, 86–7
 flow rates, 86
 physiologic effects, 85–6
 temperature management, 87
 ultrafiltration techniques, 87–8
 cardiopulmonary resuscitation (CPR), 360
 cardiovascular system, 52–9
 anatomy and physiology, 52–4
 anesthetic medications and, 54–7, 63–4
 controlled hypotension and, 366
 development, 52
 end-stage liver disease, 388
 fetal, transitional and adult circulation, 53–4
 laparoscopic surgery and, 368
 neonates, 188–9
 pathophysiology and anesthesia concerns, 63–74
 preoperative assessment, 294
 transition at birth, 42
 vasoactive medications and, 57–9, 64–5
 carmustine, 173
 Caroli disease, 132
 Caroli syndrome, 132, 141
 CATCH-22 syndrome. *See* DiGeorge syndrome
 caudal blocks
 adjuvants, 327–8
 anatomic considerations, 326
 contraindications and risks, 326
 indications and benefits, 325
 technique, 327
 causalgia, 219
 cavopulmonary anastomosis, 68–9
 ccNexfin® system, 19
 cell salvage techniques, 308–9
 cell-mediated immunity, disorders of, 173–5
 central nervous system, 95–117
 anatomy and physiology, 98
 effects of medications, 98–101
 pathophysiology and anesthesia concerns, 101–17
 tumors, 104–6
 central neuraxial blockade.
 See neuraxial blockade, central
 central shunts, 69
 central venous cannulation, 4–6, 355
 central venous oxygen saturation (S_{cvO_2}), 19
 central venous pressure (CVP)
 monitoring, 19
 cerebral aneurysms, 111
 cerebral arteriovenous malformations (AVMs), 109–11
 cerebral blood flow (CBF), 96–8
 autoregulation, 96, 98
 controlled hypotension and, 366
 management, head trauma, 277
 monitoring, 276
 cerebral metabolic rate (CMR), 96
 cerebral monitoring, 11–13
 cerebral palsy, 114, 290
 cerebral perfusion pressure (CPP), 98, 277
 Cerebral State Monitor/Cerebral State Index, 12
 cerebrospinal fluid (CSF) shunt procedures, 106–8
 cerebrovascular disease, 109–11
 cervical plexus block, superficial, 330
 cervical spine
 immobilization, trauma, 273, 278
 injury, 277
 instability, 260, 265
 Charcot-Marie-Tooth disease, 179
 CHARGE association, 234
 chemotherapeutic agents, and side effects, 167–8, 263–4
 chest trauma, 279
 chest wall compliance, 40–1
 chest wall reconstruction, 267
 Chiari malformations, 114–15
 child abuse (maltreatment), 271–2
 child life specialists, 317, 342, 373
 Child-Turcotte-Pugh (CTP) score, 386–7
 chloral hydrate, 375
 choanal atresia repair, 233–4
 choledochal cysts, 121, 132, 141
 cholinergic crisis, myasthenia gravis, 263
 cholinergic receptors, eye, 257
 chromosomal abnormalities, 185–6
 chronic kidney disease (CKD), 146, 149
 chronic pain, 218–22
 causes, 219
 evaluation, 219
 management of specific states, 219–22

- medications, 222–5
 nonpharmacological management, 224
 ciliary muscle, 255–6
 circulation, 53–4
 fetal, 53
 persistent fetal, 53–4
 transitional, 53
 circumcision, 147
 cirrhosis, liver transplantation, 133–4
 cisatracurium, 34
 cisplatin, 168
 clearance, 298–9
 cleft lip–nose–palate, 240–3
 alveolar bone grafting, 242
 orthognathic surgery and adult rhinoplasty, 242–3
 palate repair and secondary speech surgery, 241–2
 potential for airway obstruction, 46
 primary lip and nose repair, 241
 clefts, facial, 243
 cloacal extrophy, 149
 clonidine, 31
 epidural, 327–8
 premedication, 320
 C-Mac video laryngoscope, Stortz, 346
 coagulation
 agents affecting, 35–7
 disorders, 162–241, 389
 coarctation of aorta, 67
 cochlear implant, 235–6
 codeine, 30, 232–3
 cognitive development, 192
 cognitive–behaviour therapy (CBT),
 complex regional pain syndrome, 220
 coins, ingested, 124
 colloid fluids, 301–2
 colonic duplication, 128
 colonoscopy, 140, 379–80
 compartment syndrome, 279, 284
 iatrogenic, 356
 neuraxial blockade and, 328
 complementary and alternative medicine (CAM), 225–6
 complex regional pain syndrome (CPRS), 219–20
 computed tomography (CT), 378–9, 383–4
 concussion, 111
 conductive heat loss, 3, 23, 401
 congenital adrenal hyperplasia (CAH), 182
 congenital cystic adenomatoid malformation (CCAM) of the lung, 195–6
 congenital diaphragmatic hernia (CDH), 49, 138–9, 141, 202–3
 congenital heart disease (CHD), 65–9, 78–92
 acyanotic lesions, 66–8
 adults with. *See* adult congenital heart disease
 anesthetic uptake and delivery, 63
 arrhythmias, 17, 78–84
 cardiac rhythm management devices, 83
 cardiopulmonary bypass, 84–8
 craniofacial anomalies, 244
 cyanotic. *See* cyanotic congenital heart disease
 electrophysiologic procedures, 83–4
 end-stage liver disease with, 389
 heart transplantation, 393
 hemodynamic effects of anesthetics, 63–4
 infectious endocarditis prophylaxis, 70–1
 palliative procedures, 68–9
 preoperative evaluation, 293
 pulmonary hypertension, 69–70
 vasoactive medication effects, 64–5
 congenital lobar emphysema (CLE), 196–7
 connective tissue disorders, inherited, 180–1
 consent, informed, 296
 convective heat loss, 3, 23, 401
 conventional ultrafiltration (CUF), 87
 cornea, 255
 corpus callosotomy, 115
 corticosteroids
 asthma, 369
 elevated intracranial pressure, 100
 oncology, 168
 cortisol response, surgical stress, 192
 cranial sutures, 95, 243
 premature closure.
 See craniosynostosis
 split, raised intracranial pressure, 276
 craniofacial anomalies, 181–2, 243–8
 calvarial physiology, 243
 coexisting disease, 244
 etiology, 243
 with mandibular hypoplasia, 247–8
 craniofacial microsomia, 247
 craniofacial surgery, 115–17, 238–51
 anesthetic principles, 250–1
 cleft lip–nose–palate, 240–3
 craniosynostoses, 245–6, 250, 307
 midface and jaws, 248–50
 craniomaxillofacial trauma, 249–50, 278–9
 craniopharyngiomas, 104
 craniosynostosis, 243–7
 cranial reconstruction, 245–6, 250, 307
 nonsyndromic, 244–5
 ophthalmological complications, 244
 syndromic, 245–7
 creatinine clearance (CrCl), 146, 298–9
 cri du chat syndrome, 186
 cricothyrotomy, 4, 348
 CRIES scale, 215
 critically ill patients, 369
 Crohn's disease, 130
 croup, 47
 Crouzon syndrome, 246–7
 cryoprecipitate, 35–164
 cryptorchidism, 147–8
 crystalloid fluids, 301
 Cushing's triad, 276
 cutaneous oxygenation monitors, 21
 cyanide toxicity, 59, 284–5
 cyanotic congenital heart disease, 65–6
 adults with, 90–1
 blood transfusion, 306–7
 capnography in, 44
 preoperative evaluation, 293
 cyclophosphamide, 168, 173
 cyclosporine, 174
 cystic fibrosis (CF), 49, 129–30, 290
 cytarabine, 168
 dacryocystorhinostomy, 258
 dactinomycin, 168
 dantrolene, 184
 daunorubicin, 168
 DDAVP, 35, 163–4
 deep hypothermic circulatory arrest (DHCA), 87
 defibrillation, 360
 deletions, chromosome, 185
 delirium, emergence, 103–4, 362–3
 dental injuries, iatrogenic, 355–85
 depth of anesthesia, monitoring, 11–12, 341, 362
 desflurane, 32
 desmopressin (DDAVP), 35, 163–4
 developmental delay, 101–4, 192
 developmental milestones, 191
 dexamethasone, 32, 100
 dexmedetomidine, 31
 hemodynamic effects, 56–7, 64
 off-site anesthesia, 376
 premedication, 320
 dextrans, 301–2
 dextrose infusions, 302
 diabetes insipidus, 155–6
 diabetes mellitus, 154–5

Index

- diabetic ketoacidosis (DKA), 155
 diaphragm
 congenital anomalies, 138–9
 developmental anatomy, 138
 respiratory function, 44
 diazepam, 30
 difficult airway, 4, 347–8
 algorithm, 348
 cleft palate, 239
 devices for managing, 347
 facial injury, 278
 juvenile idiopathic arthritis, 265
 management techniques, 347–8
 osteogenesis imperfecta, 180, 261
 peritonsillar abscess, 231
 DiGeorge syndrome (22q11 deletion syndrome; velocardiofacial syndrome), 159, 186
 cleft palate, 240, 242
 immunodeficiencies, 175
 dilated cardiomyopathy, 71–2, 393
 dilutional ultrafiltration (DUF), 87–8
 diphenhydramine, 32
 2,3-diphosphoglycerate (2,3-DPG),
 stored red blood cells, 251
 disabled children, maltreatment, 271
 disclosure, information, 296
 distraction osteogenesis, 238
 cleft orthognathic surgery, 242–3
 mandible, 249
 distribution, drug, 27
 diuretics, increased intracranial
 pressure, 98–9
 dobutamine, 35, 58, 64
 dopamine, 35, 58, 64
 dopamine antagonists, 31–2
 dorsal column pathway, 214
 dorsal horn, 213
 dorsal root ganglia, 213
 double-burst stimulation (DBS), 16
 double-inlet left ventricle (DILV), 65
 double-lumen tubes (DLT), 349
 Down syndrome (trisomy 21), 186, 291
 doxorubicin, 168
 droperidol, 32
 drowning, 277–8
 drug absorption, 27
 drug distribution, 27
 drug excretion, 28, 145
 drug metabolism, 28
 Duchenne muscular dystrophy, 262–3
 ductus arteriosus, 42, 53
 closure after birth, 53
 patent, 54, 67
 ductus venosus, 53
 duodenum
 atresia and stenosis, 123, 141, 209–10
 duplication, 123
 duplications
 chromosome, 185
 intestinal, 122, 125, 128, 141
 dysautonomia, familial, 179
 dysrhythmias. *See* arrhythmias, cardiac
 Eagle–Barrett syndrome. *See* prune belly syndrome
 ear, nose and throat surgery, 230–6
 ear reconstruction, 239–40
 Ebstein anomaly, 65
 edrophonium, 34
 Edwards syndrome, 186
 Ehlers–Danlos syndrome, 180–1
 Eisenmenger syndrome, 91
 electrocardiogram (ECG), 16–17
 electroencephalogram (EEG), 11–12
 electromagnetic interference, 81–3
 electromyography (EMG), 14–16
 evoked, 14
 spinal surgery, 266
 spontaneous, 14
 electrophysiologic studies,
 arrhythmias, 83–4
 emancipated minors, 296
 emergence delirium, 103–4, 362–3
 endocardial cushion defect, 67
 endocrine disorders, 153–9
 inherited, 182
 endocrine system
 development, 153–4
 neonates, 190–1
 endoscopic retrograde
 cholangiopancreatography (ERCP), 140, 143
 endoscopy, gastrointestinal, 140–3, 379–82
 endotracheal intubation, 4, 345–7
 capnography for assessing, 22
 difficult airway techniques, 347–8
 head injury, 112
 subglottic stenosis after prolonged, 47–8
 trauma, 272, 275, 279
 endotracheal tube (ETT)
 electromyographic monitoring, 14
 placement and checks, 345–6
 selection, 345
 single-lung ventilation, 348
 end-stage liver disease (ESLD),
 See also liver transplantation
 causes, 133, 387
 manifestations, 387
 pathophysiology, 388–9, 393
 preoperative assessment, 388, 393
 end-stage renal disease (ESRD), 149
 causes, 396
 preoperative assessment, 150, 396
 end-tidal carbon dioxide
 measurements, 22, 43
 remote locations, 374, 377
 enteral feeding, burn injury, 287
 entropy monitoring, 11
 enucleation, ocular, 257
 ephedrine, 34–5, 59
 epidermolysis bullosa (EB), 123–4
 epidural analgesia
 adjuvants, 327–8
 anatomic considerations, 326
 complications, 326, 355
 indications and benefits, 326
 renal transplant recipients, 397
 technique, 327
 epidural hematomas, 113
 epiglottitis, acute, 46
 epilepsy, 103, 108–9
 surgery, 115
 epinephrine
 burn injury, 286–7
 cardiopulmonary resuscitation, 360
 cardiovascular effects, 58, 64
 epidural/caudal blocks, 325, 328
 hypotension, 35
 local anesthetic blocks, 33
 test dose, local anesthetics, 325
 epsilon aminocaproic acid (EACA), 308
 Epstein–Barr virus (EBV), 136
 equipment, anesthesia. *See* anesthesia equipment
 erythropoiesis, 161, 193
 erythropoietin (EPO), 161, 193, 310
 esophageal atresia (EA), 120–2, 124, 203–5
 esophageal stethoscope (ES), 17
 esophagogastroduodenoscopy (EGD), 140–3, 379, 381–2
 esophagus
 duplication, 122
 foreign bodies, 123–4
 strictures, 124
 temperature probes, 24
 estimated blood volume (EBV), 3, 299
 etanercept, 141
 ethacrynic acid, 99
 ethosuximide, 101
 etomidate, 30
 hemodynamic effects, 56, 64
 induction of anesthesia, 343
 etoposide, 168, 173
 evaporative heat loss, 3, 23, 401
 Ewing sarcoma, 166–7
 excretion, drug, 28
 external jugular vein, cannulation, 355

- extracellular fluid (ECF), 2, 298
 extracorporeal membrane oxygenation (ECMO), congenital diaphragmatic hernia, 139
 extraocular muscles, 256
 extremely low birth weight (ELBW) infants, 188–350
 eye, 255–7
 anatomy and physiology, 255–6
 enucleation, 257
 penetrating trauma, 257–8
 pharmacology, 257
 ezogabine, 102

 faces scales, pain assessment, 214
 facial clefts, 243
 facial injury, 249–50, 278–9
 facial nerve monitoring, otologic surgery, 235
 facial reconstruction, 239–40
 factor VIIa, recombinant, 35
 factor VIII, 35, 163
 factor IX, recombinant, 164
 falls, 271
 fasting, preoperative, 125, 294, 300
 fear, preoperative. *See* preoperative anxiety
 felbamate, 102
 femoral nerve block, 337
 femoral vein cannulation, 5, 355
 fentanyl, 29
 hemodynamic effects, 57
 off-site anesthesia, 376
 premedication, 320
 fetal circulation, 53
 persistent, 53–4
 fiberoptic scopes, difficult intubation, 347–8
 fibroblast growth factor receptor (FGFR) gene mutations, 245, 247
 fibromas, cardiac, 72
 fires, airway, 235
 FLACC Scale, 215
 flaps, 238
 Flotrac™ system, 18
 fludarabine, 173
 fluid compartments, body, 2, 298–9
 fluid management, 298–302
 burns, 285
 choice of fluids, 301–2
 intraoperative, 301
 liver transplantation, 390–2
 maintenance fluids, 2, 300
 perioperative, 2–3, 300–2
 postoperative, 302
 renal transplantation, 397
 replacement of losses/deficits, 2, 301
 role of glucose, 302
 trauma, 272
 fluid volume, 2–3, 298
 regulation, 300
 replacement, 2, 301
 follicle-stimulating hormone (FSH), 153
 Fontan procedure, 68–9
 fontanelles, 95, 191, 243
 full (bulging), 95, 276
 foramen ovale, 53
 closure at birth, 42, 53
 failure of closure, 54
 patent (PFO), 53, 66
 foregut
 acquired conditions, 123–5
 congenital anomalies, 120–3
 developmental anatomy, 120
 duplications, 122–3
 foreign bodies
 aspirated, 45, 353
 ingested, 123–4, 382
 fosphenytoin, 100
 4–2–1 rule, maintenance fluid requirements, 2, 300
 fractional excretion of sodium (FE_{Na}), 147
 fractures, 279
 fragile X syndrome, 186
 fresh frozen plasma (FFP), 35, 307
 fronto-orbital advancement (FOA), 244–6
 functional residual capacity (FRC), 40
 furosemide, 99

 gabapentin, 102, 222
 Galveston formula, burns resuscitation, 285
 gantacurium, 34
 gas concentration, monitoring, 22
 gastric duplications, 122
 gastroesophageal reflux, 190, 290
 gastrointestinal (GI) endoscopy, 140–3, 379–82
 gastrointestinal system, 120–43
 acquired conditions, 123–30, 132–3
 congenital anomalies, 120–3, 125–6, 128–32, 141
 developmental anatomy, 120, 125, 128, 130
 neonates, 190–1
 gastroschisis, 136–7, 141, 205–6
 gelatins, 301
 gender differences, congenital heart disease outcome, 91–2
 general anesthesia, 341–9
 airway management, 343–9
 complications, 352–64
 induction. *See* induction of anesthesia
 stages and signs, 341
 thermoregulation during, 332, 402
 genetics, 177–86
 Glasgow Coma Scale, 116
 Gleevec (imatinib), 167
 Glenn shunt, 68
 Glidescope, 346
 glomerular filtration rate (GFR), 145, 298
 acute kidney injury, 146
 estimation, 298–9
 neonates, 190, 299
 glossoptosis, 248
 glucagon, 154
 glucose
 cerebral metabolic rate (CMR), 96
 parenteral fluids, 302
 supply in neonates, 191
 glutamate, 213
 glycopyrrolate, 35, 376
 goiter, 158
 Goldenhar syndrome, 46, 247
 gonads, 154
 graft versus host disease (GVHD), 171, 174
 grafts, 238
 Graves disease, 158
 greater occipital nerve block, 330
 growth hormone (GH), 153
 guided imagery, 223–4

 hand
 congenital anomalies, 240
 surgery, 240
 trauma, 240
 head injury, 111–13, 276–7
 analgesia, 215–16
 epidemiology, 271, 276
 headache, 220–1. *See also* migraine
 chronic daily, 221
 management, 221, 224
 tension-type, 220–1
 hearing loss, craniofacial anomalies, 244
 heart
 embryology, 52
 intracardiac masses, 72–3
 neonatal function, 52
 traumatic injury, 279
 tumors, 72–3
 heart block, 73, 358
 heart disease, 65–74
 anesthetic uptake and delivery, 63
 congenital. *See* congenital heart disease
 infectious diseases causing, 70–1
 orthopedic surgery and, 260–1

Index

- heart failure
 - congenital heart disease, 90, 293
 - heart transplantation, 74, 393–4
- heart rate (HR), 17, 189
 - dependence, neonatal cardiac output, 52, 189
- heart transplantation, 74, 392–5
 - anesthesia management, 394–5
 - assessment of donor, 394
 - contraindications, 394
 - indications, 393–4
 - preoperative assessment, 394
- heat generation, mechanisms, 401
- heat loss, *See also* thermoregulation
 - burn patients, 285
 - intraoperative monitoring, 23
 - mechanisms, 3, 23, 400–1
 - neonates and infants, 400
- helium, 370
- hematological disorders, 162–241
- hematopoiesis, 162
- hematopoietic stem cell transplantation (HSCT), 167–73
- hematopoietic system, neonates, 190
- hemifacial microsomia, 247
- hemodilution
 - acute normovolemic (ANH), 264, 309
 - hypervolemic, 310
- hemoglobin concentration, 161
 - controlled hypotension, 367
 - neonates, 190
 - transfusion thresholds, 306–7
- hemolytic transfusion reactions, 305
- hemophilia A, 163
- hemophilia B, 164
- hemorrhage
 - craniofacial surgery, 251
 - oncologic orthopedic surgery, 264
 - postadenotonsillectomy, 233
- hepatic artery thrombosis (HAT), 134–5
- hepatic encephalopathy, 133, 389
- hepatobiliary system, 130–6
 - acquired conditions, 132–3
 - congenital anomalies, 130–2
 - developmental anatomy, 130
- hepatoblastoma, 135
- hepatopulmonary syndrome, 388
- hepatorenal syndrome, 388
- hereditary hemorrhagic telangiectasia, 180
- hereditary sensory and autonomic neuropathies, 179
- heterotaxy (situs ambiguus), 126, 141
- hindgut, 128–30
 - acquired conditions, 129–30
 - congenital anomalies, 128–9
 - developmental anatomy, 128
- Hirschsprung disease, 128–9, 141
- HIV infection, transfusion-related, 305
- human albumin (HA), 301
- hydrocephalus, 106–8
- hydrocodone, 30
- hydroxyethyl starch (HES), 302
- 5-hydroxytryptamine type 3 (5-HT₃) receptor antagonists, 31–2
- hyperalgesia, 215
- hyperglycemia, stress, 371
- hyperkalemia
 - succinylcholine-induced, 34, 287
 - transfusion-related, 306, 360–1
- hyperosmolar hyperglycemic state (HHS), 155
- hyperoxaluria, primary, 135
- hypertension, 357–8
 - perioperative, 357–8
 - tourniquet-induced, 265–8
- hyperthermia, 401
 - malignant. *See* malignant hyperthermia
 - osteogenesis imperfecta, 261–2
- hypertonic saline, 99
- hypertrophic cardiomyopathy, 71, 394
- hyperventilation, traumatic brain injury, 277
- hypervolemic hemodilution, 310
- hypnosis, 223–4
- hypocalcemia, 276, 286
- hypoglycemia, intraoperative, 302
- hyponatremia, postoperative, 302
- hypoplastic left heart syndrome (HLHS), 65, 393
- hypospadias, 147
- hypotension, 356–7
 - controlled, 309, 366–7
 - definition, 356
 - trauma, 272
 - treatment, 35–7, 357
- hypothermia
 - adverse effects, 23, 368, 401
 - cardiopulmonary bypass, 87
 - controlled, 367–8
 - drowning, 278
 - during anesthesia, 402
- hypovolemia
 - intraoperative, 301, 357
 - trauma, 272
- hypoxemia, chronic, congenital heart disease, 90–1
- hypoxia
 - cerebral, 96
 - drowning-related, 277–8
 - susceptibility of infants, 230
 - ventilatory responses, 41
- hypoxic pulmonary vasoconstriction (HPV), 42
- iatrogenic trauma, 355–6
- ibuprofen, 42, 218, 222
- idarubicin, 167
- ideal body weight, 2
- ifosfamide, 167
- IgA deficiency, selective, 173
- ilioinguinal block, 332
- imagery, 223–4
- imatinib, 168
- immune system, neonates, 190
- immunodeficiency diseases, 172–5
 - primary (PIDs), 172–5, 184–5
 - secondary, 184
- immunoglobulins, 172
 - deficiency disorders, 172–3
- immunologic disorders, inherited, 184–5
- immunosuppressant therapy, 151, 386
- imperforate anus, 129, 141, 208–9
- implantable cardioverter defibrillators (ICDs), 79–80
 - electromagnetic interference, 81–3
 - generic codes, 80
 - indications, 80–1
 - intraoperative management, 83
 - magnet use, 83
 - perioperative management, 80–1
 - postoperative care, 83
 - preoperative checks, 293
- inborn errors of metabolism, 134–5, 182–3
- indomethacin, 42, 218
- induction of anesthesia, 342–3
 - parent presence during (PPI), 317–18, 363
 - rapid sequence. *See* rapid-sequence induction
 - single breath, 342
 - trauma, 275
- infants
 - anesthetic risks, 295
 - newborn. *See* neonates
 - preterm. *See* preterm infants
 - thermoregulation, 400
- infectious diseases
 - causing end-stage liver disease, 389
 - causing heart disease, 70–1
 - transfusion-transmitted, 305
- infectious endocarditis (IE), 70–1
- inflammatory bowel disease, 130
- inflammatory response
 - cardiopulmonary bypass, 85, 88
 - pain pathophysiology, 215
- infliximab, 141
- informed consent, 296
- infraorbital nerve block, 329
- inguinal hernias, 137–8, 141, 196
- inhalation injury, 283–5
- inhalational anesthetics, 32–7

- hemodynamic effects, 63–4
- in congenital heart disease, 63
- induction of anesthesia, 342
- thermoregulatory effects, 402
- insulin, 154–5
- intensive care unit (PICU) patients, 369
- internal jugular vein cannulation, 6, 355
- interscalene block, 333
- interstitial fluid, 298
- intestinal atresias/stenoses, 121, 125, 141, 209–10
- intestinal duplications, 122, 125, 128, 141
- intestinal obstruction, 209–10
- intracellular fluid (ICF), 2, 298
- intracerebral contusions, 113
- intracranial hematoma/hemorrhage, 113, 276
- intracranial pressure (ICP), 95–7
 - monitoring, 97–8, 276
 - raised
 - brain tumors, 104–5
 - causes, 97
 - craniofacial anomalies, 244
 - head injury, 112, 276–7
 - medications for, 98–100
 - near-drowning, 277
 - perioperative management, 370
 - signs and symptoms, 97
 - ventricular shunt procedures, 105–7
- Intralipid, local anesthetic toxicity, 33, 325
- intramuscular route, 319, 343
- intraoperative cell salvage (ICS), 308–9
- intraosseous (IO) access, 354–5
- intravenous (IV) access
 - difficult, 354–5
 - heart transplantation, 395
 - liver transplantation, 390
 - local anesthetic creams, 363
 - prior to anesthesia, 319, 342
 - trauma, 272
- intravenous anesthetics
 - cardiovascular effects, 64
 - in congenital heart disease, 63
 - induction of anesthesia, 342–3
- intraventricular hemorrhage (IVH), 194
- intubation, endotracheal. *See* endotracheal intubation
- intussusception, 127
- irinotecan, 168
- iris, 255
- irritable bowel syndrome, 225
- ischemic cardiomyopathy, 72
- isoflurane, 32
- isomerism, 126
- isoproterenol, 58, 64
- Jatene arterial switch procedure, 65–6
- jaundice, neonatal, 190–1
- Jehovah's witnesses, children of, 296
- jejunoileal atresia/stenosis, 121, 125, 141, 210
- jugular venous bulb saturation ($S_{jv}O_2$), 12
- junctional ectopic tachycardia (JET), 73
- juvenile idiopathic (or rheumatoid) arthritis, 224, 265
- kangaroo care, 217
- Kasai portoenterostomy, 131
- Kawasaki disease, 72
- kernicterus, 194–5
- ketamine, 31
 - asthma, 370
 - burn injury, 216, 287
 - hemodynamic effects, 56–385
 - induction of anesthesia, 342–3
 - off-site anesthesia, 376
 - premedication, 320
- ketorolac, 29, 218, 222
- kidney disease, 146, 149
 - end stage. *See* end-stage renal disease
- kidney transplantation. *See* renal transplantation
- kidneys
 - development and maturation, 145–6, 190, 299–300
 - elimination of drugs, 28, 145
 - physiology, 298–9
- Kleeblattschadel, 246–7
- laboratory testing, preoperative, 294
- lacosamide, 100
- lacrimal gland, 256
- Ladd procedure, 126, 210
- Lambert–Eaton myasthenic syndrome, 263
- lamotrigine, 100
- laparoscopic surgery, 368–9
- lap-belt injury complex, 279
- laryngeal mask airway (LMA), 4, 344–5
- laryngeal nerve blocks, 4
- laryngomalacia, 1, 47, 352
- laryngoscopy, 4
 - difficult. *See* difficult airway
 - direct, 4, 345
 - indirect, 4, 346–7
- laryngospasm, 353
- laryngotracheal papillomas, 352
- laryngotracheal reconstruction (LTR), 234–5
- laryngotracheobronchitis (croup), 47
- larynx, laser procedures, 235
- laser procedures, otolaryngology, 235
- lateral femoral cutaneous nerve block, 337
- latex allergy, 147, 290–1
- Le Fort III advancement, 248
- lean body mass, 2
- left isomerism (polysplenia syndrome), 126
- left to right shunting, congenital heart disease, 89
- lens, 256
- Lesch–Nyhan syndrome, 183
- leukemia, 165
- levetiracetam, 102, 108
- levobupivacaine, doses, 324
- LiDCO™ system, 18–19
- lidocaine
 - doses, 33
 - neuropathic pain, 223
 - pharmacokinetics, 33, 324
- lidocaine–prilocaine cream, 217
- lighted stylet (light wand), 348
- lipid emulsion (Intralipid), local anesthetic toxicity, 33, 325
- Lissauer's tract, 213
- liver
 - developmental anatomy, 130
 - drug metabolism, 28
 - effects of controlled hypotension, 367
- liver disease, end-stage. *See* end-stage liver disease
- liver transplantation, 133–6, 386–92
 - complications, 135–6
 - epidemiology, 386
 - graft types, 388
 - indications, 133, 387
 - organ allocation, 386–7
 - postoperative concerns, 392
 - preoperative evaluation, 388–9
 - surgery and anesthesia, 133–5, 389–92
- local anesthesia, 217
- local anesthetics, 33–7, 323–5
 - doses, 33, 324
 - mechanism of action, 323
 - pharmacokinetics, 33, 323–4
 - toxicity, 33, 324–5
 - types, 323
- long QT syndrome, 17, 74
- loop diuretics, 99
- low birth weight (LBW) infants, 188
- lumbar plexus block, 336
- lumbar puncture, hypnosis for, 224

Index

- lung(s)
 cellular physiology, 44
 compliance, 40–1
 congenital cystic adenomatoid malformation (CCAM), 195–6
 development, 38–40
 hypoplasia, 90, 203
 metabolism, 44–5
 obstructive disease, 48–9
 restrictive disorders, 49–50
 surface tension, 44
 traumatic injury, 279
 lung function
 end-stage liver disease, 388
 laparoscopic surgery, 368
 lung volumes, 40–1
 luteinizing hormone (LH), 153
 lymphopoiesis, 161
- Mac(intosh) laryngoscope blade, 345
 machine, anesthesia, 8
 macroglossia (large tongue), 352
 magnetic resonance imaging (MRI), 376–8, 381–3
 magnets, 83
 malignant disease. *See* oncologic disease
 malignant hyperthermia (MH), 183–4, 258, 262
 Mallampati score, 4
 malrotation, midgut, 126, 141, 210
 maltreatment, child, 271–2
 mandible distraction osteogenesis, 249
 mandibular hypoplasia, craniofacial anomalies with, 247–8
 mandibular tumors, 353
 mannitol, 98–9
 Mapleson breathing systems, 8–9
 Marfan syndrome, 180–1, 260–1
 mask ventilation, 4, 343–4
 massage therapy, 224–5
 mastoidectomy, 235–6
 maxillomandibular fixation (MMF), 250
 maximum allowable blood loss (MABL), 3
 mechanical ventilation, 43
 mechanomyography, 16
 Meckel's diverticulum, 126, 141
 meconium ileus, 129–30
 median nerve block, 335
 mediastinal masses, 46, 291–2, 353
 melanocyte-stimulating hormone (MSH), 153
 MELD (model for end-stage liver disease) score, 133, 387
 melphalan, 173
 meningocele, 113–14
- meningomyelocele/myelomeningocele, 113–14, 196
 meperidine, 30
 mercaptopurine (6-MP), 168
 metabolic disorders, 153–9
 inherited, 134–5, 182–3
 metabolism
 drug, 28
 pulmonary, 44–5
 methadone, 30
 methimazole, 158
 methohexital, 31, 343
 methotrexate, 168, 174
 methylene tetrahydrofolate reductase deficiency, 103
 methylprednisolone, 141
 metoclopramide, 31–2
 micrognathia, 352
 microtia, 239–40
 midazolam, 30
 hemodynamic effects, 56
 off-site anesthesia, 375
 premedication, 319–20
 midface advancement procedures, 248
 midgut, 125–8
 acquired conditions, 126–8
 atresias/stenoses, 125
 congenital anomalies, 125–6
 developmental anatomy, 125
 malrotation/nonrotation, 126, 141, 210
 rotational anomalies, 126
 volvulus, 126–7
 migraine, 220–1, 224
 milestones, developmental.
 See developmental milestones
 Miller laryngoscope blade, 345
 milrinone, 35, 58, 64
 minimum alveolar concentration (MAC), 32
 minors
 emancipated, 296
 mature, 296
 mitochondrial myopathies, 177–8
 mitral stenosis, 68
 modified ultrafiltration (MUF), 88
 monitoring methods, 11–24
 Monro-Kelly doctrine, 97
 Morgagni, hernia of, 202
 morphine, 30, 216, 396–7
 motor evoked potentials (MEPs), 13–14, 266
 motor vehicle accidents (MVAs), 271, 279
 mouth injuries, iatrogenic, 355
 Moyamoya disease, 111
 muscarinic receptors, eye, 257
- muscle action potentials (MAPs), 14
 muscular dystrophy, 178–9
 orthopedic surgery, 262–3
 respiratory problems, 50, 178
 musculoskeletal injuries, 279
 Mustard procedure, 66, 69
 myasthenia gravis, 263
 mycophenolate mofetil, 141
 myelination, 95–6, 191
 myelodysplasia, 113–14
 myelomeningocele/meningomyelocele, 113–14, 196
 myocarditis, 71
 myopathies, orthopedic surgery, 262–3
 myotonias, 178
 myringotomy and tubes, 235
- Nager syndrome, 46
 naproxen, 222
 narcotic analgesics. *See* opioid analgesics
 Narcotrend® monitor, 11
 nasal administration of premedicants, 319
 nasal airway, 344
 nasal injuries, iatrogenic, 355
 nasolacrimal duct probing, 258
 nasopharyngeal temperature probes, 24
 nausea and vomiting, postoperative.
 See postoperative nausea and vomiting
 near-infrared spectroscopy (NIRS), 12, 21
 necrotizing enterocolitis (NEC), 127–8, 206–8, 306
 negative pressure pulmonary edema (NPPE), 240
 neglect, child, 271
 neonates, 188–98
 anesthetic risks, 295
 medical disease states, 192–5
 organ system development, 188–92
 pain management, 216–18
 pain sensitivity, 216
 renal function, 145–6, 190, 299–300
 resuscitation, 54, 192
 stress response, 192
 surgical disease states, 195–8
 surgical emergencies, 201–10
 thermoregulation, 400
 transporting, 192
 neostigmine, 34
 nerve blocks. *See* peripheral nerve blocks
 nerve injuries, iatrogenic, 268, 355–6
 nerve monitoring, otologic surgery, 235

- nervous system, 95–117,
See also central nervous system
 anatomy and physiology, 98
 controlled hypotension and, 366
 controlled hypothermia and, 369
 neonates, 191–2
- neuraxial blockade, central, 325–8
 adjuvants, 327–8
 anatomic considerations, 326
 complications, 326, 356
 contraindications, 326
 controversies, 328
 indications and benefits, 325–6
 pharmacokinetics, 323–4
 techniques, 326–7
- neuroblastoma, 165–6
- neurodegenerative disorders, 114
- neurofibromatosis, 179
- neurologic disorders
 craniofacial anomalies, 244
 inherited, 179
- neurologic sequelae
 cardiopulmonary bypass, 85–6
 central neuraxial blockade, 326, 328
 spinal surgery, 266
- neuromuscular blockade
 monitoring, 15–16
 pharmacology, 27–8
 reversal, 34–57
- neuromuscular blockers, 28, 37–57
 depolarizing, 28, 33–4
 nondepolarizing, 28, 34
- neuromuscular disease, orthopedic
 surgery, 263
- neuropathic pain, management, 222–3
- neuropeptides, pain perception, 213
- neurophysiologic monitoring, 97–8
- neurophysiology, 96–8
- neurosurgical procedures, 115–17
- neutrophils, development, 161
- nicardipine, 64
- NIM tube, 14
- nitric oxide (NO), inhaled, 54, 70, 91
- nitrites, for cyanide toxicity, 284–5
- nitroglycerin, 64
- nitroprusside, sodium, 59, 64
- nitrous oxide (NO₂), 32
 cardiovascular effects, 57, 64
 induction of anesthesia, 342
- nociceptors, 213
- nonaccidental trauma, 271–2
- nonshivering thermogenesis, 3, 401
- nonsteroidal anti-inflammatory drugs
 (NSAIDs), 29
 chronic pain, 222
 patent ductus arteriosus, 42
 postoperative analgesia in infants,
 218
 post-tonsillectomy analgesia, 232
- Noonan syndrome, 186
- norepinephrine, 58, 64
- normal pressure hydrocephalus, 106
- nortriptyline, neuropathic pain, 222
- Norwood procedure, 68
- nutrition, burn injury, 287
- obesity, morbid, 139–40
- obstructive sleep apnea (OSA)
 adenotonsillectomy, 231–2
 airway obstruction, 47, 353–4
 craniofacial anomalies/cleft palate,
 239
- oculoauriculovertebral syndrome.
See Goldenhar syndrome
- oculocardiac reflex, 257
- OEIS complex, 205
- off-site locations, anesthesia in.
See remote locations,
 anesthesia in
- omphalocele, 137, 141, 205–6
- oncologic disease, 165–71
 bone marrow and stem cell
 transplantation, 163–71
 chemotherapy, and side effects,
 167–8, 263–4
 orthopedic surgery, 263–5
 radiation side effects, 167, 264
- ondansetron, 32
- one-lung ventilation, 50, 348–9
- ophthalmologic disorders, 244,
 257–8
- ophthalmic artery, 256
- ophthalmology, 255–8
- opioid analgesics, 29–30
 burn injury, 216, 287
 epidural/caudal blocks, 328
 hemodynamic effects, 57, 64
 neonates, 218
 off-site anesthesia, 376
 pharmacogenetics, 28
 premedication, 320
- optimal external laryngeal
 manipulation (OELM), 345
- oral administration of premedicants, 319
- oral temperature measurement, 24
- orchidopexy, 147–8
- organ transplantation, 386–97
- oropharyngeal airway, 344
- orthognathic surgery, 242–3, 250
- orthopedic surgery, 260–8
 chest wall reconstruction, 267
 coexisting conditions, 260–5
 spine, 265–7
 tourniquet management, 267–8
- Osler–Weber–Rendu syndrome, 180
- osmotic diuretics, 98–9
- osteochondrodysplastic syndromes,
 179–80
- osteogenesis imperfecta, 179–80,
 261–2
- osteosarcoma, 166–7
- otolaryngology, 230–6
- otologic procedures, 235–6
- Oucher scale, 214
- ovaries, 154
- overgrowth syndromes, 179
- oxcarbazepine, 100, 108
- oxycodone, 30
- oxygen (O₂)
 cerebral blood flow and, 96
 cerebral metabolic rate (CMR), 96
 transport, 44
- oxygen consumption, 45
- oxygen saturation, arterial blood
 (SaO₂), newborn resuscitation,
 54
- oxygenation, monitoring, 20–1
- oxytocin, 154
- pacemakers, cardiac, 78–9
 electromagnetic interference, 81–3
 indications, 79–80
 intraoperative management, 83
 magnet use, 83
 NASPE/BPEG generic codes, 79
 perioperative management, 80–1
 postoperative care, 83
 preoperative checks, 293
- pain
 assessment, 214–15
 chronic. *See* chronic pain
 neonates, 216–18
 pathophysiology, 213–16
 pathways, 96, 213–14
 post-traumatic, 215
 postoperative, 215
 tourniquet, 268
- pain management
 burn injuries, 216, 224–5, 287–8
 chronic pain states, 219–22
 complementary and alternative
 methods, 225–6
 neonates, 216–18
 orthopedic surgery in oncology
 patients, 112–264
 postoperative. *See* postoperative
 analgesia
 preoperative, 218
 procedural. *See* procedural pain
 management
- pancreas, 154
- pancuronium, 34
- paracetamol. *See* acetaminophen
- paralysis
 complicating neuraxial blockade,
 326, 328
 complicating spinal surgery, 266

Index

- paramapanel, 101
- parasympathetic agents, 35
- parasympathetic nervous system, 96, 189
- parathyroid gland, 154
- parathyroid hormone (PTH), 154
- parents
 - anxious, 316, 318
 - preparation of child for surgery, 316
 - presence during induction (PPI), 317–18, 363
- Parkland formula, burns resuscitation, 285
- Patau syndrome, 186
- patent ductus arteriosus (PDA), 54, 67
- patent foramen ovale (PFO), 53, 66
- patient controlled analgesia (PCA), burn injury, 287
- Patient State Index (PSI), 11
- pecs block, 331
- pectus excavatum, 267
- pediatric acute liver failure (PALF), 132–3, 135
- pediatric intensive care unit (PICU) patients, 369
- Pediatric Perioperative Cardiac Arrest (POCA) registry, 359
- PELD (pediatric end-stage liver disease) score, 133, 387
- pentalogy of Cantrell, 139, 205
- pentobarbital sodium, 376
- peppermint oil, 225
- perforation, iatrogenic, 355
- pericardial disease, 72
- pericarditis, 72
 - constrictive, 72
 - infectious, 71
- periodic breathing, 41–2
- peripheral nerve blocks, 328–37
 - complex regional pain syndrome, 220
 - complications, 356
 - contraindications, 328
 - head and neck, 329–30
 - indications, 328
 - lower extremity, 335–7
 - pharmacokinetics, 323–4
 - techniques, 329
 - truncal, 330–2
 - upper limb, 333–5
- peripheral nerve injuries, iatrogenic, 268, 355–6
- peripheral nerve stimulator, 15–16
- peripheral nervous system, 95–117
- peripherally inserted central catheters (PICC), 354
- peritonsillar abscess, drainage, 231
- periventricular leukomalacia (PVL), 86
- perphenazine, 32
- persistent fetal circulation, 53–4
- persistent pulmonary hypertension of newborn (PPHN), 54, 195
- pervasive developmental disorders, 101–4
- Pfeiffer syndrome, 246–7
- pharmacodynamics, 27–36
- pharmacogenetics, 28
- pharmacokinetics, 27–36
- pharmacology, 27–35
- phenobarbital, 103, 190
- phenylephrine, 34, 59, 64
- phenytoin, 100, 103
- pheochromocytoma, 157–8
- physical examination, preoperative, 294
- physical therapy, complex regional pain syndrome, 220
- PiCCO® system, 18
- pieces of hurt tool, 214
- Pierre Robin sequence, 182, 247–8
 - airway obstruction risk, 46, 248
 - tongue–lip adhesion, 249
- pituitary gland, development, 153–4
- plagiocephaly, asymmetric, 243, 245
- plastic surgery, 238–51
- platelet transfusion, 276, 307
- pneumothorax, 260, 355
- poker chip tool, 214
- polydactyly, 240
- polysplenia syndrome (left isomerism), 126
- porphyria, 183
- portopulmonary hypertension, 388
- positioning
 - controlled hypotension, 367
 - gastrointestinal endoscopy, 380
 - hydrocephalus, 107
 - injuries, 355–6
 - remote locations, 374
- postanesthesia care unit (PACU), 364, 374
- postcardiac arrest syndrome (POCS), 360
- posterior fossa tumors, 104–5
- postoperative analgesia, 364
 - adenotonsillectomy, 232–3
 - complementary and alternative approaches, 223–4
 - neonates, 217–18
 - spinal surgery, 266–7
- postoperative nausea and vomiting (PONV), 31, 364
 - adenotonsillectomy, 232–3
 - otologic surgery, 236
 - strabismus repair, 258
- postoperative visual loss (POVL), 265–6, 356
- post-tetanic count (PTC), 16
- post-transplant lymphoproliferative disease (PTLD), 136
- post-traumatic pain, 215
- Potter sequence, 146
- Potts shunt, 69
- Prader–Willi syndrome, 186
- precordial stethoscope (PCS), 17
- pregabalin, 102
- pregnancy testing, 294
- premature atrial contractions, isolated, 358
- premature ventricular contractions (PVCs), 17, 358
- premedication, 318–20, 363
- preoperative anxiety, 315–21, 362–3
 - developmental aspects, 315–16
 - management, 316–20, 362–3
 - manifestations, 315
 - risk factors, 315–16
- preoperative assessment/preparation, 289–96
 - age-related differences in anesthetic risk, 295
 - coexisting disease, 290–4
 - fasting, 2, 294, 300
 - informed consent, 296
 - laboratory testing, 294
 - pain management, 218
 - physical examination, 294
 - remote locations, 374
- preoperative autologous donation (PAD), 264, 308
- preterm infants, 188–350
 - anemia, 193–4
 - apnea (AOP), 192–3
 - bronchopulmonary dysplasia, 194
 - dextrose infusions, 302
 - intraoperative hypotension, 298
 - intraventricular hemorrhage, 194
 - kernicterus, 194–5
 - necrotizing enterocolitis, 128, 206
 - outpatient surgery, 42
 - renal function, 145–6, 299–300
 - retinopathy, 195, 257
 - transfusion-related gut injury (TRAGI), 306
- primitive reflexes, 95–6, 191
- procedural pain management
 - burn injuries, 287–8, 383
 - complementary and alternative approaches, 224–5
 - neonates and infants, 217
- prochlorperazine, 345
- progressive familial intrahepatic cholestasis (PFIC), 131
- prolactin, 153
- promethazine, 32
- propofol, 30–1
 - hemodynamic effects, 55, 63

- induction of anesthesia, 342
 - off-site anesthesia, 376
 - propranolol, chronic pain, 223
 - prostaglandins, 42, 45
 - prothrombin complex concentrate, 35
 - prune belly syndrome, 137, 141, 146
 - psychological therapy, complex
 - regional pain syndrome, 220
 - psychosocial complications, of
 - anesthesia, 362–4
 - psychosocial preparation,
 - preoperative, 316–17
 - pulmonary artery band procedure, 69
 - pulmonary artery catheter (PAC),
 - 19–20
 - pulmonary artery pressure
 - defining pulmonary hypertension, 69
 - transition at birth, 42–3, 53
 - pulmonary artery temperature
 - monitoring, 24
 - pulmonary blood flow
 - changes at birth, 42, 53
 - controlled hypotension, 366
 - pulmonary blood flow:systemic blood
 - flow (Qp:Qs) ratio, 63, 89
 - pulmonary edema
 - negative pressure (NPPE), 240
 - pulmonary artery catheterization, 20
 - pulmonary function. *See* lung function
 - pulmonary hypertension, 69–70
 - congenital diaphragmatic hernia, 202–3
 - congenital heart disease, 69–70, 90–1, 293
 - persistent, of newborn (PPHN), 54, 195
 - predictors of clinical outcome, 91–2
 - pulmonary artery catheterization, 20
 - pulmonary vascular resistance (PVR),
 - changes at birth, 42–3, 53
 - pulmonary venous return, total
 - anomalous (TAPVR), 66
 - pulse oximetry, 17, 20–1
 - pyeloplasty, 148
 - pyloric atresia, 123, 141
 - pyloric stenosis, 125, 141, 202–11
 - pyloromyotomy, 201–2
 - pyridostigmine, 34
 - rachischisis, 113–14
 - radial nerve block, 335
 - radiant heat loss, 3, 23
 - radiation safety, 374–5, 378
 - radiotherapy, 167, 264
 - rapid sequence induction, 343
 - hydrocephalus, 107
 - liver transplantation, 389
 - trauma, 272
 - reactive airways disease, 292
 - recovery, 364
 - off-site anesthesia, 374, 378
 - rectal duplication, 129
 - rectal route of administration, 319, 343
 - rectal temperature measurement, 24
 - rectus sheath block, 331–2
 - red blood cells (RBCs)
 - development, 161, 193
 - lifespan in neonates, 161–2
 - packed, for transfusion, 306–7
 - Redo–Ecker shunt, 69
 - reflex sympathetic dystrophy, 219
 - reflexes, primitive, 95–6, 191
 - regional anesthesia/analgesia, 323–37,
 - See also* neuraxial blockade, central, peripheral nerve blocks
 - complications, 326, 356
 - pharmacokinetics, 323–4
 - thermoregulation and, 402–3
 - remifentanyl, 29, 57, 218
 - remote locations, anesthesia in,
 - 373–84
 - checklist, 384
 - computed tomography (CT), 378–9, 383–4
 - equipment and safety, 374–5
 - gastrointestinal (GI) laboratory, 379–82
 - magnetic resonance imaging, 148, 376–8, 382–3
 - medications, 375–6
 - starlight room, 380–1, 383
 - vignettes, 381–4
- renal agenesis, bilateral, 146
 - renal blood flow (RBF), 145, 298
 - controlled hypotension, 366
 - neonates, 299
 - renal function
 - burn patients, 287
 - end-stage liver disease, 388
 - full- and preterm infants, 145–6, 190, 299–300
 - renal system, 145–6, 190,
 - See also* kidneys
 - renal transplantation, 149–51, 395–7
 - anesthetic management, 396–7
 - indications and contraindications, 396
 - preoperative assessment, 150, 396
 - renal tubular function, 145–6, 300
 - renal vascular resistance (RVR), 145
 - renin–angiotensin–aldosterone (RAA) system, 300
 - respiratory disorders
 - congenital heart disease, 293
 - Marfan syndrome, 260
 - obstructive, 45–8
 - restrictive, 49–50
 - respiratory rates, 190
 - respiratory system, 38–228
 - anatomy and physiology, 45
 - development, 38–40
 - neonates, 189–90
 - pathophysiology and anesthesia concerns, 45–280
 - preoperative assessment, 294
 - transition at birth, 42–3
 - restrictive cardiomyopathy, 72, 394
 - restrictive respiratory disorders, 49–50
 - retina, 256
 - retinal hemorrhages, shaken baby
 - syndrome, 272, 276
 - retinoblastoma, 166
 - retinopathy of prematurity (ROP),
 - 195, 257
 - retrognathia, 352
 - rhabdomyolysis, anesthesia-induced, 262
 - rhabdomyomas, intracardiac, 72
 - rhabdomyosarcoma, 166
 - rheumatic heart disease, 71
 - rhinoplasty, 240
 - adult cleft, 243
 - infant cleft, 241
 - RIFLE criteria, 146
 - right heart catheterization, 20
 - right isomerism (asplenia syndrome), 126
 - right to left shunting, congenital heart disease, 89
 - Robin sequence. *See* Pierre Robin sequence
 - rocuronium, 34
 - ropivacaine
 - central neuraxial blockade, 327
 - doses, 33, 324
 - pharmacokinetics, 33, 323–4
 - rufinamide, 100
 - sacroccygeal teratoma, 197–8
 - Sano shunt, 68
 - saphenous nerve block, 337
 - sarcomas, 166–7
 - scalp injuries, 111
 - scaphocephaly, 243–4
 - Schumacher–Mandelbaum shunt, 69
 - Schwartz’s formula, creatinine clearance, 299
 - sciatic nerve block, 336–7
 - scoliosis, Marfan syndrome, 260
 - scrotal anatomy, 121, 138
 - sedation, preoperative, 318–20

Index

- sedative agents, 31–7
 routes of delivery, 319
 seizure disorders, 103, 108–9
 seizure surgery, 115
 seizures, 108, 115
 self-inflating bag, 10
 Senning procedure, 66, 69
 separation anxiety, 315, 363
 sepsis, 357
 septoplasty, 240
 severe combined immunodeficiency (SCID), 175
 sevoflurane, 32
 difficult airway management, 347
 induction of anesthesia, 342
 renal transplantation, 396
 sexual abuse, suspected, 272
 shaken baby syndrome, 272, 276
 Shikani optical stylet, 348
 shivering, 401
 shock, 40–357, 369
 pulmonary artery catheterization, 20
 trauma, 272
 shunt procedures, cerebrospinal fluid, 106–8
 shunting lesions, congenital heart disease, 89
 sick sinus syndrome, 358
 sickle cell disease, 162–3
 blood transfusion, 307
 pain, 222
 perioperative management, 369–71
 use of tourniquets, 268
 single-lung ventilation, 50, 348–9
 single twitch stimulation, 15
 sinus arrhythmia, 358
 sinus bradycardia, 358
 sinus tachycardia, 17, 358–9
 situs ambiguus (heterotaxy), 126, 141
 situs inversus, 126
 skeletal injuries, 279
 skin temperature measurement, 24
 skin-to-skin contact, for painful procedures, 217
 skull
 development, 243
 fractures, 112–13
 reconstruction, 248
 sleep disordered breathing
 adenotonsillectomy, 231–2
 craniofacial anomalies/cleft palate, 239
 small intestine
 atresias/stenoses, 121, 123, 125, 141, 209–10
 duplications, 125
 malrotation, 126, 141, 210
 SNAP index, 11
 sodium (Na), renal handling, 147, 300
 soft tissue sarcomas (STS), 166
 somatosensory evoked potentials (SSEPs), 13, 266
 spasticity, 114
 sphingolipidoses, 114
 spina bifida, 113–14, 196
 spinal anesthesia
 anatomic considerations, 326
 complications, 326
 indications and benefits, 326
 technique, 327
 spinal cord, 95
 blood flow, 266
 disorders, 113–14
 monitoring, 13–15, 266
 pain pathways, 213–14
 spinal cord injury, 272, 277
 without radiographic abnormality (SCIWORA), 277
 spinal fusion, 265–7
 anterior, 265
 combined anterior/posterior, 266
 posterior, 265–6
 spine, preoperative examination, 294
 spinothalamic tract, 214
 Stagnera wake-up test, 15
 starlight room, 148, 380, 383
 Starling forces, 298
 status epilepticus, 109–10, 369–70
 steroids. *See* corticosteroids
 stomach
 duplication, 122
 foreign bodies, 123–4
 strabismus repair, 258
 stress, perioperative, 362–3
 stress hyperglycemia, 371
 stress response, 192, 363
 stridor, 354
 subclavian vein cannulation, 6, 355
 subdural hematomas, 113
 subglottic stenosis, 47–8, 234
 succinylcholine, 28, 33–4
 burn patients, 287
 muscular dystrophy, 178, 262
 osteogenesis imperfecta, 261
 renal transplantation, 396
 sucking, non-nutritive, 217
 sucrose solutions, for painful procedures, 217
 sufentanil, 29, 57, 320
 sugammadex, 34–57
 sun-setting sign, 272, 276
 superficial cervical plexus block, 330
 supraclavicular block, 334
 supramaximal stimulus (SMS), 15
 supraorbital nerve block, 329
 supratrochlear nerve block, 329
 supraventricular tachycardia (SVT), 17, 73, 83–4, 358
 surface tension, intrapulmonary, 44
 surfactant, pulmonary, 40, 44
 suxamethonium. *See* succinylcholine
 sweating, 400
 sweet solutions, for painful procedures, 217
 sympathetic agents, 35–7
 sympathetic nervous system, 96
 syndactyly, 240, 246
 syndrome of inappropriate antidiuretic hormone (SIADH), 156–7
 systemic vascular resistance (SVR), changes at birth, 42, 53
 T lymphocytes, 172
 deficiencies, 173–5
 tachycardia, 17, 358–9
 tacrolimus, 141
 tear duct probing, 258
 tears, 256
 temozolomide, 168
 temperature, body. *See also* heat loss
 core, measurement, 24
 effects of tourniquets, 268
 interthreshold range, 400, 402
 management, 23–4, 400–3
 burn patients, 285
 cardiopulmonary bypass, 87
 computed tomography, 378
 liver transplantation, 390
 neurosurgery, 105
 remote locations, 374
 monitoring, 22–4, 403
 peripheral, measurement, 23–4
 regulation. *See* thermoregulation
 term infant, 188
 testes
 development, 138, 154
 undescended, 147–8
 tetanic stimulation, 16
 tetracaine gel, 217
 tetralogy of Fallot (TOF), 65
 thalamus, pain pathways, 214
 thalassemia, 163
 thermogenesis
 nonshivering, 3, 401
 shivering, 401
 thermoregulation, 3, 23, 400–3
 general anesthesia and, 402
 heat generation mechanisms, 401
 heat loss mechanisms, 3, 23, 400–1
 neonates and infants, 400
 regional anesthesia and, 402–3
 thioguanine (6-TG), 168
 thiopental, 31
 hemodynamic effects, 55
 induction of anesthesia, 343

- thiotepa, 173
 third-space fluid losses, 2, 301
 thoracic injuries, 279
 thrombocytopenia, end-stage liver disease, 389
 thumb hypoplasia, 240
 thyroid disorders, 158–9
 thyroid gland, 154
 thyroid stimulating hormone (TSH), 153
 thyroxine (T4), 154
 tiagabine, 108, 190
 tidal volume, 43
 tissue expansion, 238
 tongue, large, 352
 tongue–lip adhesion (TLA), 249
 tonsillectomy, 231–3
 topical anesthesia, 217
 topiramate, 108, 190
 topotecan, 168, 173
 total anomalous pulmonary venous return (TAPVR), 66
 total body water (TBW), 2, 298–9
 tourniquets, 267–8, 356
 trachea
 iatrogenic injuries, 355
 laser procedures, 235
 tracheal stenosis, 234, 352,
 See also subglottic stenosis
 tracheobronchial tree
 development, 38–40
 obstruction, 47–8
 tracheoesophageal fistula (TEF),
 120–2, 141, 203–5
 tracheomalacia, 234, 352
 tracheostomy, 233
 train-of-four (TOF) stimulation, 16
 tramadol, 294
 tranexamic acid (TXA), 308
 transcranial Doppler ultrasound (TCD), 12
 transfusion, 305–7
 burns, 285
 consent issues, 296
 craniofacial surgery, 251
 indications, 306–7
 liver transplantation, 135
 lowering thresholds for, 307
 massive
 prevention of cardiac arrest,
 360–1
 trauma, 276
 minimizing need. *See* blood conservation strategies
 risks, 305–6
 surgical procedures and, 307
 trauma, 272, 276
 transfusion-associated graft versus host disease (TA-GVHD), 135
 transfusion-related gut injury (TRAGI), 306
 transfusion-related immunomodulation (TRIM), 306
 transfusion-related lung injury (TRALI), 306
 transition at birth
 circulation, 53
 respiratory system, 42–3
 translocations, chromosome, 185
 transportation
 after off-site anesthesia, 374
 critically ill patients, 369–71
 transposition of great arteries (TGA), 65–6
 congenitally corrected (cc-TGA), 68
 transversus abdominis plane block, 332
 trauma, 271–9
 abdominal, 279
 airway and induction, 273–5
 airway obstruction, 353
 analgesia for, 215–16
 craniomaxillofacial, 249–50, 278–9
 hand, 240
 head. *See* head injury
 iatrogenic, 355–6
 initial management and resuscitation, 272–3
 intraoperative management, 275–6
 massive blood transfusion, 276
 musculoskeletal, 279
 ocular penetrating, 257–8
 pain after, 215
 spinal cord. *See* spinal cord injury
 thoracic, 279
 traumatic brain injury (TBI), 271, 276–7, *See also* head injury
 Treacher Collins syndrome, 46, 182, 247
 tricuspid atresia, 65
 trigonocephaly, 243, 245
 triiodothyronine (T3), 154
 trisomy 8 syndrome, 186
 trisomy 9 syndrome, 186
 trisomy 13 syndrome, 186
 trisomy 18 syndrome, 186
 trisomy 21 (Down syndrome), 186, 291
 Trueview EVO2 video laryngoscope, 346
 truncus arteriosus, 66
 tuberous sclerosis, 103
 tumor lysis syndrome, 265
 tumors, obstructing airway, 45–6, 353
 Turner syndrome, 186
 22q11.2 deletion syndrome.
 See DiGeorge syndrome
 tympanic membrane temperature, 24
 tympanoplasty, 235–6
 ulcerative colitis, 130
 ulnar nerve block, 335
 ultrafiltration techniques,
 cardiopulmonary bypass, 87–8
 ultrasound guidance
 central venous cannulation, 5, 148
 peripheral nerve blocks, 329
 umbilical vein cannulation, 5
 Univent endotracheal tube, 50, 349
 upper airway
 neonates and infants, 1, 189
 obstruction, 45–7
 upper gastrointestinal endoscopy,
 140–3, 379, 381–2
 upper respiratory tract infections (URTIs), 232, 292–3
 urea cycle disorders, 135
 ureteropelvic junction obstruction, 148
 urinary tract defects, 146
 urine concentrating ability, neonates,
 190, 300
 urologic surgery, 147–51
 vagal nerve stimulator, 115
 valproate
 epilepsy, 103, 108, 190
 neuropathic pain, 223
 vascular access
 central, techniques, 6–50
 heart transplantation, 395
 inadequate, 354–5
 liver transplantation, 390
 preoperative assessment, 294
 trauma, 272
 vascular injuries, 279
 vascular pressures, monitoring, 17–20
 vasoactive medications, cardiovascular effects, 57–9, 64–5
 vasoconstriction, cutaneous, 400
 vasodilation, cutaneous, 3, 400
 vasopressin (antidiuretic hormone; ADH)
 cardiovascular effects, 59, 65
 diabetes insipidus, 156
 pharmacology, 35
 physiology, 154, 300
 VATER/VACTERL association, 122, 203, 208
 vecuronium, 34
 vein of Galen malformations (VGAMs), 198
 velocardiofacial (VCF) syndrome.
 See DiGeorge syndrome
 velopharyngeal insufficiency (VPI), 242

Index

venlafaxine, neuropathic/chronic pain, 223	very low birth weight (VLBW) infants, 188	wake-up test, 15, 266
venous air embolism. <i>See</i> air embolism, venous	vesicoureteral reflux (VUR), 148–9	water, total body (TBW), 2, 298–9
ventilation, 42–3	video-assisted thoracoscopic surgery (VATS), 228	Waterston–Cooley shunt, 69
congenital diaphragmatic hernia, 202–3	video laryngoscopes (VL), 4, 346–7	white blood cell count, 190
devices, 9–10	vigabatrin, 101, 108	white blood cells, development, 161
mask, 4, 343–4	vincristine/vinblastine, 168	whole blood, transfusion, 306
monitoring, 21–2	visual analog scales (VAS), pain assessment, 214	Williams syndrome, 68
single lung, 50, 348–9	visual loss, postoperative (POVL), 265–6, 356	Wilms tumor, 167, 396
ventilation/perfusion matching, 44	vitreous chamber, 256	Wilson’s disease, 387
ventilation/perfusion mismatch, near-drowning, 278	vocal cord injuries, iatrogenic, 355	Wolff–Parkinson–White (WPW) syndrome, 17, 73
ventricular fibrillation, 358	volatile anesthetics, 32–7, 57, 63–4, <i>See also</i> inhalational anesthetics	Wong–Baker Faces Scale, 214
ventricular septal defect (VSD), 66	volume, fluid. <i>See</i> fluid volume	
ventricular shunts, 106–8	volvulus, midgut, 126–7	X-linked agammaglobulinemia, 172
ventricular tachycardia, 73, 358	von Willebrand disease (vWD), 164–241	zero-balance ultrafiltration (Z-BUF), 87–8
ventriculostomy, 97		zonisamide, 100