

## I N D E X.

---

- ABDOMEN of insects, i. 324.  
 Aberration, chromatic, ii. 474.  
 Aberration of parallax, ii. 459, 472.  
 Aberration, spherical, ii. 458, 471.  
 Absorption, vegetable, ii. 19, 22.  
 Absorption, animal, ii. 12, 351.  
 Absorption, lacteal, ii. 226.  
 Absorption of shell, i. 239.  
 Acalepha, i. 192; ii. 293.  
 Acarus, i. 297.  
*Achatina zebra*, i. 242.  
 Achromatic power, ii. 475.  
 Acephala, i. 217; ii. 116, 300.  
 Acetabulum, i. 405.  
 Acid secretions, ii. 46.  
 Acrida, ii. 214.  
 Acridium, i. 333.  
 Acoustic principles, ii. 414.  
 Actinia, i. 182, 197; ii. 99, 383, 477, 586, 592.  
 Adipose substance, i. 123.  
 Adductor muscle, i. 218.  
 Aeration of sap, ii. 29.  
 Aeration, animal, ii. 34, 611.  
*Æschna*, i. 351.  
 Affinities, organic, ii. 7.  
 Agastric medusæ, ii. 92.  
 Age of trees, i. 85.  
 Age, effects of, ii. 620.  
 Agouti, i. 498.  
 Agrion, ii. 240.  
 Air-bladder, i. 429.  
 Air cells of plants, i. 76.  
 Air cells of birds, ii. 329.  
 Air, rarefaction of, in birds, i. 557.  
 Air tubes in plants, i. 73.  
 Albumen, i. 105.  
 Albumum, i. 85; ii. 41.  
 Algæ, ii. 19.  
 Alimentary canal, ii. 107.  
 Alimentary canal, formation of, ii. 610.  
 Alitrunk, i. 345.  
 Alligator, i. 458, 460; ii. 409.  
 Amble, i. 495.  
 Ambulacra, i. 201.  
*Amici*, i. 77; ii. 50.  
 Amphibia, i. 436, 487.  
 Amphibæna, i. 447, 448.  
 Amphitrite, i. 281.  
 Anabas, ii. 306.  
 Analogy, law of, i. 49; ii. 625.  
 Anarrichas, ii. 128.  
 Anchylosis, i. 382.  
 Ancillaria, i. 241.  
 Anemone, sea, i. 198.  
 Angler, i. 422; ii. 390.  
 Anguis, i. 447, 454.  
 Animal functions, i. 39.  
 Animal organization, i. 96.  
 Animalcules. *See* Infusoria.  
 Annelida, i. 269; ii. 249, 297, 383, 479.

- Annular vessels, i. 74.  
 Anodon, i. 231.  
 Ant, ii. 386, 483, 486.  
 Ant-eater, i. 524; ii. 134.  
 Antelope, ii. 147, 402.  
 Antelope, horn of, i. 515.  
 Antennæ, i. 288; ii. 383.  
 Antennulæ, ii. 124.  
 Anther, ii. 596.  
 Anthias, ii. 306.  
 Anthophora, i. 352.  
 Antipathes, i. 166.  
 Antler of deer, i. 509.  
 Antrum maxillare, ii. 400.  
 Aorta, ii. 108, 609.  
 Aphrodite, ii. 102, 125, 298.  
 Aplysia, ii. 126, 168, 551.  
 Apodes, i. 423.  
 Apterous insects, i. 296.  
 Aquatic animals, i. 146.  
 Aquatic plants, ii. 48.  
 Aquatic larvæ, i. 309.  
 Aquatic insects, i. 335.  
 Aquatic birds, i. 592.  
 Aquatic respiration, ii. 293.  
 Aqueous humour, ii. 463.  
 Arachnida, i. 282; ii. 121,  
 316, 389, 485, 587.  
 Aranea. *See* Spider.  
 Arbor vitæ, ii. 559.  
 Arenicola, i. 277; ii. 295.  
 Argonauta, i. 265.  
 Aristotle, ii. 559.  
 Aristotle, lantern of, ii. 119.  
 Arm, human, i. 544.  
 Armadillo, ii. 382.  
 Arteries, i. 41; ii. 108.  
 Articulata, i. 268.  
 Ascaris, ii. 114, 540.  
 Ascidia, i. 137; ii. 297.  
 Ass, i. 516.  
 Assimilation, i. 41; ii. 11.  
 Astacus, ii. 435, 491.  
 Asterias, i. 200; ii. 100, 208,  
 235, 297, 383, 549, 586.  
 Ateles, i. 399, 534.  
 Atlas of Lion, i. 529.  
 Atmosphere, purification of, ii.  
 35.  
 Atmospheric respiration, ii.  
 310.  
 Atriplex, ii. 48.  
 Audouin, i. 290, 323, 324;  
 ii. 244, 317, 542.  
 Audubon, ii. 407.  
 Auricle, ii. 108, 259.  
 Auricula, i. 251.  
 Avicula, i. 235.  
 Axillæ of plants, i. 90; ii.  
 589.  
 Axelotl, ii. 324.  
 Babiroussa, ii. 141.  
 Bacculite, i. 267.  
 Baer, ii. 479, 613, 634.  
 Baker, ii. 478.  
 Balæna. *See* Whale.  
 Balance of affinities, ii. 7.  
 Balistes, i. 432.  
 Banks, i. 453.  
 Barbels of fish, ii. 390.  
 Bark, formation of, i. 86.  
 Barnacle, i. 257; ii. 296.  
 Bat, i. 551; ii. 136, 567.  
 Batrachia, i. 436; ii. 597.  
 Batrachospermum, ii. 48.  
 Bauer, i. 63.  
 Bear, ii. 146.  
 Beard of oyster, ii. 300.  
 Beaver, i. 524; ii. 149, 186,  
 191.  
 Bee, i. 351; ii. 387.  
 Belchier, i. 384.  
 Bell (Sir C.), ii. 535.  
 Bell (Thomas), i. 482; ii. 409.  
 Bellini, ii. 393.  
 Berberis, i. 127.  
 Berkeley, ii. 520.  
 Beroe, i. 194, 203.  
 Berzelius, ii. 18.  
 Bicuspid teeth, ii. 144.  
 Bipes canaliculatus, i. 457.  
 Birds, i. 554; ii. 130, 328,  
 404, *et passim*.

Cambridge University Press  
978-1-108-00007-9 - Animal and Vegetable Physiology: Considered with Reference  
to Natural Theology, Volume 2

Peter Mark Roget

Index

[More information](#)

## INDEX.

645

- Blind-worm, i. 454, 457.  
 Blood, ii. 334.  
 Blood-vessels, ii. 281.  
*Blumenback*, ii. 426.  
 Boa, i. 447, 448.  
 Boar, i. 56; ii. 141, 161.  
 Bombyx, i. 300, 304, 312; ii. 486.  
 Bone, i. 111, 365, 375.  
*Bonnet*, i. 53; ii. 17, 79, 92, 252, 478.  
*Borelli*, i. 588.  
*Bosc*, i. 149.  
*Bostock*, ii. 333.  
 Bound of deer, i. 495.  
*Bowerbank*, ii. 241.  
*Boyle*, ii. 16.  
 Bractææ, i. 94.  
 Bradypus, i. 481; ii. 284.  
 Brain, i. 35; ii. 366, 555, 575.  
 Brain, formation of, ii. 605.  
 Branchiæ, ii. 267, 293, 299.  
 Brassica, ii. 48, 53.  
 Braula, ii. 483.  
*Breschet*, ii. 427.  
*Brewster*, i. 232; ii. 472, 495.  
 Brocken, spectre of, ii. 533.  
*Broussonnet*, ii. 587.  
*Bruguiere*, i. 149, 248.  
 Bryophyllum, ii. 586.  
 Buccinum, i. 215, 229, 242; ii. 126, 301.  
*Buckland*, ii. 206.  
 Buds, i. 86; ii. 588.  
*Buffon*, i. 185; ii. 530, 591.  
 Bulb of hair, i. 117.  
 Bulb of feather, i. 577.  
 Bulbus arteriosus, ii. 273.  
 Bulbulus glandulosus, ii. 185.  
 Bulimus, i. 249.  
 Bulla, ii. 168.  
 Burrowing of the mole, i. 525.  
 Cabbage, ii. 48, 53.  
 Cachalot, i. 484; ii. 142.  
 Cæca, ii. 101, 206.  
 Cæcilia, ii. 497.  
 Calamary, i. 261.  
 Callionymus, ii. 503.  
 Calosoma, i. 320.  
 Cambium, ii. 40.  
 Camel, i. 108; ii. 176, 198.  
 Cameleopard, i. 481, 498; ii. 135.  
 Camera obscura, ii. 458.  
 Camerated shells, i. 265.  
 Campanularia, ii. 234.  
*Camper*, ii. 437, 443, 561.  
 Canada rat, ii. 178.  
 Cancelli, i. 374.  
 Cannon bone, i. 505.  
 Capibara, ii. 160.  
 Capillaries, ii. 263.  
 Capsular ligaments, i. 106.  
 Caput Medusæ, i. 212.  
 Carapace, i. 290, 463.  
 Carbon, non-absorption of, ii. 17.  
 Carbonic acid, ii. 30, 337.  
 Cardia, ii. 182.  
 Cardium, i. 131, 221, 222, 224.  
 Carduus, i. 127.  
 Carinated sternum, i. 566.  
*Carlisle*, i. 426, 434; ii. 285, 567.  
 Carnivora, i. 528; ii. 66, 145.  
 Carp, i. 411, 429.  
 Carpus, i. 405.  
 Cartilage, i. 109.  
 Caruncle, lacrymal, ii. 468.  
*Carus*, i. 366; ii. 208, 219, 240, 252, 505.  
 Cassowary, i. 586; ii. 224.  
 Cat, ii. 392, 505.  
 Caterpillar, i. 305, 315; ii. 484.  
 Caudal vertebræ, i. 404.  
*Cavolini*, i. 159.  
 Celandine, ii. 48.  
 Cells of plants, i. 66, 69.  
 Cellular texture, animal, i. 99.  
 Centaurea, i. 127.  
 Cephalic ganglion, ii. 541.

- Cephalo-thorax, i. 282.  
 Cephalopoda, i. 258; ii. 220, 551.  
 Cerambyx, i. 328; ii. 311, 313.  
 Cercaria, i. 186; ii. 479.  
 Cerebellum, ii. 555.  
 Cerebral ganglion, ii. 541.  
 Cerebral hemispheres, ii. 556.  
 Cerithium, i. 249.  
 Ceroxyton, ii. 48.  
 Cetacea, i. 481, 482; ii. 142, 176, 193, 442, 555, 616.  
*Chabrier*, i. 108, 346.  
 Chain of being, i. 53; ii. 629.  
 Chalcides, i. 448, 457.  
 Chameleon, i. 462; ii. 129, 390, 499.  
 Chara, ii. 50, 254.  
 Chelidonium, ii. 48.  
 Chelonia, i. 463; ii. 130, 276, 321, 439.  
 Chemistry, organic, ii. 5, 333.  
*Cheselden*, ii. 520.  
*Chevrenil*, i. 123.  
*Children*, i. 318; ii. 491.  
 Chitine, i. 318.  
*Chladni*, ii. 417.  
 Chondrilla, ii. 52.  
 Choroid coat, ii. 462.  
 Choroid gland, ii. 495.  
 Chromatic aberration, ii. 474.  
 Chromule, i. 70.  
 Chrysalis, i. 307.  
 Chyle, ii. 107, 203.  
 Chyme, ii. 181.  
 Cicada, i. 340.  
 Cicindela, ii. 212.  
 Cilia, i. 126, 154, 157, 173, 195, 203, 215.  
 Ciliary ligament, ii. 463.  
 Cimbex, i. 333.  
 Cimex, ii. 124.  
 Cineritious, ii. 561.  
 Circulation, ii. 11, 229.  
 Cirrhi, ii. 296, 389.  
 Cirrhopoda, i. 257.  
 Classification, i. 51; ii. 625.  
 Clausilia, ii. 317.  
 Clausium, i. 253.  
 Clavicle, i. 404, 523, 566.  
 Claviger, ii. 483.  
 Claw in lion's tail, i. 531.  
 Clio, i. 258; ii. 138.  
*Cloquet*, ii. 498.  
 Clypeaster, i. 211.  
 Cobitis, ii. 309.  
 Cobra de capello, i. 549; ii. 164.  
 Coccygeal bone, i. 404.  
 Cochlea, ii. 427.  
 Cockchaffer. *See* Melolontha.  
 Cockle, i. 221. *See* Cardium.  
 Cod, lens of, i. 59; ii. 496.  
 Cœnurus, ii. 84.  
 Co-existence of forms, i. 50.  
 Coffin-bone, i. 517.  
 Coleoptera, i. 348; ii. 382.  
 Collar-bone, i. 404.  
 Colours of insects, i. 318.  
 Colours, perceptions of, ii. 531.  
 Coluber, i. 448, 450; ii. 164.  
 Columella, i. 243; ii. 439.  
 Commissures of brain, ii. 562.  
*Comparetti*, ii. 244, 436.  
 Complementary colours, ii. 531.  
 Compound eyes, ii. 483.  
 Concha of the ear, ii. 421.  
 Condor, ii. 331.  
 Conger eel, ii. 556.  
 Conglomerate eyes, ii. 483.  
 Conjunctiva, ii. 466.  
 Consumption of animal matter, ii. 60.  
 Contractility, muscular, i. 125.  
 Conus, i. 250.  
 Convolutions of the brain, ii. 558.  
 Convolvulus, ii. 48.  
*Cooper*, ii. 434.  
 Coracoid bone, i. 404, 566.  
 Coral, i. 166.  
 Coral islands, i. 15.

Cambridge University Press  
978-1-108-00007-9 - Animal and Vegetable Physiology: Considered with Reference  
to Natural Theology, Volume 2

Peter Mark Roget

Index

[More information](#)

## INDEX.

647

- Corium, i. 112.  
Cornea, ii. 461.  
Corneule, ii. 487.  
Cornu Ammonis, i. 267.  
Coronet bone, i. 517.  
Corpora quadrigemina, ii. 555.  
Corpus callosum, ii. 562.  
Corpus papillare, ii. 378.  
Cortical substance, ii. 561.  
Cossus, i. 300, 312, 355.  
*Cotunnus*, ii. 427.  
Cowrie, i. 247.  
Crab, i. 290; ii. 258, 299, 317, 493.  
Cranium, i. 399, 400, 443, 470.  
Cranium of insects, i. 322.  
Craw, ii. 169.  
Cray-fish, ii. 435, 491.  
Cribiform plate, ii. 400.  
Crinoidea, i. 212.  
Crocodile, i. 458, 460, 462; ii. 142, 163, 276, 409, 440, 557.  
Crop, ii. 179.  
Cross-bill, ii. 131.  
Crotalus, i. 450.  
Crust, i. 111, 292.  
Crusta petrosa, ii. 152.  
Crustacea, i. 286; ii. 269, 295, 299, 542, 587.  
Cryptogamia, i. 71; ii. 593.  
Crystalline lens, i. 59; ii. 462.  
Crystalline needles in biliary ducts, ii. 219.  
Curculio, i. 328.  
Cushions of insects, i. 331.  
Cuticle, vegetable, i. 77.  
Cuticle, animal, i. 112; ii. 377.  
Cuttle-fish. *See* Sepia.  
*Cuvier*, passim.  
*Cuvier* (F.), i. 120, 574.  
Cyclidium, i. 186.  
Cyclocæla, ii. 98.  
Cyclosis, ii. 49, 233.  
Cyclostomata, ii. 116.  
Cymbia, i. 241.  
Cymothoa, ii. 544.  
Cypræa, i. 247.  
Cyprinus, i. 116, 411.  
Cysticule, ii. 438.  
*Daldorff*, i. 433; ii. 306.  
*Darwin*, i. 89.  
*Darwin* (Dr. R.), ii. 530.  
*Davy*, ii. 17, 338.  
*Davy* (Dr.), ii. 274.  
Death, ii. 624.  
*De Blainville*, i. 63, 248, 366; ii. 252, 428, 482, 497, 570.  
*De Candolle*, i. 93; ii. 19, 25, 28, 30, 38, 51, 620.  
*De Candolle* (junior), ii. 47.  
Decapoda, ii. 258.  
Decline of the system, ii. 619.  
Decollated shells, i. 249.  
Deer, i. 507; ii. 402.  
*Defrance*, i. 256.  
*De Geer*, i. 341.  
Deglutition, ii. 174.  
*Delaroche*, ii. 309, 497.  
*De Montégre*, ii. 183.  
Dermo-skeleton, i. 366.  
*De Saussure* (Th.), ii. 30.  
*Des Cartes*, ii. 364, 560.  
*De Serres*, ii. 211, 239, 485.  
Design, evidence of, i. 28.  
Design, unity of, ii. 625.  
Developement, vegetable, i. 82.  
Developement, animal, ii. 599.  
Diaphragm, ii. 326, 611.  
Diffusion of animals, ii. 64.  
Digestion, i. 41; ii. 180.  
Digitigrada, i. 533.  
Diodon, i. 433.  
Dioecia, ii. 596.  
Dionæa, i. 128.  
Diplozoon, ii. 608.  
Diptera, i. 323, 353; ii. 115.  
*Diquemare*, i. 220.  
Distoma, ii. 113.  
Divisibility of matter, ii. 397.

- Dollinger*, ii. 614.  
 Dolphin, ii. 142, 442, 507, 616.  
*Doras costatus*, ii. 307.  
*D'Orbigny*, i. 265.  
 Doris, ii. 126, 296.  
 Dormouse, ii. 191.  
 Dorsal vessel, ii. 236.  
 Dory, i. 421.  
 Dove, ii. 554, 557.  
 Down of plants, i. 94.  
 Down of birds, i. 572.  
*Draco volans*, i. 56, 547.  
 Dragon-fly, i. 310, 351; ii. 487.  
 Dreaming, ii. 536.  
 Dromedary, ii. 223.  
 Duckweed, ii. 589.  
*Dufour* (Léon), ii. 209, 313.  
*Dugès*, ii. 244, 250, 479, 487, 491.  
 Dugong, ii. 142, 279, 442.  
*Duhamel*, ii. 16, 20.  
*Dumas*, ii. 393.  
*Duméril*, ii. 411.  
*Dumortier*, i. 366.  
 Duodenum, ii. 208.  
*Dutrochet*, i. 75, 190; ii. 314.  
*Dytiscus*, i. 29, 311, 333, 336; ii. 311, 313.  
 Eagle, ii. 130.  
 Ear, ii. 421.  
 Ear-drum, ii. 422.  
*Earle*, i. 560.  
 Earths in plants, ii. 43.  
 Earth-worm, (see *Lumbricus*).  
 Echinodermata, i. 199.  
*Echinus*, i. 203, 210; ii. 101, 119, 297, 383.  
*Edwards*, ii. 317, 542, 631.  
 Eel, i. 424; ii. 307.  
 Egg, ii. 597.  
*Ehrenberg*, i. 13, 186, 189; ii. 93, 478, 592.  
*Ehrmann*, ii. 309.  
 Elaboration, successive, ii. 13.  
 Elastic ligaments, i. 107.  
 Elater, i. 341.  
 Elearine, i. 123.  
 Electric organs, i. 31.  
 Electricity, ii. 350.  
 Elements, organic, ii. 6.  
 Elephant, i. 56, 108, 491, 518; ii. 141, 154, 162, 199, 223, 392, 504, 559.  
*Ellis*, i. 150.  
 Elytra, analysis of, i. 318, 349.  
 Embryo, ii. 595.  
 Emu, i. 586.  
 Emys, i. 474.  
 Enamel of teeth, ii. 150.  
 Endogenous plants, i. 83.  
 Entomoline, i. 115, 318.  
 Entomostraca, ii. 493.  
 Entozoa, i. 282; ii. 83, 113, 235, 294, 540, 591.  
 Ephemera, i. 311; ii. 241.  
 Epidermis, vegetable, i. 88.  
 Epidermis, animal, i. 112, 113, 231.  
 Epiphragma, i. 253.  
 Equivocal generation, ii. 591.  
 Equorea, ii. 85.  
 Erato, i. 247.  
 Erect vision, ii. 521.  
 Erpobdella, i. 272; ii. 252.  
 Eryx, i. 447.  
 Esox, i. 427.  
 Ethmoid bone, ii. 400.  
 Eudora, ii. 91.  
*Euler*, ii. 475.  
 Eunice, ii. 480.  
 Euphorbium, ii. 59.  
 Euryale, i. 212.  
 Eustachian tube, ii. 424.  
 Evil from animal warfare, i. 46; ii. 67.  
 Excretion, ii. 12.  
 Excretion, vegetable, ii. 46, 51.  
 Exhalation by leaves, ii. 27.  
 Exocetus, i. 547.  
 Exogenous plants, i. 83.  
 Eye, i. 31; ii. 460, 587, 589.  
 Eye, formation of, ii. 605.

Cambridge University Press

978-1-108-00007-9 - Animal and Vegetable Physiology: Considered with Reference to Natural Theology, Volume 2

Peter Mark Roget

Index

[More information](#)

## INDEX.

649

- Eye-lids, formation of, ii. 615.
- Fabricius*, i. 195.
- Facial angle, ii. 561.
- Fairy rings, ii. 55.
- Fallacies of perception, ii. 514.
- Fangs of serpents, ii. 163.
- Faraday*, ii. 524.
- Fasciola, ii. 113.
- Fasciolaria, i. 249.
- Fat, i. 123.
- Fata Morgana, ii. 533.
- Feathers, i. 568, 591.
- Fecula, i. 70.
- Fecundation, ii. 595.
- Feelers, i. 288 ; ii. 383.
- Feet-jaws, i. 289.
- Feet of birds, i. 584.
- Femur, i. 287, 328, 405.
- Fenestræ of ear, ii. 425.
- Ferns, i. 83 ; ii. 593.
- Fibre, animal, i. 98, 105.
- Fibula, i. 405.
- Fig-tree, ii. 48.
- Fig Marygold, ii. 48.
- Filaments of feathers, i. 569.
- Filaria, i. 63.
- Filices, i. 83 ; ii. 593.
- Final causes, i. 1, 22, et passim.
- Fins of fishes, i. 421.
- Fins of cetacea, i. 486.
- Fishes, i. 109, 408 ; ii. 127, 272, 389, 410, 494, et passim.
- Fissiparous reproduction, ii. 583.
- Flea, i. 297.
- Flight, i. 344, 545.
- Flourens*, ii. 305.
- Flower, ii. 595.
- Fluidity, organic, i. 61.
- Flustra, i. 165, 169, 172.
- Flying fish, i. 547.
- Flying lizard, i. 547.
- Flying squirrel, i. 550.
- Focus, ii. 453.
- Fohmann*, ii. 353.
- Follicles, i. 114 ; ii. 185.
- Fontana*, ii. 614.
- Food of plants, ii. 15.
- Food of animals, ii. 57.
- Foot of mollusca, i. 221.
- Forces, physical, i. 6.
- Fordyce*, ii. 172.
- Fovilla, ii. 596.
- French bean, ii. 52.
- Frog, i. 437 ; ii. 128, 222, 274, 439.
- Fucus vesiculosus*, i. 66.
- Functions, i. 34, 38 ; ii. 69.
- Fungi, ii. 55.
- Furcular bone, i. 566.
- Furcularia, i. 62.
- Fusiform roots, ii. 21.
- Future existence, ii. 580, 640.
- Gaede*, ii. 86.
- Gaimard*, i. 97.
- Galeopithecus, i. 550.
- Galileo*, i. 81.
- Gallinæ, ii. 554.
- Gallop, i. 495.
- Galvanism, ii. 514.
- Ganglion, ii. 358.
- Gasteropoda, i. 227 ; ii. 176, 300, 480.
- Gastric juice, ii. 183.
- Gastric teeth, ii. 167, 214.
- Gastric glands, ii. 184.
- Gastrobranchus, i. 407, 416 ; ii. 116, 497.
- Gay Lussac*, ii. 314.
- Gecko, i. 460 ; ii. 390.
- Gelatin, i. 105.
- Gemmiparous reproduction, ii. 588.
- Gemmule, i. 156 ; ii. 591.
- Geometer caterpillars, i. 315.
- Germs, vegetable, i. 86 ; ii. 588.
- Geronia, ii. 91.
- Gillaroo trout, ii. 202.
- Gills, i. 439 ; ii. 267, 299.
- Gimbals, i. 330.

- Gizzard, ii. 169, 214.  
Glands, vegetable, i. 77; ii. 45.  
Glands, animal, ii. 348.  
Glands in crocodile, ii. 409.  
Glands, gastric, ii. 184.  
*Gleichen*, ii. 94.  
Globules, i. 64, 98.  
Glossa, ii. 124.  
Glossopora, ii. 104.  
*Gmelin*, i. 149.  
Gnat, ii. 115.  
Goat, ii. 402.  
*Goeze*, ii. 478.  
Gonium, i. 187.  
Goose, ii. 173, 500.  
Gordius, i. 63, 276.  
Gorgonia, i. 166.  
Gradation of being, i. 53; ii. 629.  
Grampus, ii. 142.  
Grallæ, i. 585, 592.  
*Grant*, i. 147, 151, 169, 172, 175, 195, 203, 215, 587; ii. 478.  
*Gray*, i. 219, 239, 254.  
Growth, vegetable, i. 84; ii. 21, 599.  
*Gruithuisen*, ii. 479.  
Gryllotalpa, i. 342; ii. 385.  
Gryllus, ii. 244.  
Guinea-pig, i. 498.  
Gulstonian lectures, ii. 532.  
Gum, ii. 37.  
Gurnard, ii. 554.  
Gymnotus, i. 424; ii. 572.
- Hæmatopus, ii. 131.  
*Haidinger*, i. 205.  
Hair, vegetable, i. 94.  
Hair, animal, i. 117, 319.  
Hair-worm, i. 276.  
*Hales*, ii. 26.  
Haliotis, i. 231.  
*Haller*, i. 98.  
Halteres, i. 353.  
Hamster, ii. 178.
- Hancock*, ii. 307.  
Hand, i. 544; ii. 392.  
*Hanow*, ii. 478.  
Hare, i. 497; ii. 149, 191.  
*Hartley*, ii. 563.  
*Harwood*, ii. 404, 405.  
*Hatchett*, ii. 43.  
*Hauksbee*, ii. 415.  
Haunch in insects, i. 287, 328.  
Hawk, ii. 130.  
Head of insects, i. 322.  
Hearing, ii. 414, 571.  
Heart, i. 41, 138; ii. 258, 607.  
Hedge-hog, i. 524, 527.  
Hedysarum gyrans, i. 127.  
*Hedwig*, i. 74.  
Helix, i. 242, 253; ii. 126, 317, 481.  
*Hellman*, ii. 390.  
Hemiptera, i. 309, 350; ii. 115.  
Hemispheres, cerebral, iii. 556.  
Henbane, ii. 59.  
*Henderson*, ii. 338.  
Hepatic vessels, ii. 208, 214.  
Herring, i. 421.  
*Herschel* (Sir W.), ii. 529.  
*Herschel* (Sir John), i. 232; ii. 44, 571.  
*Hervey*, ii. 288.  
Hesperia, i. 356.  
Hexastoma, ii. 113.  
Hippopotamus, ii. 141, 151, 152, 162, 193, 443, 504.  
Hirudo, i. 138, 281; ii. 102, 125, 252, 298, 480.  
*Hodgkin*, i. 99, 127.  
*Hodgson*, ii. 403.  
Hog, i. 402, 521; ii. 193, 392.  
Holothuria, ii. 208, 235, 296, 550.  
*Home* (Sir Everard), passim.  
Honey-comb stomach, ii. 195.  
Hooded snake, i. 549.  
Hooks on feet of insects, i. 331.  
Hop, i. 91.  
Horn, i. 115, 514.



Cambridge University Press

978-1-108-00007-9 - Animal and Vegetable Physiology: Considered with Reference to Natural Theology, Volume 2

Peter Mark Roget

Index

[More information](#)

## INDEX.

651

- Horn on beak of chick, ii. 615.  
 Horse, i. 516; ii. 191, 401, 569.  
 Horse-fly, ii. 115.  
 Hostilities of animals, i. 46; ii. 67.  
*Houston*, ii. 129.  
*Huber*, ii. 386, 413.  
 Human fabric, i. 536; ii. 559.  
*Humboldt*, ii. 308, 314, 338.  
 Humerus, i. 405.  
 Humours of the eye, ii. 460.  
*Hunter*, i. 108; ii. 171, 188, 330.  
 Hyæna, i. 499; ii. 61, 149.  
 Hybernation, ii. 536.  
 Hydatid, ii. 84, 113, 591.  
 Hydatina, ii. 97, 98, 479, 539.  
 Hydra, i. 162, 176; ii. 74, 477, 538, 586, 590.  
 Hydrogen, ii. 45.  
 Hydrophilus, i. 311.  
 Hydrostatic acelepha, i. 196.  
 Hyla, i. 445.  
 Hymenoptera, i. 323, 351; ii. 116, 244.  
 Hyoid bone, ii. 132, 303.  
 Hyrax, ii. 191.  
  
 Ichthyosaurus, i. 469.  
 Ilium, i. 405.  
 Imago, i. 307, 317.  
 Incisions of insects, i. 327.  
 Incisor teeth, ii. 143.  
 Incus, ii. 426.  
 Indian walrus, ii. 142.  
 Individuality of polypes, i. 173.  
 Infusoria, i. 183; ii. 539, 583.  
 Injuries, reparation of, ii. 3, 587.  
 Inorganic world, i. 7.  
 Insects, i. 11, 108, 296; ii. 207, 236, 395, 436, 546, 570.  
 Insectivora, i. 525.  
 Instinct, ii. 574.  
 Integuments, i. 111; ii. 377.  
 Intercellular spaces, i. 70.  
 Intermaxillary bone, ii. 143, 634.  
 Interspinous bones, i. 396.  
 Intestine, ii. 101.  
 Iriarte, ii. 48.  
 Iridescence, i. 232.  
 Iris, i. 136; ii. 463.  
 Ischium, i. 405.  
 Isis, i. 168.  
 Ivy, i. 92.  
  
*Jacobson*, ii. 568, 570.  
*Jerboa*, i. 497, 538.  
*Johnson*, ii. 104.  
*Julus*, i. 298; ii. 485.  
*Jurine*, ii. 567.  
  
 Kaleidoscope, ii. 533.  
 Kangaroo, i. 399, 497, 538; ii. 193, 598.  
*Kater*, ii. 491.  
 Kerona, i. 186.  
*Kidd*, i. 342; ii. 313, 348, 385.  
*Kiernan*, ii. 350.  
*Kieser*, i. 66, 74.  
*Kirby*, i. 327; ii. 413, 485.  
*Knight*, ii. 595.  
 Knots in wood, ii. 589.  
 Koala, i. 527.  
 Kolpoda, i. 187.  
  
 Labium of insects, ii. 123.  
 Labrum of insects, ii. 123.  
 Labyrinth, ii. 427.  
 Lacerta, i. 457, 458.  
 Lacrymal organs, ii. 466.  
 Lacteals, ii. 107, 226.  
*Lamarck*, i. 149; ii. 93, 637.  
 Lamina spiralis, ii. 430.  
*Lamouroux*, i. 149.  
 Lamprey, i. 416; ii. 116, 305, 437.  
 Lancets of diptera, ii. 115.  
 Language of insects, ii. 386.  
 Lark, i. 582.

Cambridge University Press

978-1-108-00007-9 - Animal and Vegetable Physiology: Considered with Reference to Natural Theology, Volume 2

Peter Mark Roget

Index

[More information](#)

652

INDEX.

- Larva, i. 304, 306.  
*Lassaigne*, i. 318 ; ii. 183.  
*Latham*, ii. 189.  
*Latreille*, i. 290 ; ii. 316; 389, 493.  
 Laws of nature, i. 6.  
 Law of mortality, i. 42.  
 Law of co-existence of forms, i. 50.  
 Law of gradation, ii. 629.  
 Law of analogy, i. 49 ; ii. 625.  
*Leach*, i. 219.  
 Leaves, ii. 29, 44.  
 Leech, (see *Hirudo*).  
*Lemur*, i. 533, 550 ; ii. 285, 505.  
 Lens, crystalline, i. 59 ; ii. 462, 496.  
 Lenticellæ, i. 93.  
*Lepus*, i. 257 ; ii. 296.  
 Lepidoptera, i. 304, 354 ; ii. 114, 217.  
*Lepisma*, i. 297, 298, 356.  
*Lernæa*, i. 302 ; ii. 600, 608.  
*Leuchs*, ii. 482.  
*Leucopha*, ii. 96.  
*Leuret*, ii. 183.  
*Lewenhoeck*, i. 356 ; ii. 264.  
*Libellula*, i. 310, 351 ; ii. 486, 487.  
*Liber*, i. 88 ; ii. 41.  
 Lichen, ii. 19.  
 Life, i. 34, 42.  
 Ligaments, i. 106.  
*Ligamentum nuchæ*, i. 108, 501.  
 Light on plants, i. 91 ; ii. 28.  
 Lignin, i. 70 ; ii. 41.  
 Liliium, i. 78.  
 Limax, ii. 126, 317.  
 Limpet, (see *Patella*).  
*Link*, i. 75.  
*Lion*, i. 108, 496, 529 ; ii. 136, 392, 557.  
*Lister*, ii. 233, 300.  
 Liver, ii. 219, 350.  
 Lizard, ii. 129, 390, 497, 587.  
 Lobster, i. 292 ; ii. 167, 258, 299, 435, 544.  
*Lobularia*, i. 161.  
 Loche, ii. 309.  
 Locomotion, i. 143.  
*Locusta*, ii. 122.  
*Loligo*, i. 261, 407 ; ii. 271.  
 Longevity of trees, ii. 620.  
*Lophius*, i. 422 ; ii. 390, 437.  
*Loxia*, ii. 131.  
*Lucanus*, i. 359.  
*Lumbricus marinus*, i. 277, 295.  
*Lumbricus terrestris*, ii. 102, 114, 254, 297.  
 Lungs, ii. 267, 611.  
*Lycopodium*, i. 78.  
*Lycoris*, ii. 480.  
 Lymphatics, ii. 352.  
 Lymphatic hearts, ii. 353.  
*Lyonet*, i. 300, 312, 355.  
*Macaire*, ii. 51, 54, 58, 334.  
*Macartney*, i. 590 ; ii. 329, 331, 562.  
*Macavoy*, ii. 375.  
 Mackerel, i. 425.  
*Macleay*, i. 54.  
 Madder, i. 384.  
 Madrepore, i. 166.  
*Magendie*, ii. 505, 535.  
*Magilus*, i. 249.  
 Maia, ii. 269, 545.  
 Malleus, ii. 426.  
*Malpighi*, ii. 378.  
*Mammæ*, ii. 598, 616.  
 Mammalia, i. 477 ; ii. 325, 441, 598.  
 Man, i. 536 ; ii. 559.  
 Man of war, Portuguese, i. 196.  
 Manatus, ii. 142.  
 Mandible, i. 289.  
 Mantis, ii. 211.  
 Mantle, i. 113, 237.  
 Many-plies stomach, ii. 197.  
*Marcet*, ii. 58, 226, 334, 338.  
*Marginella*, i. 247.  
 Marmot, ii. 149.

- Marsigli*, i. 150.  
 Marsupialia, ii. 277, 598.  
 Marsupium, ii. 500.  
 Mastication, ii. 140.  
 Mastoid cells, ii. 425.  
 Matrix of feather, i. 576.  
 Matter, ii. 516.  
*Maunoir*, ii. 527.  
 Maxillæ, ii. 123.  
*Mayer*, i. 447.  
*Mayo*, ii. 618.  
 Meatus auditorius, ii. 422.  
 Mechanical functions, i. 38.  
*Meckel*, i. 482; ii. 480.  
 Medulla oblongata, ii. 555.  
 Medullary substance, ii. 365.  
 Medullary rays, i. 86.  
 Medusa, i. 96, 192; ii. 63, 72,  
 85, 294, 478.  
 Meibomian glands, ii. 469.  
 Melolontha, i. 300; ii. 122,  
 212, 236, 313, 486, 490.  
 Melophagus, ii. 483.  
 Membrana nictitans, ii. 499,  
 501.  
 Membrane, i. 101.  
 Menobranchus, ii. 324.  
 Mercurialis, ii. 53.  
 Mergus, ii. 130.  
 Merrythought of fowl, i. 566.  
 Mesembryanthemum, ii. 48.  
 Mesenteric glands, ii. 227.  
 Mesentery, ii. 108.  
 Mesothorax, i. 323.  
 Metacarpus, i. 405.  
 Metals in plants, ii. 43.  
 Metamorphoses, i. 302, 437;  
 ii. 632, 634.  
 Metatarsus, i. 405.  
 Metathorax, i. 323.  
 Milk, ii. 616.  
 Millepedes, ii. 485.  
 Millepora, i. 167.  
 Mimosa, i. 127.  
 Mint, ii. 17, 30.  
*Mirandola*, ii. 586.  
*Mirbel*, i. 69, 72.  
 Mite, i. 297.  
 Mitra, i. 248.  
 Modiolus, ii. 431.  
 Molar teeth, ii. 144.  
*Moldenhawer*, i. 74.  
 Mole, i. 524, 525; ii. 391, 505.  
 Mole cricket, i. 342.  
 Mollusca, i. 213; ii. 269, 389,  
 550.  
 Monas, i. 13, 184; ii. 96, 583.  
 Monkey, i. 533; ii. 149, 392,  
 569.  
 Monoculus, ii. 493.  
 Monothalamous shell, i. 265.  
 Monotremata, ii. 277.  
*Monro*, i. 123, 132; ii. 303.  
 Mordella, ii. 486.  
 Morpho, i. 354.  
*Morren*, ii. 252, 255.  
 Mortality, i. 42; ii. 581.  
 Mother of pearl, i. 232.  
 Motion, voluntary, i. 37; ii.  
 534.  
 Motion, vegetable, i. 127.  
 Motor nerves, ii. 535.  
 Mucous membrane, i. 112.  
 Mucous glands, ii. 184.  
 Mulberry, ii. 59.  
*Muller*, i. 183; ii. 92, 353,  
 480.  
 Mullet, ii. 202.  
 Multilocular shells, i. 265.  
 Multivalves, i. 257.  
 Muræna, ii. 497, 556.  
 Murex, i. 245, 252; ii. 126,  
 301, 482.  
 Mus, ii. 178, 506.  
 Musca, i. 332.  
 Muscle (shell fish), i. 222, 224.  
 Muscle, i. 124, 127, 300.  
 Muscles of eye, ii. 464.  
 Muscular power in plants, ii.  
 358.  
 Muscular power in birds, i.  
 593.  
 Mushroom, ii. 19.  
 Musk shrew, ii. 135.

- Musical tone, ii. 419.  
 Mya, i. 223.  
 Myriapoda, i. 297, ii. 248.  
 Myrmecophaga, ii. 134.  
 Mysis Fabricii, i. 289.  
 Mytilus, i. 222.  
 Myxine, i. 407, 416; ii. 116, 497.  
  
 Nacreous structure, i. 231.  
 Nais, ii. 102, 251, 479, 586.  
 Narwhal, i. 56; ii. 141.  
 Nature, i. 6, 13.  
 Nautilus, i. 242, 266; ii. 270.  
 Necrophorus, ii. 413.  
 Needles in biliary ducts, ii. 219.  
 Nereis, i. 271, 274, 280; ii. 251.  
 Nerve, i. 36; ii. 366.  
 Nervous system, ii. 365, 537, 553.  
 Nervous power, ii. 354.  
 Nettle, ii. 47.  
 Neuro-skeleton, i. 366.  
 Neuroptera, i. 351.  
 Newport, i. 352; ii. 102, 214, 218, 244, 547, 548.  
 Newt, ii. 439, 587.  
 Nightshade, ii. 59.  
 Nitrogen, ii. 14, 338.  
 Nordmann, ii. 600, 608.  
 Notonecta, i. 29, 337.  
 Nursling sap, ii. 24.  
 Nutrition, ii. 1, 10, 13, 57.  
 Nutrition in lower orders, ii. 74.  
 Nutrition in higher orders, ii. 104.  
 Nutritive functions, i. 38.  
 Nycteribia, ii. 483.  
  
 Octopus, i. 261; ii. 494.  
 Ocular spectra, ii. 530.  
 Odier, i. 318.  
 Œsophagus, ii. 101, 107, 176.  
 Oken, i. 349, 400.  
 Olfactory nerve, ii. 396.  
 Olfactory lobes, ii. 556.  
  
 Olivæ, i. 241, 250.  
 Oniscus, ii. 544.  
 Onocrotalus, i. 556.  
 Operculum of Mollusca, i. 252.  
 Operculum of fishes, ii. 303.  
 Ophicephalus, ii. 307.  
 Ophidia, i. 447.  
 Ophiosaurus, i. 454, 457.  
 Ophiura, i. 212.  
 Opossum, ii. 136, 598.  
 Optic axis, ii. 503.  
 Optic ganglion, ii. 489.  
 Optic lobes, ii. 555.  
 Opuntia, i. 127.  
 Orache, ii. 48.  
 Orbicular bone, ii. 426.  
 Orbicular muscle, i. 136.  
 Orchidææ, i. 69.  
 Organic Mechanism, i. 59, 96.  
 Organic development, ii. 599.  
 Ornithorhyncus, i. 395; ii. 136, 178, 391, 442, 497.  
 Orobanche, ii. 54.  
 Orthoceratite, i. 267.  
 Orthoptera, i. 309, 349.  
 Os hyoides, ii. 132, 303.  
 Osler, i. 206, 220, 223, 277, 280.  
 Osseous fabric, i. 365.  
 Ossicula, tympanic, ii. 426.  
 Ossification, i. 375, 556.  
 Ostracion, i. 432.  
 Ostrich, i. 563, 587, 590; ii. 185, 224, 328, 554.  
 Otter, sea, ii. 149.  
 Ovary, ii. 593, 594.  
 Oviduct, ii. 596.  
 Oviparous animals, ii. 597.  
 Ovo-viviparous animals, ii. 597.  
 Ovula, i. 247.  
 Ovum, ii. 593.  
 Owen, i. 563.  
 Owl, ii. 330, 441, 503.  
 Ox, horn of, i. 515.  
 Oxygen, ii. 29.  
 Oyster, i. 131, 220, 221.  
 Oyster-catcher, ii. 131.

- Paces of quadrupeds, i. 492.  
 Pachydermata, i. 518 ; ii. 382, 391.  
 Package of organs, i. 102.  
 Pain, ii. 368.  
 Palemon, ii. 544.  
 Paley, i. 102, 571 ; ii. 286.  
 Palinurus, ii. 544.  
 Pallas, i. 150 ; ii. 344.  
 Palms, i. 83.  
 Palm squirrel, ii. 178.  
 Palmer, ii. 30.  
 Palpi, i. 289 ; ii. 124.  
 Pancreas ii. 221.  
 Pander, ii. 607.  
 Panniculus carnosus, i. 527.  
 Panorpa, i. 326.  
 Paper nautilus, i. 265.  
 Papilio, i. 357 ; ii. 486.  
 Papillæ, ii. 378, 394.  
 Par vagum, ii. 549.  
 Parakeet, ii. 131.  
 Parallax, aberration of, ii. 472.  
 Parrot, ii. 179, 391.  
 Pastern, i. 517.  
 Patella, i. 228 ; ii. 220, 551.  
 Patella of knee, i. 406.  
 Patellaria, ii. 46.  
 Paunch, ii. 195.  
 Pearl, i. 232.  
 Peccari, ii. 193.  
 Pediculus, i. 297.  
 Pelican, i. 556 ; ii. 178.  
 Pelvis, i. 404.  
 Pencil of rays, ii. 453.  
 Penguin, i. 592.  
 Penitentiary, ii. 189.  
 Pennatula, i. 174 ; ii. 82.  
 Penniform muscle, i. 133.  
 Pentacrinus, i. 212.  
 Perca, i. 116, 433 ; ii. 306, 410, 495, 557.  
 Perception, i. 36 ; ii. 372, 508.  
 Perch (See Perca).  
 Perennibranchia, ii. 324.  
 Perilymph, ii. 427.  
 Periostracum, i. 237.  
 Peristaltic motion, ii. 204.  
 Péron, i. 97 ; ii. 72.  
 Pfaff, ii. 338.  
 Phalanges i. 405.  
 Phalena, ii. 244, 486.  
 Phanerogamous plants, ii. 595.  
 Phantasmagoria, ii. 533.  
 Phantasmoscope, ii. 524.  
 Phaseolus, ii. 52.  
 Phenakisticope, ii. 524.  
 Philip, ii. 190, 360.  
 Phoca, i. 487.  
 Pholas, i. 220, 256.  
 Phosphorescence of the sea,  
   i. 194 ; ii. 63.  
 Phrenology, ii. 565.  
 Phyllosoma, ii. 544.  
 Physalia, i. 196.  
 Physiology, i. 21.  
 Physosphora, i. 197.  
 Phytozoa, i. 146.  
 Pierard, ii. 200.  
 Pigeon, ii. 179, 616.  
 Pigmentum of skin, i. 112.  
 Pigmentum of the eye, ii. 462.  
 Pike, i. 427.  
 Pileopsis, i. 252.  
 Pineal gland, ii. 560.  
 Pinna, i. 224, 235.  
 Pistil, ii. 596.  
 Pith of plants, i. 85.  
 Pith of quill, i. 580.  
 Placuna, i. 233.  
 Planaria, ii. 114, 236, 250,  
   294, 479, 586.  
 Planorbis, i. 227, 242.  
 Plantigrada, i. 533.  
 Plastron, i. 463.  
 Pleurobranchus, ii. 220.  
 Pleuronectes, i. 431 ; ii. 503.  
 Plexus, nervous, ii. 359.  
 Pliny, ii. 559.  
 Plumula, ii. 603.  
 Plumularia, ii. 234.  
 Pneumo-branchiæ, ii. 316.  
 Pneumo-gastric nerve, ii. 549.  
 Podura, i. 297.

Cambridge University Press

978-1-108-00007-9 - Animal and Vegetable Physiology: Considered with Reference to Natural Theology, Volume 2

Peter Mark Roget

Index

[More information](#)

## 656

## INDEX.

- Poisers, i. 353.  
 Poison of nettle, ii. 47.  
*Poli*, i. 227, 235.  
 Pollen, ii. 596.  
 Polygastrica, ii. 97.  
 Polypti, i. 161; ii. 74, 81, 293, 383.  
 Polystoma, ii. 113.  
 Polythalamous shell, i. 265.  
 Pontia brassica, i. 354.  
 Pontobdella, i. 271.  
 Poppy, ii. 48.  
 Porcupine quills, i. 120.  
 Porcupine, i. 527; ii. 149, 193.  
 Porifera, i. 147.  
 Porpita, i. 195.  
 Porpus, ii. 142, 193.  
 Porterfield, i. 374.  
 Potatoe, ii. 589.  
 prehension of food, ii. 113, 117.  
*Priestley*, ii. 29, 336, 338.  
 Pristis, i. 56; ii. 166.  
*Pritchard*, ii. 241.  
 Privet Hawk moth, ii. 218.  
 Proboscis of insects, ii. 114.  
 Proboscis of mollusca, ii. 126.  
 Proboscis of Elephant, i. 520.  
 Progressive motion, i. 144.  
 Prolegs, i. 313.  
 Promontory of ear, ii. 425.  
 Proteus, i. 187; ii. 324, 632.  
 Prothorax, i. 323.  
*Prout*, ii. 37, 41.  
*Provençal*, ii. 308.  
 Proximate principles, ii. 6.  
 Pterocera, i. 246.  
 Pteropoda, i. 257.  
 Pteropus, ii. 136.  
 Pubic bone, i. 405.  
 Pulmonary organs, ii. 267.  
 Puncta lacrymalia, ii. 468.  
 Punctum saliens, ii. 607.  
 Pupa, i. 304, 307.  
 Pupil, ii. 463.  
 Pupipara, ii. 483.  
 Pyloric appendices, ii. 221.  
 Pylorus, ii. 107, 182.  
 Pyramidalis muscle, ii. 501.  
 Python, i. 447.  
 Quadratus muscle, ii. 500.  
 Quadrumana, i. 533; ii. 149.  
 Quadrupeds, i. 487.  
 Quagga, i. 516.  
 Quail, i. 582.  
 Quills of porcupine, i. 120.  
 Quills of feathers, i. 568.  
*Quoy*, i. 97.  
 Rabbit, i. 497; ii. 149, 190.  
 Raccoon, i. 112.  
 Radiata, i. 164.  
 Radicles, ii. 603.  
 Radius, i. 405.  
 Ranunculus, i. 79.  
*Rapp*, ii. 478.  
 Rat, ii. 148, 149, 192.  
*Rathke*, ii. 634.  
 Rattle-snake, i. 450.  
*Ray*, i. 11.  
 Ray, i. 420, 422, 423; ii. 503, 569.  
 Rays of fins, i. 424.  
 Razor-shell-fish, i. 222.  
*Reaumur*, i. 199, 202, 227, 237, 292; ii. 115, 170, 183.  
 Receptacles of food, ii. 178.  
 Receptaculum chyli, ii. 108, 228.  
 Reed of ruminants, ii. 197.  
 Refraction, law of, ii. 453.  
 Regeneration of claw, i. 295.  
 Rennet, ii. 197.  
 Reparation, ii. 3, 9, 587.  
 Repetition of organs, i. 57.  
 Reproduction, i. 43; ii. 581.  
 Reptiles, i. 435; ii. 273.  
 Resinous secretions, ii. 47.  
 Respiration, i. 41; ii. 11, 265, 290.  
 Rete muscosum, i. 112.  
 Reticulated cells, i. 69.  
 Reticule of Ruminants, ii. 195.  
 Retina, ii. 374, 448, 462.

- Returning sap, ii. 36.  
 Revelation, ii. 641.  
 Reviviscence, i. 62 ; ii. 255.  
 Rhea, i. 586.  
 Rhinoceros, i. 515 ; ii. 135,  
 151, 382, 392, 504.  
 Rhipiptera, i. 350.  
 Rhizostoma, ii. 87.  
 Rhyncops, ii. 132.  
 Ribs, i. 401 ; ii. 327.  
 Ricinus, i. 297.  
 Rings of annelida, i. 272.  
 Rodentia, i. 523 ; ii. 148, 151,  
 162, 175, 191, 504.  
*Rösel*, ii. 478.  
*Roget*, ii. 9, 524, 532, 582.  
*Rolando*, ii. 613.  
 Roosting, i. 588.  
 Roots, i. 93 ; ii. 20.  
*Ross*, i. 16.  
 Rostrum, ii. 124.  
 Rotifer, i. 62, 189 ; ii. 92, 479,  
 539, 591.  
*Roux*, ii. 569.  
 Rudimental organs, i. 55 ; ii.  
 632.  
*Rudolphi*, i. 75.  
*Rumford*, i. 76.  
 Ruminantia, i. 499 ; ii. 196,  
 504.  
*Rusconi*, ii. 613.  
  
 Sabella, i. 277.  
 Sacculus of ear, ii. 430.  
 Sacrum, 404.  
*St. Ange*, ii. 277.  
*St. Hilaire*, passim.  
 Salamander, i. 446 ; ii. 128,  
 498, 597.  
 Salicaria, ii. 54.  
 Saline substances in plants, ii.  
 43.  
 Saliva, ii. 175.  
 Salmon, ii. 222.  
 Sand-hopper, ii. 542.  
 Sap, ii. 24.  
 Sauria, i. 457 ; ii. 276  
  
*Savigny*, i. 274, 290 ; ii. 119,  
 124.  
 Saw-fish, ii. 166.  
 Scala tympani et vestibuli, ii.  
 431.  
 Scales of lepidoptera, i, 354.  
 Scales of fishes, i. 116.  
 Scansores, i. 586 ; ii. 554.  
 Scapula, i. 404.  
 Scarabæus, ii. 486.  
 Scarf skin, i. 112.  
*Scarpa*, i. 101 ; ii. 411, 430.  
*Schæffer*, ii. 478.  
 Schneiderian membrane, ii.  
 399.  
*Schultz*, ii. 49.  
 Sciurus, i. 550 ; ii. 178.  
 Sclerotica, ii. 460.  
 Scolopendra, i. 298 ; ii. 248 ;  
 485.  
*Scoresby*, i. 194.  
 Scorpion, ii. 315, 485.  
 Scuta, abdominal, i. 453.  
 Scutella, i. 211.  
 Scyllæa, i. 229.  
 Sea, phosphorescence of, i. 194 ;  
 ii. 63.  
 Sea-hare, ii. 126, 168, 551.  
 Sea-mouse, ii. 102, 125, 298.  
 Sea-otter, ii. 149.  
 Seal, i. 487 ; ii. 403, 442, 506.  
 Sebaceous follicles, i. 114.  
 Secretion, ii. 12, 45, 342.  
 Seed, ii. 593.  
 Segments of insects, i. 320.  
 Semblis, ii. 242.  
 Semicircular canals, ii. 427.  
 Senecio, ii. 53.  
*Sennebier*, ii. 20, 29.  
 Sensation, ii. 362.  
 Sensibility, variations of, ii. 526.  
 Sensitive plant, i. 127.  
 Sensorial power, ii. 360.  
 Sensorium, ii. 508.  
 Sepia, i. 261 ; ii. 126, 203,  
 413, 493.  
 Seps, i. 458.

Cambridge University Press

978-1-108-00007-9 - Animal and Vegetable Physiology: Considered with Reference to Natural Theology, Volume 2

Peter Mark Roget

Index

[More information](#)

658

INDEX.

- Series of organic beings, i. 53.  
 Serous membranes, i. 102.  
 Serpents, i. 447; ii. 129, 163, 390.  
 Serpula, i. 277; ii. 295.  
*Serres*, ii. 609, 617.  
 Sertularia, i. 165; ii. 234.  
 Serum, i. 102.  
 Sesamoid bones, i. 406.  
 Setæ, i. 274.  
 Shark, ii. 162, 205, 262, 495, 569, 587, 598.  
 Sheep, ii. 153, 194, 402.  
 Shell, i. 111, 230.  
 Sheltopusic, i. 457.  
*Shrapnell*, ii. 426.  
 Shrew, ii. 149, 391.  
 Shuttle bone, i. 517.  
 Silica, ii. 18, 44.  
 Silk worm, i. 305; ii. 59.  
 Silurus, ii. 307, 390.  
 Sinistral shells, i. 243.  
 Siphonaria, i. 252.  
 Siren, i. 457; ii. 324.  
 Skate, ii. 303, 410, 495.  
 Skeleton, i. 365, 386.  
 Skeleton, vegetable, i. 95; ii. 42.  
 Skimmer, ii. 132.  
 Skin, ii. 377.  
 Skull (see Cranium).  
*Slack*, i. 66.  
 Sleep, ii. 536.  
 Slips, propagation by, ii. 585.  
 Sloth, i. 481, 498, 524; ii. 284.  
 Slug, ii. 126, 317.  
 Smell, ii. 396.  
*Smith*, ii. 166.  
 Snail, ii. 317, 413, 587.  
 Snake-lizard, i. 448.  
 Snout, i. 521.  
 Snow, red, i. 16.  
*Soemmerring*, ii. 575.  
 Soils, fertility of, ii. 18.  
 Solar light, ii. 31.  
 Solen, i. 222.  
 Solipeda, i. 516.  
*Solly*, ii. 354.  
 Sorex, ii. 135, 443, 505.  
 Sound in fishes, i. 429.  
 Sound, ii. 414.  
*Spallanzani*, i. 62; ii. 79, 170, 183, 338, 567, 614.  
 Spatangus, i. 205, 211.  
 Spectra, ocular, ii. 525, 530.  
 Spectre of the Brocken, ii. 533.  
 Speed of quadrupeds, i. 496.  
 Spermaceti, i. 484.  
 Spherical aberration, ii. 471.  
 Sphincter muscle, i. 136.  
 Sphinx, ii. 217, 244, 547.  
 Spicula, in sponge, i. 154.  
 Spider, i. 282, 284; ii. 248.  
 Spider-crab, ii. 545.  
 Spider-monkey, i. 399, 534.  
 Spine, i. 387, 392.  
 Spinal cord, or Spinal marrow, ii. 553, 604.  
 Spiracles, ii. 311.  
 Spiral threads in plants, i. 68.  
 Spiral vessels, i. 73.  
 Spiral growth of plants, i. 90.  
 Spiral valve in fishes, ii. 205.  
 Spirits, animal, ii. 563.  
 Spirula, i. 242.  
*Spix*, ii. 252.  
 Spleen, ii. 224.  
 Splint bone, i. 517.  
 Spokes, curved spectra of, ii. 524.  
 Sponge, i. 147; ii. 84.  
 Spongiolæ, i. 79; ii. 20, 21.  
 Spotted cells of plants, i. 69.  
 Spring-tail, i. 297.  
 Spur of cock, i. 586.  
 Squalus (see Shark).  
 Squalus pristis, ii. 166.  
 Squirrel, i. 524, 550; ii. 178.  
 Stability of trees, i. 81.  
 Stability of human frame, i. 541.  
 Stag, skeleton of, i. 507.  
 Stamen, ii. 596.  
 Stapes, ii. 426.  
 Star-fish, i. 200 (see Asterias).  
 Starch, i. 70; ii. 41.  
*Stanton*, ii. 531.



Cambridge University Press

978-1-108-00007-9 - Animal and Vegetable Physiology: Considered with Reference to Natural Theology, Volume 2

Peter Mark Roget

Index

[More information](#)

## INDEX.

659

- Stearine, i. 123.  
*Steifensand*, ii. 482.  
 Stems, vegetable, i. 81.  
*Stemmata*, ii. 483.  
*Stentor*, ii. 98.  
*Sternum*, i. 402.  
*Stevens*, ii. 183.  
 Stigma, vegetable, ii. 596.  
 Stigmata of insects, ii. 311.  
 Sting of bee, i. 352.  
*Stipulæ*, i. 94.  
 Stomach, ii. 72, &c.  
 Stomata, i. 77; ii. 19.  
 Stones, swallowing of, ii. 171.  
 Stone-wort, ii. 50.  
 Stork, i. 590.  
*Stratiomys*, i. 310, 348.  
*Straus Durckheim*, i. 300, 323; ii. 490.  
*Strepsiptera*, i. 350.  
 Striated structures, i. 232.  
*Strombus*, i. 246; ii. 301.  
 Styloid bone, i. 517.  
*Subbrachiæni*, i. 423.  
 Suckers, i. 136, 260, 332.  
 Sugar, ii. 5.  
 Sun, action of, on plants, i. 91.  
 Surveyor caterpillars, i. 315.  
*Sus Æthiopicus*, ii. 161.  
 Suture, i. 381.  
*Swammerdam*, i. 352; ii. 413, 482.  
 Swan, i. 559, 593; ii. 169.  
 Swimming of fishes, i. 412.  
 Swimming bladder, i. 429.  
 Symmetry, lateral, i. 57; ii. 609.  
 Sympathy, ii. 576.  
 Sympathy of ants, ii. 389.  
 Sympathetic nerve, ii. 358.  
*Synovia*, i. 102.  
 Syphon of shells, i. 267.  
 Systemic circulation, ii. 266.  
*Tabanus*, i. 333; ii. 115.  
 Tadpole, i. 437; ii. 222, 322, 632.  
*Tænia*, ii. 83, 114, 236.  
 Tail, i. 398, 524, 531, 583; ii. 392, 634.  
*Talitrus*, ii. 542.  
*Tapetum*, ii. 505.  
 Tapeworm, ii. 83, 114, 236.  
 Tapir, i. 521; ii. 392.  
*Tarsus*, i. 288, 328, 330, 405.  
 Taste, ii. 393.  
 Teeth, ii. 140.  
*Tegmina* of orthoptera, i. 349.  
 Telegraphic eyes, ii. 493.  
*Tellina*, i. 224.  
 Temperature, animal, ii. 340.  
*Tendons*, i. 106, 134.  
*Tendrils*, i. 94.  
*Tentacula*, i. 161, 171; ii. 383.  
*Terebella*, i. 277, 278.  
*Terebra*, i. 249.  
*Teredo*, i. 235; ii. 295.  
*Testacella*, ii. 317.  
*Testudo*, i. 470; ii. 557.  
*Tetrodon*, i. 420, 433.  
 Textures, vegetable, i. 66.  
 Textures, animal, ii. 97.  
*Thetis*, ii. 296.  
 Thoracic duct, ii. 108, 228.  
 Thorax, i. 323; ii. 325.  
 Thorns, i. 94.  
 Thought, ii. 517.  
 Threads, elastic, in plants, i. 68.  
*Tibia*, i. 328, 330, 405.  
 Tick, i. 297.  
*Tiedemann*, ii. 235.  
 Tiger, i. 496; ii. 136, 145, 146, 392.  
*Tipula*, i. 331.  
 Tone, musical, ii. 419.  
 Tongue of insects, ii. 124.  
 Tongue, strawberry, ii. 394.  
*Torpedo*, i. 31; ii. 572.  
*Tortoise*, i. 463; ii. 499.  
*Tortryx*, i. 447, 448.  
*Toucan*, ii. 131, 330.  
 Touch, ii. 377, 534.  
*Trachææ* of animals, ii. 293, 310.

Cambridge University Press

978-1-108-00007-9 - Animal and Vegetable Physiology: Considered with Reference to Natural Theology, Volume 2

Peter Mark Roget

Index

[More information](#)

660

INDEX.

- Trachææ of plants, i. 73.  
 Tradescantia, ii. 51.  
 Trapezius muscle, i. 135.  
*Trembley*, i. 177; ii. 79, 478.  
*Treviranus*, i. 73, 75; ii. 569.  
 Trichechus, i. 487.  
 Trichoda, ii. 97.  
 Trigla, ii. 554.  
 Trionyx, i. 475.  
 Tristoma, ii. 113.  
 Triton, i. 252, 446.  
 Tritonia, ii. 296.  
 Trituration of food, internal, ii. 167.  
 Trochanter, i. 328.  
 Trochilus, ii. 117.  
 Trophi, ii. 121.  
 Trot, actions in, i. 494.  
 Trunk-fish, i. 432.  
 Trunk of elephant, i. 520.  
 Tuberosæ roots, ii. 589.  
 Tubicolæ, i. 277.  
 Tubipora, i. 165.  
 Tubularia, ii. 233.  
 Turbinate shells, i. 216.  
 Turbinate bones, ii. 400.  
 Turkey, ii. 173, 440.  
 Turritella, i. 249.  
 Turtle, i. 463; ii. 202, 557.  
 Tusks, ii. 141.  
 Tympanum, ii. 422.  
 Type, i. 48; ii. 627.  
 Typhlops, i. 447.  
  
 Ulna, i. 405.  
 Ungual bone, i. 405.  
 Unio batava, i. 217.  
 Unity of design, ii. 625.  
 Uranoscopus, ii. 503.  
 Urceolaria, i. 187.  
 Urchin, sea. *See* Echinus.  
 Utricle of labyrinth, ii. 430.  
 Uvea, ii. 463.  
  
 Valves, i. 31, 104; ii. 260, 288.  
 Vampire bat, ii. 117.  
*Van Helmont*, ii. 16.  
  
 Vane of feather, i. 568.  
 Variety, law of, i. 11, 48; ii. 626.  
*Varley*, ii. 254.  
 Vascular circulation, ii. 235.  
 Vascular plexus, ii. 377.  
*Vauquelin*, ii. 229, 336.  
 Vegetable kingdom, i. 14, 40.  
 Vegetable organization, i. 65.  
 Vegetable nutrition, ii. 15.  
 Veins, i. 41; ii. 108.  
 Veilella, i. 195.  
 Velocity of fishes, i. 434.  
 Velvet coat of antler, i. 510.  
 Vena cava, ii. 263.  
 Ventricle of heart, ii. 108, 259.  
 Ventricles of brain, ii. 556.  
 Veretillum, ii. 82, 478.  
 Vertebra, i. 387; ii. 604.  
 Vertebrata, i. 361.  
 Verticillated arrangement, i. 90.  
 Vesicles of plants, i. 66.  
 Vespertilio, i. 551; ii. 136, 567.  
 Vessels of plants, i. 71.  
 Vessels of animals, i. 103; ii. 606, 613, 621.  
 Vestibule of ear, ii. 427.  
 Vibrations, ii. 563.  
 Vibrio, i. 63, 186.  
*Vicq d'Azyr*, i. 190.  
 Villi, ii. 347.  
 Viper, i. 447; ii. 597.  
 Vision, ii. 444.  
 Vision, erect, ii. 521.  
 Visual perceptions, ii. 520.  
 Vital functions, i. 38; ii. 1, 69.  
 Vital organs, ii. 354.  
 Vitality, i. 20.  
 Vitreous humour, ii. 462.  
 Vitreous shells, i. 236.  
 Viviparous reproduction, ii. 598.  
 Voice, ii. 444.  
 Voltaic battery of torpedo, ii. 572.

Cambridge University Press

978-1-108-00007-9 - Animal and Vegetable Physiology: Considered with Reference to Natural Theology, Volume 2

Peter Mark Roget

Index

[More information](#)

## INDEX.

661

- Voluntary motion, i. 37; ii. 534.  
 Volute, i. 248; ii. 126, 482.  
 Volvox, i. 186, 188; ii. 591.  
 Voracity of hydra, ii. 77.  
 Vorticella, i. 62, 182; ii. 97, 584.  
 Vulture, ii. 180, 406.  
  
 Wading birds, i. 585, 592.  
 Walking, i. 492, 542.  
*Waller*, ii. 134.  
 Walrus, i. 487; ii. 141.  
 Warfare, animal, i. 46; ii. 67.  
 Warm-blooded circulation, ii. 278.  
 Water not the food of plants, ii. 16.  
 Water-beetle (see *Dytiscus*).  
 Water-boatman, i. 29, 337.  
 Wax, vegetable, ii. 48.  
 Web-footed birds, i. 592.  
*Weber*, ii. 430, 480.  
 Whale, i. 55; ii. 178, 443, 504, 559.  
 Whalebone, ii. 136.  
 Wheel animalcule, i. 189.  
 Wheel spokes, spectre of, ii. 524.  
 Whelk (see *Buccinum*).  
 Whiskers, ii. 392.  
 Whorls of plants, i. 90.  
 Whorls of shells, i. 243.  
 Willow, i. 79.  
 Wings, i. 344, 567.  
 Winged insects, i. 299.  
 Withers, i. 518.  
 Wolf-fish, ii. 128.  
*Wollaston*, i. 92; ii. 55, 491, 571.  
 Wombat, i. 527.  
*Woodhouse*, ii. 30.  
 Woodpecker, ii. 132.  
 Woody fibres, i. 71, 75.  
 Worms (see *Annelida* and *Entozoa*).  
*Yarrell*, ii. 131.  
*Young*, ii. 474, 475.  
  
 Zebra, i. 516.  
 Zemni, ii. 506.  
 Zoanthus, i. 162, 182.  
 Zoocarpia, i. 156.  
 Zoophytes, i. 146; ii. 477, 537.  
 Zostira, ii. 202.  
 Zygodactyli, i. 586.

FINIS.