

Cambridge University Press

978-1-108-00154-0 - Contributions to the Theory of Natural Selection: A Series of Essays

Alfred Russel Wallace

Index

[More information](#)

373

## INDEX.

- ABRAXAS grossulariata*, 119.  
*Acanthotritus dorsalis*, 94.  
*Accipiter pileatus*, 107.  
 ACRÆIDÆ, the subjects of mimicry, 85, 86.  
*Acronycta psi*, protective colouring of, 62.  
 ADAPTATION brought about by general laws, 276; looks like design, 281.  
 ÆGERIIDÆ mimic Hymenoptera, 90.  
 AGASSIZ, or embryonic character of ancient animals, 301.  
*Agnia fasciata*, mimics another Longicorn, 95.  
*Agriopsis aprilina*, protective colouring of, 62.  
 ALCEDINIDÆ, sexual colouring and nidification of, 240.  
 AMADINA, sexual colouring and nidification of, 243.  
 AMPELIDÆ, sexual colouring and nidification of, 243.  
 ANCYLOTHERIUM, 300.  
 ANDRENIDÆ, 98.  
*Angræcum sesquipedale*, 272; its fertilization by a large moth, 275.  
 ANIMALS, senses and faculties of, 127; intellect of, compared with that of savages, 341.  
 ANISOCERINÆ, 92.  
 ANOA, 196.  
 ANOLOTHERIUM, 299.  
 ANTHRIBIDÆ, mimicry of, 94; dimorphism in, 155.  
*Anthrocera filipendulæ*, 120.  
 ANTHROPOLOGISTS, wide difference of opinion among, as to origin of human races, 304; conflicting views of, harmonized, 321.  
 ANTIQUITY of man, 303, 322.  
 APATHUS, 98.  
 APPARENT exceptions to law of colour and nidification, 253.  
 AQUATIC birds, why abundant, 32.  
*Araschnia proorsa*, 154.  
 ARCHGOSSAURUS, 300.  
 ARCHÆOPTERYX, 300.  
 ARCHITECTURE of most nations derivative, 228; Grecian, false in principle, 226.  
 ARCTIC animals, white colour of, 50, 51.  
 ARGYLL, Duke of, on colours of Woodcock, 53; on mind in nature, 265; criticism on Darwin's works, 269; on humming birds 282; on creation by birth, 287.  
 ASILUS, 97.  
 ASPECTS of nature as influencing man's development, 317.  
 BABIRUSA, 196.  
 BALANCE in nature, 42.  
 BARRINGTON, Hon. Daines, on song of birds, 220.

Cambridge University Press

978-1-108-00154-0 - Contributions to the Theory of Natural Selection: A Series of Essays

Alfred Russel Wallace

Index

[More information](#)

374

INDEX.

BASILORNIS, 196.

BATES, Mr., first adopted the word "mimicry," 75; his observations on *Leptalis* and *Heliconidæ*, 82; his paper explaining the theory of mimicry, 83; objections to his theory, 108; on variation, 165; on recent immigration of Amazonian Indians, 214.

BAYMA, Mr., on "Molecular Mechanics," 363, 364.

BEAUTY in nature, 282; not universal, 284; of flowers useful to them, 285; not given for its own sake, 285.

BIRDS, possible rapid increase of, 29; numbers that die annually, 30; mimicry among, 103; dull colour of females, 114; nidification as affecting colour of females, 116; refusing the gooseberry caterpillar, 119; the highest in rank and organization, 137; dimorphism in, 155; why peculiar nest built by each species, 215-219; build more perfect nests as they grow older, 224, 227; alter and improve their nests, 226; sexual differences of colour in, 239.

*Bombus hortorum*, 90.

*Bombycilla garrula*, colours and nidification of, 255.

BOMBYLIUS, 98.

BRAIN of the savage but slightly less than that of civilized man, 336; size of, an important element of mental power, 335; of savage races larger than their needs require, 338, 343; of man

and of anthropoid apes compared, 338.

BROCA, Professor Paul, on the fine crania of the cave men, 337.

*Bryophila glandifera* and *B. perla* protectively coloured, 63.

BUCEROTIDÆ, sexual colouring and nidification of, 241.

BUCCONIDÆ, sexual colouring and nidification of, 241.

BUFF-TIP moth, resembles a broken stick, 62.

BUILDINGS of various races do not change, 213.

BUPRESTIDÆ, resembling bird's dung, 57; similar colours in two sexes, 114.

BUTTERFLIES, value of, in studying "natural selection," 131; varieties of, in Sardinia and Isle of Man, 178.

*CACIA anthriboides*, 94.

*Callizona aesta*, protective colouring of, 59.

CALORNIS, 239.

CAPITONIDÆ, sexual colouring and nidification of, 241.

*Capmolymma stygium*, 94.

CARABIDÆ, special protection among, 72; similar colouring of two sexes, 114.

CASSIDÆ, resemble dew drops, 58.

CATERPILLARS, mimicking a poisonous snake, 99; gaudy colours of, 117; various modes of protection of, 118; gooseberry caterpillar, 119; Mr. Jenner Weir's observations on, 119; Mr. A. G. Butler's observations on, 121.

Cambridge University Press

978-1-108-00154-0 - Contributions to the Theory of Natural Selection: A Series of Essays

Alfred Russel Wallace

Index

[More information](#)

## INDEX.

375

- CELEBES, local modifications of form in, 170; probable cause of these, 176; remarkable zoological peculiarities of, 195-199.
- CENTROPUS, sexual colouring and nidification of, 242.
- Cephalodonta spinipes*, 92.
- Ceroxylus laceratus*, imitates a moss-covered stick, 64.
- CERTHIOLA, sexual colouring and nidification of, 244.
- Cethosia æole*, 172; *biblis*, 172.
- CETONIADÆ, how protected, 73; similar colours of two sexes, 114.
- CEYCOPSIS, 196.
- Charis melipona*, 96.
- CHEMATOBIA, wintry colours of this genus, 62.
- Chlamys pilula*, resembles dung of caterpillars, 58.
- CHRYSIDIDÆ, how protected, 72.
- CHRYSOMELIDÆ, similar colouring of two sexes, 114.
- CICINDELA, adaptive colour of various species of, 57.
- Cilix compressa*, resembles bird's dung, 63.
- CLADOBATES, mimicking squirrels, 107.
- CLASSIFICATION, form of true, 6; circular, inadmissible, 8; quinary and circular, of Swainson, 46; argument from, against Mr. Darwin, 295.
- CLIMACTERIS, sexual colouring and nidification of, 243.
- COCCINELLIDÆ, how protected, 72; similar colouring of sexes, 114.
- COEXISTING varieties, 159.
- Collyrodes lacordairei*, 95.
- COLOUR, in animals, popular theories of, 47; frequent variations of, in domesticated animals, 48; influenced by need of concealment, 49; in deserts, 49, 50; in Arctic regions, 50, 51; nocturnal, 51; tropical, 52; special modifications of, 52; different distribution of, in butterflies and moths, 58; of autumnal and winter moths, 62; white, generally dangerous and therefore eliminated, 66; why it exists so abundantly although often injurious, 69; influenced by need of protection, 113; of female birds, 114; in relation to nidification of birds, 116; gaudy colours of many caterpillars, 117; in nature, general causes of, 126; local variations of, 173; sexual differences of, in birds, 239; in female birds, how connected with their nidification, 240, 246; more variable than structure or habits, and therefore more easily modified, 249; of flowers, as explained by Mr. Darwin, 262; often correlated with disease, 316.
- COMPSOGNATHUS, 300.
- Condylodera tricondyloides*, 97.
- CONSCIOUSNESS, origin of, 360; Professor Tyndall on, 361; not a product of complex organization, 365.
- CORRELATION of growth, 310.
- Corynomalus sp.*, 92.
- COTINGIDÆ, sexual colouring and nidification of, 244.
- CRATOSOMUS, a hard weevil, 94.

Cambridge University Press

978-1-108-00154-0 - Contributions to the Theory of Natural Selection: A Series of Essays

Alfred Russel Wallace

Index

[More information](#)

376

## INDEX.

- CRICKETS mimicking sand wasps, 98.
- CRYPTODONTIA, 299.
- Cucullia verbasci*, 120.
- CURCULIONIDÆ, often protected by hard covering, 71; similar colours of two sexes, 114.
- Cuviera squamata*, 258.
- Cyclopeplus batesii*, 92.
- CYNOPITHECUS, 196.
- Cynthia arsinœ*, 172.
- DANAIDÆ, the subjects of mimicry, 85, 86.
- Danaïs erippus*, 88; *chrysippus*, 112; *sobrina*, 179; *aglaia*, 179; *tytia*, 180.
- DARWIN, Mr., his principle of utility, 47; on cause of colour in flowers, 127, 262; on colours of caterpillars, 118; on sexual colouration, 260; his metaphors liable to misconception, 269; criticism of, in *North British Review*, 291.
- DESERT animals, colours of, 49, 50.
- DIADEMA, species of, mimic Danaidæ, 86, 87: female with male colouration, 112.
- Diadema missippus*, 112; *D. anomala*, 113.
- Diaphora mendica*, 89.
- DICNYODONTIA, 299.
- DICROURUS, 253.
- Diloba cœruleocephala*, 120.
- DIMORPHISM, 145; in beetles, 155; in birds, 155; illustrated, 157.
- DINOSAURIA, 298.
- DIPTERA mimicking wasps and bees, 97.
- Doliops curculionides*, 94.
- DOMESTICATED animals, their essential difference from wild ones, 38-41.
- DOTTERELL, 251.
- DRUSILLA, mimicked by three genera, 181.
- Drusilla bioculata*, 180.
- DYTISCUS, dimorphism in, 155.
- EGYPTIAN architecture, introduced, 225.
- Elaps fulvius*, *E. corallinus*, *E. lemniscatus*, 101; *E. mipartitus*, *E. lemniscatus*, *E. hemiprichii*, 102.
- ENODES, 196.
- ENNOMUS, autumnal colours of this genus, 62.
- Eos fuscata*, dimorphism of, 155.
- EQUUS, 299.
- Eronia tritæa*, 172; *valeria*, 172.
- Eroschema poweri*, 93.
- ERYCINIDÆ mimic Heliconidæ, 84.
- Erythroplatis corallifer*, 92.
- ESTRELEDA, sexual colouring and nidification of, 243.
- EUCNEMIDÆ, mimicking a Malacoderm, 93.
- Eudromias morinellus*, 251.
- Euglossa dimidiata*, 98.
- EUMORPHIDÆ, a protected group, 72; imitated by Longicorns, 92.
- EUPLEÆA, local modifications of colour in, 173.
- Eupleæa midamus*, 87-113, 179; *E. rhadamanthus*, 87, 179.
- Eurhinia megalonice*, 172; *polynice*, 172.
- EURLÆMIDÆ, sexual colouring and nidification of, 243.
- EXTINCT animals, intermediate forms of, 298.

Cambridge University Press

978-1-108-00154-0 - Contributions to the Theory of Natural Selection: A Series of Essays

Alfred Russel Wallace

Index

[More information](#)

## INDEX.

377

- EXTINCTION of lower races, 318.
- FEMALE birds, colours of, 114 ; sometimes connected with their mode of nidification, 240 ; more exposed to enemies than the males, 248.
- FEMALE butterflies generally dull-coloured, 259.
- FEMALE insects, mimicry by, 110, 259 ; colours of, 113.
- FEMALE sex, has no incapacity for as brilliant colouration as the male, 247 ; in some groups requires more protection than the male, 258.
- FISHES, protective colouring of, 55.
- FISSIROSTRAL birds, nests of, 238.
- FLOWERS, causes of colour in, 127.
- FLYCATCHERS, genera of, absent from Celebes, 177.
- FORBES, EDWARD, objections to his theory of Polarity, 17-23.
- FORCE is probably all Will-force, 366.
- GALAPAGOS, 10.
- GALTON, Mr., on range of intellectual power, 339.
- GANOCEPHALA, 298.
- Gastropacha querci*, protective colour and form of, 62.
- GAUDRY, M., on fossil mammals of Greece, 299.
- GEOGRAPHICAL distribution, dependent on geologic changes, 1 ; its agreement with law of introduction of new species, 9 ; of allied species and groups, 12.
- GEOLOGICAL distribution analogous to geographical, 13.
- GEOLOGY, facts proved by, 2-5.
- GIRAFFE, how it acquired its long neck, 42.
- GLÆA, autumnal colours of this genus, 62.
- GOULD, Mr., on sexual plumage of Gray Phalarope, 115 ; on incubation by male Dotterell, 115. *Grallina australis*, 254.
- GREEN birds almost confined to the tropics, 52.
- Gymnocercus cratosomoides*, 94.
- Gymnocercus capucinus*, 96.
- Gymnocercus dulcissimus*, 97.
- GUNTHER, Dr., on arboreal snakes, 55 ; on colouring of snakes, 102.
- Gynecia dirce*, 59.
- HABITS, often persistent when use of them has ceased, 234 ; of children and savages analogous to those of animals, 235 ; if persistent and imitative may be termed hereditary, 235, 236.
- HAIRY covering of Mammalia, use of, 344 ; absence of, in man remarkable, 345 ; the want of it felt by savages, 346 ; could not have been abolished by natural selection, 348.
- Harpagus diodon*, 107.
- HELIPLUS, a hard genus of Curculionidæ, 94.
- HELICONIDÆ, the objects of mimicry, 77 ; their secretions, 88 ; not attacked by birds, 79 ; sometimes mimicked by other Heliconidæ, 85.
- HELLADOTHERIUM, 300.
- HEMIPTERA, protected by bad odour, 72.

- HERBERT, Rev. W., on song of birds, 221.
- HESPERIDÆ, probable means of protection of, 176.
- HESTHESIS, longicorns resembling ants, 96.
- Hestia leuconœ*, 180.
- HEWITSON, Mr., 131.
- HIPPARION, 299.
- HIPPOTHERIUM, 299.
- HISPIDÆ, imitated by Longicorns, 92.
- HOLOTHURIDÆ, 258.
- Homalocranium semicinctum*, 101.
- HOOKE, Dr., on the value of the "specific term," 165.
- HOUSES of American and Malay races contrasted, 213.
- HUXLEY, Professor, on "Physical Basis of Life," 362, on volition, 368.
- HYÆNICUS, 300.
- HYBERNIA, wintry colours of this genus, 62.
- HYMENOPTERA, large number of, peculiar to Celebes, 196.
- ICTERIDÆ, sexual colouring and nidification of, 244.
- ICTHYOPTERYGIA, 298.
- Ideopsis daos*, 180.
- IMITATION, the effects of, in man's works, 212.
- INDIANS, how they travel through trackless forests, 207.
- INSECTS, protective colouring of, 56: mimicking species of other orders, 97; senses of, perhaps different from ours, 202, 203.
- INSTINCT, how it may be best studied, 201; definition of, 203; in many cases assumed without proof, 205; if possessed by man, 206; supposed, of Indians, 207; supposed to be shown in the construction of birds' nests, 211.
- INTELLECT of savages compared with that of animals, 341.
- INTELLECTUAL power, range of, in man, 339.
- Iphia glaucippe*, 172.
- ITHOMIA, mimicked by *Leptalis*, 83.
- Ithomia ulerdina*, mimicked by four groups of Lepidoptera, 84.
- JAVA, relations of, to Sumatra and Borneo, 193.
- JAMAICA swift altering position of nest, 228.
- JERDON, Mr., on incubation by males in Turnix, 115.
- KALLIMA inachis* and *Kallima paralekta*, wonderful resemblance of, to leaves, 59-61.
- LABYRINTHODONTIA, 298, 300
- LAKES as cases of imperfect adaptation, 278.
- LANIADÆ, sexual colouring and nidification of, 245.
- LAMARCK'S hypothesis very different from the author's, 41.
- Larentia tripunctaria*, 63.
- LAW which has regulated the introduction of new species, 5; confirmed by geographical distribution, 9; high organization of ancient animals consistent with, 14; of multiplication in geometrical progression, 265

Cambridge University Press

978-1-108-00154-0 - Contributions to the Theory of Natural Selection: A Series of Essays

Alfred Russel Wallace

Index

[More information](#)

## INDEX.

379

- of limited populations, 265 ; of heredity, 266 ; of variation, 266 ; of change of physical conditions, 266 ; of the equilibrium of nature, 266 ; as opposed to continual interference, 268.
- LAYCOCK, Dr., on law of "unconscious intelligence," 360.
- LEAF BUTTERFLY, appearance and habits of, 59-61.
- LEPIDOPTERA, especially subject to variation, 132.
- LEPTALIS, species of mimic *Heliconidæ*, 82 ; gain a protection thereby, 259.
- LESTER, Mr. J. M., on wood-dove and robin, 53.
- LEVAILLANT, on formation of a nest, 224.
- Limenitis archippus*, 88.
- Limenitis limire*, 172 ; *procris*, 172.
- LIZARDS refusing certain moths and caterpillars, 121 ; devouring bees, 121.
- LOCAL FORMS, 158.
- LOCAL variation of form, 169 ; of colour, 173 ; general remarks on, 174 ; in Celebesian butterflies, probable use of, 175.
- LOCUSTIDÆ, adaptive colouring of, 64.
- LUMINOUSNESS of some insects a protection, 71.
- LYCÆNIDÆ, probable means of protection of, 176.
- MAMMALS, mimicry among, 107.
- MAN, does he build by reason or imitation, 212 ; his works mainly imitative, 225 ; antiquity of, 303, 322 ; difference of opinion as to his origin, 304 ; unity or plurality of species, 305 ; persistence of type of, 306 ; importance of mental and moral characters, 312 ; his dignity and supremacy, 324 ; his influence on nature, 326 ; his future development, 326 ; range of intellectual power in, 339 ; rudiments of all the higher faculties in savage, 341 ; his feet and hands, difficulties on the theory of natural selection, 349 : his voice, 350 ; his mental faculties, 351 ; difficulty as to the origin of the moral sense in, 352 ; development of, probably directed by a superior intelligence, 359.
- MANTIDÆ, adaptive colouring of, 64 ; mimicking white ants, 98.
- MALACODERMS, a protected group, 93.
- MALURIDÆ, 255.
- MATTER, the nature of, 363 ; Mr. Bayma on, 363 ; is force, 365.
- MECHANITIS and Methona, mimicked by *Leptalis*, 83.
- MECOCERUS, dimorphism of, 155. *Mecocerus gazella*, 94.
- MEGACEPHALON, 196.
- MEGAPODIDÆ, sexual colouring and nidification of, 246.
- MEROPOGON, 196.
- Midas dives*, 97.
- MIMETA, mimicking *Tropidorhynchus*, 104.
- MIMICRY, meaning of the word, 74 ; theory of, 76 ; among Lepidoptera, 77 ; how it acts as a protection, 80, 81 ; of other insects by Lepidoptera, 89 ; among

Cambridge University Press

978-1-108-00154-0 - Contributions to the Theory of Natural Selection: A Series of Essays

Alfred Russel Wallace

Index

[More information](#)

380

## INDEX.

- beetles, 91; of other insects by beetles, 95; of insects by species of other orders, 97; among the vertebrata, 99; among snakes, 101; among tree frogs, 103; among birds, 103; among mammals, 107; objections to the theory of, 108; by female insects, 110; among Papilionidæ, 179; never occurs in the male only, 260.
- MOMOTIDÆ, sexual colouring and nidification of, 241.
- MONTROUZIER, M., on butterflies of Woodlark Island, 152.
- MORAL sense, difficulty as to the origin of, 352.
- MORPHOS, how protected, 73.
- MURRAY, Mr. Andrew, objections to theory of mimicry, 108.
- MUSCICAPIDÆ, sexual colouring and nidification of, 245.
- MUSOPHAGIDÆ, sexual colouring and nidification of, 242.
- NAPEOGENES, all the species are mimickers, 85.
- NATURAL selection, the principle stated, 41-43; general acceptance of the theory of, 46; tabular demonstration of, 302; outline of theory of, 307; its effects on man and animals different, 311; hardly acts among civilized societies, 330; what it can not do, 333; cannot produce injurious or useless modifications, 334.
- NECTARINEIDÆ, 254.
- NECYDALIDÆ, mimic Hymenoptera, 96.
- Nemophas grayi*, a Longicorn mimicked by a Longicorn, 95.
- NESTS of Birds, why different, 215; of young birds, how built, 219; construction of, described by Levaillant, 224; imperfections in, 229; influenced by changed conditions and persistent habits, 232; classification of, according to function, 237.
- NEW FORMS, how produced by variation and selection, 286.
- NEW GUINEA, relation of the several Papuan islands to, 194.
- NOCTURNAL animals, colours of, 51.
- NOMADA, 98.
- OBEREA, species resemble Tenthredinidæ, 96.
- Odontocera odyneroïdes*, 96.
- ODONTOCHEILA, 97.
- Odynerus sinuatus*, 90.
- Onthophilus sulcatus*, like a seed, 58.
- Onychocerus scorpio*, resembles bark, 56.
- ORANGE-TIP butterfly, protective colouring of, 59.
- ORCHIS, structure of an, explained by natural selection, 271.
- Orgyia antiqua* and *O. gonostigma*, autumnal colours of, 62.
- ORIOOLIDÆ, 253.
- Ornithoptera priamus*, 145, 173; *O. helena*, 173.
- Oxyrhopus petolaris*, *O. trigeminus*, *O. formosus*, 102.
- OWEN, Professor, on more generalized structure of extinct animals, 298.



*PACHYOTRIS fabricii*, 96.

PACHYRHYNCHI, weevils mimicked by Longicorns, 95.

PALEOTHERIUM, 299.

PALOPLOTHERIUM, 299.

PAPILIO, black and red group imitated, 84.

*Papilio achates*, 147; *P. adamantius*, 171; *P. ænigma*, 87; *P. agamemnon*, 141, 158, 170, 171; *P. agestor*, 180; *P. alphenor*, 148, 169; *P. amanga*, 151; *P. androcles*, 171; *P. androgeus*, 88, 147, 180, 183; *P. antiphates*, 141, 171; *P. antiphus*, 87, 150, 170, 180, 183; *P. aristæus*, 171; *P. arjuna*, 141; *P. ascalaphus*, 171; *P. autolytus*, 160; *P. bathycles*, 141; *P. blumei*, 171; *P. brama*, 171; *P. caunus*, 87, 179; *P. codrus*, 160, 171; *P. cöon*, 88, 146, 180, 182; *P. deiphobus*, 140; *P. deiphontes*, 171; *P. delessertii*, 180; *P. demolition*, 171; *P. diphilus*, 87, 170, 180, 183; *P. double-dayi*, 88, 180; *P. elyros*, 148; *P. encelades*, 171; *P. erectheus*, 151; *P. euripilus*, 160; *P. evemon*, 159; *P. gigon*, 171; *P. glaucus*, 152; *P. hector*, 87, 150, 180, 183; *P. helenus*, 160, 171; *P. hospiton*, 178; *P. idæoides*, 180; *P. jason*, 159, 171; *P. ledebouria*, 148; *P. leucothoë*, 171; *P. leodamas*, 170; *P. liris*, 87, 180, 184; *P. macareus*, 179; *P. machaon*, 178; *P. melanides*, 148, 150; *P. memnon*, 88, 140, 146, 147, 152, 180, 183; *P. nilon*, 171; *P. nephelus*, 140; *P. nicanor*, 170; *P. onomaus*, 88, 180, 184; *P. onesimus*, 151; *P. ormenus*, 150, 152, 182; *P. pammon*, 147, 152, 170, 180; *P. pamphylius*, 171; *P. pandion*, 152, 180; *P. paradoxa*, 87, 179; *P. peranthus*, 160, 171; *P. pertinax*, 145; *P. philoxenus*, 182; *P. polydorus*, 88, 170, 182; *P. polytes*, 147, 148; *P. rhesus*, 171; *P. romulus*, 87, 148, 150, 183; *P. sarpedon*, 141, 158, 171; *P. satsapes*, 171; *P. severus*, 140, 144; *P. theseus*, 87, 148, 150, 169, 170, 171, 180, 183; *P. thule*, 179; *P. torquatus*, 156; *P. turius*, 152; *P. ulysses*, 140, 160, 173; *P. varuna*, 88.

PAPILIONIDÆ, the question of their rank, 133; peculiar characters possessed by, 134; peculiarly diurnal, 136; compared with groups of mammalia, 138; distribution of, 140; large forms of Celebes and Moluccas, 168; large forms of Amboyna, 169; local variation of form, 169; arrangement of, 186; geographical distribution of, 189; of Indo-Malay and Austro-Malay regions, 192; of Java, Sumatra, and Borneo, 193.

PARIDÆ, sexual colouring and nidification of, 243.

PASSENGER pigeon, cause of its great numbers, 308.

PATENT inventions, as illustrating classification, 295.

*Phacellocera batesii*, mimics one of the Anthribidæ.

*Phalaropus fulicarius*, 115, 251.

PHASMIDÆ, imitate sticks and

- twigs, 64; females resembling leaves, 112.
- PHYLIIUM, wonderful protective colour and form of, 64.
- PHYSALIA, 258.
- PIERIDÆ, local modification of form in, 172.
- PIERIS, females only imitating Heliconidæ, 112.  
*Pieris coronis*, 172; *eperia*, 172.  
*Pieris pyrrha*, 113.
- PICIDÆ, sexual colouring and nidification of, 242.
- PIPRIDÆ, sexual colouring and nidification of, 245.
- PITTIDÆ, 253.  
*Pliocerus equalis*, 101; *P. elapoides*, *P. euryzonus*, 102.  
*Pæciloderma terminale*, 93.
- POLARITY, Forbes' theory of, 17, 45.
- POLYMORPHISM, 145; illustration of, 157.
- POPULATION of species, law of, 28; does not permanently increase, 29; not determined by abundance of offspring, 29; checks to, 30; difference in the case of cats and rabbits explained, 32.
- PREVISION, a case of, 122.
- PRIONITURUS, 196.
- PROTECTION, various modes in which animals obtain it, 69-71, 258; greater need of, in female insects and birds, 113.
- PROTECTIVE colouring, theory of, 65.
- PSITTACI (Parrots), sexual colouring and nidification of, 242.
- PTEROSAURIA, 298.
- PTYCHODERES, 94.
- RACES, or subspecies, 160; of man, origin of, 319.
- REDBREAST and woodpigeon, protective colouring of, 53, 54.
- REPRESENTATIVE groups, 9; of Trogons, butterflies, &c., 12.
- REPTILES, protective colouring of, 54.
- RHAMPHASTIDÆ, sexual colouring and nidification of, 242.
- RHINOCEROS, 299.
- RIVER system, as illustrating self-adaptation, 276.
- ROSES, Mr. Baker on varieties of, 165.
- RUDIMENTARY organs, 23.
- SALVIN, Mr. Osbert, on a case of bird mimicry, 107.  
*Saturnia pavonia-minor*, protective colouring of larva of, 63.
- SATYRIDÆ, probable means of protection of, 176.
- SAUROPTERYGIA, 299.
- SAVAGES, why they become extinct, 319; undeveloped intellect of, 339, 341; intellect of, compared with that of animals, 341, 343; protect their backs from rain, 346.
- SCANSORIAL birds, nests of, 238.
- SCAPHURA, 98.
- SCISSIROSTRUM, 165.
- SCOPULIPEDES, brush-legged bees, 91.
- SCUDDER, Mr., on fossil insects, 301.
- SCUTELLERIDÆ, mimicked by Longicorns, 96.  
*Sesia bombiliformis*, 90.
- SESIIDÆ, mimic Hymenoptera, 90.
- SEXES, comparative importance of,

Cambridge University Press

978-1-108-00154-0 - Contributions to the Theory of Natural Selection: A Series of Essays

Alfred Russel Wallace

Index

[More information](#)

## INDEX.

383

- in different classes of animals, 111; diverse habits of, 156.
- SEXUAL SELECTION**, 156; its normal action to develop colour in both sexes, 247; among birds, 283.
- SIDGWICK, Mr. A.**, on protective colouring of moths, 62.
- SIMOCYONIDÆ**, 300.
- SITTA**, sexual colouring and nidification of, 243.
- SITTELLA**, sexual colouring and nidification of, 243.
- SNAKES**, mimicry among, 101.
- SONG** of birds, instinctive or imitative, 220.
- SPECIES**, law of population of, 28; abundance or rarity of, dependent on the adaptation to conditions, 33; definition of, 141, 161; the range and constancy of, 143; extreme variation in, 163, 164.
- SPEED** of animals, limits of, 292.  
*Sphæcia craboniforme*, 90.  
*Sphecomorpha chalybea*, 96.
- SPHEGIDÆ**, mimicked by flies, 97.
- SPIDERS**, which mimic ants, 98; and flower buds, 99.  
*Spilosoma menthastris*, 88.
- STAINTON, Mr.**, on moths rejected by turkeys, 78, 88.
- STALACTIS**, a genus of Erycinidæ, the object of mimicry, 84.
- STINGING** insects generally conspicuously coloured, 72.
- STREPTOCITTA**, 196.
- STURNIDÆ**, sexual colouring and nidification of, 244.
- STURNOPASTOR**, 239.
- St. HELENA**, 10.
- Streptolabis hispidoides*, 93.
- STRUGGLE** for existence, 28, 33.
- SURVIVAL** of the fittest, law of, stated, 33; its action in determining colour, 67.
- SWAINSON'S** circular and quinary theory, 45.
- SYLVIADÆ**, sexual colouring and nidification of, 245
- SYNAPTA**, 258.
- TACHORNIS phænicobea**, 228.  
*Tachyris hombronii*, 172; *ithome*, 172; *lycaste*, 172; *lynxida*, 172; *nephele*, 172; *nero*, 172; *zarinda*, 172.
- TANAGRIDÆ**, sexual colouring and nidification of, 245.
- TAPIR**, 299.
- TELEPHORI**, similar colouring of two sexes, 114.
- TEMPERATE** and cold climates favourable to civilization, 318.
- THECODONTIA**, 299.
- THERATES**, mimicked by Heteromera, 95.  
*Thyca descombesi*, 172; *hyparete*, 172; *rosenbergii*, 172; *zebuda*, 172.
- TIGER**, adaptive colouring of, 52.
- TIMES** newspaper on Natural Selection, 296.
- TOOLS**, importance of, to man, 314.
- TREE FROGS**, probable mimicry by, 103.
- TRICONDYLA**, 97.
- TRIMEN, Mr.**, on rank of the Papiionidæ, 136.
- TRISTRAM, Rev. H.**, on colours of desert animals, 50.

Cambridge University Press

978-1-108-00154-0 - Contributions to the Theory of Natural Selection: A Series of Essays

Alfred Russel Wallace

Index

[More information](#)

384

## INDEX.

- Trochilium tipuliforme*, 90.
- TROGONIDÆ, sexual colouring and nidification of, 241.
- TROPICAL birds often green, 52.
- TROPICS, most favourable to production of perfect adaptation among animals, 68; not favourable to growth of civilization, 318.
- TROPIDORHYNCHUS mimicked by orioles, 104.
- TRUTHFULNESS of some savages, 353; not to be explained on utilitarian hypothesis, 354.
- TURDIDÆ, sexual colouring and nidification of, 245.
- TURNIX, 115, 251.
- TYNDALL, Professor, on origin of consciousness, 361.
- UPUPIDÆ, sexual colouring and nidification of, 241.
- USEFUL and useless variations, 34.
- UTILITY, importance of the principle of, 47, 127.
- VARIABILITY, simple, 144.
- VARIATIONS, useful and useless, 34; laws of, 143, 266; as influenced by locality, 166; of size, 168; universality of, 287-291; are there limits to, 291; of domestic dogs, 293; of pigeons, 293.
- VARIETIES, instability of, supposed to prove the permanent distinctness of species, 26; if superior will extirpate original species, 36; its reversion then impossible, 37; of domesticated animals may partially revert, 38, 40; inconvenience of using the term, 161.
- VERTEBRATA, mimicry among, 99.
- VOICE of man, not explained by natural selection, 350.
- VOLUCELLA, species of mimic bees, 75, 98.
- WALSH, Mr., on dimorphism, of *Papilio turnus*, 153.
- WEAPONS and tools, how they affect man's progress, 314.
- WEEVILS often resemble small lumps of earth, 58.
- WEIR, Mr. Jenner, on a moth refused by birds, 89; on beetles refused by birds, 93; on caterpillars eaten and rejected by birds, 119.
- WESTWOOD, Professor, objections to theory of mimicry, 108.
- WHITE colour in domesticated and wild animals, 66.
- WILD and domesticated animals, essential differences of, 38-41.
- WILL really exerts force, 367; probably the primary source of force, 368.
- WOOD, Mr. T. W., on orange-tip butterfly, 59.
- WOODCOCKS and Snipes, protective colouring of, 53.
- WOODPECKERS, why scarce in England, 32.
- XANTHIA, autumnal colours of these moths, 62.
- ZEBRAS, 299.