

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

TABLE

OF

CONTENTS.

VOLUME FIRST.

Page.

Divisions of Natural Science, 1

CHAP. I.

Division of Natural Objects into Organised
and Inorganic. The Chain of Being. 3

Peculiar Characters of Inorganic Bodies. The independence of their different parts: their permanence, and the want of integuments. 4

CHAP. II.

Peculiar Characters of Organised Bodies.

I.—Properties of the Vital Principle. 7

1. Limited in the exercise of its Functions to the production of a Body of a certain Magnitude, Form, Structure, Composition and Duration. 8

2. Possessed of Irritability. Evidence of this property in Plants. Belongs to the fibrous structure, 11

3. Possessed of Instinct. Regulates the supply of Food, obviates Difficulties, repairs Injuries, Procreates. 14

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xx

CONTENTS OF VOL. I.

	Page.
II.—Conditions necessary for the existence of the Vital Principle.	22
1. A Parent, Univocal Generation. Equivocal Generation. Theory of Evolution. Transmutation of Species.	23
2. Moisture. Whether the vital principle resides in the solids or fluids.	29
3. Temperature. The increase of living beings as we approach the Equator.	30
4. Atmospheric air. Decomposed. Carbonic acid generated.	33
5. Nourishment.	ib.
III.—Modifications of the Vital Principle.	
Health. Disease. Monsters, through excess or deficiency ; or by the substitution of function. Limits assigned. Death,	ib.

CHAP. III.

Distinguishing Characters of Animals and Vegetables.	39
Animals differ from Vegetables in Composition, peculiar odour when burning ; in Structure, conical vessels ; in Action, Sensation, Voluntary Motion, Locomotion ; in Nutrition, a stomach.	40

CHAP. IV.

On the Polity of Nature.

Relative dependence of Minerals, Vegetables, and Animals on one another. Error of LINNÆUS,	49
--	----

CHAP. V.

On the Substances which enter into the Composition of the Bodies of Animals.	53
---	----

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. I.

xxi

	Page.
1. Elementary Substances.—Carbon, Hydrogen, Oxygen, Azote, Phosphorus, Sulphur, Fluoric Acid, Muriatic Acid, Iodine, Potash, Soda, Ammonia, Lime, Magnesia, Silica, Iron, Manganese.	54
2. Compounds of Organization.—Gelatine, Albumen, Fibrin, Extract, Mucus, Urea, Sugar, Oil, Acids, Fluids, crude and secreted, Solids, soft and hard.	59

CHAP. VI.

Cutaneous System.

1. Structure of the Skin.—Cuticle. Mucous Web. Corium, villous surface, leather. Muscular Web. Cellular Web.	80
2. Appendices.—Hair, Felting, Wool, Bristles, Spines. Feathers, quill, shaft, web, how produced. Horns, beaks, hoofs, claws, nails, spurs. Scales. Shells. Crusts.	87
3. Secretions.—Unctuous. Viscous. Sweat. Carbon,	101

CHAP. VII.

Osseous System.

1. Composition of the Bones. Periosteum. Cartilage. Earthy matter. Fat. Mode of growth, diploe, cancelli, Rickets, Mollities Ossium. Apophyses, Epiphyses, Articular cartilage.	107
2. Articulations. Symphysis, Synathrosis, suture, serrated, harmonic or squamous, Gomphosis ; Amphiarthrosis, Synchondrosis, Syndesmosis, Syssarcosis, Diarthrosis, Synovia. Motions of the Joints, flexion, twisting, sliding. Enarthrosis, Arthrodia, Gynghlymus. Skeleton, head, trunk and extremities. Vertebral and Invertebral Animals.	112

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xxii

CONTENTS OF VOL. I.

Page.

CHAP. VIII.

Muscular System.

Structure of the Muscles.—Filaments, tendons. Simple, ventriform, radiated, penniform, and compound muscles. Voluntary and involuntary. Effect of excitement. Lose their tenacity at death. Circular and longitudinal muscles.	122
Provision for resting.—Proneness. Grasping. Suction. Cementation.	128
Motions executed.—Standing. Walking. Suckers. Leaping. Flying. Swimming. Sleep.	130

CHAP. IX.

Nervous System.

Structure of the Nervous System. Brain, its integuments, concretions and medullary matter, cerebrum, cerebellum. Spinal Marrow. Nerves, neurilema, plexus, ganglion. Termination of the Nerves.	141
Varieties of Structure in different Animals.	149
Nervous System in Action. The Brain. Nerves, sensation, volition, involuntary motion, ganglia. Repairing power of the Nerves. Nervous energy neither electrical nor magnetical.	152

CHAP. X.

Organs of Perception.

They intimate at first the presence only of bodies. Meaning of the terms Sensation, Perception, and Idea:	164
1. Sense of Touch.	
The Organs in which it resides. Mode of excitement. Information which it communicates.	167

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. I.

xxiii

Page.

2. Sense of Heat.

Its peculiar characters. Information which it communicates. 171

3. Sense of Light.

Structure of the Eye. Coats of the Eye, sclerotica, cornea, choroides, ciliary ligament and processes, uvea, iris, pigmentum nigrum. Humours of the Eye, vitreous, crystalline, and aqueous. Nerves of the Eye, Optic nerve, Retina. Muscles of the Eye. Glands, lachrymal, Meibomian, and caruncula lachrymalis. Coverings of the Eye, eye-lids, nictitating membrane, conjunctiva, eyebrows. Simple and compound eyes. 172

Functions of the Eye. Focus. Why objects are not seen inverted. Objects seen at different distances. Diurnal and nocturnal Animals. Albinoes. Single vision with both eyes. 182

Knowledge procured by the sense of Sight. Colour of bodies, their direction, magnitude, distance, surface, and motion. Apt to deceive. Painting. 193

4. Sense of Hearing.

Structure of the Organ. Internal Ear. Labyrinth, auditory nerve, tympanum, Eustachian tube. External Ear, concha. 199

Knowledge procured by Hearing. Sound informs us of the distance, position, and velocity of bodies, even their composition. 203

5. Sense of Smell.

Structure of the Organs. Nose, septum narium, olfactory membrane, nasal mucus, olfactory and nasal nerves, Sinuses. 206

Functions of the organ of smell. Odours. Knowledge communicated, Useful in selecting food. 207

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xxiv

CONTENTS OF VOL. I.

	Page.
6. Sense of Taste.	
Resides in the mouth. Nerves. Sapid bodies. Useful in selecting food.	210
Mutual dependence of the organs of perception.	211

CHAP. XI.

Faculties of the Mind.

Intellectual Powers.

1. Faculties of mind. Attention, its selective operations. Obvious in the lower animals. Recalling faculties. Memory, power of association, conception an ambiguous term ; Memory aided by Attention, abstracts, examines and compares. Imagination not merely a retrospective, but a prospective power.	215
2. Ideas of Reflection. Personality, analogy often a source of errors, baits. Time. Power. Truth, acquired by experience and testimony. Duty. Deity.	225

Instinctive Powers.

Distinguished by inducing action without an effort.

1. Appetites for Food, how guided, frequency of its calls, sometimes vitiated. Sleep, dreaming, Somnambulists. Procreation.	243
2. Desires. Warmth. Clothing, natural, artificial. Place, facility of finding home. Curiosity. Society. Imitation. Approbation. Power. Life. . .	251
3. Affections. Benevolent. Parental affection, provides a suitable birth-place, a supply of food, temperature, cleanliness, protects from danger. Filial affection. Social affection, forms of government, a ruler, mutual support, news of food ; sometimes perverted, decoy ducks. Malevolent affections, their existence doubtful. Temperament. . . .	265

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. I.

xxv

	Page.
On the mutual communication of Feeling.	
1. By Sounds. Voice, Natural language. Acquired language. Singing birds. Origin of differences in human speech, the causes will always exist.	277
2. By signs addressed to the eye. Natural signs, gestures. Luminousness. Acquired signs.	294
3. By signs addressed to the touch.	297
Restraint. The terms Will and Free agency synonymous with attention. Restraint more easily exercised over our intellectual, than over our instinctive powers.	299
Difference between Reason and Instinct. The terms restricted. Dignity of man. Distribution of animals by LAMARK, according to their intelligence.	307

CHAP. XII.

Digestive System.

Hunger. Thirst. Kinds of food. Elements which nourish. How the food is seized, arms, claws, tentacula, lips, cutting teeth. Mastication, saliva. Deglutition, pharynx, gullet, stomach. Gastric juice. Digestion, chyme. Intestines, duodenum; pacreas; liver, gall-bladder, bile; jejunum, ilium, colon, cæcum, rectum. Peristaltic motion. Disengaged gases. Spleen. Peritoneum, Omentum, Mesentery.	314
--	-----

CHAP. XIII.

Circulating System.

Pulmonic vessels. Lacteals, chyle, thoracic duct. Lymphatics. Veins, venæ cavæ. The heart, pericardium, pulmonic auricle, pulmonary artery.	334
---	-----

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xxvi

CONTENTS OF VOL. I.

	Page.
The Blood. Its mechanical structure, serum, globules; coagulation. Chemical constitution, serosity, clot, colouring matter.	345
Aerating organs. Lungs and gills. Windpipe. Larynx. Changes produced in the air by respiration. Changes in the blood, colour, density, specific heat. Quantity of oxygen consumed, variable	348
Systemic vessels. Heart, aorta, arteries, capillary vessels.	356
Urinary system. Kidneys. Bladder. Urine. Calculi.	359

CHAP. XIV.

Peculiar Secretions.

1. Luminousness. Animals which are luminous. Se- creting organs, how excited.	364
2. Electricity. Electrical organs. Influence of the nerves.	367
3. Heat. Warm and cold blooded animals. Laws of animal temperature. Power of generating heat or cold. Possessed even by eggs. Influence of the skin, muscles, nerves, digestion and respiration. Morbid states. Origin of animal heat. Theories of BLACK and CRAWFORD insufficient to explain the phenomena. The idea of life inconsiderately ex- cluded.	376

CHAP. XV.

Reproductive System.

1. Viviparous Animals. Male organs, testicles, seminal vesicles, prostate gland, Cowper's glands. Seminal fluid. Female organs, ovaria, corpora lutea, oviduct, uterus. Impregnation, mysterious. Puberty. Gravid uterus, placenta, chorion, amnios, liquor amnii. Allantois. Foetus, how nourished. Determination of sex. Gestation. Birth. Milk.	390
--	-----

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. I.

xxvii

	Page.
2. Oviparous Animals. Male organs. Female organs. Egg. Impregnation. Hatching. Ovoviviparous Animals.	415
3. Androgynous Animals. Organs. Sexual union re- quisite in some. Hermaphroditism complete in others.	423
4. Gemmiparous Animals. Spontaneous division.	424
5. Hybridous Animals. Prevented by the selective attribute of the procreative instinct. Circumstances under which they are produced. They are barren.	428

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xxviii

CONTENTS OF VOL. II:

VOLUME SECOND.

PART I.

ON THE CONDITION OF ANIMALS.

CHAP. I.

Duration of Animals.

	Page.
Term of life frequently shortened. Noxious air. Endemic and epidemical diseases, Epizooty. Scarcity of Food, fasting. Cures. Universal war. Limits assigned to its ravages.	2

CHAP. II.

Distribution of Animals.

Each species of animal limited in its geographical distribution. Conditions of this limitation.	8
1. Temperature. Species suited to the climate. How the variations of the seasons are counteracted.	9
Changes take place in the clothing of animals. In the Quantity, casting the hair, winter furs, moulting. In the Colour, dark in summer and light in winter.	11

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS. OF VOL. II.

xxix

	Page.
Periodical Migration. Summer birds of passage. Winter birds of passage. Places whence they come and to which they return. Polar and Equatorial migration. Influenced by the zones of equal temperature,	29
Torpidity. In Quadrupeds, confined to the unguiculata. Retire to a place of safety. Assume the position of sleep. Are very fat. Suffer, when torpid, a diminution of temperature. Respiration slow. Circulation slow. Diminished irritability. Power of digestion weak. Weight diminishes. Causes of torpidity, a reduced temperature, confined atmosphere, state of the constitution. Reviviscence. Torpidity of birds. Submersion of swallows. Torpidity of cold-blooded animals. Quiescence,	45
2. Food. Provisions against the occurrence of want at particular seasons. Migration. Storing,	81
3. Situation. Land and water, Amphibious,	84
4. Foes. Rapacious animals. Man,	87

Revolutions which have taken place in the Animal Kingdom.

Remains of animals found in rocks. Errors, their origin. No evidence that these remains have been brought from other countries. Laws influencing Geographical distribution have always operated. The oldest relics not always belonging to the simplest animals,	88
Origin of these revolutions. Influence of the chace. Detrition of mountains, and upfilling of lakes. Increase of dry land. Changes of temperature. Peculiar co-existing characters of the state of the strata, and the kind of putrefactions which they contain,	97

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xxx

CONTENTS OF VOL. II.

	Page.
Naturalization of Animals,	105
Method of constructing a Fauna. Resident animals.	
Periodical visitants. Stragglers. Extirpated animals. Extinct animals. Naturalized animals.	106

CHAP. III.

Economical uses of Animals.

Food. Clothing. Medecine. Arts.	107
---	-----

PART II.

THE METHOD OF INVESTIGATING THE CHARACTERS OF ANIMALS.

CHAP. I.

External Characters.

Colour, variable. Dimensions, influenced by age and sex. Weight, influenced by age, sex, and season.	
Shape, too much neglected. Habits of the species.	113
Restriction of terms of position, aspect and connection.	116

CHAP. II.

Internal Characters.

Dissection difficult, in air, in water. Processes employed. Maceration, solvents. Coagulation. Injection. Reliance on analogy.	120
The Microscope, fruitful of error. Preference given to single lenses. Management of light. Objects in water.	126

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. II.

xxxii

	Page.
Characters of animals, how communicated. Descriptions. Drawings. Specimens. Preserving powder, preserving soap. Phials with alcohol, how closed.	128

PART III.

ON NOMENCLATURE.

On Systems. As many Natural Methods as there are systems of organs. Reputed natural genera containing artificial combinations. Artificial method. Mixed method. The exclusive employment of positive and negative characters recommended. Want of unity of method in the primary division of Linnæus.	136
---	-----

Subdivisions employed in arrangement.

1. Species. Sexual differences. Varieties. Specific name. Abuses. Specific character, necessarily variable with the progress of the science. References. Specific description,	148
Genus. Generic names sometimes wantonly changed. Generic character. Generic description. Families.	155

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xxxii

CONTENTS OF VOL. II.

PART IV.

CLASSIFICATION OF ANIMALS.

Divided into Vertebral and Invertebral.

I.

VERTEBRATA.

	Page.
Character. Description,	161

I. *With Warm Blood.*

QUADRUPEDS.

I.—MAMMALIA.

Structure of the teeth. Ivory, enamel, cement. Mode of formation. Different forms of teeth.	165
---	-----

1. PLACENTARIA.

PEDATA.

UNGUICULATA.

a. Furnished with tusks.

1. Thumbs fitted to act in opposition to the fingers.

Bimana. Man,	171]
------------------------	-------

Quadruped. Simiadæ. Limuridæ.	172
---------------------------------------	-----

2. Thumbs incapable of acting in opposition to the fingers.

Cheiroptera,	175
------------------------	-----

Feræ.	
-------	--

Hind legs developed for walking.

Plantigrada.	181]
----------------------	-------

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. II.

xxxiii

	Page.
<i>Digitigrada.</i>	184
Hind legs fitted for swimming.	
<i>Palmata.</i>	186
<i>b. Destitute of tusks.</i>	
<i>Glires.</i>	189
UNGULATA.	
<i>Pecora.</i>	195
<i>Belluæ.</i>	199
APODA.	
<i>Herbivora.</i>	203
<i>Cetacea.</i>	204
2. MARSUPIALIA,	211
II.— MONOTREMATA,	213
Preservation of Quadrupeds for a Museum.	216

BIRDS.

Division of their feathers. Bones. Respiration. Generation.	218
---	-----

I. Fissipedes.

TERRESTRIAL BIRDS.

1. Three toes directed anteriorly.

A. Nostrils arched.

<i>Gallinæ,</i>	229
<i>Columbinæ,</i>	232

B. Nostrils exposed.

ACCIPITRES.

<i>Eagles,</i>	233
<i>Owls,</i>	236

PASERES.

1. The first joint of the outer and middle toes connected.

c

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xxxiv

CONTENTS OF VOL. II.

	Page.
Gape wide.	
Fissirostres.	237
Gape moderate.	
Bill with a terminal notch.	239
Bill destitute of a terminal notch.	242
2. First and second toes adhering nearly to their extremity.	247
II. Two toes only directed forwards.	
A. Toes equally divided, two before, and two behind.	248
B. Two toes before, and one behind.	250

WADERS.

Wings developed. Glariola. Platalea. Cultrirostres.	
Pressirostres.	250
Wings imperfect. Casoaris. Struthio.	257

II. Palmipedes.

AQUATIC BIRDS.

I. Hind toe united with the fore toes.	
Base of the bill naked. Onocratulus. Sula.	258
Base of the bill feathered. Pheton.	259
II. Hind toe separate.	
Margin of the mandibles with teeth. Anas. Mergus,	259
Margin of the bill destitute of teeth. Aptenodytes.	
Alca. Colymbus. Procellaria. Diomedia. Larus	
Sturna.	261
Method of Preserving Birds,	263

II. *With Cold Blood.*

REPTILES.

General Description.	266
----------------------	-----

HEART WITH TWO AURICLES.

I. Body furnished with feet.	
------------------------------	--

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. II. XXXV

	Page.
CHELONEA.	
General Description.	268
A. Lips corneous. <i>Cistuda, Testudo, Emys, Chelonica, Chelonia, Coriudo.</i>	270
B. Lips fleshy. <i>Chelys, Trionix.</i>	271
SAURIA.	
General Description.	ib.
A. Furnished with four feet.	272
B. Furnished with two feet.	278
II. Body destitute of feet. <i>Ophidia.</i>	
General Description of Serpents.	279
A. Ventral and dorsal scales similar. <i>Anguis. Amphisbaena.</i>	288
B. Ventral and dorsal scales dissimilar. <i>Boa. Coluber. Crotalus,</i>	290
HEART WITH ONE AURICLE.	
General Description of the BATRACHIA.	296
A. Furnished with feet. With a tail, <i>Salamandra, Triton, Sirena, Apneumona.</i> Destitute of a tail. <i>Hyla, Rana, Bufo, Pipa.</i>	296
B. Destitute of feet. <i>Cæcilia.</i>	305
FISHES.	
General Description. Skin. Lateral line. Fins. Suckers. Air-bag. Brain. Nutrition. Gills. Reproduction. Age. Distribution. Fish-ponds. Dietetical Uses,	305

Order I.—Cartilaginous Fishes.Subdivision I. Branchiæ fixed.—**Chondropterygious Fishes.**Tribe I. Lips fitted to act as a sucker. *Petromyzon. Homea. Ammocetes. Myxine.* 374

c 2

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xxxvi

CONTENTS OF VOL. II.

	Page.
Tribe II. Lips unfit to act as a sucker. <i>Squalus.</i> Raia. <i>Chimera.</i>	375
Subdivision II. Branchiae free. <i>Accipenser.</i> <i>Spatularia.</i>	380
Order II.—Osseous Fishes.	
Subdivision I. Jaws imperfect.	
Tribe I. Jaws exposed and covered with ivory. <i>Diodon.</i>	381
Tribe II. Jaws covered, and supporting ordinary teeth. <i>Balistes.</i> <i>Ostracion.</i>	382
Subdivision II. Jaws perfect.	
Tribe I. Gills in tufts. <i>Syngnathus.</i>	383
Tribe II. Gills continuous.	
A. Malacopterygious Fishes.	
(I.) Ventral fins abdominal. <i>Salmo.</i> <i>Clupea.</i> <i>Esox.</i> <i>Cyprinus.</i> <i>Silurus.</i>	384
(II.) Ventral fins thoracic or jugular. <i>a. Sides similar.</i>	
(AA.) With a sucker. <i>Cyclopterus.</i> <i>Echeneis.</i>	387
(BB.) Destitute of a sucker. <i>Gadus.</i>	388
<i>b. Sides dissimilar.</i> <i>Pleuronectes.</i>	ib.
(III.) Ventral fins wanting. <i>aa. Gill opening small.</i> <i>Murena.</i> <i>Gymnotus.</i>	389
<i>bb. Gill opening apparent.</i> <i>Ophidium.</i> <i>Ammodytes.</i>	ib.
B. Acanthopterygious Fishes.	
I. Tænioidæ. <i>Cepola.</i> <i>Gymnetrus.</i> <i>Trichiurus.</i> <i>Lepidopus.</i>	390

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. II. xxxvii

	Page.
II. Gobioidæ. <i>Blennius. Anarhicas. Gobius. Silago. Callionymus.</i>	391
III. Labroidæ. <i>Labrus. Scarus.</i>	391
IV. Sparoidæ. <i>Dentex. Cantharus. Percadæ.</i>	392
V. Scomberoidæ. <i>Scomber. Gasterosteus. Zeus.</i>	394
VI. Chætodon. <i>Stromateus. Temnodon.</i>	396
VII. Fistularia. <i>Centriscus.</i>	ib.
Preservation of Fishes for a Museum.	397

II.

INVERTEBRATA.

General Description.	398
------------------------------	-----

I.

*GANGLIATA.**MOLLUSCA.*

Description. General form. Skin. Shell. Sucker. Byssus. Condition.	399
--	-----

Division I.—*Mollusca Cephala.*

Description,	418
------------------------	-----

Section I. *NATANTIA.*Class I.—*Cephalopoda.*

Description. Sac. Arms and Feet. Eyes. Inky Fluid,	419
--	-----

Order I.—*NAUTILIADÆ.*

Spirula. <i>Nautilus. Multilocular testacea,</i>	430
--	-----

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xxxviii

CONTENTS OF VOL. II.

	Page.
Order II.—SEPIADÆ.	
1. Head surrounded with eight arms and two feet. Sepia. Loligo.	.
2. Head surrounded with eight arms without feet. Octopus. Eledona. Ocythoe.	431
Class II.—Pteropoda.	
Description. Tunic. Fins. Aerating Organs.	440
I. With a shell Limacina. Hyalea.	443
II. Destitute of a shell.	
A. Fins double. Pneumodermon. Clio. Cleodora,	444
B. Fin single. Cymbulia.	446
Section II.—GASTEROPODA.	
Description. Cloak. Foot. Neck. Head. Snout. Tongue.	ib.
Class I.—Pulmonifera.	
Description. Pulmonary cavity. Dextral and sinistral shells. Reproduction.	448
Order I. Terrestrial.	
Subdivision I. Cloak and foot parallel. Arion. Limax. Parmacella. Testacella. Veronicellus. Onchidium.	450
Subdivision II. Cloak and foot not parallel.	
Tribe I. Foot with a lid. Cyclostoma.	456
Tribe II. Foot destitute of a lid. Helix. Bulimus. Pupadæ. Vitrina. Succinea. Achätina.	ib.
Order II. Aquatic.	
Subdivision I. Body protected by a shell.	
Tribe I. Shell spirally twisted.	
A. Shells turreted. Lymneus. Physa. Aplexa.	460

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. II.

xxxix

	Page.
B. Shells depressed. <i>Planorbis. Segmentina.</i>	462
Tribe II. Shell conical. <i>Ancylus.</i>	463
Subdivision II. Body destitute of the protection of a shell. <i>Peronia.</i>	ib.

Class II.—*Branchifera.*Order I. *Branchiæ external.*Tribe I. *Branchiæ exposed.*

A. <i>Branchiæ issuing from the cloak dorsally.</i>	
1. Body exposed, and destitute of a shell.	
<i>a. Doris, Polycera. b. Tergipes, Tritonia, Montaguæ, Eolida, Scyllæa, Glaucus, Thethys.</i>	466
2. Body concealed in a spiral shell. <i>Valvata.</i>	472
B. <i>Branchiæ issuing laterally from between the cloak and foot.</i>	
1. Body with a shell. <i>Cyclobranchia.</i> <i>Patella, Chiton, Chitonellus.</i>	475
2. Body naked. <i>Inferobranchia.</i> <i>Phyllidia, Diphylidia.</i>	476

Tribe II. *Branchiæ simple, and concealed when at rest under a lid. Tectibranchia.*

A. Head furnished with tentacula.	
1. Tentacula four in number. <i>a. Aplysia, Notarchus. b. Dolabella.</i>	477
2. Tentacula two in number. <i>Pleurobranchus.</i>	480
B. Head destitute of tentacula. <i>Bulla, Doridium.</i>	483

Order II. *Branchiæ Internal.*

Subdivision I.

Heart entire, and detached from the rectum.

Tribe I.

Shell external.

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xl

CONTENTS OF VOL. II.

	Page.
A. Aperture of the shell entire.	
1. Aperture of the shell closed by a lid. <i>Turbonidæ.</i>	
<i>Neritadæ. Trochusidæ.</i>	488
2. Aperture of the shell exposed. <i>Janthina. Velutina.</i>	489
B. Anterior margin of the aperture of the shell canalicated.	
1. Shell convoluted. <i>Cypreadæ. Ovuladæ. Volutadæ,</i>	490
2. Shell turreted. <i>Buccinidæ. Muricidæ. Cerithiadæ. Strombusidæ.</i>	491
Tribe II.	
Shell internal. <i>Sigaretus.</i>	ib.
Subdivision II.	
Heart traversed by the rectum.	
Tribe I. Shell ear-shaped.	
<i>Haliotidæ, Haliotis, Padola, Stomatia.</i>	492
Tribe II. Shell conical.	
<i>Crepiduladæ. Capulusidæ. Fissurelladæ.</i>	494

Division II.—Mollusca Acephala.**Section I.—ACEPHALA CONCHIFERA.****Order I. BRACHIOPODA.****Subdivision I.**

Shell supported on a fleshy peduncle.

<i>Lingula. Terebratula.</i>	496
--	-----

Subdivision II.Shell sessile. *Criopus.*

499

Order II. BIVALVIA.

Description. Ligament. Muscles. Siphons. Byssus.

<i>Foot. Crystalline process. Pearl,</i>	499
--	-----

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. II.

xli

	Page.
<i>Subdivision I. Cloak open.</i>	
Tribe I. Valves closed by one adductor muscle.	
Pectenidæ. Ostreadæ,	504.
Tribe II. Shell closed by two adductor muscles.	
Avicularia. Meleagrina. Pinna. Arcadæ,	505
<i>Subdivision II. Cloak more or less closed, forming syphons.</i>	
Tribe I.	
One siphon. Mytilusidæ. Unioidæ. Cardita. Venericardia and Crassatella,	505
Tribe II.	
Cloak closed posteriorly, and anteriorly, forming three apertures. Tridacna and Hippopus,	506
Tribe III.	
Anterior opening large. Chama. Cardium. Donax. Tellina. Venus. Mactra,	506
Tribe IV.	
Anterior opening small. Mya. Solen. Pholas. Teredo,	507

Section II. ACEPHALA TUNICATA.

Subdivision I. Interior tunic detached from the external one, and united only at the two orifices.

Tribe I.

Body permanently fixed to other bodies.

A. Simple animals.

1. Apertures furnished with four rays. Boltenia. Cyathia. Cæsira. Styela. Pandocia,
2. Apertures with indistinct rays of more than four. Clavelina. Pirena. Ciona. Phallusia

B. Compound animals.

Branchial orifice radiated.

a. Branchial and anal orifices, with six rays.

- Diazona. Polyzona. Sigillina.

512

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xlii

CONTENTS OF VOL. II.

	Page.
b. Branchial orifice only furnished with six rays. <i>Synoicum.</i> <i>Sydneum.</i> <i>Polyclinum.</i> <i>Alpidium.</i> <i>Didernum.</i>	513
II. Branchial orifice simple. <i>Botryllus.</i> <i>Euclæum.</i>	515
Tribe II. Body free and moving about in the water. <i>Pyrosoma.</i>	516
<i>Subdivision II. Interior tunic adhering throughout to the external one</i> <i>Salpa.</i>	517
Preparation of Molluscous Animals.	ib.

II.

ANNULOSA.

General characters,	518
-------------------------------	-----

Subdivision I.—ANNULOSE ANIMALS WITH ARTICULATED LIMBS FOR LOCOMOTION.

General characters. Skin. Muscles. Head. Trunk. Thorax, thoracic sternum. Breast, scutellum, pectoral sternum. Abdomen. Members, wings, elytra poizers, legs. Nervous system. Eyes. Antennæ. Masticating organs. Gullet. Dorsal vessel. Stigmata, Trachea. Ovipositor, larva, pupa, imago.	519
--	-----

Order I.—With Branchial Aerating Organs.

Section I.—MALACOSTRACA.

Tribe I. Podophthalma.

A. *Brachyura.* *Lambrus.* *Corystes.* *Portunius.* *Mantua.* *Cancer.* *Pilumnus.* *Pinnotheres.* *Ocypode.* *Grapsus.* *Homola.* *Dorippe.* *Eurynome.*

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. II.

xliii

	Page.
Pisa. Maja. Egeria. Hyas. Lithodes. Inachus. Macropodia. Leptopodia. Leucosia.	547
<i>B. Macroura.</i> Pagurus. Scyllarus. Palinurus. Procellaria. Gebea. Astacus. Crangon. Atya. Pandanus. Panæus. Palæmon. Mysis. Nebalia.	550
Tribe II. Edriophthalma.	
Phronyma. Talitrus. Atylus. Dexamine. Melita. Gammarus. Podocerus. Corophium. Proto. Lärunda. Idotea. Anthura. Campeopea. Cymodice. Æga. Eurydice. Apseudes. Janira Jæra. Ligia Philoscia. Porcellio. Armadillo.	552

Section II.—ENTOMOSTRACA.

Division 1. Limulus. Apus. Argulus. Cecrops. 2. Lynceus. Cypris. 3. Cyclops. 4. Branchiopoda.	554
<i>Epizaoriae.</i> Chondrocanthus.	556
<i>Podosomata.</i> Pycnogonum.	ib.

Order II.—With Pulmonary Aerating Organs.

Section I. Head destitute of Antennæ.

ARACHNIDA.

Tribe I. *Lungs in the form of lateral sacs.*

A. Palpi bearing the male organs in the last joint.	
1. Mandibles with three hooks folded transversely.	
Segistria. Scytodes. Linyphia. Sparassus Ctenus. Eresus.	556
2. Mandibles with their hooks folded ventrally.	
Mygale, Avicularia, Atypus, Eriodon.	557
B. Palpi large, unconnected with the sexual organs.	
1. Abdomen pedunculated. Thelyphonus, Phryinus,	557
2. Abdomen sessile.	
Scorpio, Buthus,	ib.

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xliv

CONTENTS OF VOL. II.

	Page.
<i>Tribe. II. Lungs tracheal.</i>	
A. Thorax and abdomen distinct.	
Solpuga, Chelifer, Obisium.	558
B. Thorax and abdomen united.	
I. Mandibles distinct. <i>a.</i> Phalangium. <i>b.</i> Tro-	
gulus.	ib.
II. Mandibles indistinct. <i>a.</i> Ixodes, Argus, Aca-	
rus, Erythraeus, Hydrachna. <i>b.</i> Caris	ib.
Section II. Head furnished with antennæ.	
I. INSECTA.	
Principles of arrangements, Swammerdam, Linnæus,	
Fabricius.	ib.
I. Insecta Mandibulata.	
Order I.—COLEOPTERA.	
General characters.	560
1. Cleoptera Pentamera.	
Pentamera Carnivora.	
Carnivora terrestria. Cicindeladæ. Carabidæ.	562
Carnivora aquatica. Dyticidæ. Gyrinedæ.	564
Pentamera Microptera.	
1. Head exposed. Staphylinidæ, Oxyporidæ.	565
2. Head sunk in the thorax. Lomechusidæ, Tachi-	
nidæ.	566
Pentamera Serricornua.	
a. Elateridæ, Buprestidæ, Melasidæ. <i>b.</i> Lymoxy-	
lonidæ, Mastigoidæ, Malachiusidæ, Melyridæ,	
Clerusidæ. <i>c.</i> Ptinusidæ, Anobiumedæ. <i>d.</i> Ce-	
brionidæ, Lampyridæ, Telephoridæ.	ib.
Pentamera Clavicornua.	
Dryopsidæ, Histeridæ, Byrrhidæ, Dermestidæ, Nitidulidæ, Silphidæ.	567

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. II.

xlv

	Page.
Pentamera Palpicornua.	
Hyrophilidæ, Spheridiadæ.	568
Pentamera Lamellicornua.	
Lucanidæ, Copridæ, Geotrupidæ, Scarabeidæ, Melolonthadæ, Glaphyridæ, Trichiadæ.	569
Coleoptera Heteromera.	
a. Rhinomaceridæ. b. Pyrochroidæ, Mordelladæ, Tetraonix, Mylabridæ, Cantharidæ. c. Tenebrioidæ, Erodiusidæ, Scaurusidæ, Asidadæ, Blapsidæ. d. Melandriadæ, Helopsidæ, Heleadæ, Diaperidæ, Leiodesidæ.	ib.
Coleoptera Tetramera.	
a. Bruchus. b. Curculionidæ, Brentusidæ, Erotylidæ, Cerambicidæ, Chrysomelinidæ. c. Mycetophagidæ, Bostrichidæ, Scolytusidæ.	571
Coleoptera Trimera.	
Coccinellidæ, Endomychidæ.	572
Coleoptera Dimera.	
Claviger, Pselaphus,	573
 Order II.—Dermaptera.	
Forficula. Labia. Labidura.	
 Order III.—Orthoptera.	
a. Wings roof-like when at rest. Locustadæ, Achetadæ.	573
b. Wings horizontal when at rest. Gryllidæ, Blatta, Mantidæ.	574

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xlvi

CONTENTS OF VOL. II.

Page.

Order IV.—Neuroptera.

- a.* Anntenæ about the length of the head.
 Libelluladæ, Ephemeraldæ. 575
b. Antennæ longer than the head. Panorpadæ, Myrmelionidæ, Termesidæ, Hemerobiadæ, Perladæ, 575

Order V. Trichoptera.

- Leptoceridæ, Phryganidæ, 576

Order VI. Hymenoptera.

1. Hymenoptera terebrantia. Chrysidæ, Oxyuridæ, Ichneumonidæ, Evaniadæ, Cynipsidæ, Diplolepidæ, Sirexidæ, Tenthredadæ. 576
2. Hymenoptera aculeata. Formicadæ, Mutilladæ, Scoliadæ, Sphexidæ, Masaridæ, Vespadæ, Apidæ, Systropha, Andrenadæ. 577

Order VII. Strepsiptera.

- Stylops, Zenos. 479

II. Insecta Haustellata.

Page.

Order I.—HEMIPTERA.

1. Hemiptera heteroptera. *a.* Terrestrial, as Pentatomadæ, Coreidæ, Reduviadæ, Acanthidæ. *b.* Aquatic, as Hydrometridæ, Nepadæ, Notonectadæ. 580
2. Hemiptera homoptera. Cicadiadæ, Fulgoradæ, Cercopidæ, Aphisidæ, Coccidæ, 581

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. II.

xlvii

Order II.—LEPIDOPTERA.

1. Lepidoptera diurna. Papilionidæ, Hesperiadæ.	582
2. Lepidoptera crepuscularia. Glaukopidæ, Zygenadæ, Sphingidæ.	583
3. Lepidoptera nocturna. Pterophoridæ, Tinneadæ, Alucitadæ, Aglossadæ, Pyralidæ, Phalena.	583

Order III.—DIPTERA.

1. Sheath of the proboscis univalvular. Muscadæ, Achiassidæ, Oestrus, Syrphadæ, Aphritidæ, Stratimyidæ, Conopsidæ, Bombylidæ, Tabanidæ, Bibionidæ, Tipuladæ, Asindulum.	584
2. Sheath of the proboscis bivalvular. Hypoboscidæ, Nycteribia.	585

Order IV.—APTERA.

1. Aptera suctoria. Pulex.	
2. Aptera thysanura. Lepismadæ, Poduradæ.	586
3. Aptera parasita. Nirmidæ, Pediculidæ,	ib.

II.—MYRIAPODA.

Order I.—Chilognatha.

Glomeris, Julius, Craspedosoma, Pollydesmus, Pollyxenus.	587
--	-----

Order II.—Syngnatha.

Scolopendra, Scutigera, Lithobius, Cryptops, Geophilus.	587
Method of preserving the articulated annulosa.	ib.

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

xlviii

CONTENTS OF VOL. II.

Page

**Subdivision II.—ANNULOSE ANIMALS DESTITUTE
OF ARTICULATED LIMBS FOR LOCOMOTION.**

Order I.—Habitation external.

Section I.—CIRRHIPIDES.

General Description.	590
Tribe I. Pedunculated.	
1. With five testaceous valves. <i>Lepas, Otion, Cineras.</i>	593
2. Testaceous valves exceeding five. <i>Scalpellum, Pollicipes.</i>	595
Tribe II. Sessile.	
1. <i>Tubicinella, Coronula, Chelonobia, Balanus, Acasta.</i>	ib.
2. <i>Creusia, Conia, Clisia.</i>	599
3. <i>Pyrgoma.</i>	ib.

Section II.—ANNELIDES.

Tribe I. Body furnished with a shell.	
A. Free. 1. <i>Siliquaria.</i> 2. <i>Dentalium, Cæcalium.</i>	600
B. Fixed. 1. <i>Penicillus.</i> 2. <i>Galeolaria, Vermilia, Serpula, Magilus, Spirorbis, Heterodisca, Lobatula.</i>	601
Tribe II. Body destitute of a shell.	
A. Branchiæ external	
1. With antennæ. <i>Aphroditæ, Nereides, Eunicæ, Amphinomæ.</i>	602
2. Destitute of antennæ. <i>Clymene, Pectinaria, Sabellaria, Terebella, Amphitrite, Arenicola.</i>	603
B. Aerating organs internal.	
1. Body with filaments. <i>Thallassina, Lumbricus, Cirratulus, Nais, Styleria, Tubifex, Derris.</i>	ib.

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. II.

xlix

	Page.
2. Body naked. <i>a.</i> With terminal suckers. <i>Hirudo,</i> <i>Glossopora, Erpobdella, Pontobdella, Phyllene,</i> <i>Trochætia. b. Planariadæ, Gordiusidæ.</i>	ib.

Order II.—Habitation internal.

Entozoa.

Tribe I. Mouth and anus at the opposite extremities. <i>Filaria, Hamularia, &c.</i>	606
Tribe II. Mouth and anus not at the opposite extremities.	
A. <i>Echinorynchus, Hæruca.</i>	607
B. <i>Tænia, Cysticercus.</i>	ib.
C. <i>Monostoma, Amphistoma.</i>	ib.
D. <i>Ligula.</i>	ib.

II.

RADIATA.

Class I.—Echinodermata.

Order I.—Intestine open at both extremities.

Section I. With suckers.

Tribe I. <i>Echinida.</i> A. <i>Scutella, Clypeaster, Fibularia, Echinoneus, Galerites, Ananchytes, Spatangus.</i> B. <i>Cassidulus, Nucleolites, Echinus, Cidarites.</i>	608
Tribe II. <i>Fistulida. Holothuria,</i>	609
Sect. II. Destitute of Suckers.	
<i>Molpadia, Menyas, Sipunculus,</i>	609

d

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

I

CONTENTS OF VOL. II.

Order II.—Intestine open at the mouth only.

Tribe I. Stellerida, Asterias, Ophiura, Euryale, Co-	609
matula,	
Tribe II. Crinoidea. Pentacrinus,	609

Class II.—Acalepha.

Order I.—Base adhering. 1. Actinia, Zoanthus. 2. Lu-	
cernaria,	610

Order II.—Base free.

1. Tribe, without air-vessels. Velella, Porpita, Medusa,	
Beroe, Pleurobrachia,	611
2. Tribe, with air-vessels. Physalia, Physsophora, Rhi-	
zophyza, Stephanomia,	612

Class III. Zoophyta.

Order I.—CARNOSA.

Tribe I. Aggregated free animals. Pennatula, Vere-	
tellum, Funiculina, Renilla, Virgularia, Umbellularia, .	613

Tribe II. Aggregated animals fixed. Anthelia, Zenia,	
Amothea, Lobularia, Cornularia, Spongia, Ephydatia, .	614

Tribe III. Antipathes, Corallium,	614
---	-----

Tribe IV. Madrepora,	615
--------------------------------	-----

Order II.

1. Tribe. Millepora, Retipora, Corallinadæ, Tubulipo-	
ra, Tubipora, Cellipora, Eschara, Flustra, Cellularia,	
Alcyonium,	615
2. Tribe. Sertularia, Tubularia, Alcyonium,	616

Order III.

Coryna, Hydra,	616
--------------------------	-----

Order IV.

1. Brachionis, Furcularia, &c.	617
2. Ratullus, Trichocerca,	617

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

CONTENTS OF VOL. II.

li

Class IV. Infusoria.

	Page.
Order I. With external organs. Cercaria, Furocerca, Trichoda, Kerona.	618
Order II. Without external organs. Monas, Volvox, Bursaria, Kolpoda,	618

EXPLANATION OF THE PLATES.

(The Binder is desired to place all the Plates at the end of Vol. I.)

PLATE I.

Fig. 1. Plecotus auritus or Long-eared Bat, vol. i. - -	176
— 2. Tusks and grinders of the Badger. <i>a</i> , Inside view of the teeth of the upper jaw. <i>b</i> , A similar view of the teeth of the under jaw, - -	181
— 3. Common Seal. <i>a</i> , Hind-feet and tail viewed dorsally. - - -	186
— 4. Common Porpess. - - -	209
— 5. Teeth of — —. <i>a</i> , One from the middle of the lower jaw. <i>b</i> , One from the middle of the upper-jaw. - - -	ib.
— 6. Milk tusk of the Common Narwal, - - -	210

PLATE II.

— 1. Colymbus Troile, with the bill open, to exhibit the notch, - - -	262
— 2. Bones of the wing of the Corncrake, illustrative of the method of amputating portions of that organ in wounded birds, - - -	265

PLATE III.

— 1. Clupea alosa or Shad, - - -	385
— 2. Rhombus punctatus, - - -	388

Cambridge University Press

978-1-108-00165-6 - The Philosophy of Zoology: Or a General View of the Structure, Functions, and Classification of Animals, Volume 1

John Fleming

Table of Contents

[More information](#)

lii

EXPLANATION OF THE PLATES.

PLATE IV.

— 1. Vitrina pellucida;	-	vol. i.	459
— 2. Eolida purpurascens,	-		470
— 3. Patella vulgaris,	-		474
— 4. Terebratula cranium. <i>a</i> , Inside of the larger valve. <i>b</i> , Inside of the smaller valve.	-		498
— 5. Terebratula aurita. <i>a, b</i> , The two valves viewed externally. <i>c, d</i> , The corresponding valves viewed internally, all the four figures a little magnified.	-	ib.	
— 6. A, B, C. Three species of the genus Nirmus, found on the Anser erythropus, magnified,			586
— 7. A species of Argas, found on Falco tinnunculus, magnified,	-		558

PLATE V.

— 1. Coryna squamata. <i>a</i> Natural size. <i>b</i> magnified.	—	616
— 2. — glandulosa. <i>a</i> — — — <i>b</i> — — —	—	
— 3. Sertularia gelatinosa. <i>a</i> — — — <i>b</i> — — —	—	ib.
— 4. Ephydatia canalium, nat. size.	—	614
— 5. Furocerca.	—	618

CORRIGENDA.

VOL. I.

- Page 53. line 13. *from the top, after superior add to*
 — 125. — 8. — — — *for facility read faculty*
 — 238. — 9. — — — *consistent — inconsistent*
 — 250. — 21. — — — *property — propriety*
 — 263. — 18. — — — *been — become*
 — 402. — 9. — — — *before evolution insert internal*

VOL. II.

- Page 121. line 14. *from the top, for the read their*
 — 120. — 25. — — — *fifth — fiftieth*
 — 201. — 9. — — — *division — denizen*
 — 268. *after line 13. add, 1. Body furnished with feet.*
 — 579. — 1. *before Stripsiptera insert ORDER VII.*