

Cambridge University Press

978-1-108-00186-1 - The Principles of Descriptive and Physiological Botany
John Stevens Henslow

Index

[More information](#)

INDEX AND GLOSSARY.

The language of the botanist comprises many words adopted, or rather compounded, from Greek and Latin, which are seldom applied in their strictly classical signification; and some English terms are also employed in a peculiar and technical sense. The derivation of many of these is here given, that the reader may be the better able to remember them; but further reference is made to the article and page, where the fullest explanation of their meaning occurs, in the body of the work.

A.

- ABORTION** (115.), 118.
- Absorption (160.), 176.
- Acotyledones** (α , not; $\chiοτυληδων$, a seed leaf), (36.), 35.
- Adfluxion (167.), 182.
- Adventitious buds (57.), 51.
- Aerial-stem (45.), 43.
- Æstivation** ($\alphaεστινα$, summer quarters), (104.), 101.
- Age of trees (240.), 243.
- Air-cells (21.), 19.
- Air-cells (174.), 188.
- Akenium (α , not; $\chiαινω$, to open), (108. 6. fig. 117.), 109.
- Albumen (*albumen*, the white of an egg), (34. 1.), 32.
- Albumen, formation of (269.), 271.
- Alburnum (*alburnum*, sap-wood), (50.), 45.
- Alternate (82.), 75.
- Amnion (269.), 271.
- Amyaceous (*amylon*, wheaten food), like flour.
- Anastomose, ($\alphaναστομωσις$, passing of one vein into another).
- Anatropous ($\alphaνα$, over; $\tauεπω$, to turn), (267.), 271.
- Angulinerved (72.), 62.
- Annular (*annulus*, a ring), ringed.
- Anther ($\alphaνθης$, flowery), (97. and 98. fig. 98.), 96.
- Apex (*apex*, the summit, pl. apices).
- Apocarpous ($\alphaπο$, apart; $\chiαρπος$, fruit), where the carpels are not united into a compound pistil, 103.

Arillus (109.), 111.

- Articulation (69.), 60.
- Ascent of sap (163.), 178.
- Assimilation (223.), 227.
- Atmosphere, influence of (307.), 300.
- Awn (96.), 96.
- Axil** (*axilla*, the arm-pit). The angle at which a leaf or branch unites with the stem.
- Axis, imaginary line, drawn longitudinally through the middle of an organ.

B.

- Bell-shaped, or campanulate (95. 1. fig. 92. a.), 94.
- Berry (108. 10. fig. 120.), 109.
- Biennial, lasting two years.
- Bladders (42.), 41.
- Botanical geography (302.), 294.
- Botanical habitations (309.), 302.
- Botanical regions (312.), 304.
- Botanical stations (308.), 301.
- Bractea (*bractea*, a thin leaf of metal), (91.), 89.
- Branches (59.), 51.
- Budding (228. 3.), 233.
- Buds (57.), 50.
- Buds, on leaves (293. fig. 168.), 286.
- Buds and embryos, connection of, (291.), 285.
- Bulb (65.), 57.

316

INDEX AND GLOSSARY.

C.

Caloric, development of (254.), 258.
 Calyciflora (102.), 101.
 Calyx (*calyx*, the cup of a flower), (92. and 94.), 91.
 Cambium (34. 2.), 32.
 Camphor (208.), 218.
 Campulitropous (*χαμπυτός*, curved; *τρέπω*, to turn), (267.), 270.
 Capitulum (*capitulum*, a little head), 90. *fig.* 87.), 89.
 Capsule (*capsula*, a chest), (108. 8.), 109.
 Cariopsis (*καρίψ*, the head; *οψις*, form), (108. 5.), 108.
 Carpels (*καρπός*, fruit), (92.), 91. (100.), 98.
 Catkin, (89. *fig.* 82.), 86.
 Caudex (*caudex*, a stem), (39.), 38.
 Caudex (84.), 77.
 Caulinar (*caulis*, a stem), attached to the stem.
 Cellulares (36. 2.), 36.
 Cellular tissue (16.), 14.
 Centrifugal inflorescence (88.), 84.
 Centripetal inflorescence (89.), 86.
 Chalaze (*χαλαζα*, tubercle in the skin), (266.), 270.
 Chara (194. *fig.* 158.), 207.
 Character (132.), 138.
 Chromatometer (*χρωμα*, colour; *μέτρον*, measure), (186.), 200.
 Ciliae (*cilium*, hair of the eyelids), fringes of hair or bristles, 167.
 Circinate (*circinatus*, rounded), (fig. 72. g.), 74.
 Circulation (195.), 208.
 Classes (33.), 30.
 Closters (16.), (*χλωστήρ*, a spindle), elongated vesicles of the cellular tissue, 15.
 Cluster. *See* Raceme.
 Cohorts (131.), 137.
 Colour (181.), 194.
 Colour of fruit (274.), 275.
 Complex organs (32.), 29.
 Compound organs (28.), 24.
 Cone (91. *fig.* 137.), 89.
 Conduplicate (104.), 102.
 Coniferous, bearing cones, as the fir tribes.
 Connate (83. *fig.* 73. a.), 75.
 Connective (*connecto*, to join together), (98.), 97.
 Conservative organs (10.), 10.
 Contorted (*contortus*, twisted), (104.), 102.
 Cormus (66.), 58.
 Corolla (*corolla*, a little crown), (92. and 95.), 91.
 Corolliflora (102.), 101.
 Corymb (*κορυμβός*, a summit, or a branch), (90. *fig.* 85.), 87.

Cotyledons (*κοτυληδών*, a hollow vessel); used in botany to signify the seed-leaves (34. 1.), 31.
 Cow-tree (203. 3.), 216.
 Crenate, cut into rounded teeth.
 Cryptogamic (*κρυπτός*, concealed; *γάμος*, marriage), (36. 1.), 35.
 Culms (*culmeus*, a stem), the stem of grasses (96.), 96.
 Curvinerved (73.), 66.
 Cuticle (*cuticula*, the outermost skin), (29.), 25.
 Cuticular, belonging to the skin or cuticle.
 Cyma (*cyma*, a branch or sprout), (61.), 53.
 Cyme (88.), 84.

D.

Deciduous (*deciduus*, liable to fall), opposed to persistent.
 Decurrent (*decurrō*, to run down), (83. *fig.* 74.), 76.
 Degeneration (116.), 118.
 Dehiscence (*dehiscens*, gaping), (107.), 105.
 Depressed (*depressus*, pressed down), where the transverse section of an organ is larger than the longitudinal.
 Descent of sap (190.), 204.
 Deomodium gyrans (149. 2. *fig.* 150.), 166.
 Development (230.), 234.
 Diadelphous (*δις*, twice; *αδέλφος*, a brother), (97.), 91.
 Dichotomous (*διχοτόμος*, divided in two), (88. *fig.* 80. a.), 84.
 Dicotyledones (*δις*, twice; *κοτυληδών*, a seed-leaf), (34.), 31.
 Diffusion of proper juice (189.), 203.
 Dionæa muscipula (149. 4. *fig.* 151.), 167.
 Disk (101.), 99.
 Dissemination (275.), 276.
 Dissemination, modes of (279.), 278.
 Dissepiment (*dissepio*, to separate), (106.), 104.
 Divergent, separating asunder.
 Divided. *See* Incised.
 Divisions (131.), 137.
 Drupe (*drupæ*, unripe olives), (108. 3.), 108.
 Drupel (108. 3.), 108.
 Ducts (*ductus*, a pipe for water), (24.), 22.
 Ductulosæ (36. 2.), 36.
 Duramen (*duramen*, a hardening), (50.), 44.
 Duration (235.), 238.

INDEX AND GLOSSARY.

317

E.

Earths (220.), 224.
Eductulosæ (36. 2.), 36.
 Elasticity of tissue (142.), 158.
 Electricity (156.), 172.
 Elementary textures (13.), 13.
 Embryo (*εμβρεῖον*, the foetus), (34. 1.), 31.
 Embryo (111.), 112.
 Embryo, formation of (268.), 271.
 Embryo, vitality of (290), 285.
 Embryonic sack (266.), 269.
 Endocarp (*ἐνδόν*, within; *χαρτός*, fruit), (106.), 105.
 Endogenæ (*ἐνδόν*, within; *γενοῦσαι*, to beget), (35.), 33.
 Endosmometer (144. *fig.* 148.), 160.
 Endosmose (*ἐνδόν*, within; *ωμός*, impulsion), (144.), 159.
 Ephemeral flowers (250.), 255.
 Epicarp (*επί*, upon; *χαρτός*, fruit), (106.), 105.
 Epidermis (*επιδέρμις*, the skin), (29.), 25.
 Epigynous (*επί*, upon; *γυνή*, a woman), (101.), 100.
 Epirrhoeology (*επιρροή*, an influx), (298.), 290.
 Equinoctial plants (250.), 258.
 Equitant (*equito*, to ride), (*fig. 72. b*), 74.
 Erect (111. *fig.* 126. *b*), 113.
 Etiolation (178.), 192.
 Excitability (146.), 161.
 Excretions (212.), 220.
 Exfoliate, to scale off.
 Exhalation (168.), 185.
 Exogenæ (*εξω*, without; *γενοῦσαι*, to beget), (34.), 31.
 Expansion, stimulants to (251.), 256.
 Extraneous matters (219.), 224.

F.

Farinaceous (*farina*, meal), formed of meal-like powder.
 Fasciculate (*fasciculus*, a bundle), in bundles, (*fig. 30. c*), 41.
 Fecula (197.), 211.
 Fertilization (255.), 259.
 Fibre (13.), 13.
 Fibrils (39.), 38.
 Filament (97.), 96.
 Filamentous (*filum*, a thread), threadlike.
 Fixation of carbon (175.), 189.
 Flavour (273.), 274.
 Flocculent (*floccus*, a lock of wool), wool-like.
 Floral whorls (92.), 90.
 Flower-buds (85.), 79.

Flower-buds (245.), 250.
 Flowering (246.), 251.
 Foliaceous branches (76.), 69.
 Follicle (*folliculus*, a little bag), (108. 1. *fig.* 114.), 107.
 Foramen (*foramen*, a hole), (111.), 113.
 Foramen, (266.), 269.
 Fossil Botany (315.), 310.
 Fovilla (262.), 266.
 Fraxinella (213.), 221.
 Frond (*frons*, a leaf), (84.), 77.
 Fruit (105.), 102.
 Fugacious (*fugax*, fleet), lasting for a very short time.
 Functions of vegetation (152.), 170.
 Fundamental organs (38.), 37.
 Funicular chord (*funiculus*, a little rope), (109.), 111.
 Funnel-shaped, or infundibular-form, (95. 1. *fig.* 92. *b*), 94.
 Fusiform (*fusus*, a spindle), spindle-shaped (*fig. 3. c*), 15.

G.

Gamosepalous (*γαμούσ*, marriage; *sepalum*, a sepal), where the sepals are united together.
 Gemmule (*gemma*, a young bud), (111.), 113.
 Genus (33.), 30.
 Germen (*germen*, a bud). See Ovarium (100.), 98.
 Germination (283.), 282.
 Germination, stimulants to (284.), 283.
 Glans (*glans*, an acorn), (108. 7. *fig.* 118.), 109.
 Glue (215.), 221.
 Glossology (*γλωσσα*, the tongue; *λόγος*, a discourse). The department of Botany which contains an explanation of the technical terms used in the science (3.), 3.
 Glumaceous (96. *fig.* 95.), having the character of a glume, 95.
 Glume (*gluma*, a husk of corn), (96.), 95.
 Gluten, a tenacious substance extracted from flour.
 Gourd (108. 9. *fig.* 119.), 109.
 Grafts (227.), 231.
 Granulated, having the appearance of being composed of grains.
 Granules of the pollen (99.), 98.
 Granules (263.), 267.
 Gravity, effects of (300.), 292.
 Growth (224.), 227.
 Gum (177.), 191.

Cambridge University Press

978-1-108-00186-1 - The Principles of Descriptive and Physiological Botany
John Stevens Henslow

Index

[More information](#)

318

INDEX AND GLOSSARY.

H.

- Habitations (302.), 295.
 Habitations (309.), 302.
 Hair (31. *fig.* 19.), 27.
 Heart-wood (50.), 44.
 Heat, action of (287.), 285.
 Herbaceous, of a soft and succulent nature — opposed to the woody structure of trees.
 Hilum (*hilum*, the black on a bean), (109.), 111.
 Hilum (266.), 270.
 Horary expansion (250.), 255.
 Hybrids (*hybrida*, a mongrel), (295.), 287.
 Hygroscopicity of tissue (143.), 159.
 Hypocarpogean (*ὑπὸ*, beneath; *καρπός*, fruit; *γῆ*, the earth), (280.), 279.
 Hypogynous (*ὑπὸ*, beneath; *γυνὴ*, a woman), (101.) 100.

I. & J.

- Incised (*incisus*, cut), (*fig.* 63. *b*), 67.
 Indefinite inflorescence (89.), 85.
 Indehiscent (*in*, not; *dehisces*, cleaving open), where there is no natural line of suture.
 Individuality (236, 237, 238.), 239.
 Inferior (101.), 100.
 Inflorescence (86.), 80.
 Inflorescence, stimulants to (247.), 251.
 Intercellular (17.), 17.
 Internodium (56.), the space between two knots, 50.
 Inverse embryo (111., *fig.* 126. *a*), 113.
 Involute (*involutus*, folded in), (*fig.* 72. *d*), 74.
 Irritability (148.), 163.
 Joints (56.), 50.

K.

- Kernel (109.), 111.
 Knot, (56.), 50.

L.

- Labiate (*labium*, a lip), (95. 2. *fig.* 93.), 94.
 Lacunæ (*lacuna*, a hollow place), (21.), 19.
 Lamina, a thin plate of any thing.
 Latex (*latex*, juice), (195.), 209.
 Leaflets (70.) The subdivisions of a compound leaf, 61.

Left-handed spiral (55. *fig.* 41. *a*), 49.

Legume (*legumen*, pulse), (108. 2. *fig.* 115.), 107.

Lenticella (43.), 42.

Lenticular, shaped like a lens.

Light (154.), 171.

Light, action of (288.), 285.

Light, effects of (301.), 293.

Light, influence of (304.), 298.

Lignine (*lignum*, wood), (200.), 214.

Limb of a leaf (69.), 60.

Lime (220.), 224.

Linear, equally straight throughout, the edges parallel to each other.

Linnæan system (137.), 145.

Lipped. See Labiate.

Lobe, the separate divisions of a leaf or other organ, between the indentations on its margin.

Loculicidal (*loculus*, a little pouch), (107. *fig.* 111. *b*), where the opening is in the middle of the cell, 105.

Longevity of trees (241.), 244.

Lomentaceous (108. 2. *fig.* 115. *d*), where an organ, as the seed vessel, or a leaf, is much contracted at intervals, 108.

Lunate (*luna*, moon), crescent-shaped.

Lymph (*lympha*, water), (163.), 179.

M.

Macerate, to decompose by the action of water.

Maturation (265.), 268.

Maturation (271.), 273.

Maturation, stimulants to (272.), 274

Medullary rays (34. 2.), 33.

Medullary rays (51.), 45.

Medullary sheath (34. 2.), 32.

Medullary sheath (49.), 44.

Membrane (13.), 13.

Meteoric plants (250.), 256.

Migration, obstacles to (310.), 303.

Milk (203.), 215.

Moisture, action of (285.), 284.

Moisture, influence of (305.), 298.

Molecules (5.), the smallest particles (simple or compound) of which simple minerals are composed, 6.

Monadelphous (*μονος*, alone; *ἀδελφός*, a brother), (97. *fig.* 97. *a*), 97.

Monocarpean (*μονος*, alone; *καρπός*, fruit), (235.), 238.

Monochlamydeæ (*μονος*, alone; *χλαμύς*, a coat), 101.

INDEX AND GLOSSARY.

319

Monocotyledones (*μονος*, alone; *χωριληδων*, a seed-leaf), (35.), 33.
Monocotyledonous stems (53.), 46.
Monophylous (*μονος*, alone; *φυλλον*, a leaf).
Monosepalous (*μονος*, alone; *σεπαλον*, a sepal).
Monstrosity (85.), 79.
Morphology (*μορφη*, form; *λογος*, a discourse), (114.), 116.

N.

Nectary (103.).
Nectary, functions of (253.), 258.
Nervation (71.), 61.
Nerves (69.), 59.
Nodosities, knotted appearances.
Normal (*normalis*, right by the rule), (115.), 118.
Nosology (*νοος*, a disease; *λογος*, a discourse), (298.), 291.
Nucleus (266.), 267.
Nut (108. 4. *fig.* 116.), 108.
Nutrition (159.), 175.

O.

Obvolute (*fig.* 72. *f.*), 74.
Oil (206.), 218.
Opposite (82.), 75.
Order (33.), 30.
Organizable products (176.), 190.
Organized bodies (6.), 6.
Organs (8.), 9.
Organography (*οργανων*, an organ; *γραψω*, to write), (3.), the department of Botany which contains a description of the organs of plants, 3.
Orthotropic (*ορθος*, straight; *τρεπω*, to turn), (267.), 270.
Ovarium and Ovary (*οονη*, an egg), (100.), the part of the pistil containing the seeds, 98.
Ovate (*οονη*, egg), egg-shaped, (*fig.* 30. *a.*).
Ovule (*οονη*, an egg), (100.), the young seed, 98.
Ovule, development of (270.), 272.
Ovule, modifications of (267.), 270.
Ovule, origin of (266.), 268.
Oxygen (180.), 193.
Oxygen, action of (286.), 284.

P.

Palmate (*palma*, the hand), hand-shaped, (*fig.* 30. *b.* and *fig.* 58.)
Palminerved (*72. b.*), 64.
Panicle (90. *fig.* 84.), 87.

Papilionaceous (*papilio*, a butter-fly), (95. 3. *fig.* 94.), 95.
Parasites (234.), 235.
Parenchyma (69.), 59.
Paries (*paries*, the wall of a house), (*parietes*, pl.).
Parietal, belonging to the paries— attached to the paries.
Partite (*partitus*, divided), (*fig.* 63. *c.*), 67.
Patent, spreading open widely.
Pedalinerved (72. *d.*), 65.
Pedate (*pes*. pl. *pedes*, a foot), (*fig.* 60.), a shape somewhat like a foot, 65.
Pedicel (86.), 80.
Peduncle (86.), 80.
Pellicle (*pellis*, the skin), a thin skin.
Peltate (*pelta*, a shield), (*fig.* 59.), 65.
Peltinerved (72. *c.*), 65.
Penninerved (*pennatus*, winged), (72. *a.*), 63.
Perennial, lasting many years.
Perfoliate (*per*, through; *sotium*, a leaf), (83. *fig.* 73. *a. b.*), 76.
Perianth (*τεξ*, around; *ανθος*, a flower), (92, 93.), 90.
Perianth, functions of (252.), 257.
Pericarp (*τεξ*, around; *καρπος*, fruit), (106.), 103.
Perigynous (*τεξ*, around; *γυνη*, a woman), (101.), 100.
Periodic influences (249.), 254.
Periodicity (151.), 169.
Perisperm (*τεξ*, around; *στέγμα*, seed), (269.), 271.
Permanence of species (296.), 288.
Persistent, remaining when other parts fall off.
Personate (*persona*, a mask), (95. 2. *fig.* 131. *a.*), 94.
Petals (*τεξαλον*, a leaf), (92.), the subordinate parts of the corolla, 91.
Petiole (*petiolus*, the stalk of fruits), (69.), used in botany for the stalk of leaves, 60.
Phanerogamic (*φανερος*, evident; *γαμος*, marriage), (36. 1.), 35.
Phyllodium (*φυλλον*, a leaf; *ειδος*, form), (75.), 68.
Phytography (*φυτον*, a plant; *γραψω*, to write), (3.), the department of Botany which contains a description of the entire plant, 3.
Pinnate (*pinnatus*, feathered, winged), (72. *a.*), 63.
Pinnatifid (72. *a.*), cut in a pinnate manner, 63.
Pistil (*pistillum*, a pestle), (92. 100.), 92.
Pitcher (80.), 73.
Pith (34. 2.), 32.

Pith (48.), 44.
 Placenta (100.), 99.
 Placenta (105.), 103.
 Plumule (*plumula*, a little feather), (34. 1.), 31.
 Plumule (111.), 113.
 Pollen (*pollen*, fine flower), (97. 99. fig. 99.), 96.
 Pollen, dispersion of (258.), 262.
 Pollen, formation of (261.), 265.
 Pollen tube (262.), 266.
 Polyadelphous (*πολύς*, many; *ἀδελφός*, a brother), (97.), 97.
 Polycarpous (*πολύς*, many; *καρπός*, fruit), (235.), 238.
 Polygonal (*πολύς*, many; *γωνία*, an angle), having many angles and sides,
 Pomum (108. 11. fig. 106. 121.), 110.
 Preservation of seed (287.), 279.
 Prickle (62.), 53.
 Primary groups (33.), 29.
 Primine (266.), 269.
 Progression of sap (191.), 205.
 Proliferous (*πρόλεις*, the young; *φέρειν*, to bear), (292.), 286.
 Propagation (243.), 248.
 Proper juice (202.), 215.
 Propulsion (166.), 181.
 Pruning (225.), 229.
 Pseudospermic (*ψευδός*, a falsehood; *σπέρμα*, seed), (276.), 277.
 Pubescence (*pubescens*, downy), (31.), 27.
 Pyxidium (*πυξίδιον*, a little box), (107. fig. 112.), 105.

R.

Race (131.), 137.
 Raceme (*racemus*, a bunch), (89. fig. 81. a.), 85.
 Rachis (*ῥάχις*, spine of the back), (96.), 96.
 Radical, proceeding from the summit of the root.
 Radical excretions (217.), 222.
 Radicle (*radicula*, a little root), (34. 1.), 31.
 Radicle (111.), 113.
 Raphe (*ῥάφη*, a joint or suture), (266.), 270.
 Raphides (*ῥάφις*, a needle), (20.), 19.
 Receptacles (21.), 19.
 Receptacle to the flower (86.), 80.
 Regions, botanical (312.), 304.
 Reproduction (244.), 249.
 Reproduction, certainty of (260.), 264.
 Reproductive organs (11.), 10.
 Resin (205.), 218.

Respiration (172.), 186.
 Revolute (*revolutus*, turned back), (fig. 72. e.), 74.
 Rhizoma (*ῥιζώμα*, a root), (44.), 42.
 Rhizoma (63.), 54.
 Rhizoma (84.), 77.
 Rhomboidal dodecahedron (fig. 5. b), a regular geometric figure, whose sides are twelve similar and equal rhombs, or plane four-sided figures, having their sides equal, but their angles not right angles, 16.
 Rice-paper (50. fig. 36.), 45.
 Right-handed spiral (55. fig. 41. b), 49.
 Root (39.), 38.
 Roots, direction of (299.), 291.
 Rotate (*rota*, a wheel), wheel-shaped, (95. 1. fig. 92. d.), 94.
 Rotation (193.), 206.
 Rotation of crops (218.), 223.
 Runners (62.), 54.

S.

Salts (221.), 225.
 Salver-shaped (or hypocrateriform), (95. 1. fig. 92. c.), 94.
 Samara (108. 12. fig. 122.), 110.
 Sarcocarp (*σαρκός*, flesh; *καρπός*, fruit), (106.), 105.
 Scar (69.), 60.
 Scent (210.), 219.
 Scorpoidal (*σκορπίος*, a scorpion; *εἶδος*, form), (88. fig. 80. b.), 85.
 Secretion (196.). 211.
 Sections (131.). 137.
 Secundine (266.), 269.
 Seed (109.), 110.
 Seed-cover (34. 1.), 31.
 Sensibility (150.), 168.
 Sensitive plant (149. 1. fig. 149.), 164.
 Sepals (92.), the subordinate parts of the calyx, 91.
 Septicidal (*septum*, a hedge or fence), opening along the divisions between the cells (107. fig. 111. a.), 105.
 Serrature (*serra*, a saw), having the edge jagged or toothed like a saw.
 Sessile (*sessilis*, dwarfish), without a stalk.
 Sexes (257.), 260.
 Shoots (58.), 51.
 Silica (220.), an earth; the basis of flints, quartz, &c., 225.
 Siliqua (*siliqua*, a husk or pod), (108. 13. fig. 123.), 110.
 Silver grain (51.), 45.
 Simple mineral (5.), 6.

Cambridge University Press

978-1-108-00186-1 - The Principles of Descriptive and Physiological Botany
John Stevens Henslow

Index

[More information](#)

INDEX AND GLOSSARY.

321

- Sinus (*sinus*, a bay), the indentations on the edge of a leaf.
- Sleep (155.), 11.
- Snag (225.), 229.
- Soil, action of (289.), 285.
- Soils, influence of (306.), 299.
- Spadix (89. fig. 88. b), 86.
- Spathe (*στραβη*, a ladle), (91. fig. 88.), 90.
- Species (33.), 29.
- Spermaderm (*σπερμα*, seed; *δέρμα*, skin), (109.), 111.
- Spiculae (*spiculum*, a dart), small thread-like and sharp-pointed bristles.
- Spike (*spica*, an ear of corn), (89.), 85.
- Spikelet, a little spike (89. fig. 95. c), 86.
- Spine (*spina*, a thorn), (78.), 71.
- Spiral-vessels (23.), 38.
- Spongioles (*spongia*, a sponge), (39.), 38.
- Sporules (*σπορη*, a seed), (36. 1.), the reproductive organs of the cryptogamic tribes, analogous to the seeds of flowering plants, 35.
- Spur, the prolongation backwards of a sepal, petal, &c.,
- Stamen (*stamen*, the chive of the flower), (92. 97.), 91.
- Stations, botanical (302.), 294.
- Stations, botanical (308.), 301.
- Stellate (*stella*, a star), star-shaped, (fig. 21. a).
- Stem (44.), 42.
- Stems, direction of (299.), 291.
- Stigma (100.), 98.
- Stigma, action of (264.), 267.
- Stings (31. fig. 20. a), 28.
- Stings (214.), 221.
- Stipes (*stipes*, trunk of a tree), (84.), 77.
- Stipules (*stipula*, husk round straw), (77.), 70.
- Stomata (*στόμα*, the mouth), (30.), 26.
- Stock (227.), 238.
- Striated, marked with stripes.
- Style (*στυλος*, a style), (100.), 98.
- Suckers (62.), 54.
- Sugar (199.), 213.
- Superior (101.), 100.
- Suture (*sutura*, a seam), where a division takes place naturally in the fruit.
- Syncarpous (*συν*, together; *καρπος*, fruit), (fig. 106.), 103.
- Syngenesious (*συν*, together; *γενεσις*, generation), (138.), 149.
- Tap (39.), 38.
- Taste (210.), 219.
- Taxonomy (*ταξις*, order; *νόμος*, a law), (130.), the same as systematic Botany.—The Department of the science in which plants are arranged and classified, 135.
- Tegmen (*tegmen*, a covering), (266.), 269.
- Temperature (157.), 172.
- Temperature, effects of (303.), 295.
- Tendril (79.), 71.
- Terminal inflorescence (88.), 83.
- Testa (*testa*, an earthen pot), (266.), 269.
- Thalamifloræ (*θαλαμος*, a bed-chamber), (102.), 101.
- Thallus (84.), 78.
- Theca (*θηκη*, a sheath or case), (113.), 115.
- Thecaphore (*θηκη*, a case; *φερω*, to bear), (100.), 99.
- Thorns (62.), 53.
- Toothed (fig. 63. a), 67.
- Torus (*torus*, a bed), (92.), 90.
- Trachea (23.), 21.
- Transport, means of (311.), 304.
- Transverse, embryo (111. fig. 126. c), 113.
- Triches (131.), 137.
- Tuber (*tuber*, an excrescence), (64.), 56.
- Turio (*turio*, a young branch), (58.), 51.
- Valve, a part which becomes detached by means of a natural rupture along a line of suture, as in seed-vessels.
- Valvular (104.), 102.
- Variation (131.), 137.
- Varieties (33.), 30.
- Varieties (131.), 137.
- Varieties, origin of (297.), 290.
- Vasa propria (21.), 19.
- Vascular (36. 2.), 36.
- Vascular tissue (22.), 20.
- Veins (69.), 59.
- Venation (71.), 61.
- Vernation (*vernus*, belonging to spring-time), (81.), 74.
- Verticillate (*verticulum*, a whirl for spindle), (82.), 75.
- Vesicles (*vesicula*, a little bladder), (16.), 14.
- Viscous (*viscus*, glue), clammy and glutinous.
- Vital vessels (27.), 24.

T.

V.

Cambridge University Press

978-1-108-00186-1 - The Principles of Descriptive and Physiological Botany

John Stevens Henslow

Index

[More information](#)

322

INDEX AND GLOSSARY.

U.

- Umbel (90. *fig.* 86.), 87.
Umbellate, in the form of an umbel.
Umbilical chord. *See* Funicular.
Under-shrub (45.), 43.
Unorganized bodies (5.), the objects
of the mineral kingdom, 5.

W.

- Wax (216.), 222.
Winged (83. *fig.* 74.), 76.
Wood (50.), 44.
Woody fibres (25.), 23.

THE END.