

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

Accepted names are in Roman type, synonyms in italic. Page numbers given in bold type are those on which the full account of the species is given, numbers in Roman type are those on which an accepted name is mentioned, and numbers in italic are where a synonym is mentioned.

- Acaulon, **294**
muticum, **294**
- Acer, **92**
campestre, **26**, **92**
laetum, **92**
platanoides, **92**
pseudoplatanus, **92**
- Aceraceae, **92**
- Aceras, **243**
anthrophorum, **25**, **243**
- Achillea, **204**
millefolium, **204**
ptarmica, **204**
- Acinos, **183**
arvensis, **183**
- Aconite, Winter, **41**
- Aconitum, **42**
napellus, **42**
- Acorus, **243**
calamus, **243**
- Acrocladium, **313**
cuspidatum, **21**, **313**
giganteum, **282**, **313**
- Adder's-tongue, **39**
- Adiantaceae, **35**
- Adiantum, **35**
capillus-veneris, **35**
- Adonis, **46**
annua, **46**
- Adoxa, **194**
moschatellina, **194**
- Adoxaceae, **194**
- Aegopodium, **137**
podagraria, **137**
- Aesculus, **92**
carnea, **93**
hippocastanum, **92**
- Aethusa, **138**
cynapium, **138**
- Agrimonia, **113**
eupatoria, **113**
odorata, **27**, **113**
- Agrimony, **113**
Hemp, **203**
- Agropyron, **3**, **271**
caninum, **271**
pungens, **30**, **272**
repens, **271**
- Agrostemma, **72**
githago, **72**
- Agrostis, **276**
alba, **276**
canina, **276**
gigantea, **276**
stolonifera, **276**
tenuis, **276**
vulgaris, **276**
- Aira, **275**
caryophyllea, **275**
cespitosa, **274**
flexuosa, **275**
praecox, **275**
- Ajuga, **188**
chamaepitys, **25**, **188**
reptans, **21**, **188**
- Alchemilla, **113**
arvensis, **114**
vestita, **113**
vulgaris, **113**, **114**
- Alder, **150**
- Alexanders, **133**
- Alisma, **218**
lanceolatum, **18**, **218**
plantago, **218**
plantago-aquatica, **18**, **218**
ranunculoides, **218**
- Alismataceae, **218**
- Alliaria, **63**
officinalis, **63**
petiolata, **63**
- Allium, **234**
ampeloprasum, **234**
oleraceum, **234**
paradoxum, **234**
ursinum, **27**, **235**
vineale, **28**, **234**
- Alnus, **150**
glutinosa, **21**, **150**
incana, **150**
- Aloina, **291**
aloides, **291**
ambigua, **291**
rigida, **291**
- Alopecurus, **278**
aequalis, **278**
agrestis, **278**
fulvus, **278**
geniculatus, **278**
mysosuroides, **278**
pratense, **278**
- Alsine tenuifolia*, **78**
- Althaea, **88**
officinalis, **88**
rosea, **88**
- Alyssum, **59**
alyssoides, **59**
calycinum, **59**
maritimum, **59**
- Amaranthaceae, **81**
- Amaranthus, **81**
albus, **81**
blitoides, **81**
blitum, **81**
chlorostachys, **81**
graecizans, **81**
hybridus, **81**

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Amaranthus* (*cont.*)
quitensis, 81
retroflexus, 81
Amaryllidaceae, 234
Amblystegium, 312
juratzkanum, 312
serpens, 312
varium, 312
Anacamptis, 243
pyramidalis, 25, 243
Anacharis alsinastrum, 220
Anagallis, 160
arvensis, 160
minima, 30, 160
tenella, 160
Anchusa sempervirens, 164
Anemone, 42
nemorosa, 27, 42
pulsatilla, 42
Anemone, Wood, 42
Angelica, 139
sylvestris, 20, 21, 139
Angiospermae, xi, 41
Anisantha
gussonii, 269
sterilis, 269
Anomodon, 310
viticulosus, 310
Antennaria, 202
dioica, 202
Anthemis, 203
arvensis, 204
cotula, 23, 203
nobilis, 204
tinctoria, 203
Anthocerotaceae, 321
Anthoceros, 321
punctatus, 321
Anthocerotales, 321
Anthoxanthemum, 279
odoratum, 279
puelii, 279
Anthriscus, 132
caucalis, 132
neglecta, 132
sylvestris, 132, 133
vulgaris, 132
Anthyllis, 102
vulneraria, 102
Antirrhinum, 171
majus, 171
orontium, 171
Apargia
autumnalis, 212
hispidula, 212
Apera, 277
interrupta, 12, 277
spica-venti, 277
Aphanes, 32, 114
arvensis, 114
microcarpa, 114
Apium, 134
dulce, 134
graveolens, 134
inundatum, 134
nodiflorum, 134, 137
repens, 134
Apocynaceae, 161
Apple
Crab, 121
Cultivated, 121
Aquifoliaceae, 93
Aquilegia, 47
vulgaris, 22, 47
Arabidopsis, 64
thaliana, 29, 64
Arabis, 61
glabra, 61
hirsuta, 61
turrita, 61
Araceae, 243
Araliaceae, 131
Archangel, Yellow, 185
Archidiaceae, 286
Archidium, 286
alternifolium, 286
Arctium, 207
lappa, 207
majus, 207
minus, 207
pubens, 207
tomentosum, 207
vulgare, 207
Arenaria, 3, 78
leptoclados, 78
serpyllifolia, 78
tenuifolia, 78
trinervia, 78
Aristolochia, 141
clematitis, 3, 141
Aristolochiaceae, 141
Armeria, 158
maritima, 30, 158
Armoracia, 59
amphibia, 63
rusticana, 59
Arnosoria, ix, 211
minima, 30, 211
Arrhenatherum, 274
avenaceum, 274
elatius, 274
Arrow-grass, 220
Arrow-head, 219
Artemisia, 206
absinthium, 206
biennis, 206
campestris, 206
maritima, 206
verlotorum, 206
vulgaris, 206
Arum, 244
maculatum, 27, 244
Ash, 26, 27, 131, 161
Mountain, 120
Asparagus, 8, 228
Bath, 229
officinalis, 228
Aspen, 152
Asperugo, 163
procumbens, 3, 163
Asperula, 191
arvensis, 191
cynanchica, 24, 191
odorata, 191
Asphodel, Bog, 227
Asphodelus, 227
fistulosus, 227
Aspidiaceae, 37
Aspleniaceae, 36
Asplenium, 36
adiantum-nigrum, 36
ruta-muraria, 36
trichomanes, 36
Aster, 202
laevis, 202
lanceolatus, 202
novae-angliae, 202
novi-belgii, 202
salignus, 203

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Aster (*cont.*)
 simplex, 202
 tripolium, 30, 202
versicolor, 202
 Aster, Sea, 202
 Astragalus, 102
 danicus, 12, 24, 102
 glycyphyllos, 25, 103
hypoglottis, 102
 Athyriaceae, 36
 Athyrium, 36
 filix-femina, 27, 34, 36
 Atrichum, 283
 undulatum, 283
 Atriplex, 85
angustifolia, 85
babingtonii, 85
deltoidea, 85
erecta, 85
 glabruscula, 85
 hastata, 85
 hortensis, 85
 littoralis, 30, 85
 patula, 85
pedunculata, 86
portulacoides, 85
 Atropa, 169
 bella-donna, 169
 Aulacomniaceae, 306
 Aulacomnium, 306
 androgynum, 282, 306
 palustre, 30, 306
 Avena, 273
 fatua, 273
 ludoviciana, 273
pratensis, 273
pubescens, 274
 sativa, 273
 Axyris, 85
 amarantoides, 85
 Azolla, 38
 filiculoides, 38
 Azollaceae, 38
 Baldellia, 218
 ranunculoides, 18, 23, 218
 Ballota, 185
 nigra, 185
 Balsaminaceae, 91
 Barbarea, 60
 intermedia, 61
 stricta, 60
 verna, 61
 vulgaris, 60
 Barberry, 47
 Barbula, 295
 acuta, 282, 295
 convoluta, 295
 cylindrica, 296
 fallax, 296
 hornschurchiana, 295
 nicholsonii, 281, 296
 recurvirostra, 297
 revoluta, 295
 rigidula, 296
 tophacea, 296
 trifaria, 282, 296
 unguiculata, 295
 vinealis, 296
 Barley, 8, 272
 Bartramia, 306
 pomiformis, 306
 Bartramiaceae, 306
Bartsia odontites, 177
 Bartsia, Red, 177
 Basil-thyme, 183
 Bean
 Broad, 105
 Horse, 105
 Bedstraw, Lady's, 191
 Beech, 26, 151
 Beet, 8, 84
 Bellbine, 167
 Bellflower, Clustered, 190
 Bellis, 203
 perennis, 203
 Bent
 Brown, 276
 Common, 276
 Berberidaceae, 47
 Creeping, 276
 Berberis, 47
 vulgaris, 47
 Berteroa, 59
 incana, 59
 Berula, 137
 erecta, 23, 134, 137
 Beta, 84
maritima, 84
 trigyna, 85
 vulgaris, 84
 Betonica, 184
 officinalis, 28, 184
 Betony, 184
 Betula, 21, 150
alba, 150
glutinosa, 150
 pendula, 150
 pubescens, 150
verrucosa, 150
 Betulaceae, 150
 Bidens, 197
 cernua, 22, 197
 tripartita, 197
 Bindweed, 167
 Black, 144
 Great, 167
 Birch, 150
 Silver, 150
 Birdsfoot, 103
 Bird's-nest, Yellow, 157
 Birthwort, 141
 Bittersweet, 169
 Blackberry, 106
 Blackstonia, 162
 perfoliata, 162
 Blackthorn, 118
 Bladderwort, 179
 Blechnaceae, 35
 Blechnum, 35
boreale, 35
 spicant, 35
 Blinks, 80
 Bluebell, 229
 Blysmus, 249
 compressus, 249
 Bog Myrtle, 149
 Bog-rush, 249
 Borage, 164
 Boraginaceae, 163
 Borago, 164
 officinalis, 164
 Botrychium, 39
 lunaria, 39
 Box, 93
 Brachypodium, 271
 pinnatum, 25, 271
 sylvaticum, 271
 Brachythecium, 314
 albicans, 314

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Brachythecium** (*cont.*)
 glareosum, 282, 314
 mildeanum, 315
 populeum, 315
 rivulare, 315
 rutabulum, 315
 salebrosum, 315
 velutinum, 315
- Bracken**, 29, 35
- Brassica**, 52
alba, 54
arvensis, 54
elongata, 53
erucastrum, 53
juncea, 53
napus, 53
nigra, 22, 53
oleracea, 52
rapa, 53
- Briza**, 268
media, 21, 268
- Bromus**, xii, 3, 268
arvensis, 270
asper, 269
britannicus, 270
carinatus, 271
commutatus, 28, 270
diandrus, 269
erectus, 25, 268
hordeaceus, 269
inermis, 269
interruptus, 270
lepidus, 270
mollis, 269
racemosus, 270
ramosus, 27, 269
secalinus, 271
sterilis, 269
tectorum, 269
thominii, 270
unioloides, 271
- Brookweed**, 160
- Broom**, 29, 95
 Butcher's, 228
- Broomrape**, 178
 Lesser, 25, 178
- Brussels Sprouts**, 8, 52
- Bryaceae**, 302
- Bryonia**, 141
dioica, 21, 141
- Bryony**
 Black, 236
 White, 141
- Bryophyta**, xi, xii, 2, 281
- Bryum**, 28, 303
affine, 303
argenteum, 303
bicolor, 304
caespiticium, 303
capillare, 305
creberrimum, 303
erythrocarpum, 304
inclinatum, 303
intermedium, 303
klinggraeffii, 305
microerythrocarpum, 304
murale, 304
pallens, 303
pseudotriquetrum, 303
radiculosum, 304
rubens, 304
rudérale, 304
violaceum, 304
- Buckbean**, 162
- Buckler-fern**
 Broad, 37
 Narrow, 37
- Buckthorn**, 26, 93
 Alder, 94
- Buckwheat**, 145
- Buddleja**, 160
dauidii, 160
- Buddlejaceae**, 160
- Bugle**, 188
- Bugloss**, 164
 Viper's, 167
- Bullace**, 118
- Bunias**, 58
erucago, 58
orientalis, 58
- Bunium**, 136
bulbocastanum, 24, 136
flexuosum, 136
- Bupleurum**, 134
rotundifolium, 134
tenuissimum, 134
- Burdock**, 207
- Bur-marigold**, 197
- Burnet**
 Great, 114
- Salad**, 114
- Bur-reed**, 245
- Butomaceae**, 219
- Butomus**, 219
umbellatus, 219
- Butterbur**, 200
- Buttercup**, 42
 Bulbous, 44
 Creeping, 44
 Meadow, 44
- Butterwort**, 179
- Buxaceae**, 93
- Buxus**, 93
sempervirens, 93
- Cabbage**, 52
 Savoy, 52
- Calamagrostis**, 275
canescens, 20, 275
epigejos, 20, 275
lanceolata, 275
- Calamintha**, 183
acinos, 183
ascendens, 25, 183
clinopodium, 183
nepeta, 25, 183
officinalis, 183
- Calendula**, 200
officinalis, 200
- Callitrichaceae**, 129
- Callitriche**, xii, 28, 32, 129
obtusangula, 129, 130
platycarpa, 129, 130
platycarpa, 130
polymorpha, 130
stagnalis, 129, 130
verna, 130
- Calluna**, 157
vulgaris, 30, 157
- Caltha**, 41
palustris, 41
- Calypogeia**, 325
fissa, 29, 325
- Calypogeiaceae**, 325
- Calystegia**, 32, 167
dahurica, 168
pulchra, 167, 168
sepium, 20, 167, 168
silvatica, 167, 168
sylvestris, 168

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr
Whitehouse

Index

[More information](#)

INDEX

- Camelina, **64**
sativa, **64**
- Campanula, **189**
glomerata, **190**
latifolia, **189**
patula, **190**
rapunculoides, **190**
rotundifolia, **190**
trachelium, **27, 189**
- Campanulaceae, **189**
- Campion
Bladder, **71**
White, **72**
- Camptothecium, **314**
lutescens, **314**
sericeum, **314**
- Campyllum, **311**
calcareum, **312**
chrysophyllum, **282, 311**
elodes, **282, 312**
polygamum, **312**
protensum, **311**
sommerfeltii, **312**
stellatum, **311**
- Campylopus, **289**
flexuosus, **29, 289**
pyriformis, **29, 289**
- Candytuft, **24, 57**
- Cannabiaceae, **147**
- Cannabis, **148**
sativa, **148**
- Caprifoliaceae, **193**
- Capsella, **58**
bursa-pastoris, **58**
- Caraway, **135**
- Cardamine, **60**
amara, **60**
flexuosa, **60**
hirsuta, **60**
pratensis, **60**
- Cardaria, **56**
chalapensis, **57**
draba, **56**
- Carduus, **207**
acanthoides, **208**
acaulos, **209**
arvensis, **208**
crispus, **208**
eriphorus, **208**
forsteri, **209**
- lanceolatus*, **208**
nutans, **207**
palustris, **208**
pratensis, **209**
tenuiflorus, **207**
- Carex, **xii, 32, 250**
acuta, **19, 251, 257**
acutiformis, **19, 252, 255**
ampullacea, **255**
appropinquata, **20, 253, 258**
arenaria, **29, 252, 258**
axillaris, **258**
binervis, **252, 254**
canescens, **260**
caryophyllea, **251, 257**
chabertii, **259**
contigua, **259**
curta, **253, 260**
demissa, **29, 252, 254**
diandra, **253, 258**
dioica, **22, 30, 250, 260**
distans, **19, 252, 253**
disticha, **19, 253, 258**
divulsa, **253, 259**
divulsa, **259**
echinata, **29, 253, 259**
elata, **19, 251, 257**
elongata, **259**
ericetorum, **12, 24, 251, 257**
filiformis, **256**
flacca, **250, 251, 256**
flava, **251, 254**
fulva, **254**
glauca, **256**
goodenowii, **257**
gracilis, **257**
hirta, **250, 256**
hostiana, **19, 252, 254**
lasiocarpa, **251, 256**
lepidocarpa, **19, 252, 254**
leporina, **260**
muricata, **253, 259**
muricata, **259**
nigra, **29, 251, 257, 258**
oederi, **254**
otrubae, **19, 253, 258**
ovalis, **253, 260**
pairaei, **259**
- pallescens, **28, 251, 256**
paludosa, **255**
panicea, **19, 21, 251, 256**
paniculata, **253, 258**
paradoxa, **258**
pendula, **28, 252, 255**
pilulifera, **29, 251, 256**
polyphylla, **253, 259**
praecox, **257**
pseudoaxillaris, **258**
pseudocyperus, **252, 255**
pulicaris, **250, 260**
remota, **253, 260**
riparia, **19, 252, 255**
rostrata, **252, 255**
serotina, **251, 254**
spicata, **253, 259**
stellulata, **259**
stricta, **257**
strigosa, **27, 252, 256**
sylvatica, **27, 252, 254**
teretiusscula, **258**
trinervis, **257**
vesicaria, **252, 255**
vulgaris, **257**
vulpina, **258**
- Carlina, **206**
vulgaris, **206**
- Carpinus, **151**
betulus, **151**
- Carrot, **140**
- Carthamus, **211**
tinctorius, **211**
- Carum, **135**
bulbocastanum, **136**
carvi, **135**
segetum, **135**
- Caryophyllaceae, **71**
- Castanea, **151**
sativa, **29, 151**
- Catabrosa, **267**
aquatica, **267**
- Catapodium, **265**
marinum, **265**
rigidum, **265**
- Catchfly, Spanish, **71**
- Cat's-ear, **211**
- Cat's-foot, **202**
- Caucalis, **133**
anthriscus, **132**

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Caulcalis (*cont.*)
arvensis, 132
daucoides, 133
lappula, 133
latifolia, 133
nodosa, 133
platycarpus, 133
 Cauliflower, 52
 Celandine
 Greater, 50
 Lesser, 46
 Celastraceae, 93
 Celery
 Cultivated, 134
 Wild, 134
 Centaurea, 210
 calcitrapa, 210
 cyanus, 25, 210
 diluta, 210
 melitensis, 210
 nemoralis, 210
 nigra, 210
 obscura, 210
 scabiosa, 25, 210
 solstitialis, 210
 Centaurium, 162
 erthraea, 162
 minus, 162
 pulchellum, 162
 Centaury, 162
 Common, 162
 Centranthus, 195
 ruber, 3, 195
Centunculus minimus, 160
 Cephalanthera, 236
 damasonium, 13, 14
 (map), 26, 236
 grandiflora, 236
 latifolia, 236
 Cephalaria, 196
 gigantea, 196
 Cephalozia bicuspidata,
 29, 327
 Cephaloziaceae, 327
 Cephaloziella, 29, 327
 hampeana, 327
 rubella, 327
 starkei, 327
 Cephaloziellaceae, 327
 Cerastium, 32, 74
 arvense, 24, 74
 atrovirens, 74, 75
 glomeratum, 74, 75
 holosteoides, 74
 semidecandrum, 28, 30,
 74, 75
 tetrandrum, 75
 tomentosum, 74
 triviale, 74
 viscosum, 75
 vulgatum, 74
Ceratochloa
 carinata, 271
 unioloides, 271
 Ceratodon, 287
 purpureus, 287
 Ceratophyllaceae, 48
 Ceratophyllum, 48
 demersum, 48
 submersum, 48
 Chaenorhinum, 171
 minus, 171
 Chaerophyllum, 131
 temulentum, 131
 temulum, 131
 Chamaemelum nobile, 204
 Chamaenerion, 128
 angustifolium, 128
 Chamomile
 Corn, 204
 Wild, 204
 Chara, 18
 Charlock, 54
 Cheiranthus, 63
 cheiri, 63
 Chelidonium, 50
 majus, 50
 Chenopodiaceae, 81
 Chenopodium, 32, 81
 album, 82, 83
 bonus-henricus, 81, 82
 capitatum, 82, 84
 ficifolium, 22, 82, 83
 foliosum, 82, 84
 glaucum, 82, 84
 hybridum, 81, 84
 murale, 82, 83
 olidum, 83
 opulifolium, 82, 83
 polyspermum, 22, 82, 83
 polyspermum, 83
 reticulatum, 83
 rubrum, 82, 84
 suecicum, 83
 urbicum, 82, 84
 vulvaria, 82, 83
 Cherry
 Bird-, 119
 Sour, 119
 Wild, 118
 Chervil, Rough, 131
 Chestnut, Sweet, 151
 Chickweed, 76
 Mouse-ear, 74
 Chicory, 211
 Chiloscypus, 326
 pallescens, 326
 polyanthos, 326
Chlora perfoliata, 162
 Chrysanthemum, 205
 corymbosum, 205
 leucanthemum, 205
 parthenium, 205
 segetum, 205
 serotinum, 205
 vulgare, 205
 Chrysosplenium
 oppositifolium, 27
 Cichorium, 211
 intybus, 28, 211
 Cicuta, 135
 virosa, 135
 Cinclidotus, 294
 fontinaloides, 294
 mucronatus, 295
 Cinquefoil, 111
 Creeping, 112
 Circaea, 128
 lutetiana, 128
 Cirriphyllum, 316
 crassinervium, 316
 piliferum, 282, 316
 Cirsium, 208
 acaulon, 209
 arvense, 208
 dissectum, 19, 20, 21, 209
 eriphorum, 28, 208
 forsteri, 209
 gerhardtii, 208
 lanceolatum, 208

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Cirsium (*cont.*)
 palustre, 21, **208**
 pratensis, 209
 tuberosum, 25, **209**
 vulgare, **208**
 Cistaceae, 70
 Cladium, 20, 21, **250**
 mariscus, 18, 19, **250**
 Clary, Wild, **184**
Claytonia perfoliata, 29, 80
 Cleavers, **192**
 Clematis, **42**
 vitalba, **42**
 Climaciaceae, **308**
 Climacium, **308**
 dendroides, 282, **308**
 Clinopodium, **183**
 vulgare, **183**
 Clover, 97
 Alsike, **100**
 Red, 99
 Strawberry, 101
 White, **100**
 Clubmoss, 33
 Cochlearia, **58**
 amoracia, 59
 anglica, 30, **58**
 danica, **58**
 Cock's-foot, 268
 Coeloglossum, 239
 viride, 25, 239
 Colchicum, 229
 autumnale, 229
 Coltsfoot, 199
 Columbine, 47
Comarum palustre, 111
 Comfrey, 163
 Compositae, 196
 Conium, 133
 maculatum, 133
 Conocephalum, 321
 conicum, 321
 Conopodium, 136
 majus, 136
 Conringia, 55
 orientalis, 55
 Convallaria, 227
 majalis, 227
 Convolvulaceae, 167
 Convolvulus, 167
 arvensis, 167
 sepium, 167
 Conyza, 203
 canadensis, 203
 Coriander, 133
 Coriandrum, 133
 sativum, 133
 Cornaceae, 131
 Corn Cockle, 72
 Cornflower, 25, **210**
 Corn Salad, 194
 Cornus, 131
 sanguinea, 26, 131
 Coronilla, 103
 varia, 103
 Coronopus, 56
 didymus, 56
 procumbens, 56
 squamatus, 56
 Corydalis, 50
 claviculata, 10
 lutea, 50
 solida, 50
 Corylaceae, 151
 Corylus, 151
 avellana, 21, 26, 151
 Cotoneaster, 119
 horizontalis, 119
 simonsii, 119
 Cotton-grass, 246
 Couch, 271
 Cowslip, 158
 Cow-wheat
 Common, 176
 Crested, 176
 Cranberry, 157
 Cranesbill, 89
 Meadow, 89
 Crassula, 122
 tillaea, 29, 122
 Crassulaceae, 121
 Crataegus, 119, 130
 monogyna, 20, 27, 120
 oxyacantha, 119, 120
 oxyacanthoides, 27, 119
 Cratoneuron, 311
 commutatum, 311
 filicinum, 311
 Creeping Jenny, 159
 Crepis, 216
 biennis, 217
 capillaris, 217
 foetida, 216
 setosa, 217
 taraxacifolia, 216
 vesicaria, 216
 virens, 217
 Cress
 Brown-, 62
 Field Penny-, 57
 Fool's Water-, 134
 Garden, 55
 Green, 62
 Hairy Rock-, 61
 Hoary, 56
 Lesser Swine-, 56
 Shepherd's, 57
 Summer-, 62
 Swine-, 56
 Thale, 64
 Water-, 61
 Winter-, 62
 Crocus, 236
 purpureus, 236
 sativus, 236
 Crosswort, 191
 Crowfoot, 42
 Celery-leaved, 45
 Corn, 44
 Ivy-leaved Water, 45
 Cruciata, 191
 chersonensis, 28, 191
 Cruciferae, 52
 Cryphaea, 309
 heteromalla, 282, 309
 Cryphaeaceae, 309
 Ctenidium, 320
 molluscum, 320
 Cuckoo-flower, 60
 Cuckoo Pint, 244
 Cucurbitaceae, 141
 Cudweed, 201
 Cupressaceae, 40
 Currant
 Black, 123
 Red, 123
 Cuscuta, 168
 epilinum, 168
 epithimum, 168
 europaea, 168

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr
Whitehouse

Index

[More information](#)

INDEX

- Cuscuta* (*cont.*)
trifolii, 168
Cymbalaria, 172
muralis, 172
Cynoglossum, 163
officinale, 163
Cynosurus, 268
cristatus, 268
echinatus, 268
Cyperaceae, xii, 246
Cytisus scoparius, 95
- Dactylis*, 268
glomerata, 268
Dactylorhiza, xii, 32, 241
fuchsii, 27, 241, 242
incarnata, 241, 242
maculata, 242
praetermissa, 242
traunsteineri, 242, 243
Daffodil, 8, 235
Daisy, 203
Ox-eye, 205
Damson, 118
Dandelion, 217
Danewort, 193
Daphne, 125
laureola, 27, 125
mezereum, 125
Darnel, 264
Datura, 170
stramonium, 170
Daucus, 140
carota, 140
Delphinium, 42
ajacis, 42
ambiguum, 42
consolida, 42
gayanum, 42
Dennstaedtiaceae, 35
Deschampsia, 274
cespitosa, 274
flexuosa, 275
Descurainia, 64
sophia, 29, 64
Desmazeria
marina, 265
rigida, 265
Devil's Bit, 196
Dewberry, 107
- Dianthus*, 73
caryophyllus, 73
deltoides, 29, 73
Dicotyledones, 41
Dicranaceae, 286
Dicranales, 286
Dicranella, 287
heteromalla, 29, 288
rufescens, 288
schreberana, 287
varia, 288
Dicranoweisia, 288
cirrata, 288
Dicranum, 288
majus, 289
montanum, 281, 288
scoparium, 289
Digitalis, 173
purpurea, 29, 173
Digitaria, 280
sanguinalis, 280
Dioscoreaceae, 236
Diploaxis, 54
muralis, 54
tenuifolia, 54
Dipsacaceae, 195
Dipsacus, 195
fullonum, 195
pilosus, 196
sylvestris, 195
Ditrichum, 287
cylindricum, 287
flexicaule, 282, 287
Dittander, 56
Dock, 145
Curled, 145
Fiddle, 146
Golden, 146
Great Water, 145
Marsh, 146
Dodder
Great, 168
Small, 168
Dog's-tail, 268
Dogwood, 26, 131
Doronicum, 199
pardalianches, 199
Draba verna, 59
Drepanocladus, 313
aduncus, 313
- fluitans*, 313
revolvens, 313
Dropwort, 106, 137
Water, 137
Drosera, 123
anglica, 22, 124
intermedia, 22, 124
longifolia, 124
rotundifolia, 22, 123
Droseraceae, 123
Dryopteris, 37
aristata, 37
austriaca, 37
borrieri, 27
carthusiana, 27, 34, 37
dilatata, 10, 34, 36, 37
flix-mas, 10, 27, 34, 36, 37
lanceolatocristata, 37
oreopteris, 37
spinulosa, 37
thelypteris, 38
Duckweed, 244
Duke of Argyll's Tea-plant, 168
Dyer's Greenweed, 94
- Echinochloa*, 280
crus-galli, 280
Echinops, 206
sphaerocephalus, 206
Echium, 167
lycopsis, 167
plantagineum, 167
vulgare, 167
Elder, 193
Elecampane, 200
Eleocharis, 32, 247
acicularis, 18, 247, 248
multicaulis, 248, 249
palustris, 19, 248, 249
pauciflora, 248
quinqueflora, 19, 248
uniglumis, 19, 248, 249
Eleogiton fluitans, 247
Elm, 148
Dutch, 149
English, 148
Huntingdon, 149
Jersey, 149

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Elm (*cont.*)
 Wych, 148
 Elodea, 220
 canadensis, 220
Elytrigia pungens, 272
 Encalypta, 289
 streptocarpa, 282, 290
 vulgaris, 289
 Encalyptaceae, 289
 Endymion, 229
 hispanicus, 229
 non-scriptus, 27, 229
nutans, 229
 Entodon, 318
 concinnus, 24, 282, 318
orthocarpus, 318
 Ephemeraeae, 300
 Ephemerum, 300
 recurvifolium, 300
 serratum, 301
 Epilobium, 32, 125
 adenocaulon, 125, 127
 adnatum, 126, 127
angustifolium, 128
 hirsutum, 125, 126
 lamyi, 126, 127
 lanceolatum, 125, 126
 montanum, 125, 126
 obscurum, 126, 127
 palustre, 126, 127
 parviflorum, 125, 126
 roseum, 125, 126
tetragonum, 127
 Epipactis, xii, 237
 helleborine, 27, 237
media, 237
 palustris, 237
 phyllanthes, 237
 purpurata, 237
 Equisetaceae, 33
 Equisetum, 33
 arvense, 34
 fluviatile, 33
 hyemale, 30, 33
limosum, 33
 palustre, 33, 34
 sylvaticum, 33
 telmateia, 34
 Eranthis, 41
 hyemalis, 41
 Erica, 157
 cinerea, 30, 157
 tetralix, 30, 157
 Ericaceae, 157
 Erigeron, 203
 acer, 203
canadensis, 203
 Erinus, 173
 alpinus, 173
 Eriophorum, 246
 angustifolium, 22, 246
 latifolium, 246
 Erodium, 91
 cicutarium, 91
 moschatum, 91
 Erophila, 59
boerhavia, 59
 praecox, 59
praecox, 59
 spatulata, 59
 verna, 59
 Eruca, 54
 sativa, 54
 Erucastrum, 53
 gallicum, 53
pollichii, 53
 Erysimum, 63
 cheiranthoides, 63
orientale, 55
Erythraea
centaurium, 162
pulchella, 162
 Eschscholtzia, 50
 californica, 50
 Eubryales, 302
 Eucladium, 297
 verticillatum, 297
 Euonymus, 93
 europaeus, 26, 93
 Eupatorium, 203
 cannabinum, 20, 21, 203
 Euphorbia, 141
 amygdaloides, 27, 142
 cyparissias, 142
esula, 142
 exigua, 142
 helioscopia, 142
 lathyrus, 141
 peplus, 142
 platyphyllos, 28, 142
 uralensis, 142
virgata, 142
 Euphorbiaceae, 141
 Euphrasia, xii, 176
 brevipila, 176, 177
 micrantha, 176
 nemorosa, 176, 177
officinalis, 176
 pseudokernerii, 176, 177
 Eurynchium, 316
 confertum, 317
 megapolitanum, 317
 murale, 317
 praelongum, 316
 riparioides, 317
 speciosum, 317
 striatum, 316
 swartzii, 316
 Eyebright, 176
 Fagaceae, 151
 Fagopyrum, 145
 esculentum, 145
 Fagus, 151
 sylvatica, 151
 Falcaria, 135
 vulgaris, 24, 135
 Fat Hen, 83
 Felwort, 162
 Fennel, 139
 Fern
 Hard, 35
 Lady, 36
 Maidenhair, 35
 Male, 37
 Marsh, 38
 Royal, 35
 Fescue
 Meadow, 262
 Red, 263
 Sheep's, 263
 Festuca, 262
 arundinacea, 262
fallax, 263
 gigantea, 27, 262
 heterophylla, 263
myuros, 264
 ovina, 263
 pratensis, 262, 263
 rubra, 263

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Festuca* (*cont.*)
sciuroides, 264
Festulolum loliaceum, 263
 Feverfew, 205
Ficus, 149
 carica, 149
 Fig, 148
 Figwort, 172
Filago, 201
 apiculata, 201
 germanica, 201
 minima, 201
 spatulata, 201
Filipendula, 106
 hexapetala, 106
 ulmaria, 20, 23, 106
 vulgaris, 106
 Fingers-and-thumbs, 105
 Fir, Silver, 15
Fissidens, 284
 adanthoides, 286
 bryoides, 285
 crassipes, 285
 cristatus, 286
 exilis, 285
 incurvus, 285
 minutus, 285
 minutus, 285
 pusillus, 285
 taxifolius, 286
 viridulus, 284
Fissidentaceae, 284
Fissidiales, 284
 Flax, 88
 Fleabane, 200
 Flixweed, 64
 Fluellen, 171
Foeniculum, 139
 officinale, 139
 vulgare, 139
Fontinalaceae, 308
Fontinalis, 308
 antipyretica, 308
 Forget-me-not, 165
 Common, 166
Fossombronia, 324
 pusilla, 324
Fossombroniaceae, 324
 Foxglove, 173
 Foxtail, Meadow, 278
Fragaria, 112
 ananassa, 112
 chiloensis, 112
 chiloensis, 113
 vesca, 27, 112
 virginiana, 113
Frangula, 21, 94
 alnus, 18, 20, 94
Frankenia, 70
 laevis, 70
Frankeniaceae, 70
Fraxinus, 26, 130, 131, 161
 excelsior, 21, 26, 161
Fritillaria, 228
 meleagris, 228
 Frog-bit, 219
Frullania, 328
 dilatata, 328
Frullaniaceae, 328
Fumaria, 32, 51
 bastardii, 51
 capreolata, 51
 capreolata, 51
 micrantha, 25, 51, 52
 muralis, 22, 51
 officinalis, 25, 51, 52
 parviflora, 25, 51, 52
 vaillantii, 25, 51, 52
Fumariaceae, 50
Fumitory, 51
 Yellow, 50
Funaria, 300
 hygrometrica, 300
Funariaceae, 300
Funariales, 300
Furze, 29, 95

Galanthus, 235
 nivalis, 235
Galega, 102
 officinalis, 102
Galeobdolon, 185
 luteum, 27, 185
Galeopsis, 186
 angustifolia, 25, 186
 bifida, 186
 ladanum, 186
 speciosa, 22, 187
 tetrahit, 186
 versicolor, 187

Galinsoga, 197
 ciliata, 197
Galium, 191
 anglicum, 192
 aparine, 192
 cruciata, 191
 elongatum, 192
 erectum, 191
 hercynicum, 192
 mollugo, 191
 ochroleucum, 191
 odoratum, 27, 191
 palustre, 192
 parisiense, 192
 pomeranicum, 191
 saxatile, 28, 30, 192
 spurium, 192
 tricornne, 192
 tricornutum, 28, 192
 uliginosum, 192
 verum, 191
 Garlic, Crow, 234
 Gean, 118
Genista, 94
 anglica, 30, 94
 tinctoria, 94
Gentiana amarella, 162
Gentianaceae, 162
Gentianella, 162
 amarella, 162
Geraniaceae, 89
Geranium, 89
 columbinum, 90
 dissectum, 90
 endressii, 89
 lucidum, 90
 molle, 90
 phaeum, 89
 pratensis, 89
 pusillum, 90
 pyrenaicum, 89
 robertianum, 90
 rotundifolium, 3, 90
 sanguineum, 1, 24, 89
 Germander, Water, 188
Geum, 113
 intermedium, 113
 rivale, 10, 113
 urbanum, 113
 Gipsy-wort, 182

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Glasswort, **86**
 Glaucium
 flavum, **50**
 luteum, **50**
 Glaux, **160**
 maritima, **30**, **160**
 Glechoma, **187**
 hederaceae, **187**
 Glycyeria, **261**
 aquatica, **262**
 declinata, **262**
 distans, **265**
 fluitans, **18**, **261**
 maritima, **265**
 maxima, **18**, **262**
 pedicellata, **261**
 plicata, **261**
 Gnaphalium, **201**
 luteoalbum, **201**
 sylvaticum, **201**
 uliginosum, **201**
 Goat's-beard, **213**
 Golden Rod, **202**
 Goldilocks, **44**
 Gold of Pleasure, **64**
 Good King Henry, **82**
 Gooseberry, **123**
 Goosegrass, **192**
 Gorse, **29**, **95**
 Goutweed, **137**
 Gramineae, **260**
 Grass
 Black, **278**
 Canary, **279**
 Mat-, **280**
 Meadow, **266**
 Quaking, **268**
 Reed-, **279**
 Sweet Vernal, **279**
 Whitlow, **59**
 Grass of Parnassus, **123**
 Grass Poly, **124**
 Greengage, **118**
 Grimmia, **299**
 apocarpa, **299**
 pulvinata, **299**
 trichophylla, **299**
 Grimmiaceae, **299**
 Grimmiales, **299**
 Groenlandia, **226**
 densa, **18**, **23**, **221**, **222**, **226**
 Gromwell, **166**
 Corn, **166**
 Grossulariaceae, **123**
 Ground Pine, **25**, **188**
 Groundsel, **198**
 Guizotia, **197**
 abyssinica, **197**
 Guttiferae, **69**
 Gymnadenia, **239**
 conopsea, **25**, **239**
 Gymnospermae, xi, **40**
 Gypsophila, **73**
 muralis, **73**
 Gyroweisia, **297**
 tenuis, **297**
Habenaria
 chlorantha, **239**
 viridis, **239**
 Halimione, **85**
 pedunculata, **86**
 portulacoides, **30**, **85**
 Haloragaceae, **128**
 Hammarbya, **238**
 paludosa, **30**, **238**
 Hardheads, **210**
 Harebell, **190**
 Hare's-foot, **100**
 Harpanthaceae, **326**
 Hart's-tongue, **36**
 Hawk-bit, **212**
 Hawk's Beard, **216**
 Hawkweed, **215**
 Mouse-ear, **216**
 Hawthorn, **119**
 Hazel, **26**, **27**, **151**
 Heath
 Cross-leaved, **157**
 Sea, **70**
 Heather, **157**
 Bell-, **157**
 Hedera, **131**
 helix, **131**
 Helianthemum, **70**
 chamaecistus, **70**
 vulgare, **70**
 Helianthus, **196**
 annuus, **196**
 laetiflorus, **196**
 tuberosus, **196**
 Helictotrichon, **273**
 pratense, **273**
 pubescens, **274**
 Heliotrope, Winter, **200**
 Hellebore
 Green, **41**
 Stinking, **41**
 Helleborus, **41**
 foetidus, **27**, **41**
 viridis, **27**, **41**
Helmintia echioides, **212**
Helosciadium
 inundatum, **134**
 nodiflorum, **134**
 Helxine, **147**
 soleirolii, **147**
 Hemlock, **133**
 Water, **135**
 Hemp, **148**
 Henbane, **169**
 Henbit, **185**
 Hepaticae, **321**
 Heracleum, **140**
 mantegazzianum, **140**
 sphondylium, **140**
 Herb Paris, **230**
 Herb Robert, **90**
 Herminium, **238**
 monorchis, **25**, **238**
 Herniaria, **80**
 glabra, **12**, **29**, **80**
 Hesperis, **63**
 matronalis, **63**
 Hieracium, **215**
 boreale, **216**
 brunneocroceum, **216**
 grandidens, **216**
 lepidulum, **215**
 maculatum, **215**
 perpropinquum, **29**, **216**
 pilosella, **216**
 salticola, **216**
 strumosum, **215**
 sublepidoides, **215**
 umbellatum, **215**
 vagum, **216**
 vulgatum, **215**
 Himantoglossum, **240**

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Himantoglossum (*cont.*)
 hircinum, 24, 240
 Hippocastanaceae, 92
 Hippocrepis, 103
 comosa, 24, 103
 Hippuridaceae, 129
 Hippuris, 129
 vulgaris, 18, 129
 Hogweed, 140
 Holcus, 274
 lanatus, 274
 mollis, 274
 Holly, 93
 Hollyhock, 88
Homalia, 309
trichomanoides, 309
 Honesty, 58
 Honeysuckle, 194
 Hookeria lucens, xvi
 Hop, 147
 Hordeum, 272
 jubatum, 272
 marinum, 272
maritimum, 272
 murinum, 272
nodosum, 272
pratense, 272
 secalinum, 28, 272
 vulgare, 272
 Horehound
 Black, 185
 White, 187
 Hornbeam, 151
 Horn-wort, 48
 Horse-chestnut, 92
 Horsetail, 33
 Common, 34
 Great, 34
 Marsh, 33
 Water, 33
 Wood, 33
 Hottonia, 159
 palustris, 159
 Hound's-tongue, 163
 Houseleek, 122
 Humulus, 147
 lupulus, 147
 Hydrocharis, 219
 morsus-ranae, 18, 163,
 219
 Hydrocharitaceae, 219
 Hydrocotyle, 131
 vulgaris, 131
 Hylocomium, 321
 splendens, 321
 Hyoscyamus, 169
 niger, 169
 Hypericum, 69
 androsaemum, 69
 calycinum, 69
desetangii, 69
dubium, 69
 elodes, 30, 70
 hircinum, 69
 hirsutum, 27, 70
 humifusum, 29, 70
 maculatum, 27, 69
 perforatum, 69
 pulchrum, 29, 70
quadrangulum, 69
 tetrapterum, 69
 Hypnaceae, 311
 Hypnobryales, 310
 Hypnum, 319
 cupressiforme, 29, 319
 Hypochoeris, 211
 glabra, 28, 211
 maculata, 24, 212
 radicata, 211
 Iberis, 57
 amara, 24, 57
 umbellata, 57
 Ilex, 93
 aquifolium, 93
 Illecebraceae, 80
 Impatiens, xii, 91
biflora, 91
 capensis, 91
 glandulifera, 92
 parviflora, 91, 92
roylei, 92
 Indian Corn, 280
 Inula, 200
 conyza, 24, 200
 helenium, 200
 Iridaceae, 235
 Iris, 235
 foetidissima, 27, 235
 pseudacorus, 20, 28, 236
 Isatis, 57
 tinctoria, 57
 Isobryales, 307
Isolepis setacea, 247
 Isopterygium, 318
 seligeri, 318
 Isothecium, 313
 myosuroides, 314
 myurum, 313
 Ivy, 131
 Ground, 187
 Jack-by-the-Hedge, 63
 Jasiona, 190
 montana, 190
 Juglandaceae, 149
 Juglans, 149
 regia, 149
 Juncaceae, 230
 Juncaginaceae, 220
 Juncus, 19, 32
 acutiflorus, 231, 233
 articulatus, 231, 233
 bufonius, 230, 231, 232
 bulbosus, 231, 233
 compressus, 231
compressus, 232
 conglomeratus, 28, 230,
 232
 effusus, 28, 230, 232
 gerardii, 30, 231, 232
glaucus, 232
 inflexus, 230, 232
kochii, 233
lampocarpus, 233
obtusiflorus, 232
 squarrosus, 30, 230, 231
 subnodulosus, 18, 20, 21,
 231, 232
supinus, 233
surejanus, 233
 tenuis, 230, 231
 Jungermanniales, 325
 Juniper, 40
 Juniperus, 40
 communis, 24, 40
 Kale, 52
Kentranthus ruber, 195
 Kickxia, 171

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr
Whitehouse

Index

[More information](#)

INDEX

- Kickxia (*cont.*)
 elatine, 25, 172
 spuria, 25, 171, 172
 Knapweed, 210
 Knautia, 196
 arvensis, 196
 Knot-grass, 142
 Koeleria, 273
 britannica, 273
 cristata, 273
 gracilis, 273
 Kohlrabi, 52
 Kohlruschia, 73
 prolifera, 73

 Labiatae, 180
 Laburnum, 94
 anagyroides, 94
 Lactuca, 213
 muralis, 214
 saligna, 3, 213
 scariola, 213
 serriola, 213
 virosa, 213
 Lady's Mantle, 113
 Lady's Smock, 60
 Lady's Tresses, Autumn,
 237
 Lamium, 185
 album, 186
 amplexicaule, 185
 galeobdolon, 185
 hybridum, 186
 incisum, 186
 maculatum, 186
 purpureum, 186
 Lappula, 163
 echinata, 163
 myosotis, 163
 Lapsana, 211
 communis, 211
 Larch, European, 40
 Larix decidua, 40
 Larkspur, 42
 Laser, 140
 trilobum, 140
 Lastrea
 dilatata, 37
 flixi-mas, 37
 oreopteris, 37

 spinulosa, 37
 thelypteris, 38
 Lathraea, 177
 clandestina, 178
 squamaria, 177
 Lathyrus, 105
 aphaca, 13, 28, 105
 latifolius, 106
 nissolia, 3, 24, 105
 palustris, 106
 pratensis, 105
 sylvestris, 27, 106
 Laurel, Spurge, 125
 Lavender, Sea, 158
 Leek, Wild, 234
 Legousia, 190
 hybrida, 25, 190
 Leguminosae, 94
 Leiocolea, 325
 turbinata, 325
 Lejeunea, 328
 cavifolia, 328
 Lejeuneaceae, 328
 Lemna, 18, 244
 gibba, 244
 minor, 244
 polyrhiza, 244
 trisolca, 244
 Lemnaceae, 244
 Lentibulariaceae, 179
 Leontodon, 212
 autumnalis, 212
 hispidus, 212
 leysseri, 212
 taraxacoides, 212
 taraxacum, 217, 218
 Leonurus, 186
 cardiaca, 186
 Leopard's-bane, 199
 Lepidium, 55
 campestre, 55
 graminifolium, 56
 latifolium, 56
 neglectum, 56
 perfoliatum, 56
 ruderales, 55
 sativum, 55
 smithii, 55
 Lepigonum
 marinum, 79

 medium, 79
 rubrum, 79
 Leptobryum, 302
 pyriforme, 302
 Leptodictyum, 312
 riparium, 312
 Lepturus
 filiformis, 279
 incurvatus, 279
 Leskea, 310
 polycarpa, 310
 Leskeaceae, 310
 Lettuce, 213
 Lamb's, 194
 Prickly, 213
 Wall, 214
 Leucobryum, 289
 glaucum, 289
 Leucodon, 309
 sciuroides, 282, 309
 Leucodontaceae, 309
 Licorice, 103
 Ligularia, 199
 clivorum, 199
 Ligustrum, 161
 ovalifolium, 161
 vulgare, 20, 21, 161
 Lilac, 161
 Liliaceae, 227
 Lily-of-the-Valley, 227
 Lime, 87
 Common, 87
 Limonium, 158
 bellidifolium, 158
 vulgare, 30, 158
 Limosella, 172
 aquatica, 172
 Linaceae, 88
 Linaria, 171
 cymbalaria, 172
 elatine, 172
 minor, 171
 purpurea, 171
 spuria, 171
 vulgaris, 171
 Linum, 88
 anglicum, 24, 88
 angustifolium, 88
 austriacum, 89
 bienne, 88

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Linum (*cont.*)
 catharticum, 88
 perenne, 88
 usitatissimum, 88
 Liparis, 238
 loeselii, 20, 238
 Listera, 237
 ovata, 27, 237
 Lithospermum, 166
 arvense, 28, 166
 officinale, 28, 166
 purpureoaceruleum, 166
 Littorella, 189
 uniflora, 30, 189
 Liverworts, xi, 321
 Lobularia, 59
 maritima, 59
 Lolium, 264
 italicum, 264
 multiflorum, 264
 perenne, 263, 264
 temulentum, 264
 Lonicera, 194
 caprifolium, 24, 194
 periclymenum, 21, 194
 xylosteum, 194
 Loosestrife
 Purple, 124
 Yellow, 159
 Lophocolea, 326
 bidentata, 326
 cuspidata, 326
 heterophylla, 326
 Lophozia, 325
 ventricosa, 30, 325
 Lophoziaceae, 325
 Loranthaceae, 130
 Lords and Ladies, 244
 Lotus, 102
 corniculatus, 102
 major, 102
 tenuis, 102
 uliginosus, 23, 102
 Lucerne, 96
 Lunaria, 58
 annua, 58
 Lunularia, 322
 cruciata, 282, 322
 Luzula, 233
 campestris, 234
 multiflora, 234
 pilosa, 27, 233, 234
 sylvatica, 233
 Lychnis, 72
 alba, 72
 dioica, 72
 flos-cuculi, 28, 72
 githago, 72
 vespertina, 72
 Lycium, 168
 chinense, 169
 halimifolium, 168
 rhombifolium, 169
 Lycopersicum esculentum,
 169
 Lycopodiaceae, 33
 Lycopodium, 33
 clavatum, 30, 33
 inundatum, 30, 33
 Lycopsis, 164
 arvensis, 23, 164
 Lycopus, 182
 europaeus, 182
 Lysimachia, 159
 nemorum, 3, 10, 27, 159
 nummularia, 159
 punctata, 159
 vulgaris, 20, 23, 159
 Lythraceae, 124
 Lythrum, 124
 hyssopifolia, 124
 salicaria, 21, 124
 Madder, Field, 190
 Madwort, 163
 Mahonia, 47
 aquifolium, 47
 Maize, 280
 Malachium aquaticum, 75
 Malaxis paludosa, 238
 Mallow
 Common, 87
 Marsh, 88
 Musk, 87
 Malope, 88
 trifida, 88
 Malus, 121, 130
 sylvestris, 121
 Malva, 87
 moschata, 87
 neglecta, 87
 rotundifolia, 87
 sylvestris, 87
 Malvaceae, 87
 Maple
 Common, 92
 Field, 26, 92
 Marchantia, 322
 polymorpha, 322
 Marchantiaceae, 321
 Marchantiales, 321
 Mare's-tail, 129
 Marigold
 Corn, 205
 Marsh, 41
 Marjoram, 182
 Marrubium, 187
 vulgare, 187
 Mat-grass, 280
 Matricaria, 204
 chamomilla, 204
 discoidea, 205
 inodora, 204
 matricarioides, 205
 parthenium, 205
 recutita, 23, 204
 suaveolens, 205
 Mayweed
 Scentless, 204
 Stinking, 203
 Meadow Rue, 47
 Lesser, 47
 Meadow-sweet, 106
 Medicago, 96
 arabica, 96
 denticulata, 96
 falcata, 96
 hispida, 96
 lupulina, 96
 maculata, 96
 minima, 12, 28, 96
 polymorpha, 96
 sativa, 96
 sylvestris, 96
 tribuloides, 97
 varia, 96
 Medick, Black, 96
 Medlar, 120
 Melampyrum, 176
 arvense, 176

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Melampyrum (*cont.*)
 cristatum, 11, 28, 176
 pratense, 27, 176
- Melandrium*
 album, 72
 noctiflorum, 72
 rubrum, 72
- Melica, 268
 uniflora, 27, 268
- Melilot, 97
- Melilotus, 97
 alba, 97
 altissima, 97
 arvensis, 97
 indica, 97
 officinalis, 97
 officinalis, 97
- Melissa, 184
 officinalis, 184
- Mentha, xii, 32, 180
 alopecuroides, 182
 aquatica, 21, 180, 181
 arvensis, 180, 181
 cordifolia, 182
 gentilis, 181
 longifolia, 180, 181
 niliaca, 182
 piperata, 181
 pratensis, 181
 pulegium, 181
 rotundifolia, 180, 182
 rubra, 181
 sativa, 181
 smithiana, 181
 spicata, 180, 181
 sylvestris, 181
 verticillata, 181
 viridis, 181
- Menyanthaceae, 162
- Menyanthes, 162
 trifoliata, 22, 162
- Mercurialis, 141
 annua, 141
 perennis, 27, 141
- Mercury, Dog's, 141
- Mespilus germanica, 120
- Metzgeria, 324
 fruticulosa, 324
 furcata, 324
- Metzgeriaceae, 324
- Metzgeriales, 323
- Mignonette, Wild, 65
- Milium, 279
 effusum, 27, 279
- Milkwort, 68
- Millet, 280
- Mint
 Cat-, 187
 Horse, 181
 Spear-, 181
 Water, 181
- Minuartia, 78
 hybrida, 24, 78
 tenuifolia, 78
- Misopates, 171
 orontium, 171
- Mistletoe, 130
- Mniaceae, 305
- Mnium, 305
 affine, 305
 cuspidatum, 305
 hornum, 29, 305
 longirostrum, 305
 punctatum, 306
 seligeri, 305
 undulatum, 306
- Moehringia, 78
 trinervia, 27, 78
- Moenchia, 77
 erecta, 30, 77
- Molinia, 18, 21, 261
 caerulea, 19, 261
- Monkshood, 42
- Monocotyledones, 218
- Monotropa, 157
 hypophegea, 158
 hypopitys, 157
- Monotropaceae, 157
- Montia, 80
 fontana, 80
 perfoliata, 29, 80
- Moonwort, 39
- Moraceae, 149
- Moschatel, 194
- Mosses, xi, 282
- Motherwort, 186
- Mouse-tail, 47
- Mudwort, 172
- Mugwort, 206
- Mullein, 170
- Black, 170
- Muscari, 229
 atlanticum, 24, 229
 racemosum, 229
- Musci, 282
- Mustard
 Black, 53
 Hedge, 63
 Tower, 61
 Treacle, 63
 White, 54
- Mycelis, 214
 muralis, 214
- Myosotis, 32, 165
 arvensis, 165, 166
 caespitosa, 165, 166
 collina, 166
 discolor, 165, 166
 hispida, 166
 palustris, 165
 ramosissima, 28, 165, 166
 scorpioides, 165
 sylvatica, 165, 166
 versicolor, 166
- Myosoton, 75
 aquaticum, 23, 75
- Myosurus, 47
 minimus, 3, 29, 47
- Myrica, 149
 gale, 3, 20, 22, 149
- Myricaceae, 149
- Myriophyllum, 128
 alterniflorum, 129
 spicatum, 129
 verticillatum, 18, 128
- Narcissus, 235
 biflorus, 235
 medioluteus, 235
 poeticus, 235
 pseudonarcissus, 235
 sylvestris, 235
- Nardus, 280
 stricta, 29, 280
- Narthecium, 227
 ossifragum, 30, 227
- Nasturtium*
 amphibium, 63
 microphyllum, 62
 officinale, 61, 62

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Nasturtium* (cont.)
palustre, 62
sylvestre, 62
 Neckera, 309
 complanata, 309
 Neckeraceae, 309
 Neottia, 238
 nidus-avis, 27, 238
 Nepeta, 187
 cataria, 25, 187
 glechoma, 187
 Neslia, 58
 paniculata, 58
 Nettle
 Hemp-, 186
 Red Dead-, 186
 Roman, 147
 Small, 147
 Stinging, 147
 White Dead-, 186
 Nightshade
 Black, 169
 Deadly, 169
 Enchanter's, 128
 Woody, 169
 Nipplewort, 211
 Nonea, 165
 lutea, 165
 rosea, 165
 Nowellia, 327
 curvifolia, 327
 Nuphar, 48
 lutea, 18, 48, 163
 Nymphaea, 48
 alba, 18, 48
 Nymphaeaceae, 48
 Nymphoides, 163
 peltata, 163
 Oak, 16, 26, 27, 152
 Durmast, 152
 Turkey, 151
 Oat
 Cultivated, 8, 273
 Wild, 273
 Oat-grass, 274
 Obione
 pedunculata, 86
 portulacoides, 85
 Odontites, 177
 rubra, 177
 verna, 177
 Odontoschisma, 328
 sphagni, 30, 328
 Oenanthe, 137
 aquatica, 138
 crocata, 10
 fistulosa, 137
 fluviatilis, 18, 138
 lachenalli, 138
 phellandrium, 138
 silifolia, 3, 138
 Oenothera, 128
 biennis, 128
 erythrosepala, 128
 lamarkiana, 128
 Old Man's Beard, 42
 Oleaceae, 161
 Omalia, 309
 trichomanoides, 309
 Onagraceae, 125
 Onobrychis, 103
 viciifolia, 103
 Ononis, 95
 arvensis, 95
 campestris, 95
 repens, 95
 spinosa, 28, 95
 Onopordon, 209
 acanthium, 209
 Ophioglossaceae, 39
 Ophioglossum, 39
 vulgatum, 21, 39
 Ophrys, 239
 apifera, 25, 239
 aranifera, 240
 insectifera, 240
 sphigodes, 25, 240
 Orache, 85
 Stinking, 83
 Orchid
 Bee, 25, 239
 Bird's-nest, 238
 Burnt, 240
 Early Purple, 241
 Fly, 240
 Fragrant, 239
 Frog, 239
 Greater Butterfly, 239
 Green-winged, 241
 Lizard, 25, 240
 Man, 25, 243
 Musk, 238
 Spider, 240
 Orchidaceae, 236
 Orchis, 240
 fuchsii, 242
 incarnata, 242
 latifolia, 242
 maculata, 242
 mascula, 27, 241
 morio, 241
 mortonii, 242
 praetermissa, 242
 pyramidalis, 243
 strictifolia, 242
 ustulata, 25, 240
 Oregon Grape, 47
 Origanum, 182
 vulgare, 182
 Ornithogalum, 229
 nutans, 229
 pyrenaicum, 229
 umbellatum, 229
 Ornithopus, 103
 perpusillus, 28, 30, 103
 Orobanchaceae, 177
 Orobanche, 178
 elatior, 25, 178
 hederae, 179
 major, 178
 minor, 25, 178
 picridis, 178
 ramosa, 178
 rapum-genistae, 178
 Orpine, 121
 Orthodontium, 302
 lineare, 302
 Orthotrichaceae, 307
 Orthotrichum, 307
 affine, 307
 anomalum, 307
 cupulatum, 307
 diaphanum, 308
 lyellii, 282, 308
 Osier, 155
 Purple, 155
 Osmunda, 35
 regalis, 35
 Osmundaceae, 35

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Oxalidaceae, 91
 Oxalis, 91
 acetosella, 91
 articulata, 91
 corniculata, 91
 europaea, 91
 stricta, 91
 Oxlip, 159
 Ox-tongue, 212
Oxycoccus palustris, 157
- Paige, 158
 Panicum, 280
 mileaceum, 280
 Pansy, 65
 Field, 68
 Wild, 68
 Papaver, 3, 32, 48
 argemone, 25, 49
 atlanticum, 48, 50
 dubium, 25, 49
 hybridum, 25, 49
 lecoqii, 25, 49
 rheas, 25, 49
 somniaferum, 48, 49
 Papaveraceae, 48
 Parapholis, 279
 strigosa, 30, 279
 Parietaria, 147
 diffusa, 147
 erecta, 147
 ramiflora, 147
 Paris, 230
 quadrifolia, 27, 230
 Parnassia, 123
 palustris, 22, 123
 Parnassiaceae, 123
 Parsley, 135
 Fool's, 138
 Hedge, 132
 Stone, 135
 Parsley Piert, 114
 Parsnip
 Water, 137
 Wild, 140
 Pasque Flower, 42
 Pastinaca, 140
 sativa, 140
 Pea, 106
 Everlasting, 106
- Pear, Wild, 120
 Pearlwort, 77
 Pedicularis, 175
 palustris, 175
 sylvatica, 175
 Pellia, 324
 epiphylla, 324
 fabbroniana, 324
 Pelliaceae, 324
 Pellitory-of-the-wall, 147
 Penny-royal, 181
 Pennywort, 131
 Pentaglottis, 164
 sempervirens, 164
 Peplis, 124
 portula, 27, 30, 124
 Pepperwort, 55
 Periwinkle
 Greater, 161
 Lesser, 161
 Petasites, 200
 fragrans, 200
 hybridus, 200
 vulgaris, 200
 Petroselinum, 135
 crispum, 135
 sativum, 135
 segetum, 135
 Petty Whin, 94
 Peucedanum, 139
 palustre, 20, 139
 sativum, 140
 Phalaris, 279
 arundinacea, 18, 262, 279
 canariensis, 279
 minor, 279
 Phascum, 293
 curvicollum, 293
 cuspidatum, 28, 293
 floerkeanum, 25, 294
 Pheasant's Eye, 46
 Philonotis, 307
 calcarea, 307
 fontana, 30, 307
 Phleum, 277
 arenarium, 3, 277
 asperum, 278
 bertolonii, 277
 boehmeri, 277
 nodosum, 277
- paniculatum, 278
 phleoides, 12, 29, 277
 pratense, 277
 pratense, 277
Pholius filiformis, 279
 Phragmites, 18, 19, 20, 21, 260
 communis, 16, 260
 Phyllitis, 36
 scolopendrium, 36
 Physcomitrella, 300
 patens, 300
 Physcomitrium, 300
 pyriforme, 300
 Picea abies, 40
 Picris, 212
 echioides, 212
 hieracioides, 212
 Pignut, 135
 Pimpernel
 Bog, 160
 Scarlet, 160
 Pimpinella, 136
 magna, 136
 major, 28, 136
 saxifraga, 136
 Pinaceae, 40
 Pine
 Austrian, 40
 Corsican, 40
 Scots, 40
 Pinguicula, 179
 vulgaris, 22, 179
 Pink
 Clove, 73
 Maiden, 73
 Pinus, 40
 nigra, 40
 sylvestris, 40
 Pisum sativum, 106
 Plagiochila, 326
 asplenioides, 326
 Plagiochilaceae, 326
 Plagiothecium, 319
 curvifolium, 319
 denticulatum, 29, 319
 denticulatum, 319
 ruthi, 319
 sylvaticum, 319
 Plantaginaceae, 188

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr
Whitehouse

Index

[More information](#)

INDEX

- Plantago**, 188
coronopus, 29, 189
lanceolata, 189
major, 188
maritima, 30, 189
media, 189
Plantain, 188
Buck's-horn, 189
Water, 218
Platanaceae, 150
Platanthera, 239
bifolia, 239
chlorantha, 27, 239
Platanus, 150
acerifolia, 150
hybrida, 150
Pleuridium, 286
acuminatum, 29, 286
alternifolium, 286
subulatum, 286
subulatum, 286
Pleurozium, 318
schreberi, 29, 282, 318
Ploughman's Spikenard, 200
Plum, 118
Cherry-, 118
Plumbaginaceae, 158
Poa, 266
angustifolia, 266
annua, 266
compressa, 266
nemoralis, 266
palustris, 267
pratensis, 266, 267
subcaerulea, 267
trivialis, 267
Pohlia, 302
albicans, 302
delicatula, 302
nutans, 29, 302
wahlenbergii, 302
Polycarpon, 80
tetraphyllum, 80
Polygala, 68
calcarea, 69
serpyllifolia, 68
vulgaris, 68
Polygalaceae, 68
Polygonaceae, 142
Polygonum, 142
aequale, 143
amphibium, 18, 143
arenastrum, 143
aviculare, 142, 143
baldschuanicum, 144
bistorta, 143
convolvulus, 144
cuspidatum, 144
dumetorum, 144
heterophyllum, 143
hydropiper, 144
lapathifolium, 143, 144
laxiflorum, 144
laxum, 143
minus, 3, 22, 144
mite, 144
nodosum, 143
persicaria, 143
rurivagum, 143
sachalinense, 144
Polypodiaceae, 38
Polypodium, 38
interjectum, 38
vulgare, 38
Polypody, 38
Polystichum, 37
aculeatum, 37
lobatum, 37
Polytrichaceae, 283
Polytrichales, 283
Polytrichum, 283
aloides, 283
aurantiacum, 284
commune, xvi, 30, 284
formosum, 29, 284
gracile, 284
juniperinum, 29, 284
nanum, 283
piliferum, 283
Pondweed, 221
Canadian, 220
Poplar
Black, 153
Grey, 152
Lombardy, 153
White, 152
Poppy, 25, 48
Field, 49
Opium, 49
Violet Horned, 50
Populus, 152
alba, 152
canadensis, 153
canescens, 152
deltoidea, 153
italica, 153
nigra, 153
serotina, 153
tremula, 152
Porella, 328
platyphylla, 328
Porellaceae, 328
Portulacaceae, 80
Potamogeton, 3, 32, 221
acutifolius, 226
alpinus, 221, 222, 224
berchtoldii, 222, 225
billupsii, 223
coloratus, 221, 223
compressus, 222, 226
compressus, 225
cooperi, 226
coriaceus, 224
crispus, 18, 222, 226
decipiens, 224
densus, 226
flabellatus, 226
fluitans, 224
friesii, 222, 225
gramineus, 221, 222, 224
heterophyllum, 224
involutus, 224
lanceolatus, 225
lucens, 18, 222, 223
natans, 221, 223
nitens, 224
panormitanus, 225
pectinatus, 222, 226
perfoliatus, 18, 222, 225
perpygameus, 225
plantagineus, 223
polygonifolius, 221, 223
praelongus, 18, 222, 224
pusillus, 223, 225
pusillus, 225
rufescens, 224
salicifolius, 224
trichoides, 223, 225
zizii, 224

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Potamogeton (*cont.*)
zosteræifolius, 226
 Potamogetonaceae, 221
 Potato, 8, 14, 169
 Potentilla, 111
 anglica, 112
 anserina, 21, 111
 argentea, 29, 30, 111
 canescens, 111
 erecta, 21, 112
 fragariastrum, 111
 inclinata, 111
 norvegica, 111
 palustris, 3, 111
 procumbens, 112
 recta, 111
 reptans, 112
 sterilis, 27, 111
 supina, 111
 tabernaemontani, 24, 111
 tormentilla, 112
 verna, 111
 Poterium, 114
 muricatum, 115
 polygamum, 115
 sanguisorba, 114
 Pottia, 292
 bryoides, 293
 caespitosa, xvi
 davalliana, 28, 293
 intermedia, 292
 lanceolata, 292
 recta, 293
 truncata, 293
 Pottiaceae, 290
 Pottiales, 289
 Primrose, 159
 Evening, 128
 Primula, xii, 158
 elatior, 11, 27, 159
 veris, 158
 vulgaris, 27, 159
 Primulaceae, 158
 Privet, 161
 Prunella, 184
 laciniata, 184
 vulgaris, 21, 184
 Prunus, 118
 avium, 118
 cerasifera, 118
 cerasus, 3, 119
 communis, 118
 domestica, 118
 insititia, 118
 laurocerasus, 119
 lusitanica, 119
 padus, 21, 119
 serotina, 119
 spinosa, 20, 118
 Pseudoscleropodium, 318
 purum, 318
 Pteridium, 35
 aquilinum, 29, 34, 35
 Pteridophyta, xi, 33
Pteris aquilina, 35
 Pterygoneurum, 292
 lamellatum, 292
 ovatum, 292
 Ptilidiaceae, 325
 Ptilidium, 325
 pulcherrimum, 325
 Puccinellia, 265
 distans, 30, 265
 maritima, 265
 Pulicaria, 200
 dysenterica, 200
 vulgaris, 201
 Pulsatilla vulgaris, 24, 42
 Pyrus, 120
 aucuparia, 120
 communis, 120
 malus, 121
 Quercus, 130, 151
 cerris, 29, 151
 intermedia, 152
 petraea, 29, 152
 robur, 26, 152
 rosacea, 152
 sessiliflora, 152
 Radiola
 linoidea, 89
 millegrana, 89
 Radish
 Horse-, 59
 Wild, 55
 Radula, 328
 complanata, 328
 Radulaceae, 328
 Ragged Robin, 72
 Ragwort, 197
 Marsh, 197
 Oxford, 198
 Ramsons, 235
 Ranunculaceae, 41
 Ranunculus, xii, 32, 42
 acris, 43, 44
 aquatilis, 44, 46
 arvensis, 28, 43, 44
 auricomus, 27, 43, 44
 baudotii, 44, 46
 baudotii, 46
 bulbosus, 43, 44
 circinatus, 43, 45
 drouetii, 45
 ficaria, 27, 43, 46
 flammula, 43, 45
 floribundus, 46
 fluitans, 43, 45
 hederaceus, 43, 45
 heterophyllus, 46
 hirsutus, 44
 lingua, 43, 45
 parviflorus, 43, 44
 psuedofluitans, 44, 46
 radians, 46
 repens, 43, 44
 sardous, 43, 44
 sceleratus, 43, 45
 trichophyllus, 43, 45, 46
 Rape, 53
 Raphanus, 55
 raphanistrum, 55
 Rapistrum, 55
 perenne, 55
 rugosum, 55
 Raspberrry, 107
 Reed, 260
 Reed-grass, 279
 Reed-mace, 245
 Reseda, 65
 lutea, 65
 luteola, 65
 Resedaceae, 65
 Restharrow, 95
 Rhacomitrium, 299
 canescens, 30, 299
 heterostichum, 299

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr
Whitehouse

Index

[More information](#)

INDEX

- Rhacomitrium (*cont.*)
lanuginosum, 300
- Rhamnaceae, 93
- Rhamnus, 93
catharticus, 18, 20, 26,
27, 93
frangula, 94
- Rhinanthus, 175
minor, 175
- Rhodobryum, 305
roseum, 282, 305
- Rhododendron, 157
ponticum, 157
- Rhynchospora, 250
alba, 250
- Rhynchostegiella, 317
pallidirostra, 317
pumila, 317
tenella, 318
- Rhytidiadelphus, 320
squarrosus, 320
triquetrus, 320
- Rhytidium, 320
rugosum, 29, 282,
320
- Ribes, 123
grossularia, 123
nigrum, 3, 123
rubrum, 123
sylvestre, 123
uva-crispa, 123
- Ribwort, 189
- Riccardia, 323
multifida, 323
pinguis, 323
sinuata, 323
- Riccardiaceae, 323
- Riccia, 322
crystallina, 323
fluitans, 281, 322
glauca, 322
rhenana, 281, 322
sorocarpa, 322
- Ricciaceae, 322
- Riccicarpus, 323
natans, 282, 323
- Robinia, 102
pseudoacacia, 102
- Rocket
Dyer's, 65
- London, 64
Wall, 54
Yellow, 60
- Rockrose, 70
- Roegneria canina*, 271
- Roemeria, 50
hybrida, 50
- Rorippa, 61
amphibia, 63
islandica, 62
microphylla, 23, 62
nasturtium-aquaticum,
61, 62
sterilis, 62
sylvestris, 62
- Rosa, xii, 32, 115
arvensis, 115, 116
canina, 26, 116
dumetorum, 116, 117
elliptica, 115, 118
forsteri, 117
inodora, 118
micrantha, 27, 115, 118
obtusifolia, 116, 117
pimpinellifolia, 115, 116
rubiginosa, 26, 115, 117
sherardii, 116, 117
spinossissima, 116
stylosa, 115, 116
tomentosa, 27, 116, 117
villosa, 117
- Rosaceae, 106
- Rose, 26, 115
Guelder, 193
- Rowan, 120
- Rubia
peregrina, 193
tinctorum, 193
- Rubiaceae, 190
- Rubus, xii, 3, 106
altheaeifolius, 108
babingtonianus, 108
balfourianus, 107
bellardii, 110
cardiophyllus, 109
caesius, 20, 107
conjungens, 106, 107
conspicuus, 110
corylifolius, 107
criniger, 110
- dasyphyllus, 110
discerptus, 110
discolor, 109
diversifolius, 108
dumetorum, 108
echinatoides, 110
falcatus, 109
flexuosus, 110
foliosus, 110
fuscus, 110
halsteadensis, 107
hystrix, 110
idaeus, 107
insectifolius, 110
koehleri, 110
laciniatus, 108
lindleyanus, 108
mercicus, 108
myriacanthus, 108
nemoralis, 108
poliodes, 108
polyanthemus, 109
procerus, 109
purpureicaulis, 107
pyramidalis, 109
radula, 110
raduliformis, 107
rhamnifolius, 109
rhombifolius, 109
rufescens, 110
rusticanus, 109
scabrosus, 108
selmeri, 108
subcarpinifolius, 109
sublustris, 107
thyrsoideus, 109
tuberculatus, 108
ulmifolius, 106, 109
vestitus, 109
warrenii, 107
- Rudbeckia, 197
laciniata, 197
- Rumex, 145
acetosa, 145
acetosella, 145
angiocarpus, 145
condylodes, 146
conglomeratus, 146
crispus, 145
hydrolapathum, 145

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Rumex (*cont.*)
maritimus, 146
obtusifolius, 145
palustris, 146
pratensis, 145
pulcher, 146
sanguineus, 27, 146
tenuifolius, 28, 145
- Ruppia, 227
maritima, 227
rostellata, 227
- Ruppiaceae, 227
- Rupture-wort, 80
- Ruscus, 228
aculeatus, 228
- Rush, 230
 Flowering, 219
 Hard, 232
 Soft, 232
 Toad-, 232
- Rye, 272
- Rye-grass, 264
 Italian, 264
- Saffron, 24, 236
 Meadow, 229
- Sage, Wood, 188
- Sagina, 77
apetala, 77
ciliata, 77
maritima, 77
nodosa, 78
procumbens, 77
- Sagittaria, 219
sagittifolia, 18, 219
- Sainfoin, 103
- Salicaceae, 152
- Salicornia, 86
dolichostachya, 30, 86
herbacea, 86
ramosissima, 30, 86
stricta, 86
- Salix, 153
alba, 153
alopeurooides, 154
aquatica, 156
atrocinerea, 156
aurita, 156
babylonica, 154
calodendron, 155
- caprea, 27, 155
cinerea, 18, 20, 27, 155
coerulea, 153
decipiens, 154
ehrhartiana, 153
forbiana, 156
fragilis, 154
hoffmanniana, 154
lanceolata, 154
meyeriana, 154
nigricans, 156
oleifolia, 156
pentandra, 153
purpurea, 3, 155
reichardtii, 155
repens, 20, 156
rubra, 153, 156
russelliana, 154
speciosa, 154
subsericea, 156
triandra, 154
undulata, 154
viminalis, 155
- Sallow, 155
 Eared, 156
- Salsola, 86
pestifer, 86
- Salvia, 184
horminoides, 25, 184
horminum, 184
pratensis, 184
verbenaca, 184
verticillata, 184
- Sambucus, 193
ebulus, 193
nigra, 21, 193
- Samolus, 160
valerandi, 160
- Samphire, Marsh, 86
- Sanguisorba, 114
officinalis, 28, 114
- Sanicle, 131
- Sanicula, 131
europaea, 27, 131
- Santalaceae, 130
- Saponaria, 73
officinalis, 73
vaccaria, 73
- Sarothamnus, 95
scoparius, 29, 95
- Saw-wort, 211
- Saxifraga, 122
granulata, 122
tridactylites, 122
- Saxifragaceae, 122
- Saxifrage, 122
 Burnet, 136
- Scabiosa, 196
arvensis, 196
columbaria, 24, 196
succisa, 196
- Scabious
 Field, 196
 Small, 196
- Scandix, 132
pecten-veneris, 132
- Schoenoplectus
lacustris, 247
tabernaemontani, 247
- Schoenus, 249
nigricans, 21, 249
- Scilla *non-scripta*, 229
- Scirpus, 32, 246
cespitosus, 22, 246, 248
fluitans, 247
lacustris, 18, 247
maritimus, 246
pauciflorus, 248
setaceus, 247
tabernaemontani, 247
- Scleranthus, 80
annuus, 29, 30, 80
- Sclerochloa
distans, 265
loliacea, 265
maritima, 265
rigida, 265
- Scleropoa *rigida*, 265
- Scleropodium, 315
caespitosum, 315
illecebrum, 315
tourretii, 315
- Scelopendrium *vulgare*, 36
- Scorpidium, 313
scorpioides, 313
- Scorpiurium, 314
circinatum, 282, 314
- Scrophularia, 172
aquatica, 172
nodosa, 21, 27, 172

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr
Whitehouse

Index

[More information](#)

INDEX

- Scrophularia (*cont.*)
 vernalis, 172
 Scrophulariaceae, 170
 Scutellaria, 187
 galericulata, 187
 Seablite, 86
 Secale cereale, 272
 Sedge, 250
 Sedum, 121
 acre, 28, 121
 album, 3, 121
 dasyphyllum, 121
 reflexum, 122
 sexangulare, 122
 telephium, 3, 121
 Seligeria, 287
 calcareo, 287
 paucifolia, 287
 Selinum, 139
 carvifolia, 22, 139
 Sempervivum, 122
 tectorum, 122
Senecio coronopus, 56
 Senecio, 197
 aquaticus, 23, 197
 campestris, 199
 congestus, 199
 erucifolius, 198
 integrifolius, 24, 199
 jacobaea, 197
 paludosus, 3, 199
 palustris, 199
 squalidus, 198
 sylvaticus, 29, 198
 viscosus, 3, 198
 vulgaris, 198
Serrafalcus
 arvensis, 270
 commutatus, 270
 mollis, 269
 racemosus, 270
 secalinus, 271
 Serratula, 211
 tinctoria, 21, 211
 Service Tree, 120
 Seseli, 137
 libanotis, 24, 137
 Setaria, 280
 glauca, 280
 italica, 280
 lutescens, 280
 viridis, 3, 280
 Sheep's-bit, 190
 Shepherd's Needle, 132
 Shepherd's Purse, 58
 Sherardia, 190
 arvensis, 190
 Shield-fern, Hard, 37
 Shoreweed, 189
 Sieglingia, 261
 decumbens, 261
 Silaum, 139
 silaus, 21, 139
 flavescens, 139
 pratensis, 139
 Silene, 71
 alba, 72
 anglica, 71
 conica, 11, 28, 71
 cucubalus, 71
 dichotoma, 71
 dioica, 10, 12 (map), 27,
 72
 gallica, 28, 71
 inflata, 71
 italica, 71
 maritima, 71
 noctiflora, 25, 72
 otites, 12, 28, 71
 pendula, 71
 vulgaris, 71
Siler trilobum, 140
 Silverweed, 111
 Silybum, 209
 marianum, 209
 Sinapis, 54
 alba, 54
 arvensis, 54
 Sison, 135
 amomum, 135
 Sisybrium, 63
 alliaria, 63
 altissimum, 64
 irio, 64
 officinalis, 63
 orientale, 64
 sophia, 64
 thalianum, 64
 Sisyrrinchium, 235
 bermudiana, 235
 Sium, 137
 angustifolium, 137
 erectum, 137
 latifolium, 137
 Skull-cap, 187
 Sloe, 118
 Smyrnium, 133
 olusatrum, 133
 Snake's-head, 228
 Snakeweed, 143
 Snapdragon, 171
 Sneezewort, 204
 Snowberry, 193
 Snowdrop, 235
 Soapwort, 73
 Solanaceae, 168
 Solanum, 169
 dulcamara, 21, 169
 nigrum, 169
 rostratum, 169
 tuberosum, 169
 Solidago, 202
 canadensis, 202
 gigantea, 202
 serotina, 202
 virgaurea, 30, 202
 Sonchus, 214
 arvensis, 214
 asper, 214
 oleraceus, 214
 palustris, 214
 Sorbus, 120
 aucuparia, 120
 torminalis, 3, 28, 120
 Sorrel, 91, 145
 Sheep's, 145
 Wood, 91
 Sowthistle, 214
 Corn, 214
 Sparganiaceae, 245
 Sparganium, xii, 245
 emersum, 18, 245
 erectum, 245
 minimum, 245
 ramosum, 245
 simplex, 245
 Spearwort
 Greater, 45
 Lesser, 45
Specularia hybrida, 190

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr
Whitehouse

Index

[More information](#)

INDEX

- Speedwell, Germander, 174
 Spergula, 79
 arvensis, 29, 30, 79
 Spergularia, 79
 marginata, 79
 marina, 30, 79
 media, 30, 79
 rubra, 30, 79
 salina, 79
 Spermatophyta, 40
 Sphaerocarpaceae, 321
 Sphaerocarpaceae, 321
 Sphaerocarpos, 321
 michellii, 321
 Sphagnaceae, 282
 Sphagnales, 282
 Sphagnum, 30, 282
 cuspidatum, 282
 fimbriatum, xvi
 palustre, 22, 282
 plumulosum, 283
 squarrosum, 282
 subsecundum, 283
 tenellum, 282
 Spindle-tree, 26, 93
 Spiraea
 filipendula, 106
 ulmaria, 106
 Spiranthes, 237
 autumnalis, 237
 spiralis, 25, 237
 Splachnaceae, 301
 Splachnum, 301
 ampullaceum, 22, 30, 301
 Spleenwort
 Black, 36
 Maidenhair, 36
 Sprouting Broccoli, 52
 Spruce, Norway, 15, 40
 Spurge, 141
 Caper, 141
 Petty, 142
 Sun, 142
 Wood, 142
 Spurrey
 Corn, 79
 Sand, 79
 Squinancy-Wort, 191
 Stachys, 185
 ambigua, 185
 arvensis, 22, 185
 betonica, 184
 officinalis, 184
 palustris, 185
 sylvatica, 185
 Star of Bethlehem, 229
 Starwort, 129
 Statice
 caspia, 158
 limonium, 158
 Stellaria, 32, 75
 alsine, 77
 apetala, 76
 aquatica, 75
 boreana, 76
 dilleniana, 76
 glauca, 76
 graminea, 76
 holostea, 10, 76
 media, 75, 76
 neglecta, 76
 pallida, 75, 76
 palustris, 3, 76
 uliginosa, 77
 Stitchwort, 75
 St John's Wort, 69
 Common, 69
 Hairy, 70
 Marsh, 70
 Stonecrop, 121
 White, 121
 Storksbill, 91
 Stratiotes, 220
 aloides, 3, 220
 Strawberry
 Barren, 111
 Garden, 112
 Wild, 112
Sturmia loeselii, 238
 Suaeda, 86
 maritima, 86
 Succisa, 196
 pratensis, 20, 21, 23, 196
 Sugar-beet, 84
 Sundew, 123
 Swede, 53
 Sweet Flag, 243
 Sweet Gale, 149
 Swine-cress, 56
 Lesser, 56
 Sycamore, 92
 Symphoricarpos, 193
 albus, 193
 racemosus, 193
 rivularis, 193
 Symphytum, 163
 armeniaceum, 164
 asperum, 164
 caucasicum, 164
 grandiflorum, 164
 officinale, 20, 21, 163
 orientale, 164
 peregrinum, 164
 tauricum, 164
 uplandicum, 164
 Syringa, 161
 vulgaris, 161
 Tamus, 236
 communis, 236
Tanacetum vulgare, 205
 Tansy, 205
 Taraxacum, 217
 laevigatum, 217, 218
 officinale, 217
 palustre, 19, 217
 spectabile, 19, 217, 218
 Tare, 103
 Hairy, 103
 Taxaceae, 41
 Taxus, 41
 baccata, 21, 41
 Teasel, 195
 Teesdalia, 57
 nudicaulis, 28, 30, 57
 Tetrphidaceae, 301
 Tetrphidales, 301
 Tetrphids, 301
 pellucida, xvi, 301
 Teucrium, 188
 chamaedrys, 188
 scordium, 188
 scorodonia, 188
 Thalictrum, 3, 47
 babingtonii, 47
 flavum, 20, 21, 47
 minus, 47
 saxatile, 47
 Thamnium, 309

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Thamnium (*cont.*)
 alopecurum, 309
 Thelycrania sanguinea, 131
 Thelypteridaceae, 37
 Thelypteris, 37
 limbosperma, 37
 oreopteris, 37
 palustris, 20, 34, 38
 Thesium, 130
 humifusum, 24, 130
 Thistle
 Carline, 206
 Cotton, 209
 Field, 208
 Milk-, 209
 Musk, 207
 Spear, 208
 Star, 210
 Stemless, 209
 Tuberous, 25, 209
 Wetted, 208
 Woolly-headed, 208
 Thlaspi, 57
 arvensis, 3, 57
 Thorn-apple, 170
 Thorow-wax, 134
 Thrift, 158
 Thrinicia hirta, 212
 Through-wax, 134
 Thuidiaceae, 310
 Thuidium, 310
 abietinum, 282, 310
 philibertii, 24, 282, 311
 tamariscinum, 310
 Thyme, 182
 Basil-, 183
 Thymelaeaceae, 125
 Thymus, 182
 britannicus, 183
 carniolicus, 183
 chamaedrys, 182
 drucei, 182, 183
 froelichianus, 183
 glaber, 182
 neglectus, 183
 ovatus, 182
 pulegioides, 182
 serpyllum, 182
 serpyllum, 183
 Tilia, 87, 130
 cordata, 29, 87
 europaea, 87
 platyphyllos, 87
 vulgaris, 87
 Tiliaceae, 87
 Tillaea muscosa, 29, 122
 Timothy, 277
 Toadflax, 171
 Bastard, 130
 Ivy-leaved, 172
 Tomato, 8, 169
 Toothwort, 177
 Torilis, 132
 anthriscus, 132
 arvensis, 25, 132
 infesta, 132
 japonica, 132
 nodosa, 133
 Tormentil, 112
 Tortella, 297
 inclinata, 24, 282, 297
 inflexa, 297
 tortuosa, 24, 297
 Tortula, 290
 intermedia, 290
 laevipila, 290
 latifolia, 282, 290
 marginata, 291
 muralis, 291
 papillosa, 282, 290
 ruraliformis, 29, 290
 ruralis, 290
 subulata, 291
 vahliana, 24, 291
 Townhall Clock, 194
 Tragopogon, 213
 minus, 213
 porrifolius, 213
 pratensis, 213
 Trefoil, 97
 Birdsfoot, 102
 Hop, 101
Trichophorum cespitosum, 246
 Trichostomum, 298
 brachydontium, 298
 crispulum, 24, 298
 sinuosum, 281, 298
 Trifolium, xii, 32, 97
 agrarium, 101
 arvense, 28, 99, 100
 aureum, 98, 101
 campestre, 98, 101
 dubium, 98, 101
 filiforme, 101
 fragiferum, 98, 101
 glomeratum, 97, 99
 hybridum, 99, 100
 incarnatum, 98, 99
 medium, 98, 99
 micranthum, 98, 101
 minus, 101
 ochroleucon, 11, 13
 (map), 28, 98, 99
 pratense, 98, 99
 procumbens, 101
 repens, 98, 100
 resupinatum, 99, 101
 scabrum, 29, 99, 100
 striatum, 28, 99, 100
 subterraneum, 28, 98, 100
 suffocatum, 97, 99
 Triglochin, 220
 maritima, 30, 221
 palustris, 19, 220
Triodia decumbens, 261
 Tripleurospermum, 204
 maritimum, 204
 Trisetum, 273
 flavescens, 273
 Triticum
 aestivum, 272
 caninum, 271
 pungens, 272
 turgidum, 272
 Tulip, 8
 Wild, 228
 Tulipa, 228
 sylvestris, 228
 Turnip, 53
 Swedish, 53
 Turritis glabra, 29, 61
 Tussilago, 199
 farfara, 199
 Tutsan, 69
 Twayblade, 237
 Twitch, 271
 Black, 278
 Typha, 245
 angustifolia, 18, 246

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr
Whitehouse

Index

[More information](#)

INDEX

- Typha (*cont.*)
 latifolia, 18, **245**
 minima, **246**
 Typhaceae, **245**
- Ulex, **95**
 europaeus, 29, **95**
 gallii, 10, 11 (map)
 minor, **95**
 nanus, **95**
 Ulmaceae, **148**
- Ulmus, xii, 27, 32, **148**
 angustifolia, 149
 campestris, **148**
 carpinifolia, 148, **149**
 coritana, **149**
 diversifolia, **149**
 glabra, **148**
 hollandica, **149**
 montana, **148**
 nitens, **149**
 plotii, **149**
 procera, **148**
 sarniensis, **149**
 sativa, **149**
 stricta, **149**
 suberosa, **148**, **149**
 vegeta, **149**
- Ulota, **308**
 crispa, 282, **308**
- Umbelliferae, **131**
- Urtica, **147**
 dioica, 20, 21, **147**
 pilulifera, **147**
 urens, **147**
- Urticaceae, **147**
- Utricularia, **179**
 intermedia, **179**
 minor, 18, **179**
 neglecta, **179**
 vulgaris, 18, **179**
- Vaccaria, **73**
 pyramidata, **73**
- Vaccinium, **157**
 oxycoccus, 30, **157**
- Valerian, **195**
 Red, **195**
- Valeriana, **195**
 dioica, 19, 21, **195**
- officinalis*, 21, 23, 28, **195**
 sambucifolia, **195**
- Valerianaceae, **194**
- Valerianella, **194**
 auricula, **194**
 dentata, 25, **195**
 eriocarpa, **195**
 locusta, **194**
 olitoria, **194**
 rimosa, **194**
- Venus's Looking-glass, **190**
- Verbascum, **170**
 blattaria, **170**
 lychnitis, **170**
 nigrum, **170**
 phlomoides, **170**
 semialbum, **170**
 thapsus, **170**
 virgatum, **170**
- Verbena, **179**
 officinalis, **179**
- Verbenaceae, **179**
- Veronica, **173**
 agrestis, 22, **175**
 anagallis, **173**
 anagallis-aquatica, **173**
 arvensis, **174**
 beccabunga, **173**
 buxbaumii, **175**
 catenata, **173**
 chamaedrys, 2, **174**
 filiformis, **175**
 hederifolia, **174**
 longifolia, **174**
 montana, 10, 27, **174**
 officinalis, **174**
 peregrina, **174**
 persica, **175**
 polita, **175**
 scutellata, **173**
 serpyllifolia, **174**
 spicata, ix, 3, 24, **174**
- Vervain, **179**
- Vetch, **103**
 Horseshoe, **103**
 Kidney, **102**
 Purple Milk-, **102**
- Viburnum, **193**
 lantana, 26, **193**
- opulus*, 20, 21, 27, **193**
- Vicia, 32, **103**
 angustifolia, 104, **105**
 cracca, **104**
 fabia, **105**
 gracilis, **104**
 hirsuta, **103**
 hybrida, **104**
 lathyroides, 28, **105**
 lutea, **104**
 orobus, **104**
 sativa, **104**, **105**
 sepium, 10, **104**
 sylvatica, **104**
 tenuissima, 28, 103, **104**
 tetrasperma, 103, **104**
- Villarsia nymphaeoides*, **163**
- Vinca, **161**
 major, **161**
 minor, **161**
- Viola, xii, 3, 32, **65**
 agrestis, **68**
 anglica, **68**
 arvensis, 66, **68**
 calcareae, **67**
 canina, 66, **67**
 contempta, **68**
 curtisii, **68**
 deseglisei, **68**
 flavicornis, **67**
 hirta, 65, 66, **67**
 intermedia, **67**
 lactea, **67**
 lloydii, **68**
 obtusifolia, **68**
 odorata, 65, **66**
 permixta, **67**
 reichenbachiana, 27, 66, **67**
 ritschliana, **67**
 riviniana, 27, 66, **67**
 ruralis, **68**
 stagnina, 3, 20, 66, **68**
 sylvatica, **67**
 tricolor, **68**
 tricolor, 66, **68**
 variata, **68**
- Violaceae, **65**
- Violet, **65**

Cambridge University Press

978-1-108-00240-0 - A Flora of Cambridgeshire

Franklyn Hugh Perring, Peter D. Sell, Stuart Max Walters and Harold Leslie Kerr

Whitehouse

Index

[More information](#)

INDEX

- Violet (*cont.*)
 Dame's, 63
 Dog, 67
 Fen, 68
 Hairy, 66
 Sweet, 66
 Water, 159
 Viscum, 130
 album, 130
 Vulpia, 264
 ambigua, 264
 bromoides, 264
 myuros, 264

 Wallflower, 63
 Wall-pepper, 121
 Wall-rue, 36
 Walnut, 149
 Water Avens, 113
 Water-lily
 White, 48
 Yellow, 48
 Water-pepper, 144
 Water Soldier, 220
 Wayfaring Tree, 26, 193
 Weissia, 298

 controversa, 298
 crispa, 298
 microstoma, 298
 rostellata, 298
 sterilis, 24, 299
 Weld, 65
 Wheat, 8, 15, 272
 Rivet, 272
 Whitethorn, 119
 Wild Basil, 183
 Willow,
 Almond-leaved, 154
 Bay-leaved, 153
 Crack, 154
 Goat, 155
 Weeping, 154
 White, 153
 Willow-herb, 125
 Rosebay, 128
 Woad, 57
 Wood Avens, 113
 Woodruff, 191
 Woodrush, 233
 Wormwood, 206
 Woundwort, 185

 Xanthium, 197
 spinosa, 197
 strumarium, 197

 Yarrow, 204
 Yellow Bird's-nest,
 157
 Yellow Flag, 236
 Yellow Rattle, 175
 Yellow-wort, 162
 Yew, 41
 Yorkshire Fog, 274

 Zannichellia, 227
 palustris, 227
 Zannichelliaceae, 227
 Zea, 280
 mais, 280
 Zerna
 erecta, 268
 inermis, 269
 ramosa, 269
 Zostera, 221
 Zygodon, 307
 viridissimus, 307