

## CAMBRIDGE LIBRARY COLLECTION

*Books of enduring scholarly value*

### **Mathematical Sciences**

From its pre-historic roots in simple counting to the algorithms powering modern desktop computers, from the genius of Archimedes to the genius of Einstein, advances in mathematical understanding and numerical techniques have been directly responsible for creating the modern world as we know it. This series will provide a library of the most influential publications and writers on mathematics in its broadest sense. As such, it will show not only the deep roots from which modern science and technology have grown, but also the astonishing breadth of application of mathematical techniques in the humanities and social sciences, and in everyday life.

### **The Collected Mathematical Papers**

Arthur Cayley (1821-1895) was a key figure in the creation of modern algebra. He studied mathematics at Cambridge and published three papers while still an undergraduate. He then qualified as a lawyer and published about 250 mathematical papers during his fourteen years at the Bar. In 1863 he took a significant salary cut to become the first Sadleirian Professor of Pure Mathematics at Cambridge, where he continued to publish at a phenomenal rate on nearly every aspect of the subject, his most important work being in matrices, geometry and abstract groups. In 1882 he spent five months at Johns Hopkins University, and in 1883 became president of the British Association for the Advancement of Science. Publication of his Collected Papers - 967 papers in 13 volumes plus an index volume - began in 1889 and was completed after his death under the editorship of his successor in the Sadleirian Chair. This volume contains 89 papers mostly published between 1883 and 1889.

Cambridge University Press  
978-1-108-00504-3 - The Collected Mathematical Papers, Volume 12  
Arthur Cayley  
Frontmatter  
[More information](#)

---

Cambridge University Press has long been a pioneer in the reissuing of out-of-print titles from its own backlist, producing digital reprints of books that are still sought after by scholars and students but could not be reprinted economically using traditional technology. The Cambridge Library Collection extends this activity to a wider range of books which are still of importance to researchers and professionals, either for the source material they contain, or as landmarks in the history of their academic discipline.

Drawing from the world-renowned collections in the Cambridge University Library, and guided by the advice of experts in each subject area, Cambridge University Press is using state-of-the-art scanning machines in its own Printing House to capture the content of each book selected for inclusion. The files are processed to give a consistently clear, crisp image, and the books finished to the high quality standard for which the Press is recognised around the world. The latest print-on-demand technology ensures that the books will remain available indefinitely, and that orders for single or multiple copies can quickly be supplied.

The Cambridge Library Collection will bring back to life books of enduring scholarly value across a wide range of disciplines in the humanities and social sciences and in science and technology.

Cambridge University Press  
978-1-108-00504-3 - The Collected Mathematical Papers, Volume 12  
Arthur Cayley  
Frontmatter  
[More information](#)

---

# The Collected Mathematical Papers

VOLUME 12

ARTHUR CAYLEY



CAMBRIDGE  
UNIVERSITY PRESS

Cambridge University Press  
978-1-108-00504-3 - The Collected Mathematical Papers, Volume 12  
Arthur Cayley  
Frontmatter  
[More information](#)

---

CAMBRIDGE UNIVERSITY PRESS

Cambridge New York Melbourne Madrid Cape Town Singapore São Paulo Delhi

Published in the United States of America by Cambridge University Press, New York

[www.cambridge.org](http://www.cambridge.org)

Information on this title: [www.cambridge.org/9781108005043](http://www.cambridge.org/9781108005043)

© in this compilation Cambridge University Press 2009

This edition first published 1897

This digitally printed version 2009

ISBN 978-1-108-00504-3

This book reproduces the text of the original edition. The content and language reflect the beliefs, practices and terminology of their time, and have not been updated.

Cambridge University Press  
978-1-108-00504-3 - The Collected Mathematical Papers, Volume 12  
Arthur Cayley  
Frontmatter  
[More information](#)

---

# MATHEMATICAL PAPERS.

Cambridge University Press  
978-1-108-00504-3 - The Collected Mathematical Papers, Volume 12  
Arthur Cayley  
Frontmatter  
[More information](#)

---

**London: C. J. CLAY AND SONS,**  
CAMBRIDGE UNIVERSITY PRESS WAREHOUSE,  
AVE MARIA LANE.  
**Glasgow: 263, ARGYLE STREET.**



**Leipzig: F. A. BROCKHAUS.**  
**New York: THE MACMILLAN COMPANY.**

THE COLLECTED  
  
MATHEMATICAL PAPERS

OF

ARTHUR CAYLEY, Sc.D., F.R.S.,

LATE SADLERIAN PROFESSOR OF PURE MATHEMATICS IN THE UNIVERSITY OF CAMBRIDGE.

VOL. XII.

CAMBRIDGE:  
AT THE UNIVERSITY PRESS.

1897.

[*All Rights reserved.*]

Cambridge University Press  
978-1-108-00504-3 - The Collected Mathematical Papers, Volume 12  
Arthur Cayley  
Frontmatter  
[More information](#)

---

CAMBRIDGE :  
PRINTED BY J. AND C. F. CLAY,  
AT THE UNIVERSITY PRESS.



## ADVERTISEMENT.

**T**HE present volume contains 89 papers, numbered 799 to 887, published for the most part in the years 1883 to 1889.

The Table for the twelve volumes is

|         |         |     |    |      |
|---------|---------|-----|----|------|
| Vol. I. | Numbers | 1   | to | 100, |
| „ II.   | „       | 101 | „  | 158, |
| „ III.  | „       | 159 | „  | 222, |
| „ IV.   | „       | 223 | „  | 299, |
| „ V.    | „       | 300 | „  | 383, |
| „ VI.   | „       | 384 | „  | 416, |
| „ VII.  | „       | 417 | „  | 485, |
| „ VIII. | „       | 486 | „  | 555, |
| „ IX.   | „       | 556 | „  | 629, |
| „ X.    | „       | 630 | „  | 705, |
| „ XI.   | „       | 706 | „  | 798, |
| „ XII.  | „       | 799 | „  | 887. |

A. R. FORSYTH.

19 *May*, 1897.

## CONTENTS.

[An Asterisk means that the paper is not printed in full.]

|   | PAGE |
|---|------|
| 799. <i>On curvilinear coordinates</i> . . . . .  | 1    |
| Quart. Math. Journ., t. XIX. (1883), pp. 1—22   |      |
| 800. <i>Note on the standard solutions of a system of linear equations</i>  | 19   |
| Quart. Math. Journ., t. XIX. (1883), pp. 38—40  |      |
| 801. <i>On seminvariants</i> . . . . .  | 22   |
| Quart. Math. Journ., t. XIX. (1883), pp. 131—138  |      |
| 802. <i>Note on Captain MacMahon's paper "On the differential equation <math>X^{-\frac{2}{3}}dx + Y^{-\frac{2}{3}}dy + Z^{-\frac{2}{3}}dz = 0</math>"</i> . . . . . | 30   |
| Quart. Math. Journ., t. XIX. (1883), pp. 182—184  |      |
| 803. <i>On Mr Anglin's formula for the successive powers of the root of an algebraical equation</i> . . . . .   | 33   |
| Quart. Math. Journ., t. XIX. (1883), pp. 223, 224   |      |
| 804. <i>On the elliptic-function solution of the equation <math>x^3 + y^3 - 1 = 0</math></i> . . . . .  | 35   |
| Camb. Phil. Soc. Proc., t. IV. (1883), pp. 106—109  |      |
| 805. <i>Note on Abel's theorem</i> . . . . .  | 38   |
| Camb. Phil. Soc. Proc., t. IV. (1883), pp. 119—122  |      |
| 806. <i>Determination of the order of a surface</i> . . . . .   | 42   |
| Messenger of Mathematics, t. XII. (1883), pp. 29—32   |      |
| 807. <i>A proof of Wilson's theorem</i> . . . . .   | 45   |
| Messenger of Mathematics, t. XII. (1883), p. 41   |      |

|  | PAGE |
|--|------|
| 808. <i>Note on a form of the modular equation in the transformation of the third order</i> . . . . .  | 46   |
| Messenger of Mathematics, t. XII. (1883), pp. 173, 174   |      |
| 809. <i>Schröter's construction of the regular pentagon</i> . . . . .  | 47   |
| Messenger of Mathematics, t. XII. (1883), p. 177   |      |
| 810. <i>Note on a system of equations</i> . . . . .  | 48   |
| Messenger of Mathematics, t. XII. (1883), pp. 191, 192   |      |
| 811. <i>On the linear transformation of the theta-functions</i> . . . . .  | 50   |
| Messenger of Mathematics, t. XIII. (1884), pp. 54—60   |      |
| 812. <i>On Archimedes' theorem for the surface of a cylinder</i> . . . . .   | 56   |
| Messenger of Mathematics, t. XIII. (1884), pp. 107, 108  |      |
| 813. [ <i>Note on Mr Griffiths' paper "On a deduction from the elliptic-integral formula <math>y = \sin(A + B + C + \dots)</math>"</i> ] . . . . . | 58   |
| Proc. Lond. Math. Soc., t. xv. (1884), p. 81   |      |
| 814. <i>On double algebra</i> . . . . .  | 60   |
| Proc. Lond. Math. Soc., t. xv. (1884), pp. 185—197   |      |
| 815. <i>The binomial equation <math>x^p - 1 = 0</math>; quinquisection. Second part</i>  | 72   |
| Proc. Lond. Math. Soc., t. xvi. (1885), pp. 61—63  |      |
| 816. <i>On the bitangents of a plane quartic</i> . . . . .   | 74   |
| Crelle's Journal der Mathem., t. xciv. (1883), pp. 93—115; Camb. Phil. Soc. Proc., t. iv. (1883), p. 321   |      |
| 817. <i>On the sixteen-nodal quartic surface</i> . . . . .   | 95   |
| Crelle's Journal der Mathem., t. xciv. (1883), pp. 270—272   |      |
| 818. <i>Note on hyperelliptic integrals of the first order</i> . . . . .   | 98   |
| Crelle's Journal der Mathem., t. xcvi. (1885), pp. 95, 96  |      |
| 819. <i>On two cases of the quadric transformation between two planes</i> . . . . .  | 100  |
| Johns Hopkins University Circulars, No. 13 (1882), pp. 178, 179  |      |
| 820. <i>On a problem of analytical geometry</i> . . . . .  | 102  |
| Johns Hopkins University Circulars, No. 15 (1882), p. 209  |      |

| CONTENTS. |  | ix   |
|-----------|--|------|
|           |  | PAGE |
| 821.      | <i>On the geometrical representation of an equation between two variables</i> . . . . .  | 104  |
|           | Johns Hopkins University Circulars, No. 15 (1882), p. 210  |      |
| 822.      | <i>On associative imaginaries</i> . . . . .  | 105  |
|           | Johns Hopkins University Circulars, No. 15 (1882), pp. 211, 212  |      |
| 823.      | <i>On the geometrical interpretation of certain formulæ in elliptic functions</i> . . . . .  | 107  |
|           | Johns Hopkins University Circulars, No. 17 (1882), p. 238  |      |
| 824.      | <i>Note on the formulæ of trigonometry</i> . . . . .   | 108  |
|           | Johns Hopkins University Circulars, No. 17 (1882), p. 241  |      |
| 825.      | <i>A memoir on the Abelian and Theta Functions</i> . . . . .   | 109  |
|           | Chapters I to III, American Journal of Mathematics, t. v. (1882), pp. 137—179; Chapters IV to VII, <i>ib.</i> , t. vii. (1885), pp. 101—167                                    |      |
| 826.      | <i>Note on a partition series</i> . . . . .  | 217  |
|           | American Journal of Mathematics, t. vi. (1884), pp. 63, 64   |      |
| 827.      | <i>On the non-Euclidian plane geometry</i> . . . . .   | 220  |
|           | Proc. Roy. Soc., t. xxxvii. (1884), pp. 82—102   |      |
| 828.      | <i>A memoir on seminvariants</i> . . . . .   | 239  |
|           | American Journal of Mathematics, t. vii. (1885), pp. 1—25  |      |
| 829.      | <i>Tables of the symmetric functions of the roots, to the degree 10, for the form</i> $1 + bx + \frac{cx^2}{1.2} + \dots = (1 - ax)(1 - \beta x)(1 - \gamma x)\dots$ . . . . . | 263  |
|           | American Journal of Mathematics, t. vii. (1885), pp. 47—56   |      |
| 830.      | <i>Non-unitary partition tables</i> . . . . .  | 273  |
|           | American Journal of Mathematics, t. vii. (1885), pp. 57, 58  |      |
| 831.      | <i>Seminvariant tables</i> . . . . .   | 275  |
|           | American Journal of Mathematics, t. vii. (1885), pp. 59—73   |      |
| 832.      | <i>Note on an apparent difficulty in the theory of curves, when the coordinates of a point are given as functions of a variable parameter</i> . . . . .                        | 290  |
|           | Messenger of Mathematics, t. xiv. (1885), pp. 12—14  |      |

|  | PAGE |
|--|------|
| 833. <i>On a formula in elliptic functions</i> . . . . .   | 292  |
| Messenger of Mathematics, t. xiv. (1885), pp. 21, 22   |      |
| 834. <i>On the addition of the elliptic functions</i> . . . . .                                      | 294  |
| Messenger of Mathematics, t. xiv. (1885), pp. 56—61  |      |
| 835. <i>On Cardan's solution of a cubic equation</i> . . . . .                                       | 299  |
| Messenger of Mathematics, t. xiv. (1885), pp. 96, 97   |      |
| 836. <i>On the quaternion equation <math>qQ - Qq' = 0</math></i> . . . . .                           | 300  |
| Messenger of Mathematics, t. xiv. (1885), pp. 108—112  |      |
| 837. <i>On the so-called D'Alembert Carnot geometrical paradox</i> . . . . .                         | 305  |
| Messenger of Mathematics, t. xiv. (1885), pp. 113, 114   |      |
| 838. <i>On the twisted cubics upon a quadric surface.</i> . . . .                                    | 307  |
| Messenger of Mathematics, t. xiv. (1885), pp. 129—132  |      |
| 839. <i>On the matrical equation <math>qQ - Qq' = 0</math></i> . . . . .                             | 311  |
| Messenger of Mathematics, t. xiv. (1885), pp. 176—178  |      |
| 840. <i>On Mascheroni's geometry of the compass</i> . . . . .  | 314  |
| Messenger of Mathematics, t. xiv. (1885), pp. 179—181  |      |
| 841. <i>On a differential operator</i> . . . . .   | 318  |
| Messenger of Mathematics, t. xiv. (1885), pp. 190, 191   |      |
| 842. <i>On the value of <math>\tan(\sin \theta) - \sin(\tan \theta)</math></i> . . . . .             | 319  |
| Messenger of Mathematics, t. xiv. (1885), pp. 191, 192   |      |
| 843. <i>On the quadri-quadric curve in connexion with the theory of elliptic functions</i> . . . . . | 321  |
| Mathematische Annalen, t. xxv. (1885), pp. 152—156   |      |
| 844. <i>On a theorem relating to seminvariants</i> . . . . .   | 326  |
| Quart. Math. Journ., t. xx. (1885), pp. 212, 213   |      |
| 845. <i>On the orthomorphosis of the circle into the parabola</i> . . . . .                          | 328  |
| Quart. Math. Journ., t. xx. (1885), pp. 213—220  |      |
| 846. <i>A verification in regard to the linear transformation of the theta-functions</i> . . . . .   | 337  |
| Quart. Math. Journ., t. xxi. (1886), pp. 77—84   |      |

| CONTENTS. |  | xi   |
|-----------|--|------|
|           |  | PAGE |
| 847.      | <i>On the theory of seminvariants</i> . . . . .  | 344  |
|           | Quart. Math. Journ., t. XXI. (1886), pp. 92—107  |      |
| 848.      | <i>On the transformation of the double theta-functions</i> . . . . .   | 358  |
|           | Quart. Math. Journ., t. XXI. (1886), pp. 142—178   |      |
| 849.      | <i>On the invariants of a linear differential equation</i> . . . . .   | 390  |
|           | Quart. Math. Journ., t. XXI. (1886), pp. 257—261   |      |
| 850.      | <i>On linear differential equations</i> . . . . .  | 394  |
|           | Quart. Math. Journ., t. XXI. (1886), pp. 321—331   |      |
| 851.      | <i>On linear differential equations: the theory of decomposition</i> . . . . .   | 403  |
|           | Quart. Math. Journ., t. XXI. (1886), pp. 331—335   |      |
| 852.      | <i>Note sur le mémoire de M. Picard “Sur les intégrales de différentielles totales algébriques de première espèce”</i> . . . . . | 408  |
|           | Bull. des Sciences Math., 2 <sup>me</sup> Sér., t. X. (1886), pp. 75—78  |      |
| 853.      | <i>Note on a formula for <math>\Delta^n 0^i/n^i</math> when <math>n, i</math> are very large numbers</i> . . . . .               | 412  |
|           | Proc. Roy. Soc. Edin., t. XIV. (1887), pp. 149—153   |      |
| 854.      | <i>An algebraical transformation</i> . . . . .   | 416  |
|           | Messenger of Mathematics, t. XV. (1886), pp. 58, 59  |      |
| 855.      | <i>Solution of <math>(a, b, c, d) = (a^2, b^2, c^2, d^2)</math></i> . . . . .  | 418  |
|           | Messenger of Mathematics, t. XV. (1886), pp. 59—61   |      |
| 856.      | <i>Note on a cubic equation</i> . . . . .  | 421  |
|           | Messenger of Mathematics, t. XV. (1886), pp. 62—64   |      |
| 857.      | <i>Analytical geometrical note on the conic</i> . . . . .  | 424  |
|           | Messenger of Mathematics, t. XV. (1886), p. 192  |      |
| 858.      | <i>Comparison of the Weierstrassian and Jacobian elliptic functions</i> . . . . .  | 425  |
|           | Messenger of Mathematics, t. XVI. (1887), pp. 129—132  |      |
| 859.      | <i>On the complex of lines which meet a unicursal quartic curve</i> . . . . .  | 428  |
|           | Proc. Lond. Math. Soc., t. XVII. (1886), pp. 232—238   |      |

|   | PAGE |
|---|------|
| 860. <i>On Briot and Bouquet's theory of the differential equation</i><br>$F\left(u, \frac{du}{dz}\right) = 0$ . . . . .          | 432  |
| Proc. Lond. Math. Soc., t. xviii. (1887), pp. 314—324   |      |
| 861. <i>Note on a formula relating to the zero-value of a theta-function</i>  | 442  |
| Crelle's Journal der Mathem., t. c. (1887), pp. 87, 88  |      |
| 862. <i>Note on the theory of linear differential equations</i> . . . . .   | 444  |
| Crelle's Journal der Mathem., t. c. (1887), pp. 286—295   |      |
| 863. <i>Note on the theory of linear differential equations</i> . . . . .   | 453  |
| Crelle's Journal der Mathem., t. ci. (1887), pp. 209—213  |      |
| 864. <i>On Rudio's inverse centro-surface</i> . . . . .   | 457  |
| Quart. Math. Journ., t. xxii. (1887), pp. 156—158   |      |
| 865. <i>On multiple algebra</i> . . . . .   | 459  |
| Quart. Math. Journ., t. xxii. (1887), pp. 270—308   |      |
| 866. <i>Note on Kiepert's L-equations, in the transformation of elliptic functions</i> . . . . .                                  | 490  |
| Mathematische Annalen, t. xxx. (1887), pp. 75—77  |      |
| 867. <i>Note on the Jacobian sextic equation</i> . . . . .  | 493  |
| Mathematische Annalen, t. xxx. (1887), pp. 78—84  |      |
| 868. <i>On the intersection of curves</i> . . . . .   | 500  |
| Mathematische Annalen, t. xxx. (1887), pp. 85—90  |      |
| 869. <i>On the transformation of elliptic functions</i> . . . . .   | 505  |
| American Journal of Mathematics, t. ix. (1887), pp. 193—224   |      |
| 870. <i>On the transformation of elliptic functions (sequel)</i> . . . . .  | 535  |
| American Journal of Mathematics, t. x. (1888), pp. 71—93  |      |
| 871. <i>A case of complex multiplication with imaginary modulus arising out of the cubic transformation in elliptic functions</i> | 556  |
| Proc. Lond. Math. Soc., t. xix. (1888), pp. 300, 301  |      |
| *872. <i>On the finite number of the covariants of a binary quantic</i> .   | 558  |
| Mathematische Annalen, t. xxxiv. (1889), pp. 319, 320   |      |

| CONTENTS. |   | xiii |
|-----------|---|------|
|           |   | PAGE |
| 873.      | <i>System of equations for three circles which cut each other at given angles . . . . .</i>                           | 559  |
|           | Messenger of Mathematics, t. xvii. (1888), pp. 18—21  |      |
| 874.      | <i>Note on the Legendrian coefficients of the second kind . . . . .</i>   | 562  |
|           | Messenger of Mathematics, t. xvii. (1888), pp. 21—23  |      |
| 875.      | <i>On the system of three circles which cut each other at given angles and have their centres in a line . . . . .</i> | 564  |
|           | Messenger of Mathematics, t. xvii. (1888), pp. 60—69  |      |
| 876.      | <i>On systems of rays . . . . .</i>   | 571  |
|           | Messenger of Mathematics, t. xvii. (1888), pp. 73—78  |      |
| 877.      | <i>Note on the two relations connecting the distances of four points on a circle . . . . .</i>                        | 576  |
|           | Messenger of Mathematics, t. xvii. (1888), pp. 94, 95   |      |
| 878.      | <i>Note on the anharmonic ratio equation . . . . .</i>  | 578  |
|           | Messenger of Mathematics, t. xvii. (1888), pp. 95, 96   |      |
| 879.      | <i>Note on the differential equation <math>\frac{dx}{\sqrt{1-x^2}} + \frac{dy}{\sqrt{1-y^2}} = 0</math> . . . . .</i> | 580  |
|           | Messenger of Mathematics, t. xviii. (1889), p. 90   |      |
| 880.      | <i>Note on the relation between the distance of five points in space . . . . .</i>                                    | 581  |
|           | Messenger of Mathematics, t. xviii. (1889), pp. 100—102   |      |
| 881.      | <i>On Hermite's H-product theorem . . . . .</i>   | 584  |
|           | Messenger of Mathematics, t. xviii. (1889), pp. 104—107   |      |
| 882.      | <i>A correspondence of confocal Cartesians with the right lines of a hyperboloid . . . . .</i>                        | 587  |
|           | Messenger of Mathematics, t. xviii. (1889), pp. 128—130   |      |
| 883.      | <i>Analytical formulæ in regard to an octad of points . . . . .</i>   | 590  |
|           | Messenger of Mathematics, t. xviii. (1889), pp. 149—152   |      |
| 884.      | <i>Note sur les surfaces minima et le théorème de Joachimsthal . . . . .</i>  | 594  |
|           | Comptes Rendus, t. cvi. (1888), pp. 995, 996  |      |



|  | PAGE |
|--|------|
| 885. <i>On the Diophantine relation, <math>y^2 + y'^2 = \text{Square}</math> . . . . .</i> | 596  |
| Proc. Lond. Math. Soc., t. xx. (1889), pp. 122—127   |      |
| 886. <i>On the surfaces with plane or spherical curves of curvature . . . . .</i>          | 601  |
| American Journal of Mathematics, t. xi. (1889), pp. 71—98; pp.<br>293—306                  |      |
| 887. <i>On the theory of groups . . . . .</i>  | 639  |
| American Journal of Mathematics, t. xi. (1889), pp. 139—157                                |      |

## CLASSIFICATION.

## ANALYSIS.

- Equations, 801, 803, 835, 855, 856, 867, 878.
- Theory of numbers, 807, 815.
- Groups, 887.
- Quaternions, 836.
- Matrices, 839.
- Trigonometry, 824, 842.
- Symmetric functions, 829, 841.
- Partitions, 826, 830.
- Invariants and covariants, 800, 801, 828, 831, 844, 847, \*872.
- Multiple Algebra, 814, 822, 865.
- Integral calculus, 852.
- Legendre's coefficients, 874.
- Finite differences, 853.
- Differential equations (general), 802, 860, 879, 885.
- Differential equations (linear), 849, 850, 851, 862, 863.
- Elliptic functions, 804, 813, 823, 833, 834, 843, 858, 881.
- Transformation of elliptic functions, 808, 854, 866, 869, 870, 871.
- Abel's theorem, 805.
- Abelian functions, 818, 825.
- Theta functions, 811, 825, 846, 848, 861.

## GEOMETRY.

- Properties of circles, 873, 875, 877.
- Non-Euclidian geometry, 827.
- General theory of curves, 820, 832, 868.
- Correspondence, 819, 821.
- Orthomorphosis, 821, 845.
- Plane Quartics, 816.
- Groups of points, 880, 883.
- General theory of surfaces, 799, 806.
- Quadrics, 882.
- Quartic surfaces, 817.
- Centro-surfaces, 864.
- Minimal surfaces, 884.
- Rays, 876.
- Curves of curvature, 886.
- Twisted cubic curves, 838.
- Twisted quartic curves, 843, 859.

MISCELLANEOUS, 809, 810, 812, 837, 840, 857.