

Z O O N O M I A.

P A R T II.

C L A S S E S O F D I S E A S E S.

- I. DISEASES OF IRRITATION.
- II. DISEASES OF SENSATION.
- III. DISEASES OF VOLITION.
- IV. DISEASES OF ASSOCIATION.

The Orders and Genera of the First Class of Diseases.

CLASS I.

DISEASES OF IRRITATION.

ORDO I.

Increased Irritation.

GENERA.

1. With increased actions of the sanguiferous system.
2. With increased actions of the fecerning system.
3. With increased actions of the absorbent system.
4. With increased actions of other cavities and membranes.
5. With increased actions of the organs of sense.

ORDO II.

Decreased Irritation.

GENERA.

1. With decreased actions of the sanguiferous system.
2. With decreased actions of the fecerning system.
3. With decreased actions of the absorbent system.
4. With decreased actions of other cavities and membranes.
5. With decreased actions of the organs of sense.

ORDO III.

Retrograde Irritative Motions.

GENERA.

1. Of the alimentary canal.
2. Of the absorbent system.
3. Of the sanguiferous system.

The

CLASS I. 1. 2. DISEASES OF IRRITATION.

3

The Orders, Genera, and Species, of the First Class of Diseases.

CLASS I.

DISEASES OF IRRITATION.

ORDO I.

Increased Irritation.

GENUS I.

With increased Actions of the Sanguiferous System.

SPECIES.

- | | |
|----------------------------------|-----------------------------|
| 1. <i>Febris irritativa.</i> | Irritative fever. |
| 2. <i>Ebrietas.</i> | Drunkennefs. |
| 3. <i>Hæmorrhagia arteriosa.</i> | Arterial hæmorrhage. |
| 4. <i>Hæmoptoe arteriosa.</i> | Spitting of arterial blood. |
| 5. <i>Hæmorrhagia narium.</i> | Bleeding from the nose. |

GENUS II.

With increased Actions of the Secerning System.

SPECIES.

- | | |
|---------------------------|------------------|
| 1. <i>Calor febrilis.</i> | Febrile heat. |
| 2. <i>Rubor febrilis.</i> | Febrile rednefs. |
| 3. <i>Sudor calidus.</i> | Warm fweat. |

B 2

Sudor

4 DISEASES OF IRRITATION. CLASS I. 1. 3.

<i>Sudor febrilis.</i>	Sweat in fevers.
—— <i>a labore.</i>	—— from exercise.
—— <i>ab igne.</i>	—— from fire.
—— <i>a medicamentis.</i>	—— from medicines.
4. <i>Urina uberior colorata.</i>	Copious coloured urine.
5. <i>Diarrhœa calida.</i>	Warm diarrhœa.
—— <i>febrilis.</i>	—— from fever.
—— <i>crapulosa.</i>	—— from indigestion.
—— <i>infantum.</i>	—— of infants.
6. <i>Salivatio calida.</i>	—— salivation.
7. <i>Catarrhus calidus.</i>	—— catarrh.
8. <i>Expectoratio calida.</i>	—— expectoration.
9. <i>Exsudatio pone aures.</i>	Discharge behind the ears.
10. <i>Gonorrhœa calida.</i>	Warm gonorrhœa.
11. <i>Fluor albus calidus.</i>	—— fluor albus.
12. <i>Hæmorrhœis alba.</i>	White piles.
13. <i>Serum e visicatorio.</i>	Discharge from a blister.
14. <i>Perspiratio fœtida.</i>	Fetid perspiration.
15. <i>Crines novi.</i>	New hairs.

GENUS III.

With increased Actions of the Absorbent System.

SPECIES.

1. <i>Lingua arida.</i>	Dry tongue.
2. <i>Fauces aridæ.</i>	Dry throat.
3. <i>Nares aridi.</i>	Dry nostrils.
4. <i>Expectoratio solida.</i>	Solid expectoration.
5. <i>Constipatio alvi.</i>	Costiveness.
6. <i>Cutis arida.</i>	Dry skin.
7. <i>Urina parvior colorata.</i>	Diminished coloured urine.
	8. <i>Calculus</i>

CLASS I. I. 4. DISEASES OF IRRITATION.

5

8. <i>Calculus felleus et icterus.</i>	Gall-stone and jaundice.
9. ——— <i>renis.</i>	Stone of the kidney.
10. ——— <i>vesicæ.</i>	Stone of the bladder.
11. ——— <i>arthriticus.</i>	Gout-stone.
12. <i>Rheumatismus chronicus.</i>	Chronic rheumatism.
13. <i>Cicatrix vulnerum.</i>	Healing of ulcers.
14. <i>Corneæ obfuscatio.</i>	Scar on the cornea.

GENUS IV.

With increased Actions of other Cavities and Membranes.

SPECIES.

1. <i>Nictitatio irritativa.</i>	Irritative nictitation.
2. <i>Deglutitio irritativa.</i>	Irritative deglutition.
3. <i>Respiratio et tussis.</i>	Respiration and cough.
4. <i>Exclusio bilis.</i>	Exclusion of the bile.
5. <i>Dentitio.</i>	Toothing.
6. <i>Priapismus.</i>	Priapism.
7. <i>Distensio mamularum.</i>	Distention of the nipples.
8. <i>Descensus uteri.</i>	Descent of the uterus.
9. <i>Prolapsus ani.</i>	Descent of the rectum.
10. <i>Lumbricus.</i>	Round worm.
11. <i>Tænia.</i>	Tape-worm.
12. <i>Ascarides.</i>	Thread-worms.
13. <i>Dracunculus.</i>	Guinea-worm.
14. <i>Morpiones.</i>	Crab-lice.
15. <i>Pediculi.</i>	Lice.

GENUS

GENUS V.

With increased Actions of the Organs of Sense.

SPECIES.

1. <i>Visus acrior.</i>	Acuter sight.
2. <i>Auditus acrior.</i>	—— hearing.
3. <i>Olfactus acrior.</i>	—— smell
4. <i>Gustus acrior.</i>	—— taste.
5. <i>Tactus acrior.</i>	—— touch.
6. <i>Sensus caloris acrior.</i>	—— sense of heat.
7. —— <i>extensionis acrior.</i>	—— sense of extension.
8. <i>Titillatio.</i>	Tickling.
9. <i>Pruritus.</i>	Itching.
10. <i>Dolor urens.</i>	Smarting.
11. <i>Consternatio.</i>	Surprise.

ORDO. II.

Decreased Irritation.

GENUS I.

With decreased Actions of the Sanguiferous System.

SPECIES.

1. <i>Febris inirritativa.</i>	Inirritative fever.
2. <i>Paresis inirritativa.</i>	—— debility.
3. <i>Somnus interruptus.</i>	Interrupted sleep.
4. <i>Syncope.</i>	Fainting.
5. <i>Hæmorrhagia venosa.</i>	Venous hæmorrhage.
8	6. <i>Hæmorrhoids</i>

CLASS I. 2. 2. DISEASES OF IRRITATION.

7

6. <i>Hæmorrhoids cruenta.</i>	Bleeding piles.
7. <i>Hæmorrhagia renum.</i>	———— from the kidneys.
8. ————— <i>hepatis.</i>	———— from the liver.
9. <i>Hæmoptoe venosa.</i>	Spitting of venous blood.
10. <i>Palpitatio cordis.</i>	Palpitation of the heart.
11. <i>Menorrhagia.</i>	Exuberant menstruation.
12. <i>Dysmenorrhagia.</i>	Deficient menstruation.
13. <i>Lochia nimia.</i>	Too great lochia.
14. <i>Abortio spontanea.</i>	Spontaneous abortion.
15. <i>Scorbutus.</i>	Scurvy.
16. <i>Vibices.</i>	Extravasations of blood.
17. <i>Petechiæ.</i>	Purple spots.

GENUS II.

With decreased Actions of the Secerning System.

SPECIES.

1. <i>Frigus febrile.</i>	Coldness in fevers.
——— <i>chronicum.</i>	———— permanent.
2. <i>Palior fugitivus.</i>	Paleness fugitive.
——— <i>permanens.</i>	———— permanent.
3. <i>Pus parcius.</i>	Diminished pus.
4. <i>Mucus parcius.</i>	Diminished mucus.
5. <i>Urina parcius pallida.</i>	Pale diminished urine.
6. <i>Torpor hepaticus.</i>	Torpor of the liver.
7. <i>Torpor pancreatis.</i>	Torpor of the pancreas.
8. <i>Torpor renis.</i>	Torpor of the kidney.
9. <i>Punctiæ mucosæ vultus.</i>	Mucous spots on the face.
10. <i>Maculæ cutis fulvæ.</i>	Tawny blots on the skin.
11. <i>Canities.</i>	Grey hairs.
12. <i>Callus.</i>	Callus.
13. <i>Cataracta.</i>	Cataract.
	14. <i>Innutritio.</i>

8 DISEASES OF IRRITATION. CLASS I. 2. 3.

14. <i>Innutritio ossium.</i>	Innutrition of the bones.
15. <i>Rachitis.</i>	Rickets.
16. <i>Spina distortio.</i>	Distortion of the spine.
17. <i>Claudicatio coxaria.</i>	Lamenefs of the hip.
18. <i>Spina protuberans.</i>	Protuberant spine.
19. <i>Spina bifida.</i>	Divided spine.
20. <i>Defectus palati.</i>	Defect of the palate.

GENUS III.

With decreased Actions of the Absorbent System.

SPECIES.

1. <i>Mucus faucium frigidus.</i>	Cold mucus from the throat.
2. <i>Sudor frigidus.</i>	— sweat.
3. <i>Catarrhus frigidus.</i>	— catarrh.
4. <i>Expectoratio frigida.</i>	— expectoration.
5. <i>Urina uberior pallida.</i>	Copious pale urine.
6. <i>Diarrhœa frigida.</i>	Cold diarrhœa.
7. <i>Fluor albus frigidus.</i>	— fluor albus.
8. <i>Gonorrhœa frigida.</i>	— gonorrhœa.
9. <i>Hepatis tumor.</i>	Swelling of the liver.
10. <i>Chlorosis.</i>	Green sickness.
11. <i>Hydrocele.</i>	Dropfy of the vagina testis.
12. <i>Hydrocephalus internus.</i>	— of the brain.
13. <i>Ascites.</i>	— of the belly.
14. <i>Hydrothorax.</i>	— of the chest.
15. <i>Hydrops ovarii.</i>	— of the ovary.
16. <i>Anasarca pulmonum.</i>	— of the lungs.
17. <i>Obesitas.</i>	Corpulency.
18. <i>Splenis tumor.</i>	Swelling of the spleen.

19. *Genu*

CLASS I. 2. 4. DISEASES OF IRRITATION.

9

19. <i>Genu tumor albus.</i>	White swelling of the knee.
20. <i>Bronchocele.</i>	Swelled throat.
21. <i>Scrophula.</i>	King's evil,
22. <i>Schirrus.</i>	Schirrus.
23. ——— <i>recti.</i>	———— of the rectum.
24. ——— <i>urethræ.</i>	———— of the urethra.
25. ——— <i>æfophagi.</i>	———— of the throat.
26. <i>Lactæorum inirritabilitas.</i>	Inirritability of the lacteals.
27. <i>Lymphaticorum inirritabilitas.</i>	Inirritability of the lymphatics.

GENUS IV.

With decreased Actions of other Cavities and Membranes.

SPECIES.

1. <i>Sitis calida.</i>	Thirst warm.
— <i>frigida.</i>	———— cold.
2. <i>Esuries.</i>	Hunger.
3. <i>Nausea sicca.</i>	Dry nausea.
4. <i>Ægrotudo ventriculi.</i>	Sickness of stomach.
5. <i>Cardialgia.</i>	Heart-burn.
6. <i>Arthritis ventriculi.</i>	Gout of the stomach.
7. <i>Colica flatulenta.</i>	Flatulent colic.
8. <i>Colica saturnina.</i>	Colic from lead.
9. <i>Tympanitis.</i>	Tympany.
10. <i>Hypochondriasis.</i>	Hypochondriacism.
11. <i>Cephalæa frigida.</i>	Cold head-ach.
12. <i>Odontalgia.</i>	Tooth-ach.
13. <i>Otalgia.</i>	Ear-ach.
14. <i>Pleurodyne chronica.</i>	Chronical pain of the side.
VOL. II.	C
	15. <i>Sciatica</i>

10	DISEASES OF IRRITATION.	CLASS I. 2. §.
15.	<i>Sciatica frigida.</i>	Cold sciatica,
16.	<i>Lumbago frigida.</i>	—— lumbago.
17.	<i>Hysteralgia frigida.</i>	—— pain of the uterus.
18.	<i>Proctalgia frigida.</i>	—— pain of the rectum.
19.	<i>Vesicæ felleæ inirritabilitas et icterus.</i>	Inirritability of the gall-bladder and jaundice.

GENUS V.

With decreased Actions of the Organs of Sense.

SPECIES.

1.	<i>Stultitia inirritabilis.</i>	Folly from inirritability.
2.	<i>Visus imminutus.</i>	Impaired vision.
3.	<i>Muscæ volitantes.</i>	Dark moving specks.
4.	<i>Strabismus.</i>	Squinting.
5.	<i>Amaurosis.</i>	Palsy of the optic nerve.
6.	<i>Auditus imminutus.</i>	Impaired hearing.
7.	<i>Olfactus imminutus.</i>	—— smell.
8.	<i>Gustus imminutus.</i>	—— taste.
9.	<i>Tactus, imminutus.</i>	—— touch.
10.	<i>Stupor.</i>	Stupor.

ORDO