

I N D E X

OF THE

A R T I C L E S.

A.

- ABSORPTION**, iv. 2. 1.
 cutaneous, mucous, cellular,
 iv. 2. 2.
 of the veins, iv. 2. 4.
 of inflamed vessels, iv. 2. 4. 3.
 of intestines and liver, iv. 2. 5.
 of venereal ulcers, iv. 2. 7.
 not increased by cold, iv. 2. 1.
 increased by opium after evacu-
 ation, ii. 2. 1.
Acacia, iv. 3. 5. 2.
Acids austere, iv. 2. 1. 2. iv. 3. 1.
 vegetable, sweet, vii. 3. 4. iv. 2.
 1. 2.
 mineral, vii. 3. 6.
Acrid plants, iv. 2. 4.
Agriculture, i. 2. 3. 7.
Agues, three kinds, iv. 2. 3. 2. iv. 2. 5. iv.
 2. 6. 8.
Air nourishes, i. 2. 5.
 ... warm bath of, iv. 2. 3. 8.
Alkali vol. iii. 3. 3.
Alcohol, ii. 2. 1. v. 2. 4.
Almond, bitter, ii. 3. 1.
Althæa, iii. 3. 3. 3.
Allium, iii. 3. 3.
Aloe, iii. 2. 5. iii. 2. 7. iii. 3. 5. 5. vi.
 2. 5.
Alum, iii. 2. 1. iv. 2. 1. iv. 2. 5. 2. iv. 3.
 5. 3.
Amalgama in worms, vii. 2. 2.
Amomum zinziber, iii. 3. 1.
Amber, oil of, vi. 3. 4.
Ammoniac gum, vi. 3. 1. iii. 3. 3.
 salt or spirit, iii. 3. 3.
Anasarca, warm bath in, ii. 2. 2.
Anchovy, iii. 2. 1. iii. 3. 1. 4.
Animal food, i. 2. 1. 1.
Antimony prepared, iii. 3. 1. 5. iii. 2. 1. iv.
 1. 10.
Anthemis nobilis, iv. 3. 3.
 pyrethum, iii. 3. 2.
Anxiety, v. 2. 4.
Apium, petroselinum, iii. 3. 4. 4.
Apoplexy, iv. 2. 11.
Aristolochia serpentaria, iii. 3. 1.
Armenian hole, vi. 2. 3. vi. 3. 5. 3.
Arsenic in ague, iv. 2. 6. 8. iv. 3. 6.
 saturated solution of, iv. 2. 6. 8.
 in itch, iv. 2. 9.
 how it acts, iv. 2. 6. 9.
Arsenic,

INDEX OF THE ARTICLES.

767

Arsenic, how to detect it, iv. 2. 6. 10.
 Artemisia maritima, iv. 3. 3.
 absinthium, iv. 3. 3.
 fantonicum, iv. 3. 3.
 Artichoke-leaves, iv. 3. 3.
 Afa foetida, ii. 3. vi. 3. 1.
 Asarum Europeum, v. 3. 3.
 Ascarides, vii. 1. 2. iii. 2. 9. 7.
 Asparagus, iii. 3. 4. 4.
 Astragalus tragacanth, iii. 3. 3. 3.
 Atropa belladonna, ii. 3. 1.
 Azote, i. 2. 5.

B.

Balsams diuretic, iii. 2. 4.
 Bandages promote absorption, iv. 2. 10.
 Bark, Peruvian, iv. 2. 2.
 long used noxious, iv. 2. 11.
 Barley, iii. 3. 3. 3.
 Bath, warm, ii. 2. 2. 1. iii. 3. 1. 6. iii. 3. 3.
 4. iii. 2. 3. 3.
 of warm air, iv. 2. 3. 8.
 of steam, iv. 2. 3. 8.
 cold, vii. 2. 3.
 nutritive, i. 2. 6. 1.
 Benzoin, iii. 3. 3.
 Bile of animals, iii. 2. 5. 2.
 dilute state of, iv. 2. 6.
 Blisters, how they act, iii. 2. 1. 10.
 cure heart-burn, iii. 2. 1. 10.
 stop vomiting, vi. 2. 2.
 produce expectoration, iii. 2. 3. 2.
 increase perspiration, iii. 2. 1. 10.
 Blood, transfusion of, i. 2. 6. 2.
 Bog-bean, iv. 3. 3.
 Bole armenia, iv. 2. 5. 3.
 Bone-ashes, iv. 3. 5. 3.
 Bowels, inflammation of, v. 2. 2. 2.
 Bryony, white, iii. 3. 8.
 as a blister, iii. 2. 9.
 Butter, i. 2. 3. 2.
 Butter-milk, i. 2. 2. 2.

C.

Cabbage-leaves, vii. 1. 2.
 Calcareous earth, i. 2. 4. 3.

Calomel, iii. 2. 5. vi. 2. 5.
 in enteritis, v. 2. 2. 2.
 Camphor, iii. 3. 1.
 Canella alba, iii. 3. 1.
 Cantharides, iii. 2. 6. iii. 2. 8. v. 2. 4. vi.
 2. 4.
 Capillary action increased by tobacco, iv. 2.
 3. 7.
 Capsicum, iii. 3. 1.
 Carbonic acid gas, vii. 2. 6.
 Cardamomum, iii. 3. 1.
 Caryophyllus aromat. iii. 3. 1.
 Cardamine, iv. 3. 4.
 Caffia fistul, iii. 3. 5. 1.
 fenna, iii. 3. 5. 5.
 Castor, vi. 2. 1. vi. 3. 1.
 Cathartics, mild, iii. 2. 5.
 violent, v. 2. 2.
 Cerussa in ulcers, iv. 2. 9. iv. 2. 7.
 Chalk, iv. 3. 5. 3.
 Chalybeates, iv. 3. 4. 2.
 Cheese, i. 2. 2. 3.
 Cherries, black, ii. 2. 1. 8.
 Chlorosis, iv. 2. 6. 5.
 Cicuta, ii. 3. 1.
 Cinchona, iv. 2. 2.
 Cinnamon, iii. 3. 2.
 Clay, iv. 3. 5. 3.
 Cloves, iii. 3. 1. iii. 3. 2.
 Cnicus acarna, v. 3. 1.
 Cocculus indicus, ii. 3. 1.
 Cochlearia armoracia, iii. 3. 8. iv. 3. 4.
 hortensis, iv. 3. 4.
 Cold, continued application of, vii. 2. 3.
 interrupted, vii. 2. 3. iii. 3. 1. 7.
 excessive, vii. 2. 3.
 first affects lymphatics, vii. 2. 3.
 produces rheum from the nose, vii.
 2. 3.
 quick anhelation, vii. 2. 3.
 increases digestion, vii. 2. 3.
 Cold-fit easier prevented than removed, ii.
 2. 1.
 Colic from lead, v. 2. 2. 2.
 Condiments, i. 2. 7.
 Convolvulus scammonium, v. 3. 2.
 Convulsions, iv. 2. 8.
 Cookery, i. 2. 3. 5.
 Copaiva balsam, iii. 3. 4. 3.

Cowhage,

Cowhage, iii. 3. 2.
 Crab-juice, iv. 2. 2.
 Cream, i. 2. 3. 2. i. 2. 2. 2.
 Cucumis colocynthis, v. 3. 2.
 Cynara scolymus, iv. 3. 3.
 Cynoglossum, ii. 3. f.

D.

Dandelion, iv. 3. 4.
 Datura stramonium, ii. 3. 1.
 Daucus sylvestris, iii. 3. 4. 4.
 Delphinium flavifragia, ii. 3. 1.
 Diabetes, iv. 2. 5.
 warm bath in, vi. 2. 4
 Diaphoretics, iii. 3. 1. iii. 2. 1. 2.
 best in a morning, iii. 2. 1. 5.
 Diarrhoea, vi. 2. 3.
 Digestion injured by cold, iii. 2. 1.
 increased by cold, vii. 2. 3.
 Digitalis, iv. 2. 3. 7. v. 2. 1. 2.
 tincture of, iv. 2. 3. 7.
 Dragon's blood, iv. 3. 5. 2.
 Dropsy, iv. 2. 3. 4. iv. 2. 6. 7.

E.

Ears, eruption behind, iv. 2. 9. 2.
 Earth of bones, iv. 2. 5.
 of alum, vi. 2. 4.
 calcareous, iv. 2. 5. 3. vi. 2. 4. i. 2.
 4. 3.
 Eggs, i. 2. 1. 4.
 Egg-shells diuretic, iii. 2. 4.
 Electricity, ii. 2. 2. 2. iv. 2. 9.
 Emetics, how they act, v. 2. 1.
 Errhines mild, iii. 2. 9.
 in hydrocephalus, v. 2. 3. 1.
 violent, v. 2. 3.
 in head-ach, v. 2. 3. 1.
 Erysipelas, iv. 2. 9.
 Essential oils, ii. 2. 3.
 Ether, vitriolic, ii. 2. 3. iii. 3. 1. vi. 3. 3.
 in ascarides, vii. 1. 2.
 Etiolation, i. 2. 3. 4.
 Euphorbium, v. 3. 3.

6

Exercise, iii. 3. 1. 6. ii. 2. 6.
 Eyes inflamed, ii. 2. 2. 2. iv. 2. 3.

F.

Famine, times of, i. 2. 3. 5. and 6.
 Fear, v. 2. 4.
 Feathers, smoke of, vi. 3. 6.
 Fennel, iii. 3. 4. 4.
 Ferula asafœtida, iii. 3. 3.
 Fish, i. 2. 1. 2. i. 2. 1. 5.
 Flannel shirt, ii. 2. 2. 1.
 Flesh of animals, i. 2. 1.
 Fluke-worm, iv. 2. 6.
 Foxglove, iv. 2. 3. 7. v. 2. 1. v. 2. 4.
 tincture of, iv. 2. 3. 7.
 Friction, ii. 2. 5. iii. 3. 1. 6.

G.

Galanthus nivalis, vii. 3. 3.
 Galbanum, vi. 3. 1.
 Gall-stones, iv. 2. 6.
 Galls of oak, iv. 3. 5.
 Garlic, iii. 3. 3.
 Gentiana centaurium, iv. 3. 3.
 lutea, iv. 3. 3.
 Ginger, iii. 3. 1. iii. 3. 4.
 Gonorrhœa, iv. 2. 2. iii. 2. 4.
 Gout, iv. 2. 11. 2.
 Guaiacum, iii. 3. 1.
 Gum arabic, iii. 3. 3. 3.
 tragacanth, iii. 3. 3. 3.
 Glycyrrhiza glabra, iii. 3. 3. 3.
 Gravel, v. 2. 4. 4.

H.

Hartshorn, spirit and salt of, iii. 3. 3. iii. 3.
 i. vi. 3. 4.
 calcined, iv. 2. 5. vi. 2. 3.
 Hæmorrhages, iv. 2. 4. 4. iv. 2. 6. 2.
 Hæmatoxylon campechianum, iv. 3. 5. 2.
 Hay, infusion of, i. 2. 3. 6.
 Head-ach, snuff in, v. 2. 3. 1.

Heat,

INDEX OF THE ARTICLES.

769

Heat, ii. 2. 2. 1. See Bath.
 an univerfal solvent, vii. 2. 2.
 Helenium, iii. 3. 3. 2.
 Herpes, iv. 2. 1. iv. 2. 9.
 Herrings, red, iii. 3. 1. 4.
 Honey, iii. 3. 3. 3. iii. 3. 5. 1.
 Hop in beer, why noxious, iv. 2. 3. 6. iv. 2.
 II. 2.
 Hordeum distichon, iii. 3. 3. 3.
 Humulus lupulus, iv. 2. 3. iv. 2. 11.
 Hydrargyrus vitriolatus, v. 2. 3.
 Hysteric difeafe, vi. 2. 1.
 pains, vi. 2. 1.
 convulfions, vi. 2. 1. .

I.

Jalapium, iii. 3. 5. 5.
 Japan earth, iv. 3. 5. 2.
 Jaundice, iv. 2. 6. 3.
 Ileus, vi. 2. 5.
 Incitantia, ii.
 Intermittents. See Agues.
 Inverted motions, vi. 2. 1.
 in hysteric difeafe, vi. 2. 1. .
 of the ftomach, vi. 2. 2.
 intefstinal canal, vi. 2. 5.
 of lymphatics, vi. 2. 3.
 Inula helenium, iii. 3. 3. 2.
 Ipecacuanha, v. 2. 1.
 Iron, ruft of, iv. 3. 6.
 Irritability prevented, iv. 2. 3. 3.
 Itch, iv. 2. 1. 3.

L.

Laurus camphora, iii. 3. 1.
 cinnamomum, iii. 3. 1.
 faffafras, iii. 3. 1.
 Lead, iv. 3. 6.
 colic from, v. 2. 2. 2.
 fugar of, iv. 2. 9.
 Lecks, iii. 3. 3. 1.
 Legs, ulcers of, iv. 2. 10.
 Lemon-juice, iv. 2. 1. iv. 2. 2.
 Leontodon taraxacum, iv. 3. 4.

VOL. II.

Life fhortened by great ftimulus, i. 1.
 Lime, i. 2. 4. 3.
 Liquorice, iii. 3. 3. 3.
 Liver inflamed, iv. 2. 6.
 Logwood, iv. 3. 5. 2.
 Lymphatics, inverted motions of, v. 2. 1.

M.

Magnesia alba, iii. 3. 5. 3.
 Malt, i. 2. 3. 5.
 Manna, iii. 3. 5.
 Marfh-mallows, iii. 3. 3. 3.
 Marjoram, iii. 3. 9.
 Marum, iii. 3. 9.
 Mastich, iii. 3. 2. iii. 3. 3.
 Menianthes trifoliata, iv. 3. 3.
 Menispermum cocculus, ii. 3. 1.
 Menstruation promoted, iv. 2. 6. 6.
 repressed, iv. 2. 6. 6.
 Mercury, iii. 3. 2. vi. 2. 2.
 preparations of, iv. 3. 7. iv. 2. 7.
 iv. 2. 9.
 injected as a clyfter, vi. 3. 5.
 Metallic falts, iv. 2. 6.
 Milk, i. 2. 2.
 Mimosa nilotica, iii. 3. 3. 3.
 catechu, iv. 3. 5. 2.
 Mint, vi. 3. 3.
 Mortification, iv. 2. 9.
 Mucilage, vegetable, vii. 3. 3.
 Mucus, animal, vii. 3. 5.
 Mushrooms, i. 2. 1. 2.
 Musk, vi. 2. 1. vi. 3. 1.
 Mustard, iv. 3. 4. See Sinapifm.

N.

Nausea in fevers, vii. 2. 5.
 Neutral falts diuretic, why, iii. 2. 4.
 increafe fome coughs, iii. 2. 4. .
 increafe heat of urine, iii. 2. 4.
 Nicotiana tabacum, iii. 3. 9. ii. 3. 1. .
 Nitre, iii. 3. 4. v. 2. 4.
 Nutmeg, iii. 2. 1.
 Nutrientia, i. .

5 F

O. Oil

O.

- Oil of almonds, iii. 3. 5. 4.
 ... in cream, i. 2. 3. 2.
 ... of amber, vi. 2. 1.
 ... expressed externally, iii. 2. 3.
 ... essential, ii. 2. 3. iii. 3. 2.
 Oiled filk, vii. 3. 13.
 Oleum, animale, vi. 2. 1. vi. 3. 4.
 ricini, iii. 3. 5. 4.
 Onions, iii. 3. 3.
 Opium, ii. 2. 1. 2. iv. 1. 2.
 in nervous pains, ii. 2. 1. 5.
 in inflammatory pains, ii. 2. 1. 6.
 increases all secretions and absorp-
 tions, ii. 2. 1. 1.
 absorption after evacuation, iv. 2. 8.
 2. ii. 2. 1. 3.
 stops sweats, iv. 2. 1. 2.
 intoxicates, ii. 2. 1. 1.
 Oranges, their peel, iv. 3. 3.
 Orchis, vii. 3. 3.
 Oxygen gas, ii. 2. 4. i. 2. 5. iii. 2. 11. iv.
 1. 4.
 produces and heals ulcers, iv.
 2. 7.

P.

- Papin's digester, i. 2. 3. 5.
 Papaver somniferum, ii. 3. 1. iv. 3. 2. See
 Opium.
 Pains, periodic, cured by opium, ii. 2. 1.
 Pareira brava, iii. 3. 4. 4.
 Parsley, iii. 3. 4.
 Passions, ii. 2. 5.
 Pasturage, i. 2. 3. 7.
 Pepper, iii. 3. 1.
 Peripneumony, iv. 2. 8. 2.
 Perspiration in a morning, iii. 2. 1.
 not an excrement, iii. 2. 1.
 Peru, balsam of, iii. 3. 5. 4.
 Petechiæ, iv. 2. 4. 2.
 Pimento, iii. 3. 1.
 Piper indicum, iii. 3. 1.
 Pistacia lentiscus, iii. 3. 2.
 Pix liquida, iii. 3. 2.

- Plaster-bandage, iv. 2. 10.
 Pleurisy, iv. 2. 8. 2.
 Polygala feneca, iii. 3. 3. 2.
 Poppy. See Papaver.
 Portland's powder noxious, why, iv. 2. 11. 2.
 Potatoe-bread, i. 2. 3. 4.
 Potentilla, iv. 3. 5.
 Prunes, iii. 3. 5. 1.
 Prunus domestica, iii. 3. 5. 1.
 spinosa, iv. 3. 1.
 lauro-cerasus, ii. 3. 1.
 Pulegium, vi. 3. 3.
 Pulse, intermittent, relieved by arsenic, iv.
 2. 6.
 Pyrethrum, iii. 3. 2.
 Pyrus malus, vii.
 cydonia, iv. 3. 1.

Q.

- Quaffia, iv. 2. 2.
 Quince, iv. 3. 1.
 Quinquefolium, iv. 3. 5.

R.

- Ratafie, why destructive, ii. 2. 1.
 Refin diuretic, iii. 2. 4. vi. 2. 4.
 Rhamnus catharticus, v. 3. 2.
 Rheumatism, iv. 2. 4. 5. iv. 2. 10. 2.
 Rheum palmatum. See Rhubarb.
 Rhubarb, iii. 2. 1. iv. 2. 5. 1. iii. 3. 5. 5.
 causes constipation, why, iii. 2.
 1. 1.
 Rice, vii.
 Roses, iv. 3. 5.
 Rot in sheep, iv. 2. 6.

S.

- Sago, vii. 3.
 Sagopænum, vi. 3. 1.
 Salivation not necessary, iv. 2. 7.
 hysteric, v. 2. 3.

Salt,

INDEX OF THE ARTICLES.

771

- Salt, common, unwholesome, iii. 1. 12.
 muriatic, iii. 3. 1.
 in clysters, iii. 2. 7.
 Salts, why diuretic, iii. 2. 4.
 neutral, iii. 3. 5. 3. iii. 2. 4.
 improper in coughs and gonorrhœa, iii.
 2. 4.
 Salt fish and salt meat increase perspiration,
 iii. 2. 1.
 Saffraas, iii. 3. 1.
 Scammony, v. 2. 2.
 Scarcity, times of, i. 2. 3. 5. and 6.
 Scilla maritima, v. 2. 2. iv. 2. 3. iii. 3. 3. v.
 2. 3.
 Scorbatic legs, iv. 2. 10.
 Scrophulous tumours, ii. 2. 4. iv. 2. 9.
 Sea-water, iii. 3. 5. 3.
 Secernentia, iii.
 Secretion of the bladder, iii. 2. 6.
 of the rectum, iii. 2. 7.
 of the skin, iii. 2. 8.
 Seneka, iii. 3. 3. 2.
 Senna, iii. 3. 5. 5.
 Serpentaria virginiana, iii. 3. 1.
 Sialagogues, iii. 2. 2. v. 2. 3.
 Simarouba, iv. 3. 5.
 Sinapi, iv. 3. 4.
 Sinapisms, vi. 2. 2. iii. 2. 8. vi. 2. 2.
 Silybrium nasturtium, iv. 3. 4.
 Sloes, iv. 2. 2.
 Snuffs of candles, vi. 3. 4.
 Society, i. 2. 3. 7.
 Soot, vi. 3. 4.
 Sorbentia, various kinds, iv. 2. 1.
 Spasmodic doctrine exploded, vii. 2. 3.
 Spermaceti, iii. 3. 3. 3.
 Spice noxious, iii. 1. 12.
 Spirit of wine noxious, ii. 2. 1.
 Sponge, burnt, vi. 3. 4.
 Squill. See Scilla.
 Starch, i. 2. 3. 1.
 from poisonous roots, i. 2. 3. 4.
 Steam, bath of, iv. 2. 3. 8.
 Steel, iv. 2. 6.
 forwards and represses menstruation, iv.
 2. 6.
 Stizolobium filiqua hirsuta, iii. 3. 2. vii. 3. 11.
 Strychnos nux vomica, ii. 3. 1.
 Sublimate of mercury, iv. 2. 7. iv. 2. 9.
- Sugar nourishing, i. 2. 3. 1. and 5. iii. 3. 3. 3.
 formed after the death of the plant, i.
 2. 3. 5.
 aperient, iii. 3. 5. 1.
 Sulphur, iii. 3. 5. 4.
 Sweats in a morning, iii. 2. 1. 1.
 on waking, iii. 2. 1. 1.
 cold, v. 2. 5.
 stopped by opium, iv. 2. 1. 2.
- T.
- Tænia, vermes. See Worms.
 Tamarinds, iii. 3. 5. 1.
 Tansey, tanacetum, iv. 3. 3.
 Tar, iii. 3. 3.
 Tartar, crystals of, iii. 3. 5. 1. Clafs i. 2. 3. 13.
 vitriolate, iii. 3. 5. 3.
 emetic, v. 2. 1. v. 2. 2.
 Tea, vii. 2. 1.
 Tears, iii. 2. 10.
 Testaceous powders, iv. 2. 2.
 Tetradymania, plants of, iv. 2. 4.
 Tincture of digitalis, iv. 2.
 Tinea, herpes, iv. 2. 1. 4.
 Tobacco, ii. 3. 1. iii. 3. 9. iv. 2. 3. 8.
 injures digestion, iii. 2. 2. 3.
 Tolu balsam, iii. 3. 3.
 Tormentilla erecta, iv. 3. 5.
 Torpentia, vii.
 Tragacanth gum, iii. 3. 3. 3.
 Turpentine, vi. 2. 4.
 spirit of, iii. 2. 6.
 Turpeth mineral, v. 2. 3.
 Tuffilago farfara, iii. 3. 3. 3.
- U.
- Ulcers, scrophulous, iv. 2. 9.
 of the mouth, iv. 2. 2.
 cured by absorption, ii. 2. 1. 4. iv. 2.
 3. 5.
 Uva urfi, iv. 3. 5.
- V. Valerian,

INDEX OF THE ARTICLES.

V.

Valerian, vi. 3. 3.
 Vegetable acids, iv. 2. 1.
 food, i. 2. 1. 2.
 Venereal ulcers, iv. 2. 7.
 Venesection, vii. 2. 4. iv. 2. 8.
 diminishes secretions, vii. 2. 4.
 increases absorptions, vii. 2. 4.
 Veratrum, v. 3. 2.
 Vibices, iv. 2. 4. 3.
 Vinegar, iv. 2. 1. 9. iv. 3. 4. 3. ii. 2. 1. 9.
 Vitriol blue in agues, iv. 2. 6. iv. 2. 2.
 in ulcers, iv. 2. 9.
 white, iv. 3. 6. v. 2. 1.
 acid of, iv. 2. 1.
 in sweats, iv. 1. 1.
 in small-pox, iv. 1. 5.
 Volatile salt, vi. 3. 6.
 Vomiting, v. 2. 2.

Vomiting stopped by mercury, vi. 2. 2.
 Vomits, iv. 2. 3. 7.

W.

Warm bath, ii. 2. 2. 1.
 in diabætes vi. 2. 4.
 Water, i. 2. 4.
 dilutes and lubricates, vii. 2. 2.
 cold, produces sweats, iii. 2. 1.
 iced, in ileus, vi. 2. 5.
 creffes, iv. 3. 4.
 Whey of milk, iii. 3. 5. 2. i. 2. 2. 2.
 Wine, ii. 3. 1.
 Worms, vii. 1. 2. iii. 2. 7. iv. 2. 6. 4.
 in sheep, iv. 2. 6. 4.

Z.

Zinc, vitriol of, v. 3. 1.

THE END.