

## INDEX.

- Alexeff 367, 368  
 Algebraically complete system  
   for binary forms 150  
   for ternary forms 265  
 Anharmonic ratio (see Cross-ratio)  
 Apolarity of binary forms  
   defined 213  
   the  $n$  linearly independent forms of  
   order  $n$  apolar to a binary  $n$ -ic 214  
   there are  $s$  linearly independent forms  
   of order  $n$  apolar to  $n-s+1$  given  
   binary  $n$ -ics 220  
   the cubic apolar to three given cubics  
   220  
   forms of different orders 225  
   the  $n$  linearly independent forms of  
   order  $m$  apolar to a binary  $m$ -ic  
   ( $n < m$ ) 226  
   the forms of order  $n$  apolar to a given  
    $m$ -ic ( $n < m$ ) 228  
   application to canonical forms 229  
 Apolarity of ternary forms  
   of two conics 299  
   of curves in general 303  
 Curves which possess an apolar conic  
   304  
 Cubics which possess an apolar conic  
   312  
 Quartics which possess an apolar conic  
   313  
 Conics apolar to fundamental conic  
   308, 310  
 Argand diagram,  
   Interpretation of invariant properties  
   of binary forms by means of the  
   208  
 Aronhold 70, 84, 357  
 Aronhold operator is invariantive 31, 32  
 Associated forms 148, 157 Ex (v)  
 Ausdehnungslehre 279  
 Baker 298  
 Bezout 318  
 Brianchon 280  
 Canonical forms 233, 234, 235  
   for quintic 231  
   for sextic 231, 232  
 Capelli 359, 360  
 Catalecticant of binary forms of even  
   order 232  
   of ternary quartic 313  
 Cayley 3, 84, 131, 365  
 Chemico-algebraic theory 366, 367, 368  
 Ciambertini 274  
 Circle, director 302  
   self-conjugate 302  
 Class 255  
 Clebsch 31, 132, 138, 147, 150, 157, 255,  
   265, 271, 274, 326  
 Clifford 288  
 Cogredient  
   transformation defined 36  
   sets of variables, forms with 40, 60,  
   61  
 Combinants 314–318  
 Complete systems 85, 109  
   relatively 109, 110  
   completeness of system derived from  
   two 111, 113, 114  
 Complex variable 208–212  
 Concomitant, Mixed 255  
 Conic  
   Binary quadratic and geometry of  
   235–240  
   Ternary quadratics and geometry of  
   two 288–294  
   Polar 251, 256  
   Apolar, see Apolarity of ternary forms  
 Conjugate lines 300, 302  
   points 300  
 Contragredience  
   defined 36  
   Fundamental property of 37  
   of point and line coordinates in ternary  
   forms 255  
 Contravariant 255, 256  
 Convolution defined 40, 41  
 Coordinates, Line 255, 361  
 Copied forms 80, 81, 82  
 Covariants of Binary forms  
   defined 8  
   Symbolical expression of 16, 17, 18  
   with several sets of variables 40  
 Covariants of ternary forms, Symbolical  
   expression of 250

- Covariants  
 of degree three 62–71  
 of degree four 71–74, 76, 77
- Cross ratio  
 defined 186  
 cross ratios of roots of a quantic and the invariants 189–191  
 of the roots of two quadratics 192, 193  
 of the roots of a quartic 204–206
- Cubic, Binary  
 Irreducible system for one 89–91, 122  
 Irreducible system for quadratic and 164, 165  
 Irreducible system of types of 323–325  
 Syzygy for 96  
 Transvectants of 96, 97, 194  
 Geometry of 193, 194  
 Pencil of cubics  $\kappa f + \lambda H$  194–197  
 Geometry on Argand diagram of 211, 212  
 Range formed by three points and one of their Hessian points is equianharmonic 196, 211  
 Associated forms for 157  
 Pencil of cubics having a given Jacobian 241, 242  
 Cubic apolar to three given cubics 220, 221  
 Rational plane cubic curve represented by 221–224  
 Twisted cubic curve and binary cubics 240–242
- Cubic, Ternary  
 has three linearly independent apolar conics 304  
 Canonical form for 312, 313
- Cyclically projective range 196
- Darboux 306
- Degree defined  
 for binary forms 9  
 for ternary forms 255
- Determinant formed by coefficients of  $n+1$  binary  $n$ -ics is a reducible invariant if  $n$  is odd 350  
 is an irreducible invariant if  $n=4$  350
- Differential equation whose coefficients are polynomials can be reduced to a relation between transvectants 373
- Diophantine equations 102–106
- Discriminant  
 of binary forms 191  
 of binary quadratic 86  
 of binary cubic 194  
 of binary quartic 199  
 Tangential equation of curve found from the 266, 267
- Double points 223, 224
- Duality, Principle of 256, 257, 267
- Elliott 61, 150, 157, 366
- Equianharmonic range formed by cubic and one of its Hessian points 196, 211
- Faltung 40
- Forsyth 264, 265
- Franklin 131
- Fundamental theorem  
 for binary forms 25–27, 31–35  
 for ternary forms 258–264
- Generating function 330
- Gordan 61, 67, 68, 85, 128, 131, 132, 138, 150, 169, 274, 294, 326, 360, 367, 368
- Gordan's series  
 Existence proved 45, 46  
 Coefficients of 53–55  
 Inversion of 59, 60  
 Deductions from 55–57
- Gordan's proof of Hilbert's lemma 178–182
- Gordan's theorem 101, 118–121
- Grace 326, 378
- Grade  
 defined 62  
 of covariants of degree three 66, 67  
 of covariants of degree four 77  
 Classification by 119–121
- Grassmann 279
- Groups, Continuous 6, 7, 38  
 Finite substitution, Introduction to 339–344  
 Positive symmetric group 345, 346, 357  
 Negative symmetric group 345–351
- Gundelfinger 132, 232
- Harmonic  
 quadrilateral 301  
 range 191, 192, 203, 207, 272
- Harmonically concyclic points 209  
 circumscribed conic 300  
 inscribed conic 300
- Hesse 306
- Hessian  
 defined 3  
 is a covariant 3, 16, 17  
 identically vanishes when quantic is a perfect  $n$ th power and conversely 193, 235  
 points of a cubic 195, 196, 207, 211, 212  
 of binary cubic defines the double point on the corresponding cubic curve 224  
 of ternary forms 249
- Hilbert 145, 169 *et seq.*, 274
- Homographic ranges 187, 188  
 transformation 253
- Hyperdeterminants 83, 84, 365
- Identities, Fundamental  
 for binary forms 19, 321, 368

- Identities, Fundamental (*cont.*)  
 for ternary forms 257, 258  
 in general 349
- Inflexion, Points of 222–224
- Invariants  
 defined 7, 8  
 of binary forms, Symbolical expression for 14, 15, 16  
 of ternary forms, Symbolical expression for 250, 251
- Inversion 208
- Involution 203, 238
- Irreducible system of forms 85  
 solutions of Diophantine equations 102–105
- Jacobian  
 of binary forms 8, 77  
 is a covariant 8, 9  
 of a Jacobian and another form is in general reducible 78  
 Product of two 20, 78–80, 140  
 vanishing of 193  
 of two quadratics is harmonic to both 192  
 of pencil of cubics 241, 242  
 of two quartics apolar to a third 245  
 Any combinant of two binary quadratics is an invariant of their Jacobian 315  
 of ternary forms 249, 251
- Jordan 62, 126, 321, 375, 377
- Kempe 366
- Klein 374
- Lie 38, 366
- Line coordinates 255
- Linear forms  
 Invariants of a binary system of 33–35, 85, 86  
 Invariants of any finite binary system and a 160, 161  
 Invariants of a ternary system of 275  
 Geometry of 279  
 with any number of variables 346
- MacMahon 326, 330
- Maximum order 337
- Meyer 245, 317, 368, 374
- Mixed concomitants 255
- Number of independent covariants of degree three and given weight 65, 67
- Operator  $\Omega$  for binary forms :  
 Effect on symbolical product 23–25  
 Transvectants defined by 46  
 and generalised transvectants 83  
 and hyperdeterminants 84  
 Expansion of  $\Omega^m \{(\xi\eta)^n P\}$  173–175
- Operator  $\Omega$  for ternary forms :  
 Effect on symbolical products 259–261  
 and transvectants 295, 296
- Order 9, 255
- Osculating plane 188, 243
- Parametric representation 236, 305
- Pascal 240, 280
- Peano 321, 358, 359
- Pencil  
 of rays 188, 189  
 of cubics ( $\kappa f + \lambda t$ ) 194–197  
 of cubics ( $\lambda_1 f_1 + \lambda_2 f_2$ ) 241, 242  
 of quartics 197–208
- Perpetuants 326–330, 338, 378
- Polar conic 251, 256
- Polar forms  
 Definition and symbolical expression of 12, 13, 345, 357  
 are covariants 39, 40  
 Adjacent terms of 44  
 Difference between two terms of 42–55  
 Expansion of one term in 55
- Poncelet's porism 245
- Porism 245, 288
- Projection 253
- Quadratics, Binary  
 possess invariants 1, 2  
 Complete system for one 86, 121  
 Complete system for any number 161, 162  
 Syzygies for any number 162–164  
 Covariant Types of 321–323  
 Associated forms for one 157  
 Geometry on straight line for 191–193  
 Geometry on Argand diagram for 209–211  
 and geometry on a conic 235–240  
 Complete system for cubic and one 164, 165  
 Complete system for quartic and one 168  
 Any finite system and one 165–168  
 Combinants of 315
- Quadratics, Ternary  
 Complete system for one 275–277, 298  
 Complete system for two 280–286  
 Geometry of two 288–294 (see also Apolarity)
- Quadratic, Quaternary  
 Complete system for 270  
 Geometry of 271–273
- Quadrics 272
- Quantics defined 3
- Quartic, Binary  
 Complete system for 91–94, 122  
 Transvectants for 97–100, 197  
 Syzygy for 98, 200  
 Discriminant of 198, 199  
 Quadratic factors of sextic covariant of 200–203

- Quartic, Binary (*cont.*)  
   Associated forms for 157  
   Geometry and pencil of 197–208  
   Cross ratio of roots of 204–207  
   defines a pencil of cubics 241, 242  
   defines a twisted quartic curve 242–245  
   Irreducible invariant of five quartics 350  
 Quartic, Ternary  
   condition for an apolar conic, 304  
   Canonical form for 313  
 Quaternary forms 269–273, 349, 362  
 Quintic, Binary  
   Elementary transvectants of 94, 95  
   Complete system for 128–132  
   Linear covariants of 133  
   Invariants of 133, 136  
   Values of transvectants of 135, 137–140  
   Syzygies for 143, 144  
   Typical representation of 145–147  
   Associated forms for 148–150  
   Canonical form of 229–231  
 Reciprocation 291  
 Rectangular hyperbola 303  
 Representation, Typical 145–147  
 Reye 245  
 Richmond 245  
 Rosanes 245  
 Salmon 365  
 Schlesinger 307  
 Scott 367  
 Self-conjugate circle 302  
   triangle 238, 288  
 Seminvariant 28–30  
 Sextic, Binary  
   Complete system for 150–156  
   Canonical form of 231, 232  
   Associated system for 157  
 Straight line, Geometry on 183–189  
 Stroh 71, 140, 142, 144, 152, 164, 326  
 Stroh's series  
   obtained 62–64  
   deductions from 65–71  
   scheme used for 68  
   used 99, 100, 328, 329, 336  
 Study 366, 368  
 Stufe 62  
 Sturm 245  
 Superosculation, Points of 244  
 Sylvester 131, 366  
 Syzygies  
   for Quadratics 162–164  
   for Cubic 96, 194  
   for Quartic 98, 198  
   for Quintic 143, 144  
   Stroh's method of obtaining 140–143  
   Reducibility of 144  
   of second and higher kinds 145  
   Finiteness of system of 177, 178  
 Tangential equation 301  
 Transformations, Linear  
   defined 4  
   form a group 5, 6  
   of binary symbolical product 13, 14  
   Geometrical interpretation of 184–189, 208, 251–254  
   of ternary symbolical product 247, 248  
   Modulus or determinant of 1, 2, 14–17, 21–23, 248, 249  
 Translation principle  
   for ternary forms 265–268  
   for quaternary forms 271–273  
 Transvectants  
   defined 46  
   Calculation by means of polars of 47–49  
   Adjacent terms of 49  
   Difference between two terms of 49–52  
   System obtained by transvection from two finite systems 107–109, 111  
   Generalized 83  
   of ternary forms 296, 297  
 Triad 194  
 Types, Covariant  
   of quadratic 162, 321–323  
   of cubic 323–325  
   of binary  $n$ -ics 335, 336, 379  
   Perpetuant 326–330  
 Typical representation of binary quintic 145–147  
 Ueberschabung 46  
 Unicursal curve 188  
 Variables, Different species of 361, 362  
 Von Gall 326  
 Webb 186  
 Weber 173  
 Weight 15, 17, 28  
 Wronski 233, 370–372  
 Young 331, 356, 360