

## INDEX

- Acanthococcus* Lagerh., 194  
*Acanthosphaera* Lemm., 199  
*Acetabularia* Lamx., 141, 271, 272, 273  
 A. *Calculus* Quoi & Gaimard, 272  
 A. *crenulata* Lamx., 272  
 A. *mediterranea* Lamx., 271 (fig. 174), 272  
 (fig. 175 B-G), 273  
*Acetabulum* Lam., 273  
*Achnanthes* Bory, 94, 98, 112, 116, 429  
 A. *brevipes* Ag., var. *intermedia* (Kütz.) Cleve, 94 (fig. 67)  
 A. *flexella* (Kütz.) Bréb., 108 (fig. 78 B)  
 A. *longipes* Ag., 107 (fig. 77 F)  
*Acicularia* D'Archiac, 272, 273  
 A. *Andrussovi*, 268  
 A. *miocenica*, 268  
 A. *paventina*, 268  
 A. *Schenckii* Solms, 272  
*Acroblaste* Reinsch, 303  
*Acrochæte* Pringsh., 139, 295, 297  
 A. *parasitica*, 298  
 A. *repens* Pringsh., 297 (fig. 191 B)  
*Acrosiphonia* (J. Ag.) Wille, 259, 265  
*Acrospharia* Gerneck, 194  
*Actidesmium* Reinsch, 411  
*Actinastrum* Lagerh., 201, 202, 203, 204, 205  
 A. *Hantzschii* Lagerh., 203 (fig. 130 A and B), 446  
*Actinobryts* W. & G. S. West, 407  
*Actinodiscus* Grev., 118  
*Actinoptychus* Ehrenb., 118  
*ACTON*, 6, 452  
*Ægagropila* Kütz., 265  
*Agamo-hypnosporae*, 263  
*AGARDH*, 346  
*Agloë* Pascher, 169, 174  
*Ajuga*, 211  
*Akinete* (definition), 134  
*Akontakte*, 328-384  
*Algæ* of Hot Springs, 34, 424  
*Algal Associations of Bogs and Swamps*, 425-427  
*Algal Associations of Irrigated Rocks*, 422-423  
*Algal Associations of Ponds and Ditches*, 427-431  
*Algal Associations of Pools and Lakes*, 431-445  
*Algal Associations of Swiftly-running Water*, 424  
*ALLEN*, 139, 318  
*ALLEN & NELSON*, 105, 111, 114  
*ALSBERG*, 147  
*Amphidinium* Clap. & Lachm., 51  
 A. *operculatum* Clap. & Lachm., 54  
 A. *sulcatum* Kofoid, 52 (fig. 37)  
*Amphidoma* Stein, 61  
 A. *biconica* Kofoid, 64 (fig. 46)  
*Amphipleura* Kütz., 91  
 A. *pellucida* Kütz., 89, 103  
*Amphisolenia* Stein, 58  
 A. *spinulosa* Kofoid, 58 (fig. 41 A and B)  
*Amphora ovalis* Kütz., 87 (fig. 60 C), 108  
*Anabaena* Bory, 2, 3, 15, 16, 19, 20, 26, 27,  
 28, 29, 31, 32, 36, 43, 425, 432, 435, 436  
*A. azollæ* Strasb., 26, 27, 28, 29 (fig. 18 A and B), 35  
*A. circinalis* (Kütz.) Hansg., 435  
*A. circularis* G. S. West, 27, 32 (fig. 19 D and E)  
*A. cycadearum* Reinke, 19 (fig. 13), 20, 26,  
 29 (fig. 18 C and D), 35, 36 (fig. 22)  
*A. Flos-aquæ* (Lyngb.) Bréb., 435  
*A. Hassallii* (Kütz.) Wittr., 435  
*A. inæqualis* (Kütz.) B. & F., 43 (fig. 32 A-D)  
*A. Lemmermanni* Richter, 28, 436  
*A. oscillarioides* Bory, 25  
*A. Tanganyikæ* G. S. West, 27, 32 (fig. 19 A-C)  
*Anabaenin*, 13  
*Anabænopsis* Woloszynska, 436  
*Anadyomene* Lam., 257, 258, 260  
*Anadyomenæ*, 257  
*Ancylonema* Berggren, 380  
*Androgonidia* (or androsores) of *Œdогonium*,  
 395  
*Androphore*, 248  
*Ankistrodesmus* Corda, 201, 202, 203, 204, 205,  
 429, 432, 441, 446, 453  
 A. *falcatus* (Corda) Ralfs, 201, 202 (fig. 129 A)  
 — var. *acicularis* (A. Br.) G. S. West, 196,  
 201, 202 (fig. 129 B and C)  
 — var. *mirabilis* G. S. West, 202 (fig.  
 129 E)  
 — var. *tumidus* G. S. West, 202 (fig. 129 D)  
*A. nivalis* Chodat, 203, 448  
*A. Pfitzeri* (Schröd.) G. S. West, 195, 201,  
 202 (fig. 129 G and H), 441  
*A. setigerus* (Schröd.) G. S. West, 202 (fig.  
 129 F)  
*A. Vireti* Chodat, 448  
*Aphanizomenon* Morr., 11, 15, 16, 32, 43  
 A. *Flos-aquæ* (L.) Ralfs, 435  
*Aphanocapsa* Näg., 41  
 A. *Grevillei* (Hass.) Rabenh., 3 (fig. 2 A)  
*Aphanochætaceæ*, 312-314  
*Aphanochæte* A. Br., 132, 139, 312, 313, 314,  
 315  
 A. *repens* A. Br., 136 (fig. 93 C), 313 (fig.  
 205), 314 (fig. 206), 429

- Aphanothece* Nág., 41  
*A. bulbosa* Rabenh., 35  
*A. prasina* A. Br., 41  
*A. thermalis* Brugger, 35
- Apicystis* Nág., 183, 184, 187, 188  
*A. Brauniiana* Nág., 129, 187 (fig. 113 *H* and *I*)
- Apjohnia* Harv., 255, 257
- Aplanospore (definition), 134
- APSTEIN*, 55, 57, 433
- Aquatic Associations, 423–448
- ARCHER, 145, 374, 376
- Archerina* Lankester, 199
- Arisarum simorrhinum*, 243  
*A. vulgare*, 243
- ARTARI, 194, 220
- Artari's culture solution, 144
- Arthrochaete* Rosenv., 281, 298
- Arthrodessmus* Ehrenb., 381  
*A. Incus* (Bréb.) Hass., 428; var. *Ralfsii*  
*W.* & G. S. West forma, 364 (fig. 228 *D*  
*and E*)  
*A. octocornis* Ehrenb., 371 (fig. 233 *P*)
- Arthrospira* Stizenb., 23, 42  
*A. Jenneri* (Hass.) Stizenb., 21  
*A. platensis* (Nordst.) Gom., 43 (fig. 30)
- Arum maculatum*, 243
- A sexual reproduction, of Myxophyceæ, 24–30;  
 of Chlorophyceæ, 132–134
- ASKENASY, 219
- Askenasyella* Schmidle, 405, 407
- Asterionella* Hass., 99, 116, 117, 438, 439, 444  
*A. formosa* Hass., 100 (fig. 73 *A*), 438  
*A. gracillima* Heib., 437, 438, 444, 446
- Asterococcus* Scherffel, 132, 183, 189, 190  
*A. superbus* (Cienk.) Scherffel, 198
- Asterocystis* Gobi, 39  
*A. africana* G. S. West, 39  
*A. antarctica* W. & G. S. West, 39  
*A. halophila* (Hansg.) Forti, 39  
*A. smaragdina* (Reinsch) Forti, 39
- Asterolampra* Ehrenb., 118  
*A. decorata* Grev., 118 (fig. 85 8)  
*A. marylandica* Ehrenb., 118 (fig. 85 6)  
*A. Ralfsiana* Grev., 118 (fig. 85 5)
- Asteromonas* Artari, 165
- Astrocladum* Tschourina, 200
- Attheya* T. West, 85, 113, 439, 446
- Aulacodiscus* Crux, 121 (fig. 86)  
*A. multipedex*, 121 (fig. 86)
- Autocolony, 196
- Autotrophic planktonts, 446
- Autosporaceæ, 195–206
- Autospore (definition), 160, 196
- Auxospores of Diatoms, 106
- Arauvivillea* Decaisne, 232, 234, 235
- Azolla*, 35
- Azotobacter*, 35  
*A. Chroococcum*, 36
- BACHMANN, 169, 433, 436, 439
- Bacillarieæ, 83–125  
 Structure of cell-wall, 83–86, 87–94; symmetry of cell, 86; protoplast, 94; chromatophores, 95; colonies and mucus secretion, 97; movements, 99–104; cell-division, 104; reproduction by auxospores, 106–110; cultures, 114; occur-
- rence and distribution, 115; fossils (diatomaceous earths, 'Tripoli,' 'Kieselguhr'), 117; affinities, 119; classification, 120; literature, 124, 125
- Bacteriastrum* Schadb., 97, 113
- Batophora* J. Ag., 269, 270
- Batrachospermum* Roth, 424
- BEIJERINCK, 145
- Beijerinck's culture solution, 144
- BENECKE, 97
- Benthos of pools and lakes, 431
- BERGH, 54, 69, 80
- BERGHS, 349
- BERGON, 112
- BERTHOLD, 241
- BIASOLUKNIA, 142
- Biddulphia* Gray, 97, 116  
*B. mobiliensis* Grun., 112, 113
- Binuclearia* Wittr., 282, 283, 287  
*B. tatraea* Wittr., 283
- Black Snow, 448
- BLACKMAN, 56, 57, 157
- BLACKMAN & TANSLEY, 149, 156, 173, 209,  
 249, 254, 290, 328, 331, 334, 385, 402
- Blasia*, 36
- Blastodinium* Chatton, 53
- Blastophysa* Reinke, 139, 224, 225, 253, 254  
*B. arrhiza* Wille, 254  
*B. rhizopus* Reinke, 254
- Blepharocysta* Ehrenb., 58
- Blepharoplast (of Derbesiaceæ), 228
- Blue-green Alga, 1–48
- BOHLIN, 148, 186, 249, 290, 402, 408, 410
- Bohlinia* Lemm., 200
- BOLDT, 377
- Boodle* Murr. & De Toni, 254, 257, 260
- Boodeæ, 257
- Boodleopsis* A. & E. S. Gepp, 232, 233, 235  
*B. siphonacea* A. & E. S. Gepp, 235
- BORGE, 333, 351, 374, 380
- BÖRGESEN, 231, 239, 250, 251, 253, 254, 257,  
 260, 261, 266, 272, 273, 280, 378
- Bornetella* Mun.-Chalm., 270, 271  
*B. oligospora* Solms, 270 (fig. 173)
- Bornetellæe, 270
- BORZI, 4, 11, 13, 15, 18, 21, 145, 148, 407
- Botrydiaceæ, 414
- Botrydina vulgaris* Bréb., 141
- Botrydiopsis* Borzi, 403, 408, 409  
*B. arrhiza* Borzi, 408 (fig. 259), 430
- Botrydium* Wallroth, 223, 224, 403, 414, 416
- B. granulatum* (L.) Grev., 415 (fig. 265 1–4),  
 416  
*B. Wallrothii* Kütz., 415 (fig. 265 5), 416
- Botryococcaceæ, 405
- Botryococcus* Kütz., 403, 405, 406, 407  
*B. Brauni* Kütz., 406 (fig. 257), 407, 442, 446
- Botryodictyon* Lemm., 407
- Botryomonas* Schmidle, 407
- Botryophora* J. Ag., 270
- Bowenia Hochstetteri* Toula, 240
- Brachiomonas* Bohlin, 173, 174  
*B. submarina* Bohlin, 140, 172 (fig. 101 *A–F*)
- Branchipus vernalis*, 214
- BRAND, 18, 19, 24, 26, 259, 261, 263, 280, 308
- BRAUN, 186, 312, 388
- Breaking of the meres, 32

## Index

457

- BREBISSON, 314  
 BROWN, 6  
*Brown* Snow, 448  
*Brunia* Temp., 118  
 BRÜNNTHALER, 287, 445  
*Bryopsidaceæ*, 225–227  
*Bryopsis* Lam., 222, 225, 226, 227, 228, 232  
 — *cypresoides* Lam., 226 (fig. 146 *I*)  
*Buiochotæ* Ag., 132, 385, 386, 387, 388, 392,  
 394, 395, 399, 429, 431  
 — *elachistandra* Wittr., 397 (fig. 252 *C*)  
 — *intermedia* De Bary, 392 (fig. 246 *J* and  
*K*)  
 — *minuta* W. & G. S. West, 388 (fig. 242)  
 — *nana* Wittr., 396 (fig. 251 *C*)  
 — *Nordstediæ* Wittr., 396 (fig. 251 *B*)  
 — *setigera* (Roth) Ag., 393 (fig. 247 *A* and *B*)  
 — *subintermedia* Elfv., 396 (fig. 251 *A*)  
*Bulbocoleon* Pringsh., 295, 297  
 — *piliferum* Pringsh., 297 (fig. 191 *A*)  
*Bumilleria* Borzi, 412, 413  
 — *sicula* Borzi, 413 (fig. 264)  
*Bumilleriopsis* Printz, 410  
 — *brevis* (Gerneck) Printz, 410  
*Burkilia* W. & G. S. West, 205, 206  
 — *cornuta* W. & G. S. West, 206 (fig. 134 *A*)  
 BüTSCHLI, 54, 59, 69, 101  
 Bütschli's red corpuscles (in Diatoms), 97  
*Callipsigma* J. G. Ag., 233, 235  
*Callitrichæ*, 211  
*Calothrix* Ag., 6, 17, 26, 33, 44, 432  
 — *ascendens* (Näg.) B. & F., 24  
 — *parietina* (Näg.) Thur., 45 (fig. 35 *A* and  
*B*)  
*Camplothrix* W. & G. S. West, 38, 46  
*Camptotrichaceæ*, 46  
*Carassius auratus*, 298  
*Carex arenaria*, 231  
*Carotin* (in Myxophyceæ), 10  
*Carteria* Diesing, 142, 169, 170, 173, 429  
 — *multifilis* (Fres.) Dill, 169 (fig. 98 *A*–*G*)  
*Carterieæ*, 169  
*CASTRACANE*, 111  
*Calrena* Chodat, 283, 287  
*Caulerpa* Lam., 132, 157, 222, 225, 228, 230,  
 231, 251  
 — *crassifolia* J. Ag., 231  
 — *forma mexicana* J. Ag., 230 (fig. 150)  
 — *cypresoides* (Vahl) Ag., 231  
 — *Holmesiana* Murray, 229 (fig. 148), 231  
 (fig. 151 *B*)  
 — *prolifera* (Forsk.) Lam., 231 (fig. 151 *A*)  
 — *racemosa* (Forsk.) Weber van Bosse, 232  
 — *taxifolia* (Vahl) Ag., 231  
 — *verticillata* J. Ag., 229 (fig. 149)  
*Caulerpaceæ*, 228–232  
*Caulerpas*, epiphytic or mud-collecting, 231;  
 sand and mud Caulerpas, 231; rock and  
 coral-reef Caulerpas, 232  
*Caulerpites* Göppert, 232  
 — *cactoides* Göppert, 232  
 CEDERGREN, 425  
 Cell-wall, of Myxophyceæ, 2; of Peridiniaceæ,  
 59; of Bacillarieæ, 83–86; of Desmidieæ,  
 356–359; of *Tribonema* and *Ophiocytium*, 411 (fig. 262)
- Cenchridium* Stein, 76, 77  
 — *globosum* (Williams) Stein, 77 (fig. 56 *E*)  
 Central body of Myxophyceæ, 3–8, 452  
 Central granules of Myxophyceæ, 12  
 Centricæ, 121, 123  
*Centrictactus* Lemm., 408, 409  
 — *belonophorus* (Schmidle) Lemm., 430  
*Centrosphaera* Borzi, 211, 212, 453, 454  
 — *Faciolæ* Borzi, 211 (fig. 138 *B*–*D*)  
*Cephaleuros* Kunze, 139, 156, 281, 305, 308,  
 309, 311, 421  
 — *virescens* Kunze, 310 (fig. 203 *D*–*F*), 421  
*Cerasterias* Reinsch, 200  
*Ceratiae*, 80  
*Ceratium* Schrank, 57, 61, 62, 64, 66, 68, 70,  
 75  
 — *californiense* Kofoed, 71, 72 (fig. 53)  
 — *cornutum* (Ehrenb.) Clap. & Lachm., 64,  
 437  
 — *furca* (Ehrenb.) Duj., 69 (fig. 49)  
 — *fusus* (Ehrenb.) Duj., 74  
 — *gallicum* Kofoed, 65 (fig. 47 *C* and *D*)  
 — *hirundinella* (O. F. M.) Schrank, 68, 73  
 (fig. 54), 74 (fig. 55), 75, 76, 436, 437,  
 447  
 — var. *brachyceras* (v. Daday) Ostenf., 436  
 — *Ostenfeldii* Kofoed, 71  
 — *Schranskii* Kofoed, 65 (fig. 47 *A* and *B*)  
 — *teres* Kofoed, 59 (fig. 42)  
 — *tripos* (Müll.) Nitzsch, 71, 72 (fig. 53)  
 — *volans* Cleve, 75  
 — *vultur* Cleve, 72 (fig. 52)  
*Ceratocorys* Stein, 58, 62  
*Ceratophyllum demersum*, 210  
*Cercidium* Dang., 168  
*Chætobolus* Rosenv., 298  
 — *gibbus* Rosenv., 300 (fig. 193 *D* and *E*)  
 — *lapidicola* Lagerh., 299  
*Chætoceras* Ehrenb., 113, 116  
 — *boreale* Ball, 113  
 — *ceratospermum* Ostenf., 113 (fig. 82 *B*)  
 — *decipiens* Cleve, 111, 113  
 — *gracile* Schütt, 113 (fig. 82 *D*)  
 — *Lorenzianum* Grun., 112, 113  
 — *paradoxum* Schütt, 113 (fig. 82 *C*)  
*Chætomorpha* Kütz., 258, 259, 265, 266  
 — *aërea* (Dillw.) Kütz., 266 (fig. 170 *I*, 2  
 and 4)  
 — *brachygona* Harv., 266  
 — *crassa* (Ag.) Kütz., 265  
 — *Linum* (O. F. Müll.) Kütz., 266  
*Chætomorpheæ*, 265  
*Chætonella* Schmidle, 268  
*Chætonema* Nowak., 295, 297, 298  
*Chætopeltidaceæ*, 206–208  
*Chætopeltis* Berth., 206, 207, 208  
 — *minor* Möbius, 207 (fig. 135 *A*–*D*)  
 — *orbicularis* Berth., 207 (fig. 135 *E* and *F*)  
*Chætophora* Schrank, 294, 295, 297, 431  
 — *calcarea* Tilden, 295  
 — *elegans* (Roth) Ag., 294 (fig. 188 *C*)  
 — *incrassata* (Huds.) Hazen, 294 (fig. 188 *A*  
 and *B*)  
 — var. *crystallophora* Kütz., 295  
 — *pisiformis* (Roth) Ag., 431  
*Chaetophoraceæ*, 293–305  
*Chætophoræ*, 295

- Chætosiphon* Huber, 224, 225  
*Ch. moniliformis* Huber, 224
- Chætosphaeridium* Klebahn, 132, 206, 207, 208  
*Ch. globosum* (Nordst.) Klebahn, 206 (sub  
*Ch. Nordstedtii*)  
*Ch. Pringsheimii* Klebahn, 207, 208 (fig.  
136 A and B)  
— var. *depressum* G. S. West, 208 (fig.  
136 C)
- Chain-formation in the Peridiniaceæ, 70
- Chalmasia* Solms, 273
- Chamedorix* Montagne, 254, 255, 257  
*Ch. Peniculum* (Sol.) O. Kunze, 257
- Chamæsiphon* A. Br. & Grun., 25, 33 41  
*Ch. gracilis* Rabenh., 25 (fig. 16 D)  
*Ch. incrustans* Grun., 41 (fig. 27)
- Chamæsiphonaceæ*, 41
- Chantransia* Fries, 424
- Characieæ, 213–215
- Characiella* Schmidle, 213
- Characiopsis* Borzi, 407, 408  
*Ch. minutula* (A. Br.) Borzi, 407 (fig. 258 A)  
*Ch. turgida* W. & G. S. West, 407 (fig.  
258 B–D)
- Characium* A. Br., 209, 211, 213, 214, 215, 408,  
429  
*Ch. graciliceps* Lambert, 214, 215 (fig. 141 A  
and B)  
*Ch. Pringsheimii* A. Br., 214 (fig. 140 A  
and B)  
*Ch. Sieboldii* A. Br., 215 (fig. 141 C–E)  
*Ch. subulatum* A. Br., 214 (fig. 140 C)  
*Ch. Westianum* Printz (sub *Ch. ensiforme*  
Herm.), 214 (fig. 140 D)
- CHATTON**, 50, 53
- Chionaster* Wille, 200  
*Ch. nivalis* (Bohlin) Wille, 158, 200 (fig.  
127 A and B), 447
- Chlamydoblepharis* Francé, 174  
*Chl. brunnea* Francé, 173 (fig. 102 E and F),  
174
- Chlamydomonadæ*, 170–174
- Chlamydomonas* Ehrenb., 137, 142, 157, 158,  
168, 169, 170, 171, 172, 173, 174, 180,  
429, 446  
*Chl. alpina* (Wille) G. S. West, 172  
*Chl. Debaryana* Gorosch., 169 (fig. 98 H and I)  
*Chl. gigantea* Dill., 169, 172  
*Chl. grandis* Stein (= *Chl. Steinii* Schmidle),  
169 (fig. 98 J and K)  
*Chl. inhærens* Bachmann, 169  
*Chl. media* Klebs, 135 (fig. 92 G and H), 172  
*Chl. monadina* Stein (= *Chl. Braunii* Go-  
rosch.), 171  
*Chl. nivalis* (Sommerf.) Wille, 142, 172, 447,  
448
- Chloramæba* Bohlin, 403, 404  
*Chl. heteromorpha* Bohlin, 403 (fig. 254)
- Chlorangiæ*, 185
- Chlorangium* Stein, 184, 185
- Chloraster* Ehrenb., 165
- Chlorella* Beijer., 144, 194  
*Chl. faginea* (Gerneck) Wille, 194 (fig. 120 D  
and E)  
*Chl. miniatæ* (Kütz.) Wille, 194 (fig. 120 F–I)  
*Chl. vulgaris* Beijer., 194 (fig. 120 A–C)
- Chlorobotrydaceæ*, 408
- Chlorobotrys* Bohlin, 403, 408, 409  
*Chl. regularis* (West) Bohlin, 408, 409 (fig.  
260), 425
- Chlorochytriæ*, 210–212
- Chlorochytrium* Cohn, 210, 212, 453, 454  
*Chl. bienne* (Klebs) G. S. West, 210 (fig. 137 B)  
*Chl. Cohnii* (Wright) G. S. West, 210 (fig.  
137 D)  
*Chl. Lemnæ* Cohn, 210 (fig. 137 A), 211 (fig.  
138 A)  
*Chl. paradoxum* (Klebs) G. S. West, 210  
(fig. 137 E)  
*Chl. Sarcophycei* (Whitting) G. S. West, 212
- Chlorocladus* Sonder, 269, 270
- Chloroclonium* Borzi, 301, 303, 304, 454
- Chlorococcineæ*, 209–222
- Chlorococcum* Fries, 195, 209, 210, 211, 212  
*Chl. regulare* W. West, 408
- Chlorocystis* Reinhard, 212
- Chlorodendron* Senn, 185
- Chlorodesmis* Bail. & Harvey, 234, 235, 241  
*Chl. comosa* Bail. & Harvey, 232
- Chlorogonium* Ehrenb., 168  
*Chl. euchlorum* Ehrenb., 168
- Chloroïdium* Nadson, 194
- Chloromonas* Gobi, 174
- Chlorophyceæ*, 126–417  
Cell-wall, 127; nucleus, 128; chloroplasts,  
129; multiplication, 132; asexual re-  
production, 132–134; sexual reproduc-  
tion, 135; alternation of generations,  
137; occurrence and distribution, 139;  
cultures, 143; polymorphism, 145; eco-  
nomic aspects, 146; phylogeny and classi-  
fication, 147; literature, 153–155
- Chlorophyll*, in Myxophyceæ, 10; in Diatoms,  
96; in Green Algae, 130
- Chlorosaccaceæ*, 404
- Chlorosaccus* Luther, 403, 404, 405
- Chlorosarcina* Gerneck, 194
- Chlorosphæra* Klebs, 195  
*Chl. antarctica* Fritsch, 447
- Chlorotetras* Gerneck, 194
- Chlorotheciaceæ*, 407
- Chlorothecium* Borzi, 407  
*Chl. Pirottæ* Borzi, 408
- Chlorotylium* Kütz., 303
- CHMIELEVSKY**, 350
- Choaspis* S. F. Gray, 353
- CHODAT**, 144, 145, 146, 151, 152, 157, 177,  
185, 186, 191, 192, 194, 198, 199, 200,  
279, 280, 315, 406, 414, 447, 448
- CHODAT & HUBER**, 219
- CHODAT & MALINESCO**, 203
- Chodatella* Lemm., 200  
*Ch. brevispina* Fritsch, 447
- Chondrocystis* Lemm., 38
- Chromopeltis* Reinsch, 309
- Chroococcaceæ*, 40
- Chroococcus* Näg., 31, 32, 41, 421, 422  
*Chr. giganteus* W. West, 41 (fig. 25 A)  
*Chr. limneticus* Lemm., 435  
*Chr. macrococcus* Rabenh., 7 (fig. 5), 8, 9,  
12, 25, 58, 452  
*Chr. schizodermaticus* W. West, 41 (fig. 25 C  
and D)  
*Chr. sp.* (? *Chr. minutus*), 13 (fig. 9 A)

## Index

459

- Chroococcus turgidus* (Kütz.) Näg., 8 (fig. 6), 41 (fig. 25 B), 425  
*Chroolepus* Ag., 309  
*Chrootheca* Hansg., 39  
*Chr. Richteriana* Hansg., 39  
**CIENKOWSKI**, 292  
*Cladcephalus* Howe, 233, 234, 235  
*Cl. excentricus* A. & E. S. Gepp, 233 (fig. 152)  
*Cladophora* Kütz., 116, 133, 214, 258, 259, 262, 263, 265, 267, 387, 424, 428, 430  
*Cl. fracta* Kütz., 424  
*Cl. fuliginososa* Kütz., 261  
*Cl. glomerata* (L.) Kütz., 261 (fig. 167 C-F), 262 (fig. 168), 424  
— var. *callicoma* Rabenh., 261  
*Cl. (Egagropila) holstica* Kütz., 454  
*Cl. incurvata* W. & G. S. West, 261 (fig. 167 A and B)  
*Cl. rupestris* Kütz., 260  
*Cl. (Egagropila) Sauteri* (Nees) Kütz., 263  
*Cladophoraceae*, 258-268  
*Cladophoreæ*, 260  
*Cladophoropsis* Börges., 257, 260  
*Clementia* Murray, 409  
**CLEVE**, 85, 119, 123, 216  
*Climacosphenia* Ehrenb., 86  
*Cl. moniliger* Ehrenb., 85 (fig. 58 B), 86 (fig. 59 F)  
*Closteriacee*, 381  
*Closteriopsis* Lemm., 201, 203, 204  
*Cl. longissima* Lemm., 203, 441  
*Closterium* Nitzsch., 119, 354, 356, 357, 359, 360, 363, 365, 366, 367, 369, 374, 376, 377, 380, 447  
*Cl. acerosum* (Schrank) Ehrenb., 428  
*Cl. aciculare* T. West var. *subpronum* W. & G. S. West, 203  
*Cl. acutum* Bréb., 428  
*Cl. Braunii* Reinsch, 367  
*Cl. Cornu* Ehrenb., 371  
*Cl. didymotocum* Corda, 425  
*Cl. Ehrenbergii* Menegh., 128, 131, 365 (fig. 229 A), 367, 368 (fig. 231 A-D), 377, 428  
*Cl. gracile* Bréb., 425  
*Cl. juncidum* Ralfs., 425  
*Cl. Leibleinii* Kütz., 365 (fig. 229 B)  
*Cl. lineatum* Ehrenb., 339, 372 (fig. 234 F), 373  
*Cl. Lunula* (Müll.) Nitzsch., 425  
*Cl. moniliferum* (Bory) Ehrenb., 360, 367, 368 (fig. 231 E), 428  
*Cl. peracerosum* Gay, 428  
*Cl. Ralfsii* Bréb. var. *hybridum* Rabenh., 373  
*Cl. rostratum* Ehrenb., 428  
*Cl. striolatum* Ehrenb., 425  
*Cl. subcompactum* W. & G. S. West, 354, 367  
*Cl. turgidum* Ehrenb., 425  
*Cl. Venus* Kütz., 428  
*Clostridium* Reinsch, 204  
*Cocci* in the Myxophyceæ, 29  
*Coccogoneæ*, 40  
*Cocomonas* Stein, 174  
*Cocomyzæ* Schmidle, 156, 186, 202  
*C. Ophiræ* Mort. & Rosenv., 139  
*C. subelipsoidæ* Acton, 141, 186 (fig. 112), 422  
*Cocconeis* Ehrenb., 94, 98, 429  
*C. Pediculus* Ehrenb., 116 (fig. 84)  
*C. Placentula* Ehrenb., 107 (fig. 77 A-D), 116  
*Cocconema* Ehrenb., 98, 108, 432  
*Cochlodinium* Schütt, 51, 54  
*C. archimedes* (Pouchet) Lemm., 51  
*C. strangulatus* Schütt, 51 (fig. 36 E and F)  
*Codiaceæ*, 232-242  
*Codeiae*, 240  
*Codiolum* A. Br., 213, 214  
*Codium* Stackh., 232, 234, 241, 242  
*C. mucronatum* J. Ag., 147  
*C. tomentosum* (Huds.) Stackh., 240 (fig. 155)  
*Cœlastreeæ*, 205-206  
*Cœlastrum* Näg., 156, 162, 205, 206, 429, 440  
*C. cambricum* Archer, 205 (fig. 133 A)  
— var. *nasutum* (Schmidle) G. S. West, 205  
*C. compositum* G. S. West, 205  
*C. cubicum* Näg., 205  
*C. reticulatum* (Dang.) Senn, 205, 441  
*C. sphaericum* Näg., 205 (fig. 133 B-D)  
*Cœlosphaerium*, 15, 32, 41  
*C. Kützingianum* Näg., 434  
*Cœnobium* (definition), 160  
*COHN*, 21, 34  
*Cohnella* Schröder, 204  
*Coleochætaceæ*, 314-318  
*Coleocharætæ* Bréb., 132, 137, 138, 139, 156, 157, 208, 281, 314, 317, 318, 431  
*C. irregularis* Pringsh., 315  
*C. Nitellarum* Jost, 315, 316  
*C. orbicularis* Pringsh., 315, 317, 318  
*C. pulvinata* A. Br., 136 (fig. 93 E), 316 (fig. 208), 317, 318  
*C. scutata* Bréb., 315 (fig. 207), 317, 318, 431  
*C. soluta* Pringsh., 315  
*COLLINS*, 280, 312, 315  
*Collinsiella* Setchell & Gardner, 183, 188, 189  
*C. tuberculata* Setchell & Gardner, 188 (fig. 114)  
*COMÈRE*, 140  
*Conferva* of Lagerheim, 413  
*Conjugatæ*, 328-384  
*Conjugation-tube* (definition), 336  
*Connecting bands* of Diatom, 84  
*Conocelis rosea* Batters, 243  
*Conochætæ* Klebahn, 132, 207, 208  
*C. comosa* Klebahn, 207, 208 (fig. 136 D)  
*CONRAD*, 177, 178  
*Continuity* of protoplasm, in Myxophyceæ, 15; in *Volvox*, 177  
*Convoluta Roscoffensis*, 142, 170  
*Corbiera* Dang., 170  
*Corethron* Castr., 111  
*C. Valdiviae* Karsten, 111 (fig. 81), 112  
*CORRENS*, 21, 188, 230  
*Coscinodiscus* Ehrenb., 91, 116  
*C. biconicus*, 112  
*C. concinnus* W. Sm., 112, 113  
*C. lacustris* Grun., 440  
*Cosmarieæ*, 381  
*Cosmarium* Corda, 144, 330, 359, 361, 363, 365, 367, 374, 381, 447  
*C. anceps* Lund., 423

- Cosmarium bioculatum* Bréb., 371 (fig. 233 N)  
*C. biretum* Bréb., 428  
*C. Boeckii* Wille, 428  
*C. Botrytis* Menegh., 428  
 — var. *depressum* W. & G. S. West, 355 (fig. 219 A)  
*C. cælatum* Ralfs, 426  
*C. Cucurbita* Bréb., 379, 425  
*C. cucurbitinum* (Biss.) Lütkem., 365 (fig. 229 D)  
*C. cymatopleurum* Nordst. var. *tyrolicum* Nordst., 423  
*C. decedens* Reinsch, 428  
*C. decoratum* W. & G. S. West var. *dentiferum* W. & G. S. West, 355 (fig. 219 C)  
*C. didymochondrum* Nordst., 423  
*C. diplosporum* (Lund.) Lütkem., 366 (fig. 230 J), 373  
*C. dovvicense* Nordst., 423  
*C. Etchachanense* Roy & Biss., 423  
*C. granatum* Bréb., 428  
*C. Holmiense* Lund., 423  
*C. humile* (Gay) Nordst., 428  
*C. margaritiferum* (Turp.) Menegh., 425  
*C. Meneghinii* Bréb., 428  
*C. microsphinctum* Nordst., 423  
*C. moniliforme* (Turp.) Ralfs, 377  
*C. nasutum* Nordst., 423  
*C. obliquum* Nordst., 377  
*C. Pappekuilense* G. S. West, 355 (fig. 219 G)  
*C. pericymatium* Nordst., 426  
*C. præmorsum* Bréb., 355 (fig. 219 E)  
*C. Prainii* W. & G. S. West, 355 (fig. 219 F)  
*C. pseudarctoum* Nordst., 423, 428  
*C. pseudoconnatum* Nordst., 355 (fig. 219 D)  
*C. Ralfsii* Bréb., 426  
*C. Regnelli* Wille, 377  
*C. Regnesi* Reinsch var. *montanum* Schmidle, 355 (fig. 219 B)  
*C. reniforme* (Ralfs) Arch., 428  
*C. salinum* Hansg., 330  
*C. speciosum* Lund., 423, 428  
*C. spetsbergense* Nordst., 426  
*C. sphalerostichum* Nordst., 423  
*C. subexcavatum* W. & G. S. West var. *ordinatum* W. & G. S. West, 423  
*C. subtile* (W. & G. S. West) Lütkem., 363, 366  
*C. subtilissimum* G. S. West, 363  
*C. subtumidum* Nordst. var. *Klebsii* (Gutw.) W. & G. S. West, 365 (fig. 229 F)  
*C. tetraophthalmum* Bréb., 425  
*C. tumens* Nordst., 423  
*Cosmocladium* Bréb., 356, 359, 363, 381  
*C. constrictum* (Arch.) Josh., 362 (fig. 226 A), 366  
*C. perissum* Roy & Biss., 362 (fig. 226 C)  
*C. pulchellum* Bréb., 362 (fig. 226 B)  
*C. saxonicum* De Bary, 362 (fig. 226 G)  
*COTTON*, 147, 277  
*Cox*, 101  
*Crucigenia* Morren, 195, 204, 440, 453  
*C. appendiculata* (Chodat) Schmidle, 204  
*C. emarginata* (W. & G. S. West) Chodat, 204  
*C. fenestrata* Schmidle, 204  
*C. irregularis* Wille, 204  
*C. Lauterbornii* Schmidle, 204  
*Crucigenia quadrata* Morren, 204 (fig. 132 D and E)  
*C. rectangularis* (Näg.) Gay, 204 (fig. 132 A-C)  
*C. Tetrapedia* (Kirchn.) W. & G. S. West, 204 (fig. 132 F)  
*Crucigeniæ*, 204  
*Crucigeniella* Lemm., 204  
*Cryptoplankton*, 447-448  
*Cryptomonadineæ*, 80  
*Ctenocladus* Borzi, 303  
*Culture media*, for Diatoms, 114, 115; for Green Algeæ, 143, 144  
*Cyanophyceæ*, 1  
*Cyanophycin* granules, 13  
*Cyanoplasts*, 11  
*Cycas* (*Anabaxa* in roots of), 35, 36 (fig. 22)  
*Cyclotella* Kütz., 68, 116, 440, 446  
*C. compacta* (Ehrenb.) Kütz., 96 (fig. 69 B and C), 438  
*Cylindrocapsa* Reinsch, 136, 137, 291, 293  
*C. conferta* W. West, 292 (fig. 187 E and F)  
*C. geminella* Wolle, 293  
*C. involuta* Reinsch, 292 (fig. 187 A-D), 293  
*Cylindrocapsaceæ*, 291  
*Cylindrocystis* Menegh., 380  
*C. Brébissonii* Menegh., 366 (fig. 230 H and I), 373 (fig. 235 B and C), 374, 375, 380  
*Cylindrospermum* Kütz., 19, 21, 22, 26, 43, 44  
*C. indentatum* G. S. West, 17 (fig. 11 G)  
*C. majus* Kütz., 26  
*C. stagnale* (Kütz.) B. & F., 43 (fig. 32 E-G), 425  
*C. tropicum* W. & G. S. West, 17 (fig. 11 F), 26  
*Cymatopleura* W. Sm., 439  
*C. elliptica* (Bréb.) W. Sm., 439  
*Cymbella* Ag., 424  
*Cymopota* Lamx., 270, 271  
*Cystococcus* Näg., 212  
*Cystodictyon* Gray, 258  
*Cystodinium* Klebs, 55  
*Dactylococcopsis* Hansg., 32  
*D. montana* W. & G. S. West, 41 (fig. 26 A)  
*Dactylococcus* Näg., 201, 204  
*D. infusionum* Näg., 203  
*Dactylococcus-state of* *Scenedesmus obliquus*, 146, 201 (fig. 128 B), 203  
*Dactylopora*, 268  
*Dactyloporella*, 268  
*DAKIN & LATARCHE*, 434, 440, 443  
*DANGEARD*, 53, 144, 162, 180, 182, 344  
*Dangeardia* Bougon, 174  
*Dasycladaceæ*, 268-273  
*Dasycladæ*, 269  
*Dasycladus* Ag., 269, 270  
*D. clavæformis* (Roth) Ag., 269 (fig. 172)  
*Dasyglea amorphæ* Berk., 4 (fig. 3 C)  
*DAVIS*, 228, 248  
*DE BARY*, 21, 330, 334, 337, 345, 346, 350, 374  
*Debarya* Wittr., 335, 341, 347, 377  
*D. africana* G. S. West, 341  
*D. calospora* (Palla) W. & G. S. West, 341  
*D. cruciata* Price, 335

## Index

461

- Debarya desmidoides* W. & G. S. West, 335, 341, 342 (fig. 213 *G-K*), 376, 377  
*D. glyptosperma* (De Bary) Wittr., 341  
*D. Hardyi* G. S. West, 341, 342 (fig. 213 *A-F*)
- Decaisnella*, 268
- DEINIGA*, 5, 11
- DELFI*, 277, 332, 334, 351, 429
- Denticula* Kütz., 86
- DERBES* & *SOLIER*, 241
- Derbesia* Solier, 227, 228, 251  
*D. Lamourouxii* (J. Ag.) Solier, 227 (fig. 147)  
*D. neglecta* Berth., 227
- Desbesiaceae*, 227–228
- Dermatophyton* Peter, 299  
*D. radians* Peter, 300
- Dermocarpa* Crostan, 5, 25, 33, 41  
*D. fucicola* Saunders, 6 (fig. 4)  
*D. prasina* (Reinsch) Born. & Thur., 25 (fig. 16 *C*)
- Desmatactrum* W. & G. S. West, 204, 453  
*D. plicatum* W. & G. S. West, 203 (fig. 130 *C-E*)  
*D. Nyanzae* (Wolosz.) G. S. West, 453
- Desmidiaceae*, 354–381  
*Desmidium* Ag., 377, 381  
*D. aptogonum* Bréb., 372  
*D. Baileyi* (Ralfs) Nordst., 372  
*D. coarctatum* Nordst. var. *cambricum* W. West, 360 (fig. 224 *B*)  
*D. cylindricum* Grev., 372, 373 (fig. 235 *J*), 377  
*D. occidentale* W. & G. S. West, 360 (fig. 224 *A*)  
*D. Swartzii* Ag., 372
- Diatoma* D. C., 97, 98  
*D. elongatum* Ag., 432  
*D. grande* W. Sm., 99 (fig. 72 *A*)
- Diatomaceous Earths*, 117
- Diatomin*, 96
- Diatoms*, 83–125
- Dichotomosiphon* Ernst, 222, 243, 244, 246, 248, 249  
*D. tuberosus* (A. Br.) Ernst, 249 (fig. 161)
- Dichothrix* Zanardini, 44  
*D. gypsophila* (Kütz.) B. & F., 34 (fig. 21), 35, 423  
*D. interrupta* W. & G. S. West, 45 (fig. 35 *C*)  
*D. Orsiniana* (Kütz.) B. & F., 45 (fig. 35 *D*)
- Dichotomum* W. & G. S. West, 200
- Dicoleon* Klebahn, 207, 208
- Dicranochaete* Hieronymus, 209, 212  
*D. britannica* G. S. West, 213  
*D. reniformis* Hieronymus, 131, 212, 213 (fig. 139)
- Dieranochaetaceae*, 212
- Dictyococcus* Gernbeck, 212
- Dictyocystis* Lagerh., 191
- Dictyoneis* Cleve, 94
- Dictyospheria* Decaisne, 251, 252, 253  
*D. favulosa* (Ag.) Decaisne, 253 (fig. 163)
- Dictyosphaeriaceae*, 190
- Dictyosphaeriacae*, 191
- Dictyosphaerium* Näg., 190, 191  
*D. Hitchcockii* (Lagerh.), 191  
*D. pulchellum* Wood, 190 (fig. 116), 440
- Dictyosphaeropsis* Schmidle, 405
- Didymogenes* Schmidle, 204
- Didymosporangium* Lambert, 297
- DILL*, 173
- Dimorphococcus* A. Br., 191  
*D. lunatus* A. Br., 191 (fig. 117)
- Dinobryon* Ehrenb., 433
- Dinoflagellata*, 49
- Dinophyseae*, 80
- Dinophysis* Ehrenb., 58, 68  
*D. ellipsoïdes* Kofoid, 58 (fig. 41 *C*)
- Dioecious macrandrous species of *Œdогonium*, 393
- Dioecious nannandrous species of *Œdогonium*, 393
- Diplochæte* Collins, 208
- Diplodinium* Klebs, 55  
*D. lunula* (Schütt) Klebs, 56 (fig. 40 *B and C*), 57
- Diploneis* Ehrenb., 91
- Diploporella*, 268
- Diploporella*, 268  
*D. Muhlbergii* Lorenz, 268
- Diplosphera* Bial. [‘*Diplosiphon*’ in error], 194  
*D. Chodati* Bial., 142
- Dispora* Printz, 453
- Docidium* Bréb., 381
- DODEL*, 284
- DOGIEL*, 55, 57
- Draparnaldia* Bory, 293, 294, 295, 296, 297  
*D. platynota* Hazen, 290, 295, 296 (fig. 190)
- Dunaliciella* Teodoresco, 142, 164, 165  
*D. salina* Teodoresco, 165 (fig. 95 *A-E*)
- Dysmorphococcus* Takeda, 453
- Dytium* Bail., 116
- Ecballogystis* Bohlin, 185, 186
- Ecdysichlamys* G. S. West, 197, 198
- Echinospheridium* Lemm., 199
- Ectochæte* (Huber) Wille, 297
- EHRENBERG*, 76, 100, 117
- Elakatothrix* Wille, 195, 201, 202  
*E. gelatinosa* Wille, 202, 441
- Elodea canadensis*, 210
- Endoclonium* Szym., 295, 297
- Endoderma* Lagerh., 139, 225, 281, 300, 301, 303, 304, 429, 454  
*E. Pithophoræ* G. S. West, 301 (fig. 194 *D*)  
*E. polymorpha* G. S. West, 301 (fig. 194 *E*)  
*E. Wittrockii* (Wille) Lagerh., 301 (fig. 194 *A-C*)
- Endophytion* Gardner, 281, 304
- Endosphera* Klebs, 212, 453
- ENGELMANN*, 21
- Enteromorpha* Harv., 254, 275, 276, 277, 278  
*E. gracillima* G. S. West, 276 (fig. 177 *A and B*), 278  
*E. intestinalis* (L.) Link, 147, 278, 429  
*E. linza* (L.) J. G. Ag., 147
- Entocladia* Hansg., 299
- Entocladia* Reinke, 303
- Entophysa* Möbius, 194
- ENTZ*, 74, 436
- Epibolium* Printz, 454
- Epiladlia* Reinke, 303
- Epiclemidia* Potter, 299
- Epithemia* Bréb., 429  
*E. alpestris* W. Sm., 98  
*E. Argus* (Ehrenb.) Kütz., 108

- Epithemia Hyndmanni* W. Sm., 90  
*E. turgida* (Ehrenb.) Kütz., 85 (fig. 58 A), 116  
 Epivalve, of Diatom, 84; of Peridinian, 59  
*Eremosphaera* De Bary, 195, 196, 197, 198, 199  
*E. viridis* De Bary, 197 (fig. 123 A), 198, 425  
*Ernadesmis* Börges., 254, 255  
*E. verticillata* (Kütz.) Börges., 256  
*Euastridium* W. & G. S. West, 381  
*Eustropsis* Lagerh., 217, 219, 220  
*E. Richteri* (Schmidle) Lagerh., 218 (fig. 144 A-E)  
*Euastrum* Ehrenb., 220, 354, 361, 365, 367, 381, 408  
*E. ampullaceum* Ralfs., 425  
*E. asperum* Borge, 356 (fig. 220 A)  
*E. binale* (Turp.) Ehrenb., 377  
*E. crassum* (Bréb.) Kütz., 425  
*E. Didelta* (Turp.) Ralfs., 376, 425  
*E. dubium* Näg., 428  
*E. humerosum* Ralfs., 376  
*E. inermius* (Nordst.) Turn. var. *burmense* W. & G. S. West, 356 (fig. 220 C)  
*E. oblongum* (Grev.) Ralfs., 364 (fig. 228 A), 371 (fig. 233 M)  
*E. pectinatum* Bréb., 425  
*E. serratum* Joshua, 356 (fig. 220 B)  
*E. tetralobum* Nordst., 426  
*Eucampia* Ehrenb., 99  
*Eudorina* Ehrenb., 163, 175, 176, 177, 178, 180, 182, 429  
*E. elegans* Ehrenb., 176, 177 (fig. 105), 182, 446  
*Eudorinella* Lemm., 182  
*Eunotia* Ehrenb., 97  
*E. Arcus* Ehrenb., 425  
*E. gracilis* (Ehrenb.) Rabenh., 97 (fig. 70 F)  
*E. lunaris* (Ehrenb.) Grun., 112, 432  
*E. major* (W. Sm.) Rabenh., 425  
*E. pectinalis* Kütz., 432  
*E. tetraodon* Ehrenb., 425  
*Eupodiscus Argus* Ehrenb., 87 (fig. 60 D), 89 (fig. 62 D), 90  
*E. lacustris* Wille, 85  
 Eupotamic plankton, 446  
 Evolution, of Cladophoraceæ, 260; of Ulotrichales, 282  
*Excentrosphaera* Moore, 197, 198  
*E. viridis* Moore, 197 (fig. 123 B and C)  
*Exuvia* Cienk., 77  
*E. laevis* (Stein) Schröder, 77  
*E. marina* Cienk., 77 (fig. 56 A and B)
- FAURÉ-FREMIET**, 59  
**FISCHER**, 5, 11, 13, 36, 367  
*Flabellaria* Lam., 234, 235  
*Ft. petiolata* Trev., 233  
 Flabellarieæ, 234  
 Flagellar pore of Peridiniaceæ, 63  
*Forelliella* Chodat, 305, 454  
*F. perforans* Chodat, 454  
**FORTI**, 121  
*Fragilaria* Lyngb., 97, 98, 116  
*F. capucina* Desmaz., 446  
*F. crotonensis* (A. Milne-Edw.) Kitton, 438, 439, 446  
*Fragilaria crotonensis* var. *contorta* W. & G. S. West, 439  
*F. virescens* Ralfs., 99 (fig. 72 E), 446  
*Franceia* Lemm., 200  
**FREEMAN**, 212  
**FRESENIUS**, 199  
**FREUND**, 168  
*Fridixa* Schmidle, 297  
*F. torrenticola* Schmidle, 295  
**FRITSCH**, 2, 16, 18, 19, 20, 27, 28, 34, 193, 197, 296, 313, 379, 390, 391, 421, 427, 428, 430, 445, 447, 448, 453  
**FRITSCH & RICH**, 427, 428
- GAIDUKOV**, 10  
 Gamogenesis (explanation of), 135  
**GARDNER**, 5, 8, 13, 16, 403  
**GARWOOD**, 268  
 Gas vacuoles (of Myxophyceæ), 15  
**GAY**, 185, 259, 267, 280  
*Gayella polyrhiza* Rosenv., 280  
*Geminella* Turp., 282, 283, 284, 287, 292  
*G. mutabilis* (Bréb.) Wille, 283 (fig. 180 A)  
*G. ordinata* G. S. West, 283 (fig. 180 B)  
*G. protogenita* (Kütz.) G. S. West, 283 (fig. 180 C-E)  
 Gemmæ ('cysts' and 'œcencysts'), of Green Algae, 132; of *Zygnuma*, 329; of *Oedocladium*, 399  
*Genicularia* De Bary, 380  
*G. elegans* W. & G. S. West, 378 (fig. 238 A and B)  
**GEPP**, A. & E. S., 233, 234, 235, 236, 237  
**GEPP**, E. S., 238  
**GERASSIMOFF**, 348, 349  
**GERNECK**, 190, 414  
**GIBSON & AULD**, 241  
 Girdle of Diatom, 84  
*Girvanella problematica*, 35  
*Glaucocystis* Itzigsohn, 11, 12, 39, 40, 452  
*Gl. Nostochinearum* Itzigsohn, 40 (fig. 24), 452  
*Glenodinium* Stein, 55, 60, 66, 447  
*Gl. apiculatum* Zach., 67, 68  
*Gl. cinctum* Ehrenb., 64  
*Gl. edax* Schill., 68  
*Gl. foliacum* Stein, 75  
*Gl. neglectum* Schütt., 64  
*Gl. uliginosum* Schill., 61, 67, 425, 426 (periodicity table, fig. 267)  
*Gloecapsa* Kütz., 3, 23, 26, 31, 35, 41, 421, 422, 433  
*Gl. magma* (Bréb.) Kütz., 3 (fig. 2 B), 30, 421  
*Gl. montana* Kütz., 3 (fig. 2 C-E)  
*Gl. sanguinea* (Ag.) Kütz., 447  
*Gleochæte* Lagerh., 40, 209  
*Glaecoccus* A. Br., 186  
*Glaecysteæ*, 189  
*Glaecystis* Näg., 172, 190  
*Gl. gigas* (Kütz.) Lagerh., 190  
*Gl. vesiculosæ* Näg., 172  
*Gleodinium* Klebs, 57  
*Gl. montanum* Klebs, 58  
*Glaemonas* Klebs, 174  
*Glaeoplas* Schmidle, 301, 303, 304  
*Glaetoxenium* Hansg., 197, 198  
*Gl. Loitlesbergerianum* Hansg., 189 (fig. 115 A)  
*Glaethoce* Näg., 35, 41

## Index

463

- Glaeotila* Kütz., 287  
*Glaeotrichia* J. Ag., 15, 26, 45  
  *G. echinulata* (Eng. Bot.) P. Richter, 435  
  *G. natans* (Hedw.) Rabenh., 24  
*Glycogen* (in Myxophyceae), 14  
*Godlewskia* Jancz., 25  
*GOEBEL*, 26  
*Golenkinia* Chodat, 199  
*Gomontia* Born. & Flah., 305, 454  
  *G. Agagruplicæ* Acton, 454  
  *G. codiolifera* (Chod.) Wille, 304 (fig. 198 C-E)  
  *G. perforans* (Chod.) Acton, 454  
*Gomontiæa*, 304  
*Gomontiella* Teodoresco, 34  
  *G. subfimbriata* Teodoresco, 33 (fig. 20), 43  
*Gomphonema* Ag., 98, 424, 432  
  *G. elegans* Grun., 87 (fig. 60 B)  
  *G. geminatum* (Lyngb.) Ag., 424  
*Gomphosphaeria* Kütz., 25, 32, 41  
  *G. aponica* Kütz., 25 (fig. 16 A)  
  *G. lacustris* Chodat, 435  
  *G. Nägeliana* Unger, 434  
*Gonatoblaste* Huber, 314  
*Gonatomema* Wittr., 339, 340, 341, 344, 353  
  *G. Boodlei* W. & G. S. West, 339  
  *G. tropica* W. & G. S. West, 337 (fig. 211 A-D)  
  *G. ventricosa* Wittr., 337 (fig. 211 E-G), 339  
*Gonatozygæ*, 380  
*Gonatozygon* De Bary, 355, 363, 380  
  *G. aculeatum* Hastings, 378 (fig. 238 D)  
  *G. Kinahani* (Arch.) Rabenh., 342  
  *G. monotanum* De Bary var. *pilosellum* Nordst., 378 (fig. 238 O)  
*Gongrosira* Kütz., 142, 300, 301, 303  
  *G. dichotoma* Kütz., 248  
  *G. stagnalis* (G. S. W.) Schmidle, 302 (fig. 196 D-F)  
  *G. viridis* Kütz., 302 (fig. 196 A-C)  
*Gongrosira*-state of *Cladophora*, 146  
*Gonidia* (of Myxophyceæ), 24-26  
*Goniodes* Stein, 68  
*Gonium* Müller, 174, 175, 177, 178, 180, 182, 429  
  *G. lacustre* G. S. West, 175 (fig. 103 B-F)  
  *G. pectorale* Müll., 175 (fig. 103 A), 446  
  *G. sociale* Duj., 175  
*Gonyaulax* Diesing, 61, 68, 69  
  *G. apiculata* (Pen.) Entz, 59, 75  
  *G. polyedra* Stein, 75  
  *G. polygramma* Stein, 75  
  *G. spinifera* (Clap. & Lachm.) Diesing, 60 (fig. 43)  
*GOROSCHANKIN*, 173  
*Grammatophora* Ehrenb., 86, 116  
  *G. maxima* Grun., 85 (fig. 58 C)  
  *G. serpentina* Kütz., 99 (fig. 72 B and C)  
*GRAN*, 106  
*Green* Snow, 448  
*GRIFFITHS*, 164, 452  
*GRINTZESCO*, 145, 194, 203  
*GROVE*, 168, 453  
*GUILLERMOND*, 2, 6  
*Guinardia* Perag., 85  
  *G. flaccida* (Castr.) Perag., 85 (fig. 58 F and G)  
*Gunnera*, 36  
*Gymnodiniaceæ*, 51-55, 80  
*Gymnodinium* Stein, 51, 52, 54, 61, 65, 430  
  *G. æruginosum* Stein, 52, 75  
  *G. curinatum* Schill., 51 (fig. 36 A)  
  *G. cæruleum* Dogiel, 52  
  *G. fucom* Küster, 53  
  *G. fuscum* (Ehrenb.) Stein, 52  
  *G. helveticum* Penard, 53  
  *G. palustre* Schill., 51 (fig. 36 B)  
  *G. paradoxum* Schill., 51  
  *G. parasiticum* Dogiel, 53  
  *G. Pouchetii* Lemm., 53  
  *G. pulvinulus* Klebs, 51  
  *G. roseum* Dogiel, 53  
  *G. rufescens* (Pen.) Lemm., 53 (fig. 38 B)  
  *G. spirale* Dogiel, 53  
  *G. viride* Penard, 52, 53 (fig. 38 A)  
  *G. Vorticella* Stein, 53  
  *G. Zachariasii* Lemm., 53  
*Gymnozyga* Ehrenb., 359, 381  
  *G. moniliformis* Ehrenb., 360 (fig. 224 C and D), 425  
*Gyroporella*, 268  
*Gyrosigma* Hass. (= *Pleurosigma* W. Sm.), 89, 90  
  *G. balticum* (Ehrenb.), 96 (fig. 69 D)  
*Hæmatococcus* Ag., 163, 166, 168  
*Halichondria*, 142 (fig. 94)  
*Halicryne* Harv., 272, 273  
  *H. Wrightii* Harv., 272 (fig. 175 A)  
*Halicystis* Aresch., 223, 224, 251  
  *H. ovalis* (Ag.) Aresch., 224  
  *H. parvula* Schmitz, 224  
*Halimeda* Lam., 141, 222, 231, 232, 237, 238, 239, 240  
  *H. gracilis* Harv., 238  
  *H. incrassata* Lam., 238, 239  
    — var. *simulans* Börges., 237 (fig. 154)  
  *H. macroloba* Decaisne, 238  
  *H. Opuntia* (L.) Lam., 238, 239  
  *H. Saportæ* Fuchs, 239  
  *H. Tuna* Lam., 234, 238  
*Halimedites* Lorenz, 240  
*HALLIER*, 100  
*Halosphaera* Schmitz, 209, 215  
  *H. viridis* Schmitz, 216 (fig. 142)  
*Halosphaeræ*, 215-216  
*Hammatodea* W. & G. S. West, 46  
*HANSGIRG*, 18, 21, 30, 145, 351  
*Hansgirgia* De Toni, 309, 311  
*Hapalosiphon* Näg., 19, 26, 27, 28, 44, 421  
  *H. hibernicus* W. & G. S. West, 425  
  *H. luteolus* W. & G. S. West, 28 (fig. 17 B)  
  *H. Welwitschii* W. & G. S. West, 28 (fig. 17 A)  
*Haplodilus latipes*, 298  
*Haplodinium*, 76, 77  
*Haploporella*, 268  
*Haptera* (or holdfasts), 132, 222, 253, 389  
*HARDY*, 298  
*Hariotina* Dang., 206  
*HARPER*, 175  
*HARVEY*, 261  
*Hauckia* Borzi, 185  
*HAUPTFLEISCH*, 356  
*HAZEN*, 168, 266, 288, 289, 413

- HEERING, 246, 403  
 HEGLER, 5, 11, 18, 19  
 HEIDINGER, 248  
 Heleoplankton, 431  
 Helotism (in Lichens), 37  
*Hemidinium* Stein, 51, 52, 53, 54  
*H. nasutum* Stein, 75  
 HERDMAN, 54  
*Herposteiron* Nág., 312  
 Heterococcales, 403–411  
*Heterococcus* Chodat, 414  
 Heterocysts (cf. Myxophyceae), 16–20  
*Heterodinium* Kofoed, 61  
 Heterogametes (definition), 135  
 Heterokontæ, 401–417  
 Heterosiphonales, 414–416  
 Heterotrichales, 411–414  
 HIERONYMUS, 5, 12, 19, 131, 212  
*Hildenbrandia rivularis* (Liebm.) J. Ag., 423  
*Hillhouseia* West & Griffiths, 38  
 HIRN, 387, 398, 399  
*Hofmannia* Chodat, 204  
 Holdfasts (or haptera), 132, 222, 253, 389  
 HOLMBOE, 439  
 Holophytic nutrition, 78  
 Holozoic nutrition, 79  
*Homœothrix* Thur., 45  
 HOREJSI, 35  
*Hormidium* Klebs, 287  
*Hormidium*-state of *Prasiola*, 279, 419  
*Hormiscia* Fries, 266  
*Hormococcus* Chodat, 287  
*Hormogoneæ*, 41  
 Hormogones (of Myxophyceæ), 23 (fig. 15)  
*Hormospora* Bréb., 287  
*Hormotila* Borzi, 127, 189, 190  
*H. tropica* G. S. West, 189 (fig. 115 C)  
 Hot-springs, Algae of, 34, 424  
 HUBER, 224, 254, 297, 312, 313, 314  
 HUSTEDT, 112  
*Hyalotheca* Ehrenb., 359, 381  
*H. dissiliens* (Sm.) Bréb., 371 (fig. 233 A–G),  
 377, 425  
*H. neglecta* Racib., 371 (fig. 233 H–K)  
 HYAMS & RICHARDS, 2  
*Hydra viridis*, 142, 194  
 Hydrodictyaceæ, 216–222  
 Hydrodictyæ, 220  
*Hydrodictyon* Roth, 131, 200, 216, 220  
*H. africanum* Yamanouchi, 222  
*H. reticulatum* (L.) Lagerh., 130, 220, 221  
 (fig. 145), 222  
*Hyella* B. & F., 25, 35, 41  
*Hypnodinium* Klebs, 55  
 Hypnospores (definition), 134  
*Hypnum*, 212, 425  
 Hypovalve, of Diatom, 84; of Peridinian, 59  
*Ichthyocercus* W. & G. S. West, 381  
*Ilea* J. G. Ag., 276, 278  
 Immobiles, 122  
 Incipient nucleus of Myxophyceæ, 7, 8  
*Ineffigata* W. & G. S. West, 407  
*Inoderma* Kütz., 190  
 Intercalary bands of Diatoms, 84  
 Intercalary valves of Diatoms, 86  
*Isococcus* Fritsch, 453  
 Isogametes (definition), 135  
*Isokontæ*, 156–327  
*Isthmia* Ag., 116  
*I. enervis* Ehrenb., 87 (fig. 60 E)  
*I. nervosa* Kütz., 89 (fig. 62 A–C), 90  
 ITZIGSOHN, 30  
*Iwanoffia* Pascher, 297  
 JENNINGS, 307  
 JOHNSON, 296  
 JOSHUA, 377  
 JOST, 315  
 KARSTEN, 86, 91, 97, 106, 107, 108, 111, 307,  
 309  
*Katagymneme* Lemm., 38  
 KEEBLE & GAMBLE, 170  
*Kirchneriella* Schmidle, 195, 201, 203, 204,  
 446  
*K. lunaris* (Kirchn.) Möb., 441  
*K. obesa* W. & G. S. West, 441  
 KITTON, 111  
 KLEBAHN, 15, 106, 108, 274, 275, 312, 350,  
 374  
 KLEBS, 50, 55, 57, 77, 80, 137, 146, 162, 194,  
 212, 220, 223, 285, 298, 356, 360, 414,  
 416  
 Klebs' culture solution, 143  
*Kleinella* Francé, 174  
 Knop's culture solution, 143  
 KOFOID, 54, 59, 62, 63, 67, 68, 69, 70, 75, 176,  
 433, 445, 453  
 KOHL, 2, 5, 9, 11, 96  
 KRASKOVITS, 387  
 Krossodiiniaceæ, 61  
*Krugeria* Heering, 194  
 KUCKUCK, 224, 253  
 KUFFERATH, 144, 194  
 KURSSANOW, 344, 350  
 KÜTZING, 246, 279, 303, 330, 344  
*Kyrtodiniaceæ*, 61  
 LAGERHEIM, 280, 287, 288, 371, 374, 447  
*Lagerheimia* (De Toni) Chodat, 199  
*L. breviseta* G. S. West, 199 (fig. 125 F and  
 G)  
*L. ciliata* (Lagerh.) Chodat var. *amphitricha*,  
 199 (fig. 125 I)  
*L. genevensis* Chodat, 199 (fig. 125 A–C)  
 — var. *subglobosa* (Lemm.) Chod., 199 (fig.  
 125 D and E)  
 LAMBERT, 208, 214, 315, 318  
*Laminaria saccharina*, 254  
*Lauderia annulata* Cleve, 91  
 LAUTERBORN, 68, 89, 94, 101, 104  
*Lauterborniella* Schmidle, 203, 204  
*Lemanea* Bory, 424  
 LEMMERMAN, 10, 15, 26, 66, 408, 435, 436,  
 439, 445  
 Lemmermannia Chodat, 204  
*Lemna*, 210  
*Leptochæte* Borzi, 25  
*Leptosira* Borzi, 301, 303  
*Letterstedtia* Aresch., 275, 278  
*L. insignis* Aresch., 277 (fig. 178)  
*Leuvenia* Gardner, 403  
 LEWIS, 315, 317, 336

## Index

465

- Lichen-genera, with Blue-green Algæ as constituents of thallus, 37, 38; with Green Algæ, 141
- Liomphora* Ag., 116  
*L. Lyngbyei* (Kütz.) Grun., 86 (fig. 59 C)
- Limiting factors, 431
- Limnoplankton, 433–445
- Literature: Akontæ, 381–384; Bacillarieæ, 124–125; Chlorophyceæ (general), 153–155; Distribution, 448–451; Heterokontæ, 416–417; Isokontæ, 318–327; Myxophyceæ, 46–48; Peridinieæ, 81–82; Stephanokontæ, 399–400
- Lithothamnion*, 224
- LIVINGSTON, 141
- LOBOMONAS* Dang., 161, 173, 174  
*L. Francei* Dang., 172 (fig. 101 J), 173  
*L. stellata* Chodat, 172 (fig. 101 I), 173
- Lochmium* Printz, 454
- Loefgrenia* Gom., 38
- LOHMANN, 71, 445
- Longitudinal septa of Diatoms, 85
- LORENTZ, 240
- Luminosity of Pyrocystaceæ, 55
- LUTHER, 148, 401, 403
- LÜTKEmüLLER, 331, 356, 363, 369, 380
- LUTMAN, 128, 131, 349, 363, 366, 367, 377
- Lychnis Flos-cuculi*, 210
- Lyngbya* Ag., 2, 3, 6, 15, 23, 24, 25, 26, 32, 33, 42, 436  
*L. aerugineo-caerulea* (Kütz.) Gom., 42 (fig. 28 B and C)  
*L. circumcreta* G. S. West, 32 (fig. 19 F–H), 436  
*L. contorta* Lemm., 436  
*L. Lagerheimii* (Möb.) Gom., 436  
*L. major* Menegh., 42 (fig. 28 A)  
*L. majuscula* Harv., 32  
*L. semiplena* J. Ag., 25 (fig. 16 B)
- Lysimachia*, 211
- MACALLUM, 5, 9, 11, 18
- MANGIN, 59, 83
- MANN & HUTCHINSON, 309, 310
- MARSH, 435
- MARX, 4
- MASSART, 5, 12
- Mastigocladius luminosus* Cohn, 34
- Mastigocoleus* Lagerh., 25
- Mastigospheara* Schewiakoff, 182
- Mastogloia Smithii* Thwaites, 85 (fig. 58 D)
- MCALLISTER, 128, 129, 188
- MCKEEVER, 39
- Melosira* Ag., 97, 104, 106, 110, 116, 439, 440, 444, 446  
*M. Agassizii* Ostenf., 440  
*M. ambigua* O. Müll., 440  
*M. arenaria* Moore, 423  
*M. argus* O. Müll., 440  
*M. Borreri* Grev., 110 (fig. 80 2 and 3)  
*M. granulata* (Ehrenb.) Ralfs., 439, 440  
*M. ikapoensis* O. Müll., 440  
*M. italicica* Kütz., 113, 440  
*M. nummuloides* Borr., 110 (fig. 80 1)  
*M. nyassensis* O. Müll., 440  
*M. Roeseana* Rabenh., 423  
*M. Schroederi* Wolosz., 440
- Melosira varians* Ag., 98 (fig. 71 C–E), 110 (fig. 80 4), 112, 446
- Mentha aquatica*, 210
- MERESCHKOWSKY, 96, 101
- Meridion* Ag., 99  
*M. circulare* (Grev.) Ag., 98 (fig. 71 A and B)
- Meringospheara* Lohmann, 199
- Merismopedia* Meyen, 26, 41  
*M. elegans* A. Br., 41 (fig. 26 C), 452  
*M. glauca* (Ehrenb.) Näg., 41 (fig. 26 B), 432
- Mesocarpeæ, 335–342
- Mesocarpus* Hass., 331
- Mesogerron* Brand, 347
- Mesotæniaceæ, 331
- Mesotænium* Näg., 132, 363, 369, 375, 376, 377, 378, 380, 448  
*M. caldariorum* (Lagerh.) Hansg., 368 (fig. 231 F–I), 369, 373 (fig. 235 D–I), 375, 422  
*M. chlamydosporum* De Bary, 366 (fig. 230 G), 373 (fig. 235 A), 423  
*M. De Greyi* Turn., 366 (fig. 230 D), 423  
*M. Endlicherianum* Näg., 447  
*M. macrococcum* (Kütz.) Roy & Biss., 366 (fig. 230 E and F), 423  
*M. (Anyclonema) Nordenskioldii* (Berggr.), 448  
*M. paucispinosum* W. & G. S. West, 329  
*M. violascens* De Bary, 329
- MEYER, 274, 275, 288
- Micractiniae, 198–199
- Micractinium* Fres., 196, 199, 446  
*M. paucispinosum* (W. & G. S. West) Wille, 198 (fig. 124 F)  
*M. pusillum* Fresen., 198 (fig. 124 A–C)  
*M. radiatum* (Chodat) Wille, 198 (fig. 124 D and E)
- Micrasterias* Ag., 354, 361, 363, 365, 367, 381  
*M. denticulata* Bréb., 371 (fig. 233 L), 373, 425  
*M. foliacea* Bail., 356, 378, 379 (fig. 239 B)  
*M. Jenneri* Ralfs., 426  
*M. oscitans* Ralfs., 426  
— var. *mucronata* (Dixon) Wille, 365 (fig. 229 C)  
*M. papillifera* Bréb., 425  
*M. rotata* (Grev.) Ralfs., 425  
*M. Thomasiana* Arch. var. *pulcherrima* G. S. West, 359 (fig. 223)  
*M. truncata* (Corda) Bréb., 425
- Microcheete* Thur., 26
- Microcoleus* Desmaz., 26, 42
- Microcystis* Kütz., 15, 32, 41
- Microdictyon* Decaisne, 257, 258, 260  
*M. Montagneanum* Gray, 258 (fig. 166)
- Microspora* Thur., 288, 289, 290, 428, 431  
*M. abbreviata* (Rabenh.) Lagerh., 288 (fig. 184 B and C), 289 (fig. 185 A)  
*M. amœna* (Kütz.) Lagerh., 270, 424, 428, 431  
— var. *irregularis* W. & G. S. West, 288  
*M. floccosa* (Vauch.) Thur., 134 (fig. 91 D), 289 (fig. 185 E), 290, 291 (fig. 186), 429, 431
- M. Læfgrenii* (Nordst.) Lagerh., 288
- M. stagnorum* (Kütz.) Lagerh., 128 (fig. 88 B), 289 (fig. 185 C, D and G–J), 290, 430

- Microspora tumidula* Hazen, 288, 289 (fig. 185 *B* and *E*), 290  
*Microsporaceæ*, 288–291  
*Microspores* of Diatoms, 111, 112  
*Microthamnieæ*, 300  
*Microthamnion* Nág., 293, 301, 303, 454  
*M. curvatum* W. & G. S. West, 303 (fig. 197 *D*)  
*M. Kützingianum* Nág., 303 (fig. 197 *A–C*)  
*M. strictissimum* Rabenh., 303 (fig. 197 *E*)  
**MILLARDET**, 374  
**MINAKATA**, 298  
**MIQUEL**, 106, 111, 114  
*Mischococcus* Nág., 403, 404, 405, 408  
*M. confervicola* Nág., 405 (fig. 256)  
*Mobiles*, 123  
*MOLISCH*, 15, 96  
*MOLL*, 349  
*Monocilia* Gerneck, 414  
*M. flavescens* Gerneck, 414  
*M. viridis* Gerneck, 414  
*Monociliaceæ*, 414  
*Monoeious* species of *Œdогonium*, 393  
*Monostroma* Thur., 132, 157, 275, 277, 278, 429  
*M. bullosa* (Roth) Wittr., 275, 278  
*M. expansa* G. S. West, 278  
*M. membranacea* W. & G. S. West, 135 (fig. *D–E*), 276 (fig. 177 *C–E*), 278  
**MOORE** & **KELLERMANN**, 147  
*Mougeotia* Ag., 329, 332, 334, 335, 336, 337, 338, 339, 341, 342, 347, 377, 425, 427, 432, 442, 443  
*M. calcarea* Wittr., 338  
*M. capucina* (Bory) Ag., 329, 333 (fig. 209 *B*), 339  
*M. crassa* (Wolle) De Toni, 342  
*M. elegantula* Wittr., 341  
*M. genuflexa* (Dillw.) Ag. (= *M. mirabilis*), 338, 339, 342  
*M. gracillima* (Hass.) Wittr., 333 (fig. 209 *I*), 342  
*M. latetivirens* (A. Br.) Wittr., 335 (fig. 210 *E*)  
*M. minutissima* Lemm., 342  
*M. parvula* Hass., 333 (fig. 209 *D–H*), 335 (fig. 210 *C* and *D*), 342  
*M. producta* W. & G. S. West, 337 (fig. 211 *H* and *I*), 341  
*M. tenuis* (Cleve) Wittr., 338  
*M. tropica* W. & G. S. West, 337 (fig. 211 *A–D*)  
*M. ventricosa* (Wittr.) Collins, 337 (fig. 211 *E–G*)  
*M. viridis* (Kütz.) Wittr., 333 (fig. 209 *C*), 428  
*Movements*, of Oscillatoriaceæ, 20–22; of Diatoms, 99–104  
*Mucus-vacuoles* of Myxophyceæ, 14  
**MÜLLER**, O., 87, 89, 90, 91, 93, 101, 102, 103, 104, 106, 440  
*Multiplication*, in Myxophyceæ, 23; in Chlorophyceæ, 132  
*Muniera baconica* v. Hank., 268  
**MURRAY**, 35, 112, 224, 253  
**MURRAY** & **BOODLE**, 235  
*Mutation* in *Ceratium*, 71, 72 (fig. 53)  
*Mycoidea* Cunningham, 309  
*M. parasitica* Cunningham, 310  
*Mycotetraëdron* Hansg., 200  
*M. cellare* Hansg., 158, 200 (fig. 127 *C*)  
*Myxobactron* Schmidle, 8  
*Myxochæte* Bohlin, 208  
*Myxonema* Fries, 297  
*Myxophyceæ* (or Cyanophyceæ), 1–48  
*Cell-wall*, 2; protoplast, 3; division of protoplast, 9; pigments and cytoplasm, 10–12; inclusions in protoplast, 12–15; protoplasmic continuity, 15; heterocysts, 16; movements, 20–22; multiplication, 23; asexual reproduction, 24; polymorphism, 30; occurrence and distribution, 30; symbiosis, 35; affinities, 38; classification, 39  
*Myxophycin* (of Chodat), 10  
**NADSON**, 6, 12, 16, 243  
**NÄGELI**, 21, 100, 312  
*Nannandrium* of *Œdogoniaceæ*, 396  
*Nannoplankton*, 445  
**NATHANSOHN**, 349  
*Naricula* Bory (inclus. *Pinnularia* Ehrenb.), 68, 90, 94, 98, 101, 104, 432  
*N. alpina* (W. Sm.) Ralfs, 427  
*N. Amphibæna* Bory, 108 (fig. 78 *C*)  
*N. borealis* (Ehrenb.) Kütz., 423  
*N. contenta* Grun., 421  
*N. cuspidata* Kütz., 96  
*N. glaberrima* W. & G. S. West, 88  
*N. globiceps* Greg., 122 (fig. 87 *D*)  
*N. Iridis* Ehrenb., 425  
*N. limosa* Kütz., 108 (fig. 78 *A*)  
*N. major* Kütz., 84, 90, 102, 103 (fig. 75), 425  
*N. muticopsis* V. H., 122 (fig. 87 *A–C*)  
*N. nobilis* Ehrenb., 90, 425  
*N. oblonga* Kütz., 95 (fig. 68), 105 (fig. 76)  
*N. perlepida* W. & G. S. West, 88  
*N. viridis* Kütz., 84 (fig. 57), 87 (fig. 60 *A*), 92 (fig. 65), 96, 97 (fig. 70 *D* and *E*), 108 (fig. 78 *D*), 425  
**NELSON**, 32  
*Nemalion*, 254  
*Neomeris* Lamx., 270, 271  
*N. cretacea* Steinmann, 268  
*Nephrocystium* Nág., 197, 198  
*N. ecdysiscepulum* W. & G. S. West, 197, 198  
*Netrium* Nág.; em. Lütkem., 363, 380  
*N. Digitus* (Ehrenb.) Itzigsh. & Rothe, 366 (fig. 230 *K*)  
**NIEUWLAND**, 342, 371  
*Nitzschia* Hass., 94, 104, 116, 446  
*N. Closterium* W. Sm. forma *minutissima* Allen & Nelson, 105  
*N. Leucosigma* Benecke, 97  
*N. nyassensis* O. Müll., 444  
*N. palea* (Kütz.) W. Sm., 97  
*N. putrida* Benecke, 97  
*N. sigmoidea* (Ehrenb.) W. Sm., 95 (fig. 68), 96 (fig. 69 *A*)  
*Nodularia* Mertens, 19, 28, 29, 43, 44  
*N. sphaerocarpa* B. & F., 43 (fig. 32 *H*)  
*N. turicensis* Hansg., 28  
*Nodules* of the Diatom valve, 91  
**NORDSTEDT**, 303, 312, 344, 377, 381

## Index

467

- Nordstedtia* Borzi, 208  
*Nostoc* Vaucher, 11, 15, 16, 17, 23, 24, 25, 26, 28, 31, 43, 44, 422  
*N. antarcticum* W. & G. S. West, 17 (fig. 11 D and E)  
*N. carneum* Ag., 17 (fig. 11 C)  
*N. cæruleum* Lyngb., 43 (fig. 31 C)  
*N. commune* Vaucher, 19, 422  
*N. Linckia* Bornet, 43 (fig. 31 A and B)  
*N. microscopicum* Carm., 19  
*N. minutissimum* Kütz., 447  
*Nostocaceæ*, 43  
*Nostochopsis* Wood, 20, 25  
  *N. Goetzei* Schmidle, 17 (fig. 11 A and B)  
*Nylandera* Hariot, 309
- Occurrence and distribution of Freshwater  
  Algæ, 418–448
- Ochlochæte* Thwaites, 298, 299  
  *O. ferox* Huber, 300 (fig. 193 A–C)
- Œdododium* Stahl, 385, 399  
  *Œ. protonema* Stahl, 398 (fig. 253), 399
- Œdogoniaceæ*, 399
- Œdogoniales*, 385–400
- Œdodonium* Link, 126, 129, 133, 138, 139, 140, 143, 214, 228, 385, 386, 387, 388, 391, 392, 393, 394, 395, 397, 399, 429, 431, 443  
  *Œ. Ahlstrandii* Wittr., 394 (fig. 248 D)  
  *Œ. angustissimum* W. & G. S. West, 399  
  *Œ. Borisiianum* (Le Cl.) Wittr., 387 (fig. 241), 392, 395 (fig. 250 A)  
  *Œ. Bosci* (Le Cl.) Wittr., 129 (fig. 89 A), 393 (fig. 247 F and G)  
  *Œ. Braunii* Kütz., 395 (fig. 250 E)  
  *Œ. ciliatum* (Hass.) Pringsh., 386  
  *Œ. concatenatum* (Hass.) Wittr., 389 (fig. 243), 395 (fig. 250 C and D)  
  *Œ. crassiusculum* Wittr. var. *idioandrosporum* Nordst. & Wittr., 395 (fig. 250 B)  
  *Œ. fabulosum* Hirn, 399  
  *Œ. fonticola* A. Br., 390, 391 (fig. 245 B–H), 397  
  *Œ. giganteum* Kütz., 386 (fig. 240 D)  
  *Œ. Hirnii* Gutw., 129 (fig. 89 B)  
  *Œ. Howardii* G. S. West, 392 (fig. 246 A and B)  
  *Œ. inconspicuum* Hirn, 392 (fig. 246 C and D)  
  *Œ. Itzigsohnii* De Bary var. *minor* W. West, 394 (fig. 248 C)  
  *Œ. Landsboroughii* (Hass.) Wittr., 393 (fig. 247 C–E)  
  *Œ. lautumniarum* Wittr., 392, 394 (fig. 249 C and D)  
  *Œ. obsoletum* Wittr., 394 (fig. 248 A)  
  *Œ. pluviale* Nordst., 389, 397 (fig. 252 A and B)  
  *Œ. rivulare* (Le Cl.) A. Br., 391 (fig. 245 A)  
  *Œ. rufescens* Wittr., 394 (fig. 249 A and B)  
  — var. *Lundellii* (Wittr.) Hirn, 392 (fig. 246 E–H)  
  *Œ. Virceburgense* Hirn, 392 (fig. 246 I)  
  *Œ. zig-zag* Cleve var. *robustum* W. & G. S. West, 394 (fig. 248 B)
- Oil (in Myxophyceæ), 14; (in Peridinieæ), 68; (in Diatoms), 96; of Green Algæ, 132; in *Ulothrix*, 287
- Oligochaetophora* G. S. West, 207, 208  
  *O. simplex* G. S. West, 208 (fig. 136 E–I)
- OLIVE*, 2, 5, 9
- OLTMANNS*, 119, 150, 162, 192, 241, 248, 251, 290, 315, 317, 328, 331
- Oncobrysa* Ag., 33
- ONDERDONK*, 101
- Onychonema* Wallich, 355, 359, 377, 381  
  *O. compactum* W. & G. S. West, 361 (fig. 225 A and B)  
  *O. lœve* Nordst., 361 (fig. 225 C–F)  
  — var. *latum* W. & G. S. West, 361 (fig. 225 G)  
  *O. uncinatum* Wallich, 361 (fig. 225 H)
- Oocardium* Nág., 356, 381  
  *O. stratum* Nág., 424
- Oocysteæ*, 197–198
- Oocystis* Nág., 40, 195, 197, 198, 200, 432, 440, 452  
  *O. crassa* Wittr., 195 (fig. 121 C and D)  
  *O. elliptica* W. West, 195 (fig. 121 G)  
  *O. glaucostiformis* Borge, 197  
  *O. natans* (Lemm.) Wille, 197  
  *O. panduriformis* W. & G. S. West, 195 (fig. 121 E and F)  
  *O. solitaria* Wittr., 195 (fig. 121 A and B), 425  
  *O. submarina* Lagerh., 140, 196 (fig. 122 A–F), 198
- Oodesmus* Schmidle, 407
- Ophiocytiaceæ*, 409
- Ophiocytium* Nág., 403, 404, 409, 410, 430, 446  
  *O. Arbuscula* (A. Br.) Rabenh., 410 (fig. 261 J), 411  
  *O. bicuspisatum* (Borge) Lemm. forma *longispina* Lemm., 410 (fig. 261 H and I)  
  *O. coeruleare* (Eichw.) A. Br., 410 (fig. 261 B–G)  
  *O. graciliceps* (A. Br.) Rabenh., 410 (fig. 261 K)  
  *O. majus* Nág., 410 (fig. 261 A), 430  
  *O. parvulum* (Perty) A. Br., 430
- Ophiothrix*, 22
- Ophydium*, 194
- Ornithocercus* Stein, 62
- Oscillatoria* Vaucher, 2, 5, 10, 16, 20, 21, 22, 23, 25, 26, 27, 31, 33, 42  
  *O. acuminata* Gom., 42 (fig. 29 E)  
  *O. Agardhii* Gom., 31, 434, 435  
  *O. decolorata* G. S. West, 12, 39  
  *O. irrigua* Kütz., 42 (fig. 29 B)  
  *O. limosa* Ag., 13 (fig. 9 B), 42 (fig. 29 A)  
  *O. rubescens* D. C., 11, 31  
  *O. splendida* Grey., 42 (fig. 29 D)  
  *O. tenuis* Ag., 42 (fig. 49 C)
- Oscillatoriaceæ*, 42; movements, 20–22
- Ostenfeld*, 111, 436, 440
- Ostenfeld & Wesenberg-Lund*, 440
- Ostreobium* Born. & Flah., 243  
  *O. Queketii* Born. & Flah., 243
- Ott*, 120
- Ourococcus* Grobéty, 204
- Ourococcus insignis* Hassall, 58
- Overton*, 178, 181, 350
- Ovulites*, 239
- Oxyloxum* Stein, 58, 61, 68
- Pachysphæra pelagica* Ostenf., 216

- PALLA, 5, 330, 334  
*Palmella* Lyngbye, 184, 186  
*Palmella*-state of Chlamydomonas, 146  
*Palmellaceæ*, 183–190  
*Palmelleæ*, 186  
*Palmelloccus* Chodat, 194  
PALMER, 102  
PALMER & KEELEY, 84  
*Palmodactylon* Näg., 183, 186  
*Palmodictyon* Kütz., 183, 184, 189, 190  
*P. viride* Kütz., 189 (fig. 115 B)  
*Palmophylleæ*, 188  
*Palmophyllum* Kütz., 183, 188, 189  
*Pandorina* Bory, 163, 175, 178, 180, 182, 429  
*P. Morum* (Müll.) Bory, 135 (fig. 92 C), 176 (fig. 104 A–H), 446  
*Paramaecium*, 194  
*Parthenogonidia* of *Volvox*, 178  
*Parthenospores* of Diatoms, 110  
PASCHER, 79, 134, 162, 164, 169, 170, 282, 296, 332, 398, 402, 404, 408, 445  
PAULSEN, 59  
PAVILLARD, 2  
*Pediastreæ*, 218  
*Pediastrum* Meyen, 163, 199, 200, 216, 217, 218, 219, 220, 429, 432, 440, 446  
*P. Boryanum* (Turp.) Menegh., 217 (fig. 143 F–H), 218 (fig. 144 G), 219  
*P. duplex* Meyen, 217 (fig. 143 F), 218 (fig. 144 F), 219, 440  
— var. *reticulatum* Lagerh., 218  
*P. glanduliferum* Benn., 217 (fig. 143 I)  
*P. integrum* Näg., 217 (fig. 143 A)  
*P. simplex* Meyen, 219, 440  
— var. *clathratum* Chodat, 218 (fig. 144 H)  
— var. *reticulatum* G. S. West, 218  
*P. Tetras* (Ehrenb.) Ralfs, 217 (fig. 143 C and D), 219  
*P. tricornutum* Borge, 217 (fig. 143 B)  
Pedras negras of Angola, 33  
PEEBLES, 167  
*Pelagocystis* Lohmann, 403, 409  
PELLETAN, 120  
*Penicillium* Lam., 222, 231, 232, 235, 236, 238, 239  
*P. capitatus* Lam., 239  
*P. dumetosus* (Lam.) Dec., 232, 236 (fig. 153)  
*P. Lamourouxii* Decaisne, 236 (fig. 153)  
*P. Sibogæ* A. & E. S. Gepp, 232  
Penicæ, 380  
*Peniococcus* Wolosz., 453  
*P. Nyanzæ* Wolosz., 453  
Penium Bréb., 119, 354, 357, 363, 367, 380  
*P. didymocarpum* Lund., 339, 372 (fig. 234 D and E), 373  
*P. margaritaceum* (Ehrenb.) Bréb., 425  
*P. spirostrialiforme* W. & G. S. West, 370  
*P. spirostrialatum* Barker, 370, 425  
*P. suboctangulare* W. West, 371 (fig. 233 O)  
Pennate, 122, 123  
*Peragallia* Schütt, 85  
PERAGALLO, 112  
*Periphlegmatium* Kütz., 303  
*Peroniella* Gobi, 404, 405, 407  
PETERSEN, 202  
Peridiniaceæ, 58–82  
Transverse and longitudinal furrows, 58;  
cell-wall, 59; protoplast, 63–67; chromatophores and nutrition, 67–68; cell division and multiplication, 68–73; resting-spores, 73–74; occurrence and distribution, 75–76; nature and affinities, 78–80  
Peridiniales, 49  
Peridinieæ, 49–82  
Peridinin, 67  
*Peridinium* Ehrenb., 61, 63, 65, 66, 68, 69, 75, 437, 447  
*P. achromaticum* Lev., 67  
*P. aciculiferum* Lemm., 69, 70 (fig. 50), 76, 437  
*P. africanum* Lemm., 58  
*P. anglicum* G. S. West, 67, 69, 70, 71 (fig. 51), 437  
*P. balticum* (Lev.) Lemm., 64  
*P. berolinense* Lemm., 62  
*P. bipes* Stein, 58, 66  
*P. cinctum* Ehrenb., 430, 437  
*P. divergens* Ehrenb., 76  
*P. herbaceum* Schütt, 67  
*P. inconspicuum* Lemm., 432  
*P. multistriatum* Kofoid, 62 (fig. 45)  
*P. Penardii* Lemm., 59  
*P. pyrophorum* Ehrenb., 76  
*P. quadridentata* Stein, 64  
*P. sanguineum* Carter, 75  
*P. Steinii* Jörg., 67; subsp. *mediterraneum* Kofoid, 66 (fig. 48)  
*P. Willei* Huitf.-Kaas, 62 (fig. 44), 66, 69, 75, 437  
PETIT, 120  
*Petrosiphon* Howe, 251, 257  
PETTIZIER, 120  
Phacotæ, 174  
*Phacotus* Perty, 174  
*Ph. lenticularis* Stein, 172 (fig. 101 G and H)  
*Phæophila* Hansg., 253  
*Phæophila* Hauck, 225, 297  
*Phalocroma* Stein, 62, 68  
PHILLIPS, 2, 5, 9, 12, 14, 16, 18, 19, 21, 22, 27, 33  
*Phormidium* Kütz., 3, 15, 22, 23, 24, 25, 26, 31, 42, 193, 421, 422  
*Ph. ambiguum* Gom., 23 (fig. 15 D)  
*Ph. angustissimum* W. & G. S. West, 34  
*Ph. autumnale* (Ag.) Gom., 25 (fig. 16 E), 26, 31, 36, 421  
*Ph. Corium* (Ag.) Gom., 23 (fig. 15 C)  
*Ph. laminosum* (Ag.) Gom., 34  
*Ph. molle* (Kütz.) Gom., 42 (fig. 28 D)  
*Ph. purpurascens* (Kütz.) Gom., 31, 422  
*Ph. tenuis* (Menegh.) Gom., 34, 42 (fig. 28 E and F)  
Phycocyanin, 10; (pink), 10  
*Phycopeltis* Millar., 305, 307, 308, 309, 311, 421  
*Ph. epiphyton* Millar., 309, 310 (fig. 203 A–C)  
*Ph. nigra* Jennings, 305, 307  
Phycoporphyrin, 329  
Phycopyrrin, 67  
*Phyllactidium* Kütz., 309  
*Phyllobium* Klebs, 209, 211, 212, 223  
*P. dimorphum* Klebs, 210 (fig. 137 C)  
*P. sphagnicola* G. S. West, 211

## Index

469

- Phylloplax* Schmidle, 309  
*Phyllosiphon* Kühn, 139, 212, 222, 242, 243, 421  
*P. Alocasiæ* Lagerh., 243  
*P. Arisari* Kühn, 242 (fig. 156), 243  
*P. maximum* Lagerh., 243  
*P. Philodendri* Lagerh., 243  
*Phyllosiphonaceæ*, 242, 243  
*Phylogeny* of Desmids, 376  
*Phymatodocia* Nordst., 381  
*Ph. irregularis* Schmidle, 360 (fig. 224 H)  
*Ph. Nordstedtiana* Wolle, 360 (fig. 224 E-G)  
*Physoscytum* Borzi, 185, 405  
*P. confervicola* Borzi, 184 (fig. 110 D-H)  
*Phythelios* Frenzel, 199  
*Phytodiniaceæ*, 57, 80  
*Phytodinium* Klebs, 57  
*Phytomorula* Kofoid, 453  
*Phytophysa* Weber van Bosse, 222, 243, 421  
*P. Treubii* W. van Bosse, 243, 420 (fig. 266)  
*Pilea* (Urticaceæ), 243, 421  
*Piliocystis* Bohlin, 200  
*Pilinia* Kütz., 303  
*Pithiscus* Dang., 170  
*Pithophora* Wittr., 250, 259, 262, 263, 265, 428, 429  
*P. Cleveana* Wittr., 263, 264 (fig. 169), 265  
*P. kewensis* Wittr., 265  
*P. Roettleri* Wittr., 265  
*Pithophoraceæ*, 265  
*Placodermæ*, 380  
*Plagiospermum* Cleve, 338  
*P. tenue* Cleve, 338  
*Planctonema* Schmidle, 287  
*Plankton* of pools and lakes, 433-445  
*Planktoniella* Schütt, 91  
*Planophila* Gerneck, 194  
*Planosporaceæ*, 209-216  
*PLATE*, 66  
*Platydorina* Kofoid, 176, 178, 180, 182  
*Pl. caudata* Kofoid, 179 (fig. 107 A and B), 446  
*Platymonas* G. S. West, 453  
*PLAYFAIR*, 145  
*Plectronema* Thur., 26, 43  
*Pl. capitatum* Lemm., 26  
*Pleodorina* Shaw, 176, 178, 180, 182, 429  
*Pl. californica* Shaw, 176, 178  
*Pl. illinoiensis* Kofoid, 169, 176, 178 (fig. 106), 446, 453  
*Pleurocapsa* Thur., 25, 33  
*Pleurococcus* vulgaris auct., 191  
*Pleurodiscus* Lagerh., 343, 347  
*Pl. purpureus* (Wolle) Lagerh., 329, 347 (fig. 216 D)  
*Pleurotenuum* Näg., 362, 363, 365, 378, 381  
*Pl. coronulatum* (Grunn.) Wille, 356  
*Pl. doliforme* W. & G. S. West, 362 (fig. 227 B)  
*Pl. nodulosum* var. *coronatum* (Bréb.) W. & G. S. West, 367  
*Pl. perlóngum* W. & G. S. West, 356  
*Pl. trochiscum* W. & G. S. West, 362 (fig. 227 A)  
*Pleurothamnion* Borzi, 301, 303  
*Podolampas* Stein, 58, 59, 64  
*Polyblepharidaceæ*, 164, 165  
*Polyblepharides* Dang., 165
- Polychætophora* W. & G. S. West, 207, 208  
*Polyclamydum* W. & G. S. West, 38, 43  
*Polychloris* Borzi, 408, 409  
*Polyeystin*, 10  
*Polyedrium* Näg., 200  
*Polyedropsis* Schmidle, 200  
*Polykrikos* Bütschli, 54, 79  
*P. Schwartzii* Bütschli, 54 (fig. 39), 55  
*Polymorphism*, in the Myxophyceæ, 30; in *Melosira*, 106; in the Green Algaæ, 145  
*Polyphysa* Lam., 273  
*Polytoma* Ehrenb., 174  
*P. uvelia* Ehrenb., 158, 173 (fig. 102 A-D), 174  
*Porodiscus* Grev., 118  
*Porphyridium* *cruentum* (Ag.) Näg., 40, 422  
*Porphyrosiphon* Kütz., 38  
*P. Notarisii* (Menegh.) Kütz., 31  
*Potamoplankton*, 445-447  
*Pouchetia* Schütt, 51, 52  
*P. armata* Dogiel, 55  
*POWERS*, 176, 179  
*Prasinocladus* Kuck., 184, 185, 405  
*P. lubricus* Kuck., 184 (fig. 110 A-C)  
*Prasiola* Ag., 130, 132, 140, 157, 192, 279, 280  
*P. crispa* (Lightf.) Menegh., 280 (fig. 179 D-G), 419  
— *f. muralis*, 280 (fig. 179 A-C)  
*Prasiolaceæ*, 279  
*PRINGSHEIM*, 315, 316, 317, 338, 388  
*Pringsheimia* Reinke, 298, 299  
*PRINTZ*, 407, 408, 453, 454  
*Prorocetraceæ*, 76-78, 80  
*Procentrum* Ehrenb., 77  
*P. micans* Ehrenb., 76, 77 (fig. 56 C and D)  
*Proterendothrix* W. & G. S. West, 38  
*Protocochrysis* *Phæophycarum*, 80  
*Protococaceæ*, 191-194  
*Protococcales*, 160-222  
*Protococcus* Ag. (= *Pleurococcus* auct.), 132, 193, 194, 195, 419  
*P. antarcticus* G. S. West forma *robusta* W. & G. S. West, 193  
*P. dissectus* Kütz., 193, 195  
*P. Nägeli* Chodat, 191  
*P. rufescens* Kütz., 193  
— var. *sanguineus* W. & G. S. West, 192 (fig. 118 B)  
*P. viridis* Ag., 191, 192 (fig. 118 A), 193, 195, 419, 447  
*Protococcus*-formation, 419  
*Protoderma* Kütz., 192, 298, 299  
*P. Brownii* Fritsch, 447  
*P. viride* Kütz., 299  
*Protoderma*-state of *Protococcus*, 146  
*Protosiphon* Klebs, 222, 223, 224, 251  
*P. botryoides* (Kütz.) Klebs, 224  
*Protosiphonaceæ*, 223  
*Prototheca* Krüger, 198  
*P. moriformis* Krüger, 158  
*PROVAZEK*, 97  
*Psephotaxus* W. & G. S. West, 287  
*Pseudodclonium* Wille, 301, 304  
*Pseudobryopsis* Berth., 225, 226, 227  
*P. myura* (J. Ag.) Berth., 226 (fig. 146 2-6)  
*Pseudochæte* W. & G. S. West, 295, 297, 298, 300  
*Pseudocilia* of the Tetrasporæ, 185, 187

30-3

- Pseudocodium* W. van Bosse, 233, 242  
*Pseudodictyon* Gardner, 304  
*Pseudomonas radicicola*, 35  
*Pseudopleurococcus* Snow, 192  
*Pseudopringsheimia* Wille, 298  
*Pseudoraphe* of Diatoms, 94  
*Pseudotetraëdron* Pascher, 408, 409  
*Pseudotetraspora* Wille, 186  
*Pseudovacuoles* (of Myxophyceæ), 15  
*Pseudulvella* Wille, 299  
  *P. americana* (Snow) Wille, 299 (fig. 192 C-E)  
*Psilonematæ*, 41  
*Pteromonas* Seligo, 161, 170, 174  
  *Pt. angulosa* (Carter) Dang., 168 (fig. 97 I and J)  
  *Pt. Chodati* Lemm., 168 (fig. 97 G and H)  
*Ptychodium* Stein, 60  
*Ptychimonas* Schmarda, 164  
  *P. delicatulus* Griffiths, 164, 165 (fig. 95 F-I)  
*Pyrenoids* of Diatoms, 96; of Green Algæ, 130, 131 (fig. 90)  
*Pyrgodiscus* Kitton, 118  
*Pyrocystaceæ*, 55-57, 80  
*Pyrocytis* Wyv. Thoms., 55, 57  
  *P. fusiformis* Wyv. Thoms., 56 (fig. 40 D)  
  *P. lunula* Schütt, 55, 57  
  *P. pseudonoctiluca* Wyv. Thoms., 56 (fig. 40 A)  
*Pyrodiium bahamense* Plate, 65  
*Pyxidicula bollensis* Rothpl., 118 (fig. 85 2)  
  *P. liasica* Rothpl., 118 (fig. 85 3)  
*Pyxispora* W. & G. S. West, 329, 331, 334, 338, 343, 347, 432  
  *P. mirabilis* W. & G. S. West, 347 (fig. 216 A-C)  
*Quadrigula* Printz, 453  
*Quaternate*, 191
- RABENHORST, 330  
*Racovitziella* De Wildem., 404  
*Radiococcus* Schmidle, 190, 191  
*Radiofilm* Schmidle, 283, 287  
  *R. conjunctivum* Schmidle, 287  
  *R. flavescentis* G. S. West, 287  
  *R. irregulare* (Wille) Brunnth., 287  
*Raphe* of Diatoms, 91, 92, 93, 102  
*Red granules* of Bütschli, 8  
*Red Rust* of Tea, 310  
*Red Snow*, 447  
*Red Snow Plant*, 142  
*REINKE*, 231  
*REINSCH*, 291, 367, 411  
*Reinschiella* De Toni, 203, 204  
*Resting-spores*, of Myxophyceæ, 26-29; of Peridinieæ, 73; of Diatoms, 113; of Chlorophyceæ, 134  
*Rhabdonema* Kütz., 86, 97, 116  
  *Rh. arcuatum* (Lyngb.) Kütz., 107  
*Rhaphidium* Kütz., 204  
*Rhaphidonomo* Lagerh., 282, 283, 287  
  *Rh. brevirostre* Scherffel, 287, 448  
  *Rh. niveale* Lagerh., 287, 447  
*Rhipidiphyllon* Heydrich, 258  
*Rhipidodesmis* A. & E. S. Gepp, 234, 235  
*Rhipilia* Kütz., 234, 235  
*Rhipiliopsis* A. & E. S. Gepp, 233, 234  
*Rhipocephalus* Kütz., 233, 236, 239  
*Rhizoclonieæ*, 267  
*Rhizoclonium* Kütz., 116, 258, 259, 267, 268, 424  
  *Rh. Berggrenianum* Hauck var. *Dominicense* W. & G. S. West, 267 (fig. 171 A-C)  
  *Rh. crassipellitum* W. & G. S. West, 267 (fig. 171 E)  
  *Rh. hieroglyphicum* Kütz., 267 (fig. 171 D), 268, 428  
    — *f. riparium* (Harv.) Stockm., 268  
    — *f. tortuosum* (Kütz.) Stockm., 268  
*Rh. profundum* Brand, 267, 268  
*Rhizosolenia* Ehrenb., 36, 85, 113, 116, 439, 446  
*Rh. hebetata* Bail., 106  
*Rh. morsa* W. & G. S. West, 113 (fig. 82 A), 438, 439  
*Rh. setigera* Zach., 113  
*Rh. styliformis* Btw., 37 (fig. 23 A), 85 (fig. 58 E), 111  
*Rhoicosphenia* Grun., 94, 429  
*Rhopalodia gibba* (Kütz.) O. Müll., 108, 109 (fig. 79), 111  
*Rhytosiphon* Brand, 235  
*Richelia intracellularis* Johs. Schmidt, 36, 37 (fig. 23)  
*RICHTER*, 15, 115, 140  
*Richteriella* Lemm., 199  
*Rivularia* (Roth) Ag., 23, 33, 45  
*Rivulariaceæ*, 44  
*ROSENVINGE*, 351  
*ROSTAFINSKI* & *WORONIN*, 414  
*Roya* W. & G. S. West, 363, 378, 380  
*Rumex obtusifolius*, 210
- Saccodermae, 380  
*Sacheria* Sirod., 424  
  *S. mamillosa* Sirod., 424  
*Saprolegnia*, 298  
*SAUVAGEAU*, 11, 29  
*Scletonema costatum* (Grev.) Grun., 91  
*Scenedesmus* Meyen, 156, 195, 199, 201, 202, 204, 205, 429, 432, 440, 446  
  *S. acutiformis* Schröd., 202  
  *S. bijugatus* (Turp.) Kütz., 201 (fig. 128 C)  
  *S. costatus* Schmidle, 202  
  *S. denticulatus* Lagerh. var. *linearis* Hansg., 201 (fig. 128 I-K), 202  
  *S. granulatus* W. & G. S. West, 202  
  *S. obliquus* (Turp.) Kütz., 201 (fig. 128 A), 203  
    — var. *dimorphus* (Turp.) Rabenh., 203 (fig. 130 F)  
  *S. quadricauda* (Turp.) Bréb., 144, 201 (fig. 128 D-H), 202  
  *S. spicatus* W. & G. S. West, 201 (fig. 128 L)  
*SCHERFFEL*, 184, 188, 189, 287, 390, 447, 448  
*Scherffelia* Pascher, 170, 173, 174  
  *Sch. Phacus* Pascher, 170
- SCHILBERSKY, 101  
*SCHILLER*, 112  
*SCHILLING*, 61  
*Schizochlamys* A. Br., 132, 184, 188  
  *Sch. gelatinosa* A. Br., 187 (fig. 113 A-C)  
*Schizogoniales*, 279-281  
*Schizogonium* Kütz., 279  
  *Sch. murale* Kütz., 280

- Schizogonium*-state of *Prasiola*, 279  
*Schizomeris* Kütz., 288  
*Schizophyceæ*, 1  
*Schizostauron* Grun., 91  
*Sch. Crucicula* Grun., 91 (fig. 64 B and C)  
*Schizothrix* Kütz., 3, 42, 43, 421, 433  
*Sch. fasciculata* (Näg.) Gom., 35  
*Sch. larvacea* (Ces.) Gom., 4 (fig. 3 B)  
*Sch. Müllerii* Näg., 4 (fig. 3 A)  
**SCHMIDLE**, 25, 163, 436, 446  
*Schmidleia* Wolosz., 441, 453  
*Sch. Lagerheimii* (Teiling) G. S. West, 453  
**SCHMITZ**, 215, 245, 250, 331  
**SCHMULÀ**, 351  
**SCHRÖDER**, 103, 180, 359, 360, 435, 445  
*Schröderia* Lemm., 204  
*Schroederiella* Wolosz., 441, 453  
**SCHULTZE**, MAX., 100  
**SCHÜTT**, 59, 61, 89, 90, 121, 123  
*Sciadium* A. Br., 410  
*Scotiella* Fritsch, 197, 198  
*S. antarctica* Fritsch, 196 (fig. 122 G and H), 447  
*S. nivalis* (Chodat) Fritsch, 196 (fig. 122 K and L), 447, 448  
*S. polyptera* Fritsch, 196 (fig. 122 I and J), 447  
*Scotinosphæra* Klebs, 212, 453  
*SCOURFIELD*, 263, 445  
*Scourfieldia* G. S. West, 173, 174  
*S. complanata* G. S. West, 168 (fig. 97 A-F)  
*Scytonema*, 3, 18, 19, 23, 26, 27, 28, 31, 44, 421  
*S. coactile* Montagne, 28 (fig. 17 C)  
*S. mirabile* (Dillw.) Thur., 44 (fig. 33 A-D), 422  
*S. Myochrous* Ag., 31, 422  
*S. Myochrous* var. *chorographicum* W. & G. S. West, 33, 421  
*Scytonemaceæ*, 44  
*Segregative cell-division*, 250  
*Selenastreae*, 201-204  
*Selenastrum* Reinsch, 126, 201, 202, 204, 205, 429  
*S. acuminatum* Lagerh., 202, 203 (fig. 131 E-G)  
*S. gracile* Reinsch, 203 (fig. 131 A-D)  
*Selenodermia* Bohlin, 204  
*Selenosphærium* Cohn, 206  
**SELK**, 112  
*Separation-discs* (of Myxophyceæ), 24  
**SETCHELL**, 147  
*SEWARD*, 35, 119, 232, 239, 268, 272  
*SHANTZ*, 432, 443  
*SHAW*, 176  
*Sheath of Myxophyceæ*, 2 (fig. 1), 3  
*SIEBOLD*, 21  
*Siphonales*, 222-249  
*Siphonocladeæ*, 254  
*Siphonocladiales*, 250-275  
*Siphonocladus* Schmitz, 257  
*S. tropicus* (Crouan) J. Ag., 255 (fig. 164), 256  
*Sirogonium* Kütz., 330, 334, 350, 353  
*S. sticticum* Kütz., 329, 330, 353  
*SOLMS-LAUBACH*, 268
- Sorastrum* Kütz., 163, 205, 206, 432  
*S. Hathoris* (Cohn) Schmidle, 206 (fig. 134 C)  
*S. spinulosum* Näg., 206 (fig. 134 B)  
*Spermatozopsis* Korschikoff, 165  
*Sphæra* Kerguelensis Karsten, 216  
*Sphaerella* Sommerf., 163, 166, 167, 168  
*Sph. Drabakensis* (Wollenw.) G. S. West, 166 (fig. 96 D-F), 167  
*Sph. lacustris* (Girod.) Wittr., 166 (fig. 96 A-C)  
*Sphaerocodium* Bornemann, 239  
*Sphaerocystis* Chodat, 183, 186  
*Sph. Schroteri* Chodat, 185 (fig. 111), 186, 440  
*Sphaeroplea* Ag., 251, 273  
*Sph. annulina* (Roth) Ag., 136 (fig. 93 A), 274 (fig. 176), 275  
*Sph. Brauni* Klebahn, 275  
*Sph. crassisepta* Klebahn, 275  
*Sphaeroplaceæ*, 273  
*Sphaerozoosma* Corda, 355, 373, 377, 381  
*Sph. Aubertianum* W. West, 356  
*Sph. excavatum* Ralfs, 360 (fig. 224 J-L)  
*Sph. granulatum* Roy & Biss. var. *trigranulatum* W. & G. S. West, 360 (fig. 224 N)  
*Sph. vertebratum* Ralfs, 356  
*Sphaerozyga* Ag., 27  
*Sphagnetum desmidiosum*, 425  
*Sphagnetum naviculorum*, 425  
*Sphagnum*, 211, 212, 301, 425  
*Spirodinium* Schütt, 51, 52, 54  
*S. geminatum*, 54  
*S. hyalinum* (Schill.) Lemm., 51 (fig. 36 C), 53  
*S. spirale* (Bergh) Schütt, 51 (fig. 36 D)  
*Spirogyra* Link, 126, 128, 129, 130, 131, 140, 143, 147, 329, 332, 333, 334, 335, 344, 347, 349, 350, 351, 353, 369, 385, 387, 427, 428, 432, 442, 443  
*Sp. adnata* (Vauch.) Kütz., 332, 351  
*Sp. crassa* Kütz., 348 (fig. 217 A)  
*Sp. decimina* Kütz., 428  
*Sp. fluviatilis* Hilse, 330, 332  
*Sp. inflata* (Vauch.) Rabenh., 351, 352 (fig. 218 D)  
*Sp. majuscula* Kütz., 348, 350, 351  
*Sp. maxima* (Hass.) Wittr., 350  
*Sp. mirabilis* (Hass.) Petit, 353  
*Sp. neglecta* (Hass.) Kütz., 348  
*Sp. nitida* (Dillw.) Link, 348, 352 (fig. 218 A)  
*Sp. orientalis* W. & G. S. West, 351  
*Sp. pellucida* (Hass.) Kütz., 348  
*Sp. porticalis* (Vauch.) Cleve, 348  
*Sp. punctata* Cleve, 351  
*Sp. quadrata* (Hass.) Petit, 351  
*Sp. setiformis* (Roth) Kütz., 352 (fig. 218 B)  
*Sp. Spréiana* Rabenh., 352 (fig. 218 C)  
*Sp. tenuissima* (Hass.) Kütz., 135 (fig. 92 A), 348 (fig. 217 B and C), 351  
*Sp. velata* Nordst., 352 (fig. 218 E-G)  
*Spirogyreæ*, 347  
*Spirotænia* Bréb., 130, 363, 380  
*Sp. acuta* Hilse, 366  
*Sp. condensata* Bréb., 366 (fig. 230 A), 374  
*Sp. obscura* Ralfs, 366 (fig. 230 B)  
*Sp. truncata* Arch., 366 (fig. 230 C)  
*Spirotæniae*, 380

- Spirulina* Turpin, 21, 42  
*Sp. turfosa* Bulnh., 21  
*Spondylomororum* Ehrenb., 163, 170  
*Sp. quaternarium* Ehrenb., 170 (fig. 99)  
*Spondylosis* Bréb., 355, 373, 381  
*Sp. ellipticum* W. & G. S. West, 360 (fig. 224 I)  
*Sp. nitens* (Wall.) Arch., 371  
*Sp. rectangulare* (Wolle) W. & G. S. West, 360 (fig. 224 O)  
*Sp. secedens* De Bary, 360 (fig. 224 M)  
*Spongomorpha* (Kütz.) Wille, 259, 261, 267, 268  
*Sporocladus* Kuck., 301, 303  
**SPRATT**, 19, 26, 36  
**STAHL**, 246, 359, 399  
*Stapfia* Chodat, 188  
 Starch in the Green Algae, 131, 132, 156  
*Staurastrum* Meyen, 354, 363, 365, 367, 381  
*St. acarides* Nordst., 426  
*St. brasiliense* Nordst. var. *Lundellii* W. & G. S. West, 364  
*St. Burkili* W. & G. S. West, 358 (fig. 222 A)  
*St. crenulatum* (Näg.) Delp., 428  
*St. cuspidatum* Bréb. var. *maximum* W. & G. S. West, 364 (fig. 228 B)  
*St. cyclacanthum* W. & G. S. West, 357 (fig. 221 F)  
*St. Dickiei* Ralfs, 372 (fig. 234 A-C)  
*St. grande* Bulnh., 364  
*St. granulosum* (Ehrenb.) Ralfs, 371 (fig. 233 Q)  
*St. hirsutum* (Ehrenb.) Bréb., 425  
*St. inconspicuum* Nordst., 378  
*St. Meriana* Reinsch, 423  
*St. monticulosum* Bréb. var. *pulchrum* W. & G. S. West, 357 (fig. 221 C)  
*St. muricatum* Bréb., 425  
*St. pelagicum* W. & G. S. West, 357 (fig. 221 A)  
*St. pileolatum* Bréb., 423  
*St. punctulatum* Bréb., 428  
 — var. *Kjellmani* Wille, 365 (fig. 229 E)  
*St. pungens* Bréb., 357 (fig. 221 D)  
*St. rhabdophorum* Nordst., 426  
*St. saltans* Joshua, 357 (fig. 221 E)  
*St. subpygmæum* W. West, 364 (fig. 228 C)  
*St. subsphaericum* Nordst., 426  
*St. turgescens* De Not., 357 (fig. 221 B)  
*St. unguiferum* Turn. var. *inerme* (Turn.) W. & G. S. West, 358 (fig. 222 C)  
*St. victoriense* G. S. West, 358 (fig. 222 B)  
*Staurogenia* Kütz., 204  
*Stauroneis* Ehrenb., 91, 94  
*St. acuta* W. Sm., 91 (fig. 64 A)  
*St. Biblos* Cleve, 85  
*St. Phænicenteron* Ehrenb., 425  
*Staurophylum* Turner, 200  
*Stauros* of Diatoms, 91  
*Staurospermum* Kütz., 338  
**STEIN**, 59  
*Steinella* Bernhard, 191  
**STEINMANN**, 240  
*Stentor*, 194  
*Stephanodiscus* Astræa Grun., 440, 446  
 — *Niagare* Grun., 440  
*Stephanokontæ*, 385-400  
*Stephanoon* Schewk., 180, 182  
 — *Askenasii* Schewk., 179 (fig. 107 C)  
*Stephanoptera* Dang., 165  
*Stephanopyxis* *Palmeriana* (Grev.) Grun., 90 (fig. 63), 91  
*Stephanosphaera* Cohn, 163, 166, 167, 168  
 — *pluvialis* Cohn, 166 (fig. 96 G and H), 176 (fig. 104 K)  
*Stereococcus* apud Wille, 303  
*Stichococcus* Näg., 140, 282, 283, 284, 285, 287  
 — *bacillaris* Näg., 286 (fig. 183 F), 419  
 — *flaccidus* (Kütz.) Gay, 284, 286 (fig. 183 E)  
 — *variabilis* W. & G. S. West, 286 (fig. 183 D)  
*Stichoglaea* Chodat, 405, 407  
*Stigeoclonium* Kütz., 141, 293, 294, 297, 298  
 — *tenue* Ag., 295 (fig. 189)  
*Stigonema* Ag., 16, 19, 23, 26, 31, 44, 421, 422, 432  
 — *compactum* var. *brasiliense*, 15  
 — *minutum* Hass., 45 (fig. 34 A and B)  
 — *occultum* (Dillw.) Thur., 16, 23 (fig. 15 A and B), 45 (fig. 34 C-E), 425  
*Stigonemaceæ*, 44  
*Stipitococcus* W. & G. S. West, 403, 404, 405, 407  
 — *urceolatus* W. & G. S. West, 404 (fig. 255)  
**STOCKMAYER**, 4, 11  
*Stomatochytrium* Cunningham, 212  
**STRASBURGER**, 349  
*Streptomena* Wallich, 381  
*Struvea* Sonder, 142 (fig. 92), 254, 255, 257  
 — *anastomosans* (Harv.) Piccone, 254, 256 (fig. 165), 257  
 — *elegans* Börge., 257  
*Stylocladum* Klebs, 57  
 Subaërial associations, 419-422  
 Sugar (in Myxophyceæ), 14  
*Surirella* Turp., 93, 94, 102, 104, 116, 439, 444  
*S. biseriata* Bréb., 439  
 — *Capriponii* Bréb. var. *calcarata* (Pfitzer) Hustedt, 93 (fig. 66)  
*S. elegans* Ehrenb., 102  
*S. Füllbornii* O. Müll., 439  
*S. linearis* W. Sm., 439  
*S. Malombæ* O. Müll., 439  
*S. Nyassa* O. Müll., 439  
*S. robusta* Ehrenb. (= *S. nobilis* W. Sm.), 84  
 — var. *splendens* (Ehrenb.) V. H., 439  
*S. saxonica* Auersw., 107 (fig. 77 E), 108  
*S. spiralis* Kütz., 113, 114 (fig. 83)  
**SVEDELIUS**, 231  
**SWELLENGREBEL**, 6  
*Sycamina* Dang., 182  
*Sykidiion* Wright, 213, 214  
 — *Draebackense* Wille, 215 (fig. 141 F-H)  
*Symploca* Kütz., 25, 43  
*S. muralis* Kütz., 23 (fig. 15 E)  
*S. muscorum* (Ag.) Gom., 5, 422  
*Synechococcus* Näg., 41  
*S. major* Schroet., 425  
*Synechocystis*, 5  
 — *aquatilis* Sauvageau, 10 (fig. 8)  
*Synedra* Ehrenb., 98, 101, 116, 439, 446  
*S. hyalina* Provazek, 97  
*S. Ulna* (Nitzsch.) Ehrenb., 96 (fig. 69 E)  
 — var. *splendens* (Kütz.) V. H., 99 (fig. 72 D)

## Index

473

- Tabellaria* Ehrenb., 86, 98, 116, 438, 439, 444  
*T. fenestrata* (Lyngb.) Kütz., 86 (fig. 59 *D* and *E*), 99 (fig. 72 *F*), 432, 438  
— var. *asterionelloides* Grun., 99, 100 (fig. 73 *B*), 438, 444  
*T. flocculosa* (Roth) Kütz., 98 (fig. 71 *F* and *G*), 432, 438, 439
- TAKEDA**, 453
- TECHET**, 140, 141
- TEILING**, 453
- Tellamia* Batters, 281, 304, 305, 454  
*T. perforans* (Chod.) Wille, 304 (fig. 198 *A* and *B*)
- Tennogametum* W. & G. S. West, 330, 331, 334, 341, 353, 432
- T. heterosporum* W. & G. S. West, 340 (fig. 212), 341
- T. Ulmeana* (Möb.) Wille, 341
- Tenacula** (of Siphonocladiales), 253, 255
- TEODORESCO**, 24, 34, 142, 165
- Tetmemorus* Ralfs, 365, 381  
*T. granulatus* (Bréb.) Ralfs, 425  
*T. laevis* (Kütz.) Ralfs, 425, 428
- Tetrablepharis* Senn, 170  
*T. globulus* (Zach.) Senn, 173 (fig. 102 *G*)
- Tetraceras* Chodat, 199
- Tetracoccus* W. West, 191
- Tetraencyclus* Ralfs, 86, 97  
*T. lacustris* Ralfs, 86 (fig. 59 *A* and *B*)
- Tetradesmus* Smith, 201, 204, 441, 453
- Tetradinium* Klebs, 57  
*T. javanicum* Klebs, 57
- Tetraëdrea*, 200
- Tetraëdron* Kütz., 198, 200  
*T. caudatum* (Corda) Hansg., 200 (fig. 126 *B*)  
*T. enorme* (Ralfs) Hansg., 200 (fig. 126 *D*)  
*T. horridum* W. & G. S. West, 200 (fig. 126 *E-G*)  
*T. minimum* (A. Br.) Hansg., 200 (fig. 126 *A*)  
*T. regulare* Kütz., 200 (fig. 126 *C*)
- Tetragonium* W. & G. S. West, 182
- Tetrallantos* Teiling, 453  
*T. Lagerheimii* Teiling, 453
- Tetrapedia* Reinsch, 41  
*T. Reinschiana* Arch., 41 (fig. 26 *D*)
- Tetraspora* Link, 129, 140, 156, 183, 184, 185, 187, 188  
*T. gelatinosa* (Vauch.) Desv., 187 (fig. 113 *J*)  
*T. lacustris* Lemm., 186  
*T. lubrica* (Roth) Ag., 129, 188
- Tetrasporaceæ**, 187
- Tetrasporidium* Möbius, 188
- Tetrasporineæ**, 182–208
- Tetrasporopsis* Lemm. & Schmidle, 405
- Tetrastrum* Chodat, 204  
*T. staurogenieforme* (Schrod.) Chod., 204 (fig. 132 *G* and *H*)
- Tetratoma* Bütschli, 165
- Thalassiosira* Cleve, 116
- Thamniastrum* Reinsch, 200
- Thamniochæte* Gay, 295, 297  
*Th. aculeata* W. & G. S. West, 296  
*Th. Huberi* Gay, 297 (fig. 191 *C*)
- TILDE**, 241, 277, 288, 290
- TILDEN**, 295
- TIMBERLAKE**, 130, 220
- TOBLER**, 234
- Tolyphothrix* Kütz., 16, 17, 26, 44  
*T. lanata* (Desv.) Wartm., 9 (fig. 7), 11, 44 (fig. 33 *E*)
- TRANSEAU**, 197, 431
- Trentepohlia* Martins, 132, 139, 305, 306, 307, 308, 309, 311, 420, 421
- T. aurea* (L.) Mart., 307, 309 (fig. 202), 420 — var. *lanosa* Kütz., 306 (fig. 199 *A-C*)
- T. Bleischii* (Rabenh.) Wille, 135 (fig. 92 *B*)
- T. calamicola* (Zell.) De Toni, 306 (fig. 199 *D-F*)
- T. cyanea* Karsten, 307
- T. jolithus* (L.) Wittr., 309
- T. Montis-Tabuleze* (Reinsch) De Toni var. *ceylanica* W. & G. S. West, 306, 307 (fig. 200), 308 (fig. 201)
- T. umbrina* (Kütz.) Born., 311
- Tribonema* Derb. & Sol., 404, 410, 411, 412, 413, 430, 442, 443
- T. affine* (Kütz.) G. S. West, 411, 412, 430
- T. bombycinum* (Ag.) Derb. & Sol., 128 (fig. 88 *C*), 412 (fig. 263), 413, 429, 431, 442
- Tribonemaceæ**, 411–413
- Triceratium* Ehrenb., 97
- T. Fucus* Ehrenb., 88 (fig. 61), 90
- Trichodesmium* Ehrenb., 32, 38
- T. erythraeum* Ehrenb., 11
- Trichodiscus* Welsford, 294, 295, 297, 298
- Trichogyne*, 136, 317
- Trichophilus* W. van Bosse, 281, 301, 303
- T. Neniae* Lagerh., 304
- T. Welckeri* W. van Bosse, 302 (fig. 195), 304
- Trichophoræ**, 44
- Triploceras* Bail., 381
- T. verticillatum* Bail. var., 379 (fig. 239 *A*)
- Triploporesia Fraasi* Steinmann, 268
- Triploporellæ**, 268
- Trochiscia* Kütz., 172, 193, 194  
*T. aspera* (Reinsch) Hansg., 193 (fig. 119 *A-F*)  
*T. hirta* (Reinsch) Hansg., 193 (fig. 119 *G* and *H*)  
*T. paucispinosa* W. West, 193 (fig. 119 *I* and *J*)  
*T. reticularis* (Reinsch) Hansg., 193 (fig. 119 *K*)
- TRONDLE**, 350
- Tropidoneis levissima* W. & G. S. West, 88
- TURNER**, 371, 373
- Turnerella Pennyi*, 299
- Tychopotamic** planktonts, 446
- Tydemania* W. van Bosse, 232, 236, 238, 239  
*T. expeditionis* W. van Bosse, 233
- Udotea* Lam., 141, 231, 232, 233, 235, 236, 237, 239  
*U. conglutinata* Lam., 232, 236  
*U. cyathiformis* Decaisne, 236, 239  
*U. Desfontainii* Decaisne, 234  
*U. glaucescens* Harv., 232, 236  
*U. javensis* A. & E. S. Gepp, 235, 236, 237  
*Ulothrix* Kütz., 137, 140, 282, 283, 285, 286, 287, 385, 431  
*U. æqualis* Kütz., 285, 286 (fig. 183 *A*), 287, 290, 422  
*U. idiospora* G. S. West, 134 (fig. 91 *A* and *B*), 284

- Ulothrix subtilis* Kütz., 144, 284, 285, 286, 287, 290, 447  
*U. tenerima* Kütz., 285 (fig. 183 F)  
*U. tenuissima* Kütz., 286  
*U. zonata* (Web. & Mohr) Kütz., 138, 283, 284 (fig. 181), 285 (fig. 182 A-E), 286 (fig. 183 B and C)
- Ulotrichaceæ, 283-288  
 Ulotrichales, 281-327  
*Ulva* Linn., 147, 275, 277, 278  
*U. fasciata* Delile, 147  
*U. Lacustris* Linn., 146, 147, 276 (fig. 177 F and G)  
 — var. *laciniata*, 147
- Ulvaceæ, 275
- Ulvales, 275-278
- Ulrella* Crouan, 298, 299  
*U. fucicola* Rosev., 300  
*U. involvens* (Savi) Schmidle, 299  
*U. Lens* Crouan, 299 (fig. 192 A and B)
- Ulvelleaæ, 298
- Urococcus insignis*, 58
- Uronema* Lagerh., 284, 287
- Urospora* Aresch., 259, 265, 266  
*U. incrassata* Kjellm., 254, 260  
*U. mirabilis* Aresch., 265
- Uteria*, 268
- Utricularia minor*, 426
- Vacuolaria* Cienkowski, 404
- Valdiviella*, 91
- Valonia* Ginnani, 141, 223, 224, 251, 253, 254, 257  
*V. macrophysa* Kütz., 253  
*V. utricularis* (Roth) Ag., 252 (fig. 162), 253  
*V. ventricosa* J. Ag., 251, 253
- Valoniaceæ, 251-258
- Valonieæ, 251
- VAN HEURCK, 120
- Vanheurckia* Bréb., 94  
*V. rhomboidea* (Ehrenb.) Bréb. var. *saxonica* (Rabenh.) G. S. West, 98, 425
- VAN WISSELINGH, 349
- Vaucheria* D. C., 116, 132, 133, 136, 140, 144, 157, 163, 214, 227, 228, 244, 247, 249  
*V. versicolor* Hass., 247  
*V. dichotoma* (L.) Ag., 249  
*V. geminata* (Vauch.) D. C., 244 (fig. 157 A and F-H), 245, 249, 424  
 — var. *racemosa* Walz., 248  
*V. hamata* Walz., 246 (fig. 159 C and D), 422  
*V. ornithocephala* Ag., 244 (fig. 157 B), 246 (fig. 159 E), 247  
*V. piloboloides* Thür., 247  
*V. sessilis* (Vauch.) D. C., 136 (fig. 93 F), 244 (fig. 157 C and E), 245 (fig. 158), 246 (fig. 159 A and B), 247 (fig. 160), 248, 249  
*V. synandra* Woronin, 247 (fig. 160 4), 248  
*V. terrestris* Lyngb., 249, 422
- Vaucheriaceæ, 243-249
- Victoriella* Wolosz., 453
- VIRIEUX, 127, 436
- VOIGT, 99
- VOLK, 445
- Volvocaceæ, 168-182
- Volvoceæ, 174-182; evolution of, 182
- Volvocineæ, 161-182
- Volvox* (L.) Ehrenb., 157, 162, 174, 176, 177, 178, 179, 180, 182, 429  
*V. africanus* G. S. West, 179, 182  
*V. aureus* Ehrenb., 136 (fig. 93 B), 177, 178, 180 (fig. 108 A, C and D), 446  
*V. globator* (L.) Ehrenb., 136, 177, 180 (fig. 108 B), 181  
*V. perglobator* Powers, 181  
*V. Roussetii* G. S. West, 177  
*V. spermatoosphera* Powers, 181  
*V. Weissmanniana* Powers, 179, 181
- WAGER, 6
- WALLICH, 371
- WARD, MARSHALL, 144
- Water-bloom, 32, 75, 434, 435
- WEBER VAN BOSSE, 231
- WEED, 34
- WELSFORD, 298
- WELWITSCH, 31, 33, 346, 421
- Weneda Racib., 309
- WENT, 241
- WESENBERG-LUND, 186, 263, 433, 437, 438, 439, 445
- WEST, G. S. (G. S. W.), 8, 16, 20, 21, 27, 30, 32, 34, 39, 40, 57, 61, 67, 69, 113, 145, 150, 152, 173, 177, 179, 186, 190, 192, 202, 205, 211, 213, 278, 279, 284, 287, 290, 296, 300, 313, 314, 315, 330, 331, 334, 344, 346, 367, 369, 374, 376, 377, 380, 390, 397, 398, 402, 413, 425, 428, 432, 434, 436, 437, 442, 444, 453
- WEST, G. S. & HOOD, 307
- WEST, G. S. & STARKEY, C. B., 331, 346, 419
- WEST, W., 333, 351, 373
- WEST, W. & WEST, G. S. (W. & G. S. W.), 16, 27, 31, 33, 34, 46, 113, 147, 186, 193, 197, 203, 207, 278, 288, 330, 332, 339, 344, 346, 347, 351, 354, 368, 364, 367, 370, 371, 373, 377, 378, 420, 421, 422, 432, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444
- Westella De Wildeman, 190, 191
- WHIPPLE & JACKSON, 117
- WHITTING, 212
- WILLE, 5, 15, 85, 126, 152, 168, 172, 173, 186, 190, 191, 192, 193, 199, 225, 259, 267, 279, 280, 290, 300, 311, 312, 315, 331, 346, 390
- Willea Schmidle, 204
- WITTROCK, 263, 334, 338, 339, 341, 399, 447
- Wittrockiella Wille, 311, 312  
 — *paradoxa* Wille, 311 (fig. 204), 312
- Wittrockiellaceæ, 311
- WOLLE, 21, 30, 145
- WOLLENWEBER, 164, 167
- WOLOSZYNSKA, 436, 439, 440, 441, 453
- Woronina Solms, 249
- Wysotzkia, 80
- Xanthidium Ehrenb., 363, 364, 365, 381  
 — *armatum* (Bréb.) Rabenh., 425  
 — *grænlandicum* Boldt, 426, 427
- Xenococcus Thür., 25, 41  
 — *Schousboei* Thür., 25 (fig. 16 B)

Cambridge University Press

978-1-108-01322-2 - Algae: Myxophyceae, Peridinieae, Bacillarieae, Chlorphyceae

G. S. West

Index

[More information](#)*Index*

475

- YAMANOUCHI, 222  
 Yellow Snow, 447
- ZACHARIAS, 2, 4, 5, 11, 445, 446  
 ZEDERBAUER, 74  
 ZIMMER, 445, 446  
*Zoidæa* Borzi, 304  
*Zonatrichites*, 35  
 Zoogonidia of Green Algae, 132, 133  
 ZOPF, 30, 167  
*Zostera marina*, 224, 234  
 ZUKAL, 4, 11, 26, 30  
 ZUMSTEIN, 158  
*Zygnuma* Ag., 130, 330, 332, 334, 335, 343, 344, 345, 346, 347, 351, 425, 427, 432, 442  
*Z. anomalum* (Hass.) Cooke, 332  
*Z. ericetorum* (Kütz.) Hansg., 134 (fig. 91 C), 332, 343 (fig. 214 C), 345 (fig. 215), 346, 419, 424  
*Z. insigne* (Hass.) Kütz., 343 (fig. 214 E)  
*Z. leiospermum* De Bary, 343 (fig. 214 D)  
*Z. pachydermum* W. & G. S. West, 332, 345, 346  
*Z. Ralfsii* (Hass.) De Bary, 343 (fig. 214 F)  
*Z. spontaneum* Nordst., 344  
*Z. stellatum* (Vauch.) Ag., 343 (fig. 214 A)  
*Z. Vaucherii* Ag. var. *stagnale* (Hass.) Kirchn., 343 (fig. 214 B)  
 Zygnemaceæ, 331–353  
 Zygnemeæ, 343  
*Zygonium* Kütz., 331, 344, 345, 346, 347  
*Z. didymum* Rabenh., 346  
*Z. ericetorum* Kütz., 331  
 Zygote (definition), 135  
 ZYKOFF, 445