

CAMBRIDGE LIBRARY COLLECTION

Books of enduring scholarly value

Physical Sciences

From ancient times, humans have tried to understand the workings of the world around them. The roots of modern physical science go back to the very earliest mechanical devices such as levers and rollers, the mixing of paints and dyes, and the importance of the heavenly bodies in early religious observance and navigation. The physical sciences as we know them today began to emerge as independent academic subjects during the early modern period, in the work of Newton and other 'natural philosophers', and numerous sub-disciplines developed during the centuries that followed. This part of the Cambridge Library Collection is devoted to landmark publications in this area which will be of interest to historians of science concerned with individual scientists, particular discoveries, and advances in scientific method, or with the establishment and development of scientific institutions around the world.

A Treatise on Electricity and Magnetism

Arguably the most influential nineteenth-century scientist for twentieth-century physics, James Clerk Maxwell (1831–1879) demonstrated that electricity, magnetism and light are all manifestations of the same phenomenon: the electromagnetic field. A fellow of Trinity College Cambridge, Maxwell became, in 1871, the first Cavendish Professor of Physics at Cambridge. His famous equations – a set of four partial differential equations that relate the electric and magnetic fields to their sources, charge density and current density – first appeared in fully developed form in his 1873 *Treatise on Electricity and Magnetism*. This two-volume textbook brought together all the experimental and theoretical advances in the field of electricity and magnetism known at the time, and provided a methodical and graduated introduction to electromagnetic theory. Volume 2 covers magnetism and electromagnetism, including the electromagnetic theory of light, the theory of magnetic action on light, and the electric theory of magnetism.



Cambridge University Press has long been a pioneer in the reissuing of out-of-print titles from its own backlist, producing digital reprints of books that are still sought after by scholars and students but could not be reprinted economically using traditional technology. The Cambridge Library Collection extends this activity to a wider range of books which are still of importance to researchers and professionals, either for the source material they contain, or as landmarks in the history of their academic discipline.

Drawing from the world-renowned collections in the Cambridge University Library, and guided by the advice of experts in each subject area, Cambridge University Press is using state-of-the-art scanning machines in its own Printing House to capture the content of each book selected for inclusion. The files are processed to give a consistently clear, crisp image, and the books finished to the high quality standard for which the Press is recognised around the world. The latest print-on-demand technology ensures that the books will remain available indefinitely, and that orders for single or multiple copies can quickly be supplied.

The Cambridge Library Collection will bring back to life books of enduring scholarly value (including out-of-copyright works originally issued by other publishers) across a wide range of disciplines in the humanities and social sciences and in science and technology.



A Treatise on Electricity and Magnetism

VOLUME 2

JAMES CLERK MAXWELL





CAMBRIDGE UNIVERSITY PRESS

Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paolo, Delhi, Dubai, Tokyo

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org Information on this title: www.cambridge.org/9781108014045

© in this compilation Cambridge University Press 2010

This edition first published 1873 This digitally printed version 2010

ISBN 978-1-108-01404-5 Paperback

This book reproduces the text of the original edition. The content and language reflect the beliefs, practices and terminology of their time, and have not been updated.

Cambridge University Press wishes to make clear that the book, unless originally published by Cambridge, is not being republished by, in association or collaboration with, or with the endorsement or approval of, the original publisher or its successors in title.



Clarendon Press Beries

A TREATISE

ON

ELECTRICITY AND MAGNETISM

MAXWELL

vol. 11.



Clarendon Press Series

A TREATISE

0N

ELECTRICITY AND MAGNETISM

БY

JAMES CLERK MAXWELL, M.A.

LLD. EDIN., F.R.SS. LONDON AND EDINBURGH
HONORARY FELLOW OF TRINITY COLLEGE,
AND PROFESSOR OF EXPERIMENTAL PHYSICS
IN THE UNIVERSITY OF CAMBRIDGE

VOL. II

Oxford

AT THE CLARENDON PRESS

1873

[All rights reserved]



CONTENTS.

PART III.

MAGNETISM.

CHAPTER 1.

ELEMENTARY THEORY OF MAGNETISM.

Art.			Page
371.	Properties of a magnet when acted on by the earth	٠.	1
372.	Definition of the axis of the magnet and of the direction	\mathbf{of}	
	magnetic force	• •	1
373.	Action of magnets on one another. Law of magnetic force		2
374.	Definition of magnetic units and their dimensions		3
375.	Nature of the evidence for the law of magnetic force	٠.	4
376.	Magnetism as a mathematical quantity		4
377.	The quantities of the opposite kinds of magnetism in a magn	et	
	are always exactly equal		4
378.	Effects of breaking a magnet	• •	5
	A magnet is built up of particles each of which is a magnet		5
380.	Theory of magnetic 'matter'		5
381.	Magnetization is of the nature of a vector		7
382.	Meaning of the term 'Magnetic Polarization'		8
383.	Properties of a magnetic particle		8
384.	Definitions of Magnetic Moment, Intensity of Magnetization	on,	
	and Components of Magnetization	••	8
385.	Potential of a magnetized element of volume		9
386.	Potential of a magnet of finite size. Two expressions for the	his	
	potential, corresponding respectively to the theory of pola	ri-	
	zation, and to that of magnetic 'matter'		9
387.	Investigation of the action of one magnetic particle on another	ıer	10
388.	Particular cases		12
389.	Potential energy of a magnet in any field of force		14
	On the magnetic moment and axis of a magnet		15
	5		



V1	CONTENTS.		
Art. 391. 392.	Expansion of the potential of a magnet in spherical has The centre of a magnet and the primary and second through the centre	armoi ary a	Pag nics 16 .xes 17
	The north end of a magnet in this treatise is that which north, and the south end that which points south. magnetism is that which is supposed to exist near to pole of the earth and the south end of a magnet. magnetism is that which belongs to the south pole of the and the north end of a magnet. Austral magnetism sidered positive	Bon Bon Australia de la companya de	ints real rth tral rth on 19 ag- chis
	is the positive direction of magnetic lines of force. A	_	
	is said to be magnetized from its south end towards i	ts no	
	ена	••	19
	CHAPTER II.		
	MAGNETIC FORCE AND MAGNETIC INDUCTION.		
	Magnetic force defined with reference to the magnetic p Magnetic force in a cylindric cavity in a magnet un		
	magnetized parallel to the axis of the cylinder	••	22
	Application to any magnet	••	22
	An elongated cylinder.—Magnetic force	••	23
	A thin disk.—Magnetic induction	••	23
400.	Relation between magnetic force, magnetic induction, as	nd ma	_
	netization	••	24
	Line-integral of magnetic force, or magnetic potential	••	24
	Surface-integral of magnetic induction	••	25
	Solenoidal distribution of magnetic induction	••	26
	Surfaces and tubes of magnetic induction	••	27
	Vector-potential of magnetic induction	••	27
406.	Relations between the scalar and the vector-potential	••	28
	CHA DEED TY		
	CHAPTER III.		
	PARTICULAR FORMS OF MAGNETS.		
	Definition of a magnetic solenoid	••	31
408.	Definition of a complex solenoid and expression for its p	otent	ial
	at any point		32



	CONTENT	s.						vii
Art. 409.	The potential of a magnetic shell at		-		_			Page
	its strength multiplied by the so	lid	angle	its k	ound	lary s	sub-	
	tends at the point	••	••	••	••	••	••	32
	Another method of proof	••	••	••	••	••	••	3 3
411.	The potential at a point on the							
	strength Φ exceeds that on the n	eare	st poi	nt or	n the	nega	tive	
	side by $4\pi\Phi$	••	••	••	••	••		34
	Lamellar distribution of magnetism				••	••	••	34
413.	Complex lamellar distribution	••			••	••		34
414.	Potential of a solenoidal magnet			••	••		••	35
	Potential of a lamellar magnet	••						35
	Vector-potential of a lamellar magn			••	••			36
417.	On the solid angle subtended at a g	iver	ı poin	t by	a clos	sed co	urve	3 6
418.	The solid angle expressed by the length	gth	of a c	urve	on th	ne spl	here	37
419.	Solid angle found by two line-integ	rati	ons	••				38
420.	Π expressed as a determinant	••			••	••		39
421.	The solid angle is a cyclic function		••			••		40
422.	Theory of the vector-potential of a	clos	sed cu	rve				41
423.	Potential energy of a magnetic she	ll p	laced	in a	magn	etic	field	42
	CHAPTER							
	INDUCED MAGNE	ΓIZA	TION.					
424.	When a body under the action of n	agr	etic f	orce	becor	nes i	tself	
	magnetized the phenomenon is ca	lled	magı	netic	indu	ction		44
425.	Magnetic induction in different sub	stan	ces	••				45
426.	Definition of the coefficient of indu	ced	magn	etiza	tion			47
427.	Mathematical theory of magnetic in	duc	tion.	Poi	sson's	s met	\mathbf{hod}	47
428.	Faraday's method		••		••	••		49
429.	Case of a body surrounded by a ma	gne	tic me	ediur	n			51
430.	Poisson's physical theory of the cau	se c	of indu	aced	magr	etisn	a	53
	СНАРТЕЯ	l V	•					
	MAGNETIC PRO	BLE	MS.					
431.	Theory of a hollow spherical shell							5€
	Case when κ is large	••						58
	When $i = 1$							58
	Corresponding case in two dimension			. XV	·		••	59
	Case of a solid sphere, the coeffic					ion h		
	different in different directions			0-		~	-0	60



viii	CONTENTS.			
437. 438. 439. 440.	The nine coefficients reduced to six. Fig. XVI Theory of an ellipsoid acted on by a uniform mag Cases of very flat and of very long ellipsoids Statement of problems solved by Neumann, Kirchh Method of approximation to a solution of the ger when κ is very small. Magnetic bodies tend to of most intense magnetic force, and diamagnetic to places of weakest force	off an neral oward	 d Gre proble s plac	65 en 67 em ees
	CHAPTER VI.			
	WEBER'S THEORY OF MAGNETIC INDUCTI	on.		
443. 444. 445. 446. 447.	Experiments indicating a maximum of magnetizat Weber's mathematical theory of temporary magnet Modification of the theory to account for residual magnetization of phenomena by the modified theory Magnetization, demagnetization, and remagnetizat Effects of magnetization on the dimensions of the Experiments of Joule	tizatio nagne ion	tizatio 	74 75 on 79 81 83 85 86
	CHAPTER VII.			
	MAGNETIC MEASUREMENTS.			
	Suspension of the magnet	 Photo	 graph	88 ic
		••		89
	Principle of collimation employed in the Kew mag			
452.	Determination of the axis of a magnet and of the		ction	of
450	the horizontal component of the magnetic force	••		94
455.	Measurement of the moment of a magnet and of the		•	
454.	the horizontal component of magnetic force Observations of deflexion	••	••	97
	Method of tangents and method of sines	••	••	99 101
	Observation of vibrations	••		101
457.	Elimination of the effects of magnetic induction	••		105
458.	Statical method of measuring the horizontal force			106
	Bifilar suspension		••	107
	System of observations in an observatory	••		111
461.	Observation of the dip-circle	••		111



	CONTENT	s.						ix
Art. 462.	J. A. Broun's method of correction		••	••	••	••	••	Page 115
463.	Joule's suspension					••		115
464.	Balance vertical force magnetometer	er	••	••	••	••	••	117
	CHAPTER	VII	I.					
	TERRESTRIAL MA	GNET	ISM.					
	Elements of the magnetic force			••		••		
466.	Combination of the results of the m	agne	etic s	urve	y of a	cour	ıtry	121
467.	Deduction of the expansion of the	e ma	\mathbf{gnet}	ic po	tentia			400
400	earth in spherical harmonics					·• .		123
468.	Definition of the earth's magnetic extremities of the magnetic axis.	pole: Fa	s. I lse p	l'hey oles.	are n The	ot at y do	the not	
			_			٠		123
469.	Gauss' calculation of the 24 coeffic							
	monies	••		••		••		124
	Separation of external from interna				gnetic	forc	е	124
471.	The solar and lunar variations	••	••	••	••		••	125
	The periodic variations							125
473.	The disturbances and their period of	f 11	year	s				126
	Reflexions on magnetic investigation							126
								
	PART	IV.						
	ELECTROMAGI	ET	ISM.	•				
	CHAPTER	ı.						
	ELECTROMAGNETIC	с го	RCE.					
475.	Örsted's discovery of the action o					nt or	ı a	100
470	magnet	••	••	 c	-1.3	••	••	128
	The space near an electric current is		_			••	••	128
	Action of a vertical current on a ma	_		••			••	129
478.	Proof that the force due to a straigreat length varies inversely as th	_			f ind	efinit 	ely	129
479.	Electromagnetic measure of the cur					• • • • • • • • • • • • • • • • • • • •	••	130



X	CONTENTS.	
Art.		Page
	Potential function due to a straight current. It is a function	
	of many values	130
481.	The action of this current compared with that of a magnetic	
	shell having an infinite straight edge and extending on one	
	side of this edge to infinity	131
482.	A small circuit acts at a great distance like a magnet	131
	Deduction from this of the action of a closed circuit of any form	
	and size on any point not in the current itself	131
484.	Comparison between the circuit and a magnetic shell	132
	Magnetic potential of a closed circuit	133
	Conditions of continuous rotation of a magnet about a current	133
	Form of the magnetic equipotential surfaces due to a closed	
	circuit. Fig. XVIII	134
488.	Mutual action between any system of magnets and a closed	
	current	135
489.	Reaction on the circuit	135
490.	Force acting on a wire carrying a current and placed in the	
	magnetic field	136
	Theory of electromagnetic rotations	138
492.	Action of one electric circuit on the whole or any portion of	
400	another	139
	Our method of investigation is that of Faraday	140
	75.	140
	Dimensions of the unit of current	141
496.	The wire is urged from the side on which its magnetic action	
	strengthens the magnetic force and towards the side on which	
407	it opposes it	141
497.	Action of an infinite straight current on any current in its	
400	plane	142
498.	Statement of the laws of electromagnetic force. Magnetic force	
400	due to a current	142
		143
	Force acting on a circuit placed in the magnetic field	144
501.	Electromagnetic force is a mechanical force acting on the con-	
	ductor, not on the electric current itself	144
	CHAPTER II.	
	MUTUAL ACTION OF ELECTRIC CURRENTS.	
502	Ampère's investigation of the law of force between the elements	
J04.	of electric currents	1.40
		146



	CONTENTS.	хi
Art.		Page
	His method of experimenting	146
504.	Ampère's balance	147
50 5 .	Ampère's balance	147
506.	Second experiment. A crooked conductor is equivalent to a	148
507.	Third experiment. The action of a closed current as an element of another current is perpendicular to that element	148
508.	Fourth experiment. Equal currents in systems geometrically	
	similar produce equal forces	149
509.	In all of these experiments the acting current is a closed one	151
	Both circuits may, however, for mathematical purposes be conceived as consisting of elementary portions, and the action	
	of the circuits as the resultant of the action of these elements	151
511.	Necessary form of the relations between two elementary portions	
	of lines	151
512.	The geometrical quantities which determine their relative posi-	
	tion	152
513.	Form of the components of their mutual action	153
	Resolution of these in three directions, parallel, respectively, to	
	the line joining them and to the elements themselves	154
515.	General expression for the action of a finite current on the ele-	
	ment of another	154
516.	Condition furnished by Ampère's third case of equilibrium	155
	Theory of the directrix and the determinants of electrodynamic	
	action	156
518.	Expression of the determinants in terms of the components	
	of the vector-potential of the current	157
519.	The part of the force which is indeterminate can be expressed	
	as the space-variation of a potential	157
520.	Complete expression for the action between two finite currents	158
	Mutual potential of two closed currents	158
	Appropriateness of quaternions in this investigation	158
	Determination of the form of the functions by Ampère's fourth	
0201	case of equilibrium	159
524.	The electrodynamic and electromagnetic units of currents	159
525.	Final expressions for electromagnetic force between two ele-	
	ments	160
526.	Four different admissible forms of the theory	160
	Of these Ampère's is to be preferred	161



xii

CONTENTS.

CHAPTER III.

	INDUCTION OF ELECTRIC CURRENTS.		
Art.			Page
528.	Faraday's discovery. Nature of his methods	••	162
529.	The method of this treatise founded on that of Faraday	••	163
530.	Phenomena of magneto-electric induction	••	164
	General law of induction of currents		166
532.	Illustrations of the direction of induced currents		166
533.	Induction by the motion of the earth	••	167
	The electromotive force due to induction does not depend	on	
	the material of the conductor		168
535.	It has no tendency to move the conductor		168
536.	Felici's experiments on the laws of induction	••	168
	Use of the galvanometer to determine the time-integral of	the	
	electromotive force	••	170
538.	Conjugate positions of two coils		171
539.	Mathematical expression for the total current of induction		172
	Faraday's conception of an electrotonic state		173
	His method of stating the laws of induction with reference	to	
	the lines of magnetic force	••	174
	The law of Lenz, and Neumann's theory of induction	••	176
543.	Helmholtz's deduction of induction from the mechanical act	ion	
	of currents by the principle of conservation of energy	••	176
	Thomson's application of the same principle	••	178
545.	Weber's contributions to electrical science	••	178
	CALLY DAMPED 184		
	CHAPTER IV.		
	INDUCTION OF A CURRENT ON ITSELF.		
546.	Shock given by an electromagnet		180
	Apparent momentum of electricity	••	180
548.	Difference between this case and that of a tube containing	ga	
£40		••	181
545.	If there is momentum it is not that of the moving electricity	<i>.</i>	181
JUU.	Nevertheless the phenomena are exactly analogous to those momentum	of	
£ 5 1		••	181
991.	An electric current has energy, which may be called elect kinetic energy	ro-	182
552.	This leads us to form a dynamical theory of electric currents	•••	100



	CONTENTS.	xiii
	CHAPTER V.	
	GENERAL EQUATIONS OF DYNAMICS.	
Art.	·	Page
553.	Lagrange's method furnishes appropriate ideas for the study of	101
P P A	the higher dynamical sciences	184
554.	These ideas must be translated from mathematical into dy-	• • •
	namical language	184
	Degrees of freedom of a connected system	185
	Generalized meaning of velocity	186
	Generalized meaning of force	186
	Generalized meaning of momentum and impulse	186
	Work done by a small impulse	187
	Kinetic energy in terms of momenta, (T_p)	188
	Hamilton's equations of motion	189
	Kinetic energy in terms of the velocities and momenta, $(T_{\nu \dot{q}})$	190
	Kinetic energy in terms of velocities, (T_{ij})	191
	Relations between T_p and T_q , p and \dot{q}	
	Moments and products of inertia and mobility	
	Necessary conditions which these coefficients must satisfy	
567.	Relation between mathematical, dynamical, and electrical ideas	193
	CHAPTER VI.	
	APPLICATION OF DYNAMICS TO ELECTROMAGNETISM.	
568.	The electric current possesses energy	195
	The current is a kinetic phenomenon	195
	Work done by electromotive force	196
	The most general expression for the kinetic energy of a system	100
	including electric currents	197
572.	The electrical variables do not appear in this expression	198
	Mechanical force acting on a conductor	198
	The part depending on products of ordinary velocities and	
0,1,	strengths of currents does not exist	
575.	Another experimental test	202
	Discussion of the electromotive force	
	If terms involving products of velocities and currents existed	
	they would introduce electromotive forces, which are not ob-	
	_	204
	CHAPTER VII.	

ELECTROKINETICS.

578. The electrokinetic energy of a system of linear circuits 206
579. Electromotive force in each circuit 207



xiv	CONTENTS.	
Art.		Page
580.	Electromagnetic force	208
581.	. Case of two circuits	208
582	Theory of induced currents	209
583.	Mechanical action between the circuits	210
584	. All the phenomena of the mutual action of two circuits depend	
	on a single quantity, the potential of the two circuits	210
	CHAPTER VIII.	
EXI	PLORATION OF THE FIELD BY MEANS OF THE SECONDARY CIRCU	JIT.
585.	The electrokinetic momentum of the secondary circuit	211
	Expressed as a line-integral	211
	Any system of contiguous circuits is equivalent to the circuit	
	formed by their exterior boundary	212
588.	Electrokinetic momentum expressed as a surface-integral	212
	A crooked portion of a circuit equivalent to a straight portion	213
	Electrokinetic momentum at a point expressed as a vector, U	214
591.	Its relation to the magnetic induction, B. Equations (A)	214
592.	Justification of these names	215
593.	Conventions with respect to the signs of translations and rotations	216
504		217
		218
		218
		219
		219
		222
		223
	The motion of the axes changes nothing but the apparent value	220
	of the electric potential	224
602.	T33	224
	Electromagnetic force on an element of a conducting body.	221
	T .: (0)	226
	• ()	
	CHAPTER IX.	
	GENERAL EQUATIONS.	
604	TD 1/1 1/1	007
	77	227
		228
	TO 1. C. T. 1. (TD)	229
	T3 (* 6.1) * 1.1) (T3)	230
000.		232



CONTENTS.	xv
Art.	Page
609. Equations of electric conductivity, (G)	0.00
610. Equations of total currents, (H)	232
611. Currents in terms of electromotive force, (I)	233
612. Volume-density of free electricity, (J)	233
613. Surface-density of free electricity, (K)	000
614. Equations of magnetic permeability, (L)	233
615. Ampère's theory of magnets	234
616. Electric currents in terms of electrokinetic momentum	234
617. Vector-potential of electric currents	236
	236
619. Quaternion equations of the electromagnetic field	237
CHAPTER X.	
DIMENSIONS OF ELECTRIC UNITS.	
620. Two systems of units	239
621. The twelve primary quantities	239
622. Fifteen relations among these quantities	$\frac{240}{240}$
623. Dimensions in terms of $[e]$ and $[m]$	241
624. Reciprocal properties of the two systems	241
625. The electrostatic and the electromagnetic systems	241
626. Dimensions of the 12 quantities in the two systems	242
	243
	243
629. Practical system of electric units. Table of practical units	
,	
CHAPTER XI.	
OHALIBIO AL.	
ENERGY AND STRESS.	
630. The electrostatic energy expressed in terms of the free electri-	
*. 7.7	246
city and the potential	
	246
force and the electric displacement	247
633. Magnetic energy in terms of the square of the magnetic force	247
634. Electrokinetic energy in terms of electric momentum and electric	231
current	248
635. Electrokinetic energy in terms of magnetic induction and mag-	210
netic force	248
636. Method of this treatise	249
637. Magnetic energy and electrokinetic energy compared	249
2 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	249 250
638. Magnetic energy reduced to electrokinetic energy	200



xvi	CONTENTS.	
Art.		Page
639.	The force acting on a particle of a substance due to its magnet ization	
640	Electromagnetic force due to an electric current passing through	
	it	252
641.	Explanation of these forces by the hypothesis of stress in a	
	medium	253
642.	General character of the stress required to produce the pheno	-
	mena	255
643.	When there is no magnetization the stress is a tension in the direction of the lines of magnetic force, combined with a pressure in all directions at right angles to these lines, the	ւ ։
	magnitude of the tension and pressure being $\frac{1}{8\pi} \mathfrak{G}^2$, where \mathfrak{G}	,
	is the magnetic force	256
611	3	257
	Theory of stress in a medium as stated by Faraday	
	Numerical value of magnetic tension	258
V10.	Trumerical value of magnetic tension	400
	CHAPTER XII.	
	CURRENT-SHEETS,	
647.	Definition of a current-sheet	259
	Current-function	
		260
	Theory of steady currents	260
651.	Case of uniform conductivity	260
		261
	Magnetic potential due to a current-sheet	262
	Induction of currents in a sheet of infinite conductivity	262
	Such a sheet is impervious to magnetic action	263
	Theory of a plane current-sheet	263
	The magnetic functions expressed as derivatives of a single	200
	function	264
658.	Action of a variable magnetic system on the sheet	
659.	When there is no external action the currents decay, and their	
	magnetic action diminishes as if the sheet had moved off with	
	1 '. 75	267
660.	The currents, excited by the instantaneous introduction of a	207
	magnetic system, produce an effect equivalent to an image of	
	that system	267
661.	This image moves away from its original position with velo-	
	$\operatorname{city} R \dots \dots \dots \dots \dots \dots \dots \dots$	268
662.	Trail of images formed by a magnetic system in continuous	
	motion	268



	CONTENTS.				xvii
	Mathematical expression for the effect of the in		curre	nts	Page 269
	Case of the uniform motion of a magnetic pole		••	••	269
	Value of the force acting on the magnetic pole	••	••	••	270
	Case of curvilinear motion		••	••	271
	S S		••	••	271
	Theory of Arago's rotating disk		••	••	271
	Trail of images in the form of a helix		••		274
670.	Spherical current-sheets		••	••	275
671.	The vector-potential		••		276
672.	To produce a field of constant magnetic force with	ithin a	spher	ical	
	shell		••		277
673.	To produce a constant force on a suspended coi	l	••		278
674.	Currents parallel to a plane				278
675.	A plane electric circuit. A spherical shell.	An e	llipso	idal	
	shell		••		279
676.	A solenoid				280
677.	A long solenoid				281
678.	Force near the ends		••		282
679.	A pair of induction coils		••		282
	Proper thickness of wire				283
681.	An endless solenoid		••		284
	CHAPTER XIII.				
	PARALLEL CURRENTS.				
682.	Cylindrical conductors		••	٠.	286
683.	The external magnetic action of a cylindric wi	re depe	ends o	nly	
	on the whole current through it				287
684.	The vector-potential	••	••		288
685.	Kinetic energy of the current		••		288
686.	Repulsion between the direct and the return cur	rrent	••		289
687.	Tension of the wires. Ampère's experiment				289
688.	Self-induction of a wire doubled on itself	••	••	••	2 90
689.	Currents of varying intensity in a cylindric wire	е			291
6 90.	Relation between the electromotive force and th	ne tota	l curre	ent	292
691.	Geometrical mean distance of two figures in a p	lane	••		294
	Particular cases				294
	Application of the method to a coil of insulated	wires		••	296
	CHAPTER XIV.				
	CIRCULAR CURRENTS.				
694.	Potential due to a spherical bowl	••	• •		299
	Solid angle subtended by a circle at any point	••	••	••	301
	ь. н. b				



xviii

Cambridge University Press 978-1-108-01404-5 - A Treatise on Electricity and Magnetism, Volume 2 James Clerk Maxwell Frontmatter More information

CONTENTS.

Art.						Page
	Potential energy of two circular currents	••	••	••	••	302
697.	Moment of the couple acting between two	coils		••	••	303
	Values of Q_i'			••	••	303
	Attraction between two parallel circular cu			••	••	304
700.	Calculation of the coefficients for a coil of	finite se	ction		••	304
701.	Potential of two parallel circles expressed	by ellip	tic ir	itegr	als	305
702.	Lines of force round a circular current.	Fig. XV	VIII	••	••	307
703.	Differential equation of the potential of tw	o circle	s	••	••	307
704.	Approximation when the circles are very r	ear one	anot	ther	••	309
	Further approximation		••	••	••	310
706.	Coil of maximum self-induction	••	••	••	••	311
	CHAPTER XV.					
	CHAPTER AV.					
	ELECTROMAGNETIC INSTRUM	ENTS.				
707.	Standard galvanometers and sensitive galv	anomet	ers			313
	Construction of a standard coil					314
	Mathematical theory of the galvanometer					315
	Principle of the tangent galvanometer as	nd the	sine		ano-	
	meter			٠		316
711.	Galvanometer with a single coil		••			316
712.	Gaugain's eccentric suspension				••	317
713.	Helmholtz's double coil. Fig. XIX			••	••	318
	Galvanometer with four coils		••	••		319
	Galvanometer with three coils		••	••	••	319
	Proper thickness of the wire of a galvanon		••	••	••	321
	Sensitive galvanometers		••	••	••	322
	Theory of the galvanometer of greatest ser	nsibility	•	••	••	322
	Law of thickness of the wire		••	••	••	323
	Galvanometer with wire of uniform thicks		••	••	••	325
		• ••	••	••	••	326
	Thomson's sensitive coil		••	••	••	326
723	Determination of magnetic force by mea	ns of s	usper	aded	coil	
204	and tangent galvanometer		••	••		327
	Thomson's suspended coil and galvanomet		bined	••	••	328
	Weber's electrodynamometer		••	••	••	328
	Joule's current-weigher		••	••	• •	332
	Suction of solenoids	• ••	••	••	• •	333
	T77 . 7		••	••	••	333
129	. Diech odynamonieter with torsion-arm .	• ••	••	••	••	334



	CONTENTS.				xix	
CHAPTER XVI.						
	ELECTROMAGNETIC OBSERVATIONS.				_	
Art.	Observation of vibrations				Page 335	
	Motion in a logarithmic spiral				336	
	Rectilinear oscillations in a resisting medium				337	
		••	••	••	338	
	Values of successive elongations	••	••	••	338	
	Position of equilibrium determined from three suc		 ala	··	330	
100.	gations		ve ero	11-	338	
726	Determination of the logarithmic decrement		••	••	339	
	When to stop the experiment		••	••	339	
	Determination of the time of vibration from three		ita		339	
			105		340	
740	Two series of observations		••		341	
741	Dead beat galvanometer				341	
	To measure a constant current with the galvanome				342	
	Best angle of deflexion of a tangent galvanometer				343	
744	Best method of introducing the current	••	••		343	
	Measurement of a current by the first elongation		••	••	344	
	To make a series of observations on a constant cur			••	345	
	Method of multiplication for feeble currents				345	
	Measurement of a transient current by first elonga				346	
	Correction for damping					
	Series of observations. Zurückwerfungs methode				348	
	Method of multiplication				350	
	acomor of maniphonion	••	••	••	000	
	CHAPTER XVII.					
	ELECTRICAL MEASUREMENT OF COEFFICIENTS OF	INDU	CTIO	N.		
752.	Electrical measurement sometimes more accurate	tha	n dire			
	measurement	••	••	••	352	
753.	Determination of G_1 Determination of g_1	••	••	••		
754.	Determination of g_1	••	••		354	
	Determination of the mutual induction of two coil			••	354	
	Determination of the self-induction of a coil			••	356	
757.	Comparison of the self-induction of two coils	••	••	••	357	
CHAPTER XVIII.						
DETERMINATION OF RESISTANCE IN ELECTROMAGNETIC MEASURE.						
758.	Definition of resistance	••			358	
759.	Kirchhoff's method				358	
	b 2					



$\mathbf{x}\mathbf{x}$	CONTENTS.		
Art.			Page
	Weber's method by transient currents	••	360
	His method of observation	••	361
	Weber's method by damping		361
	Thomson's method by a revolving coil		364
	Mathematical theory of the revolving coil		364
	Calculation of the resistance		365
	Corrections		366
	Joule's calorimetric method		367
707.	sources canorimetric method		
	CHAPTER XIX.		
C	COMPARISON OF ELECTROSTATIC WITH ELECTROMAGNETIC UN	ITS.	
768.	Nature and importance of the investigation		368
769	The ratio of the units is a velocity		369
	Current by convection		370
	Weber and Kohlrausch's method		370
	Thomson's method by separate electrometer and electrody	na-	
112.	mometer		372
772	Maxwell's method by combined electrometer and electrody		٠. ـ
113.	mometer		372
774	Electromagnetic measurement of the capacity of a condens		0.2
774.	Jenkin's method		373
777	* *		374
770.	Method by an intermittent current	••	375
	Condenser and Wippe as an arm of Wheatstone's bridge	••	376
	Correction when the action is too rapid		3/0
778.	Capacity of a condenser compared with the self-induction o	r a	
	coil	••	377
	Coil and condenser combined	••	379
780.	Electrostatic measure of resistance compared with its elect	ro-	
	magnetic measure	••	382
	CHAPTER XX.		
	ELECTROMAGNETIC THEORY OF LIGHT.		
701	Comparison of the properties of the electromagnetic medi		
101.	with those of the medium in the undulatory theory of ligh		000
700		.T	383
	Energy of light during its propagation	••	384
	Equation of propagation of an electromagnetic disturbance	••	384
	Solution when the medium is a non-conductor	••	386
	Characteristics of wave-propagation	••	386
	Velocity of propagation of electromagnetic disturbances	••	387
787.	Comparison of this velocity with that of light	••	387



	CONTENTS.		xxi
Art.			Page
7 88.	The specific inductive capacity of a dielectric is the square	of	Ü
	its index of refraction		388
7 89.	Comparison of these quantities in the case of paraffin		388
7 90.	Theory of plane waves	••	389
7 91.	The electric displacement and the magnetic disturbance are	ip.	
	the plane of the wave-front, and perpendicular to each other	r	3 90
792 .	Energy and stress during radiation	••	391
793.	Pressure exerted by light		391
794.	Equations of motion in a crystallized medium		392
	Propagation of plane waves	••	393
7 96.	Only two waves are propagated	••	393
797.	The theory agrees with that of Fresnel	٠.	394
7 98.	Relation between electric conductivity and opacity	••	394
799.	Comparison with facts	••	395
	Transparent metals	• •	395
	Solution of the equations when the medium is a conductor	••	395
	Case of an infinite medium, the initial state being given	••	396
	Characteristics of diffusion	••	397
804.	Disturbance of the electromagnetic field when a current begin	ns	
	to flow	••	397
805.	Rapid approximation to an ultimate state	••	398
	CHAPTER XXI.		
	MAGNETIC ACTION ON LIGHT.		
906	Paggible forms of the relation between magnetism and light		200
	Possible forms of the relation between magnetism and light. The rotation of the plane of polarization by magnetic action.		399 400
	The laws of the phenomena	••	400
	Verdet's discovery of negative rotation in ferromagnetic media	••	
	Rotation produced by quartz, turpentine, &c., independently		400
010.	magnetism	OI	401
Q11	Kinematical analysis of the phenomena	••	402
	The velocity of a circularly-polarized ray is different according	•••	402
OIΩ.	to its direction of rotation	5	402
Q 1 2		••	403
	In media which of themselves have the rotatory property the		403
014.	velocity is different for right and left-handed configurations		403
Q15	In media acted on by magnetism the velocity is different for		100
010.	opposite directions of rotation	JI	404
Q1 <i>C</i>	The luminiferous disturbance, mathematically considered, is	••	104
010.		a	404
Q17	Kinematic equations of circularly-polarized light	••	405
011.	Trinomano eduations or or continuity botanizon region	• •	100



XX11	CONTENTS.				
Art.					Page
818.	Kinetic and potential energy of the medium	••	••	••	406
819.	Condition of wave-propagation	••	••	••	406
820.	The action of magnetism must depend on a real r	otatio	n ab	out	
	the direction of the magnetic force as an axis	••	••	••	407
821.	Statement of the results of the analysis of the phe	nome	non	••	407
822.	Hypothesis of molecular vortices	••	••	••	408
823.	Variation of the vortices according to Helmholtz's	law	••	••	409
824.	Variation of the kinetic energy in the disturbed m	ediu	m	••	409
825.	Expression in terms of the current and the velocity	y	••	••	410
	The kinetic energy in the case of plane waves	••	••	••	410
	The equations of motion	••	••	••	411
	Velocity of a circularly-polarized ray	••	••	••	411
	The magnetic rotation	••	••		412
	Researches of Verdet		••		413
831.	Note on a mechanical theory of molecular vortice	S	••	••	415
	CHAPTER XXII.				
	TYPETRIC MITTORY OF MACVETICA				
	ELECTRIC THEORY OF MAGNETISM.				
	Magnetism is a phenomenon of molecules				418
833.	The phenomena of magnetic molecules may be			by	
	electric currents			••	419
834.	Difference between the elementary theory of contin		_	ets	
	and the theory of molecular currents	••	••	••	419
	Simplicity of the electric theory	••	••	••	420
	Theory of a current in a perfectly conducting circ		••	••	420
	Case in which the current is entirely due to indu		••	••	421
	Weber's theory of diamagnetism	••	••	••	421
	Magnecrystallic induction	••	••	••	422
	Theory of a perfect conductor		••	••	422
841	A medium containing perfectly conducting spher	ical n	noleci	ıles	423
842	Mechanical action of magnetic force on the cur	rent	which	ı it	
0.40	excites	••	••	••	423
843	Theory of a molecule with a primitive current	••	••	••	424
	Modifications of Weber's theory	••	••	••	425
845	Consequences of the theory	••	••	••	425
	CHAPTER XXIII.				
	THEORIES OF ACTION AT A DISTANC	E.			
846	. Quantities which enter into Ampère's formula				400
847	. Relative motion of two electric particles	••	••	••	426 426



	CONTENTS.					2	xxiii
Art. 848.	Relative motion of four electric particles	s. F	echne	r's tb	eory		Page 427
849.	Two new forms of Ampère's formula		••	••	••		428
850.	Two different expressions for the force	e bet	ween	two	elect	ric	
	particles in motion			••			428
851.	These are due to Gauss and to Weber r	espec	tively	••			429
852.	All forces must be consistent with the	e pri	nciple	of t	he co	n-	
	servation of energy						429
853.	Weber's formula is consistent with thi	s pri	nciple	but	that	of	
	Gauss is not		••				429
854.	Helmholtz's deductions from Weber's fo	rmul	a		••		430
855.	Potential of two currents						431
856.	Weber's theory of the induction of elect	ric cı	irrent	8			431
	Segregating force in a conductor						432
858.	Case of moving conductors						433
	The formula of Gauss leads to an erron						434
	That of Weber agrees with the phenom						434
	Letter of Gauss to Weber						435
862.	Theory of Riemann		••				435
	Theory of C. Neumann						435
864.	Theory of Betti						436
	Repugnance to the idea of a medium						437
	. The idea of a medium cannot be got rid						437