

CONTENTS OF VOLUME I.

| INTRODUCTION | | | | | | Page 1 |
|--------------|--|--|--|--|--|--------|

CHAPTER I.

DOMESTIC DOGS AND CATS.

- ANCIENT VARIETIES OF THE DOG RESEMBLANCE OF DOMESTIC DOGS IN VARIOUS COUNTRIES TO NATIVE CANINE SPECIES --- ANIMALS NOT ACQUAINTED WITH MAN AT FIRST FEARLESS — DOGS RESEMBLING WOLVES AND JACKALS — HABIT OF BARKING ACQUIRED AND LOST - FERAL DOGS - TAN-COLOURED EYE-SPOTS - PERIOD OF GESTATION - OFFENSIVE ODOUR - FERTILITY OF THE RACES WHEN CROSSED -DIFFERENCES IN THE SEVERAL RACES IN PART DUE TO DESCENT FROM DIS-TINCT SPECIES - DIFFERENCES IN THE SKULL AND TEETH - DIFFERENCES IN THE BODY, IN CONSTITUTION - FEW IMPORTANT DIFFERENCES HAVE BEEN FIXED BY SELECTION - DIRECT ACTION OF CLIMATE - WATER-DOGS WITH PALMATED FEET -HISTORY OF THE CHANGES WHICH CERTAIN ENGLISH RACES OF THE DOG HAVE GRADUALLY UNDERGONE THROUGH SELECTION - EXTINCTION OF THE LESS IM-PROVED SUB-BREEDS.
- CATS, CROSSED WITH SEVERAL SPECIES DIFFERENT BREEDS FOUND ONLY IN SEPARATED COUNTRIES - DIRECT EFFECTS OF THE CONDITIONS OF LIFE - FERAL

CHAPTER II.

HORSES: AND ASSES.

- HORSE. DIFFERENCES IN THE BREEDS INDIVIDUAL VARIABILITY OF DIRECT EFFECTS OF THE CONDITIONS OF LIFE - CAN WITHSTAND MUCH COLD - BREEDS MUCH MODIFIED BY SELECTION - COLOURS OF THE HORSE - DAPPLING - DARK STRIPES ON THE SPINE, LEGS, SHOULDERS, AND FOREHEAD - DUN-COLOURED HORSES MOST FREQUENTLY STRIPED - STRIPES PROBABLY DUE TO REVERSION TO THE PRIMITIVE STATE OF THE HORSE.
- ASSES. BREEDS OF COLOUR OF LEG- AND SHOULDER- STRIPES SHOULDER-STRIPES SOMETIMES ABSENT, SOMETIMES FORKED 49

CHAPTER III.

PIGS — CATTLE — SHEEP — GOATS.

- PIGS belong to two distinct types, sus scrofa and indica torf-schwein JAPAN PIG -- FERTILITY OF CROSSED PIGS -- CHANGES IN THE SKULL OF THE HIGHLY CULTIVATED RACES --- CONVERGENCE OF CHARACTER --- GESTATION --- SOLID-HOOFED SWINE — CURIOUS APPENDAGES TO THE JAWS — DECREASE IN SIZE OF THE TUSKS — YOUNG PIGS LONGITUDINALLY STRIPED - FERAL PIGS - CROSSED BREEDS.
- CATTLE. ZEBU A DISTINCT SPECIES EUROPEAN CATTLE PROBABLY DESCENDED FROM THREE WILD FORMS - ALL THE RACES NOW FERTILE TOGETHER - BRITISH a^{-2}



iv

CONTENTS OF VOL. I.

PARK CATTLE — ON THE COLOUR OF THE ABORIGINAL SPECIES — CONSTITUTIONAL DIFFERENCES — SOUTH AFRICAN RACES — SOUTH AMERICAN RACES — NIATA CATTLE — ORIGIN OF THE VARIOUS RACES OF CATTLE.

SHEEP. — REMARKABLE RACES OF — VARIATIONS ATTACHED TO THE MALE SEX —

ADAPTATIONS TO VARIOUS CONDITIONS — GESTATION OF — CHANGES IN THE WOOL—SEMI-MONSTROUS BREEDS.

GOATS. — REMARKABLE VARIATIONS OF Page 65

CHAPTER IV.

DOMESTIC RABBITS.

CHAPTER V.

DOMESTIC PIGEONS.

ENUMERATION AND DESCRIPTION OF THE SEVERAL BREEDS — INDIVIDUAL VARIABILITY — VARIATIONS OF A REMARKABLE NATURE — OSTEOLOGICAL CHARACTERS: SKULL, LOWER JAW, NUMBER OF VERTEBRÆ — CORRELATION OF GROWTH: TONGUE WITH BEAK; EYELIDS AND NOSTRILS WITH WATTLED SKIN — NUMBER OF WING-FEATHERS, AND LENGTH OF WING — COLOUR AND DOWN — WEBBED AND FEATHERED FEET — ON THE EFFECTS OF DISUSE — LENGTH OF FEET IN CORRELATION WITH LENGTH OF BEAK — LENGTH OF STERNUM, SCAPULA, AND FURCULA — LENGTH OF WINGS — SUMMARY ON THE POINTS OF DIFFERENCE IN THE SEVERAL BREEDS 131

CHAPTER VI.

PIGEONS—continued.



CONTENTS OF VOL. I.

v

CHAPTER VII.

FOWLS.

BRIEF DESCRIPTIONS OF THE CHIEF BREEDS — ARGUMENTS IN FAVOUR OF THEIR DESCENT FROM SEVERAL SPECIES — ARGUMENTS IN FAVOUR OF ALL THE BREEDS HAVING DESCENDED FROM GALLUS BANKIVA — REVERSION TO THE PARENT-STOCK IN COLOUR — ANALOGOUS VARIATIONS — ANCIENT HISTORY OF THE FOWL — EXTERNAL DIFFERENCES BETWEEN THE SEVERAL BREEDS — EGGS — CHICKENS — SECONDARY SEXUAL CHARACTERS — WING- AND TAIL- FEATHERS, VOICE, DISPOSITION, ETC. — OSTEOLOGICAL DIFFERENCES IN THE SKULL, VERTEBRÆ, ETC. — EFFECTS OF USE AND DISUSE ON CERTAIN PARTS — CORRELATION OF GROWTH

Page 225

CHAPTER VIII.

- DUCKS GOOSE PEACOCK TURKEY GUINEA-FOWL CANARY-BIRD GOLD-FISH HIVE-BEES SILK-MOTHS.
- DUCKS, SEVERAL BREEDS OF PROGRESS OF DOMESTICATION ORIGIN OF, FROM THE COMMON WILD-DUCK DIFFERENCES IN THE DIFFERENT BREEDS OSTEOLOGICAL DIFFERENCES EFFECTS OF USE AND DISUSE ON THE LIMB-BONES.
- GOOSE, ANCIENTLY DOMESTICATED LITTLE VARIATION OF SEBASTOPOL BREED.
- PEACOCK, ORIGIN OF BLACK-SHOULDERED BREED.
- TURKEY, BREEDS OF CROSSED WITH THE UNITED STATES SPECIES EFFECTS OF CLIMATE ON.
- GUINEA-FOWL, CANARY-BIRD, GOLD-FISH, HIVE-BEES.

CHAPTER IX.

CULTIVATED PLANTS: CEREAL AND CULINARY PLANTS.

- PRELIMINARY REMARKS ON THE NUMBER AND PARENTAGE OF CULTIVATED PLANTS FIRST STEPS IN CULTIVATION GEOGRAPHICAL DISTRIBUTION OF CULTIVATED PLANTS.
- CEREALIA. DOUBTS ON THE NUMBER OF SPECIES. —— WHEAT: VARIETIES OF INDIVIDUAL VARIABILITY CHANGED HABITS SELECTION ANCIENT HISTORY OF THE VARIETIES. —— MAIZE: GREAT VARIATION OF DIRECT ACTION OF CLIMATE ON.



vi

CONTENTS OF VOL. I.

CHAPTER X.

PLANTS continued --- FRUITS --- ORNAMENTAL TREES --- FLOWERS.

FRUITS. — GRAPES — VARY IN ODD AND TRIFLING PARTICULARS. — MULBERRY. —
THE ORANGE GROUP — SINGULAR RESULTS FROM CROSSING. —— PEACH AND NECTARINE — BUD-VARIATION — ANALOGOUS VARIATION — RELATION TO THE ALMOND.
—— APRICOT. —— PLUMS — VARIATION IN THEIR STONES. —— CHERRIES —— SINGULAR VARIETIES OF. —— APPLE. —— PEAR. —— STRAWBERRY —— INTERBLENDING
OF THE ORIGINAL FORMS. —— GOOSEBERRY —— STEADY INCREASE IN SIZE OF THE
FRUIT — VARIETIES OF. —— WALNUT. —— NUT. —— CUCURBITACEOUS PLANTS —
WONDERFUL VARIATION OF.

ORNAMENTAL TREES — THEIR VARIATION IN DEGREE AND KIND — ASH-TREE — SCOTCH-FIR — HAWTHORN.

FLOWERS — MULTIPLE ORIGIN OF MANY KINDS — VARIATION IN CONSTITUTIONAL PECULIARITIES — KIND OF VARIATION. —— ROSES — SEVERAL SPECIES CULTIVATED. —— PANSY. —— DAHLIA. —— HYACINTH, HISTORY AND VARIATION OF

Page 332

CHAPTER XI.

ON BUD-VARIATION, AND ON CERTAIN ANOMALOUS MODES OF REPRODUCTION AND VARIATION.

BUD-VARIATIONS IN THE PEACH, PLUM, CHERRY, VINE, GOOSEBERRY, CURRANT, AND BANANA, AS SHOWN BY THE MODIFIED FRUIT — IN FLOWERS: CAMELLIAS, AZALEAS, CHRYSANTHEMUMS, ROSES, ETC. — ON THE RUNNING OF THE COLOUR IN CARNATIONS — BUD-VARIATIONS IN LEAVES — VARIATIONS BY SUCKERS, TUBERS, AND BULBS — ON THE BREAKING OF TULIPS — BUD-VARIATIONS GRADUATE INTO CHANGES CONSEQUENT ON CHANGED CONDITIONS OF LIFE — CYTISUS ADAMI, ITS ORIGIN AND TRANSFORMATION — ON THE UNION OF TWO DIFFERENT EMBRYOS IN ONE SEED — THE TRIFACIAL ORANGE — ON REVERSION BY BUDS IN HYBRIDS AND MONGRELS — ON THE PRODUCTION OF MODIFIED BUDS BY THE GRAFTING OF ONE VARIETY OR SPECIES ON ANOTHER — ON THE DIRECT OR IMMEDIATE ACTION OF FOREIGN POLLEN ON THE MOTHER-PLANT — ON THE EFFECTS IN FEMALE ANIMALS OF A FIRST IMPREGNATION ON THE SUBSEQUENT OFFSFRING — CONCLUSION AND SUMMARY 373

ERRATA.

Vol. I., p. 76, 13 lines from top, for Phascocherus read Phacocherus.

- " " 104, transpose footnotes 4 and 5.
- " " 275, 7 lines from bottom, for Amherstii read Amherstiæ.
- " , 282, 14 lines from top, for Tadorna Ægyptiaca read Anser Ægyptiacus.
- " 286, in bottom line in the Table, for 713 read 717.