

INDEX

(The numbers refer to pages. See also pp. 237, 238.)

- Absolute conic, properties relative to, 166; by projection from a quadric, 196
- Angle between two circles interpreted on a quadric, 193
- Angle properties for a circle, 75
- Angular intervals for a triangle, 177, 180, 181
- Anharmonic, or cross-ratio, symbol for four points, 166; example of, 210
- Apolar triads, 114, 124, 147
- Asymptotes of a conic, 77
- Auxiliary circle of a conic, 85, 88, 119, 133
- Axes and foci of a conic, 77, 160
- Axis of relation, or axis of homography, 16
- Bauer, 235
- Bipunctual conic, in regard to a triad of points, 123
- Bolyai-Lobatschewsky geometry, angle of parallelism, 182; circle, 182; equidistant curve, 183; horocycle, 183; interpretation with minimal lines as circles, 203
- Boscovich, 88
- Brianchon's theorem, 25, 235
- Burnside, 186
- Caporali, 236
- Castelnuovo, 236
- Cayley's measure of interval deduced from Laguerre's, 195–197; Cayley-Salmon lines, 227
- Centre and axes of a conic, equation referred to, 118
- Centres of similitude of two circles, 112
- Centroid of three points, 64
- Circle: definition and centre, 65; circles at right angles, or cutting orthogonally, 66; coaxial circles, 66; limiting points and radical axis, 66; inversion in regard to, 67; Miquel's theorem, 70; circles determined by threes of four points meet in a point, and their centres lie on a circle, 71, 72; angle properties for, 76; common chords of circle and conic, 79; through three points whose joins touch a parabola, contains the focus, 81; auxiliary circle of a conic, 85, 88, 119, 133; equation of, 107, 108; circle through centres of similitude of two circles, with centre on line of centres, 132; after Lobatschewsky, 182; angle between two circles interpreted on a quadric, 193
- Cone, circular sections and focal lines, 209
- Configurations, some examples of, 212; a primary theorem, 218; see also Note II
- Confocal conics, 79, 119; polars of fixed point in regard thereto, touch a parabola, 90; intersection of tangents at right angles describes a circle, 133
- Conic, Absolute, 166, 196
- Conic constructed: having two triads, lying on another conic, as self-polar triads, 45; given self-polar triad and pole and polar, 46; given self-polar triad and two points, 46; given three points and two pairs of conjugate points, 165
- Conic, first properties: definition, 10; degenerate, 10; tangent of, 11, 14; MacClaurin's definition of, 13; Pascal's theorem, 13, 16, Note II; Related ranges and involution on, 14; symbols applied to, 16, 97; polar lines, 20; dual definition, 22; two through four points to touch a line, 24; four through two points to touch three lines, 39; dual of this, 41; conics through two points containing the threes of four given points, 61; conic outpolar to another, 33; triangularly circumscribed, 48
- Conics associated with a triad, 53, 121; conic harmonically conjugate to a given one, 122; see also *Feuerbach's theorem*, *Nine points circle*, and *Bipunctual*
- Conics through four points; their common self-polar triad, 23; cut

- an arbitrary line in pairs of points in involution, 12; conjugate points in regard thereto, 38; poles of a line in regard thereto, 41; two such, whose eight tangents at the common points meet in two points, 42; Poncelet's porism, 55
- Conics touching four lines: tangents from a point are in involution, 25; director circles are coaxial, 80
- Conjugate diameters of a conic, 77
- Conjugate lines, 26, 31
- Conjugate points, 23, 31; given three points of a conic, line conjugate to one join meets other joins in conjugate points, 23; conjugate points in regard to conics through four points, 38; conjugate points, lying on two conics, envelope of join of, 127; conjugate imaginary points, 158
- Contact, point of, of conic, with one of five given tangents, 25
- Coordinates of a point, 97; of a line, 99
- Correspondence of two points in regard to conics through four points, 39; of foci of conic touching three lines, 77; of points of a conic, 135
- Cremona, 219, 235, 236
- Cross-ratio, or anharmonic ratio, for four points, 166; example of, 210
- Cubic surface with node, applied to Pascal's figure by Cremona, 229
- Curve of third order, 229
- Delambre's formulae in spherical trigonometry, 205
- Desmic tetrads, 213, 233
- Director conic of a conic, 26; director circle, 80, 95, 125, 127, 151
- Directrix of a parabola, 81
- Discussion of a turning point in the logical theory, 153
- Distance, Riemann's formula in space of constant curvature, 199
- Double points of an involution, 3, 158
- Duality in regard to a conic, 21, 22; dual of Pascal's theorem, 25
- Eleven-point conic, 41
- Elliptic, hyperbolic and parabolic plane, 186
- Elliptic integral, from two conics, 211
- Envelope of a line cutting two conics in harmonic conjugates, 44, 125; of polar lines of a point in regard to confocal conics, 90, 120; of line meeting two conics in points conjugate in regard to a third conic, 127; the same generalised, 134; of line joining points of two circles bisected by radical axis, 132
- Equation of a line, 98; of a point, 100; of a conic, 101; of tangent, and polar, 104; of a circle, 107, 108; of a conic referred to self-polar triad, 107; of coaxial circles, 109; of conic referred to centre and axes, 118; of confocal conics, 119; of a plane, 190, 191
- Equidistant curve, 183
- Euclid's distance, and triangle, 184, 185
- Exponential function, 157
- Extent, between two lines, in elliptic plane, equal to twice their angular interval, 188; of a plane, 188, 201; of a triangle, 188, 203; of a circle, 189
- Exterior and interior points of a real conic, 159, 164
- Feuerbách's theorem, 59, 75, 89, 113, 122; Hamilton's extension of, 59, 117
- Fifteen points on fifteen lines, three on each, Note II
- Figure determined by $(n+2)$ points, or hyperplanes, in n dimensions, 218
- Focal distances for a conic, in general form, 209, 211
- Focal lines of a cone, 209
- Foci and axes of a conic, 77; of a parabola, 81
- Fontené, 75
- Four lines in four dimensions, figure derived from, 225
- Gaskin's theorem, for conics through two points outpolar to another conic, 48
- Gauss, 154, 237
- Grassman, 238
- Grossman, 235
- Hamilton's modification of Feuerbách's theorem, 59, 117
- Harmonic, condition for two pairs of points to be, 111; harmonic images, 37
- Hatton, 62

- Helmholtz, 237
Hesse's theorem, 31
Hessian line of three points of a conic, 30, 124; of a circle, 148; Hessian point of three tangents, 30; of a parabola, 149
Horocycle, construction of, 183; another view of, 203
Hyperbolic, parabolic and elliptic plane, 186; see *Lobatschewsky*
- Imaginary points, 9, 158, 161; imaginary and real symbols, 154; imaginary conic, 163
Inpolar conic, 33–36; algebraic condition for, 142; expressed by sum of four squares, 144, 218
Interior and exterior points of a real conic, 159, 164
Intersections of two conics, number assumed, 9
Interval of two points, or two lines, after Laguerre, 166, 167; interval in regard to an Absolute conic, 168; interval for circumference of circle, 189
Invariants of two conics, 141; their geometrical significance, 142
Inversion in regard to a circle, 67; inverse of a circle is a circle or line, 68; circles at right angles invert into circles at right angles, 69; circle and two inverse points invert into similar figure; inverse of centre of circle, 69; Feuerbach's theorem by inversion, 74
Involution, 2; common pairs of two involutions, 3, 158; composition of a projectivity from two involutions, 6, 50; on a line by conics through four points, 4, 12; dual of this, 4, 25; on a conic, 14; symbolic representation of, 111; reality of double points, 158; general involution, 135; determined by two sets, 136; determined by conics through four points, 138; apolar triads as particular case, 147
- Kirkman, 227, 235
Klug, 236
- Laguerre interval, 167; angle interpreted on a quadric, 192, 196
Lambert's quadrilateral, 181
Length, and movement, 169
- Limiting points of coaxial circles, 66
Lobatschewsky-Bolyai geometry, angle of parallelism, 182; circle, 182; equidistant curve, 183; horocycle, 183; interpretation with minimal lines as circles, 203
Locus of point from which tangents to two conics form a harmonic pencil, 125; of intersection of tangents at right angles of two confocals, 133; of poles of line in regard to conics through four points, 4
Logarithmic function, 157
- MacClaurin's definition of a conic, 13
Magnitude, order of, for real symbols, 156
Measurement in regard to two points, 166; in regard to a conic, 170, 178, 184; comparison of the several methods, 186, 187
Metrical properties, 63; metrical geometry in a plane with two Absolute points deducible from geometry on quadric surface, 189
Middle point of two points, 63
Miquel's theorem, for a triad of points and three circles, 70
Moulton, 186
Movement, 169
- Nanson, 61
Napier's analogies, 206
Nine points circle, see *Feuerbach's theorem*; of self-polar triangle of parabola contains the focus, 83; is locus of middle point of orthocentre and point of circumcircle, 89; point of contact with inscribed circle, 114
Non-Archimedean (non-Eudoxian) symbols, 155
Normal of a conic, 91; four can be drawn from an arbitrary point, 91; feet lie on a rectangular hyperbola, 91; three of the feet and the opposite of the other lie on a circle, 93, 119; normals to a parabola from a point, their feet lie on a circle through the vertex, 94; condition three normals meet in a point, 119
- Orthocentre of three points, 64
Orthogonal circles, condition for, 110; line through centre of either cuts

- circles harmonically, 66, 126; invert into orthogonal circles, 69
- Outpolar conics, 33–36; algebraic condition for, 142; and triangularly circumscribed conic, 146
- Pappus' theorem, complete figure, 215
- Parabola, 81; obtained as envelope of polars of a point in regard to confocal conics, 90
- Parabolic, or Euclidean, plane, 186
- Parameter expression for a general conic, 103; for conic referred to its centre and axes, 118
- Pascal's theorem, 13; and related ranges of points on a conic, 15; converse of, 16; dual of, 25; Pascal's *hexagrammum mysticum*, 219; Pascal line, symbol for in general figure, 223, 227; Pascal's figure derived from four dimensions, 224
- Pedal line of three points of a conic, 29; of a circle, 71; pedal of conic from focus is auxiliary circle, 85; of parabola is tangent at vertex, 82; pedal circle of a point for three lines, 87; when point moves on a line through circumcentre, 88; pedal line for a triad in involution, 139
- Perpendicular lines, 63
- Plane, equation of, 190, 191
- Plücker, 227, 235
- Poincaré, 197
- Polar line and point, in regard to a conic, 20; self-polar triad, 23; polars of three points give a triad in perspective with original, 27, 31, 123; polar lines of a point in regard to conics through four points meet in a point, 37; poles of a line in regard to conics through four points lie on a conic, 41; dual of this, 42, 90; polar reciprocal of one conic in regard to another, 47, 140, 147; polars of a point in regard to conics through fives of six points touch a conic, 61; polar reciprocal of a certain parabola gives the rectangular hyperbola of Apollonius, 91
- Polynomial, roots of, 110, 135, 157
- Poncelet's theorem, for porism of tangents of conics through four points, 55
- Positive and negative real symbols, 155
- Projectivity on a conic resolvable into succession of two involutions, 50
- Quadratic system of conics, inpolar to another conic, 145
- Quadric surface, elementary properties of, 190
- Quadrilateral with three right angles, 181
- Radical axis of two circles, 66; radical axes of three circles meet in a point, 70, 112
- Range of points on a conic, 14, 52; on variable line, by conic and joins of three points of this, 28
- Real and imaginary points, 9, 160; real and imaginary symbols, 154; real and imaginary conic, 163
- Reality of common harmonic conjugates with respect to two given pairs, 158; reality a relative term, 160; reality of common self-polar triad of two conics, 164
- Reciprocal polar of one conic in regard to another, 47, 140, 147
- Rectangular hyperbola, definition, 83; contains orthocentre of three of its points, 84; conjugate diameters of, examples of, 84; through three points, locus of centres, 88
- Related ranges on the same line, 1; condition two ranges be related, abbreviated argument for, 8; relation of two ranges reduced to two involutions, 6, 50; envelope of line joining corresponding points of two related ranges on a conic, 52
- Richmond, 219, 236
- Riemann's space, as derived from projective space, 199
- Right angles, lines at, 63, 110; circles cutting at, 110, 111
- Salmon, 59, 227, 236
- Schoute, 236
- Segre, 236, 238
- Self-polar triad, in regard to a conic, 23; of two conics, algebraic determination of, 140; self-conjugate tetrad, Hesse's theorem, 31
- Similitude, centres of, for two circles, 112; circle through, with centre on line of centres, 112, 132
- Soal, 62

Index

243

- Sphere, division of surface into four equal and congruent triangles, 197, 207
- Spherical and elliptic geometry, 178; spherical geometry and plane geometry, 196, 197
- Staudt, von, 232, 235; theorem of Seydewitz, 28
- Steiner, 72, 216, 231, 232, etc.
- Sylvester, 220, 235
- Symbols applied to involutions, 4; applied to initial theorems for a conic, 16; symbol of a line, 99, 100; applied to general theory of conics, Chap. III; applied to measurement of intervals, Chap. v
- Syntheme, 220
- Tangent of a conic, 11, 14; when tangents at intersections of two conics meet in two points, 42, 66; tangents of two conics, at intersections with a line, meet on another conic, 54; general tangent of a conic which touches three lines at given points, 58; tangents common to pairs of three conics which touch three lines, 60; tangents of confocal conics which are at right angles meet on a circle, 133
- Tangential coordinates, and tangential equation, 100, 105, 106; of confocal conics, 119
- Taylor, H. M., 61; J. P., 75; C., 88
- Tetrads of points of a conic whose joins touch another conic, 96, 127; see also *Poncelet's theorem*
- Three conics related in a particular way, 149
- Triads, two, of points of a conic: their joins touch another conic, 29; two self-polar triads are points of another conic, 35, 45, 48; three triads of points of a conic are in perspective with another triad, 52; relation of a conic to a triad of general points, 53; centroid and orthocentre of a triad, 64
- Triangle, definition of, 173; trigonometrical formulae for, 176, 177, 179
- Triangularly circumscribed conic, 48, 145
- Two conics, enumeration of reduced equations in all cases, 146
- Two-two relation on a conic, condition it be derived from a general involution, 137
- Veronese, 235
- Vertex of a parabola, 82
- Wallace line (pedal line), 29, 71
- Weill, 139
- White, 236