

## TABLE OF CONTENTS

### PRELIMINARY

|  | PAGES |
|--|-------|
| Related ranges on the same line . . . . .                                    | 1     |
| Involution . . . . .   | 2—4   |
| Symbolical expression of the preceding results . . . . .                     | 4—6   |
| Examples of involution . . . . .   | 6—8   |
| A general abbreviated argument for relating two ranges . . . . .             | 8, 9  |
| Of the distinction between the so-called real and imaginary points . . . . . | 9     |

### CHAPTER I. GENERAL PROPERTIES OF CONICS

|  |        |
|--|--------|
| Definition of a conic . . . . .  | 10—12  |
| Involution on a line by conics having four common points . . . . .   | 12, 13 |
| MacClaurin's definition of a conic. Pascal's theorem . . . . .   | 13, 14 |
| Ranges of points on a conic . . . . .  | 14     |
| Involution of pairs of points of a conic . . . . .   | 14, 15 |
| Pascal's theorem and related ranges of points upon a conic . . . . .   | 15, 16 |
| Converse of Pascal's theorem . . . . .   | 16     |
| Introduction of the algebraic symbols . . . . .  | 16—20  |
| Geometrical theory resumed. Polar lines . . . . .  | 20, 21 |
| Duality in regard to a conic . . . . .   | 21     |
| Dual definition of a conic . . . . .   | 22, 23 |
| Examples of the application of the foregoing theorems (Exx. 1—36)  | 23—62  |
| Ex. 1. <i>The self-polar triad of points for conics through four points ;<br/>          the self-polar triad of lines for conics touching four lines</i> . . . . . | 23—25  |
| Ex. 2. <i>Dual of Pascal's theorem</i> . . . . .   | 25, 26 |
| Ex. 3. <i>The director conic of a given conic in respect of two arbitrary<br/>          points</i> . . . . .   | 26, 27 |
| Ex. 4. <i>The polars of three points determine a triad of points in per-<br/>          spective with the original triad</i> . . . . .                              | 27     |
| Ex. 5. <i>A construction for two points conjugate in regard to a conic</i>   | 27, 28 |
| Ex. 6. <i>Range determined by a conic, and by the joins of three points<br/>          of the conic, upon any line drawn through a fixed point of the conic</i>     | 28, 29 |
| Ex. 7. <i>The six joins of two triads of points of a conic touch another<br/>          conic</i> . . . . .   | 29     |
| Ex. 8. <i>The pedal line of three points of a conic in regard to three<br/>          other points of the conic, taken in a particular order</i> . . . . .          | 29, 30 |
| Ex. 9. <i>The Hessian line of three points of a conic. The Hessian<br/>          point of three tangents of a conic</i> . . . . .                                  | 30, 31 |

*Contents*

|  | PAGES  |
|--|--------|
| Ex. 10. <i>Polar triads in regard to a conic. Hesse's theorem . . . . .</i>  | 31—33  |
| Ex. 11. <i>Outpolar conics . . . . .</i>   | 33—35  |
| Ex. 12. <i>Two self-polar triads of one conic are six points of another conic . . . . .</i>  | 35, 36 |
| Ex. 13. <i>Particular cases of outpolar, or of inpolar, conics . . . . .</i>   | 36     |
| Ex. 14. <i>The joins of four points of a conic and the intersections of the tangents at these points. The common points, and the common tangents, of two conics . . . . .</i>                              | 36, 37 |
| Ex. 15. <i>The polar lines of any point in regard to the conics through four given points all pass through another point . . . . .</i>   | 37, 38 |
| Ex. 16. <i>A point to point correspondence in regard to four given points . . . . .</i>  | 38, 39 |
| Ex. 17. <i>Four conics can be drawn through two given points to touch three given lines . . . . .</i>  | 39—41  |
| Ex. 18. <i>The poles of a line, in regard to conics with four common points, lie on a conic . . . . .</i>  | 41, 42 |
| Ex. 19. <i>Two conics of which the tangents at their common points meet, in fours, at two points . . . . .</i>   | 42—44  |
| Ex. 20. <i>A conic derived from two given conics . . . . .</i>   | 44, 45 |
| Ex. 21. <i>To construct a conic in regard to which two triads of points of a given conic shall both be self-polar . . . . .</i>  | 45, 46 |
| Ex. 22. <i>To construct a conic for which a given triad of points shall be a self-polar triad, and a given point and line shall be pole and polar . . . . .</i>  | 46     |
| Ex. 23. <i>To construct a conic for which a given triad of points shall be self-polar, to pass through two given points . . . . .</i>  | 46, 47 |
| Ex. 24. <i>The polar reciprocal of one conic in regard to another. A particular case . . . . .</i>   | 47, 48 |
| Ex. 25. <i>Gaskin's theorem for conics through two fixed points outpolar to a given conic . . . . .</i>  | 48—50  |
| Ex. 26. <i>Two related ranges upon a conic obtained by composition of two involutions . . . . .</i>  | 50—52  |
| Ex. 27. <i>Three triads of points of a conic are all in perspective with another triad of points of the conic . . . . .</i>  | 52     |
| Ex. 28. <i>The envelope of the line joining two corresponding points of two related ranges on a conic . . . . .</i>  | 52, 53 |
| Ex. 29. <i>The tangents from three points, A, B, C, to a conic, meet BC, CA, AB in six points of a conic . . . . .</i>   | 53, 54 |
| Ex. 30. <i>Two tangents of one conic meet two tangents of another in four points lying on a conic through the common points of the two conics, if the four points of contact are in line . . . . .</i>     | 54, 55 |
| Ex. 31. <i>Poncelet's theorem, for sets of points A, B, C, ... of one conic, of which the joins AB, BC, ... separately touch other fixed conics, all the conics having four points in common . . . . .</i> | 55—58  |
| Ex. 32. <i>Construction of a fourth tangent, with its point of contact, of a conic touching three lines at given points . . . . .</i>  | 58, 59 |

*Contents*

xī

|   | PAGES  |
|---|--------|
| Ex. 33. <i>Hamilton's extension of Feuerbach's theorem</i> . . . . .  | 59, 60 |
| Ex. 34. <i>Theorem in regard to the remaining common tangents of three conics, which touch three given lines</i> . . . . .  | 60, 61 |
| Ex. 35. <i>The four conics through two points of which each contains three of four other given points</i> . . . . .   | 61     |
| Ex. 36. <i>The polars of any point in regard to the six conics which can be drawn through the sets of five, from six arbitrary points of a plane, touch a conic</i> . . . . . | 61, 62 |

CHAPTER II. PROPERTIES RELATIVE TO TWO  
POINTS OF REFERENCE

|   |        |
|---|--------|
| Introductory . . . . .  | 63     |
| Middle points, Perpendicular lines, Centroid, Orthocentre . . . . .   | 63, 64 |
| Circles. Circles at right angles . . . . .  | 65, 66 |
| Coaxial circles . . . . .   | 66, 67 |
| Inversion in regard to a circle . . . . .   | 67, 68 |
| Examples of inversion in regard to a given circle . . . . .   | 68—70  |
| Examples in regard to circles (Exx. 1—9) . . . . .  | 70—75  |
| <i>Miquel's theorem, pedal (Wallace) line, property of four circles</i> . . . . .   | 70—72  |
| <i>Proof of Feuerbach's theorem by inversion</i> . . . . .  | 73—75  |
| Angle properties for a circle . . . . .   | 75—77  |
| Foci and axes of a conic . . . . .  | 77—79  |
| Confocal conics . . . . .   | 79     |
| Common chords of a circle with a conic . . . . .  | 79, 80 |
| The director circle of a conic. The director circles of conics touching four lines are coaxial . . . . .  | 80, 81 |
| Parabolas. The directrix of a parabola . . . . .  | 81     |
| Examples in regard to a parabola (Exx. 1—5) . . . . .   | 81—83  |
| Definition of a rectangular hyperbola . . . . .   | 83, 84 |
| Examples in regard to a rectangular hyperbola (Exx. 1—3) . . . . .  | 84, 85 |
| Auxiliary circle of a conic . . . . .   | 85, 86 |
| Examples in regard to auxiliary circle, and pedal circle (Exx. 1—5) . . . . .   | 87, 88 |
| The locus of the centres of rectangular hyperbolas passing through three given points . . . . .   | 88—90  |
| The polars of a point in regard to a system of confocal conics touch a parabola. Four normals can be drawn from a point to a conic . . . . .  | 90, 91 |
| A particular theorem for intersection of a conic with a rectangular hyperbola . . . . .   | 91, 92 |
| The normals of a conic which pass through a given point. The feet of three of these, and the opposite of the other foot, lie on a circle. Case of the parabola also. Examples (Exx. 1, 2) . . . . . | 92—94  |
| The dual of the director circle of a conic. Sets of four points of one conic whose joins in order touch another conic . . . . .   | 94—96  |

CHAPTER III. THE EQUATION OF A LINE,  
 AND OF A CONIC

|   | PAGES    |
|---|----------|
| Preliminary remarks . . . . .   | 97       |
| The coordinates of a point in a plane . . . . .   | 97, 98   |
| The equation of a line . . . . .  | 98, 99   |
| The coordinates of a line. Symbol of a line . . . . .   | 99, 100  |
| The equation of a point . . . . .   | 100      |
| The equation of a conic. The expression by a parameter . . . . .  | 101—104  |
| A particular form of the equation of a conic. Equation of tangent.<br>Tangential equation of a conic. Conic referred to self-polar triad    | 104—107  |
| Equation of a circle. Of circles of coaxial system. Condition that<br>two lines or two circles should cut at right angles . . . . .         | 107—110  |
| Examples of the algebraic treatment of the theory of conics (Exx.<br>1—29) . . . . .  | 110—152  |
| Ex. 1. Condition that a pair of points should be harmonic conju-<br>gates in regard to another pair . . . . .                               | 110, 111 |
| Ex. 2. A result in regard to involutions . . . . .  | 111      |
| Ex. 3. Representation of all the pairs of an involution . . . . .   | 111      |
| Ex. 4. A general result for two pairs of points . . . . .   | 111      |
| Ex. 5. Condition that two circles, in general form, should cut at<br>right angles . . . . .   | 111      |
| Ex. 6. The radical axis of two circles; the radical centre of three<br>circles . . . . .  | 111, 112 |
| Ex. 7. The common tangents and centres of similitude of two circles   | 112      |
| Ex. 8. Feuerbach's theorem. Apolar triads . . . . .   | 112—114  |
| Ex. 9. Continuation of the preceding example . . . . .  | 114—116  |
| Ex. 10. Hamilton's modification of Feuerbach's theorem. Intro-<br>ductory results . . . . .   | 116, 117 |
| Ex. 11. Hamilton's modification of Feuerbach's theorem . . . . .  | 117, 118 |
| Ex. 12. Conic referred to its centre and axes . . . . .   | 118, 119 |
| Ex. 13. Confocal conics . . . . .   | 119—121  |
| Ex. 14. Conics derived from a conic intersecting the joins of three<br>points. Bipunctual conics . . . . .                                  | 121—123  |
| Ex. 15. Two triads reciprocal in regard to a conic are in perspective   | 123, 124 |
| Ex. 16. The Hessian line of three points of a conic . . . . .   | 124      |
| Ex. 17. The director circle of a conic, and generalisations . . . . .   | 124—127. |
| Ex. 18. Envelope of a line joining points of two conics which are<br>conjugate in regard to a third, with particular applications . . . . . | 127—134  |
| Ex. 19. Indication of a generalisation of the preceding results . . . . .   | 134      |
| Ex. 20. Of correspondences, in particular of general involutions,<br>upon a conic . . . . .   | 134—139  |
| Ex. 21. Reciprocation of one conic into another when they have a<br>common self-polar triad . . . . .                                       | 139, 140 |

## Contents

xiii

|  | PAGES    |
|--|----------|
| Ex. 22. <i>The determination of the common self-polar triad of two conics in general</i> . . . . .   | 140, 141 |
| Ex. 23. <i>Fundamental invariants for two conics</i> . . . . .   | 141, 142 |
| Ex. 24. <i>The algebraical condition for one conic to be outpolar to another, or to be triangularly circumscribed to another</i> . . . . .                         | 142—146  |
| Ex. 25. <i>Enumeration of reduced forms for the equations of any two conics</i> . . . . .  | 146, 147 |
| Ex. 26. <i>A particular involution of sets of three points. Apolar triads</i>  | 147—149  |
| Ex. 27. <i>Three conics related in a particular way</i> . . . . .  | 149—151  |
| Ex. 28. <i>The director circle of a conic touching three lines is cut at right angles by a circle, for which the three lines form a self-polar triad</i> . . . . . | 151      |
| Ex. 29. <i>A transformation of conics through four points into conics having double contact</i> . . . . .  | 152      |

### CHAPTER IV. RESTRICTION OF THE ALGEBRAIC SYMBOLS. THE DISTINCTION OF REAL AND IMAGINARY ELEMENTS

|   |          |
|---|----------|
| Review of the development of the argument. Real and imaginary symbols . . . . .   | 153—155  |
| The distinction of positive and negative for the real symbols . . . . .   | 155, 156 |
| Order of magnitude for the real symbols . . . . .   | 156, 157 |
| The roots of a polynomial . . . . .   | 157      |
| The exponential and logarithmic functions . . . . .   | 157      |
| A simple application to the double points of an involution. Reality of double points of involution defined by two pairs . . . . . | 157—160  |
| General statement of the meaning of real and imaginary points in a plane . . . . .  | 160, 161 |
| Some applications of the definition. Imaginary points and lines . . . . .   | 161, 162 |
| Real and imaginary conics . . . . .   | 162—164  |
| The interior and exterior points of a real conic . . . . .  | 164      |
| The reality of the common points, and of the common self-polar triad, of two conics . . . . .                                     | 164, 165 |
| Example. Construction of a conic given three points and two pairs of conjugate points . . . . .                                   | 165      |

### CHAPTER V. PROPERTIES RELATIVE TO AN ABSOLUTE CONIC. THE NOTION OF DISTANCE. NON-EUCLIDEAN GEOMETRY

|   |          |
|---|----------|
| The interval of two points of a line relatively to two given points of the line . . . . . | 166, 167 |
| Angular interval in regard to two absolute points . . . . .                               | 167      |
| Interval in regard to an absolute conic. Meaning of movement . . . . .                    | 167—170  |

|   | PAGES    |
|---|----------|
| Case of an imaginary conic as Absolute . . . . .  | 170—172  |
| Application to a triangle, in particular a right-angled triangle . . . . .  | 172—177  |
| The sum of the angular intervals for a triangle . . . . .   | 177      |
| Formulae for a general triangle . . . . .   | 177, 178 |
| The case of a real conic as Absolute . . . . .  | 178—180  |
| The sum of the angles of a triangle and a quadrangle of three right angles . . . . .  | 180, 181 |
| Comparison with the Lobatschewsky-Bolyai geometry resumed . . . . .   | 181—183  |
| Case of degenerate conic as Absolute . . . . .  | 183—186  |
| The arbitrariness and comparison of the several methods of measurement. Extent between two lines, of a triangle, of a circle, in the elliptic geometry . . . . .              | 186—189  |
| Plane metrical geometry by projection from a quadric surface. Spherical geometry. Elementary properties of a quadric surface . . . . .  | 189—195  |
| Metrical geometry in regard to an absolute conic. Cayley's measure of distance deduced from Laguerre's . . . . .  | 195—197  |
| Representation of the original plane upon another plane. Riemann's space of constant curvature. Lobatschewsky lines as circles cutting a fixed line at right angles . . . . . | 197—204  |
| Remark, comparison of the two cases considered . . . . .  | 204      |
| Examples of the preceding considerations (Exx. 1—9) . . . . .   | 204—211  |
| Ex. 1. <i>Delambre's formulae in spherical trigonometry</i> . . . . .   | 204—206  |
| Ex. 2. <i>Napier's analogies</i> . . . . .  | 206      |
| Ex. 3. <i>A particular triangle corresponding to the division of a sphere into four congruent triangles</i> . . . . .   | 206—209  |
| Ex. 4. <i>General form of the theorem for the sum of the focal distances of a point of a conic. Circular sections and focal lines of a cone</i> . . . . .                     | 209, 210 |
| Exx. 5, 6. <i>Particular theorems of importance</i> . . . . .   | 210      |
| Exx. 7, 8. <i>Generalisation of result of Ex. 4</i> . . . . .   | 210, 211 |
| Ex. 9. <i>Elliptic integral for porism of two conics</i> . . . . .  | 211      |

**NOTE I. ON CERTAIN ELEMENTARY CONFIGURATIONS, AND  
ON THE COMPLETE FIGURE FOR PAPPUS' THEOREM**

|   |          |
|---|----------|
| The simpler Desargues' figure . . . . .   | 212, 213 |
| The figure of three desmic tetrads of points in space of three dimensions . . . . .   | 213, 214 |
| The figure formed from three triads of points which are in perspective in pairs, with centres of perspective in line . . . . .  | 214, 215 |
| The complete figure for Pappus' theorem . . . . .   | 215, 216 |
| The figure formed from six points in four dimensions . . . . .  | 216—218  |
| Exx. 1—4. <i>The configuration in space of <math>n</math> dimensions, formed from <math>(n+2)</math> points, or from <math>(n+2)</math> spaces of <math>(n-1)</math> dimensions; it is self-polar</i> . . . . . | 218      |

*Contents*

XV

NOTE II. ON THE *HEXAGRAMMUM MYSTICUM*  
 OF PASCAL

|  | PAGES    |
|--|----------|
| Introduction, and arrangement of note . . . . .  | 219, 220 |
| Sylvester's syntheses from six elements. The combinatorial identity with the Pascal figure . . . . .   | 220—224  |
| The geometrical interpretation of the relations, in space of four dimensions (see also the Frontispiece of the volume). Statement and proof of the Pascal incidences . . . . . | 224—229  |
| Direct deduction of Pascal's figure from a cubic surface with a node . . . . .   | 229—231  |
| Examples of particular properties of the figure (Exx. 1—6) . . . . .   | 231—235  |
| Ex. 1. <i>The pairs of conjugate Steiner planes</i> . . . . .  | 231, 232 |
| Ex. 2. <i>The Steiner planes and Steiner-Plücker lines</i> . . . . .   | 232      |
| Ex. 3. <i>The separation of the complete figure into six figures</i> . . . . .   | 232      |
| Ex. 4. <i>Tetrads of Steiner points each in threefold perspective with a tetrad of Kirkman points</i> . . . . .  | 232, 233 |
| Ex. 5. <i>Relation of the Cayley-Salmon lines and the Salmon planes</i> . . . . .  | 233      |
| Ex. 6. <i>Proof of the relations by plane geometry</i> . . . . .   | 233—235  |
| References to the literature of the matter . . . . .   | 235, 236 |
| NOTE III. IN REGARD TO THE LITERATURE FOR NON-EUCLIDEAN GEOMETRY . . . . .   |          |
|  | 237      |
| NOTE IV. REMARKS AND CORRECTIONS OF VOLUME I . . . . .   |          |
|  | 238      |
| INDEX . . . . .  |          |
|  | 239—243  |