

TABLE OF CONTENTS

CHAPTER I. INTRODUCTORY. RELATIONS OF THE GEOMETRY OF TWO, THREE, FOUR AND FIVE DIMENSIONS

	PAGES
SECTION I. THEOREMS OF TWO AND THREE DIMENSIONS	1—32
The conics touching the fives from six arbitrary lines of a plane	1—4
Ex. 1—4. <i>Particular algebraic results; equation of triangularly circumscribed conic.</i>	4—6
Representation of a plane upon a quadric	6—8
The generalised Miquel theorem	8—10
Ex. 1. <i>The conic of an arbitrary plane determined by joins of five points</i>	10, 11
Ex. 2. <i>Cubic curve through the five points gives a self-polar triad.</i>	11
Ex. 3. <i>Dual of theorem of Ex. 1; consequence</i>	11
Ex. 4. <i>Aggregate of conics thus arising for sets of five points of a cubic curve</i>	11, 12
Ex. 5. <i>Alternative proof of generalised Miquel theorem</i>	12
Ex. 6. <i>A plane theorem arising from Ex. 5</i>	12
The theory of inversion in a plane	12—14
Ex. 1. <i>Equations for inversion in a plane</i>	14
Ex. 2. <i>Relations between centres of inverse circles</i>	14, 15
Ex. 3. <i>Inversion of one given circle into another.</i>	15
Ex. 4. <i>Centres of similitude and circle of similitude of two circles.</i>	15
Ex. 5. <i>Circles through threes of four points; property of circles of similitude</i>	15, 16
Ex. 6. <i>Quadric touching four planes having double contact with another.</i>	16
Ex. 7. <i>Relation of two points of contact in Ex. 6</i>	16
Ex. 8. <i>Relation expressed by means of a cubic curve</i>	16, 17
Ex. 9. <i>Employment of cross-ratios</i>	17
Ex. 10. <i>A line, and its polar line, intersecting a quadric</i>	17
Ex. 11. <i>Five circles constructed from five given circles</i>	17, 18
Wallace's theorem for four circles and Moebius's figure of two tetrads	18—20
Ex. 1. <i>Dual of Moebius's figure.</i>	20
Ex. 2. <i>A quartic surface considered by Bauer</i>	20, 21
Ex. 3. <i>A theorem of Steiner's for two triads of points.</i>	21
Additions to Wallace's theorem in a plane	21, 22
Ex. 1. <i>Pedal circles orthogonal to one circle</i>	22—24
Ex. 2. <i>Alternative to use of associated points</i>	24
Ex. 3. <i>Pedal properties in threefold space</i>	24, 25
Ex. 4. <i>Theorem of symmetry of five points, for pedal property</i>	25

Contents

	PAGES
Ex. 5. <i>Pedal property of circle generalised to rational curve of higher space</i>	25, 26
Ex. 6. <i>Generalised form of pedal property</i>	26
Ex. 7. <i>Algebraic proof of preceding results</i>	26, 27
Ex. 8. <i>A generalised orthocentre of four arbitrary points</i>	28
Ex. 9. <i>Theorem for two systems of conics</i>	28
Ex. 10. <i>A property of the cubic surface with four double points</i>	28
Ex. 11. <i>Cubic curve in threefold space, three tetraids upon</i>	28, 29
Ex. 12. <i>Algebraic form of result of Ex. 11</i>	29
Theorems for circumscribed circles for any number of lines in a plane	29—31
Ex. 1. <i>Representation of points of quadric by transversals of two lines</i>	31, 32
Ex. 2. <i>Six conics triangularly inscribed to another</i>	32
SECTION II. THEOREMS OF THREE AND FOUR DIMENSIONS	32—40
Tetrahedral complex, determined by planes meeting three lines in fourfold space	32—34
Ex. <i>Algebraic formulation</i>	34
Analogous generation of a linear complex	34, 35
Ex. <i>Algebraic formulation</i>	35, 36
Spheres as determined from sections of a quadric in fourfold space	36—38
Exx. 1, 2. <i>Two conjugate points of quadric in fourfold space</i>	38
Ex. 3. <i>Representation of a circle by a line in fourfold space</i>	38, 39
Ex. 4. <i>Two spheres cut everywhere at the same angle</i>	39, 40
SECTION III. USE OF SPACE OF FIVE DIMENSIONS	40—64
The representation of lines of threefold space by points of fivefold space	40—42
Ex. 1. <i>Representation of two conjugate or apolar linear complexes</i>	42
Ex. 2. <i>Six linear complexes mutually conjugate</i>	42
Ex. 3. <i>General form of theorem of Ex. 2</i>	42, 43
The lines common to three, and to four, linear complexes	43, 44
Planes lying entirely on the quadric fourfold in the space of five dimensions	44, 45
The planes of the quadric fourfold treated with the symbols	45—47
The aggregate of the planes lying on a quadric in fivefold space	47, 48
Ex. 1. <i>Representation of point and polar plane in regard to a focal system</i>	48
Ex. 2. <i>Representation of a pair of lines, polars in regard to a quadric</i>	48, 49
The representation of congruences of lines of the original space	49, 50
Number of lines common to two congruences in threefold space	50, 51
Ex. <i>Number of chords common to two curves</i>	51
The chords of a cubic curve in the threefold space. Veronese's surface	52—54

Contents

xi

	PAGES
Ex. 1. <i>The section of Veronese's surface by a fourfold space.</i>	54
Ex. 2. <i>The representation in fivefold space of the conics of a plane</i>	54
Ex. 3. <i>Statement of some properties of Veronese's surface</i>	54, 55
Lie's correspondence between lines and spheres in space of three dimensions	55, 56
Ex. 1. <i>Algebraic formulation of the correspondence</i>	56, 57
Ex. 2. <i>Comparison with deduction of sphere from fourfold space</i>	57
Ex. 3. <i>The eight pairs of spheres which touch four spheres</i>	57, 58
Ex. 4. <i>The eight spheres touching four planes</i>	58
Ex. 5. <i>The double-six theorem expressed in terms of spheres</i>	58
Generalisation of Wallace's theorem. The theorem of the double-six. A theorem for six lines with a common transversal	58—60
Exx. 1—5. <i>Proofs of the theorems</i>	60—64
Note. Another proof of Wallace's theorem, and extensions	64

CHAPTER II. HART'S THEOREM, FOR CIRCLES IN A PLANE, OR FOR SECTIONS OF A QUADRIC

The sections of a quadric which touch three given sections	65, 66
Ex. 1. <i>A pair of variable sections of a quadric touching one another and two fixed sections</i>	66
Ex. 2. <i>Construction of the circles touching three given circles</i>	66
Ex. 3. <i>A theorem for circles through threes of four special points</i>	66, 67
Ex. 4. <i>Circles cutting three given circles at equal angles</i>	67
Ex. 5. <i>Circles cutting four given circles at equal angles</i>	67
Ex. 6. <i>Circles cutting three given circles at given angles</i>	67
Ex. 7. <i>Common tangents, of three circles, which meet in a point</i>	67, 68
Ex. 8. <i>Solution of generalised Malfatti's problem</i>	68, 69
Ex. 9. <i>Equations of sections touching three sections of a quadric</i>	69, 70
Exx. 10—15. <i>Various algebraic results</i>	70, 71
The Hart circles of three circles when the four have a common orthogonal circle	71, 72
The Hart circles of three circles in general	72—75
Ex. 1. <i>The various cases</i>	75
Ex. 2. <i>The point of contact of the Hart section</i>	75, 76
Ex. 3. <i>The bipolar character of the figure obtained</i>	76, 77
Ex. 4. <i>Eight sections divided into four pairs</i>	77
Ex. 5. <i>Relations with metrical geometry</i>	78
Ex. 6. <i>The particular case of the Feuerbach circle</i>	78—80
Ex. 7. <i>The same Hart section arises in different ways</i>	80
Ex. 8. <i>The radius of the Hart section</i>	80, 81
Ex. 9. <i>Four circles arising from the intersections of three circles</i>	82
The bifocal property is necessary as well as sufficient	82—85
Ex. 1. <i>A particular form of the equation of the quadric</i>	85, 86

	PAGES
Exx. 2, 3. <i>Two algebraic results</i>	86
Ex. 4. <i>Relations between four sections and four tangent sections</i>	86—88
Ex. 5. <i>The harmonically conjugate quadric in regard to tangent sections</i>	88
Ex. 6. <i>The Hart circle defined by angles of intersection</i>	88
 CHAPTER III. THE PLANE QUARTIC CURVE WITH TWO DOUBLE POINTS 	
The generation of the curve. The four principal circles	89, 90
The curve as an envelope of circles. The director conic	90
Ex. 1. <i>Algebraic formulation</i>	90, 91
Ex. 2. <i>Two tangent circles have their points of contact on a circle.</i>	91
The four director conics are confocal	91, 92
The sixteen foci of the quartic curve. Are intersections of a principal circle and a director conic	92—94
Relation of distances of point of curve from three foci	94
Construction of the plane quartic curve given four foci lying on a circle	94—96
Inversion of the curve into itself	96, 97
Ex. 1. <i>Cubic curves with two fixed points, arising by inversion</i>	97
Ex. 2. <i>Equations for the case of the cubic curve</i>	97, 98
Ex. 3. <i>Case of quartic with four foci on a line</i>	98
Ex. 4. <i>The Cartesian, Limaçon and Cardioid</i>	98, 99
Angles of intersection of enveloping circles of the plane quartic which belong to different families	99—101
Exx. 1, 2. <i>Theorem for eight intersections of four circles taken in order</i>	101
Ex. 3. <i>Condition by angles of intersection for three circles to meet in a point</i>	101
Exx. 4, 5. <i>Angles between six planes, in regard to a quadric</i>	102, 103
Ex. 6. <i>Theorem of intervals, for quadrics with ring contact</i>	103
Ex. 7. <i>Descriptive form of distance theorem for focal conics.</i>	103
Ex. 8. <i>A theorem for the foci of an anallagmatic curve</i>	103
 CHAPTER IV. A PARTICULAR FIGURE IN SPACE OF FOUR DIMENSIONS 	
The structure of the figure. Identity of numbers with those for lines of cubic surface	104, 105
Geometrical bearings of the figure. The group	105
The establishment of the figure	105—111
Exx. 1—4. <i>Some particular results. Connexion with theory of spheres</i>	111, 112

Contents

xiii

CHAPTER V. A FIGURE OF FIFTEEN LINES AND
POINTS, IN SPACE OF FOUR DIMENSIONS; AND
ASSOCIATED LOCI

	PAGES
The figure of fifteen lines and points	113—115
Proof of the incidences with the help of the symbols	115, 116
Ex. 1. <i>A property of five associated lines</i>	117
Ex. 2. <i>A generation of five associated lines</i>	117
Ex. 3. <i>A quadric surface obtained from six points in fourfold space</i>	117
Ex. 4. <i>Harmonic inversion of figure, with point and solid funda-</i>	
<i>mental</i>	117
Ex. 5. <i>Dual of the figure. Harmonic inversion with two funda-</i>	
<i>mental planes</i>	117—119
Ex. 6. <i>Harmonic inversion with line and plane fundamental</i>	119
Ex. 7. <i>Separation of the figure into two parts, in ten ways</i>	119, 120
Ex. 8. <i>Application of inversion of Ex. 6 to quartic curve in four-</i>	
<i>fold space</i>	120
The associated line of a set of five is met by all planes meeting the	
first four lines	120—123
<i>Interpolation in regard to quadric point-cone and line-cone</i>	120—122
The six systems of planes	123, 124
The planes of the figure deduced with the help of the symbols	124, 125
The equation of an associated quartic locus	125, 126
Ex. <i>The six sets of associated lines give related ranges on certain</i>	
<i>conics</i>	127, 128
The tangent solid of the quartic locus Σ	128, 129
The equations of the singular solids	129, 130
The intersections of a tangent solid of Σ with the fifteen funda-	
mental lines	130—133
The intersections of a tangent solid of Σ with the planes of the six	
systems	134—136
Ex. 1. <i>Planes of a system meeting a line. Algebraic expression</i>	136, 137
Ex. 2. <i>Equations for congruence of lines on tangent solid, by planes</i>	
<i>of a system</i>	137, 138
Ex. 3. <i>Particular algebraic results</i>	138
Ex. 4. <i>Intersection of locus Σ with tangent solid is a Kummer</i>	
<i>surface</i>	138, 139
Ex. 5. <i>Six conjugate linear complexes determined by six points</i>	139, 140
Ex. 6. <i>Algebraic formulation of theorem of Ex. 5</i>	140
Ex. 7. <i>Number of non-intersecting pairs and threes of lines in the</i>	
<i>figure</i>	140
Ex. 8. <i>Other forms of congruence of lines in tangent solid, by</i>	
<i>planes of a system</i>	140, 141
Ex. 9. <i>Theorem for relation of a line to four mutually inscribed</i>	
<i>tetrads</i>	141, 142

	PAGES
Ex. 10. <i>The locus Σ giving rise to Kummer surface, or to Plücker's Meridian Surface</i>	142, 143
Ex. 11. <i>Six arbitrary lines in fourfold space are met by five associated planes</i>	143
Ex. 12. <i>Solid through associated plane meets four planes in lines of a quadric</i>	143, 144
Ex. 13. <i>Joins of two triads met by solid in six planes touching a quadric cone</i>	144, 145
Ex. 14. <i>A plane in a singular solid determines a quadric cone</i>	145
Ex. 15. <i>Aggregate of planes each joining corresponding points in three related planes</i>	145, 146
Exx. 16, 17. <i>Various algebraic results</i>	146, 147
Ex. 18. <i>Enveloping cone of Segre's locus from point of a particular line</i>	147
Ex. 19. <i>Trisecant planes of a quartic curve in fourfold space</i>	147
Ex. 20. <i>Symmetrical tangential equation of Segre's quartic locus</i>	147, 148
Ex. 21. <i>Quadric in regard to which Segre's figure is self-polar</i>	148
Ex. 22. <i>Derivation of Segre's figure from fivefold space</i>	149
Ex. 23. <i>The projection of Segre's figure on to a threefold space</i>	149—151
The dual of the figure which has been considered. The cubic locus S	151—158
Ex. 1. <i>Equations for the six lines of the locus S through an arbitrary point</i>	158
Ex. 2. <i>The equation of the Weddle surface</i>	158, 159
Ex. 3. <i>Quadratic congruence obtained by projection of lines of S</i>	159
Ex. 4. <i>Dual derivation of Weddle's surface</i>	159
Ex. 5. <i>The locus Σ, and its tangent solid, in terms of parameters</i>	159, 160
Ex. 6. <i>Quartic surface with fifteen double points, changed to surface with five double points</i>	160
Ex. 7. <i>The locus S by projection from fivefold space</i>	160
Ex. 8. <i>Theory of system of any four quadrics in threefold space</i>	160

CHAPTER VI. A QUARTIC SURFACE IN SPACE OF FOUR DIMENSIONS. THE CYCLIDE.

A quartic surface in space of four dimensions	161, 162
Preliminary algebraic consideration of the surface	162—165
Ex. 1. <i>Surface projected on to plane by planes through a line of the surface</i>	165
Ex. 2. <i>Reduction of equations of two quadric point-cones</i>	165
Ex. 3. <i>Combination of harmonic inversions from points of a simplex</i>	165
Ex. 4. <i>Algebraic proof surface contains only sixteen lines</i>	166
Ex. 5. <i>Algebraic arrangement of lines</i>	166
Resumption of the descriptive theory of the quartic surface. The sixteen lines	166—168

Contents

XV

	PAGES
The self-polar pentad for the quartic surface	168—170
Ex. 1. <i>Harmonic inversion of the lines of the figure</i>	170
Ex. 2. <i>The lines meet in pairs in eight points of a face of the pentad</i>	170
Ex. 3. <i>A notation for the sixteen lines. Double-fours of lines</i>	170, 171
The conics lying on the quartic surface	171, 172
The cubic surface in space of three dimensions; and the theory of inversion	172, 173
Ex. 1. <i>Equation for a cubic surface derived from fourfold space</i>	173
Ex. 2. <i>The twenty-seven lines of the cubic surface obtained by projection</i>	174
Ex. 3. <i>A line meeting the Absolute conic inverts into an intersecting line meeting this conic</i>	174
The Cyclide, or quartic surface with a double conic, in threefold space	174, 175
Ex. 1. <i>Equation of Cyclide, and of enveloping spheres</i>	175, 176
Ex. 2. <i>Cyclide as locus of circle, intersection of corresponding spheres of two systems</i>	176
Ex. 3. <i>Cyclide as locus of limiting points of fixed sphere and varying tangent plane of quadric</i>	176, 177
Ex. 4. <i>Enveloping spheres meet Cyclide on tangent planes of a quadric cone</i>	177
The five generations of the Cyclide, with confocal quadric surfaces	177, 178
Ex. 1. <i>The focal conics of the confocal principal quadrics</i>	178, 179
Ex. 2. <i>The angle between two enveloping spheres of different systems</i>	179
Ex. 3. <i>The five inversions of a Cyclide into itself</i>	179
Ex. 4. <i>Four points of double conic of Cyclide at which tangent planes coincide</i>	179, 180
Confocal Cyclides. Three through arbitrary point with given focal curve, cutting orthogonally	180—183
Ex. 1. <i>Algebraic formulation</i>	183
Ex. 2. <i>Lines in fourfold space which become normals of Cyclide</i>	183—186
Ex. 3. <i>The lines of curvature of a Cyclide</i>	186—188
Ex. 4. <i>The normals of Cyclide along line of curvature generate a developable surface</i>	188, 189
Ex. 5. <i>Sixteen lines of Cyclide are complete intersection with a quartic surface</i>	189
Ex. 6. <i>A line of curvature is inverted into a line of curvature</i>	189
Ex. 7. <i>A criterion for a line of curvature</i>	189
Ex. 8. <i>Two orthogonal surfaces intersecting in a line of curvature on one</i>	189
Ex. 9. <i>Plane lines of curvature</i>	189, 190
Ex. 10. <i>Differential equation for inflexional curve, and for line of curvature</i>	190
In regard to some particular cases. The Dupin Cyclide	190—194

	PAGES
Ex. 1. <i>An irrational form of the equation of a general Cyclide</i>	194, 195
Ex. 2. <i>Equations for a Cyclide with two double points</i>	195, 196
Ex. 3. <i>Equations for a Cyclide with four double points</i>	196—198
Ex. 4. <i>Maxwell's generation of Dupin's Cyclide generalised</i>	198
Ex. 5. <i>Inversion of Dupin's Cyclide into an Anchor Ring</i>	198—200
Ex. 6. <i>Two theorems for inversion of spheres</i>	200
Ex. 7. <i>The envelope of a sphere touching three spheres</i>	200, 201
Ex. 8. <i>The inversion of Dupin's Cyclide into a Quadric cone of revolution</i>	201
Ex. 9. <i>Dupin's Cyclide given by its tangent planes</i>	201, 202
Ex. 10. <i>Further equations for Dupin's Cyclide</i>	202
 CHAPTER VII. RELATIONS IN SPACE OF FIVE DIMENSIONS. KUMMER'S SURFACE 	
Klein's figure in three dimensions, related to a figure in five dimensions	203—205
Exx. 1—4. <i>Various particular formulae</i>	205, 206
Ex. 5. <i>Origin and scheme for ten important quadric surfaces</i>	206—208
A transformation of Segre's figure, in space of four dimensions, to a figure in five dimensions	208—211
Relation of the transformation to the theory of Kummer's surface	211, 212
Kummer's quartic surface as the locus of singular points of a quadratic complex of lines	212—217
Ex. 1. <i>The question of the covariance of the transformation</i>	217
Ex. 2. <i>The tetrahroid, and Wave Surface, of Fresnel</i>	217, 218
Kummer's surface in the geometry of space of five dimensions	218—221
The tangent lines of a Kummer surface at a point	221, 222
The inflexional directions at a point of the Kummer surface	222, 223
The associated quadratic congruences	223—225
The common singular points and planes of the six congruences	225—227
The confocal quadrics	227—229
Singular planes through a more particular point	229, 230
The Inflexional (or Asymptotic) curves of the Kummer Surface	230—234
The rationality of the Quadratic Complex, and of the Quadratic Congruence	234—237
The generation of a quadric in fivefold space. The tetrahedral complex in threefold space	237—240
The singular points and planes of a Quadratic Congruence. Caporali's theorem	240—243
Exx. 1—3. <i>Various algebraic results</i>	243, 244
CORRECTIONS TO VOLUME III	244
INDEX	245—250