

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

A

- ACCOUNTS*, method of keeping such as relate to the business of the farm, 489, 533 to 548.
- Alder*, directions for cutting, 170.
- Ant-hills*; season for destroying them, 515.
- Apples and Pears*, season of gathering; and attentions in storing, &c. 510.
- Aquatics*, situations in which they may be planted with advantage, 89. See also *Osiers*.

B

- Bailiff*; hints respecting the employing, and business of, a bailiff, 483 to 485.
- Barley*, account of a system lately introduced, of putting in this grain on turnip lands by drilling, without any ploughing, 67.
- the former method of preparation was by once or repeated ploughing, 168.
 - the new plan is by the use of scarifiers; of which, one, two, or three, operations will be required, according to the tenaciousness of the soil, 69.
 - advantage of this practice superior to that of ploughing, 70. (See farther 110.)
- broad-casting barley, 71.
- barley on Fallow, 71. (See farther 111.)
- proper time for sowing, 107.
- good system of barley culture, 108.
- throwing it into a regular course before Clover, is most profitable; examples of courses of this nature, 108.
- spring ploughing, however, is in many cases to be avoided, 109.
- cautions, and necessary attentions, in sowing barley after Turnips, 109.
- the farmer should consider whether this crop or Oats is likely to pay him best, 110.
- in sowing barley after Fallow, when deferred till March, scarifying should be used instead of ploughing, 111.
- the importance of drilling barley increases as the season advances, 111.
- the quantity of seed also to be increased by the same consideration, 112.

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- the season of sowing, recommended by the Northern Botanic School to be drawn from the foliage of vegetables; curious table on this subject, 112.
- sowing not to be delayed (on the old system of spring ploughing) beyond March or the early part of April for the sake of additional ploughings, 189.
- in the modern system, such delay to be equally avoided; caution against poaching, 190.
- hoeing in May, 265, 266.
- cut some sorts of barley in July; advantages of this early mowing, in such kinds as admit of it, 420.
- harvest; mowing, lying, and carting, 430.
- use of the dew-rake, or (better) the horse-rake, 431.
- reaping barley, 431.
- plough for barley, in October; attend carefully to breadth of stitches, 502.
- Beans*; the earlier planted, the better the crop, 31.
- manuring, 31.
- season of sowing, and preparation, 57.
- different methods of sowing; by a drill-plough preferable, 57.
- great advantages of this crop; may supersede the custom of summer fallowing, 58. (See also 63.)
- cautions in ploughing for beans, in February, 59.
- beans after Barley; time of sowing, and preparation, 59.
- advantages of drilling, and of dibbling, compared, 60.
- the harrowing proper after each, 61.
- after Barley or Wheat, in some circumstances the drill method *must* be used, 61.
- course practised about Coggeshal, in Essex, 61.
- peculiar culture under this course, 62.
- sorts of bean, 62.
- soils proper for beans, 63.
- great advantages of this crop on a farm; should be sown wherever it is possible to have it, 63. (See also 58.)
- quantity of seed, 64.
- distances of the rows, in drilling, 64.
- custom in Berkshire, of planting in clusters of four or five in a hole, 65.
- beans after Clover and other *Seeds*; an excellent husbandry, and preferable to sowing Wheat, 65.
- course (of five years) in this practice, 66.
- manuring the clover lay, 66.
- beans after Wheat: on some rich soils these crops may be taken alternately; proper cultivation under this plan, 166.
- beans after Turnips, sometimes advisable instead of Barley, 67.
- deferred sowing till March, 130.
- beans to be eaten Green; experiment made with 38 pigs, very successful, 131.
- Windsor beans for this purpose, 192.
- beans better than Oats, on Lays, 117, 132.
- hoeing in May, 266.

— horse

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- horse and hand hoeing in June, 359, 389.
 attention in July to the horse-hoed crops; useful direction concerning the horse-hoeing if given this month, 409, 410.
 harvest; reaping and binding, &c. 432.
 Wheat after beans, 454.
 manuring and ploughing for beans, in October, 501.
 See also the articles *Pease*; and *Pork*.
- Bean-straw*, if well harvested, a very hearty and nutritious winter food for cattle, 10.
- Bees*: attention to swarming in May, and June; no farm-house should be without bee-hives, 292, 388.
- Birds of passage*; wonderful conformity between the annual arrival of several of these birds, and the progress of vegetation, 113.
- Black oats*; time of sowing, and quantity of seed, 74.
 culture, 75.
- Books* for entering memorandums and observations relative to agricultural subjects should be kept by the farmer, 51.
- Borders* of inclosures; necessity, and proper season, for bringing them into good order, 81.
 best method of doing this; and expence, 81.
 shameful and injurious neglect on this point, in many farms, 82.
 planting Potatoes on borders, 140.
 See also 512.
- Buck-wheat*, preparation for, 191, 360.
 this crop recommended; its advantages, time of sowing, &c. 191, 254.
 buck-wheat after Tares; narrative of the Rev. Mr. Mosely, of Suffolk, respecting the advantages of this crop coming between Tares and Wheat, 360 to 363.
 may be sown even so late as the first week in July, 421.
 harvest of the early-sown crops, in August, 432.
- Building*; various useful hints relative to conducting this business, 230.
 the house, when necessary, 230.
 the threshing-mill; with iron rail-way, granary, chaff-house, and roofed shed, 231, 232.
 sheds for cattle and horses, 233.
 dairy, 234.
 piggery, 235.
 directions respecting the plan and construction of the farm-house, 238 to 240.
- Burnet*, its peculiar benefit as a spring food for sheep, 157, 207.
 time of sowing; culture; produce; mix with ray-grass or cocksfoot, 203, 204.
 may be sown with Buck-wheat in May, 258.
 mow in July the crops left for seed; thresh in the field, 410, 411.
 interesting remarks on the culture, feeding, produce, and various eminent advantages, of this crop, 411 to 414.
 cattle should not be permitted to pasture the fields after mowing either for seed or for a second crop of hay, 466.

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

—-but it should be kept for sheep-feed in spring, 514.

Burning lime may be continued through all the winter, 45.
situations for kilns, and conveniences; manner of paying for this work, 46.

Burning weeds, straw, and gorse, for manure. See the articles *Weeds: Straw*; and *Gorse*.

Butter. See *Dairy*.

C

Cabbages; experiment of the Author, in feeding smaller cows on this plant, 15.

time of sowing the seed; and preparation, 72.

—method, of drilling on the land where the plants are to remain, which prevents the inconvenience of transplanting, 72.
(See also 218, 219, and 260, 261.)

attention to the nursery, 73.

preferable sorts of cabbage, 73.

spring ploughing for the land which is to receive the plants, 84.
great design of the culture of this crop; as a supply of green winter food, it even exceeds on clay soils the superiority which a turnip fallow on light land possesses over a summer-fallow clay, 85.

—its advantage also in lasting for sheep-feed longer in the spring, 86.

seasons for planting the crops designed for cattle; and preparation, 142.

sow a second time in March; quantity of seed, 143.

season for planting the autumn-sown crop: directions for performing this operation; its expence, 218.

drilling the seed in April on the ground where they are to remain, is the most certain and profitable culture, 218. (See also 72, and 260, 261.)

—preparation for this purpose; and method of performing the operation, 219.

the crop planted in April must be hand and horse-hoed in May, 259, 260.

—preparation also in this latter month for those to be planted in June, 260.

the late Mr. Bakewell's method, of drilling the seed at once, the beginning of May, where the crop is to remain; its advantages, preparation, method of sowing, manuring, and culture, 260, 261. (See also 72, and 218, 219.)

business upon the cabbage lands in June, 337.

—ploughing-in the manure; distance of rows, 337.

—method of planting, and expence; watering, 338.

advantage of cabbages on those lands where Turnips have failed; in ensuring a supply of green winter food, &c. 338, 339.

culture in June of the crop planted in April, 340.

—attention also to those drilled (in the latter month) where to remain, 340.

attention in July to the crop planted in April or May, 406.

—-and

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- and to hand and horse hoeing that planted in June; care in performing those operations, 407.
- horse and hand hoeing the cabbages drilled in April where to remain, 408.
- second horse-hoeing early in August, to the midsummer-planted crop, 436.
- sow in August for those crops that are transplanted in April, 437.
- great importance of having as many August-sown cabbages as can be wanted for winter food to the end of December, 437.
- drilling seed on the ridges where it is to remain, in the last week of August or beginning of September, 438.
- See also the articles *Carting*; and *Reynolds's cabbage turnip*.
- Cabbage fallow*: great utility of the Norfolk drill-roller in breaking the clods; preparation for these fallows, &c. 341, 342.
- Calves*, different methods of weaning them; the Duke of Northumberland's method, 16.
- the last year's calves should be thoroughly well fed and kept clean, 18.
- treatment of the weaned calves in March, 158.
- Carrots*, best culture for them, 31.
- great importance of this crop; season for sowing, and preparation, 83.
- the Suffolk system, however, quite different, 84. (See also 135.)
- quantity of seed; putting in; proper soils, 134.
- extended and regular cultivation of this root recommended, 135.
- Suffolk practice: a turnip-fallow, fed on the land, the best preparation: steeping the seed, 135.
- inducements to the cultivation: as a food for the teams, and for fattening swine, cattle, and sheep; and in point of profit, and of its advantage to the land, 136, 137.
- carrots on Grass, though not common, do well, 137.
- their importance as a more advanced spring food for horses, 160.
- rule for the first hand-hoeing, 217.
- harrowing and hand-hoeing in May; set out the plants at the distance of twelve inches, 258.
- hoeing about the latter end of June, 342.
- in July 409.
- in August, 440.
- season and method of digging up, carting, and piling, &c. 496.
- universal application of this crop, 497.
- Carting* turnips and cabbages; precautions for the right performance of this business should be attended to at the time of sowing or planting, in the arrangement of the ridges, 50.
- Cattle*; attentions to be paid in the middle of winter to those in the farm-yard, 8.
- young cattle should be thoroughly well fed and kept clean, 18.
- treatment of the cattle in the farm-yard in April, 211.
- time of turning them out of the farm-yard into Grass, 245.

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- question whether on doing this, the whole of the pasture grounds should be at once thrown open to them, or divided off successively; advantages and disadvantages of each method, 251 to 253.
- attentions in the point of stocking grass-lands, 253.
- management of young cattle in October, 493.
- may be served with Straw (as a food) in too great plenty, 550.
- See also the articles *Calves*; *Cows*; *Farm-yard*; *Fattening beasts*; and *Litter*.
- Chaff*. See *Cut-chaff*.
- Chaff-house*. See *Threshing-mill*.
- Chalking*; method of performing this business, in Hertfordshire, 42.
- sinking the pit, 42.
- raising the chalk, 43.
- operations at the bottom of the pit, 43.
- quantity of land to each pit; expence, 44.
- deepest chalk the best; flints to be picked out, 44.
- successful practice of Mr. John Hill, of Coddicot; once chalking produces abundant crops for ten years, 44, 45.
- distinction between the different sorts of chalk; and suitable soils, 370.
- dig throughout July and August; use the small three-wheeled cart, 417, 418, 439.
- dig in November, 515.
- in December, 527.
- Chamomile*, its soil, and planting; the cultivation of it troublesome and not advantageous, 152.
- Cheese*. See *Dairy*.
- Cheshire cheese*; general method of making, 285 to 288.
- Chicory*; peculiar advantage of the cultivation of this plant, 124, 150.
- objection to it; answered, 125.
- methods of sowing, broad-cast or drilling; quantity of seed; harrowing after sowing, 125, 6, 204.
- Churns*, apparatus to those used in Cheshire, 285.
- Clay*. See *Marling*.
- Close feeding* pasturage with sheep; important advantages of an attention to this point, 269 to 271.
- Clover*: great benefit of this crop; various methods of sowing it, 117.
- advantage of each, 118.
- value of the produce, in different views, 118.
- it is peculiarly liable to fail in districts where it has been long grown; course on a farm in Surrey, which succeeded well with clover every third year, 119.
- in such circumstances, Tares may also be dibbled into the vacant spots with advantage, 243.
- quantity of seed, 119.
- White clover alone, for seed, 120.
- time of mowing clover; this the most profitable application of the crop; direction in making the hay, 346.
- Wheat

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- Wheat after clover, 456 to 458.
 — singular experiment of Mr. Duckett, on preparing a clover lay for Wheat, 458.
- Coal ashes*; expence (about Dunstable, &c.) of this substance, and its application as a manure, 165.
- Cole*. See *Rape*.
- Composts*: great advantage of these mixtures; and directions for the disposition of the ingredients, 97.
 — layers, either thick or thin, not advisable, 97.
 — method recommended instead of that practice, 98.
 — turning afterwards unnecessary in this plan, 99.
 the application of these manures to meadow or pasture grounds, is much benefited by the use of the cutting-plough, or scari-ficator, 99.
 — the cutting should be previous to the manuring, 99.
 where necessary, the materials may be mixed in the field to be manured, 100.
 best situation for making a compost is on a level, 100.
 — but the richest may be made in the farm-yard, 100.
 — grounds to which this last is suited, 101.
 composts for Grass, 465.
- Cottagers' hemp*, 296.
- Courses of crops*; vast importance of this subject; little understood before the present reign, 503.
 general principles; and lists of courses on the most striking varieties of soil, 504, 505.
- Cows*; treatment of them with respect to food, &c. just before and after calving, 13.
 — but if nothing else be provided, they have hay only; estimate of the cost of this food to the farmer, 14, 15.
 — the expence of this practice is ruinous, and therefore green winter food should be provided, 15.
 experiment of the Author, in feeding smaller cows on cabbages, 15.
 feeding cows in May; clover, and ray-grass eaten off early with sheep, 279.
 — great advantages of lucerne; method of giving it in the stalls: its profit, 279, 280.
 attention to the food of dairy cows in September; lucerne, mown green and given in a yard, the most profitable way of feeding, 464.
 management of dairy cows in October, 493.
 See also the articles *Cattle*; and *Dairy*.
- Cropping* pollard-trees, 96.
- Cuckoo*. See *Birds of passage*.
- Cut-chaff*; different machines for performing the operation of cutting, 11.
 — importance of the practice, 11.
 — contrivances to supply the place of racks in stables, in giving this substance to the cattle, 12.
 — its

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- its use recommended, to as great a degree as can be effected, both for teams and all other stock that eat hay, 13.
 construction of the troughs for giving it to sheep, 13.
 chaff house : See *Threshing-mill*.

D

- Dairy* : various useful directions by Mrs. Chevallier, for the management and interior economy of dairies, 17.
 advantages of parsnips as a food for dairy cows, 94.
 the conduct of this part of the business must depend upon the farmer's wife, or dairy maid, and no more than a few incidental instructions can be given concerning it, 158.
 plan and construction of the Dairy, 234.
 in May begins the busy time with the dairy ; some further directions for its management, 280.
 — milking, 280.
 — running water in the Dairy in hot weather, 281.
 practice of the Epping dairies, 281.
 process of making Butter, 282.
 — the method in Holland, 282, 283.
 — butter and milk in Cheshire, 283, 284.
 — apparatus of their churns, 285.
 general mode of making Cheshire Cheeses, 285 to 288.
 cheese from clover, 288.
 quality of milk for Cheese, 288.
 — in Gloucestershire, 288.
 season for making thin, and for thick, Cheese, 289.
 preparations of the Rennet, used at Procester, in Gloucestershire, 289.
 in very bad weather, the difficulty (in certain circumstances) of *bringing the Cheese* may be beneficially prevented by the application of cold spring water before curdling or rendling, 376.
 disadvantage of injudicious methods of drying Cheese, 378.
 spreading salt across the middle of the Cheese in the vat is injurious ; salting in the milk greatly preferable, 378, 379.
 the season has considerable effect on the quality of Cheese ; influence of the prevalence of certain plants, and other circumstances, in the pastures, 379, 380.
Ditches ; the practice of digging them of greater depth and width for the sake of the additional marle thus procured, is erroneous, 28.
Drainage : different methods of making covered drains ; by the plough, or by the spade, 28.
 — the former less expensive ; but in the main drains spades must be used, 29.
 expence of covered drains, 29.
 — materials for filling these drains, 30.
 economical way of making covered drains, 30.

--- begin

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- begin hollow-draining in November; importance of this improvement on wet lands, 517.
 Elkington's draining, 518.
 See also *Mole-plough*.
Drill husbandry, should be universally adopted on soils that will admit of it, 505 to 507.
 construction of the ridges, stitches, or lands for drilling, 507.
Ducket's skim-coulter; every farmer should possess this implement, 324.
Dung: important directions respecting the attentions to be paid in the farm yard to this article, and its management, 245 to 247.
 question of the superiority of yard dung in a long or in a rotten state, 247.
 — farm-yard management in each case, 248, 402.
 — the application of it in the former state ascertained to be most advantageous, 320 to 323, 376.
 See also the articles *Manures*; and *Soiling*.

E

- Elkington's* draining, 518.
Ewes. See the articles *Lambing*; and *Sheep*.

F

- Fallowing*: attention to keeping the fallows clean in July; the well-timing of more consequence than the frequency of ploughing, 416, 417.
 the modern well-informed husbandman will rarely have recourse to fallows after his first year, 417.
 plough in September, 468.
 laying up the fallows in October; importance of avoiding spring tillage, 499, 450.
Farm house, useful hints respecting the building of; and directions concerning its plan and construction, 230, 238 to 240.
Farms: October the usual month of hiring farms; important points to be attended to in this matter; the success of the last tenant a false guide, 473.
 — the soil, 474 to 479.
 — size, 479.
 — contiguity of the fields, 480.
 — covenants, 480.
 — ascertainment of rent, 480.
 stocking farms; expence of this business, 481 to 483.
 setting the flock, 483.
 servants, 483.
 family arrangement, 486.
 the farm accounts, 489.
 farm-yard, 490.
 the teams, 491.
 — question of employing horses or oxen in them, 491.

Farm-

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- Farm-yard*, attentions to be paid in winter to the cattle here, and in the buildings, in point of food, littering, &c. 8, 88, 525.
 points of attention in the construction, and the management of farm-yards, in the view of providing for making composts, 100.
 cattle must be kept close to the yard through March, 157.
 general plan and construction of farm-yards; threshing-mill, &c.; sheds for cattle and horses, dairy, piggery, 231 to 238.
 important directions respecting the article of dung, and its management, 245 to 248, 402.
 occasional business in the farm-yard in harvest, 435.
 attend to the convenience of the farm-yard, at the time of hiring a farm; system of management to be pursued in the yard, 490.
- Fattening beasts*, directions to be attended to in fattening, either in a yard or in the stall, 18.
 particular points in the management of oil-cake and corn-fed beasts; cleanness of lodging and of mangers; very little food at a time, and varied; and good warmth, 19.
 the beasts should be weighed once a fortnight at least, 159.
 sell toward the end of April, 208.
 various divisions in fattening, and schemes of buying and selling, 253, 254.
 — with cake and corn-fed beasts, 254.
 attention to the fat cattle in July, 422.
 attention to food, in September, 462.
 — hints respecting selling at this time, objection to the common practice of first selling off the fattest only, 463.
 management of fattening beasts in October, 493.
 food, feeding, litters, &c. in November, 521.
 practice in France, of giving acid food in fattening bullocks 552 to 554.
 See also *Smithfield*.
- Felling*. See *Wood*.
- Fences*; great necessity of having good ones to a farm, 25.
 description of the *plashing* (which is the best) method of fencing, 26.
 the business of fencing must be concluded in April, 221.
 begin hedging and ditching in November; method, plashing, 512. (See also 26.)
 walling, in dry stony countries, 514.
 system of fencing, 527.
 See also *Borders*.
- Fern*; cut and carry this substance in September, stacking it; advantages of this management, 466.
- Fish-ponds*: season for making; are advantageous in certain situations; method of performing this business; expence, and profit, 522, 523.
- Flax*; time of sowing, 223.
 proper soil, 223, 224.
 practice in southern countries; of sowing twice, in Autumn and Spring, 224.

— pre-

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- preparation for this crop, 225.
- manuring, &c. 226.
- means of ascertaining the quality of linseed, 226.
- quantity of seed, and methods of sowing, 227.
- sowing with grass-seeds, 227.
- a dressing of soot, ashes, &c. very beneficial, 227.
- farther general remarks on the culture of flax; proper soil, time of sowing, quantity of seed, &c. 296, 297.
- weeding the young crop in June, 344, 385.
- time and method of pulling, 442.
- this is not an advisable crop for the young farmer, 442.
- Flemish* culture of rape for seed, 372.
- Floating*. See *Watering meadows*.
- Fly* in turnips, manuring the best preventive against, 327, 328.
- soot frequently applied, with success, 405, 6.
- Fly* in sheep; preventive against, 365, 366.
- Fogging*; account of this peculiar husbandry, and its benefits, 325.
- Folding* sheep: now proved to be an unprofitable practice; the arguments in its defence are not satisfactory, 3.
- the Author's experience on this subject, 4.
- the benefits to be reaped by the fold, considered; the improvement of the corn-lands at the expence of the pastures is an injurious maxim, 5.
- the sheep when not folded manure the ground equally, and much increase the value of lays, 6.
- folding*, when that system is preferred, may be carried on throughout the whole of the winter with profit, 7.
- use of a sheep-yard to answer this purpose, 7, 526.
- application of folding as a top-dressing in spring, 166.
- farther remarks on the injudiciousness of folding, 268, 269.
- folding* in June, 366.
- attention in July to this business; constant rule, fold those lands first which will be first sown, 417.
- folding* in August, 439.
- standing sheep-fold, in October, 508.
- folding* in November, 513.
- Foliation* of vegetables; curious table on this subject, 112.
- Fruit-trees*, season for planting, 522.
- Fullers' thistle*. See *Teasels*.
- Furze*; example of its cultivation with great success, 244.

G

- Garden*. See *Kitchen-garden*.
- Garget*, in yearling calves, may be prevented by keeping them perfectly dry, 18.
- Gleaning*, observations respecting this custom, 434.
- Gorse*; practice of burning this vegetable for manure, 399.
- Granary*. See *Threshing-mill*.
- Grass-lands*; season for putting on several sorts of manure, 87.
- pre-

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- precaution, and attentions, in the application of purchased manures, 87.
- advantage of alternating grasses with corn, on land worn out, or injured by bad management, 120.
- course for this purpose, 120.
- seeds to be sown, and proportions of each, 121.
- practice in Rutlandshire : other proper courses ; on moist or fertile, and on drier, soils, 121.
- practice in Northumberland : by alternate three years of arable and of depasturing ; and the latter of these periods equally profitable with the former, 122.
- the system of alternating known both here and in France long ago, 423.
- attention to cleaning grass-lands in the beginning of April, 221.
- rolling, and scarifying ; question of the comparative advantage of these different operations, 221, 222.
- sowing grass-seeds, 241.
- separated grass-seeds, 241.
- methods of sowing ; and sorts to be chosen, 242.
- question whether the system of *alternately* feeding and mowing the respective grass-lands is advisable ; decided by Goring to be in the end ruinous to both fields, 248.
- question relative to the *application* of grass, to feeding or to mowing ; which is most beneficial, 357.
- mowing, probably, is entitled to the preference, 358, 359.
- laying down land to Grass ; preparation, and time, for this important operation, 204, 447.
- seeds, on different soils, 447, 448.
- quantities of seed, 448, 449.
- sowing, 450.
- successive management, 450.
- business of manuring : succedaneums, or assistants, to dung, time of application, and quantity ; grass may very easily be over manured, 464, 465.
- scarifying grass-lands, 465.
- laying to grass with wheat in September, 470.
- Grass-seeds of all sorts never succeed better than with Buck-wheat, 471.
- manure grass in October, 495.
- See also the articles *Lays* ; and *Meadows* : also *Burnet* ; *Chicory*, *Lucerne*, *Sainfoin*, *Trefoil*, &c.

H

- Haulm* of pease ; the mow ought always to be trodden with hogs or horses, 128.
 - Hay* ; estimate of its cost to the farmer, as a winter food for cows, 14, 15.
 - Middlesex process of mowing and making hay detailed, 347 to 356.
- general

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- general directions concerning hay-making, 414, 415.
 — importance of attention to large-cocking, 415.
 — Mr. Duckett's method of trying the heat of hay-stacks, 415.
 — a fine season, by causing hurry, often more dangerous than a bad one; 416.
- Hedges.* See the articles *Fences*; and *Holly*.
- Hemp*; time of sowing, 243.
 important cautions to be attended to by the young farmer before determining on the cultivation of this crop, 292.
 directions, if he adopts it: soil which it requires, 294.
 — tillage; manuring; quantity of seed; manner of sowing, 295.
 cottager's hemp, 296.
 weeding in June unnecessary, 386.
 time of pulling; mode; and expence, 440.
 — method of water-retting, 441.
 — separating the male and female, or female and seed-hemp, 441.
 — treatment of hemp left for seed; might be better if water-retted, 442.
- Hiring* harvest men, 397.
 useful hints, on the various customary methods of agreement, 425 to 427.
- Hiring* farms. See *Farms*.
- Hogs.* See the articles *Swine*; and *Piggery*.
- Hollow-draining*; begin in November; importance of this improvement on wet lands, 517.
- Holly*, its excellence for forming hedges; directions for this work, 336.
- Hops*; important advice to the young farmer who thinks of introducing this article on his land, 184, 185.
 — particular situation in which it may be prudent, 185.
 best preparation for hops, 186.
 hop husbandry in March, 186.
 business of poling, 222.
 hop husbandry in May, 292.
 — in June, 344.
 — in September; hop-picking, 467.
 — in December; manuring, 527.
- Horses*; the system of breeding horses, not advisable for the young farmer to adopt, 521.
 See also *Teams*.

I

- Irrigation*; the union of this business with *Draining* is an object in extensive works, 37.
 See also *Watering*.

K

- Kitchen-garden*; importance of this object, to assist in house-keeping, 522.

Laboratory:

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

L

- Laboratory*: directions for fitting up, and using; articles of furniture, and expence, 527 to 533.
- Lambs*; great care and attention necessary to the ewes about their lambing time, 96.
on inclosed farms, and where this is practicable, the ewes should, as they drop the lambs, be drawn from their flock, and put to rouen, 97.
weaning lambs, in July, 417.
See also *Sheep*.
- Lays*: time of feeding new lays, 188.
new lays should be fed the first two or three years, by sheep; different practices, however, on this point, 249 to 251.
time of manuring new lays, 423.
method to be adopted on the failure of new lays; fresh seed in a moist time in spring, and a very large fold for sheep, 470.
— on a total failure, 471.
autumnal management of new lays, 471.
plough up old lays in December; advantage of this husbandry, 525.
See also *Grass-lands*.
- Leaves*; advantage of collecting them in woodland countries, in October, for littering in the yards and standing folds, 508.
- Lentils*: quantity of seed; purposes of cultivation; soil; horses should not be watered soon after eating them, 149.
- Lettuces* for hogs; real advantage of this cultivation; preparation, drilling, and quantity of seed, 149.
a succession in the crop is necessary; preparation for that to be sown in April, 192.
— that drilled in March, to be thinned in April; horse-hoeing, 192.
- Liming*: question whether lime burnt in January should be used, or kept till the spring, 46.
great effect of this manure is on uncultivated waste land; quantity, and season, of its application, 47.
it may be spread on dry land at all times, 101.
utility of liming as a manure, with the process of paring and burning, 183.
season for its application in ordinary cases, 183.
liming turnip fallows in June, 387.
— on fallows for wheat, and on waste lands, &c.; quantity for each, 383.
See also *Burning lime*.
- Linseed*. See *Flax*.
- Liquorice*; depth of culture for, and distances, 198.
hand-hoe and carefully hand-weed in May, 264.
hand-hoeing in June, 344.
digging, in October; manuring; water-furrowing, 503.
- Litter*; importance of providing a sufficient quantity (for dung) through the spring and summer, 319.
statements respecting the proportion of dung to straw, 550, 551.
- Lucerne*; time for sowing, 198.
- consi.

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- considerations on the utility of this crop, 199.
- proper soils and preparation, 200.
- modes of sowing, and quantity of seed, 200, 201.
- question, with or without Corn, 201, 202.
- farther remarks on its cultivation: if broad cast, should be mixed with Buck-wheat, 255.
- proper soils, 255, 256.
- method of sowing, usually broad-cast; drilling at narrow distances (nine inches) would probably be more advantageous, 256.
- preparation; different methods of sowing with Corn; quantity of seed; application of soot; proportion of land to the stock to be fed on it, 257.
- superiority of this crop as a summer food for horses, oxen, and cows, 278, 279.
- method of mowing it for this purpose, daily; and carrying to the stable, 280.
- attentions in mowing, 324.
- culture in June of the crop drilled in the spring; directions in hoeing, 344, 345.
- the old crops ready for cutting this month, 345.
- cutting, and horse or hand hoeing, in July; but if broad-cast, or narrow-drilled (see p. 256), no cleaning is necessary, 410.
- cutting, and attention to wide-drilled crops, in August, 438.
- another cutting in September or October, perhaps in each; manure plentifully after the last, 468.

M

- Madder*; preparation, season, and methods of planting, 194.
- interesting remarks respecting the cultivation of this root, 195 to 198.
- hand-hoe in May, 263.
- hand and horse hoeing in June; directions for performing each, 343.
- method of hoeing in July, if necessary; important recollections in the cultivation of madder, 418, 419.
- plough (very deep) in October; manuring, 502.
- attention to the land in November, 515.
- Mangel wurzel*; time of dibbling, and cultivation, 151.
- Manures*: dungs of all sorts are more universally beneficial on all soils than other manures, 88.
- manures (purchased) Turned In; expence and application of several sorts of, 167 to 170. (See also *Ploughing in*).
- See also the several articles *Composts*; *Folding*; *Gorse*; *Marling*; *Peat, ashes and dust*; *Ponds*; *Soiling*; *Straw*; *Town manures*; and *Weeds*.
- Marling*; great importance of this business, 38.
- proportions of marle or Clay on different soils, 39.
- cheapest method of performing it, 39.

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- Mr. Rodwell's interesting account of his extensive practice in this work, 39.
- comparative expence of hand-barrowing and of tumbrils, 40, 41.
- on some soils, Clay is much to be preferred to marle, 41.
- successful crops which have followed the operation, 42.
- increased prices offered in Suffolk, for teams to do this work, 42.
- excellent account of the practice of another farmer who marled extensively, 101.
- proper quantity per acre, 102.
- should be only adopted on inclosed lands, except in particular circumstances, 103.
- good pulverization, and clearing from stones, essential, 103.
- much depends on the after management of the land, 103.
- different quality of the Clay or marle, 104.
- expences of the operation, 105.
- estimate, 106.
- farther observations on the benefit of marling, 367.
- criteria of the quality of marle, 368.
- best way of conveying it on to the land, 368, 369.
- expence; and quantity, 369.
- properties of Clay; and its use where no marle is to be had, 369.
- quantity for application; and suitable soils, 370.
- digging, throughout July and August; use the small three-wheeled cart, 417, 418, 439.
- in November, 515.
- in December, 527.
- Meadows*: attentions in mowing; mow close; process of hay-making, 346, 347.
- See also the articles *Grass-lands*; *Hay*; and *Watering*.
- Melilot* (Siberian), its cultivation recommended, 242.
- Meldeu*; such wheat as is found to be struck with this fatal distemper should be reaped immediately, though quite green, 421.
- an increased quantity of seed is proper on land given to this distemper, 457.
- Milk*. See *Dairy*.
- Mole-plough*, its effect in the business of Draining, depends entirely upon the soil, 35.
- the addition of wheels before and a roller behind, is of essential importance, 36.
- a good method is, to open a furrow previously with a common plough, or a drain plough, 36.
- state in which the land should be for the operation of Draining, and for the other processes connected with it, 36.
- the union of Draining with irrigation is an object in extensive works, 37.
- many farmers chuse the year of fallow, for Draining; and others, the winter, 37, 38.
- all soils, in either season, should be drained while in grass, 38.
- Moles*; attention to destroying them, in March, 163.

Mountain

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- Mountain improvement*, (as quarrying stone, and building walls) may proceed in the middle of winter if not prevented by snows, 47. (See also 514).
 attention to this business in the summer, 396.
Mountains; importance of applying the system of irrigation to mountainous moors, 310.
 some directions on this subject, 311, 312.
Mud. See the articles *Ponds*; and *Warping*.
Mustard: cultivation of this crop; produce, and value, 151.

N

- Northumberland* method of turnip cultivation; Mr. Culley's narrative on this interesting subject, 328 to 332, 405.

O

- Oats*; may be sown in January, to relieve the business of the succeeding months, 53.
 important experiment by Mr. Macro, of Suffolk, determining the comparative benefit of early sowing, 53.
 experiment of the Earl of Winchilsea, to the same purpose, 55.
 time of sowing Black oats, quantity of seed, and culture, 74, 75.
 sorts of oats, 75.
 oats should never follow a Corn crop, 114.
 very erroneous idea of supposing them less profitable on land in good order than Barley, 114.
 — should never be sown but on land in proper order for Barley; may be sown after a fallow crop, and clover with them, as that grain, 115, 116.
 oats after Turnips; the farmer should consider whether this corn or Barley is likely to pay him best, 116.
 oats on Lays; method of preparation and dibbling: perhaps in all cases better to put in a crop of Pease or Beans first, 117.
 — interesting narrative by Mr. Bannister, on this subject, 132.
 — paring and burning, however, should always be effected, where practicable, 117.
 a good quantity of seed advised; the practice of drilling not to be recommended or adopted on the idea of saving seed by it, 188.
 sowing Barley before white oats, 191.
 hoeing the crops in May, 265, 266.
 harvest; sometimes *reaped*, 431.
 plough for oats, in October; attend carefully to breadth of stitches, 502.
October, general remark respecting the various operations prescribed for this month, 473.
Osiers, and other sorts of Willows; season, and directions, for planting them, 89.

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

— advantage of osiers; instanced in the practice of Mr. Forby, of Norfolk, 89.

Oxen. See *Teams.*

P

Paring and burning grass-land; proper weather for this operation, 74.

— its great advantage, 74.

general observations on the opposite systems in the question whether the process of Paring and Burning is commendable or otherwise, 171 to 175.

examination of its effects on different sorts of soil; on clay, 175.

— on loam, 176.

— on sand, and on chalk, 179.

— on peat, 180.

methods of performing this work on fenny and boggy soils; on old meadows and pastures; on heaths and downs; on moors and mountains; and on old sainfoin layers: general remarks, 181, 182.

farther directions for this business; and examination of the objections urged against it, 290 to 292.

reprehensible conduct of over-cropping lands thus prepared, with white corn; the proper crops described, 335.

should be carried on in all weathers, during summer, 380.

— and continued through other seasons, when the weather permits, 421.

Parsnips, an extremely valuable crop, but require a soil of an extraordinary quality, 92.

preparation, time of sowing, and quantity of seed, 93.

singular detail of advantages reaped from two-years cultivation of them, by a considerable farmer in Surrey, 93.

particular description of soil for them, 138.

tillage and management; seed, and sowing, 138.

— broad-cast superior to drilling; they are a very good preparation for Corn, 139

culture in May, and distances, (same as Carrots), 258.

— hoeing of each of those crops in July, 409.

Pastures. See the articles *Grass-lands*; and *Sheep.*

Pears. See *Apples.*

Pease: advantages of this crop, and of Beans; their ameliorating nature; should often be sown instead of Oats or Barley, after Wheat, 76.

erroneous maxim of bad farmers, of sowing pease when the land will yield nothing else, 76.

the idea of pease being a most uncertain crop, has been in some measure owing to ill conduct, 77.

pease on Layers: should be sown as early as possible, to get them off in time for Turnips; which is very profitable husbandry, 77.

soils proper for early pease, 78.

— courses for them, 78.

broad-casting pease to be rejected; preparation and culture in drilling, and in dibbling, 79.

— pease

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- pease should not be sown too often, 79. (See farther 129).
 question whether pease should be manured; reasons against that
 practice, 79.
 distances of the rows, 80.
 quantity of seed, 81.
 in March put in all pease not sown before, 126.
 every sort of soil suited to some pea or other, 126.
 different management at sowing; ploughing, or harrowing in:
 each preferable, in different soils, 126.
 courses for pease, 127.
 disadvantages, and superior advantages, of this crop, 127.
 — its benefit exceeds that of Beans in fattening hogs, and in
 the quality of the pork, 128.
 the drill method of sowing is superior to the broad-cast, both from
 the convenience of hand-hoeing, and in saving seed, 129.
 pease on Layers, 129. (See also 77).
 sowing may be done in April, but too late to have good Turnips
 after, 190.
 hoeing in May, 266.
 horse-hoeing drilled pease in June, 359.
 cut white pease in July; necessary attentions in this business, 419.
 method of cutting: strong crops should be hooked; and if stacked,
 thatched immediately, 432.
 plough for pease, in October, 502.
 sow the hardy hog-pea in November, 515.
 See also *Haulm*.
Peat ashes, and *dust*; expence (about Dunstable, &c.) of these
 substances, and their application as manures, 165, 166.
Picking stones; seasons for this work, and cautions, 186.
 experiment of Mr. Macro of Suffolk, ascertaining the injurious
 effects of this practice on land in general, 187.
Piggery, plan and construction of, 235 to 238.
Pigs. See *Swine*.
 food for weaned pigs, 22.
Plashing method of fencing described, and its advantages, 26, 27, 512.
 should not be performed later than April, 221.
Ploughing; important hints for the young farmer respecting the *depth*
 of ploughing, 509, 510.
Ploughing in green crops; season, and method, of this operation,
 396.
Ponds; season for emptying them, and for clearing Rivers, 371.
 management of the mud, as a manure; and its advantages, 371.
 See also *Fish-ponds*.
Pork; peculiar marks of superiority in that which has been fed on
 pease, above that fed on beans, 128.
Potatoes; directions for their culture, and manuring, 31.
 great advantages of this crop; and its preparation, 92.
 — no more land should be appropriated to it than can be very
 plentifully manured, 92.
 quantity and sort of manure; manner of planting described (dib-
 bling), and distance, 139.
 quantity of seed, 140. (See also 217).

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- potatoes on Grass : method ; another (the lazy-bed) method ; the former preferable, 140.
- potatoes on borders, 140.
- potatoes for horse-hoeing ; various methods with respect to the distances, rows, and width of ridges, 141.
- alleged advantages of this practice ; it must not, however, supersede the application of dung, 142.
- hand-hoeing in the latter part of April, 213.
- or better performed by a large shim, 213.
- breadth planted, to be determined by the quantity of some other roots, or of cabbages, 213.
- time for planting, 214.
- potatoe-cuttings ; methods of cutting, 215.
- use of scoops in this work, and question of their comparative advantage, 215, 216.
- price of cutting, 216.
- sorts of potatoes, 216.
- preparation for this crop, 217.
- methods of planting, 217.
- quantity of seed, 217. (See also 140).
- culture in May ; hand-hoe the early planted ones, horse-hoe likewise those in rows, 259.
- May is also a very proper month for planting, 259.
- hand-hoeing, or horse-hoeing, in June, 343.
- horse-hoeing, and particular culture, in July, 408.
- weed the crops in August, 438.
- season and method of ploughing up, 497.
- manner of storing, 498, 499.
- Poultry* ; observations on the system to be adopted relative to this article of live stock, 161, 552.
- construction of the poultry-house, &c. ; food ; young turkies : expences of raising broods, heavy, 161, 162.
- attention to the poultry in April, 229.

R

- Rape* ; season for sowing, 372.
- of sowing it for sheep-feed, 372.
- of sowing it for seed ; soil, preparation, culture, and quantity of seed, 372.
- the Flemish culture, in sowing for seed, 372.
- farther directions ; season for sowing cole-seed, preparation, quantity of seed, and produce, 406.
- cole-seed where Turnips fail, 406.
- harvesting crops of rape or cole-seed, 433, 434.
- time of sowing, for a crop to reap, 434.
- Religion* ; importance of a strict attention to its duties, in the family arrangement of a farm, 488.
- Reynolds's cabbage-turnip* ; time of sowing, 73, 143.
- compared, in point of benefit, with the ruta бага, 73.
- state-

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- statement of the advantages of this crop, in feeding sheep, milch-cows, and hogs and pigs, 144, 145.
- as a spring-food, and in improving land for the ensuing crop, 145.
- in being proof against frost, 145.
- its produce, and very large size of the roots, 146.
- its extensive cultivation and favour, in Scotland and Ireland; further proof of its utility as a spring food, 147.
- Ridges*, stitches, or lands, for drilling; their construction, &c. 507.
- Rivers*. See the articles *Ponds*; and *Warping*.
- Rolling* grass-lands, or Scarifying; question of the comparative advantage of these different operations, 221, 222.
- Rouen*; some directions respecting the employment of this supply of sheep feed, 8.
- and, particularly, as a food for the ewes after lambing, 97.
- its great advantage as a late spring food for sheep, 208.
- importance, and time, of shutting up rouen, 156, 423, 451.
- Ruta бага*. See *Swedish turnip*.

S

- Sainfoin*: time of sowing; its favourite soils, and great profit, 106, 123.
- should be mixed with Barley, after Turnips: quantity of seed; method if drilled, 124.
- farther remarks: time of sowing, and preparation, 202.
- method of cultivation, its produce and advantages, quantity of seed, broad-cast and drilling, 203.
- may be sown with Buck-wheat, if the soil is proper, 257.
- soils suitable for this grass, 258.
- application and produce of the crop, 345.
- directions in making the hay; shake it as little as possible, 345.
- when the crop is thin, let it remain the first year for seed, 400.
- in August, turn into the fields mown in June; caution respecting sheep, 439.
- Salt*; practice of giving it to sheep on some occasions advantageous, 275, 523.
- its use as an application for strewing among the hay damaged by rain, before stacking, 347.
- Servants*; attention in determining on the number and quality of the servants to be kept, and the management of them, at the time of hiring farms, 483 to 486.
- See also *Hiring Servants*.
- Shearing* sheep, process of; improvement of circularly clipping, 364.
- Sheds* for cattle and horses, situation and construction of, 233.
- Sheep*: attention to the ewes about lambing time: methods of feeding sheep with turnips; by drawing and carrying the roots, or by eating them on the land, 1, 525.
- fattening them on that crop, 2.
- baiting them on hay in bad weather, 2.
- bran and oats, or oil-cake, expensive and hazardous, 2.

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- attention necessary in March, to keeping the stock extremely well, 155.
- in fattening wethers, the great object is to avoid selling till the middle of April, 156.
- stubble turnips, rouen, and burnet, resources for feeding in March, 156, 157.
- Swedish turnip, 157.
- observations on providing green food through April, 205 to 208.
- rouen, and water-meads, in this view, 208.
- sell fat sheep towards the end of April, 208.
- turning into the summer's grass, 266.
- different systems of sheep management, 267.
- attend to dividing the flock into parcels for all the fields meant to be fed; injudiciousness of folding, 268, 269.
- important benefits of close feeding, 269 to 271.
- practice of Mr. Boys, of dividing his sheep into four flocks, 275.
- salt for sheep, advantageous, 275. (See also 523).
- management of the flocks of stock sheep in June, 363.
- business of washing, 363.
- shearing; improvement of circularly clipping, 364.
- expence of washing, clipping, &c. 365.
- preventive against the Fly, &c. 365, 366.
- important observations and advice on the subject of setting stock lambs, in August; and several points in the management of flocks, connected with that business, 442 to 446, 483.
- selling, 446.
- keeping round, 446.
- annual purchase, in farms where a regular flock is not kept, 460.
- breeds of sheep to be considered in this matter, 461.
- crones, 462.
- attentions in buying for wintering (or for fattening), to the quantity of turnips and other green food on the farm, 462.
- put fat sheep to turnips, in October, 495.
- management in putting rams to ewes, 511.
- feeding the lean, and the fat, stock in November, 515, 516.
- salt for sheep, on certain occasions, 523. (See also 275).
- See also the articles *Folding*; *Lambing*; and *Smithfield*.
- Smithfield*: useful hints to the young farmer, on the manner of disposing of his fat stock, 209.
- Smut*: effect of steeping the seed, as a preventive against smut, 453.
- Soiling*; observations on the great importance of this system, both for teams and cattle, 314 to 319, 359.
- succession of crops for this purpose, 319, 320, 373.
- this practice frequently, but improperly and unnecessarily, neglected in the month of September, 468.
- Soils*: importance of an attention to the nature of the soil, in the business of hiring a farm; nature and qualities of the different sorts of soil, described, 474 to 479.
- Soot*; its expence (about Dunstable, &c.), and application as a manure on various crops, 163, 164.
- sooting turnips, as a preventive against the Fly, 405, 406.
- Spring ploughing* should be avoided, 499, 500.

— vast

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- vast advantages of such a management, 506.
- Stacks*, peculiar arrangement of, for the threshing-mill, 429.
- Steaming* roots for feeding stock, 520.
- Steeping* spring corn seed, 194.
 - wheat seed, 453.
- Stocking* farms, former and present expence of, 481 to 483.
- Stones*. See *Picking stones*.
- Straw* is an improper and insufficient food for the different sorts of cattle, unless cut into chaff and mixed with hay, 9.
 - practice of burning straw for manure, 397.
 - the effect is produced by the warmth from the fire, and not by the ashes, 398.
 - quantity; this application said to be more beneficial than the dung which the straw would make, 398.
 - burning cole-seed straw, 399.
 - practice of manuring for Raves with the ashes of burnt straw, 400.
 cattle may be served with straw (as a food) in too great plenty, 550.
 See also *Threshing*.
- Stubble* (wheat and rye), time of cutting, and carrying to the farm-yard for litter; importance, but general neglect, of this business, 467.
- Swedish turnip* (or *Ruta Baga*); its advantages and disadvantages compared with those of Mr. Reynolds's cabbage-turnip, 73.
 - method of drawing it in spring for a sheep feed, 157.
 - its utility for hogs, and its uncertainty, 214.
 - present state of the cultivation of this plant, 262.
 - the best culture is to sow it where it is to remain, broad-cast, from the 10th to the end of May, 262.
 - preparation, 262.
 - various inducements to this culture, 263.
 - quantity of seed, 263.
 - sowing in June, 337.
- Swine*: directions for the management of sows and pigs, 20.
 - best system to be pursued relative to providing proper crops in breeding swine, 20.
 - cultivation of lettuces for this purpose, 149.
 - importance of an uninterrupted succession of these crops, 440.
 - annual sales, 22.
 - food for weaned pigs, 22.
 - fattening swine, in April, 212.
 - turning the hogs of a proper age into clover or chicory in the spring, a very beneficial practice, 275, 276.
 - contrivance for preserving (in May) all the butter-milk and cheese-whey not wanted for the present stock, 277.
 - soiling hogs, 277.
 - feeding, &c. in June, 388.
 - in July, 422.
 - providing feed for autumn litters, 439.
 - in October put full-grown hogs to fatten, 494.
 - most profitable method of converting corn of any kind into food for hogs, 494.

— peace

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

— pease-soup ; cabbages, 493.
 attention to the swine in December, 526.
 See also the articles *Piggery* ; and *Pork*,

T

Tares ; season for sowing, preparation, and quantity of seed, 90.
 their great advantages as a fallow ; or as an intermediate crop between any sort of Grain, and Barley, 90.
 best method at putting in, 133.
 sowing on a stale furrow preferable to a fresh ploughing, 134.
 spring tares, 193, 297.
 — sowing with cole-seed, in June, 388.
 tares may in some circumstances be advantageously dibbled in among growing Clover, 243.
 attentions in mowing for soiling ; and proper tillage afterwards, 323.
 admirable practice on the South Downs, of substituting a double crop of tares instead of a Fallow for Wheat, 333.
 commendable practice of breaking up layers two years (clover, ray, and trefoil) for summer tares and rape, 334.
 September, the principal season for sowing winter tares : advantage of early sowing ; quantity of seed, drilled, and broadcast ; proportion of ground to be applied to this crop, 469.
 extraordinary and interesting husbandry, of sowing winter tares on poor pastures and meadows, 469.
 sow winter tares twice in October, 501.
Teams, both of horses and of oxen, should be kept always at work, and have plenty of litter, 23.
 advantage of having a horse-keeper for the mere attendance of the teams ; importance of good days-work being made in ploughing, in the spring, 159, 160.
 management of the teams in April, 212.
 — horses should be fed on carrots ; quantity, 212.
 — food for the oxen, 212.
 in the beginning of May, dry meat for the horses should be left off, and they should be soiled in the stable on lucerne, or on tares or clover, 277.
 — benefits of this practice ; quantity of lucerne ; superiority of that crop, 278, 280.
 — treatment of the oxen the same, 278.
 soiling, throughout July, 416.
 employment of the teams in September ; food, 464.
 feeding in October, 491.
 attention in stocking a farm, to the question of employing horses or oxen in the teams, or both, 491, 492.
 employment for the teams in November, 517.
 See also *Soiling*.
Teasels, or Fullers' Thistle ; time of sowing, and quantity of seed, 198.
Thistling the wheats, operation of, 366.

Threshing ;

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- Threshing** : necessity of attending carefully to the conduct of the threshers, 24.
 threshing to supply the lean beasts put into the yard in November, 512.
 — and in December; the worst straw should be threshed out first, 524.
- Threshing-mill**; advantages, and expence, of these machines, 24.
 useful directions respecting the construction of them; with iron rail-way, granary, chaff-house, &c. 25, 231, 232.
 — construction of the stacks, 429.
- Town manures**; their value has not been sufficiently ascertained by experiments, 47.
 opinion, that they answer when the horses have nothing else to do, or for back-carriage, but not otherwise, 48.
 calculation relative to the expence of setting up a team for that purpose only, and keeping it the whole year in employ, 48.
 — of the value of the work which this team would perform, or in waggons, 49.
 where carriage runs dear, the more valuable manures should be brought, 49.
 these speculations demand a large capital, 49.
 precaution, and attentions, in the application of purchased manures to grass-lands, 87.
 See also the articles *Coal ashes*; *Manures (Turned In)*; *Soot*.
- Travelling** : a fortnight's journey through the country once or twice a year may be of much advantage and profit to the farmer, 52.
 objects of attention in his winter journey, 53.
 — in his summer journey, 386.
- Trefoil**, its cultivation, 119.
- Turnips** : different methods of feeding them off by sheep; drawing and carrying, or eating on the land, 1.
 should not be kept in the ground as a late spring feed for sheep, 206.
 best time of sowing; June, 326.
 manure, and method of spreading, 326.
 choice and quantity of seed, 327.
 manuring is the best preventive against the Fly, 327, 328.
 — sowing again when a crop is destroyed, 328.
 early-sown turnips the most liable to mildew, 328.
 Mr. Culley's interesting account of the Northumberland method of cultivation: forming the ridges, 328.
 — spreading the dung, and rolling, 329.
 — hoeing, 330. (See also 405).
 — direction of the drills; diagonally, or across the ridges, 330, 331.
 — quantity of dung, 331.
 — superiority of the drill to the broad-cast method, 331.
 — produce of crops in that county under the system here described, 332.
 turnips after Tares; method of mowing the tares, &c. 332.
 — turnip

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- turnip on Pared and Burnt Land ; method of preparation and culture, 334, 335.
- turnips on Old Grass ; preparation, &c. 335.
- turnips sown with Rape-dust, &c. 336.
- great advantage of planting Cabbages on those lands where turnips have failed ; in ensuring a supply of green winter food, &c. ; plan to be adopted where this is not practised, 338 to 340.
- hand-hoeing in July ; useful directions relating to this business, 401, 402.
- hand-hoeing turnips drilled in the Northumberland manner, 405. (See also 330).
- sooting turnips, 405.
- Cole-seed where turnips fail, 406.
- harvesting crops of turnip-seed, 433, 434.
- second hand-hoeing of the broad-cast crop in August ; must not be omitted on account of harvest works, 435.
- attention to drilled crops, 435.
- singular practice by Mr. Walker, of Norfolk, of Wheat among turnips, 436.
- put fat sheep to turnips (with lean ones to follow), in October, 495.
- covering turnips in November, against frost, 520.
- See also *Carting*.
- Turnip-fallow*, preparation for, 148 220.

U

Underwood. See *Woods*, throughout.

W

- Walls* : season to begin building these fences ; materials, &c., 514. (See also 47).
- Warping* ; description, and extraordinary benefits, of this singular operation, 389 to 395, 423.
- hint on the subject, to proprietors or farmers living near a muddy river, 396.
- Washing* sheep, business of, 363.
- Water-furrowing* ; the expence of this business is saved by covered drains, which have also many superior benefits, 29.
- all water-cuts should be carefully examined during thaws of snow, to keep the passage perfectly clear, 45.
- care in cutting new water-furrows in spring, and examining the old ones, 86.
- attention necessary in forming them in newly sown or ploughed lands, particularly those sown with clover or grasses among the corn, 160, 220.
- importance, and method, of this work in the culture of wheat, 459.
- all wet fields should be water-furrowed in autumn as fast as the plough leaves them, 468.
- Watering meadows* ; attentions necessary in performing this operation, in winter, 49.

— much

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- much care required in the month of February, 91.
- methods used in Gloucestershire, 91.
- rolling after Candlemas, 91.
- attentions on admitting the stock to pasturage, in March, 162.
- eating off, in April, 228.
- statement of the product of a meadow of eight acres, eaten off between the 2d of April and the first week in May, 228, 229.
- time of taking out—the ewes and lambs; the barer the ground is fed, the better; watering afterward, 297.
- important Instructions for forming new watered-meads, 203 to 314.
- time of mowing; watering afterward, 356.
- begin the operation of watering in November, 513.
- Weaning* calves, different methods of, 16.
- Duke of Northumberland's method, 16.
- weaning lambs in July, 417.
- Weeds*: burning dry weeds for manure, 397.
- Weld*; its culture, 243.
- pulling; stacking, and selling; produce, 408.
- Wheat*: season for manuring green wheats, 88. (See also 163).
- time of scarifying the drilled wheat, 152.
- Mr. Cook's implements for this business; fixt harrow, and a scarifier; method of operation of each, 152 to 154.
- hand-hoeing the drilled, the broad-cast, and the dibbled, wheat, 155.
- detail of the sorts of manure for green wheats, as used in the vicinity of Dunstable, 163 to 167.
- spring wheat, not generally advisable; time of sowing, middle or end of April, or beginning of May, 193.
- hoeing in May, 265, 266.
- thistling the crops, 366.
- attention to the state of the crops in June, 381.
- general ill effects of wet summers; but almost every thing depends on the weather at the blooming time, 382, 383.
- Maggots within the chest of the ear, observed in 1771, 383, 384.
- stormy weather not so dangerous as wet or clouded, 385.
- mild and open winters, not kindly for wheat, 385.
- advantage of the practice of early cutting, at least ten days before ripe, 420.
- particular attention in July to the crops; such as are mildewed should be reaped (though quite green) immediately when struck with that fatal distemper, 421.
- the Harvest, 427.
- reaping; forming shocks or stacks, 427, 428.
- carting; one-horse carts most advantageous, 428.
- hints respecting stacking, 429.
- peculiar construction of stacks for threshing-mill, 429.
- singular practice by Mr. Walker of Norfolk; of wheat among Turnips, 436.
- time of sowing upon backward soils; less seed necessary in proportion to the earliness of putting in, 452. (See also 501).
- sorts of wheat, 452.
- steeping the seed. 453.

— wheat

Cambridge University Press

978-1-108-03716-7 - The Farmer's Calendar: Containing the Business Necessary to be Performed on Various Kinds of Farms during Every Month of the Year

Arthur Young

Index

[More information](#)

INDEX.

- wheat after Fallow ; injudiciousness of this practice ; the cultivation, 453.
- wheat after Beans ; these form the best preparation for this crop, 454.
- method of culture and management, 454 to 456.
- wheat after Clover ; this also an excellent preparation for wheat, 456.
- dibbling the best method of putting in, but too often carelessly performed, 456, 457.
- culture ; sowing, and quantity of seed (more on land inclined to the mildew), 457.
- drilling, 458.
- singular experiment of Mr. Duckett on preparing a Clover lay for wheat, 458.
- wheat after Tares, not advisable ; method of preparation, 459.
- importance, and method, of water-furrowing in the culture of wheat, 459.
- See also *Buck-wheat*.
- Wheat-fallow* ; tillage of, for the destruction of weeds, 264, 265.
- White clover* ; its cultivation, alone for seed, 120.
- Willows* : See the articles *Aquatics* ; and *Osiers*.
- Winter evenings* ; the proper and rational employment of them may contribute much to the regularity and benefit of the farm, 51.
- Wood* : time of sowing ; only view in which this concerns the young farmer, 152.
- Woods* ; business of felling, and time, 32, 51.
- years'-growth at which to cut, 32.
- the fences should be kept in the best order possible, 33.
- system of cutting in the beech woods of Buckinghamshire, 34.
- on very wet lands, the practice of hollow-draining is beneficial, and pays well, 35.
- different sorts of underwood are in different countries most profitable, 82.
- cropping pollard trees, 96.
- all work in woods should be finished by April, 220.
- business of cutting, &c. in November, 519, 520.
- system of cutting and selling, in the Earl of Coventry's woods, 548.
- in some of the woods in Herefordshire, 549.

TO THE BINDER.

Place the Plate of Irrigation opposite page 306.
And that of Watered Meadow opposite page 308.

Printed by B. M'Millan, }
Bow-Street, Covent-Garden. }

Valua