

Cambridge University Press

978-1-108-03736-5 - Hortus Veitchii: A History of the Rise and Progress of the Nurseries of Messrs. James Veitch and Sons

James Herbert Veitch

Index

[More information](#)

INDEX

Cambridge University Press

978-1-108-03736-5 - Hortus Veitchii: A History of the Rise and Progress of the Nurseries of Messrs. James Veitch and Sons

James Herbert Veitch

Index

[More information](#)

INDEX

(The Names in *italics* are Synonyms.)

- ABELIA *spathulata*, 389
 Abies *ajanensis*, 342
 " *Alcockiana*, 51
 " *Alcockiana*, 342
 " *Alcoquiana*, 19
 " *amabilis*, 39
 " *bracteata*, 15, 39, 335
 " *concolor*, 335
 " " var. *Lowiana*, 39
 " *Davidiana*, 341
 " *Eichleri*, 337
 " *firma*, 19, 50, 335
 " *grandis*, 39, 336
 " *leptolepis*, 341
 " *magnifica*, 39, 336
 " *Mariesii*, 80, 336
 " *microsperma*, 50, 337, 342
 " *nobilis*, 39
 " " var. *robusta*, 336
 " *polita*, 342
 " *sachalinensis*, 80, 81, 83, 337
 " *Tsuga*, 347
 " *Veitchii*, 51, 80, 83, 337
 " " var. *sachalinensis*, 337
 " *yessoensis*, 81
 Abietia *Douglasii*, 39
 " *Fortunei*, 341
 Abutilon *pæoniaeflora*, 221
 " *vitifolium*, 351
 Acalypha *tricolor*, 221
 " *Wilkesiana*, 20, 221
 Acanthophippium *Curtisii*, 111
 Acer *argutum*, 351
 " *carpinifolium*, 351
 " *cratægifolium*, 352
 " " var. *Veitchii*, 352
 " *Davidii*, 352
 " *diabolicum*, 352
 " *distylum*, 352
 " *Francheti*, 353
 Acer *griseum*, 353
 " *Henryi*, 353
 " *lætum*, var. *cultratum*, 353
 " " " *tricaudatum*, 353
 " *lævigatum*, var. *Fargesii*, 354
 " *nikoense*, 354
 " *palmatum*, 50, 354
 " *pictum*, var. *connivens*, 354
 " " " *mono*, 355
 " *polymorphum*, 354
 " *pulchrum*, 352
 " *rufinerve*, 355
 " *sinense*, var. *concolor*, 355
 " *sutchuenense*, 355
 " *tetramerum*, var. *lobulatum*, 355
 Aconitum *Hemsleyanum*, 413
 " *scaposum*, var. *pyramidale*, 413
 Acrophorus *affinis*, 318
 Acrostichum *aureum*, 311
 " *botryoides*, 73
 " *juglandifolium*, 73
 " *Lechlerianum*, 311
 " *polybotryoides*, 73
 " *suberectum*, 73
 Actinidia *chinensis*, 94, 356
 " *Kolomikta*, 81, 356
 Adelaster *albivenis*, 221
 Adenophora *capillaris*, 413
 " *polymorpha*, 413
 Adhatoda *cydoniaefolia*, 221
 Adiantum *amabile*, 313
 " *æmulum*, 311
 " *æthiopicum*, var. *chilense*, 311
 " " " *scabrum*, 312
 " *chilense*, 311
 " *colpodes*, 312

INDEX

- Adiantum concinnum*, var. *latum*, 312
 „ *cuneatum*, var. *grandiceps*, 312
 „ *decorum*, 315
 „ *digitatum*, var. *speciosum*, 312
 „ *Henslowianum*, 312
 „ *scabrum*, 312
 „ *sessilifolium*, 312
 „ *speciosum*, 312
 „ *macrophyllum*, var. *glau- cum*, 313
 „ *monochlamys*, 313
 „ *Moorei*, 313
 „ *palmatum*, 313
 „ *peruvianum*, 313
 „ *princeps*, 313
 „ *rubellum*, 314
 „ *Seemanni*, 314
 „ *sulphureum*, 314
 „ *tinctum*, 314
 „ *Veitchianum*, 314
 „ *Wagneri*, 315
 „ *Weigandii*, 315
 „ *Zahnii*, 314
Æchmea Veitchii, 221
Ærides Burbidgei, 76, 78
 „ *Fieldingi*, 42, 111
 „ „ var. *Williamsii*, 111
 „ *Huttoni*, 151
 „ *japonicum*, 111
 „ *Lobbii*, 111
 „ *matutinum*, 150
 „ *multiflorum*, var. *Lobbii*, 42, 111
 „ „ „ *Veitchii*, 42, 112
 „ *pachyphyllum*, 112
Æschynanthus cordifolius, 222
 „ *fulgens*, 222
 „ *Lobbiana*, 222
 „ *longiflorus*, 222
 „ *miniata*, 222
 „ *obconica*, 222
 „ *pulcher*, 223
 „ *pulchra*, 223
 „ *purpurescens*, 223
 „ *speciosa*, 223
Æsculus californica, 356
 „ *turbinata*, 356
Agalmyla staminea, 223
Agapetes macrantha, 224
Aglaonema commutatum, 288
Aglaonema costatum, 224
 „ *marantæfolium*, var. *foliis maculatis*, 224
 „ *oblongifolium*, var. *Curtisii*, 224
 „ *pumilum*, 224
Allium anceps, 443
Alloplectus peltatus, 224
Alocasia × *Chelsoni*, 103
 „ *guttata*, 78
 „ × *intermedia*, 103, 225
 „ *Jenningsii*, 243
 „ *Lowii*, var. *picta*, 225
 „ *pumila*, 78
 „ *scabriuscula*, 78, 225
 „ × *Sedenii*, 103, 225
 „ *Thibautiana*, 225
 „ *zebrina*, 225
Alsophila Burbidgei, 77
 „ *hispida*, 73
 „ ? *late-vagans*, 73
 „ *podophylla*, 73
Alstroemeria Caldasii, 444
 „ *densiflora*, 444
 „ *inodora*, 443
 „ *nemorosa*, 443
Althæa ficifolia, 104
 „ *Primrose Queen*, 104
 „ *rosea*, 104
Amaranthus melancholicus, var. *ruber*, 20, 414
 „ *salicifolius*, 414
Amaryllis Belladonna, 466
 „ *formosissima*, 465
 „ *Leopoldii*, 446
 „ *pardina*, 446
Amasonia calycina, 226
 „ *punicea*, 87
 „ *punicea*, 226
Ampelopsis japonica, 19
 „ *tricuspidata*, 19
 „ *tricuspidata*, 384
 „ *Veitchii*, 8, 19, 50
 „ *Veitchii*, 384
Ancistrochilus Thomsonianus, 147
Ancylogyne longiflora, 287
Andromeda hirsuta, 400
Androsace Henryi, 414
Angræcum citratum, 112
 „ *falcatum*, 112
 „ *hyaloides*, 112
 „ *Kotschyi*, 113
 „ × *Veitchii*, 104, 161, 478

INDEX

- Anguloa* × *intermedia*, 104
 „ × *intermedia*, 161
 „ × *media*, 161
Anectochilus × *Dominii*, 161, 473
Anthurium *Brownii*, 226
 „ *cuspidatum*, 226
 „ *Kalbreyeri*, 226
 „ *Scherzerianum*, 61
 „ *Veitchii*, 63, 72, 226
 „ *Wallisii*, 64, 227
 „ *Warocqueanum*, 63, 227
Apera *arundinacea*, 414
Aphelandra *acutifolia*, 227
 „ *nitens*, 47, 227
 „ *variegata*, 227
 Apple, H. *Ballantine*, 509
 „ *Langley Pippin*, 105, 509
 „ *Middle Green*, 105, 509
 „ *Mr. Leopold de Rothschild*, 105, 509
 „ *Mrs. John Seden*, 105, 510
 „ *Rev. W. Wilks*, 105, 510
 Apricot, *Kaisha*, 509
Arachnanthe *Cathcartii*, 113
 „ *Lowii*, 113
Aralia *elegantissima*, 227
 „ *Kerchoveana*, 228
 „ *osyana*, 228
 „ *Veitchii*, 20, 50, 228
Araucaria *imbricata*, 38, 45, 337
 „ *Niepratschki*, 338
 „ *Rulei*, 338
Ardisia *mamillata*, 228
 „ *Oliveri*, 228
Aristolochia *heterophylla*, 357
 „ *promissa*, 229
 „ *ringens*, 229
Artemisia *lactiflora*, 414
Arthropodium *neo-caledonicum*, 229
Arum *palæstinum*, 414
Arundinaria *Khasiana*, 389
 „ *nitida*, 389
 „ *Veitchii*, 389
Asclepias *vestita*, 229
Asparagus *plumosus*, 230
 „ *racemosus*, 230
Aspidium *aculeatum*, var. *tsus-simense*, 315
 „ *aristatum*, var. *variegatum*, 315
 „ *falcatum*, var. *pendulum*, 315
 „ *flexum*, 315
Aspidium *setosum*, 316
 „ *tripteron*, 316
Asplenium *Belangeri*, 316
 „ *Ceterach*, var. *aureum*, 316
 „ *consimile*, 316
 „ *ferulaceum*, 317
 „ *filicaule*, 73
 „ *latifolium*, 317
 „ *longisorum*, 73
 „ *longissimum*, 317
 „ *obtusilobium*, 317
 „ *porphyrorachis*, 77
 „ *scandens*, 317
 „ *schizodon*, 317
 „ *Veitchianum*, 316
 „ *Viellardii*, 317
 „ *xiphophyllum*, 77
Astilbe *chinensis*, var. *Davidii*, 415
 „ *Davidii*, 94, 415
 „ *grandis*, 415
 „ *Thunbergii*, 415
Athyrium *latifolium*, 317
Atropa *biflora*, 263
Azalea *calendulacea*, 373
 „ *dilatata*, 373
 „ *obtusa*, 406
 „ *occidentalis*, 407
 „ *Rollisoni*, 80
Azara *microphylla*, 390

BALBISIA *verticillata*, 390
Bambusa *albo-marginata*, 389
 „ *Veitchii*, 389
Barbacenia *squamata*, 230
Barclaya *longifolia*, 43
Barkeria *Lindleyana*, var. *Centera* 134
Barleria *prionitis*, 230
Batemannia *Burtii*, 158
 „ *Wallisii*, 64
 Bean, *Mammoth Scarlet*, 514
 „ *Veitch's Giant White*, 514
 Beet, *Pragnell's Exhibition*, 514
 „ *Veitch's Improved Black*, 514
 „ „ „ *Globe*, 514
 „ „ „ *Selected Red*, 514
Befaria *æstuans*, 230
 „ *cinnamomea*, 230
 „ *coarctata*, 231
 „ *ledifolia*, 47
 „ *Mathewsii*, 231

INDEX

- Begonia* × *acerifolia*, 231
 „ *Acme*, 458
 „ *Adonis*, 461
 „ *Agatha*, 462
 „ „ *compacta*, 462
 „ *Autumn Rose*, 461
 „ *boliwijsensis*, 47, 231, 455, 456
 „ *Burkei*, 231
 „ × *carminata*, 231
 „ × *Chelsoni*, 458
 „ *cinnabarina*, 455
 „ *Clarkei*, 455, 457
 „ *coccinea*, 232
 „ *crinita*, 232
 „ *Davisii*, 232, 455, 457, 460
 „ *decora*, 232
 „ *Dregii*, 462
 „ *Emperor*, 459
 „ *Ensign*, 461
 „ × *Eudoxa*, 232
 „ *Excelsior*, 458
 „ *falcifolia*, 233
 „ *gogoensis*, 233
 „ × *heracleicotype*, 233
 „ *Ideala*, 461, 462
 „ *insignis*, 461
 „ × *intermedia*, 458
 „ *John Heal*, 461
 „ *Julius*, 462
 „ *Kallista*, 458
 „ *lineata*, 233
 „ × *margaritacea*, 233
 „ *Miss Constance Veitch*, 459
 „ *Model*, 458
 „ *Monarch*, 459
 „ *Mrs. Arthur Potts*, 459
 „ „ *Charles Scorer*, 459
 „ „ *Heal*, 462
 „ *Myra*, 462
 „ *natalensis*, 462
 „ *Pearcei*, 47, 233, 455, 456, 462
 „ *Queen of the Whites*, 459
 „ *rosæflora*, 104, 234, 455, 457
 „ *roseo-superba*, 459
 „ × *Sedenii*, 104, 456, 458
 „ *socotrana*, 460, 461, 462
 „ *Stella*, 458
 „ *Success*, 461
 „ *Sylvia*, 462
 „ *Veitchii*, 15, 47, 234, 455, 456
 „ *Venus*, 462
 „ *Vesuvius*, 458
Begonia *Viscountess Doneraile*, 459, 461
 „ *Winter Cheer*, 462
 „ „ *Gem*, 461
 „ „ *Perfection*, 461
Bejaria *astuans*, 230
 „ *coarctata*, 231
Belperone ciliata, 252
Berberidopsis corallina, 390
Berberis acuminata, 391
 „ *congestiflora* var. *hakeoides*, 391.
 „ *Darwinii*, 15, 38, 391
 „ *Jamesoni*, 392
 „ *Wallichiana*, 392
Bertolonia guttata, 263
 „ *pubescens*, 234
Betula alnoides, var. *pyrifolia*, 357
 „ *Maximowiczii*, 357
Blandfordia aurea, 443
Blechnum nitidum, var. *contractum*, 317
Blumenbachia chuquitensis, 415
 „ *contorta*, 415
 „ *coronata*, 415
Bomarea andinamarcana, 443
 „ *Caldasiana*, 444
 „ *densiflora*, 444
 „ *multiflora*, 444
 „ *tomentosa*, 444
Borecole, *Chelsea Exquisite Curled*, 514
 „ *Read's Improved Hearting*, 514
 „ *Veitch's Exhibition*, 514
 „ „ *Sprouting*, 514
Boronia elatior, 234
Bouchea pseudogervae, 234
Brachycorythis Kalbreyeri, 70
Brandisia racemosa, 94, 357
Brassia arcuigera, 113
 „ *thyrsodes*, 114
Brassocattleya Orpheus, 205
 „ *Sedenii*, 201
 „ *Veitchii*, 200
Brassolalia Clio, 196
 „ *Gratrixia*, 197
 „ *Veitchii*, 196
Broccoli, *Veitch's Model*, 513
 „ „ *Self-Protecting*, 513
Browallia Jamesoni, 291
Brussel Sprouts, *Veitch's Exhibition*, 514

INDEX

- Brussel Sprouts, Veitch's Market Favourite, 514
 " " " Paragon, 514
- Buddleia albiflora*, 358
 " *nivea*, 358
 " *variabilis*, var. *magnifica*, 358
 " " " *Veitchiana*, 94, 358
- Bulbophyllum Leysianum*, 78
 " *Lobbii*, 114
 " *mandibulare*, 78, 114
 " *reticulatum*, 114
 " *retusiusculum*, 117
- Bullace, The Langley, 105, 510
- Burbidgea nitida*, 78, 235
- Burgeria stellata*, 370
- CABBAGE, Ellam's Early, 513
- Casalpinia japonica*, 358
- Caiophora contorta*, 415
- Caladium* × *Chelsoni*, 103
 " × *Veitchii*, 225
- Calandrinia umbellata*, 416
- Calanthe* × *bella*, 161
 " *Curtisii*, 114
 " × *Dominii*, 99, 162, 473
 " × *gigas*, 162
 " × *Harrisii*, 162
 " *labrosa*, 114
 " × *lentiginosa*, 162, 476
 " × *masuco-tricarinata*, 162
 " *pleichroma*, 115
 " *proboscidea*, 115
 " *rosea*, 42, 115
 " × *Sedenii*, 162, 475
 " *Textorii*, 115
 " *tricarinata*, 115
 " *Turneri*, 116
 " × *Veitchii*, 100, 163, 473
 " × " var. *alba*, 163
 " *vestita*, 15, 42, 115
 " " var. *Turneri*, 116
- Calathea leucostachys*, 235
 " *ornata*, 235
 " *tubispatha*, 235
 " *Veitchiana*, 236
- Calceolaria alba*, 236
 " *amplexicaulis*, 236
 " *crenata*, 236
 " *deflexa*, 236
- Calceolaria ericoides*, 47, 416
 " *flexuosa*, 237
 " *floribunda*, 236
 " *fuchsiaefolia*, 236
 " *grandis*, 236
 " *lobata*, 237
 " *pisacomensis*, 237
 " *plantaginea*, 416
 " *punctata*, 237
 " *tenella*, 237
- Calla ? oculata*, 433
- Camellia Grijssii*, 392
 " *Sasanqua*, 392
- Campsidium chilense*, 238
- Canavalia ensiformis*, 238
- Cantua bicolor*, 238
 " *buxifolia*, 238
 " *dependens*, 238
 " *pyrifolia*, 239
- Caraguata angustifolia*, 239
 " *Zahnii*, 56, 239
- Cardiandra sinensis*, 416
- Carpinus cordata*, 359
- Carrot, Veitch's Matchless Scarlet, 514
 " " Scarlet Model, 514
- Caryopteris Mastacanthus*, 392
- Castanea chrysophylla*, 393
- Castanopsis chrysophylla*, 393
- Catsetum saccatum*, var. *pliciferum*, 116
- Cattleya* × *Aclandi-Loddigesii*, 473
 " × *Adela*, 163
 " × *Apollo*, 163
 " × *Atalanta*, 163
 " *aurea*, 72
 " *autumnalis*, 116
 " × *Bactia*, 163
 " *Bowringiana*, 116
 " × *Brabantiae*, 163, 473
 " × *Browniae*, Veitch's var., 164
 " × *Cassandra*, 199
 " × *Chamberlainiana*, 164
 " × *Chloe*, 164
 " × *Chloris*, 164
 " × *Clytie*, 164
 " × *Cybele*, 164
 " × *Devoniana*, 164
 " × *Devoniensis*, 164
 " × *Dominiana*, 165, 473
 " *Dowiana*, 61, 116
 " × *Ella*, 165

INDEX

- Cattleya* × *Elvina*, 165
 „ × *Empress Frederick*, var. *Leonata*, 165
 „ × *Enid*, 165
 „ × *Eros*, 165
 „ × *Euphrasia*, 166
 „ × *Eurydice*, 166
 „ × *exoniensis*, 202, 473
 „ × *Fabia*, 166
 „ × *Fabiola*, 166
 „ × *Fausta*, 202
 „ × *Felix*, 474
 „ *gigas*, 72
 „ × *guatemalensis*, 193
 „ × *hybrida*, 473
 „ × „ *picta*, 168
 „ × *intertexta*, 166
 „ × *iricolor*, 117
 „ *labiata*, var. *Dowiana*, 116
 „ *Lawrenceana*, 116
 „ × *leucoglossa*, 203
 „ × *Manglesii*, 166, 473
 „ × *Mantinii*, 166
 „ × *Mardelli*, 204
 „ × *Marstersoniæ*, 167
 „ × *Melpomene*, 167
 „ *Mendelii*, 88
 „ × *Minucia*, 167
 „ × *Miranda*, 167
 „ × *Niobe*, 167
 „ × *Olivia*, 167
 „ × *Pheidinæ*, 167
 „ × *Philo*, 168
 „ × „ var. *albiflora*, 168
 „ × *picturata*, 168
 „ × *porphyrophlebia*, 168, 476
 „ × *Princess*, 168
 „ × *quinicolor*, 473
 „ × *quinquecolor*, 168
 „ *Schröderæ*, 88
 „ *Skinneri*, var. *alba*, 117
 „ × *suavior*, 168
 „ *triophthalma*, 207, 476
 „ *Trianae*, 88
 „ × *Veitchiana*, 208
 „ × *vestalis*, 169
 „ × *Wendlandiana*, 169
Cauliflower, Veitch's Autumn Giant, 513
Cavendishia acuminata, 239
Ceanothus floribundus, 393
 „ *Lobbianus*, 393
 „ *oreganus*, 394
Ceanothus papillosus, 394
 „ *Veitchianus*, 394
 „ *velutinus*, 394
Celastrus hypoglaucus, 359
 „ *latifolius*, 359
Celmisia Munroi, 239
 „ *spectabilis*, 240
Celosia cristata, var. *coccinea*, 416
 „ *Huttoni*, 240
Centropogon coccineus, 240
Cephalis tomentosa, 240
Cephalotaxus Griffithii, 338
 „ *Oliveri*, 338
Cerasus pseudo-cerasus, var. *James H. Veitch*, 91
Ceratostema longiflorum, 240
Ceropegia Cumingiana, 241
 „ *Gardneri*, 241
Ceterach aureum, 316
Chaetogastra strigosa, 293
Chamaebatia foliolosa, 360
Cheilanthes glauca, var. *hirsuta*, 327
 „ *mysurensis*, 318
 „ *undulata*, 318
Chelidonium lasiocarpum, 417
Chevalliera Veitchii, 221
Chionographis japonica, 417
Chirita eburnea, 241
 „ *Horsfieldii*, 241
Chrysorrhoe nitens, 295
Chysis × *Chelsoni*, 104, 169, 474
 „ × *Langleyensis*, 104, 169, 478
 „ × *Sedenii*, 104, 475, 478
Cirrhopetalum retusiusculum, 117
 „ *robustum*, 117
Cissus cordifolius ? 281
 „ *Endresii*, 295
 „ *porphyrophyllus*, 281
Clematis Armandi, 395
 „ *glandulosa*, 241
 „ *Gouriana*, 360
 „ *montana*, var. *grandiflora*, 360
 „ *montana*, var. *rubens*, 94, 360
 „ *patens*, var. *John Gould Veitch*, 361
 „ *smilacifolia*, 241
Clerodendron cruentum, 242
 „ *illustre*, 242
Cleyera Fortunei, 395
Clianthus Dampieri, 242
Codonopsis Tangshen, 417

INDEX

- Cœlogyne Arthuriana*, 119
 „ *Dayana*, 118
 „ *flavida*, 118
 „ *humilis*, 118
 „ *lagenaria*, 42, 118
 „ *lentiginosa*, 118
 „ *maculata*, 42, 119
 „ „ var. *Arthuriana*,
 119
 „ *peltastes*, 119
 „ *pogonioides*, 119
 „ *Reichenbachiana*, 119
 „ *salmonicolor*, 120
 „ *Schilleriana*, 119
 „ *speciosa*, 42, 120
 „ *Veitchii*, 120
Coffea benghalensis, 242
Coleus Gibsonii, 20, 242
 „ *Veitchii*, 20, 243
Collania andinamaricana, 443
Collinsia bartsiaefolia, 417
 „ *multicolor*, 417
Colocasia affinis, 243
Columnea Kalbreyeri, 243
Conandron ramondioides, 83, 418
Cordia decandra, 243
Cornus paucinervis, 361
 „ *stolonifera*, 361
Correa cardinalis, 244
Corydalis cheilanthifolia, 418
 „ *thalictrifolia*, 418
 „ *tomentosa*, 418
 „ *Wilsoni*, 418
Corylopsis himalayana, 361
 „ *pauciflora*, 361
 „ *sinensis*, 362
 „ *spicata*, 362
Corylus tibetica, 362
Cosmanthus grandiflorus, 428
Cotoneaster applanata, 395
 „ *bullata*, 395
 „ *humifusa*, 396
Crab Apple, Marshal Oyama, 510
 „ „ *The Langley*, 105, 510
 „ „ *Veitch's Scarlet*, 105, 510
Cratægus pinnatifida, var. *major*, 362
 „ *tartarica*, 362
Crawfordia fasciculata, 244
Crinodendron Hookerianum, 293
 „ *Patagua*, 293
Crinum bracteatum, var. *purpurascens*, 444
 „ *purpurascens*, 444
Crossandra guineensis, 244
Croton aneitumensis, 244
 „ *angustissimum*, 248
 „ *appendiculatus*, 244
 „ *aucubæfolium*, 244
 „ *aureo-maculatus*, 244
 „ *aureo-marmoratus*, 245
 „ *Bismarck*, 245
 „ *Bragæanus*, 245
 „ *caudatus tortilis*, 245
 „ *Challenger*, 245
 „ *chrysopœcilus*, 245
 „ *Comte de Germiny*, 246
 „ *Cooperi*, 246
 „ *cornutum*, 246
 „ *Cronstadtii*, 246
 „ *Dayspring*, 246
 „ *Disraeli*, 246
 „ *Earl of Derby*, 246
 „ *Evansianus*, 246
 „ *Fordii*, 247
 „ *Hanburyanus*, 247
 „ *Harwoodianus*, 247
 „ *Hawkeri*, 247
 „ *Hillianum*, 247
 „ *Hookeri*, 247
 „ *interruptum*, 247
 „ *irregulare*, 248
 „ *Johannis*, 248
 „ *lacteum*, 248
 „ *Macarthuri*, 248
 „ *maculatus Katonii*, 248
 „ *maximum*, 248
 „ *Mooreanus*, 249
 „ *multicolor*, 249
 „ *Nevillæ*, 249
 „ *nobilis*, 249
 „ *ovalifolium*, 249
 „ *Princess of Wales*, 249
 „ *recurvifolius*, 249
 „ *reginæ*, 250
 „ *Sinitzinianus*, 250
 „ *tortilis*, 250
 „ *undulatum*, 250
 „ *variabilis*, 250
 „ *Veitchianum*, 250
 „ *Weismanni*, 250
 „ *Youngii*, 251
Cruckshanksia cistiflora, 390
Cryptocoryne caudata, 78
Cryptogramme retrofracta, 321
Cryptomeria elegans, 19, 338
 „ *japonica*, 82

INDEX

- Cryptomeria japonica*, var. *elegans*, 50, 338
 " " var. *Lobbii*, 338
 " *Lobbii*, 338
Cryptophoranthus gracilentus, 120
Cucumber, Allen's Favourite, 514
 " Tender and True, 514
 " Veitch's Improved Telegraph, 514
 " " Perfection, 514
 " " Sensation, 514
 " " Unique, 514
Cuphea cordata, 251
Cupressus obtusa, 50, 339
 " " var. *filicoides*, 339
 " " " *lycopodioides*, 339
 " *pisifera*, 339
 " " var. *squarrosa*, 339
Curcuma australasica, 251
 " *sumatrana*, 251
Curmeria Wallisii, 64
Cyathæa suluensis, 78
Cycnoches pentadactylon, 120
Cymbidium, *canaliculatum*, 121
 " × *eburneo-Lowianum*, 104, 169
 " *grandiflorum*, 121
 " *Hookerianum*, 121
 " *Huttoni*, 54, 121
 " × *Lowio-grandiflorum*, 169
 " *Wilsoni*, 121
Cypripedium × *Adrastus*, 170
 " × *Æson*, 170
 " × " var. *giganteum*, 170
 " × *Ainsworthii*, var. *calurum*, 170
 " × *albo-purpureum*, 170
 " × *Antigone*, 171
 " × *Aphrodite*, 171
 " × *Arete*, 171
 " *Argus*, 122
 " × *Artemis*, 171
 " × *Arthurianum*, 171, 474
 " × " var. *pulchellum*, 171
 " × *Astrea*, 172
 " × *atropurpureum*, 475
 " × *Ballantinei*, 177
 " *barbatum*, 42, 122
Cypripedium × *Baron Schröder*, 172, 478
 " *Boissierianum*, 122
 " × *Brysa*, 172
 " × *calanthum*, 172, 475
 " × *calophyllum*, 172
 " × *calurum*, 170
 " × *calypso*, 172
 " × *Captain Holford*, 173
 " × *cardinale*, 173
 " *caricinum*, 122
 " *caudatum*, 15, 122
 " × *Cleola*, 173
 " × *Clonius*, 173
 " × *Creon*, 174
 " × *Crethus*, 174
 " *Curtisii*, 86, 123
 " *Dayanum*, 78
 " × *Dominianum*, 174, 474
 " × " var. *Clymene*, 174
 " × *Druryo-Hookeræ*, 174
 " × *Electra*, 175
 " × *Euryades*, 170
 " × *Euryale*, 175
 " × *euryandrum*, 175, 475
 " × *Eurylochus*, 175
 " × *Evenor*, 175
 " × *Galatea*, 175
 " × *Germinyanum*, 175
 " × *giganteum*, 176
 " × *grande*, 176, 475
 " × " var. *macrochilum*, 176
 " × *Harrisianum*, 176, 474
 " *Haynaldianum*, 123
 " × *H. Ballantine*, 177
 " × *Hera*, 170
 " × *Ianthe*, 177
 " × *James H. Veitch*, 177, 477
 " *javanicum*, 123
 " *levigatum*, 124
 " *Lawrenceanum*, 78, 123
 " × *Lecanum*, var. *superbum*, 177
 " × *leucorrhodum*, 177, 476
 " *Lindleyanum*, 123
 " × *Little Gem*, 178
 " *Lowii*, 86

INDEX

- Cypripedium × lucidum, 178, 475
 " × *macrochilum*, 176
 " × " var. *giganteum*, 176
 " × *macropterum*, 178, 475
 " × *marmorophyllum*, 178
 " × *Marshallianum*, 178, 475
 " × *Medeia*, 179
 " × *Melanchus*, 179
 " × *Melis*, 179
 " × *Merops*, 179
 " × *microchilum*, 179, 475
 " × *Milo*, 179
 " × " var. *grandis*, 179
 " × *Minos*, 180
 " × " var. *magnificum*, 180
 " × " var. *superbum*, 180
 " × *Morganiae*, 180, 475
 " × " var. *Langleyense*, 180
 " × *Niobe*, 180
 " × *nitens*, 180, 475
 " *niveum*, 124
 " × *Norma*, 181
 " × *Numa*, 181
 " × *obscurum*, 476
 " × *cenanthum*, 181
 " × " var. *superbum*, 181
 " × *Cenone*, 181
 " × *Ceolus*, 183
 " × *Orestes*, 181
 " × *Orion*, 181
 " × *orphanum*, 182, 476
 " × *patens*, 182, 475
 " × *Pearcei*, 122
 " × *Penelaus*, 182
 " × *Perseus*, 182
 " × " var. *Phædra*, 182
 " × *Pheres*, 182
 " *philippinense*, 124
 " × *porphyreum*, 184
 " × *porphyrochlamys*, 183
 " × *Priam*, 183
 " × " var. *Leucas*, 183
 Cypripedium × *Priapus*, 183
 " × *pycnopterum*, 183, 475
 " × " var. *porphyrospilum*, 183
 " × *radiosum*, 183, 476
 " × *reginae*, 183
 " *reticulatum*, 122
 " *Roezlii*, 72
 " × *Sappho*, 184
 " *Schlimii alba*, 72
 " × *Schröderæ*, 184, 476
 " × " var. *canadidulum*, 184
 " × *Sedenii*, 104, 184, 474
 " × " var. *candidulum*, 184
 " × " var. *porphyreum*, 184
 " × *selligerum*, 184, 475
 " × *Sirius*, 185
 " *Stonei*, 86
 " × *suave*, 185
 " × *superbiens*, 124
 " × *superciliare*, 185, 475
 " × *Tautzianum*, 185
 " × *T. B. Haywood*, 185
 " × *Telemachus*, 185
 " × *tesselatum*, 186, 475
 " × " var. *porphyreum*, 186
 " × *Thalia*, 186
 " × *Thibautianum*, 186
 " *tibeticum*, 124
 " × *Tityus*, 186
 " *tonsum*, 125
 " × *vernixium*, 186
 " × *voxillarium*, 100, 187, 474
 " *villosum*, 42, 125
 " × *Winnianum*, 187, 476
 " × *Zeno*, 187
 Cyrtomium *falcatum*, var. *pendulum*, 315
 DANÆA serrulata, 73
 Daphne Genkwa, 82
 Daphniphyllum glaucescens, 81, 83
 Darwinia fimbriata, 251
 Davallia affinis, 318
 " *alpina*, 318
 " *bullata*, var. *Mariesii*, 318

INDEX

- Davallia elegans*, var. *polydactyla*, 318
 „ *ferruginea*, 319
 „ *fijiensis*, var. *major*, 319
 „ *hemiptera*, 320
 „ *hirta*, var. *cristata*, 319
 „ *intermedia*, 319
 „ *Mariesii*, 83
 „ *Mooreana*, 319
 „ *pallida*, 319
 „ *parvula*, 320
 „ *pentaphylla*, 320
 „ *repens*, 320
 „ *retusa*, 322
 „ *strigosa*, 320
 „ *tenuifolia*, var. *Burkei*, 320
 „ „ „ *Veitchiana*, 320
 „ „ „ *Veitchii*, 77
Davidia involucrata, 94, 362
Deinranthe bifida, 419
Delphinium cardinale, 419
 „ *Davidii*, 419
Dendrobium acrobaticum, 125
 „ × *Adrasta*, 187
 „ × *Æneas*, 187
 „ × *Ainsworthii*, var. *intertextum*, 187
 „ „ var. *splendissimum*, 188
 „ *albosanguineum*, 125
 „ × *Alcippe*, 188
 „ *amethystoglossum*, 125
 „ *annuligerum*, 126
 „ *Antelope*, 126
 „ *arachnostachyum*, 126
 „ × *Aspasia*, 188
 „ *atroviolaceum*, 126
 „ *bellatulum*, 126
 „ *Bensonæ*, 127
 „ *bigibbum*, var. *superbum*, 127
 „ *binoculare*, 127
 „ *Burbridgei*, 76, 78
 „ *canaliculatum*, 127
 „ *cerinum*, 78, 127
 „ × *Cordelia*, 188
 „ *crassinode*, 128
 „ *cretaceum*, 128
 „ *crystallinum*, 128
 „ *cumulatum*, 128
 „ × *Cybele*, 188, 476
 „ × *Dominianum*, 188, 474
 „ × *dulce*, 189
Dendrobium × *Edithæ*, 189
 „ × *endocharis*, 189
 „ × *euosmum*, 189, 476
 „ × „ var. *leucop-terum*, 189
 „ × „ var. *virginale*, 189
 „ × *Euryalus*, 189
 „ × *Euryclæa*, 190
 „ *glomeratum*, 129
 „ *Gouldii*, 129
 „ *Huttoni*, 54, 129
 „ × *illustre*, 190, 478
 „ *infundibulum*, 42
 „ „ var. *Jamesianum*, 129
 „ *Jamesianum*, 129
 „ *Johannis*, 129
 „ *Johnsoniæ*, 129
 „ *Kuhlii*, 130
 „ *lasioglossum*, 130
 „ *leucolophotum*, 130
 „ *lineale*, 130
 „ *Macfarlanei*, 129
 „ *macrophyllum*, var. *Huttoni*, 130
 „ „ var. *Veitchianum*, 130
 „ *marginatum*, 133
 „ × *Mentor*, 190
 „ *mesochlorum*, 131
 „ × *micans*, 190
 „ *Moorei*, 131
 „ × *Niobe*, 190
 „ × *Ophir*, 190
 „ *Palpebræ*, 131
 „ *Petri*, 131
 „ *polycarpum*, 131
 „ × *porphyrogastrum*, 191
 „ *præcinctum*, 131
 „ × *rhodostoma*, 191
 „ × *splendidissimum*, 191
 „ × „ var. *grandiflora*, 191
 „ × *striatum*, 191
 „ *subelausum*, 131
 „ *superbiens*, 132
 „ *superbum*, var. *anosum*, 132
 „ „ *Burke's* var., 132
 „ „ *Hutton's* var., 132

INDEX

- Dendrobium Tattonianum*, 127
 „ *taurinum*, var. *amboinense*, 132
 „ *tetrachromum*, 132
 „ × *Thwaitesiae*, Veitchs' var. 191
 „ *tortile*, 133
 „ *transparentis*, 133
 „ *tulipiferum*, 132
 „ *Veitchianum*, 130
 „ × *Virginia*, 191
 „ × *Wardiano-aureum*, 188
 „ × *Wardiano-japonicum*, 192
 „ *xanthophlebium*, 133
Dendromecon rigidum, 363
Dendroseris macrophylla, 251
Dennstædtia davalloides, var. *Youngii*, 321
Desfontainea spinosa, 15, 38, 46, 396
Deutzia discolor, 363
 „ *globosa*, 363
 „ *gracilis*, 364
 „ *mollis*, 364
 „ *planiflora*, 364
 „ *reflexa*, 364
 „ *Wilsoni*, 364
Dialælia Veitchii, 192, 478
Dianthera ciliata, 252
Dicentra chrysantha, 419
 „ *macrantha*, 419
Dicksonia bertroana, 58, 321
 „ *davalloides*, var. *Youngii*, 321
 „ *pubescens*, 73
Didymocarpus crinita, 252
 „ *lacunosa*, 252
 „ *malayanus*, 252
 „ *Revi*, 503
Dieffenbachia Bowmanni, 53, 252
 „ *braziliensis*, 253
 „ *Jenmani*, 253
 „ *Pearcei*, 253
 „ *picta*, 253
 „ *Wallisii*, 64
Dielytra chrysantha, 419
Diervilla sessilifolia, 365
Dipelta floribunda, 365
Dipladenia acuminata, 253
 „ *atropurpurea*, 253
 „ *boliviensis*, 253
 „ *magnifica*, 253
Dipladenia splendens, 10, 15, 254
 „ *urophylla*, 254
Dipteracanthus spectabilis, 254
Dipteronia sinensis, 365
Disa × *Diores*, 192, 478
 „ × *Langleyense*, 192
 „ × *Luna*, 192
 „ × *Veitchii*, 192, 477
Dombeya chilensis, 337
Doodia aspera, var. *multifida*, 321
 „ *duriuscula*, 321
 „ *media*, var. *duriuscula*, 321
Dracænia albicans, 254
 „ *albo-virens*, 254
 „ *amabilis*, 254
 „ *Balmoreana*, 255
 „ *Baptisti*, 255
 „ *Chelsoni*, 20, 255
 „ *elegantissima*, 255
 „ *Guilfoylei*, 255
 „ *Hendersoni*, 255
 „ *hybrida*, 256
 „ *imperialis*, 256
 „ × *intermedia*, 256
 „ *Jamesii*, 256
 „ *Levangeri*, 256
 „ *Macarthuri*, 256
 „ *Macleayi*, 20, 256
 „ *magnifica*, 20, 257
 „ *Mooreana*, 20, 257
 „ *nigro-rubra*, 257
 „ *porphyrophylla*, 257
 „ *Princess Margaret*, 257
 „ *regina*, 20, 257
 „ *roseo-picta*, 258
 „ *speciosa*, 258
 „ × *Taylori*, 258
Dracocephalum Ruyschiana, 81
 „ „ var. *japonicum*, 420
Drosera capensis, 299
Dryandra calophylla, 258
Echeveria × *glauco-metallica*, 104, 258
Echinocystis lobata, 420
Echites atropurpurea, 253
 „ *hirsuta*, 272
 „ *splendens*, 254
Elæagnus macrophylla, 396
Eleutherococcus Henryi, 365
 „ *leucorrhizus*, 365

INDEX

- Embothrium coccineum*, 38, 46, 57, 396
Enkianthus campanulatus, 397
Epicattleya guatemalensis, 193
 " *matutina*, 193
 " *Mrs. James O'Brien*, 193, 478
 " *radiato-Bowringiana*, 478
 " *radio-Bowringiana*, 193
Epidendrum bicameratum, 133
 " × *Clarissa*, 193
 " × " *var. superba*, 193
 " *cnemidophorum*, 133
 " *criniferum*, 133
 " × *elegantulum*, 193
 " × " *var. aureum*, 194
 " × " *var. leucochilum*, 194
 " *Endresii*, 61
 " × *Endresio-Wallisii*, 194, 477
 " *Karwinskyi*, 133
 " × *Langleyense*, 194
 " *Lindleyanum*, *var. Centeræ*, 134
 " × *O'Brienianum*, 194, 477, 478
 " *physodes*, 134
 " *pseudepidendrum*, 134
 " × *radico-Stamfordianum*, 195
 " × " *vitellinum*, 194
 " *syringothyrsis*, 134
 " *thrombodes*, 134
 " *Wallisii*, 64, 135
 " × *Wallisio-ciliare*, 195
Epilælia Eros, 104
 " *radico-purpurata*, 104, 195
Epiphronitis Veitchii, 195, 477
Episcia Erythropus, 258
Eranthemum aspersum, 259
 " *borneense*, 259
 " *Cooperi*, 259
 " *laxiflorum*, 259
 " *sanguinolenta*, 267
 " *sanguinolentum*, 259
 " *tuberculatum*, 259
Eria Curtisii, 135
 " *ignea*, 135
Erythrina indica, *var. marmorata*, 260
Escallonia × *Langleyensis*, 104, 397
Escallonia macrantha, 38, 397
 " " *var. sanguinea*, 104
 " *montana*, 398
 " *organensis*, 398
 " *philippiana*, 104, 398
 " *pterocladon*, 398
Eschscholtzia cæspitosa, 420
 " *tenuifolia*, 420
Esmeralda Cathcartii, 113
Eucomis bicolor, 444
Eucryphia cordifolia, 398
 " *pinnatifolia*, 46, 399
Eugenia Cheken, 403
 " *Luma*, 403
 " *Ugni*, 403
Euonymus radicans, *var. foliis variegatis*, 399
Euphorbia pulcherrima, *var. plenissima*, 260
Euptelia Davidiana, 366
Eurya latifolia, *var. variegata*, 395
Eurybia dentata, 404
Eurycles australasica, 445
 " *sylvestris*, 445
Eurygania ovata, 260
Evodia rutæcarpa, 366
Exochorda grandiflora, 82
FAGUS antarctica, 46
 " *betuloides*, 46
 " *obliqua*, 399
Farfugium Kæmpferi, *var. argentea*, 289
Fenzlia dianthiflora, 421
Ficus Parcelli, 260
Fitzroya patagonica, 38, 46, 340
Fraxinus bracteata, 366
 " *Mariesii*, 366
Fremontia californica, 367
Fritillaria Thunbergii, 445
 " *verticillata*, *var. Thunbergii*, 445
Fuchsia dependens, 260
 " × *Dominiana*, 100, 261
 " *macrantha*, 261
 " *serratifolia*, 261
 " *simplicicaulis*, 261
 " *spectabilis*, 262
GALEANDRA barbata, 135
Gardenia florida, *var. radicans foliis variegata*, 262

INDEX

- Gardenia *Kalbreyeri*, 70
 " *radicans*, var. *foliis variegata*, 262
 Gastrochilus *Curtisii*, 86
 Gaultheria *ciliaris*, 404
 " *ferruginea*, 400
 Genethyllis *fimbriata*, 251
 Gentiana *detonsa*, var. *barbata*, 420
 Geranium *platyanthum*, 421
 Gerardia *lanceolata*, 421
 Gesnera *Donklarii*, 262
 " *polyantha*, 262
 Gilia *californica*, 421
 " *dianthoides*, 421
 " *lutea*, 421
 Globba *albo-sanguinea*, 262
 " *atrosanguinea*, 262
 " *coccinea*, 262
 Gloxinera *Brilliant*, 263
 Gloxinia *hypocyrtiflorum*, 268
 " *speciosa*, var. *macrophylla*
 variegata, 263
 " *speciosa*, var. *macrophylla*
 variegata, 289
 Gomphrena *pulchella*, 422
 Goodyera × *Dominii*, 473
 " *macrantha*, 135
 " × *Veitchii*, 196, 473
 Gooseberry, *Golden Gem*, 105, 511
 " *Langley Beauty*, 105, 511
 " " *Gage*, 105, 511
 Gravesia *guttata*, 263
 Gymnogramme *flexuosa*, 321
 " *japonica*, 322
 " *Pearcei*, 322
 " " var. *robusta*,
 322
 " " *schizophylla*,
 322
 " *Veitchii*, 322
 " *vellea*, 73
 Gymnostachys *Pearcei*, 47

 HABRANTHUS *pratensis*, var. *quadri-*
 flora, 446
 Hæmanthus *cinnabarinus*, 445
 " *hirsutus*, 445
 " *Kalbreyeri*, 445
 Hamamelis *arborea*, 367
 " *japonica*, 367
 " *mollis*, 367
 Haplopapus *spinulosus*, 400
 Hebecladus *biflorus*, 263

 Hedyscepe *canterburyana*, 264
 Heliampora *nutans*, 87, 299
 Heliconia *aureo-striata*, 264
 Heloniopsis *japonica*, 422
 Hemerocallis *aurantiaca majus*, 104
 " *disticha*, 446
 " *fulva*, var. *flore pleno*,
 446
 " × *luteola*, 104
 " *Thunbergii*, 104
 Hemibœa *Henryi*, 422
 Hemichæna *fruticosa*, 264
 Hetrotrichum *macrodon*, 264
 Hexacentris *lutea*, 292
 " *mysorensis*, 292
 " " var. *lutea*, 292
 Hibiscus *Cooperi*, 264
 " *rosa-sinensis*, var. *Cooperi*,
 264
 " " var. *schizope-*
 talus, 264
 " *schizopetalus*, 264
 Hindsia *longiflora*, 265
 " *violacea*, 10, 265
 Hippeastrum *Acramani*, 467
 " " var. *pulcher-*
 rima, 467
 " *ambiguum*, var. *longi-*
 flora, 467
 " *aulicum*, 467
 " *Brilliant*, 103, 468
 " *Chelsoni*, 103, 468
 " *Empress of India*, 467
 " *equestre*, 465, 466
 " *Johnsoni*, 467
 " *Leopoldii*, 47, 446, 468
 " *maculata*, 103, 468
 " *pardinum*, 47, 446, 466,
 468
 " *platypetalum*, 467
 " *pratense*, var. *quadri-*
 flora, 446
 " *psittacinum*, 466
 " *pulverulentum*, 466
 " *reginæ*, 465, 466
 " " *-vittatum*, 467
 " *regio-vittatum*, 467
 " *reticulatum*, 465, 466
 " " var. *striati-*
 folium,
 466
 " *solandræflorum*, 467
 " *vittatum*, 465, 466

INDEX

- Homoianthus viscosus*, 428
Houlettia Brocklehurstiana, 136
Hoya bella, 265
 " *campanulata*, 280
 " *cinnamomifolia*, 265
 " *coriacea*, 265
 " *coronaria*, 266
 " *fraterna*, 266
 " *linearis*, 266
 " *purpureo-fusca*, 266
Hydrangea Hortensia, var. *Mariesii*,
 368
 " " var. *rosea*, 368
 " *longipes*, 368
 " *rosea*, 83
Hymenanchera crassifolia, 400
Hypericum Hookerianum, 400
 " *oblongifolium*, 400
Hypocyrtia brevicalyx, 268
 " *pulchra*, 266
 " *strigillosa*, 266
Hypoestes aristata, 267
 " *sanguinolenta*, 267

Ilex Pernyi, 400
Impatiens Jerdonia, 267
 " *mirabilis*, 267
Incarvillea variabilis, var. *latifolia*,
 422
Iris Kämpferi, 83
Isoloma hypocyrtiflorum, 268
Ixora acuminata, 268
 " *Burbidgei*, 268
 " *Duffei*, 269
 " *floribunda*, 268
 " *fulgens*, 268
 " *Lobbii*, 268
 " *macrothyrsa*, 269
 " *salicifolia*, 268
 " " var. *variegata*, 269
 " × *Westii*, 269

JACOBINIA ciliata, 252
Jasminum gracillimum, 78, 269
 " *primulinum*, 93, 401
Juniperus californica, 39, 340
 " *chinensis*, var. *albo-varie-*
 gata, 340
 " " var. *aurea*, 50,
 340
 " *occidentalis*, 340
 " *pyriformis*, 340
 " *rigida*, 340

KEMPFERIA vittata, 270
Kentia canterburyana, 264
 " *Macarthuri*, 283
Keteleeria Davidiana, 341
 " *Fortunei*, 341

LÆLIA × *Amesiana*, 198
 " *anceps*, var. *Veitchiana*, 136
 " × *Batemaniana*, 215, 476
 " × *bella*, 198
 " × *callistoglossa*, 198
 " × *caloglossa*, 199, 474
 " × *Canhamiana*, 199
 " × *Clio*, 196
 " × *Digbyano-purpurata*, 196
 " × " " var. *King*
 Edward
 VII., 196
 " × *Dominiana*, 201, 474
 " × *Edissa*, 196
 " × *Euterpe*, 196
 " × *flammea*, 197, 474
 " × *flavina*, 197
 " × *Latona*, 197, 477
 " × *Mrs. M. Gratrix*, 197
 " × *Novelty*, 204
 " × *Omen*, 197
 " × *Philbrickiana*, 205
 " × *Pilcheriana*, 197, 473
 " × *triophthalma*, 207
 " × *Veitchiana*, 208, 474
 " × *Victoria*, 208
Læliocattleya Amesiana, 198
 " *Ascania*, 198
 " *Aurora*, 198
 " *bella*, 198
 " *callistoglossa*, 198, 475
 " " var. *ig-*
 nescens,
 198, 478
 " *caloglossa*, 199
 " *Canhamiana*, 199, 476
 " " var. *superba*,
 478
 " *Cassandra*, 199
 " *Cassiope*, 199
 " *Clio*, 478
 " *Clonia*, 199
 " " var. *superba*,
 199
 " *Cornelia*, 200
 " *Coronis*, 200
 " *Cybele*, 200

INDEX

- Læliocattleya* Decia, 200
 " " var. alba, 200
 " Digbyano-Mendelii, Veitchs' var., 200
 " Digbyano-Mossiaë, 200, 477
 " Digbyano-Trianaë, 201
 " Dominiana, 201, 474
 " " var. Langleyensis, 201, 478
 " Epicasta, 201
 " Eudora, 201
 " " var. splendens, 478
 " Eumcea, 201
 " Eunomia, 202
 " Euphrosyne, 202
 " eximia, 202
 " exoniensis, 202
 " Fausta, 202, 474
 " Felix, 202
 " Hippolyta, 203
 " Illione, 203
 " Isis, 203
 " King of Spain, 203
 " Lacusta, 203
 " Lady Rothschild, 203, 478
 " leucoglossa, 203
 " " var. bella, 204
 " Lucilia, 204
 " Mardelli, 204
 " Mona, 204
 " Myra, 204
 " Novelty, 204
 " Nysa, 204
 " " var. picta, 205
 " " var. purpurea, 205
 " " var. superba, 205
 " Ophir, 205
 " Orpheus, 205
 " Pallas, 205
 " " var. superba, 205
 " Parysatis, 205
 " Philbrickiana, 205
 " Pisandra, 206
 " Proserpine, 206
 " Queen Alexandra, 206
 " Remula, 206
 " Rosalind, 206
- Læliocattleya* Sedenii, 206, 475
 " Semiramis, 206
 " Statteriana, 207
 " Stella, 207
 " Timoræ, 207
 " Tiresias, 207
 " triophthalma, 207
 " Tydea, 207
 " Vacuna, 208
 " Veitchiana, 208
 " Victoria, 208
 " Violetta, 208
 " Wellsiana, var. Langleyensis, 478
 " Zenobia, 208, 476
 " Zephyra, 208
Lapageria alba, 15, 45, 456
 " alba, 270
 " rosea, 15, 38, 45, 270
 " " var. albiflora, 270
Lardizabala biternata, 401
Larix Kämpferi, 82
 " leptolepsis, 50, 341
Lastrea aristata, var. variegata, 315
 " Hopeana, 324
 " Maximowiczii, 324
 " opaca, 325
 " Richardsii, var. multifida, 325
Latua venenosa, 271
Leea amabilis, 86, 271
Leptodactylon californicum, 421
Leptolælia Veitchii, 104, 209, 478
Leptopteris superba, 331
Leptosiphon luteus, 421
Leschenaultia biloba, 271
Lettuce, Self-folding Chelsea Imperial, 514
 " Veitchs' Golden Queen, 514
 " " Perfect Gem, 514
 " " Selected Brown, 514
 " " Superb White Cos, 514
Leucothoë Davisiaë, 401
 " Lobbi, 401
Lhotskya ericoides, 271
Libocedrus macrolepis, 341
 " tetragona, 38, 45, 46, 341
Licuala Veitchii, 272
Liebigia speciosa, 241
Ligularia Kämpferi, var. argentea, 289
Ligustrum Henryi, 402
Lilium auratum, 15, 19, 50, 447
 " " gloriosoides, 83

INDEX

- Lilium auratum*, var. *platyphyllum*, 83, 448
 " " var. *tricolor*, 448
 " *cordifolium*, 448
 " *Duchartrei*, 448
 " *giganteum*, 448
 " *lancifolium*, var. *formosanum*, 82
 " *Leichtlinii*, 449
 " *longiflorum*, var. *formosanum*, 449
 " *myriophyllum*, 449
 " *neilgerricum*, 449
 " *neilgherrense*, 449
 " *philippinense*, 450
 " *speciosum*, var. *gloriosoides*, 450
 " *sutchuenense*, 450
 " *Thunbergianum*, 81
 " *Wallichianum*, 449
Limnates labrosa, 114
 " *rosea*, 115
Limnates callosum, 147
Lindera Tzumu, 368
Lindsaya crispa, 77
 " *jasminoides*, 78
 " *retusa*, 322
Linum Chamissonis, 422
 " *Macraei*, 422
Liparis formosana, 136
Liriodendron chinense, 368
 " *tulipiferum*, 82
Lisianthus magnificus, 47
Litobrochia nobilis, 329
Loasa picta, 423
Lobelia dependens, 44
Lobelia heterophylla, 423
 " *littoralis*, 429
 " *tenuior*, 423
Lomaria bipinnatifida, 68
 " *blechnoides*, 323
 " *ciliata*, 323
 " *crenulata*, 323
 " *discolor*, 68
 " " var. *bipinnatifida*, 323
 " *Germainii*, 323
 " *gibba*, var. *Belli*, 323
 " " " *crispa*, 324
 " *Lechleri*, 324
Lomatia ferruginea, 272
Lonicera gynochlamydeæ, 369
 " *Kœhneana*, 369
Lonicera pileata, 402
 " *tragophylla*, 369
Loropetalum chinense, 82, 370
Lycaste lasioglossa, 136
 " *linguella*, 136
 " *Locusta*, 136
 " *Skinneri*, var. *superba*, 137
Lycioplesium pubiflorum, 271
Lygodium polystachyum, 324
Lysimachia crispidens, 423
 " *Henryi*, 423
 " *stenosepala*, 423
MACLEANIA *punctata*, 272
Magnolia Delavayi, 402
 " *Halleana*, 370
 " *salicifolia*, 370
 " *soulangeana*, var. *nigra*, 370
 " *stellata*, 370
Mandevilla hispida, 272
Manettia bicolor, 272
 " *luteo-rubra*, 272
 " *micans*, 273
Maranta arundinacea, var. *variegata*, 280
 " *ornata*, 235
 " *striata*, 273
 " *tubispatha*, 235
 " *Veitchiana*, 236
 " *Veitchii*, 15, 47
 " *Wallisii*, 64
Marattia Burkei, 324
Marianthus Drummondianus, 273
Masdevallia × *Ajax*, 209
 " × *Alceste*, 209
 " × *Asmodia*, 209
 " *attenuata*, 137
 " *Barlæana*, 137
 " *brevis*, 152
 " × *caudata-Estradæ*, 209
 " × *Chelsoni*, 209, 475
 " × " var. *splendens*, 209
 " *coccinea*, var. *Harryana*, 60, 137
 " *Davisi*, 66, 137
 " × *Ellisiana*, 210
 " × *Gairiana*, 210, 476
 " *gargantua*, 138
 " *gibberosa*, 153
 " × *glaphyrantha*, 210, 476
 " *gracilentia*, 120
 " *Harryana*, 137

INDEX

- Masdevallia* × *Imogene*, 210, 478
 „ *inocharis*, 138
 „ *lata*, 138
 „ *Lindenii*, var. *Harryana*, 137
 „ *macroactyla*, 138
 „ *Normani*, 139
 „ × *Parlatoreana*, 210
 „ *Peristeria*, 138
 „ *polysticta*, 139
 „ *radiosa*, 139
 „ *Reichenbachiana*, 139
 „ *simula*, 139
 „ × *splendida*, 210, 477
 „ × „ var. *Parlatoreana*, 210
 „ *triaristella*, 139
 „ *Veitchiana*, 15, 65, 140
 „ *Wallisii*, 64
Masonia punctata, 141
Maxillaria ctenostachya, 140
Meconopsis Henrici, 423
 „ *integrifolia*, 95, 424
 „ *punicea*, 95, 424
Medinilla bracteata, 274
 „ *Cumingii*, 273
 „ *Curtisii*, 86, 273
 „ *magnifica*, 15, 274
 „ *speciosa*, 273
Meliosma myriantha, 371
Miconia Hookeriana, 274
 „ *pulverulenta*, 274
Microlepia hirta cristata, 68
 „ *hirta*, var. *cristata*, 319
 „ *strigosa*, 320
Miltonia × *Bleuana*, 211
 „ × „ var. *splendens*, 104
 „ *Endresii*, 56, 57, 61, 140
 „ *vexillaria*, 60, 72, 140
Mimulus cupreus, 425
 „ *luteus*, var. *alpinus*, 425
 „ *radicans*, 425
 „ *variegatus*, 425
Mitraria coccinea, 274
Monardella macrantha, 425
Monopyle racemosa, 274
Mormodes fractiflexum, 141
 „ *Ocanæ*, 141
 „ *Skinneri*, 141
 „ *Wendlandii*, 141
Musa Basjoo, 275
Musa japonica, 275
Mutisia decurrens, 47, 275
Myrmecodia Beccarii, 275
Myrtus Cheken, 403
 „ *Luma*, 403
 „ *Ugni*, 403
NARCISSUS Tazetta, var. *orientalis flore pleno*, 451
Negundo nikoense, 354
Neillia sinensis, 371
Nepenthes albo-marginata, 299, 483, 486
 „ *ampullaria*, 42, 483
 „ *angustifolia*, 299, 485
 „ × *Balfouriana*, 108, 304, 488
 „ *bicalcarata*, 76, 78, 300, 484
 „ *Burkei*, 300, 486
 „ „ var. *excellens*, 300, 486
 „ „ „ *prolifera*, 300
 „ × *Chelsoni*, 103, 304, 487
 „ × „ var. *excellens*, 108, 304
 „ *cincta*, 301, 486
 „ × *Courtii*, 102, 305, 487
 „ *Curtisii*, 86, 301, 486
 „ „ var. *superba*, 301, 486
 „ × *cylindrica*, 108, 305, 488
 „ × *Dicksoniana*, 305, 488
 „ *distillatoria*, 483, 488
 „ × *Dominii*, 100, 305, 487
 „ *Dyak*, 485
 „ *Edwardsiana*, 76, 483
 „ × *F. W. Moore*, 108, 305, 489
 „ *glabrescens*, 484, 488
 „ *gracilis*, 483
 „ „ var. *major*, 301
 „ *hirsuta*, 484
 „ *Hookeriana*, 483
 „ × *hybrida*, 100, 487
 „ × „ *maculata*, 487
 „ × „ *maculata*, 306
 „ × *intermedia*, 102, 305, 487
 „ *Kennedyana*, 301, 484
 „ *Khasiana*, 483, 489
 „ *lævis*, 302, 483
 „ *lanata*, 302, 484

INDEX

- Nepenthes Lowii*, 483
 „ × *maculata*, 306
 „ *madagascariensis*, 85, 302, 483, 484
 „ × *Mastersiana*, 102, 306, 487
 „ × *mixta*, 108, 306, 488
 „ × „ *var. sanguinea*, 306, 488
 „ × *Morgania*, 487
 „ *Northiana*, 85, 303, 484, 485
 „ *Pervillei*, 486
 „ *phyllamphora*, 483
 „ × *picturata*, 108, 306, 489
 „ *Rafflesiana*, 42, 483
 „ „ *var. nivea*, 78
 „ *Rajah*, 75, 78, 303, 483, 484
 „ × *Ratcliffiana*, 306, 487
 „ × *rubro-maculata*, 306, 487
 „ × *rufescens*, 102, 307, 488
 „ *sanguinea*, 42, 303, 483
 „ × *Sedenii*, 103, 307, 487
 „ × *Sir William T. Thiselton-Dyer*, 108, 307, 489
 „ *stenophylla*, 303, 486
 „ × *Stewartii*, 487
 „ × *Tiveyi*, 108, 307, 488
 „ *Veitchii*, 42, 304, 483
 „ *ventricosa*, 486
 „ *Viellardii*, 484
 „ *villosa*, 483
 „ × *Wrigleyana*, 307, 487
 „ *zeylanica*, 484
 „ „ *var. rubra*, 484
Nepeta incana, 392
 „ *Wilsoni*, 425
Nephrodium antioquoianum, 73
 „ *Hopeanum*, 324
 „ *longicaule*, 73
 „ *Maximowiczii*, 324
 „ *nudum*, 78
 „ *opacum*, 325
 „ *Richardsii*, *var. multifidum*, 325
 „ *valdepilosum*, 73
Nephrolepis davalloides, *var. furcans*, 325
 „ *Duffii*, 325
 „ *exaltata*, 326
Nephrolepis Pluma, 325
 „ *rufescens*, *var. tripinnatifida*, 326
Nierembergia rivularis, 47, 425
 „ *Veitchii*, 47, 426
Nolana lanceolata, 426
Nothochlæna mollis, 326
Notospartium Carmichaeliæ, 68, 403
Notylia albida, 142
Nyssa sinensis, 371
ODONTOGLOSSUM *baphicanthum*, 142
 „ *blandum*, 71, 142
 „ *brachypterum*, 142
 „ *citrosimum*, 55
 „ *Coradinei*, 143
 „ *coronarum*, 71
 „ „ *var. Dayanum*, 142
 „ *crispum*, 88
 „ „ *var. Chestertonii*, 60
 „ „ *var. Chestertonii*, 143
 „ *crocidipterum*, 71
 „ *deltoglossum*, 143
 „ *Denisonæ*, *var. Chestertonii*, 143
 „ × *excellens*, 104, 211, 477
 „ *hastilabium*, 71
 „ *Krameri*, 55, 143
 „ *Leeanum*, 143
 „ *Lindleyanum*, *var. Coradinei*, 143
 „ *Erstedii*, 144
 „ *odoratum*, *var. baphicanthum*, 142
 „ „ *var. deltoglossum*, 143
 „ „ *var. Leeanum*, 143
 „ *Pescatorei*, 70
 „ „ *var. Veitchianum*, 71, 144
 „ *prænitens*, 144
 „ *ramosissimum*, 72
 „ *retusum*, 144
 „ *sceptrum*, 72

INDEX

- Odontoglossum tripudians*, 71
 „ *triumphans*, 71
 „ *Uroskinneri*, 144
 „ *vexillarium*, 140
 „ *Warscewiczii*, 56, 57
 „ *Warscewiczii*, 140
Oenothera bistorta, var. *Veitchiana*, 426

OLEA ilicifolia, 404
Olearia dentata, 404
 „ *Haastii*, 404
 „ *macrodonta*, 404
Omphalodes Krameri, 426
Oncidium anthocrene, 145
 „ *bryolophotum*, 145
 „ *chrysodipterum*, 145
 „ *curtum*, 145
 „ *euxanthinum*, 145
 „ *glossomystax*, 145
 „ *metallicum*, 146
 „ *prætextum*, 146
 „ *superbiens*, 146
 „ *tectum*, 146
 „ *Warscewiczii*, 146
Onion, Veitch's Main Crop, 514
 „ „ Selected Globe, 514
Oplismenus Burmannii, var. *variegata*, 275
Orthosiphon stamineus, 276
Osbeckia rubicunda, 276
Osmanthus aquifolium, var. *ilicifolia*, 404
Osmunda japonica, var. *corymbifera*, 83
 „ *japonica*, var. *corymbifera*, 326
 „ *javanica*, 326
 „ *regalis*, var. *corymbifera*, 326

Ostrowskya magnifica, 426
Ourisia coccinea, 46, 426
 „ *Pearcei*, 46, 427
Ouvirandra fenestralis, 276
Oxalis elegans, 427
 „ *valdiviensis*, 427

PACHYSTOMA Thomsoniana, 70, 147
Pæonia obovata, 427
Palava dissecta, 427
 „ *flexuosa*, 47
 „ *flexuosa*, 427
Palicourea discolor, 276, 283

Palicourea nicotianæfolia, 276
 „ *nicotianæfolia*, 283
Palisota bicolor, 277
Panax fruticosum, var. *laciniatum*, 277
 „ *laciniatum*, 277
Pandanus Baptisti, 277
 „ *pacificus*, 277
 „ *Veitchii*, 20, 50, 277
Panicum variegatum, 275
Passiflora Actinia, 277
 „ *bilobata*, 278
 „ *organensis*, var. *marmorata*, 278

Paullinia thalictrifolia, 53, 278
Pea, Chelsea Gem, 513
 „ Veitch's Autocrat, 513
 „ „ Criterion, 513
 „ „ Maincrop, 513
 „ „ Prestige, 514
Pellæa bella, 326
 „ *brachyptera*, 327
 „ *glauca*, 327
Pentapterygium rugosum, 278
Pentstemon Jaffrayanus, 428
Perezia viscosa, 428
Periphragmos dependens, 238
 „ *flexuosa*, 239
 „ *uniflorus*?, 238

Pernettya ciliaris, 404
Pertya sinensis, 371
Pescatorea Dayana, var. *rhodacea*, 158
 „ *lamellosa*, 158
Phacelia Whitlavia, 428
Phaiocalanthe insperata, 211
 „ *irrorata*, 100, 211, 474
 „ „ var. *purpurea*, 211
 „ „ var. *rosea*, 212
 „ *Niobe*, 478
 „ *Sedeniana*, 212, 476
 „ „ var. *albiflora*, 212

Phaius × *amabilis*, 104, 212
 „ *Bensonæ*, 154
 „ *Bernaysii*, 147
 „ *Blumei*, var. *Bernaysii*, 147
 „ *callosus*, 147
 „ *grandifolius*, var. *Blumei Bernaysii*, 147
 „ × *inquilinus*, 474
 „ × *irroratus*, 211, 474
 „ × *maculato-grandifolius*, 104, 212

INDEX

- Phaius philippinensis*, 147
 „ × *Sedenianus*, 212
Phalænopsis amabilis, 148
 „ × *Ariadne*, 212, 478
 „ × *Artemis*, 213, 477
 „ × *Cassandra*, 213, 478
 „ *Corningiana*, 148
 „ × *F. L. Ames*, 213
 „ *grandiflora*, 15
 „ *grandiflora*, 78, 148
 „ × *Harriettæ*, 213, 476
 „ × *Hebe*, 213
 „ × *Hermione*, 213
 „ *intermedia*, 43, 148
 „ × „ var. *Vesta*, 214
 „ × *John Seden*, 214, 477
 „ × *Leda*, 214, 477
 „ *Lobbii*, 148
 „ × *Luedde-violacea*, 214, 478
 „ *maculata*, 148
 „ *Mariæ*, 76, 78, 149
 „ × *Mrs. James H. Veitch*, 214, 478
 „ *rosea*, 149
 „ × *Rothschildiana*, 214, 476
 „ × *Stuartiano-Manni*, 215, 478
 „ *sumatrana*, var. *paucivittata*, 149
 „ „ var. *sanguinea*, 149
 „ × *Veitchiana*, 149
 „ *violacea*, 86, 149
Philageria Veitchii, 278, 476
Philesia buxifolia, 38, 46, 404
Philodendron Andreanum, 279
Phlomis umbrosa, var. *australis*, 428
Phormium tenax, var. *variegatum*, 279
 „ „ „ *Veitchii*, 279
Phragmopedilum × *cardinale*, 173
Phrynium variegatum, 280
Phygelius capensis, 428
Phyllanthus roseo-pictus, 280
Physalis Francheti, 91, 429
Physostelma Wallichii, 280
Picea ajanensis, 50, 342
 „ *Alcockiana*, 50, 342
 „ *concolor*, 335
 „ *grandis*, 336
 „ *polita*, 50, 342
 „ *Veitchii*, 337
Pinanga Veitchii, 78, 280
Pinus Armandi, 343
 „ *Coulteri*, 39, 343
 „ *densiflora*, 50, 343
 „ *koraiensis*, 90, 343
 „ *Lambertiana*, 39
 „ *macrocarpa*, 343
 „ *massoniana*, 344
 „ *monticola*, 39
 „ *muricata*, 39
 „ *parviflora*, 50, 344
 „ *pentaphylla*, 344
 „ *ponderosa*, 39
 „ *radiata*, 39
 „ *Sabiniana*, 39
 „ *sinensis*, 82
 „ *Thunbergii*, 50, 344
 „ *tuberculata*, 39
Piper borneense, 280
 „ *ornatum*, 281
 „ *porphyrophyllum*, 281
Piptospatha insignis, 281
Planera acuminata, 386
Platycerium alaicorne, var. *Hillii*, 327
 „ „ var. *majus*, 327
 „ „ var. *Veitchii*, 327
Platycodon grandiflorum, var. *Mariesii*, 81, 83, 90, 429
Platyloma bellum, 326
 „ *brachypterum*, 327
Pleopeltis albido-squamata, 327
 „ *elegans*, 15
 „ *fossa*, 328
Pleroma elegans, 292
 „ *Gayanum*, 292
 „ *strigosum*, 293
Pleurothallis glossopogon, 150
Pleurothallis insignis, 150
Plumbago rosea, var. *coccinea*, 281
Podalasia stipitata, 282
Podocarpus andina, 345
 „ *macrophyllus*, var. *argenteo-variegatus*, 344
 „ „ var. *aureo-variegatus*, 344
 „ *nubigena*, 38, 46, 345
Poeppigia cyanocarpa, 405
Poinsettia pulcherrima, var. *plenisima*, 260
Polybotrya Lechleriana, 311

INDEX

- Polycynis gratiosa*, 150
Polypodium albo-squamatum, 327
 " *antioquoianum*, 73
 " *Burbidgei*, 78
 " *fossum*, 328
 " *holophyllum*, 78
 " *Krameri*, 328
 " *Leyssii*, 78
 " *minimum*, 78
 " *neriifolium*, var. *cristatum*, 328
 " *oxyodon*, 78
 " *Schneiderianum*, 328
 " *stenopteris*, 78
 " *streptophyllum*, 78
 " *sylviculium*, 73
 " *taxodioides*, 78
Polystichum flexum, 315
 " *setosum*, 316
 " *tripteron*, 316
 " *tsus-simense*, 315
Populus lasiocarpa, 372
 Potato, Veitch's Chiswick Favourite, 513
 " " Improved Ashleaf Kidney, 513
Pothos argyreus, 288
 " *celatocaulis*, 78, 282
Pratia angulata, 429
Primula Cockburniana, 429
 " *cortusoides*, 50
 " " var. *amcena*, 19, 430
 " " var. *grandiflora*, 430
 " " var. *stricta*, 430
 " *deflexa*, 430
 " *denticulata*, 430
 " *japonica*, 50
 " " var. *pulverulenta*, 431
 " *nivalis*, var. *farinosa*, 431
 " *obconica*, 82, 83, 282
 " *ovalifolia*, 431
 " *poculiformis*, 282
 " *pulverulenta*, 431
 " *pynoloba*, 431
 " *tangutica*, 431
 " *Veitchii*, 432
 " *violodora*, 432
 " *vittata*, 95, 432
 " *Wilsoni*, 433
Pritchardia grandis, 272
Proustia pyriformis, 282
Prumnopitys elegans, 46, 345
Prunus pseudo-cerasus, var. *James H. Veitch*, 372
Pseudotsuga Davidiana, 341
Psychotria tabacifolia, 283
Pteris argyrea, 329
 " *longifolia*, var. *Mariesii*, 328
 " *ludens*, 329
 " *palmata*, 329
 " *quadriaurita*, var. *argyrea*, 329
 " *serrulata*, var. *cristata*, 329
 " *Treacheariana*, 78
Ptychosperma Macarthurii, 283
Pyrus Delavayi, 372
 QUERCUS *acuta*, 405
 " *Buergeri*, 405
 " *glabra*, var. *latifolia*, 405
 RANUNCULUS *Lyallii*, 68, 433
Raphiolepis japonica, 405
 " " var. *integerrima*, 405
 " *ovata*, 405
 Raspberry Blackberry, The Mahdi, 105, 511
 " Golden Queen, 511
 " November Abundance, 105, 511
 " Queen of England, 105, 511
 " Yellow Superlative, 105, 511
Rehmannia angulata, 283
Renanthera Lowii, 113
 " *matutina*, 150
Restrepia elegans, 150
Retinispora filicoides, 339
 " *lycopodioides*, 339
 " *nobleana*, 339
 " *obtusa*, 339
 " *pisifera*, 339
 " *squarrosa*, 339
Rhaphithamnus cyanocarpus, 405
Rhododendron auriculatum, 406
 " × *balsaminæflorum*, 496
 " × " var. *album*, 496
 " × " var. *aureum*, 496

INDEX

Rhododendron × balsaminæflorum, var. carneum, 497	Rhododendron javanico-
„ × „ var. Rajah, 497	jasminiflorum
„ × „ var. roseum, 496	Maiden's Blush, 496
„ Brookeanum, 42, 283	„ Militaire, 497
„ „ var. flavum, 283	„ Minerva, 497
„ „ var. gracilis, 284	„ Monarch, 496
„ calendulaceum, 373	„ Ophelia, 497
„ californicum, 406	„ President, 497
„ <i>Curtisii</i> , 286	„ Primrose, 497
„ dilatatum, 373	„ × „ Prince Leo- pold, 496
„ × Early Gem, 406	„ Princess Bea- trice, 497
„ Fortunei, 82	„ Princess Chris- tian, 497
„ indicum, var. bal- saminæflorum, 80	„ Princess Fred- erica, 496
„ „ var. obtusum, 406	„ × „ PrincessRoyal, 495
„ jasminiflorum, 15, 42, 284, 493	„ × „ Queen Victoria, 496
„ × „ carmina- tum, 497	„ × „ Souvenir de J. H. Mangles, 497
„ javanico-	„ × „ Taylorii, 495
jasminiflorum	„ „ The Queen, 500
Aphrodite, 497	„ javanicum, 42, 284, 493
„ Aurora, 496	„ „ var. auran- tiacum, 284
„ Brilliant, 497	„ „ var. flavum, 285
„ Ceres, 497	„ „ var. gracile, 493
„ × „ Cloth of Gold, 500	„ „ var. tubi- flora, 285
„ „ Crown Prince of Germany, 496	„ Lobbii, 42, 285
„ × „ Duchess of Connaught, 496	„ malayanum, 285, 494
„ × „ Duchess of Edinburgh, 495	„ × Manglesii, 407
„ × „ Excelsior, 496	„ micranthum, 407
„ × „ Exquisite, 497	„ moulmeinense, 285
„ × „ Favourite, 496	„ multicolor, 86, 285, 494, 497
„ × „ King Edward VII., 500	„ „ var. Curtisii, 86, 286, 494
„ „ Lord Wolseley 496	„ „ Hippolyta, 498
„ „ luteo - roseum, 497	„ „ Latona, 498
	„ „ Little Beauty, 498
	„ „ Mrs. Heal, 497

INDEX

- Rhododendron multicolor*, Neptune, 498
 " " Rosy Morn, 498
 " " Ruby, 498
 " *obtusum*, 406
 " *occidentale*, 407
 " *Oldhamii*, 286
 " × *Princess Alice*, 286
 " *racemosum*, 407
 " *Schlippenbachii*, 91, 408
 " *Teysmanni*, 86, 494
 " *Veitchianum*, 286
Ribes glaciale, 373
 " *Lobbii*, 373
 " *subvestitum*, 373
Richardia hastata, 433
Rodgersia pinnata, var. *alba*, 433
 " *podophylla*, 434
Rodriguezia leochilina, 151
Rondeletia longiflora, 265
Rosa sericea, var. *pteracantha*, 373
 " *sorbiflora*, 374
Rose Electra, 104
 " *Myra*, 105
 " *Queen Alexandra*, 104, 374
Rubus japonicus, var. *tricolor*, 408
 " *bambusarum*, 374
 " *biflorus*, 374
 " *chroösepalus*, 375
 " *conduplicata*, 375
 " *coreanus*, 375
 " *flagelliflorus*, 375
 " *hypargyrus*, 375
 " *ichangensis*, 376
 " *innominatus*, 376
 " *irenæus*, 376
 " *Lambertianus*, var. *glaber*, 376
 " *lasiostylus*, 377
 " *leucocarpus*, 377
 " *leucodermis*, 374
 " *niveus*, 377
 " *palmatius*, 377
 " *Parkeri*, 377
 " *Playfairii*, 378
 " *Wilsoni*, 378
Ruellia Pearcei, 287

SACCOLABIUM bigibbum, 151
 " *giganteum*, 151
 " *Huttoni*, 54, 151

Saccolabium miniatum, 151
Salvia oppositiflora, 287
 " *Souliei*, 434
Sanchezia longiflora, 287
 " *nobilis*, 47, 287
 " " var. *variegata*, 287
Sapindus Mukorossi, 378
Sarcanthus chrysomelas, 152
 " *flexus*, 152
Sarcophilus luniferus, 152
Sarcococca pruniformis, 408
Sarmienta repens, 287
Sarracenia × *Chelsoni*, 102, 307
 " × *Courtii*, 102, 307
 " × *formosa*, 308
 " × *melanorrhoda*, 102, 308
 " × *Willisii*, 308
Saussurea lamprocarpa, 434
Saxegothea conspicua, 38, 345
Saxifraga cortusifolia, 434
Scabiosa Bretschneideri, 435
Scaphosepalum breve, 152
 " *gibberosum*, 152
Schismatoglottis crispata, 288
 " *Lavallei*, var. *purpurea*, 288
 " *neoguineensis*, 288
 " *variegata*, 288
Schizandra Henryi, 408
Schizophragma hydrangeoides, 81
 " *integrifolia*, 378
Sciadopitys verticillata, 50, 51, 345
Scindapsus Cuscuaria, 288
 " *pictus*, 288
Scolopendrium vulgare, var. *scalariforme*, 329
Scopolia sinensis, 435
Scutellaria formosana, 288
 " *incarnata*, 289
Seakale, *Lily White*, 513
Selaginella atroviridis, 330
 " *canaliculata*, 330
 " *caulescens*, 330
 " *cognata*, 330
 " *grandis*, 330
 " *Griffithii*, 330
 " *Lobbii*, 330
 " *longissima*, 73
 " *Poulteri*, 331
Selenipedium × *cardinale*, 475
Senecio clivorum, 94, 435
 " *Henryi*, 436
 " *Kämpferi*, var. *argentea*, 289

INDEX

- Senecio Ligularia*, var. *polycephalus*, 436
 „ „ var. *speciosa*, 436
 „ *mosoynensis*, 435
 „ *tanguticus*, 436
 „ *Veitchianus*, 436
 „ *Wilsonianus*, 436
Sequoia gigantea, 39, 346
 „ *sempervirens*, 39
 „ *Wellingtonia*, 346
Serratula atriplicifolia, 436
Sida pæoniæflora, 221
 „ *vitifolia*, 351
Sinningia concinna, 289
 „ *speciosa*, var. *macrophylla*
variegata, 289
Siphocampylus coccineus, 240
Sobralia × *roseo-macrantha*, 215
 „ × *Veitchii*, 104, 215, 477
Sonerila Bensoni, 289
 „ *elegans*, 290
 „ *margaritacea*, 290
 „ *orbiculata*, 290
 „ *speciosa*, 290
 „ *stricta*, 290
Sophrocattleya Batemanniana, 215,
 477
 „ *Calypso*, 215, 477
 „ *eximia*, 216
 „ *læta*, 216
 „ *Queen Empress*, 216
 „ *Saxa*, 216
 „ *Veitchii*, 217
Sophrolælia læta, 216, 477
 „ *Valda*, 216
Sophrolæliocattleya Veitchii, 217
Sorema lanceolata, 426
Spathiphyllum Wallisii, 290
Spathoglottis aurea, 153
 „ × *aureo-Veillardii*, 217,
 478
 „ *Petri*, 153
Sphærogyne latifolia, 293
Spiræa Henryi, 379
 „ *palmata alba*, 83
 „ *Veitchii*, 379
 „ *Wilsoni*, 379
Spraguea umbellata, 437
Stanhopea gibbosa, 153
 „ *xytriophora*, 153
Stauropsis gigantea, 153
Stelis Brückmülleri, 154
 „ *glossula*, 154
Stelis zonata, 154
Stemonacanthus Pearcei, 287
Stenia guttata, 154
Stenogastra concinna, 289
Stenospermaton popayanense, 290
 „ *Wallisii*, 64
 „ *Wallisii*, 290
Stephanolirion narcissoides, 451
Stephenandra flexuosa, 379
Stigmaphyllon heterophyllum, 290
Stranvæsia undulata, 379
Strawberry, Lord *Kitchener*, 105, 512
 „ *President Loubet*, 105,
 512
 „ *The Alake*, 105, 512
 „ *The Khedive*, 105, 512
 „ *Veitchs' Perfection*, 105,
 512
 „ *Veitchs' Prolific*, 105,
 512
Streptocarpus achimeniflorus, 506
 „ „ var. *albus*, 506
 „ „ var. *giganteus*,
 506
 „ „ var. *roseus*, 506
 „ *caulescens*, 503
 „ *Dunnii*, 504
 „ × *Dyeri*, 504
 „ *Faninii*, 504
 „ *floribundus*, 503
 „ *Galpini*, 504
 „ *Gardeni*, 503
 „ *gratus*, 505
 „ × *Greenii*, 504
 „ × *Kewensis*, 505
 „ *Kirkii*, 504
 „ *lutea*, 504
 „ *pallidus*, 506
 „ *parviflora*, 504
 „ *polyantha*, 504
 „ *Rexii*, 503, 505
 „ „ var. *albus*, 505
 „ „ var. *multiflorus*
 505
 „ *Saundersii*, 503
 „ *Sylph*, 506
 „ *Virgil*, 506
 „ × *Watsoni*, 505
 „ *Wendlandii*, 503, 504,
 506
Streptosolen Jamesoni, 291
Stuartia grandiflora, 380
 „ *monadelphia*, 380

INDEX

- Stuartia Pseudo-Camellia*, 380
Stylidium saxifragoides, 291
Styrax obassia, 80, 83, 380
Swertia bimaculata, 437
- TACSONIA** *mollissima*, 291
Tecoma fulva, 291
 „ *Guarume*, 238
 „ *mirabilis*, 238
Tetracentron sinense, 381
Teucrium albo-rubrum, 437
 „ *ornatum*, 437
Thalictrum dipterocarpum, 437
Thibaudia acuminata, 46, 291
 „ *acuminata*, 239
 „ *macrantha*, 224
 „ *microphylla*, 409
Thrixspermum luniferum, 152
Thuia dolabrata, 346
 „ „ var. *latevirens*, 346
 „ *gigantea*, 347
 „ *Lobbii*, 347
 „ *tetragona*, 341
Thujopsis dolabrata, 51
 „ *dolabrata*, 346
 „ *latevirens*, 346
Thunbergia lutea, 292
 „ *mysorensis*, 292
 „ *natalensis*, 292
Thunia Bensonæ, 154
 „ × *Veitchiana*, 104, 217, 476
Thuya Lobbii, 15
Tibouchina elegans, 292
 „ *gayanum*, 292
 „ *ornata*, 293
Tilia Henryana, 381
 „ *Miqueliana*, 381
 „ „ var. *chinensis*, 381
 „ *Oliveri*, 381
 „ *Tuan*, 382
Tillandsia chrysostachys, 293
 „ *Zahnii*, 56
 „ *Zahnii*, 239
Tococa latifolia, 293
Todea Fraseri, var. *Wilkesiana*, 331
 „ *grandipinnula*, 331
 „ *Moorei*, 331
 „ *superba*, 331
 „ *Wilkesiana*, 331
Tomato, *Chiswick Peach*, 514
 „ *Frogmore Selected*, 514
 „ *Golden Jubilee*, 514
 „ *Hackwood Park*, 514
Tomato, *Ham Green Favourite*, 514
Torreya californica, 347
 „ *Myristica*, 347
Trichantha minor, 293
Trichocentrum Pineli, 154
 „ *purpureum*, 154
Trichoglottis cochlearis, 155
Trichomanes Kalbreyeri, 73
 „ *Pluma*, 332
Trichopilia coccinea, var. *lepida*, 155
 „ *grata*, 155
 „ *lepida*, 155
 „ *marginata*, var. *lepida*, 155
Tricuspidaria dependens, 58, 293
 „ *hexapetala*, 293
Tricyrtis latifolia, 438
Tristigma narcissoides, 451
Trochodendron aralioides, 409
Tromsdorfia speciosa, 241
Tropæolum azureum, 15, 57
 „ *azureum*, 294
 „ *crenatiflorum*, 294
 „ *Lobbianum*, 438
 „ *peltophorum*, 438
 „ *Smithii*, 438
 „ *speciosum*, 15, 438
 „ *tricolor*, 57
 „ *umbellatum*, 294
 „ *violæflorum*, 294
Tsuga diversifolia, 50, 347
- URCEOLINA** *aurea*, 451
 „ *pendula*, 451, 456
Utricularia Endresii, 61, 308
- VACCINIUM** *leucostomum*, 409
 „ *reflexum*, 294
 „ *rugosum*, 278
Valdivia gayana, 409
Vanda Bensoni, 155
 „ *Cathcartii*, 113
 „ *cærulea*, 15, 42, 155
 „ *cærulescens*, 156
 „ *Denisoniana*, 156
 „ *gigantea*, 153
 „ *Hookeriana*, 156
 „ *insignis*, 15, 54, 156
 „ „ var. *Schröderiana*, 157
 „ *Lowii*, 113
 „ *suavis*, 15, 42, 157
 „ *tricolor*, 15, 42, 157
 „ „ var. *suavis*, 157

INDEX

- Veitchia canterburyana*, 264
 „ *japonica*, 342
 „ *Johannis*, 20, 295
Veronica Purple Queen, 104
Verticordia nitens, 295
Viburnum buddleifolium, 409
 „ *ceanothoides*, 382
 „ *corylifolium*, 382
 „ *dilatatum*, 382
 „ *Mariesii*, 382
 „ *propinquum*, 410
 „ *rhytidophyllum*, 410
 „ *utile*, 410
 „ *Veitchii*, 410
Viola pedunculata, 438
Virgularia lanceolata, 421
Vitis aconitifolia, 382
 „ *armata*, 383
 „ „ var. *Veitchii*, 383
 „ *Coignetiae*, 91
 „ *Delavayi*, 383
 „ *Endresii*, 295
 „ *flexuosa*, var. *chinensis*, 383
 „ „ var. *Wilsoni*, 383
 „ *Henryana*, 384
 „ *inconstans*, 50, 384
 „ *leoides*, 384
 „ *megalophylla*, 384
 „ *obtecta*, 385
 „ *repens*, 385
 „ *sinensis*, 385
 „ *Thomsoni*, 385
 „ *tomentosa*, 386

WAHLENBERGIA tuberosa, 439
Washingtonia californica, 346
Watsonia densiflora, 451
Wellingtonia gigantea, 10, 15
 „ *gigantea*, 346
Whitlavia grandiflora, 428
Woodsia polystichoides, var. *Veitchii*, 332
Woodwardia orientalis, 332
Wormia Burbidgei, 78, 295

XERONEMA Moorei, 296

ZAMIA montana, 296
 „ *obliqua*, 296
 „ *Wallisii*, 296
Zelkova acuminata, 386
 „ *Keaki*, 386
Zephyranthes citrina, 452
 „ *macrosiphon*, 452
 „ *Treatiae*, 452
Zingiber coloratum, 296
Zygocolax leopardinus, 217
 „ *Veitchii*, 218, 476
Zygopetalum Burkei, 87, 157
 „ *Burtii*, 158
 „ *Dayanum*, var. 158
 „ *lamellosum*, 158
 „ × *leopardinum*, 476
 „ × *leopardinus*, 217
 „ × *leucochilum*, 218, 477
 „ × *pentachromum*, 476
 „ × *Sedenii*, 218