

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the  
Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

---

## GENERAL INDEX.

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the  
Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

---

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

## GENERAL INDEX.

ALL names in *Italics* refer, either to the genera and other groups of Extinct Animals in Part II. of the First Volume;—or to the genera whose distribution is given under Geographical Zoology (Part IV.) in the Second Volume; the Families and higher groups being in small capitals. All other references are in ordinary type.

The various matters discussed under Zoological Geography (Part III.), are indexed as much as possible by subjects and localities. None of the genera mentioned in this Part are indexed, as this would have more than doubled the extent of the Index, and would have served no useful purpose, because the general distribution of each genus is given in Part IV., and the separate details can always be found by referring to the region, sub-region, and class.

## A.

- Aard-vark of East Africa, figure of, i. 261  
 Aard-vark, ii. 246  
 Aard-wolf, ii. 196  
*Abacus*, ii. 491  
*Abax*, ii. 439  
*Abisara*, ii. 475  
*Abiabes*, ii. 375  
*Ablepharus*, ii. 395  
*Abramis*, ii. 453  
*Abronia*, ii. 392  
*Abrornis*, ii. 258  
*Abrostomus*, ii. 451  
*Aburria*, ii. 343  
*Acalyptus*, ii. 384  
*Acanthias*, ii. 461  
*Acanthicus*, ii. 444  
*Acanthion*, ii. 240  
*Acanthis*, ii. 233  
*Acanthisitta*, ii. 265  
*Acanthisia*, ii. 253  
*Acanthobrama*, ii. 453  
 ACANTHOCLINIDÆ, ii. 432  
*Acanthodactylus*, ii. 391  
*Acanthodelphis*, ii. 209  
*Acantholabrus*, ii. 437  
*Acanthomys*, ii. 229  
*Acanthopsis*, ii. 383  
*Acanthopsis*, ii. 453  
 ACANTHOPTERYGII, ii. 424  
 ACANTHOPTERYGII PHARYNCO-  
 GNATHI, ii. 437  
*Acanthopthalmus*, ii. 453  
*Acanthoptila*, ii. 261  
*Acanthopyga*, ii. 390  
*Acanthorhynchus*, ii. 275  
*Acanthosaura*, ii. 402  
*Acara*, ii. 438  
*Accentor*, ii. 260  
*Accentorinae*, ii. 257  
*Accipenser*, ii. 459  
 ACCIPENSERIDÆ, ii. 459  
*Accipiter*, ii. 348  
*Accipitres*, European Eocene, i. 163  
*Accipitres*, classification of, i. 97  
   range of Palearctic genera of, i. 248  
   range of Ethiopian genera of, i. 312  
   range of Oriental genera of, i. 385  
   range of Australian genera of, i. 486  
 ACCIPITRES, ii. 345  
   general remarks on the distribution of, ii.  
   351  
 ACCIPITRINÆ, ii. 347  
*Acerina*, ii. 425  
*Aceros*, ii. 317  
*Acerotherium*, ii. 214  
*Acerotherium*, European Miocene, i. 119  
   N. American Tertiary, i. 136  
*Acestra*, ii. 444  
*Acestura*, ii. 103  
*Achalmas*, ii. 375  
*Acharnes*, ii. 434  
*Achatina*, ii. 515  
*Achatinella*, ii. 514  
*Acherontia*, ii. 483  
*Achilognathus*, ii. 452  
*Achenodon*, N. American Tertiary, i. 138  
*Acicula*, ii. 519  
 ACICULIDÆ, ii. 519  
*Acmeocera*, ii. 497  
*Acodon*, ii. 230  
 ACONTIADÆ, ii. 399  
*Acontias*, ii. 399  
*Acotherium*, European Eocene, i. 126  
*Acotherium*, ii. 215

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

- Acroea*, ii. 473  
**ACRÆIDÆ**, ii. 473  
*Acrantus*, ii. 890  
*Acredula*, ii. 268  
*Acridotheres*, ii. 287  
*Acriis*, ii. 419  
*Acrobata*, ii. 252  
*Acrocephalus*, ii. 258  
*Acrochilus*, ii. 452  
**ACROCHORDIDÆ**, ii. 382  
*Acrochordanichthys*, ii. 442  
*Acrochordus*, ii. 382  
**ACRONURIDÆ**, ii. 433  
*Acropternis*, ii. 297  
*Acryllium*, ii. 340  
*Actenodes*, ii. 497  
*Actinodura*, ii. 261  
*Ada*, ii. 390  
*Adamsiella*, ii. 521  
*Adapis*, European Eocene, i. 125  
*Adax*, ii. 223  
*Adelomia*, ii. 108  
*Adelotopus*, ii. 490  
*Adenomera*, ii. 416  
*Adolias*, ii. 474  
*Aedon*, ii. 259  
*Ægeria*, ii. 482  
**ÆGERIIDÆ**, ii. 482  
*Ægialitis*, ii. 358  
*Ægithaliscus*, ii. 266  
*Ægithalus*, ii. 266  
*Ægocera*, ii. 482  
*Ægotheles*, ii. 318  
*Æluredus*, ii. 275  
*Ælurichthys*, ii. 443  
**ÆLURIDÆ**, ii. 201  
*Ælurogale*, European Eocene, i. 125  
*Æluropus*, ii. 201  
*Ælurus*, ii. 201  
*Æmona*, ii. 472  
*Ænigma*, ii. 490  
*Æolidæ*, ii. 530  
*Æpyceros*, ii. 223  
*Æpyornis*, of Madagascar, i. 164  
*Æpyornis*, ii. 370  
**ÆPYORNITHIDÆ**, ii. 370  
*Æsacus*, ii. 355  
*Æsna*, from the Lias, i. 167  
*Æthopyga*, ii. 276  
*Æthya*, ii. 364  
*Agama*, ii. 402  
**AGAMIDÆ**, ii. 401  
*Agapornis*, ii. 328  
*Agarista*, ii. 432  
*Agaristidæ*, ii. 482  
*Agelasta*, ii. 501  
**AGELASTINÆ**, ii. 340  
*Agelæus*, ii. 282  
*Agéniosus*, ii. 443  
*Ageronia*, ii. 474  
*Aglyæactis*, ii. 108  
*Agnopterus*, European Eocene, i. 164  
*Agoniatæ*, ii. 445  
*Agonostoma*, ii. 435  
*Agonus*, ii. 423  
*Agouti*, ii. 241  
*Agra*, ii. 490  
*Agraulis*, ii. 474  
*Agrilus*, ii. 497  
*Agriochærus*, N. American Tertiary, i. 138  
*Agrión*, from the Lias, i. 167  
*Agriornis*, ii. 100  
*Ahættulla*, ii. 379  
*Ailia*, ii. 442  
*Aipysurus*, ii. 384  
*Aithurus*, ii. 107  
  
*Aix*, ii. 363  
*Akysis*, ii. 442  
*Alæmon*, ii. 289  
 Alaska, birds of, ii. 136  
*Alauda*, ii. 289  
**ALAUDIDÆ**, ii. 289  
 Albatrosses, ii. 365  
*Albulichthys*, ii. 452  
*Alburnus*, ii. 453  
*Alca*, ii. 367  
*Alcedia*, ii. 522  
**ALCEDINIDÆ**, ii. 315  
*Alcedo*, ii. 316  
**ALCEPHALINÆ**, ii. 224  
*Alcephalus*, Indian Miocene, i. 122  
*Alcephalus*, ii. 224  
*Alces*, ii. 219  
**ALCIDÆ**, ii. 367  
*Alcippe*, ii. 261  
*Alcurus*, ii. 267  
*Alcyonæ*, ii. 316  
 Aldabra Islands, land-tortoises of, i. 289  
*Alectorurus*, ii. 100  
*Alectrænas*, ii. 332  
**ALEPOCEPHALIDÆ**, ii. 454  
*Alesa*, ii. 475  
*Alestes*, ii. 445  
*Alethe*, ii. 262  
*Aletornis*, N. American Eocene, i. 163  
 Aleutian Islands, birds of, ii. 137  
 Algeria, Post-Pliocene deposits and caves of, i. 111  
*Algira*, ii. 391  
 Alleghany sub-region, ii. 130  
     mammalia of, ii. 132  
     birds of, ii. 132  
     reptiles of, ii. 133  
     amphibia of, ii. 134  
     fishes of, ii. 134  
     islands of, ii. 134  
 Allen, Mr. J. A., on Zoological regions, i. 61  
     objections to his system of circumpolar zones, i. 67  
     objections to his zoo-geographical nomenclature, i. 68  
     on birds of N. America, ii. 133, 136  
*Alligator*, ii. 406  
**ALLIGATORIDÆ**, ii. 406  
 Alligators, ii. 406  
*Allotinus*, ii. 477  
*Alopecias*, ii. 460  
*Alsæcomus*, ii. 332  
*Alseus*, ii. 259  
*Alseonax*, ii. 270  
*Alsodes*, ii. 417  
 Altai mountains, fossils in caves, i. 111  
*Alytes*, ii. 417  
**ALYTIIDÆ**, ii. 417  
*Amadina*, ii. 287  
*Am vra*, ii. 489  
*Amarynthis*, ii. 476  
*Amathusia*, ii. 472  
*Amaurethes*, ii. 287  
*Amaurospiza*, ii. 285  
*Amazilia*, ii. 109  
*Amblyrhiza*, Pliocene of Antilles, i. 148  
**AMBLYCEPHALIDÆ**, ii. 390  
*Amblycephalus*, ii. 380  
*Amblyceps*, ii. 443  
*Amblychila*, ii. 487  
*Amblymora*, ii. 501  
*Amblyopsis*, ii. 450  
*Amblyornis*, ii. 275  
*Amblypharyngodon*, ii. 452  
*Amblypodia*, ii. 477  
*Amblyrhampus*, ii. 282

- Amblyrhiza*, ii. 237  
*Amblyrhynchichthys*, ii. 452  
*Amblystoma*, ii. 413  
*Ameiva*, ii. 390  
**America**, recent separation of North and South, i. 40  
 extinct mammalia of, i. 129  
 N., Post-Pliocene fauna of, i. 129  
**American Creepers**, ii. 295  
**AMIIDÆ**, ii. 458  
*Amiurus*, ii. 442  
*Ammodromus*, ii. 284  
*Ammodytes*, ii. 440  
*Ammonites*, ii. 289  
**AMMONITIDÆ**, ii. 506  
*Amomys*, N. American Tertiary, i. 134  
*Ampeliceps*, ii. 287  
**AMPELIDÆ**, ii. 280  
*Ampello*, ii. 102  
*Ampelis*, ii. 280  
*Ampelchinus*, European Miocene, i. 117  
 ii. 188  
**Amphibia**, means of dispersal of, i. 28  
 classification of, i. 100  
 peculiar to Palearctic region, i. 186  
 of Central Europe, i. 196  
 of the Mediterranean sub-region, i. 205  
 of the Siberian sub-region, i. 220  
 of the Manchurian sub-region, i. 226  
 table of Palearctic families of, i. 237  
 of the Ethiopian region, i. 255  
 of West Africa, i. 264  
 S. African, i. 268  
 of Madagascar, i. 280  
 table of Ethiopian families of, i. 295  
 of the Oriental region, i. 317  
 of the Indian sub-region, i. 326  
 of Ceylon, i. 327  
 of the Indo-Chinese sub-region, i. 331  
 of the Indo-Malay sub-region, i. 340  
 table of Oriental families of, i. 369  
 of the Australian region, i. 397  
 resemblances of Australian and South-American, i. 400  
 of New Guinea, i. 416  
 of New Zealand, i. 457  
 Neotropical, ii. 11  
 of South Temperate America, ii. 41  
 of the Mexican sub-region, ii. 54  
 of the Antilles, ii. 72  
 table of Neotropical families of, ii. 89  
 of the Nearctic region, ii. 120  
 of California, ii. 123  
 of Central North America, ii. 131  
 of Eastern United States, ii. 134  
 table of Nearctic families of, ii. 143  
**AMPHIBIA**, ii. 411  
 general remarks on the distribution of, ii. 422  
 fossil, ii. 423  
 summary and conclusion, ii. 548  
 lines of migration of, ii. 548  
*Amphibola*, ii. 510  
*Amphibos*, Indian Miocene, i. 122  
 ii. 225  
*Amphicyon*, European Miocene, i. 118  
 Indian Miocene, i. 121  
 N. American Tertiary, i. 134  
 ii. 193  
 ii. 202  
*Amphiglossus*, ii. 398  
*Amphimericidae*, European Miocene, i. 119  
*Amphimischus*, European Miocene, i. 1.0  
 ii. 220  
*Amphioxus*, ii. 464  
*Amphipnous*, ii. 455  
*Amphisbæna*, ii. 389  
**AMPHISBÆNIDÆ**, ii. 388  
*Amphisorex*, European Miocene, i. 118  
 ii. 191  
*Amphitragulus*, European Miocene, i. 120  
 ii. 218  
*Amphiuma*, ii. 412  
**AMPHIUMIDÆ**, ii. 412  
*Amphizestus*, ii. 397  
*Ampullaria*, ii. 510  
*Amydrus*, ii. 288  
*Amytis*, ii. 258  
*Anabatoides*, ii. 103  
*Anabazenops*, ii. 103  
*Anableps*, ii. 450  
**ANACANTHINI**, ii. 439  
*Anacyrtus*, ii. 445  
*Anadenus*, ii. 517  
*Anadia*, ii. 393  
**ANADIADÆ**, ii. 393  
*Aneretes*, ii. 101, 291  
*Anatides*, ii. 413  
*Analcipus*, ii. 268  
*Anarhynchus*, ii. 356  
*Anarrhichas*, ii. 431  
*Anas*, ii. 363  
*Anastoma*, European Tertiary, i. 169  
 ii. 527  
*Anastomus*, ii. 361  
**ANATIDÆ**, ii. 363  
**ANATINIDÆ**, ii. 536  
*Anatinella*, ii. 536  
*Anausorex*, ii. 191  
*Anchilophus*, European Eocene, i. 125  
*Anchippodus*, N. American Eocene, i. 139  
*Anchippus*, N. American Tertiary, i. 135  
*Anchitheridae*, N. American Tertiary, i. 135  
 ii. 212  
*Anchitherium*, European Miocene, i. 119  
 European Eocene, i. 125  
 N. American Tertiary, i. 135  
 Ancient fauna of New Zealand, i. 459  
**Ancistrops**, ii. 103  
*Ancylotherium*, Miocene of Greece, i. 116  
 European Miocene, i. 121  
*Ancylotherium*, ii. 246  
*Ancyluris*, ii. 476  
*Ancylus*, ii. 518  
 Andaman Islands, zoology of, i. 333  
 probable past history of, i. 334  
*Andigena*, ii. 307  
*Andrias*, European Miocene, i. 165  
*Androdon*, ii. 107  
*Andropodus*, ii. 267  
*Aneites*, ii. 517  
*Anguilla*, ii. 456  
*Anguis*, ii. 397  
*Angwantibo*, ii. 176  
 Animal kingdom, primary divisions of, i. 85  
 Animals, development of, affecting distribution, i. 7  
 dispersal and migration of, i. 10  
 rapid multiplication of, i. 10  
*Anisacodon*, N. American Tertiary, i. 137  
 Anoa of Celebes, peculiarities of, i. 428  
*Anoa*, ii. 222  
*Anodon*, ii. 534  
*Anoliis*, ii. 400  
*Anomalurus*, ii. 235  
*Anomalpus*, ii. 397  
*Anoplolepis*, ii. 381  
*Anoplotheriidae*, European Miocene, i. 119  
*Anoplotherium*, European Miocene, i. 119  
 European Eocene, i. 126  
 S. American Eocene, i. 1  
*Anopthalmus*, ii. 489

- Anostomus*, ii. 445  
*Anous*, ii. 985  
*Anser*, ii. 963  
*Anseranas*, ii. 363  
**Anseres**, arrangement of, i. 98  
     peculiar Palearctic genera of, i. 250  
     peculiar Ethiopian genera of, i. 313  
     peculiar Australian genera of, i. 487  
**ANSERES**, general remarks on the distribution of, ii. 367  
*Antarctia*, ii. 490  
     ii. 492  
 Ant-eaters, ii. 247  
*Antechinomys*, ii. 249  
*Antechinus*, ii. 249  
 Antelopes in the Indian Miocene deposits, i. 122  
     birthplace and migrations of, i. 155  
     Palearctic, i. 182  
     ii. 221  
*Antelotherium*, Indian Miocene, i. 122  
*Antennarius*, ii. 431  
*Anteros*, ii. 476  
*Anthia*, ii. 491  
*Anthipes*, ii. 270  
*Anthocharis*, ii. 478  
*Anthochara*, ii. 275  
*Anthornis*, ii. 275  
*Anthracotheriidae*, N. American Tertiary, i. 137  
*Anthracotherium*, European Miocene, i. 119  
     ii. 215  
*Anthreptes*, ii. 276  
 Anthropoid apes, ii. 170  
*Anthropoides*, ii. 357  
*Anthus*, ii. 290  
*Antiacodon*, N. American Tertiary, i. 133  
 Antillean sub-region, ii. 61  
     mammalia of, ii. 62  
     birds of, ii. 64  
     illustration of zoology of, ii. 67  
     table of distribution of resident land-birds of, ii. 68  
     reptiles and amphibia of, ii. 72  
     fresh-water fish of, ii. 73  
     insects of, ii. 73  
     land-shells of, ii. 75  
     past history of, ii. 78  
 Antilles, Pliocene Mammalia of, i. 148  
     land-shells of, ii. 526  
*Antilocapra*, ii. 223  
**ANTILOCAPRINÆ**, ii. 223  
*Antilope*, Post-Pliocene, i. 112  
     in Brazilian caves, i. 144  
     ii. 223  
     ii. 226  
 Antiquity of the genera of insects, i. 166  
     of the genera of land and fresh-water shells, i. 168  
*Antrostomus*, ii. 319  
 Ant-thrushes, ii. 297  
*Anumbius*, ii. 103  
**ANURA**, ii. 414  
*Anurosorex*, ii. 190  
*Aonyx*, ii. 199  
*Apalis*, ii. 258  
*Apaloderma*, ii. 314  
*Apatura*, ii. 474  
*Aphanapteryx* of Mauritius, i. 164  
     ii. 352  
*Aphantocera*, ii. 107  
*Aphelotherium*, European Eocene, i. 125  
*Aphneus*, ii. 477  
*Aphobus*, ii. 283  
**APHREDODERIDÆ**, ii. 425  
*Aphritis*, ii. 428  
     ii. 549  
*Aphriza*, ii. 956  
**Aphysiadae**, ii. 530  
*Aphyocypris*, ii. 452  
*Aploceros*, ii. 224  
*Aploontia*, ii. 236  
*Aplois*, ii. 288  
*Aplopelia*, ii. 333  
*Apodemia*, ii. 476  
*Apogon*, ii. 425  
*Aprasia*, ii. 396  
**APRASIADÆ**, ii. 396  
*Aprosmictus*, ii. 325  
*Aptenodytes*, ii. 366  
**APTERYGIDÆ**, ii. 369  
*Apteryx*, ii. 369  
*Apua*, ii. 458  
*Aquila*, European Miocene, i. 161  
     ii. 348  
**AQUILINÆ**, ii. 348  
*Ara*, ii. 328  
*Arachnechthra*, ii. 276  
*Arachnothera*, ii. 277  
**ARAMIDÆ**, ii. 357  
*Aramides*, ii. 352  
*Aramus*, ii. 357  
*Arapaima*, ii. 454  
*Arborophila*, ii. 338  
**ARCADÆ**, ii. 534  
*Archæomys*, ii. 238  
*Archæopteryx*, Bavarian Oolite, i. 163  
*Archibuteo*, ii. 348  
 Arctic shells, ii. 518  
     zone not a separate region, i. 68  
*Arctitis*, ii. 195  
*Arctocebus*, ii. 176  
*Arctocephalus*, ii. 202  
*Arctocyon*, European Eocene, i. 125  
     ii. 206  
*Arctodus*, N. American Post-Pliocene, i. 130  
     ii. 202  
*Arctogale*, ii. 195  
*Arctomys*, European Pliocene, i. 113  
     ii. 235, 236  
*Arctonyx*, ii. 199  
*Arctopithecus*, ii. 244  
*Arctotherium* in Brazilian caves, i. 144  
     S. American Pliocene, i. 146  
*Ardea*, ii. 359  
**ARDEIDÆ**, ii. 359  
*Ardistomus*, ii. 490  
*Argentina*, ii. 488  
*Arges*, ii. 444  
**ARGONAUTIDÆ**, ii. 505  
 Argus pheasant, figure of, i. 339  
     peculiarity in display of plumage, and confirmation of Mr. Darwin's views, i. 340  
*Argusianus*, ii. 340  
*Argutor*, ii. 489  
*Argynnis*, ii. 474  
*Aricoris*, ii. 476  
*Ariella*, ii. 195  
*Ariinia*, ii. 520  
*Arion*, ii. 517  
*Aristobia*, ii. 501  
*Arius*, ii. 443  
*Armadillos*, ii. 245  
*Arnoglossus*, ii. 441  
*Aromochelys*, ii. 408  
*Arremon*, ii. 99  
*Arrhenotus*, ii. 501  
*Artamia*, ii. 268  
     ii. 271  
     ii. 288  
**ARTAMIDÆ**, ii. 288  
*Artamides*, ii. 269  
*Artamus*, ii. 288

## GENERAL INDEX.

561

*Arthroleptis*, ii. 421  
*Artiodactyla*, European Eocene, i. 126  
 N. American Tertiary, i. 137  
 S. American Pliocene, i. 146  
*Artomyias*, ii. 270  
*Arundinicola*, ii. 100  
*Arvicola*, European Pliocene, i. 113  
 In Brazilian caves, i. 145  
 S. American Eocene, i. 147  
 S. American Eocene, i. 143  
*Arvicola*, ii. 230, 231  
*Asia*, ii. 350  
*Aspergillum*, ii. 537  
*Aspidoparia*, ii. 452  
*Aspidorhinus*, ii. 391  
*Aspidura*, ii. 374  
*Aspius*, ii. 453  
*Aspreo*, ii. 444  
*Aspro*, ii. 425  
*Astarte*, ii. 535  
*Astathes*, ii. 501  
*Asterophys*, ii. 421  
*Asterophysus*, ii. 443  
*Asthenodipsas*, ii. 381  
*Astrapi*, ii. 274  
*Astroblepus*, ii. 444  
*Astur*, ii. 348  
*Asturina*, ii. 348  
*Asturina*, ii. 348  
 ATELEOPODIDÆ, ii. 440  
*Ateles*, ii. 174  
*Atelopus*, ii. 416  
*Aterornis*, ii. 312  
*Aterica*, ii. 474  
*Athens*, ii. 350  
*Atherina*, ii. 434  
*Atherinichthys*, ii. 434  
 ATHERINIDÆ, ii. 434  
*Atheris*, ii. 386  
*Atherura*, ii. 240  
*Athyax*, ii. 195  
*Athyra*, ii. 474  
 ATLANTIDÆ, ii. 531  
*Ail spetes*, ii. 284  
 ATRACTASPIDIDÆ, ii. 353  
*Atractaspis*, ii. 383  
*Atridium*, ii. 375  
*Atrichia*, 299  
 ATRICHIIDÆ, ii. 299  
*Atropis*, ii. 335  
*Attagis*, ii. 354  
 ATTALINÆ, ii. 293  
*Atthis*, ii. 108  
*Atticora*, ii. 281  
*Attila*, ii. 102  
*Auchenaspis*, ii. 443  
*Auchenia*, N. American Post-Pliocene, i. 130  
 ii. 217  
*Auchenipterus*, ii. 443  
 Auckland Islands, birds of, i. 455  
*Augastes*, ii. 108  
*Auks*, ii. 367  
*Aulia*, ii. 102  
*Aulacodes*, ii. 239  
*Aulacodon*, ii. 239  
*Aulacorhamphus*, ii. 307  
*Aulopoma*, ii. 520  
*Aulopyge*, ii. 452  
*Auricula*, ii. 519, 527  
 AURICULIDÆ, ii. 518  
*Auriparus*, ii. 266  
 Australia, physical features of, i. 337  
 Australia and S. America, supposed land connection between, i. 393  
 Australian region, description of, i. 387  
 zoological characteristics of, i. 390

VOL. II.

Australian region, mammalia of, i. 390  
 birds of, i. 391  
 reptiles of, i. 398  
 amphibia of, i. 397  
 fresh-water fish of, i. 397  
 summary of vertebrata of, i. 397  
 supposed land-connection of with S. America, i. 398  
 insects of, i. 403  
 lepidoptera of, i. 404  
 coleoptera of, i. 405  
 land-shells of, i. 407  
 sub-regions of, i. 403  
 early history of, i. 465  
 Australian sub-region, mammalia of, i. 438  
 illustration of mammalia of, i. 439  
 birds of, i. 440  
 illustration of fauna of, i. 441  
 Australian hedgehog, ii. 254  
 Austro-Malayan sub-region, physical features of, i. 388  
 zoology of, i. 409  
*Automolus*, ii. 103  
 AVICULIDÆ, ii. 533  
*Avocetula*, ii. 107  
*Avocettinus*, ii. 103  
 Aye-aye, figure of, i. 278  
 ii. 177  
*Aziocercus*, ii. 477  
 Azores, visited by European birds, i. 17  
 birds of, i. 207  
 butterflies of, i. 207  
 beetles of, i. 207, 209  
 peculiarly modified birds of, i. 207  
 stragglers to, i. 208  
 how stocked with animal life, i. 208

## B

Babirusa of Celebes, peculiarities of, i. 428  
*Babirusa*, ii. 215  
 Badger, figure of, i. 195  
*Badis*, ii. 433  
*Bæotis*, ii. 475  
*Bagarius*, ii. 443  
*Bagrichthys*, ii. 442  
*Bagroides*, ii. 442  
*Bagrus*, ii. 442  
 Baird, Professor, on fauna of Cape St. Lucas  
 ii. 130  
 on representative birds of United States,  
 ii. 180  
*Balena*, European Pliocene, i. 112  
 ii. 207  
*Baleniceps*, ii. 360  
 BALÆNIDÆ, ii. 207  
*Balenodon*, European Pliocene, i. 112  
*Balenoptera*, 207  
*Balenopteridæ*, ii. 207  
*Balea*, ii. 516  
*Balearica*, ii. 357  
 Baly, Mr., on Phytophaga of Japan, i. 230  
 Banca, its peculiar species and solution of a  
 problem in distribution, i. 356  
 Band-fish, ii. 435  
 Bandicoots, ii. 250  
*Barangia*, ii. 199  
*Barbalula*, ii. 306  
 Barbets, ii. 305  
*Barbichthys*, ii. 452  
*Barbus*, ii. 451  
*Barilius*, ii. 452  
*Barissia*, ii. 392  
 Barriers, as affecting distribution, i. 6  
 permanence of, as affecting distribution, i. 7  
 to the dispersal of birds, i. 17

O O

- Baryphthengus*, ii. 313  
*Barysus*, ii. 492  
*basileuterus*, ii. 279  
*Basiloris*, ii. 287  
*Bassaris*, ii. 200  
*Batara*, ii. 104  
 Bates, Mr., on Carabidæ of Japan, i. 228  
   on Longicorns of Japan, i. 230  
*Bathmodon*, N. American Tertiary, i. 136  
*Bathrodon*, N. American Tertiary, i. 133  
*Bathyerges*, ii. 231  
 BATOIDEI, ii. 462  
 BATRACHIDÆ, ii. 431  
*Batrachocephalus*, ii. 443  
*Batrachoseps*, ii. 413  
*Batrachostomus*, ii. 318  
 Bats, powers of flight of, i. 15  
   classification of, i. 87  
   of New Zealand, i. 450  
*Baucis*, ii. 108  
*Baza*, ii. 349  
*Bdeogale*, ii. 195  
 Bearded Reedling, ii. 262  
 Bears, probable cause of absence of, from  
   tropical Africa, i. 291  
   ii. 201  
 Beaver, N. American Tertiary, i. 140  
 Beavers, ii. 234  
 Bee-eaters, ii. 312  
 Beetles, families selected for study, i. 103  
   from the Lias, i. 167  
   of Azores, i. 207  
   of Japan, i. 228  
   of S. Temperate America, ii. 44  
 BELEMNITIDÆ, ii. 506  
*Belemnoziphius*, European Pliocene, i. 112  
*Beltius*, ii. 252  
*Bellinota*, ii. 497  
*Belodontichthys*, ii. 441  
*Belone*, ii. 450  
*Belonesox*, ii. 450  
 Belt, Mr., his theory of a great Siberian lake  
   during the glacial epoch. i. 218; ii. 206  
   on change of climate caused by diminu-  
   tion of obliquity of ecliptic, i. 466  
*Beluga*, ii. 209  
*Bembecidium*, ii. 439  
*Berardius*, ii. 208  
*Berenicornis*, ii. 317  
 Bermudas, zoology of, ii. 134  
*Bernicla*, ii. 363  
*Bernicleria*, ii. 258  
 BERYCLIDÆ, ii. 424  
*Bessonornis*, ii. 256  
*Bettongia*, ii. 251  
*Bhringia*, ii. 269  
*Bhutanitis*, ii. 479  
*Bias*, ii. 270  
*Biatas*, ii. 104  
*Bibos*, ii. 222  
*Bison*, ii. 222, 225  
 Binney, Mr., on Air-breathing Molluscs of  
   N. America, ii. 523  
 Birds, means of dispersal of, i. 15  
   dispersal of by winds, i. 16  
   American, found in Europe, i. 16  
   reaching the Azores, i. 17  
   barriers to dispersal of, i. 17  
   limited by forests, i. 17  
   classification of, i. 93  
   Miocene of Greece, i. 116  
   extinct, i. 160  
   fossil of Palearctic region, i. 161  
   European of Miocene period, i. 161  
   Eocene of Europe, i. 162  
   relations of, i. 162  
 Birds, extinct of North America, i. 163  
   recently extinct in New Zealand, i. 164  
   Cretaceous of N. America, i. 164  
   remains of in Brazilian caves, i. 134  
   recently extinct in Madagascar and the  
   Mascarene Islands, i. 164  
   cosmopolitan groups of, i. 176  
   numerous Palearctic genera, i. 183  
   of the European sub-region, i. 193  
   northern range of in Europe, i. 193  
   of the zone of pine forests, i. 194  
   of Iceland, i. 198  
   of the Mediterranean sub-region, i. 203  
   of Malta, i. 206 (note)  
   of the Azores, i. 207  
   of the Cape Verd Islands, i. 215  
   of the Siberian sub-region, i. 219  
   Oriental found in Siberia, i. 219  
   extreme northern Asiatic, i. 219  
   of northern Asiatic forests, i. 223  
   of the Manchurian sub-region, i. 223  
   Palearctic genera of in the Manchurian  
   sub-region, i. 224  
   Oriental genera of, in the Manchurian  
   sub-region, i. 224  
   characteristic of N.W. China and Mon-  
   golia, i. 226  
   table of Palearctic families of, i. 235  
   of West Africa, i. 243  
   list of Palearctic genera of, i. 243  
   of the Ethiopian region, i. 253  
   of the East African sub-region, i. 260  
   S. African, i. 267  
   genera of, peculiar to Madagascar, i. 275  
   common to Madagascar and Oriental or  
   Ethiopian regions, i. 276  
   species common to Madagascar and Africa  
   or Asia, i. 277  
   table of Ethiopian families of, i. 295  
   table of Ethiopian genera of, i. 306  
   of the Oriental region, i. 316  
   of the Indian sub-region, i. 323  
   Oriental genera of in Central India, i. 324  
   Palearctic and Ethiopian genera in  
   Central India, i. 325  
   of Ceylon, i. 327  
   of the Indo-Chinese sub region, i. 330  
   of the Indo-Malayan sub-region, i. 337  
   illustration of peculiar Malayan, i. 339  
   of the Philippine Islands, i. 346  
   table of Oriental families of, i. 366  
   table of Oriental genera of, i. 375  
   of Australian region, i. 391  
   specially organized Australian families of,  
   i. 392  
   of the Papuan Islands, i. 410  
   peculiarities of, i. 413  
   brilliant colours of, i. 413  
   remarkable forms of, i. 414  
   of the Moluccas, i. 418  
   peculiarities of, i. 421  
   of the Timor group, i. 423  
   of Celebes, i. 428  
   of Australia, i. 440  
   of New Zealand, i. 451  
   peculiar to New Zealand, i. 452  
   of Norfolk Island, i. 453  
   of Lord Howe's Island, i. 453  
   of the Chatham Islands, i. 454  
   of the Auckland Islands, i. 455  
   table of families of Australian, i. 471  
   table of genera of Australian, i. 478  
   of the Neotropical region, ii. 6  
   distinctive characters of Neotropical, ii. 7  
   of the Mexican sub region, ii. 62  
   of the Antilles, ii. 64



Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

## GENERAL INDEX.

563

- Birds, table of distribution of, ii. 69  
 table of families of Neotropical, ii. 86  
 table of genera of Neotropical, ii. 86  
 of the Nearctic region, ii. 116  
 list of typical genera of, ii. 118  
 of California, ii. 127  
 of Central N. America, ii. 130  
 of Eastern United States, ii. 132  
 of Canada, ii. 136  
 table of Nearctic families of, ii. 141  
 table of Nearctic genera of, ii. 148  
 and Mammals, parallelism of distribution of, ii. 545  
 lines of migration of, ii. 545  
 peculiar development of, in islands, ii. 546  
 contrast of distribution in tropical and temperate oceanic islands, ii. 546
- Biziura*, ii. 364  
*Blacus*, ii. 102  
 Black ape of Celebes, i. 427  
 Bland, Mr. Thomas, on Antillean land-shells, ii. 19  
 ii. 526  
 Blanford, Mr. W. T., on the "Indian" region, i. 60  
 on relations of Indian sub-region with Africa, i. 321  
*Blapsidium*, Oolitic insect, i. 167  
*Blarina*, ii. 191  
*Blaenaria*, ii. 519  
 BLENNIDÆ, ii. 431  
*Blenniops*, ii. 431  
*Blennius*, ii. 431  
*Blethia*, ii. 489  
 Blind burrowing snakes, ii. 372  
 Blunt-heads, ii. 380  
 Blyth, Mr., on zoological regions, i. 60  
 on the relations of Indian sub-region with Africa, i. 321  
*Boa*, ii. 381  
*Bocodon*, ii. 380  
 Boas, ii. 381  
*Bola*, ii. 452  
*Bolborhynchus*, ii. 328  
*Boleosoma*, ii. 425  
 BOMBINATORIDÆ, ii. 416  
*Bombinator*, ii. 417  
*Bonasa*, ii. 339  
 Bonnet-limpets, ii. 511  
 Bony Pikes, ii. 459  
*Bootherium*, ii. 225  
 Borneo, probable recent changes in, i. 357  
*Bos*, Post-Pliocene, i. 112  
 Indian Miocene, i. 122  
 ii. 222, 225  
*Botaurus*, ii. 359  
*Bothriodon*, ii. 215  
*Botia*, ii. 453  
 Bourbon, zoology of, i. 280  
 reptiles of, i. 281  
*Bourcieria*, ii. 108  
 ii. 521  
*Bovide*, European Miocene, i. 120  
 BOVIDÆ, ii. 221  
 BOVINÆ, ii. 222  
*Brachinus*, ii. 489  
 BRACHIOPODA, ii. 532  
*Brachiuropis*, ii. 383  
*Brachiuurus*, ii. 175  
*Brachyalestes*, ii. 445  
*Brachycephalus*, ii. 414  
*Brachygalba*, ii. 311  
*Brachylophus*, ii. 401  
*Brachymeles*, ii. 897  
*Brachymerus*, ii. 416
- Brachymys*, European Miocene, i. 120  
 ii. 232  
 ii. 236  
*Brachymystax*, ii. 447  
*Brachypteryx*, ii. 256  
*Brachypternus*, ii. 303  
*Brachypterosomys*, ii. 230  
*Brachypteractis*, ii. 312  
*Brachyrhamphus*, ii. 307  
*Bradybates*, ii. 413  
*Bradycellus*, ii. 489  
*Bradyornis*, ii. 271  
 BRYOPODIDÆ, ii. 244  
*Bradypterus*, ii. 258  
*bradypus*, ii. 244  
*Bradytus*, ii. 489  
*Brama*, ii. 429  
*Bramatherium*, Miocene of Perim Island, i. 122  
 ii. 226  
*Branchiosteus*, ii. 442  
*Branta*, ii. 364  
 BRASSOLIDÆ, ii. 472  
*Brassolis*, ii. 472  
 Brazilian cave-fauna, i. 143  
 remarks on, i. 145  
 Brazilian sub-region, description of, ii. 21  
 mammalia of, ii. 23  
 birds of, ii. 24  
 illustration of mammalia of, ii. 23  
 illustration of birds of, ii. 23  
 islands of, ii. 29  
*Breviceps*, ii. 416  
*Breveria borinensis*, Carboniferous insect, i. 168  
 Britain, peculiar species in, i. 197  
 British Isles, zoology of, i. 197  
 Broad-bill, Malayan, figure of, i. 340  
 Broad-bills, ii. 294  
*Bronchocela*, ii. 402  
*Brontes*, ii. 444  
*Bronthotheride*, N. American Tertiary, i. 137  
*Bronthotherium*, N. American Tertiary, i. 137  
*Protogerys*, ii. 328  
 Brush-turkeys, ii. 341  
*Brycon*, ii. 445  
*Bryconus*, ii. 445  
*Bryttus*, ii. 425  
*Buarremon*, ii. 99  
*Bubalus*, ii. 222  
*Bubo*, European Miocene, i. 162  
 ii. 350  
 BUCCINIDÆ, ii. 507  
*Buccinum*, ii. 507  
*Bucco*, ii. 310  
 BUCCONIDÆ, ii. 310  
*Bucephala*, ii. 364  
*Bucephalus*, ii. 379  
*Buceros*, ii. 317  
 BUCEROTIDÆ, ii. 316  
*Bucorvus*, ii. 317  
*Budorcas*, ii. 224  
 BUI-ORCINÆ, ii. 224  
*Budytes*, ii. 290  
 Buffaloes, ii. 221  
*Bufo*, ii. 415  
 BUFONIDÆ, ii. 415  
 Bulbuls, ii. 267  
 BULLIDÆ, ii. 530  
*Bullimus*, ii. 514  
*Bullimus*, ii. 514  
*Bullimus*, Eocene, i. 169  
 ii. 514, 523  
*Bunclurus*, N. American Tertiary, i. 134  
*Bungarus*, ii. 883  
*Bungia*, ii. 452  
*Bunocephalichthys*, ii. 444  
*Bunocephalus*, ii. 444

0 0 2

- Buphaga*, ii. 288  
 BUPRESTIDÆ, ii. 495  
*Buprestidium*, Oolitic insect, i. 167  
*Busarellus*, ii. 848  
 Bush-shrikes, ii. 297  
 Bustards, ii. 856  
*Butalis*, ii. 270  
*Butastur*, ii. 348  
*Buteo*, ii. 348  
*Buteogallus*, ii. 848  
 BUTEONINÆ, ii. 348  
*Buteola*, ii. 348  
*Buthraupis*, ii. 98  
 Butterflies, arrangement of, i. 103  
   Palæarctic, i. 187  
   of Central Europe, i. 196  
   of the Mediterranean sub-region, i. 205  
   of Azores, i. 207  
   peculiar to Siberian sub-region, i. 220  
   of Japan and North China, i. 227  
   of the Ethiopian region, i. 255  
   number of Ethiopian species, i. 256  
   of Indo-Malay sub-region, i. 342  
   of the Australian region, i. 404  
   of the Austro-Malay sub-region, i. 404  
   of the Moluccas, i. 419  
   of Celebes, peculiarities of, i. 434  
   of New Zealand, i. 457  
   ii. 470  
   general remarks on the distribution of, ii. 483  
   fossil, ii. 486  
   of S. Temperate America, ii. 43  
*Bycanistes*, ii. 317
- C
- Cabalus*, ii. 352  
*Cabrila*, ii. 391  
*Cacatua*, ii. 325  
 CACATUIDÆ, ii. 324  
*Caccabis*, ii. 339  
*Cachius*, ii. 453  
*Cacomantis*, ii. 309  
*Cacophis*, ii. 383  
*Cacopitta*, ii. 261  
*Cacopus*, ii. 416  
*Cacotus*, ii. 417  
*Cactornis*, ii. 284  
*Cadurcotherium*, European Eocene, i. 125.  
*Cæcilia*, ii. 411  
 CÆCILIADÆ, ii. 411  
*Cæcum*, ii. 509  
*Cælodon*, in Brazilian caves, i. 145  
*Calogenys*, in Brazilian caves, i. 144  
   ii. 241  
*Cænopithecus*, European Eocene, i. 124  
   ii. 178  
*Centropus*, ii. 445  
*Catnotherium*, European Miocene, i. 120  
   European Eocene, i. 126  
*Catrina*, ii. 364  
*Catua*, ii. 328  
*Calamanthus*, ii. 258  
*Calamaria*, ii. 374  
 CALAMARIIDÆ, ii. 374  
*Calamodon*, N. American Eocene, i. 139  
*Calamodus*, ii. 258  
 CALAMOBERPINÆ, ii. 287  
*Calamoichthys*, ii. 458  
*Calamospiza*, ii. 285  
*Calandrella*, ii. 289  
*Calao*, ii. 317  
*Calathus*, ii. 489  
*Caladonica*, ii. 487
- Calendula*, ii. 269  
*Calicallius*, ii. 271  
*Calictis*, ii. 195  
*Calidris*, ii. 353  
*Callicethrus*, ii. 309  
 California, illustration of zoology of, ii. 128  
 Californian sub-region, ii. 127  
   mammalia of, ii. 127  
   birds of, ii. 127  
   reptiles of, ii. 128  
   amphibia of, ii. 128  
   fresh-water fishes of, ii. 123  
*Caligo*, ii. 472  
*Calinaga*, ii. 479  
*Calisto*, ii. 471  
*Callicæus*, ii. 287  
*Callia*, ii. 521  
*Callichroma*, ii. 501  
*Callichrous*, ii. 442  
*Callichthys*, ii. 444  
*Callida*, ii. 490  
*Callidryas*, ii. 478  
*Callionymus*, ii. 430  
*Calliope*, ii. 259  
*Callipepla*, ii. 339  
*Calliperidia*, ii. 108  
*Calliphlox*, ii. 198  
*Callirhynchus*, ii. 375  
*Callisaurus*, ii. 401  
*Calliste*, ii. 98  
*Callisthenus*, ii. 489  
*Callithea*, ii. 474  
*Callithrix*, in Brazilian caves, i. 184  
   ii. 175  
   ii. 178  
*Callocephalus*, ii. 204  
*Callochen*, ii. 363  
*Callomystax*, ii. 443  
*Callophis*, ii. 883  
*Callophrysus*, ii. 443  
*Callopietes*, ii. 890  
*Callorhinus*, ii. 202  
*Calloselasma*, ii. 985  
*Callosune*, ii. 478  
*Callula*, ii. 416  
*Calobates*, ii. 290  
*Calocitta*, ii. 273  
*Calodromas*, ii. 344  
*Calomas*, ii. 333  
*Caloperdix*, ii. 339  
*Calophena*, ii. 490  
*Calopsitta*, ii. 325  
*Caloragia*, ii. 375  
*Calorhampus*, ii. 305  
*Calornis*, ii. 288  
*Calosoma*, ii. 489  
*Calostethus*, ii. 419  
*Calotes*, ii. 402  
*Calothorax*, ii. 108  
*Calydna*, ii. 476  
*Calypte*, ii. 108  
*Calyptiocephalus*, ii. 421  
*Calyptomena*, ii. 295  
*Calyptorhynchus*, ii. 325  
 CALYPTRÆIDÆ, ii. 511  
*Calyptura*, ii. 102  
*Camarhynchus*, ii. 284  
*Camaroptera*, ii. 268  
 Camel, fossil in Indian Miocene, i. 122  
   birth-place and migrations of, i. 155  
   Palæarctic, i. 182  
*Camelids*, essentially extra-tropical, i. 112  
   N. American Tertiary, i. 138  
 CAMELIDÆ, ii. 216  
 CAMELOPARDALIDÆ, ii. 221  
*Camelopardalis*, Miocene of Greece, i. 116

- Camelopardalis*, Indian Miocene, i. 122  
ii. 221
- Camelotherium*, S. American Pliocene, i. 147  
ii. 217
- Camels, ii. 216
- Camelus*, ii. 216
- Camena*, ii. 477
- Campophaga*, ii. 269
- CAMPEPHAGIDÆ, ii. 268
- Campophilus*, ii. 303
- Campsomys*, ii. 101
- Campolasmus*, ii. 364
- Campylopterus*, ii. 107
- Campylorhynchus*, ii. 264
- Canadian sub-region, mammalia of, ii. 135  
birds of, ii. 136  
reptiles and fishes of, ii. 137  
insects of, ii. 137
- Canaries, birds of, i. 203  
beetles of, i. 209
- Canceroma*, ii. 359
- Canidae*, European Miocene, i. 118  
European Eocene, i. 123  
N. American Tertiary, i. 134  
remarkable S. African, i. 267
- CANIDÆ, ii. 197
- Canis*, European Pliocene, i. 112  
Fost-Pliocene, i. 112  
European Miocene, i. 118  
Indian Miocene, i. 121  
European Eocene, i. 125  
N. American Post-Pliocene, i. 129  
N. American Tertiary, i. 134, 135  
in Brazilian caves, i. 144  
S. American Pliocene, i. 146  
ii. 197
- Cantharus*, ii. 427
- Cantoria*, ii. 376
- Cape Ant-cater, ii. 246
- Cape of Good Hope, peculiar flora and fauna  
of, i. 266
- Cape Verd Islands, zoology of, i. 214
- Cape-hare, S. African, i. 267
- Capto*, ii. 306
- CAPITONINÆ, ii. 306
- Capota*, ii. 451
- Capra*, ii. 224, 225
- Capreolus*, ii. 219
- CAPRIMULGIDÆ, ii. 319
- Caprimulgus*, ii. 319
- CAPRINÆ, ii. 224
- Capromys*, ii. 238
- Capy*, ii. 477
- CARABIDÆ, ii. 488
- Carabus*, ii. 488  
ii. 489
- CARANGIDÆ, ii. 429
- Carassius*, ii. 451
- CARCHARIIDÆ, ii. 460
- Carcinutes*, ii. 316
- Cardellina*, ii. 279
- CARDIADÆ, ii. 535
- Cardinalis*, ii. 285
- Cardiodus*, S. American Pliocene, i. 147
- Cardiophthalmus*, ii. 492
- Cardita*, ii. 535
- Carenum*, ii. 490
- Cariama*, Brazilian caves, i. 164  
ii. 357
- CARIAMIDÆ, ii. 357
- Caridonax*, ii. 316
- Carlia*, ii. 397
- Carnivora* of European Pliocene, i. 112  
Miocene of Greece, i. 115  
European Miocene, i. 118  
Indian Miocene, i. 121
- Carnivora*, European Eocene, i. 125  
N. American Post-Pliocene, i. 129  
N. American Tertiary, i. 134  
of Brazilian caves, i. 144  
S. American Pliocene, i. 146
- Carnivora*, classification of, i. 88  
antiquity of, i. 153  
of the Palearctic region, i. 182  
list of Palearctic genera of, i. 240  
list of Ethiopian genera of, i. 302  
range of Oriental genera of, i. 373  
list of Australian genera of, i. 476
- CARNIVORA, ii. 192  
general remarks on the distribution of,  
204  
range of, in time, ii. 206  
summary and conclusion, ii. 541
- Caroline Islands, birds of, i. 444
- Carpenter, Dr. Philip, on Panama shells, ii.  
20
- Carpododes*, ii. 451
- Carpococcyx*, ii. 309
- Carpodacus*, ii. 285
- Carpodectes*, ii. 102, 294
- Carpophaga*, ii. 332
- Carterodon* in Brazilian caves, i. 145  
ii. 239
- Carus, and Gerstaecker on classification of  
animals, i. 85  
Professor, on classification of the Cetacea,  
i. 88
- Carychium*, ii. 519
- Casarca*, ii. 363
- Cascelius*, ii. 492
- Casornis*, ii. 102, 293
- Casoryx*, N. American Tertiary, i. 138  
ii. 225
- Casnonia*, ii. 489
- Cassicus*, ii. 282
- Cassicus*, ii. 282
- Cassidaria*, ii. 507
- Cassidix*, ii. 283
- Cassinia*, ii. 270
- Cassowaries, ii. 368
- Castalia*, ii. 534
- Castnia*, ii. 481
- CASTNIIDÆ, ii. 481
- Castor*, European Pliocene, i. 113  
European Miocene, i. 120  
ii. 234
- CASTORIDÆ, ii. 234
- Castoroides*, ii. 234
- Casuarium*, ii. 369
- CASUARIIDÆ, ii. 368
- Catadromus*, ii. 490
- Catagramma*, ii. 474
- Catamblyrhynchus*, ii. 285
- Catamenia*, ii. 285
- Catascopus*, ii. 489  
ii. 491
- Cataulus*, ii. 520
- Catharistes*, ii. 346
- Cathartes*, Brazilian caves, i. 124  
ii. 346
- Catharus*, ii. 256
- Catherpes*, ii. 264
- Catla*, ii. 451
- Catoblepas*, ii. 224
- Catodon*, ii. 208
- Catodontidæ*, ii. 207
- Catopra*, ii. 433
- Catopriion*, ii. 446
- Catostomus*, ii. 451
- Catoxantha*, ii. 496
- Catricus*, ii. 258
- Cats, ii. 192

- Cave-fauna of Brazil, i. 143  
*Cavia*, European Miocene, i. 121  
 in Brazilian caves, i. 144  
 S. American Pliocene, i. 147  
 ii. 241  
*Cavius*, ii. 241  
 CAVIDÆ, ii. 241  
 CEBIDÆ, ii. 174  
*Cebocharus*, European Eocene, i. 126  
 ii. 215  
*Cebus* in Brazilian caves, i. 144  
 ii. 174  
 ii. 178  
*Cicna*, ii. 521  
 Celebes, physical features of, i. 389  
 mammalia of, i. 426  
 birds of, i. 428  
 insects of, i. 434  
 origin of fauna of, i. 436  
*Celestus*, ii. 327  
*Celeus*, ii. 303  
*Celia*, ii. 489  
*Cenchrus*, ii. 385  
*Centetes*, ii. 188  
*Centetida*, European Miocene, i. 118  
 CENTETIDÆ, ii. 188  
*Centrarchus*, ii. 425  
 CENTRISCIDÆ, ii. 436  
*Centriscus*, ii. 436  
*Centrites*, ii. 101, 291  
*Centrocercus*, ii. 389  
*Centrolabrus*, ii. 437  
*Centrolophus*, ii. 429  
*Centromochlus*, ii. 443  
*Centronotus*, ii. 431  
*Centropus*, ii. 309  
*Centronya*, ii. 286  
*Centropus*, ii. 390  
*Centurus*, ii. 303  
*Cephalopsis*, ii. 108  
*Cephalopeltis*, ii. 389  
 CÉPHALOPHINÆ, ii. 224  
*Cephalophus*, ii. 224  
 CÉPHALOPODA, ii. 505  
*Cephalopterus*, ii. 103, 294  
*Cephalopyrus*, ii. 266  
*Cepola*, ii. 435  
 CÉPOLIDÆ, ii. 435  
 CERAMBYCIDÆ, ii. 498  
*Ceraticthys*, ii. 452  
*Ceratina*, ii. 470  
*Ceratodus*, remarkable Australian fish, i. 397  
*Ceratodus*, ii. 458  
*Ceratophylla*, ii. 418  
*Ceratophora*, ii. 402  
*Ceratophorus*, ii. 501  
*Ceratophrys*, ii. 420  
*Ceratoptera*, ii. 463  
*Ceratophina*, ii. 367  
*Ceratophinus*, ii. 213  
*Ceratotherium*, ii. 213  
*Cerberus*, ii. 376  
*Cercaspis*, ii. 380  
*Cerchneis*, ii. 341  
*Cercocebus*, ii. 173  
*Cercolabes* in Brazilian caves, i. 145  
 ii. 240  
 CERCOLABIDÆ, ii. 239  
*Cercopithecus*, ii. 200  
*Cercomacra*, ii. 104  
*Cercomela*, ii. 260  
*Cercomys*, ii. 239  
*Cercopithecus* in European Pliocene, i. 112  
 ii. 173  
*Cercosaura*, ii. 894  
 CERCOSAURIDÆ, ii. 894  
*Cereopsis*, ii. 863  
*Cericornis*, ii. 840  
 CÉRITHIADÆ, ii. 509  
*Certhia*, ii. 264  
*Certhiæ*, ii. 278  
 CÉRTHIIDÆ, ii. 264  
*Certhioides*, ii. 289  
*Certhiola*, ii. 278  
*Certhiiparus*, ii. 266  
*Cervicapra*, ii. 224  
 CERVICAPRINÆ, ii. 224  
*Cervidæ*, European Miocene, i. 120  
 birth-place and migrations of, i. 155  
 CERVIDÆ, ii. 218  
*Cervulus*, ii. 219  
*Cervus*, European Pliocene, i. 113  
 Indian Pliocene and Miocene, i. 122  
 N. American Post-Pliocene, i. 130  
 N. American Tertiary, i. 138  
 in Brazilian caves, i. 144  
 S. American Pliocene, i. 147  
 ii. 219  
*Ceryle*, ii. 316  
 CESTRACIONTIDÆ, ii. 461  
 Cetacea, European Pliocene, i. 112  
 European Miocene, i. 119  
 N. American Post-Pliocene, i. 130  
 N. American Tertiary, i. 140  
 Cetacea, classification of, i. 89  
 range of Oriental genus, i. 374  
 CETACEA, ii. 207  
*Cethosia*, ii. 474  
 CETONIIDÆ, ii. 494  
*Cetopsis*, ii. 443  
*Cettia*, ii. 258  
*Ceuthmochares*, ii. 309  
*Ceyxopsis*, ii. 316  
 Ceylon and Malaya, resemblance of insects of  
 327  
 Ceylonese sub-region, i. 326  
 mammalia of, i. 327  
 birds of, i. 327  
 reptiles of, i. 327  
 amphibia of, i. 327  
 insects of, i. 327  
 past history of, as indicated by its fauna,  
 i. 323  
*Ceyx*, ii. 316  
*Chaca*, ii. 441  
*Chamarrhornis*, ii. 259  
*Chamopelia*, 333  
*Chamocampa*, ii. 482  
*Chatobronchus*, ii. 439  
*Chatocercus*, ii. 108  
 ii. 249  
*Chatodon*, ii. 427  
*Chatomys*, ii. 240  
*Chatops*, ii. 256  
*Chatoptila*, ii. 276  
*Chatorhynchus*, ii. 269  
*Chatostomus*, ii. 444  
*Chætura*, ii. 320  
*Chætusia*, ii. 356  
*Chalceus*, ii. 445  
 CHALCIDÆ, ii. 393  
*Chalciopsis*, ii. 445  
*Chalcinus*, ii. 445  
*Chalcis*, ii. 393  
*Chalcochloris*, ii. 189  
*Chalcopectia*, ii. 333  
*Chalcopterus*, ii. 333  
*Chalcoostetha*, ii. 276  
*Chalicomys*, European Pliocene, i. 113  
*Chalicotherium*, European Miocene, i. 119  
 Indian Miocene, i. 122  
 fossil in N. China, i. 123

- Chamaeleo*, N. American Eocene, i. 165  
*Chalybur*, ii. 107  
*Chamea*, ii. 264  
**CHAMÆIDÆ**, ii. 264  
**CHAMÆLEONIDÆ**, ii. 402  
 Chameleons, ii. 402  
*Chamæpetes*, ii. 343  
*Chamæspiza*, ii. 284  
*Chamæsauro*, ii. 394  
**CHAMÆSAURIDÆ**, ii. 394  
*Chameza*, ii. 104  
**CHAMIDÆ**, ii. 534  
 Chamois, figure of, i. 195  
 ii. 224  
*Chamostrea*, ii. 536  
*Chanodichthys*, ii. 453  
**CHARACINIDÆ**, ii. 444  
*Characodon*, ii. 450  
**CHARADRIDÆ**, ii. 355  
*Charadrius*, ii. 356  
*Charina*, ii. 373  
*Charis*, ii. 476  
*Charitornis*, ii. 274  
*Charmosyna*, ii. 327  
*Chasiempis*, ii. 271  
*Chasmodes*, ii. 431  
*Chasmorhynchus*, ii. 103, 294  
*Chatarrhæa*, ii. 261  
 Chatham Islands, birds of, i. 454  
 Chatterers, ii. 293  
*Chauleisemus*, ii. 364  
*Chauna*, ii. 361  
*Chaunonotus*, ii. 272  
*Chaunoproctus*, ii. 284  
*Chela*, ii. 453  
*Chelemyis*, ii. 408  
*Chelidon*, ii. 281  
*Chelidoptera*, ii. 311  
*Chelidorynx*, ii. 271  
*Chelodina*, ii. 408  
*Chelomeles*, ii. 397  
*Chelone*, ii. 409  
 Chelonia, classification of, i. 100  
**CHELONIA**, ii. 407  
 remarks on the distribution of, ii. 410  
 fossil, ii. 410  
**CHELONIIDÆ**, ii. 409  
**CHELYDIDÆ**, ii. 408  
*Chelydobraachus*, ii. 416  
*Chelydra*, European Pliocene, i. 165  
 ii. 408  
*Chelys*, ii. 408  
*Chenalopez*, ii. 363  
*Chera*, ii. 286  
*Chersina*, ii. 408  
*Chersydrus*, ii. 382  
 Chevrotain of Malaya, figure of, i. 336  
 Chevrotains, ii. 218  
*Chiamela*, ii. 397  
*Chiasognathus*, ii. 493  
*Chibia*, ii. 269  
*Chilabothrus*, ii. 381  
 Chili should not be placed in the Palæarctic or  
 Nearctic regions, i. 63  
 Chili and Temperate S. America, distribution  
 of Carabidæ in, ii. 492  
 Chilean Andes, illustration of zoology of,  
 40  
 Chilean sub-region, ii. 36  
 mammalia of, ii. 36  
 birds of, ii. 37  
 illustration of zoology of, ii. 40  
 reptiles and amphibia of, ii. 40  
 fresh-water fishes of, ii. 42  
 insects of, ii. 42  
 origin and migrations of insects of, ii. 47  
 Chili, islands of, ii. 49  
*Chilinia*, ii. 518  
*Chilobranctus*, ii. 456  
*Chilomeniscus*, ii. 375  
*Chimaera*, ii. 400  
**CHIMÆRIDÆ**, ii. 460  
 China, fossil mammals in, resembling those  
 of Indian and European Miocene, i.  
 362  
 North, mammalia of, i. 222  
*Chinchilla*, ii. 237  
*Chinchillidæ* in Brazilian caves, i. 145  
 S. American Pliocene, i. 147  
 Pliocene of Antilles, i. 148  
**CHINCHILLIDÆ**, ii. 237  
*Chiotlossa*, ii. 413  
*Chionabas*, ii. 471  
**CHIONIDIDÆ**, ii. 354  
*Chionis*, ii. 354  
**CHIROCENTRIDÆ**, ii. 454  
**CHIROCOLIDÆ**, ii. 393  
*Chirodon*, ii. 445  
*Chirodryas*, ii. 418  
*Chirogaleus*, ii. 176  
*Chiroleptes*, ii. 421  
*Chiromachæris*, ii. 102, 292  
*Chiromanthis*, ii. 419  
**CHIROMYIDÆ**, ii. 177  
*Chironectes*, ii. 248  
 Chiroptera, classification of, i. 87  
 list of Palæarctic genera of, i. 239  
 list of Ethiopian genera of, i. 300  
 range of Oriental genera of, i. 371  
 list of Australian genera of, i. 473  
 Chiroptera, European Eocene, i. 125  
 in Brazilian caves, i. 144  
**CHIROPTERA**, ii. 181  
 remarks on the distribution of, ii. 185  
 fossil, ii. 185  
 summary and conclusion, ii. 441  
*Chirotes*, ii. 388  
**CHIROTIDÆ**, ii. 388  
*Chirozaphia*, ii. 102, 292  
**CHITONIDÆ**, ii. 512  
*Chitlya*, ii. 519  
*Chlænius*, ii. 489  
*Chlamydodera*, ii. 275  
*Chlamydophorus*, ii. 246  
*Chlamydotherium*, ii. 246  
 in Brazilian caves, i. 145  
*Chlenasciscus*, ii. 262  
*Chloëphaga*, ii. 363  
*Chlorochrysa*, ii. 98  
 ii. 99  
*Chloronerypes*, ii. 303  
*Chlorophanes*, ii. 278  
*Chlorophonia*, ii. 98  
 ii. 99  
*Chloropipo*, ii. 102  
*Chlorospiza*, ii. 283  
*Chlorospingus*, ii. 99  
 ii. 100  
*Chlorostilbon*, ii. 109  
*Choanophthalmus*, ii. 518  
*Choanopoma*, ii. 521  
*Chæromorus*, European Miocene, i. 119  
*Chæropotamus*, European Eocene, i. 126  
 ii. 215  
*Chæroyus*, ii. 250  
*Chærotherium*, Indian Miocene, i. 122  
*Cholæpus*, ii. 244  
*Chologastes*, ii. 450  
*Cholornis*, ii. 262  
*Chondestes*, ii. 283  
*Chondropoma*, ii. 521  
**CHONDROPTERYGII**, ii. 46

- CHONDROSTEI**, ii. 459  
*Chondrostoma*, ii. 452  
*Chonetiphys*, European Pliocene, i. 112  
*Chordeiles*, ii. 320  
 Chough, Alpine, figure of, i. 195  
 Choughs, ii. 274  
**CHROMIDÆ**, ii. 438  
*Chromis*, ii. 438  
*Chrysiichthys*, ii. 442  
*Chrysobronchus*, ii. 108  
*Chrysococcyz*, ii. 510  
**CHRYSOCHLORIDÆ**, ii. 189  
*Chrysochloris*, ii. 189  
*Chrysocolaptes*, ii. 303  
*Chrysocyon*, ii. 197  
*Chrysolampis*, ii. 108  
*Chrysomitris*, ii. 283  
*Chrysopelea*, ii. 379  
*Chrysophrys*, ii. 427  
*Chrysophilus*, ii. 303  
*Chrysothrix*, ii. 175  
*Chrysotis*, ii. 328  
*Chrysuronina*, ii. 109  
*Cithonicola*, ii. 258  
*Ciccaba*, ii. 350  
*Cichla*, ii. 439  
*Cichladusa*, ii. 261  
*Cichlopsis*, ii. 260  
*Cicigna*, ii. 392  
*Cicindela*, ii. 486  
**CICINDELIDÆ**, ii. 486  
*Cicinnurus*, ii. 275  
*Ciconia*, ii. 360  
*Ciconiidae*, ii. 360  
**CINCLIDÆ**, ii. 262  
*Cinlocerthia*, ii. 256  
*Cinclodes*, ii. 103  
*Cinclorhampus*, ii. 260  
*Cincolosoma*, ii. 261  
*Cinclus*, ii. 263  
*Cinnocerthia*, ii. 264  
*Cinnyricinclus*, ii. 276  
     ii. 288  
*Cinosternon*, ii. 408  
*Cinyris*, ii. 408  
*Cionella*, ii. 515  
*Circæus*, ii. 343  
*Circe*, ii. 109  
 Circumpolar zones, objections to system of,  
     i. 67  
*Circus*, ii. 347  
*Cirrhina*, ii. 451  
**CIRRHITIDÆ**, ii. 427  
*Cirrhochroa*, ii. 474  
**CIRRHOSTOMI**, ii. 464  
*Cissa*, ii. 273  
*Cissopis*, ii. 99  
*Cisticola*, ii. 257  
*Cistothorus*, ii. 263  
*Cistula*, ii. 521  
*Cithara*, ii. 508  
*Citharinus*, ii. 445  
*Cittura*, ii. 316  
*Cladognathus*, ii. 493  
*Clais*, ii. 108  
 Clam-shells, ii. 535  
*Clarias*, ii. 441  
*Clarotes*, ii. 442  
 Classification as affecting the study of distri-  
     bution, i. 83  
*Claudius*, ii. 408  
*Claustitis*, Eocene, i. 169  
     ii. 514  
*Clerome*, ii. 472  
*Clibanornis*, ii. 103  
*Climacteris*, ii. 265
- Climate, as a limit to the range of mammalia,  
     i. 11  
     gradual change of, before the glacial epoch,  
     i. 41  
*Clintonia*, ii. 494  
**CLIONIDÆ**, ii. 531  
*Clotophis*, ii. 520  
*Clupea*, ii. 454  
**CLUPÉIDÆ**, ii. 454  
*Clymenia*, ii. 209  
*Clypeicterus*, ii. 282  
*Clytocrantus*, ii. 104  
*Clytolæna*, ii. 108  
*Clytus*, ii. 501  
*Cnidoglamis*, ii. 441  
*Cnipodectes*, ii. 101  
*Cnipolegus*, ii. 101, 291  
*Cobitis*, ii. 453  
*Cobras*, ii. 382  
*Coccothraustes*, ii. 284  
*Coccygus*, ii. 309  
*Coccytes*, ii. 310  
*Cochlognathus*, ii. 452  
*Cochlostyla*, ii. 514  
*Cochlothraustes*, ii. 309  
*Cochoa*, ii. 269  
*Cockatoos*, ii. 324  
*Cockles*, ii. 535  
*Cocos Islands*, bird of, ii. 60  
*Cocytia*, ii. 481  
*Cœligena*, ii. 107  
*Cœlodon*, ii. 245  
*Cœlonotus*, ii. 457  
*Cœlopeltus*, ii. 377  
*Cœlosterna*, ii. 501  
*Cœnonympa*, ii. 471  
*Cœreba*, ii. 278  
**CCEREBIDÆ**, ii. 278  
*Cogia*, ii. 208  
*Colaptes*, ii. 304  
**Coleoptera**, families selected for study, i. 103  
     Palæarctic, i. 188  
     number of Palæarctic species, i. 189  
     of Central Europe, i. 196  
     of the Mediterranean sub-region, i. 205  
     of the Cape Verd Islands, i. 215  
     of the Ethiopian region, i. 256  
     S. African, i. 268  
     of Madagascar, i. 282, 283  
     of the Oriental region, i. 319  
     of Indo-Malay sub-region, i. 342  
     of the Australian region, i. 405  
     affinity of Australian and South American,  
     i. 406, 407  
     of Celebes, i. 435  
     of New Zealand, i. 457  
     of the Neotropical region, ii. 15  
     of S. Temperate America, ii. 44  
     of the Mexican sub-region, ii. 56  
     of the Antilles, ii. 74  
     of the Nearctic region, ii. 123  
**COLEOPTERA**, ii. 488  
     general observations on the distribution  
     of, ii. 502 (*see also* Beetles)  
*Colias*, ii. 478  
*Colies*, ii. 307  
**COLIIDÆ**, ii. 307  
*Colinus*, ii. 307  
*Colinus passer*, ii. 286  
*Collocalia*, European Miocene, i. 161  
     ii. 320  
*Colluricincla*, ii. 272  
*Collyris*, ii. 486, 487  
*Colobus*, European Miocene, i. 117  
     ii. 172  
*Colants*, ii. 474

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

## GENERAL INDEX.

569

- Colanoceras*, N. American Tertiary, i. 136  
*Colopterus*, ii. 101  
*Colossuchelys* of Indian Miocene, i. 123, 165  
*Colpodes*, ii. 489  
*Coluber*, ii. 375  
**COLUBRIDÆ**, ii. 375  
**COLUBRINÆ**, ii. 375  
*Columba*, classification of, i. 96  
 range of Palearctic genera of, i. 248  
 range of Ethiopian genera of, i. 311  
 range of Oriental genera of, i. 384  
 range of Australian genera of, i. 485  
*Columba*, ii. 832  
**COLUMBÆ**, ii. 331  
 general remarks on the distribution of, ii. 335  
**COLUMBIDÆ**, ii. 331  
*Columbula*, ii. 333  
*Columna*, ii. 516  
**COLYMBIDÆ**, ii. 366  
*Colymbus*, ii. 366  
**COMEPHORIDÆ**, ii. 432  
*Comephorus*, ii. 549  
 Comoro Islands, zoology of, i. 281  
*Composomr.* ii. 98, 375  
**CONCHIF. R. V.**, ii. 533  
*Condylura*, ii. 190  
 Cones, ii. 508  
*Conger*, ii. 456  
**CONIDÆ**, ii. 508  
*Conirostrum*, ii. 278  
*Conognatha*, ii. 496  
*Conophaga*, ii. 160  
**CONOPHAGINÆ**, ii. 291  
*Conopsis*, ii. 375  
*Conopias*, ii. 101  
*Conorhynchus*, ii. 443  
*Conostoma*, ii. 262  
 Continents, distribution of, i. 37  
 recent changes of, i. 38  
 Continental extension in Mesozoic times, i. 150  
*Coatopus*, ii. 103, 291  
**CONURIDÆ**, ii. 327  
*Conurus*, ii. 328  
*Conus*, ii. 508  
*Copea*, ii. 416  
*Cophoscincus*, ii. 397  
*Copidoglanis*, ii. 441  
*Coptodera*, ii. 439, 492  
*Copurus*, ii. 101  
*Copsychus*, ii. 259  
*Coracias*, ii. 311  
**CORACIIDÆ**, ii. 311  
*Coracopsis*, ii. 328  
*Corudes*, ii. 471  
*Corallus*, ii. 381  
*Corbis*, ii. 535  
*Cordylosaurus*, ii. 322  
*Cordylus*, ii. 392  
*Coregonus*, ii. 447  
*Coriphilus*, ii. 327  
*Coris*, ii. 427  
*Coronella*, ii. 375  
**CORONELLINÆ**, ii. 375  
*Coronis*, ii. 431  
*Cornufer*, ii. 419  
**CORVIDÆ**, ii. 272  
*Corvina*, ii. 428  
*Corvinella*, ii. 272  
*Corvultur*, ii. 274  
*Corvus*, European Miocene, i. 161  
 ii. 274  
*Corydalla*, ii. 290  
*Coridon*, ii. 295  
*Corynopoma*, ii. 445  
*Coryphistera*, ii. 103  
*Coryphodon*, European Eocene, i. 126  
*Coryphospingus*, ii. 284  
*Corythair*, ii. 307  
*Corythopsis*, ii. 100  
*Corythornis*, ii. 316  
*Cosmeteira*, ii. 277  
*Cosmetornis*, ii. 320  
 Cosmopolitan groups enumerated, i. 175  
*Cossypha*, ii. 256  
*Cotinga*, ii. 102, 294  
**COTINGIDÆ**, ii. 293  
*Cottus*, ii. 428  
*Coturniculus*, ii. 284  
*Coturnitz*, ii. 388  
*Cotyle*, ii. 281  
*Coua*, ii. 309  
*Couchia*, ii. 439  
 Coues, Dr., on the blue crow of the Rocky Mountains, ii. 128  
 Coursers, ii. 355  
 Cowries, ii. 508  
 Coypu, ii. 238  
**CRACIDÆ**, ii. 342  
**CRACINÆ**, ii. 343  
*Cracticus*, ii. 273  
 Cranes, ii. 357  
**CRANIADÆ**, ii. 532  
*Cranorrhinus*, ii. 317  
*Craspedocephalus*, ii. 385  
*Craspedopoma*, ii. 521  
*Crateropus*, ii. 261  
*Crax*, ii. 343  
*Creadion*, ii. 287  
*Creagrurus*, ii. 364  
*Creagrutus*, ii. 445  
 Creepers, ii. 264  
*Cremna*, ii. 475  
*Crenicichla*, ii. 439  
*Crenilabrus*, ii. 437  
*Crenuchus*, ii. 445  
*Creurgops*, ii. 99  
*Cricetodon*, European Miocene, i. 120  
 ii. 273  
*Cricetomys*, ii. 230  
*Cricetulus*, ii. 230  
*Cricetus*, European Pliocene, i. 113  
 ii. 230  
*Cricosoma*, ii. 476  
*Crinia*, ii. 420  
*Criniger*, ii. 267  
*Crithagra*, ii. 285  
*Crocidura*, ii. 191  
 Crocodiles, Eocene, i. 165  
 ii. 406  
 lines of migration of, ii. 543  
 Crocodilia, classification of, i. 100  
**CROCODILIA**, ii. 405  
 general remarks on the distribution of, ii. 406  
 fossil, ii. 407  
**CROCODILIDÆ**, ii. 406  
*Crocodylurus*, ii. 390  
*Crocodylus*, ii. 406  
 Crook-billed plovers of New Zealand, i. 436  
*Crossarchus*, ii. 195  
*Crossochilus*, ii. 451  
*Crossodactylus*, ii. 419  
*Crossoptilon*, ii. 340  
*Crossopus*, ii. 191  
**CROTALIDÆ**, ii. 384  
*Crotalophorus*, ii. 385  
*Crotalus*, ii. 385  
 Crotch, Mr., on beetles of the Azores, i. 209  
*Crotophaga*, ii. 309  
 Crowned-pigeon, figure of, i. 415  
 Crows, ii. 273



Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

- Crypsirhina*, ii. 278  
*Cryptoblepharus*, ii. 395  
*Cryptodacus*, ii. 375  
*Cryptoproct*, ii. 194  
**CRYPTOPROCTIDÆ**, ii. 194  
*Cryptopterus*, ii. 441  
*Cryptornis*, European Eocene, i. 163  
*Cryptotis*, ii. 421  
*Crypturus*, ii. 344  
*Ctenodactyla*, ii. 490  
*Ctenodactylus*, ii. 238  
*Ctenolabrus*, ii. 437  
*Ctenomys*, S. American Pliocene, i. 147  
     ii. 238  
*Ctenopharyngodon*, ii. 452  
*Ctenopoma*, ii. 521  
*Ctenostoma*, ii. 486  
 Cuba, extinct mammalia of, i. 148  
*Curculionidium*, Oolitic insect, i. 167  
*Cubina*, ii. 400  
**CUCULIDÆ**, ii. 308  
*Cuculus*, ii. 309  
 Cuckoo-shrikes, ii. 268  
 Cuckoos, ii. 308  
*Culter*, ii. 453  
 Cunningham, Professor, lizard discovered by,  
     in Tierra-del-Fuego, ii. 41  
*Cuniculus*, ii. 230  
*Cuphopterus*, ii. 272  
*Cupidonia*, ii. 339  
*Curassows*, ii. 342  
*Curæus*, ii. 282  
*Curetis*, ii. 477  
*Curimatus*, ii. 445  
*Curruca*, ii. 259  
*Cursoria*, ii. 382  
*Cursorius*, ii. 355  
*Cuscus*, ii. 252  
*Custa*, ii. 390  
*Cutia*, ii. 266  
 Cuttle fish, ii. 505  
*Cyanecula*, ii. 259  
*Cyanocorax*, ii. 273  
*Cyanomyia*, ii. 109  
*Cyanoptica*, ii. 273  
*Cyanoptila*, ii. 270  
*Cyanorhamphus*, ii. 325  
*Cyanospiza*, ii. 284  
*Cyanotis*, ii. 101  
*Cyanurus*, ii. 273  
*Cybernetes*, ii. 101  
*Cychloris*, ii. 250  
*Cychnus*, ii. 469  
**CYCLADIDÆ**, ii. 535  
*Cycas*, ii. 535  
*Cyclocorus*, ii. 380  
*Cycloclerma*, ii. 409  
*Cyclodina*, ii. 397  
*Cyclodus*, ii. 397  
*Cyclophis*, ii. 376  
*Cyclophorus*, ii. 520  
*Cyclopterus*, ii. 430  
*Cyclopsitta*, ii. 326  
*Cyclothamphus*, ii. 420  
*Cyclostoma*, Eocene, i. 169  
**CYCLOSTOMATA**, ii. 463  
**CYCLOSTOMIDÆ**, ii. 520  
*Cyclostomus*, ii. 521  
*Cyclothorus*, ii. 247  
*Cyclotopsis*, ii. 521  
*Cyclotus*, ii. 521  
*Cyclusa*, ii. 401  
*Cygnus*, ii. 365  
*Cylinurella*, ii. 515  
*Cylindrophis*, ii. 373  
*Cylio sepiula*, European Cretaceous, i. 167  
  
*Cymba*, ii. 508  
*Cymbilantus*, ii. 104  
*Cymbirhynchus*, ii. 295  
*Cymindis*, ii. 489  
*Cynaelurus*, in Brazilian cave, i. 144  
     ii. 193  
*Cynanthus*, ii. 108  
*Cynictis*, ii. 195  
*Cynocephalus*, ii. 173  
*Cynodictis*, ii. 198  
*Cynodon*, ii. 445  
*Cynogale*, ii. 195  
**CYNOPTHECIDÆ**, ii. 172  
*Cynopthecus* of Celebes, affinities of, i. 427  
*Cynopthecus*, ii. 173  
*Cynomys*, ii. 235  
*Cyornis*, ii. 270  
*Cyotherium*, European Eocene, i. 125  
     ii. 198  
*Cyphogastra*, ii. 496  
*Cyphorhinus*, ii. 264  
**CYPRÆIDÆ**, ii. 508  
*Cyprina*, ii. 555  
**CYPRINIDÆ**, ii. 451  
     ii. 535  
*Cyprinus*, ii. 451  
*Cyprinion*, ii. 452  
*Cyprinodon*, ii. 450  
**CYPRINODONTIDÆ**, ii. 450  
**CYPSÆLIDÆ**, ii. 320  
*Cypsæloides*, ii. 320  
*Cypsælus*, ii. 320  
*Cypsægnagra*, ii. 99  
*Cyrena*, ii. 535  
*Cyrestis*, ii. 474  
*Cyrtionotus*, ii. 469  
*Cyrtonyx*, ii. 339  
*Cyrtophis*, ii. 383  
*Cystignathus*, ii. 420  
*Cystophora*, ii. 204  
  

D.

*Dacelo*, ii. 316  
*Dacnis*, ii. 278  
*Dactylethra*, ii. 422  
**DACTYLETHRIDÆ**, ii. 422  
*Dactylomys*, ii. 239  
*Dactylopsila*, ii. 249  
*Dactyloxodes*, ii. 496  
*Dafila*, ii. 363  
*Dama*, ii. 219  
*Damias*, ii. 461  
*Damophila*, ii. 109  
**DANAIDÆ**, ii. 470  
*Danais*, ii. 470  
*Dangila*, ii. 451  
*Danio*, ii. 452  
*Daptophilus*, N. American Tertiary, i. 134  
 Darters, ii. 365  
 Darwin, Mr., his explanation of the cause of  
     the abundance of apterous insects in  
     Madeira, i. 211  
     on the relation of flowers and insects, i.  
     463  
     amphibia collected by, in S. Temperate  
     America, ii. 41  
     mice collected by, in S. Temperate  
     America, ii. 37  
     on physical geography of the Galapagos,  
     ii. 33  
*Dasia*, ii. 397  
*Dasylophus*, ii. 309  
*Dasyophthalmus*, ii. 472  
*Dasyptelis*, ii. 377



- DASYPODIDÆ**, ii. 245  
*Dasyprocta*, European Miocene, i. 121  
 in Brazilian caves, i. 144  
 ii. 241  
*Dasyptilus*, ii. 929  
*Dasypus*, in Brazilian caves, i. 145  
 S. American Pliocene, i. 147  
 ii. 246
- DASYURIDÆ**, ii. 249  
*Dasyurus*, Australian Post-Tertiary, i. 157  
 ii. 249
- Daudebardia*, ii. 516
- David, Père, his researches in China and Tibet, i. 221, 222  
 on birds of N. China, i. 226
- Debis*, ii. 471
- Deer, fossil in N. American Tertiary formations, i. 138  
 Palearctic, i. 182  
 probable cause of absence from tropical Africa, i. 291  
 ii. 218
- Dellephila*, ii. 432
- Deltatria*, ii. 107
- Delma*, ii. 395
- Deloneura*, ii. 477
- Delphinapterus*, ii. 200
- DELPHINIDÆ**, ii. 208
- Delphinus*, European Pliocene, i. 112  
 ii. 209
- DENDRASPIDIDÆ**, ii. 383
- Dendrospis*, ii. 383
- Dendrozetastes*, ii. 104
- Dendrochelidon*, ii. 320
- Dendrocitta*, ii. 273
- Dendrocolaptes*, ii. 103
- DENDROCOLAPTIDÆ**, ii. 295
- DENDROCOLAPTINÆ**, ii. 295
- Dendrocincla*, ii. 103
- Dendrocygna*, European Miocene, i. 162  
 ii. 363
- Dendroeca*, ii. 279
- Dendrohyrax*, ii. 229
- Dendrolagus*, ii. 251
- Dendronus*, ii. 303
- Dendromys*, ii. 230
- Dendrophila*, ii. 265
- DENDROPHIDÆ**, ii. 378
- Dendrophis*, ii. 378
- Dendropticus*, ii. 303
- Dendroptex*, ii. 103
- Dendroornis*, ii. 103
- Dendrotyz*, ii. 339
- Denisonia*, ii. 383
- DENTIALIDÆ**, ii. 512
- Dentalium*, ii. 512  
 ii. 539
- Dentex*, ii. 426
- Dercas*, ii. 478
- Dermatemys*, ii. 408
- Dermatocera*, ii. 520
- Dermatochelys*, ii. 409
- Deroptyus*, ii. 323
- Dermognathus*, ii. 413
- Desert-snakes, ii. 377
- Desman of S. Russia, figure of, i. 219
- Desmodus*, ii. 182
- Deudoria*, ii. 477
- Diadema*, ii. 474
- Diagramma*, ii. 426
- Dibamus*, ii. 372
- DIBRANCHIATA**, ii. 505
- DICÆIDÆ**, ii. 277
- Dicælus*, ii. 490
- Dicænum*, ii. 277
- Dicallaneura*, ii. 475
- Dicamptodon*, ii. 413
- Dicatherium*, N. American Tertiary, i. 137
- Dicæra*, ii. 498
- Dicærobatis*, ii. 463
- Dichobune*, European Eocene, i. 126
- Dicotyles*, N. American Post-Pliocene, i. 130  
 N. American Tertiary, i. 137  
 in Brazilian caves, i. 144  
 S. American Pliocene, i. 146  
 birthplace and migrations of, i. 155  
 ii. 215
- Dicotylinae*, ii. 214
- Dicrocerus*, European Miocene, i. 120  
 ii. 220
- Dicrodon*, ii. 390
- Dicroglossus*, ii. 421
- Dicrorrhagia*, ii. 474
- DICRURIDÆ**, ii. 269
- Dicrurus*, ii. 269
- DIDELPHYIDÆ**, ii. 248
- Didelphys*, European Eocene, i. 126  
 N. American Post-Pliocene, i. 139  
 in Brazilian caves, i. 145  
 ii. 248
- Dididae*, i. 164
- DIDIDÆ**, ii. 334
- Didocus*, ii. 417
- DIDUNCULIDÆ**, ii. 333
- Didunculus*, ii. 334
- Didus*, ii. 334
- Dieba*, ii. 197
- Diemenia*, ii. 383
- Diglossa*, ii. 278
- Diglossopsis*, ii. 278
- Dilophus*, ii. 287
- Dilophyrus*, ii. 402
- Dimodes*, ii. 377
- Dimylus*, ii. 190
- Dinictis*, ii. 194
- Dinoceras*, N. American Eocene, i. 139
- Dinocæra*, N. American Tertiary, i. 139
- Dinornis*, allied form in European Eocene, i. 163  
 of New Zealand and Australia, i. 164  
 ii. 369
- Dinornithidae* of New Zealand, i. 164
- DINORNITHIDÆ**, ii. 269
- Dinotherium*, Miocene of Greece, i. 116  
 European Miocene, i. 120  
 Miocene of Perim Island, i. 123
- Dinyctis*, N. American Tertiary, i. 134
- Dinyllus*, European Miocene, i. 117
- Diomedea*, ii. 365
- Dioplodon*, ii. 208
- Diorhina*, ii. 476
- Diphlogæna*, ii. 108
- Diphylia*, ii. 182
- Diphylloides*, ii. 274
- Diplacodon*, N. American Tertiary, i. 136
- Diplodactylus*, ii. 399
- Diploglossus*, ii. 397
- Diplolemus*, ii. 401
- Diplomesodon*, ii. 191
- DIPLOMMATINIDÆ**, ii. 519
- Diplommatina*, ii. 520
- Diplomystax*, ii. 443
- Diplopelma*, ii. 416
- Diplopoma*, ii. 521
- Diplopterus*, ii. 309
- DIPNOI**, ii. 458
- DIPODIDÆ**, ii. 231
- Dipodomys*, ii. 233
- Dippers*, ii. 263
- Diprotodon*, Australian Post-Tertiary, i. 157  
 ii. 251
- DIPSADIDÆ**, ii. 379

- Dipsadoboa*, ii. 379  
*Dipsas*, ii. 379  
*Diptychus*, ii. 452  
*Dipus*, ii. 232  
*Dircenna*, ii. 470  
*Discina*, ii. 539  
 DISCIDINÆ, ii. 532  
*Discobolus*, ii. 430  
 DISCOGLOSSIDÆ, ii. 421  
*Discoglossus*, ii. 421  
*Discognathus*, ii. 451  
*Discophora*, ii. 472  
*Discoura*, ii. 107  
 Dispersal of animals, i. 10  
   of mammals, i. 10  
   of reptiles and amphibia, i. 28  
*Disteira*, ii. 384  
*Distichodus*, ii. 445  
 Distribution, affected by climate, i. 5  
   affected by physical features, i. 5  
   contrasts of, in similar climates, i. 5  
   similarities of, in diverse climates, i. 6  
   barriers as affecting, i. 6  
   study of, dependent on a good classification, i. 83  
   of animals an adjunct to geology, i. 8  
   of animals requires certain preliminary studies, i. 8  
   of animals dependent on physical geography, i. 35  
   of animals, as affected by the glacial epoch, i. 40  
   of animals, as affected by changes of vegetation, i. 43  
   of animals, as affected by organic changes, i. 44  
   of animals, hypothetical illustration of, i. 46  
   of animals, complexity of the causes affecting the, i. 49  
   of animals, problems in, i. 51  
   of plants, as affected by the glacial epoch i. 42  
*Distriplus*, ii. 490  
*Diaca*, ii. 234  
*Diucoptis*, ii. 99  
*Diva*, ii. 98  
 Divers, ii. 366  
*Docimastes*, ii. 103  
 Dodo of Mauritius, i. 282  
   ii. 334  
*Dodona*, ii. 475  
*Dolerisca*, ii. 107  
*Dolichodon*, ii. 208  
*Dolichonyx*, ii. 282  
*Dolichopterus*, European Miocene, i. 162  
*Dolichotis*, ii. 241  
*Doltophis*, ii. 383  
*Dolium*, ii. 507  
*Dommina*, N. American Tertiary, i. 134  
*Donacobius*, ii. 264  
*Donacola*, ii. 287  
*Donacospiza*, ii. 234  
*Doras*, ii. 443  
*Dorcatherium*, European Miocene, i. 120  
*Dorcopstis*, ii. 251  
*Dorcus*, ii. 493  
*Doricha*, ii. 108  
 DORIDÆ, ii. 530  
*Doritis*, ii. 479  
*Dormice*, ii. 232  
*Doryichthys*, ii. 457  
*Doryphora*, ii. 107  
*Douroucoulis*, ii. 175  
*Draco*, ii. 402  
*Dremotherium*, Miocene of Greece, i. 116  
*Dremotherium*, European Miocene, i. 120.  
   ii. 218  
 DREPANIDIDÆ, ii. 277  
*Drepantis*, ii. 277  
*Drepanornis*, ii. 275  
   ii. 276  
 Dresser, Mr. H. E., on northern range of European birds, i. 193  
*Drimostoma*, ii. 489  
*Dromæus*, ii. 368  
*Dromas*, ii. 356  
*Dromatherium*, N. American Triassic, i. 134  
   oldest American mammal, i. 160  
*Dromica*, ii. 486, 487  
*Dromicia*, ii. 252  
*Dromicus*, ii. 375  
*Dromius*, ii. 489  
*Dromococeyx*, ii. 809  
*Dromolæa*, ii. 260  
*Dromophis*, ii. 377  
 Drongo-shrike, Malayan, figure of, i. 340  
   ii. 269  
 DRYADINÆ, ii. 375  
 DRYIOPHIDÆ, ii. 379  
*Dryiophis*, ii. 379  
*Drymocataphus*, ii. 261  
*Drymodes*, ii. 269  
*Drymæca*, ii. 257  
 DRYMÆCINÆ, ii. 257  
*Drymomys*, ii. 230  
*Dryornis*, ii. 103  
*Dryocopus*, ii. 303  
*Dryophilæus*, European Miocene, i. 117  
   ii. 178  
*Dryospiza*, ii. 234  
*Dryotriorchis*, ii. 348  
*Dubusia*, ii. 98  
 Ducks, ii. 363  
*Dulus*, ii. 280  
*Dumerilia*, ii. 408  
*Dumetia*, ii. 261  
*Dumeticola*, ii. 258  
 Duncan, Dr., on fossil corals of the Antilles, ii. 21  
*D'Urbania*, ii. 477  
 Dwarf-ground snakes, ii. 374  
*Dynastor*, ii. 472  
*Dyschirus*, ii. 469  
*Dyscauzis*, ii. 431  
*Dysthamnus*, ii. 104  
*Dysopes*, ii. 184
- E.
- Eagles, ii. 347  
 Eared Seals, ii. 202  
 Ear-shells, ii. 511  
 East Africa, geographical features of, i. 258  
   wide range of genera and species over, i. 259  
   few special types in, i. 260  
 East African sub-region, description of, i. 258  
   genera and species ranging over the whole of, i. 259  
   mammalia of, i. 260  
   birds of, i. 260  
   reptiles of, i. 260  
   amphibia and fishes of, i. 260  
   insects of, i. 260  
   few peculiar types in, i. 260  
   illustration of zoology of, i. 261  
 East Australia, peculiar birds of, i. 440

- East Thibet, mammals of, i. 222  
 Eaton, Rev. A. E., on insects of Kerguelen Island, i. 211  
*Eburna*, ii. 507  
*Echidna*, ii. 254  
 ECHIDNIDÆ, ii. 254  
*Echimyidæ*, in Brazilian caves, i. 145  
 ECHIMYIDÆ, ii. 238  
*Echimys*, ii. 239  
*Echinegale*, European Miocene, i. 118  
*Echinops*, ii. 188, 189  
*Echinorhinus*, ii. 461  
*Echiothrix*, ii. 230  
*Echis*, ii. 386  
*Eolectus*, ii. 326  
*Ectognathus*, N. American Eocene, i. 139  
*Ectopistes*, ii. 33  
*Edentata*, Miocene of Greece, i. 116  
     European Miocene, i. 121  
     N. American Post-Pliocene, i. 130  
     N. American Pliocene, i. 140  
     of Brazilian caves, i. 145  
     S. American Pliocene, i. 147  
*Edentata*, classification of, i. 99  
     probable birthplace of, i. 155  
     range of Ethiopian genera of, i. 305  
     range of Oriental genus of, i. 373  
 EDENTATA, ii. 244  
     general remarks on the distribution of, ii. 247  
     summary and conclusion, ii. 543  
*Ega*, ii. 490  
*Egerina*, ii. 397  
*Elainea*, ii. 101, 291  
 ELAINEINÆ, ii. 291  
*Elania*, ii. 397  
*Elanoides*, ii. 349  
*Elanus*, ii. 349  
*Elaphodus*, ii. 220  
*Elaphrus*, ii. 489  
 ELAPIDÆ, ii. 382  
*Elapochrus*, ii. 375  
*Elaps*, ii. 383  
*Elapsoidea*, ii. 383  
*Elasmognathus*, ii. 212  
*Electra*, ii. 209  
 ELEPHANTIDÆ, ii. 227  
 Elephants, fossil, of Indian Miocene, i. 123  
     fossil in N. American Post-Pliocene formations, i. 130  
     birthplace and migrations of, i. 155  
     ii. 227  
 Elephant shrews, S. African, i. 267  
     ii. 186  
*Elephas*, Post-Pliocene, i. 112  
     fossil in N. China, i. 123  
     N. American Tertiary, i. 138  
     ii. 227  
*Elomys*, ii. 232  
 Elliot, Mr., his great work on the birds of paradise, i. 415  
     on classification of the birds of paradise, ii. 274  
*Ellipsesurus*, ii. 463  
*Ellipsoglossa*, ii. 413  
*Ellisia*, ii. 258  
*Ellobius*, ii. 231  
*Elminia*, ii. 271  
*Elochina*, ii. 478  
*Elophichthys*, ii. 453  
*Elornis*, European Miocene, i. 162  
*Elozia*, ii. 419  
*Elotherium*, N. American Tertiary, i. 137, 139  
     ii. 215, 216  
*Elsaya*, ii. 408  
 Elwes, Mr., on birds of Persia, i. 264  
 Elwes, Mr., on true relations of the birds of Central India, i. 323  
*Elymnias*, ii. 471  
 ELYMNIIDÆ, ii. 471  
 ELSIADÆ, ii. 530  
*Embasis*, N. American Tertiary, i. 134  
*Emberiza*, ii. 285  
 EMBERIZINÆ, ii. 285  
*Emberizoides*, ii. 284  
*Emblema*, ii. 287  
*Embernagra*, ii. 284  
 EMBROTICIDÆ, ii. 438  
*Emesis*, ii. 476  
 Emeu, figure of, i. 441  
*Emeus*, ii. 368  
*Emmima*, ii. 390  
*Empidagra*, ii. 101  
*Empidias*, ii. 102, 291  
*Empidochanes*, ii. 102  
*Empidonax*, ii. 102, 291  
*Empidonomus*, ii. 102  
*Emyda*, ii. 409  
*Emydita*, Indian Miocene, i. 123  
*Emydopcephalus*, ii. 384  
*Emys*, Indian Miocene, i. 123  
     Miocene and Eocene, i. 165  
     ii. 408  
*Enes*, ii. 501  
*Engystoma*, ii. 416  
 ENGYSTOMIDÆ, ii. 416  
*Enhydrina*, ii. 384  
*Enhydrion*, Indian Miocene, i. 121  
     ii. 200  
*Enhydris*, ii. 199  
*Enicurus*, ii. 263  
*Enispe*, ii. 472  
*Enodes*, ii. 288  
*Enophrys*, ii. 375  
*Ensophleus*, ii. 420  
*Entelopes*, ii. 501  
*Entomiza*, ii. 276  
*Entomophila*, ii. 275  
*Engygrus*, ii. 381  
*Eobasilus*, N. American Eocene, i. 139  
 Eocene period, i. 124  
     fauna of S. America, i. 148  
*Eophona*, ii. 284  
*Eopsaltria*, ii. 271  
*Eos*, ii. 327  
*Epalzeorhynchus*, ii. 451  
*Ephemera*, from the Lias, i. 167  
*Ephthianura*, ii. 260  
*Epicallia*, ii. 474  
*Epicrates*, ii. 381  
 EPIMACHINÆ, ii. 275  
*Epimachus*, ii. 275  
*Eptodon*, ii. 208  
*Epirhixis*, ii. 419  
*Epitola*, ii. 477  
*Eporodon*, N. American Tertiary, i. 138  
 EQUIDÆ, ii. 211  
*Equide*, European Pliocene, i. 112  
     Miocene of Greece, i. 115  
     European Eocene, i. 125  
*Equus*, European Pliocene, i. 112  
     Post-Pliocene, i. 112  
     Indian Miocene, i. 121  
     N. American Post-Pliocene, i. 130  
     N. American Tertiary, i. 135  
     Brazilian caves, i. 144  
     S. American Pliocene, i. 146  
     ii. 211  
*Erebia*, ii. 471  
*Eremias*, ii. 391  
*Eremomela*, ii. 258  
*Eremophilus*, ii. 444

- Ereptodon*, N. American Post-Pliocene, i. 130  
*Eresia*, ii. 474  
*Erechistes*, ii. 444  
*Erethizon*, ii. 239  
*Ereunetes*, ii. 353  
*Ergaticus*, ii. 279  
*Ergatis*, ii. 474  
*Ericulus*, ii. 188  
*Eriocymba*, ii. 452  
**ERINACEIDÆ**, ii. 187  
*Erinaceus*, European Miocene, i. 117  
 ii. 187  
*Eriocnemis*, ii. 109  
*Eriodes*, ii. 174  
*Eristmatura*, ii. 364  
*Krithacus*, ii. 259  
*Eroessa*, ii. 258  
*Eronia*, ii. 478  
*Erpornis*, ii. 267  
**ERYCIDÆ**, ii. 381  
**ERYCINIDÆ**, ii. 478  
*Erynnis*, ii. 480  
*Erythrinus*, ii. 445  
*Erythrocerus*, ii. 270  
*Erythrocnema*, ii. 347  
*Erythrogonus*, ii. 356  
*Erythrolampus*, ii. 375  
*Erythromachus* of Rodriguez, i. 164  
 ii. 352  
*Erythrospiza*, ii. 285  
*Erythrosterina*, ii. 270  
*Erythrura*, ii. 387  
*Eryx*, ii. 382  
**ESOCIDÆ**, ii. 449  
*Esoc*, ii. 449  
*Esthemopsis*, ii. 476  
*Esthonyx*, N. American Eocene, i. 139  
*Estrilda*, ii. 286  
*Etheria*, ii. 534  
 Ethiopian region should not include any part  
 of India, i. 63  
 defined, i. 73  
 subdivisions of, i. 73  
 general features of, i. 251  
 zoological characteristics of, i. 252  
 mammalia of, i. 253  
 great speciality of, i. 253  
 birds of, i. 253  
 reptiles of, i. 254  
 amphibia of, i. 253  
 fresh-water fish of, i. 255  
 summary of vertebrates of, i. 255  
 insects of, i. 255  
 coleoptera of, i. 256  
 terrestrial mollusca of, i. 257  
 sub-regions of, i. 255  
 Atlantic islands of, i. 269  
 the probable past history of, i. 285  
 tables of distribution of animals of, i.  
 293  
*Euanemus*, ii. 443  
*Eubagis*, ii. 474  
*Eucephala*, ii. 109  
*Euchetes*, ii. 98  
*Eucometis*, ii. 99  
*Euchromia*, ii. 481  
*Eucichla*, ii. 298  
*Euclyptosternum*, ii. 413  
*Eudromias*, ii. 356  
*Eudynamis*, ii. 310  
*Eudytes*, ii. 366  
*Eueides*, ii. 473  
*Eugenes*, ii. 107  
*Eugenia*, ii. 107  
*Euhyrax*, ii. 229  
*Eulabeornis*, ii. 352  
*Eulabes*, ii. 287  
*Eulampis*, ii. 107  
*Eumæus*, ii. 477  
*Eumeces*, ii. 397  
*Eumetopias*, ii. 203  
*Eumomota*, ii. 313  
*Eumys*, N. American Tertiary, i. 140  
 ii. 231  
*Eumylas*, ii. 270  
*Eunectes*, ii. 381  
*Eunica*, ii. 474  
*Eunogyra*, ii. 475  
*Eupeles*, ii. 263  
*Eupetomena*, ii. 107  
*Euphema*, ii. 325  
*Eupherusa*, ii. 109  
*Euphonia*, ii. 98  
*Euphractus*, S. American Pliocene, i. 147  
*Euphryne*, ii. 401  
*Euphysetes*, ii. 208  
*Eupleres*, ii. 195  
*Euplœa*, ii. 470  
**EUPLŒOCAMINÆ**, ii. 340  
*Euplocamus*, ii. 340  
*Eupodotis*, ii. 356  
*Euprepes*, ii. 397  
*Eupsychortyx*, ii. 339  
*Euptilotis*, ii. 314  
*Euplychia*, ii. 471  
*Eurinatorhynchus*, ii. 353  
*Eurocephalus*, ii. 272  
 Europe, recent changes in physical geography  
 of, i. 39  
 Miocene fauna of Central, i. 117  
 Miocene fauna of, allied to existing fauna  
 of tropical Asia and Africa, i. 124  
 European sub-region, description of, i. 191  
 forests of, i. 192  
 mammalia of, i. 192  
 birds of, i. 193  
 reptiles and amphibia of, i. 195  
 fresh-water fish of, i. 196  
 insects of, i. 196  
 islands of, i. 197  
*Eurostopodus*, ii. 320  
*Euryades*, ii. 479  
*Euryapteryx*, ii. 370  
*Euryarthrum*, ii. 501  
*Eurybia*, ii. 475  
 'Euryceros of Madagascar, figure of, i. 278  
*Euryceros*, ii. 288  
*Eurycus*, ii. 479  
*Eurygona*, ii. 476  
**EURYGONIDÆ**, ii. 476  
**EURLÆMIDÆ**, ii. 294  
*Eurylemus*, ii. 295  
*Euryodon*, in Brazilian caves, i. 145  
 ii. 246  
*Euryphene*, ii. 474  
*Eurypyga*, ii. 358  
**EURYPYGIDÆ**, ii. 358  
*Eurystomus*, ii. 312  
*Eurytela*, ii. 474  
*Eurytherium*, European Eocene, i. 126  
*Eurytrichus*, ii. 490  
*Eusarthmus*, ii. 101  
*Euschemon*, ii. 480  
 ii. 481  
*Eusemia*, ii. 482  
*Euspiza*, ii. 285  
*Eustephanus*, ii. 108  
*Eustira*, ii. 453  
*Eutatus*, S. American Pliocene, i. 147  
 ii. 246  
*Eutelodon*, European Eocene, i. 126  
*Eutemnodus*, S. American Eocene, i. 148

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

## GENERAL INDEX.

575

*Euterpe*, ii. 285  
*Euthyrhynchus*, ii. 276  
*Eutozeres*, ii. 107  
*Eutriorchis*, ii. 348  
*Eutropia*, ii. 209  
*Eutropichthys*, ii. 441  
*Eutroptus*, ii. 442  
*Eutroplus*, ii. 438  
*Erocetus*, ii. 449  
*Ezoglossum*, ii. 452  
*Ezostoma*, ii. 444  
 Extinct mammalian fauna of Europe, general considerations on, i. 1-6  
   mammalia of N. America and Europe, comparison of, i. 140  
   mammalia of the Antilles, i. 148  
   mammalia of the Old and New Worlds, general remarks on, i. 148  
   fauna of New Zealand, i. 459  
 Amphibia, ii. 423  
 Ant-eaters, ii. 247  
 Armadillos, ii. 246  
 Bovidae, ii. 225  
 Bradypodidae, ii. 245  
 Camelidae, ii. 217  
 Camelopardalidae, ii. 221  
 Canidae, ii. 197  
 Castoridae, ii. 234  
 Caviidae, 241  
 Centetidae, ii. 189  
 Cercolabidae, ii. 240  
 Cetacea, ii. 209  
 Chinchillidae, ii. 237  
 Chiroptera, ii. 185  
 Crocodyles, ii. 407  
 Deer, ii. 220  
 Didelphyidae, ii. 249  
 Dipodidae, ii. 232  
 Echidnidae, ii. 254  
 Echimyidae, ii. 239  
 Elephants, ii. 227  
 Equidae, ii. 211  
 Erinaceidae, ii. 188  
 Felidae, ii. 193  
 Hippopotami, ii. 214  
 Hyenas, ii. 196  
 Hystriidae, ii. 240  
 Insectivora, ii. 192  
 Lacertilia, ii. 404  
 Lagomyidae, ii. 242  
 Leporidae, ii. 243  
 Macropodidae, ii. 251  
 Muridae, ii. 230  
 Mustelidae, ii. 199  
 Myoxidae, ii. 232  
 Octodontidae, ii. 238  
 Ophidia, ii. 387  
 Orycteropodidae, ii. 246  
 Otariidae, ii. 203  
 Procyonidae, ii. 201  
 Quadrumana, ii. 178  
 Rallidae, ii. 252  
 Rhinocerotidae, ii. 213  
 Scuriidae, ii. 236  
 Seals, ii. 204  
 Sirenia, ii. 210  
 Struthionidae, ii. 369  
 Suidae, ii. 215  
 Talpidae, ii. 190  
 Tapira, ii. 212  
 Tortoises, ii. 410  
 Tragulidae, ii. 218  
 Tupaiidae, ii. 186  
 Ursidae, ii. 202  
 Viverridae, ii. 195  
 Extinction of large animals, causes of, i. 158

## F.

*Falcinellus*, ii. 360  
*Falco*, ii. 349  
 FALCONIDÆ, ii. 347  
 FALCONINÆ, ii. 349  
 Falcons, ii. 347  
*Falculia*, ii. 228  
 Falkland Islands, zoology of, ii. 49  
 Fanged ground-snakes, ii. 380  
*Farancia*, ii. 377  
 Fauna of Japan, general character and affinities of, i. 230  
   of Palaearctic region, general conclusions as to, i. 231  
   extinct, of Madagascar and Mascarene Islands, i. 282  
   Malayan, probable origin of, i. 359  
   Moluccan, peculiarities of, i. 419  
   Timorese, origin of, i. 422  
   of Celebes, origin of, i. 436  
   of New Zealand, origin of, i. 460  
   of Galapagos, origin of, ii. 33  
   of Central America, origin of, ii. 57  
   of Antilles, origin of, ii. 78  
   of Neotropical region, origin of, ii. 80  
 FELIDÆ, ii. 192  
*Felis*, Miocene of Greece, i. 115  
   European Miocene, i. 118  
   Indian Miocene, i. 121  
   N. American Post-Pliocene, i. 129  
   in Brazilian caves, i. 144  
   ii. 193  
*Felis spelæa*, i. 110  
*Feniseca*, ii. 477  
*Fennecus*, ii. 197  
*Ferania*, ii. 376  
 Fernando Po, zoological features of, i. 265  
*Feroculus*, ii. 191  
*Fiber*, ii. 230  
*Figulus*, ii. 493  
 Fiji, Tonga, and Samoa Islands, birds of, i. 443  
 Finches, ii. 283  
 FIROLIDÆ, ii. 531  
 Fishes, means of dispersal of, i. 19  
   classification of, i. 101  
   cosmopolitan groups of, i. 176  
   of the Palaearctic region, i. 186  
   of the European sub-region, i. 196  
   of the Mediterranean sub-region, i. 205  
   of the Manchurian sub-region, i. 227  
   fresh-water, table of Palaearctic families of, i. 227  
   of the Ethiopian region, i. 255  
   of South Africa, i. 268  
   fresh-water, table of Ethiopian families of, i. 298  
   fresh-water, of the Oriental region, i. 318  
   of the Indo-Malay sub-region, i. 341  
   fresh-water, table of Oriental families of, i. 369  
   fresh-water, of the Australian region, i. 397  
   fresh-water, resemblance of Australian and S. American, i. 400  
   how the transmission may have taken place, i. 401  
   fresh-water, of New Zealand, i. 457  
   fresh-water, table of Neotropical families of, ii. 89  
   of Central N. America, ii. 131  
   of Eastern United States, ii. 134  
   of Canada, ii. 137  
   fresh-water, table of Nearctic families of, ii. 143

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

576

## GENERAL INDEX.

- Fishes, remarks on the distribution of, ii. 464  
 fossil, ii. 468  
 Fishing-hawks, ii. 349  
 FISSURELLIDÆ, ii. 511  
 FISTULARIDÆ, ii. 436  
*Fitzroya*, ii. 450  
 Flamingoes, European Miocene, i. 162  
 ii. 361  
 Flora, of New Zealand, as influenced by  
 scarcity of insects, i. 462  
 fossil of Australia, i. 467  
 Floras, cretaceous and tertiary, of North  
 America, ii. 155  
*Florisuga*, ii. 107  
 Flower-peckers, ii. 277  
 Flower, Professor, on classification of mam-  
 malia, i. 85  
 classification of carnivora, i. 87  
*Fluvicola*, ii. 100  
 Flycatchers, ii. 270  
 Flying Lemur, Malayan, figure of, i. 337  
 ii. 186  
 Flying Lizards, ii. 401  
 Flying Opossum, figure of, i. 442  
*Fordonia*, ii. 376  
 Forests, essential to existence of many Euro-  
 pean animals, i. 192  
 Siberian, greatest extent of, i. 216  
 FORMICARIIDÆ, ii. 297  
 FORMICARIINÆ, ii. 298  
*Formicarius*, ii. 104  
*Formicivora*, ii. 104  
 FORMICIVORINÆ, ii. 297  
 Formosa, zoology of, i. 332  
 Fossa, ii. 195  
*Foudia*, ii. 286  
*Fraucolinus*, ii. 338  
*Fraseria*, ii. 272  
*Fratercula*, ii. 367  
*Fregatta*, ii. 365  
*Fregilupus*, ii. 288  
*Fregilus*, ii. 274  
 Fresh-water fishes, Neotropical, ii. 12  
 of S. Temperate America, ii. 42  
 of the Mexican sub-region, ii. 54  
 of the Antilles, ii. 73  
 of the Nearctic region, ii. 120  
 of California, ii. 128  
 summary and conclusion, ii. 549  
 Fresh-water mussels, ii. 534  
 shell, the most Arctic, ii. 518  
 snakes, ii. 376  
 snails, ii. 518  
*Fringilla*, ii. 283  
*Fringillaria*, ii. 285  
*Fringillanda*, ii. 282  
 FRINGILLIDÆ, ii. 284  
 Frog-mouths, ii. 318  
 Frogs, ii. 420  
*Fulica*, ii. 352  
*Fuligula*, ii. 364  
*Fulmarus*, ii. 365  
*Fundulus*, ii. 450  
 FURNARIINÆ, ii. 295  
*Furnarius*, ii. 103  
*Fusus*, ii. 507
- G.
- GADIDÆ, ii. 439  
 GADOFSIDÆ, ii. 439  
*Gadus*, ii. 439  
*Galago*, ii. 177  
 Galapagos, scarcity of insects in, i. 463  
 Galapagos islands, ii. 29  
 mammalia of, ii. 29  
 birds of, ii. 30  
 reptiles of, ii. 32  
 insects of, ii. 33  
 land-shells of, ii. 33  
 conclusions as to the origin of their fauna,  
 ii. 33  
*Galatea*, ii. 536  
*Galaxias*, ii. 448  
 GALAXIDÆ, ii. 448  
*Galbalcyrhynchus*, ii. 311  
*Galbula*, ii. 311  
 GALBULIDÆ, ii. 311  
*Galecynus*, in European Pliocene, i. 112  
 ii. 198  
*Galeichthys*, ii. 443  
 GALEOPITHECIDÆ, ii. 186  
*Galeoscoptes*, ii. 256  
*Galeospalax*, European Miocene, i. 118  
 ii. 190  
*Galeotherium*, Post-Pliocene, i. 111  
*Galera*, N. American Post-Pliocene, i. 130  
*Galerella*, ii. 195  
*Galerita*, ii. 289  
 ii. 490  
*Galeria*, ii. 188  
*Galethylax*, European Eocene, i. 125  
 ii. 198  
*Galeus*, ii. 460  
*Galicteis*, in Brazilian caves, i. 144  
 ii. 199  
*Galidia*, ii. 195  
*Galidictis*, ii. 195  
 Gallinæ, classification of, i. 96  
 range of Palearctic genera of, i. 248  
 range of Ethiopian genera of, i. 311  
 range of Oriental genera of, i. 384  
 range of Australian genera of, i. 485  
 GALLINÆ, ii. 337  
 ii. 340  
 general remarks on the distribution of, ii.  
 344  
*Gallinago*, ii. 353  
*Gallinula*, ii. 352  
*Gallus*, Miocene of Greece, i. 116  
 ii. 340  
*Gallus bravardi*, European Pliocene, i. 161  
*Galogale*, ii. 195  
*Gambusia*, ii. 450  
*Gampsonyx*, ii. 349  
*Gampsonychnus*, ii. 261  
 Gannets, ii. 365  
 GANOIDEI, ii. 458  
 Gape-eyed Skinks, ii. 395  
 Gar fish, ii. 459  
 Garrod, Professor, on the Classification of  
 Parrots, ii. 324  
*Garrulax*, ii. 261  
*Garrulus*, ii. 273  
 GASTEROPODA, ii. 507  
 GASTEROSTEIDÆ, ii. 424  
*Gasterosteus*, ii. 424  
*Gastornis*, European Eocene, i. 163  
 GASTROCHÆNIIDÆ, ii. 537  
*Gastropelocus*, ii. 445  
 GAVIALIDÆ, ii. 405  
*Gavialis*, ii. 405  
 Gavials, ii. 405  
*Gazella*, ii. 223  
 GAZELLINÆ, ii. 223  
*Gazera*, ii. 481  
*Gecinulus*, ii. 303  
*Gecinus*, ii. 303  
*Gecko*, ii. 399  
 GECKOTIDÆ, ii. 399

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

## GENERAL INDEX.

577

- Geese, ii. 363  
*Gehya*, ii. 400  
 Genera common to Post-Pliocene and Pliocene faunas of N. America, i. 132  
*Genetta*, ii. 195  
*Genidens*, ii. 443  
*Geobates*, ii. 103  
*Geoblastes*, ii. 312  
*Geocichla*, ii. 256  
*Geococcyx*, ii. 309  
*Geococcyx*, ii. 309  
 GEODEPHAGA, ii. 486  
*Geofrogus*, ii. 326  
 Geographical zoology, introduction, ii. 167  
   materials for, ii. 168  
 Geological history of Oriental region, i. 362  
 Geology and Physical Geography of the Antilles, ii. 62, 79  
*Geomelania*, ii. 519  
*Geomys*, ii. 233  
*Geopelia*, ii. 332  
*Geophaps*, ii. 333  
*Geophagus*, ii. 439  
*Geopsittacus*, ii. 325  
*Georissa*, ii. 522  
*Georychus*, ii. 231  
*Geositta*, ii. 103  
*Geospiza*, ii. 284  
*Geothlypis*, ii. 279  
*Geotrochus*, ii. 523  
*Geotryon*, ii. 333  
*Geotrypus*, ii. 190  
*Geranospiza*, ii. 347  
*Gerbillus*, ii. 230  
   ii. 232  
*Geronticus*, ii. 360  
*Gerrhonotus*, ii. 392  
*Gerrhosaurus*, ii. 392  
 GERRIDÆ, ii. 438  
*Gervasia*, ii. 260  
*Gerygone*, ii. 258  
 Giant-Clams, ii. 534  
 Gibbon, ii. 171  
 Gibraltar, cave fauna of, i. 114  
 Giraffes, ii. 221  
*Girardinus*, ii. 459  
 Glacial epoch, as affecting the distribution of animals, i. 40  
   as a cause of the great change in the fauna of the temperate zones, since Pliocene times, i. 151  
   probably simultaneous in both hemispheres, i. 151  
   causing a general subsidence of the ocean, i. 152  
*Glandina*, Eocene, i. 169  
   ii. 515  
*Glareola*, ii. 355  
 GLAREOLIDÆ, ii. 355  
*Glaucis*, ii. 107  
*Glaucidium*, ii. 350  
*Glauconeza*, ii. 536  
*Glaucopsis*, ii. 481  
*Gliciphila*, ii. 275  
*Glis*, ii. 232  
*Globiocephalus*, ii. 209  
*Glossoptila*, ii. 278  
*Glossotherium*, in Brazilian caves, i. 145  
   S. American Pliocene, i. 147  
   ii. 247  
*Glycimeris*, ii. 536  
*Glyphidodon*, ii. 427  
*Glyphoglossus*, ii. 416  
*Glyphorhynchus*, ii. 103  
*Glyptodon*, S. American Pliocene, i. 147  
*Glyptosternum*, ii. 443
- Gnaphodes*, ii. 471  
*Gnathodon*, ii. 536  
*Gnathopsis*, S. American Pliocene, i. 147  
 Goats, Palæartic, i. 182  
   ii. 221  
 Goat-suckers, ii. 519  
 GOBIESOCIDÆ, ii. 436  
 GOBIDÆ, ii. 430  
*Gobio*, ii. 452  
*Gobius*, ii. 430  
 Godinan, Mr., on Natural History of the Azores, i. 207  
 Golden Moles, S. African, i. 267  
*Goliath*, ii. 494  
*Gonepteryx*, ii. 478  
*Goniodactylus*, ii. 400  
*Gonygophis*, ii. 382  
*Gonorhynchidae*, ii. 453  
*Gonycephalus*, ii. 402  
*Gonyosoma*, ii. 379  
*Gouldia*, ii. 107  
*Goura*, ii. 333  
*Gracularus*, N. American Cretaceous, i. 164  
 Grallæ, arrangement of, i. 97  
   peculiar or characteristic Palæartic genera, i. 249  
   peculiar Ethiopian genera of, i. 31  
   peculiar Oriental genera of, 368  
   peculiar Australian genera of, i. 456  
 GRALLÆ, ii. 351  
   general remarks on the distribution of, ii. 362  
*Grallaria*, ii. 104  
*Grallaricula*, ii. 104  
*Grallina*, ii. 273  
*Grammatophorus*, ii. 402  
*Grammatoptila*, ii. 261  
*Grampus*, ii. 209  
*Granatellus*, ii. 279  
*Grundala*, ii. 259  
*Graphidurus*, ii. 232  
*Graphipterus*, ii. 491  
*Graculus*, ii. 268  
 Gray, Dr. J. E., on classification of Cetacea, i. 88  
*Grayia*, ii. 376  
 Grayson, Col., on birds of Tres Marias, ii. 59  
 Grebes, ii. 367  
 Greece, Upper Miocene deposits of, i. 115  
   summary of Miocene fauna of, i. 116  
 Green Bulbuls, ii. 267  
 Greenland, zoology of, ii. 138  
 Greenlets, ii. 280  
 Groups peculiar to a region, how defined, ii. 184  
 Grouse, ii. 328  
 GRUIDÆ, ii. 356  
*Grus*, ii. 357  
*Crypticus*, ii. 421  
*Crypus*, ii. 107  
 Guacharo, ii. 107  
 Guans, ii. 342  
 Guaranas, ii. 357  
*Gubernatrix*, ii. 285  
*Guillemots*, ii. 267  
*Gutra*, ii. 309  
*Gurra*, ii. 285  
 Günther, Rev. J. T., on Achatinellidæ of the Sandwich Islands, i. 446  
 Gulls, ii. 364  
*Gulo*, ii. 199  
 Günther, Dr., his classification of reptiles, i. 98  
   his classification of fishes, i. 101  
   on gigantic tortoises of Galapagos and the Mascarene Islands, i. 289

VOL. II.

P P



Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

578

## GENERAL INDEX.

- Günther, Dr., on range of Indian reptiles in the Himalayas, i. 329  
on identical Atlantic and Pacific fishes, ii. 21  
on fresh-water fishes of Central America, ii. 54
- Gygis, ii. 385
- GYMNARCHIDÆ**, ii. 449
- Gymnarchus*, ii. 449
- GYMNETINÆ**, ii. 494
- Gymnodbucco*, ii. 306
- Gymnocephalus*, ii. 103
- Gymnocichla*, ii. 104
- Gymnocorvus*, ii. 274
- Gymnocypris*, ii. 452
- Gymnodactylus*, ii. 400
- GYMNODERINÆ**, ii. 293
- Gymnoderus*, ii. 103
- GYMNODONTES**, ii. 457
- Gymnoglaux*, ii. 350
- Gymnokitta*, ii. 273
- Gymnomystax*, ii. 282
- Gymnopelia*, ii. 333
- Gymnops*, ii. 287
- GYMNOPHTHALMIDÆ**, ii. 395
- Gymnophthalmus*, ii. 395
- Gymnopus*, ii. 199
- Gymnorhina*, ii. 273
- Gymnostomus*, ii. 451
- GYMNOTIDÆ**, ii. 455
- Gymnotus*, ii. 455
- Gymnura*, ii. 183
- Gypætus*, ii. 348
- Gypohierax*, ii. 348
- Gypocictinia*, ii. 349
- Gyps*, ii. 346
- H.**
- Haast, Dr., on extinct birds of New Zealand, i. 460
- Habitat**, definition of, i. 4
- Habrocomus*, ii. 233
- Habroptila*, ii. 352
- Habrura*, ii. 101
- Hadrostomus*, ii. 102, 293
- Hæmatoderus*, ii. 103
- Hæmatopus*, ii. 356
- Hæmatospiza*, ii. 235
- Hæmophila*, ii. 284
- Hæmulon*, ii. 426
- Hætera*, ii. 471
- Hægria*, ii. 397
- Hainan, zoology of, i. 334
- Halcyon*, ii. 316
- Halcyonis*, European Eocene, i. 103
- Halicyon*, ii. 204
- Haliæetus*, ii. 348
- Haliastur*, ii. 343
- Halicærus*, ii. 204
- Halicore*, ii. 210
- HALIOTIDÆ**, ii. 511
- Halitherium*, European Pliocene, i. 112  
European Miocene, i. 119  
ii. 211
- Halmaturus*, ii. 251
- HALOSAURIDÆ**, ii. 455
- Halys*, ii. 385
- Hamadryas*, ii. 470
- Hang-nests, ii. 281
- Hapale*, ii. 176  
ii. 178
- Hapalemur*, ii. 176
- HAPALIDÆ**, ii. 175
- Hapalotis*, ii. 290
- Hapalus*, ii. 524
- Haplocerous*, ii. 374
- Haplochilus*, ii. 450
- Haplochiton*, ii. 446
- HAPLOCHITONIDÆ**, ii. 446
- Haplodactylus*, ii. 427
- Haploodon*, ii. 236
- HAPLOODONTIDÆ**, ii. 236
- Haplospiza*, ii. 264
- Hapsitrophis*, 379
- Harelda*, ii. 364
- Hares, ii. 242
- Harma*, ii. 474
- Harpa*, ii. 349  
ii. 507
- Harpactes*, ii. 314
- Harpagus*, ii. 349
- Harpalus*, ii. 489
- Harpophynchus*, ii. 256
- Harpophalictes*, ii. 348
- Harlaubius*, ii. 288
- Hathliodes*, ii. 502
- Hatteria of New Zealand, i. 456
- Hatteria*, ii. 405
- Hawks, ii. 347
- Hedgehogs, ii. 187
- Hedymeles*, ii. 285
- Helarctos*, ii. 202
- Helcyra*, ii. 474
- Heliothreptus*, ii. 320
- Helinactis*, ii. 108
- Heliangelus*, ii. 108
- Helianthea*, ii. 108
- Helianthes*, ii. 437
- HELICIDÆ**, ii. 512
- Helicina*, ii. 522
- HELICONIDÆ**, ii. 473  
ii. 522
- Heliconius*, ii. 473
- Helicophagus*, ii. 442
- Helicops*, ii. 377
- Helictis*, Himalayan, figure of, i. 331
- Helictis*, ii. 199
- Heliobletus*, ii. 103
- Heliochara*, ii. 102
- Heliodora*, ii. 107
- Heliomastes*, ii. 108
- Heliopedica*, ii. 107
- Heliophobus*, ii. 231
- Helioporus*, ii. 417
- Helionis*, ii. 352
- Heliothrix*, ii. 108
- Heliotrypha*, ii. 108
- Helix*, Eocene, i. 169  
ii. 513
- Helladothorium*, Miocene of Greece, i. 116  
European Miocene, i. 120  
ii. 221
- Helluomorpha*, ii. 490
- Helmintherus*, ii. 279
- Helminthophaga*, ii. 279
- Heloderma*, ii. 390
- HELODERMIDÆ**, ii. 390
- Helodromas*, ii. 353
- Helogale*, ii. 195
- Helogenes*, ii. 442
- HELORNITHINÆ**, ii. 352
- Helotarsus*, ii. 348
- Hemibos*, Indian Miocene, i. 122  
ii. 225
- Hemicentetes*, ii. 188
- Hemicercus*, ii. 303
- Hemichelidon*, ii. 290
- Hemichromis*, 438
- Hemicyon*, European Miocene, i. 118  
ii. 198
- Hemidactis*, ii. 273



- Hemidactylum*, ii. 413  
*Hemidactylus*, ii. 399  
*Hemierges*, ii. 397  
*Hemigalea*, ii. 195  
*Hemignathus*, ii. 277  
*Hemimantis*, ii. 419  
*Hemiodus*, ii. 445  
*Hemiphraetus*, ii. 420  
*Hemipimelodus*, ii. 443  
*Hemiprocne*, ii. 320  
*Hemipus*, ii. 270  
*Hemirhamphus*, ii. 450  
*Hemistilurus*, ii. 442  
*Hemisorubim*, ii. 442  
*Hemistilbon*, ii. 109  
*Hemistus*, ii. 414  
*Hemitriscus*, ii. 101  
*Hemizus*, ii. 267  
*Hemicognathus*, ii. 328  
*Hemicopernis*, ii. 349  
*Hemicophaps*, ii. 333  
*Hemicorhina*, ii. 264  
*Hemicornis*, ii. 103  
*Heptapterus*, ii. 444  
*Heredia*, ii. 413  
*Hérons*, ii. 359  
*Heros*, ii. 438  
*Herpestes*, ii. 195  
*Herpethiops*, ii. 376  
*Herpetodryas*, ii. 376  
*Herpeton*, ii. 376  
*Herpetoreas*, ii. 375  
*Herpetotheres*, ii. 348  
*Herpetotherium*, N. American Tertiary, i. 134  
*Herpsilochmus*, ii. 104  
*Herring*, ii. 454  
*Hesperia*, ii. 480  
**HESPERIDÆ**, ii. 480  
*Hesperomys*, N. American Tertiary, i. 140  
   in Brazilian caves, i. 145  
   S. American Pliocene, i. 147  
   ii. 230, 231  
*Hesperornis*, N. American Cretaceous, i. 164  
*Hestia*, ii. 470  
*Hestima*, ii. 501  
*Heterobranchus*, ii. 441  
*Heterocephalus*, ii. 281  
*Heterocercus*, ii. 102  
*Heterochroa*, ii. 474  
*Heterochemis*, ii. 104  
*Heterocorys*, ii. 289  
*Heterodactylus*, ii. 393  
*Heterodon*, in Brazilian caves, i. 125  
   ii. 246  
   ii. 376  
*Heterogynis*, ii. 481  
*Heterolocha*, 287  
*Heteromorpha*, ii. 262  
*Heteromys*, ii. 233  
*Heteronota*, ii. 400  
*Heteronympha*, ii. 471  
*Heteropelma*, ii. 102, 292  
*Heteropus*, ii. 397  
**HETÉROPYGIÆ**, ii. 450  
*Heterospizias*, ii. 348  
*Heterotis*, ii. 454  
*Heterura*, ii. 290  
*Hewitsonia*, ii. 477  
*Hexagonia*, ii. 491  
*Hexaprotodon*, Indian Miocene, i. 122  
*Hickman*, Mr. John, on a cause of the extinction of large animals, i. 153  
*Hieracidea*, ii. 349  
*Hierax*, ii. 349  
*Hierococcus*, ii. 310  
*Hierofalco*, ii. 349  
  
*Hill-Tits*, ii. 266  
Himalayas, altitude reached by various groups  
   in the, i. 329, 333  
*Himantornis*, ii. 352  
*Himantopus*, ii. 353  
*Hinulia*, ii. 397  
*Hipistes*, ii. 376  
*Hipparchia*, ii. 471  
*Hipparion*, European Pliocene, i. 112  
   Miocene of Greece, i. 115  
   European Miocene, i. 119  
   N. American Post-Pliocene, i. 130  
   N. American Tertiary, i. 135  
   ii. 211  
*Hippocampus*, ii. 457  
*Hippoglossoides*, ii. 441  
*Hippoglossus*, 441  
**HIPPOPOTAMIDÆ**, ii. 214  
*Hippopotamus*, Post-Pliocene, i. 112  
   European Pliocene, i. 113  
   Indian Pliocene, i. 122  
   ii. 214  
*Hipposyus*, N. American Tertiary, i. 133  
*Hippotherium*, European Miocene, i. 119  
   Indian Miocene, i. 122  
**HIPPOTRAGINÆ**, ii. 223  
*Hippotragus*, European Miocene, i. 120  
   ii. 223  
**HIPPURITIDÆ**, ii. 534  
*Hirundinea*, ii. 101  
**HIRUNDINIDÆ**, ii. 280  
*Hirundo*, ii. 281  
*Hoazin*, ii. 345  
*Holocanthus*, ii. 427  
*Holbrookia*, ii. 401  
*Holochilus*, ii. 230  
*Hologerrhum*, ii. 379  
**HOLOSTELI**, ii. 458  
*Holurophis*, ii. 380  
*Homalodontotherium*, S. American Pliocene,  
   i. 146  
*Homalophis*, ii. 376  
*Homalophus*, European Miocene, i. 161  
**HOMALOPSIDÆ**, ii. 376  
*Homalopsis*, ii. 376  
*Homaloptera*, ii. 453  
*Homalosoma*, ii. 490  
*Hombrovia*, ii. 397  
*Homocamelus*, N. American Tertiary, i. 138  
   ii. 217  
*Homorus*, ii. 103  
   ii. 524  
Honey-guides, ii. 304  
Honeysuckers, birds specially adapted to  
   Australia, i. 392  
   ii. 275  
Hooker, Dr., on deficiency of odours in New  
   Zealand plants, i. 464  
Hoopoes, ii. 317  
*Hopladelus*, ii. 442  
**HOPLEGNATHIDÆ**, ii. 433  
*Hoplobatrachus*, ii. 421  
**HOPLOCEPHALÆ**, ii. 460  
*Hoplocephalus*, ii. 383  
*Hoplocetus*, European Pliocene, i. 112  
*Hoplophonus*, N. American Tertiary, i. 134  
*Hoplophorus*, ii. 246  
*Hoplopterus*, ii. 356  
*Horites*, ii. 258  
Hornbills, ii. 316  
Horses, fossil, in Indian Miocene, i. 121  
   perfect series of ancestral, in N. America,  
   i. 136  
   probable birthplace of, i. 154  
   ii. 211  
Horse-shoe bats, ii. 132

- Hortulia*, ii. 381  
 Howling monkeys, ii. 175  
 Hudson, Mr., on land-birds of Patagonia, ii. 99  
 Humming-birds, ii. 321  
 Huro, ii. 425  
 Hutton, Capt. F. W., on origin of New Zealand fauna, i. 461  
 Huxley, Professor, on zoological regions, i. 59  
 division of animal kingdom by, i. 85  
*Hyades*, ii. 472  
*Hyæna*, Post-Pliocene, i. 112  
 Miocene of Greece, i. 115  
 European Miocene, i. 118  
 Indian Miocene, i. 121  
 fossil in N. China, i. 123  
 ii. 196  
*Hyænarctos* in European Pliocene, i. 112  
 European Miocene, i. 118  
 Indian Miocene, i. 121  
 S. American Pliocene, i. 146  
*Hyænicitis*, Miocene of Greece, i. 115  
 European Miocene, i. 118  
 ii. 196  
*Hymnidae*, European Miocene, i. 118  
 HYÆNIDÆ, ii. 196  
*Hyænodon*, European Miocene, i. 118  
 European Eocene, i. 125  
 N. American Tertiary, i. 134  
*Hyænodontidae*, European Miocene, i. 118  
 HYALEIDÆ, ii. 531  
*Hyalimaz*, ii. 517  
*Hyalina*, ii. 515  
*Hyalosaurus*, ii. 292  
*Hyantis*, ii. 472  
*Huocystis*, ii. 520  
*Hyborhynchus*, ii. 452  
*Hydrocæna*, ii. 521  
*Hydrochelidon*, ii. 364  
*Hydrocærus*, N. American Post-Pliocene, i. 130  
*Hydrocærus*, ii. 241  
*Hydrocissa*, ii. 317  
*Hydrocyon*, ii. 445  
*Hydrogale*, ii. 199  
*Hydromedusa*, ii. 408  
*Hydromys*, ii. 230  
*Hydrophasianus*, ii. 355  
 HYDROPHIDÆ, ii. 384  
*Hydrophis*, ii. 334  
*Hydropotes*, ii. 219  
*Hydropsalis*, ii. 319  
*Hydrotroris*, European Miocene, i. 162  
 ii. 298  
*Hydrosaurus*, ii. 389  
*Hyetornis*, ii. 309  
*Hygrogonus*, ii. 439  
*Hyla*, ii. 418  
*Hylactes*, ii. 297  
*Hylambates*, ii. 410  
*Hylaplesia*, ii. 415  
 HYLAPLESIDÆ, ii. 414  
*Hylarana*, ii. 419  
*Hylatomus*, ii. 303  
*Hylella*, ii. 418  
 HYLIDÆ, ii. 418  
*Hyliota*, ii. 270  
*Hylobates*, ii. 171  
*Hylocharis*, ii. 109  
 ii. 271  
*Hylodes*, ii. 419  
*Hylomanes*, ii. 313  
*Hylomys*, ii. 186  
*Hylophilus*, ii. 280  
*Hylorhina*, ii. 420  
*Hylotrupes*, ii. 502  
*Hylozalus*, ii. 419  
*Hymenolaimus*, ii. 364
- HYODONTIDÆ, ii. 453  
*Hypohippus*, N. American Tertiary, i. 135  
*Hyomachus*, European Miocene, i. 120  
 ii. 218  
*Hyopicus*, ii. 303  
*Hypopotamus*, European Miocene, i. 119  
 N. American Tertiary, i. 137  
 ii. 216  
*Hypopsodus*, N. American Tertiary, i. 133  
*Hyootherium*, European Miocene, i. 119  
 ii. 215  
*Hypargos*, ii. 287  
*Hyperantha*, ii. 496  
*Hypergerus*, ii. 261  
*Hypermenestra*, ii. 479  
*Hyperodapedon*, ii. 405  
*Hyperolius*, ii. 417  
*Hyperoodon*, ii. 208  
 HYPEROODONTIDÆ, ii. 208  
*Hyperopsius*, ii. 448  
*Hypertragulus*, N. American Tertiary, i. 138  
*Hypphantornis*, ii. 286  
*Hypherpes*, ii. 265  
*Hypsiodus*, N. American Tertiary, i. 138  
*Hypna*, ii. 474  
*Hypnale*, ii. 385  
*Hypocheira*, ii. 287  
*Hypochrypsops*, ii. 477  
*Hypocista*, ii. 471  
*Hypocnemis*, ii. 104  
*Hypocoilius*, ii. 272  
*Hypodes*, ii. 272  
*Hypogeomys*, ii. 230  
*Hypolais*, ii. 258  
*Hypolithus*, ii. 491  
*Hypolycæna*, ii. 477  
*Hypomesus*, ii. 477  
*Hypopachus*, ii. 416  
*Hypophthalmichthys*, ii. 453  
*Hypophthalmus*, ii. 442  
*Hypopyrrhus*, ii. 282  
*Hyporissus*, ii. 190  
*Hypothyris*, ii. 271  
*Hypozanthus*, ii. 304  
*Hypsipetes*, ii. 267  
*Hypsiprymnus*, Australian Post-Tertiary, i. 157  
 ii. 251  
*Hypsirhina*, ii. 376  
*Hypsirhynchus*, ii. 375  
*Hyrachyus*, N. American Tertiary, i. 136  
 HYRACIDÆ, ii. 228  
*Hyracodon*, N. American Tertiary, i. 136  
 ii. 214  
 ii. 248  
*Hyracoidæ*, classification of, i. 90  
 Palæarctic, i. 242  
 Ethiopian, i. 304  
 HYRACOIDEA, ii. 228  
*Hyracotherium*, supposed, in European Eocene, i. 125  
 European Eocene, i. 126  
 ii. 216  
 ii. 229  
*Hyrax*, ii. 228  
 HYSTRICIDÆ, ii. 240  
*Hystriodon*, ii. 445  
*Hystrix*, European Pliocene, i. 113  
 Miocene of Greece, i. 116  
 N. American Tertiary, i. 140  
 ii. 240
- I.
- Ialmenus*, ii. 774  
*Ianthænas*, ii. 332  
*Ianthina*, ii. 511

- Ibidipodia*, European Miocene, i. 162  
*Ibidorhynchus*, ii. 353  
*Ibidorhynchus*, figure of, i. 331  
*Ibis*, ii. 360  
*Ibises*, ii. 360  
*Ibycter*, ii. 347  
 Iceland, zoology of, i. 198  
*Ichnemnia*, ii. 195  
*Ichthyoborus*, ii. 445  
*Ichthyopsis*, ii. 411  
*Icteria*, ii. 279  
 ICTERIDÆ, ii. 261  
*Icterus*, ii. 262  
*Ichthyornis*, N. American Cretaceous, i. 164  
*Ichtyon* in Brazilian caves, i. 144  
 ii. 197  
*Ichintia*, ii. 349  
*Ichtherium*, Miocene of Greece, i. 115  
 European Miocene, i. 118  
 ii. 195  
 ii. 197  
*Ictonyx*, ii. 199  
*Ictops*, N. American Tertiary, i. 133  
*Ideopsis*, ii. 470  
*Idmais*, ii. 478  
*Iguana*, ii. 401  
*Iguanas*, ii. 400  
 IGUANIDÆ, ii. 400  
*Ilerda*, ii. 477  
*Ilicura*, ii. 102  
 India, Miocene fauna of, allied to that of Europe, i. 123  
 geological features of, i. 328  
 Indian sub-region, description of, i. 321  
 supposed relation to Ethiopian region, i. 321  
 mammalia of, i. 322  
 birds of, i. 323  
 reptiles and amphibia of, i. 326  
*Indicator*, ii. 304  
 INDICATORIDÆ, ii. 304  
 Indo-Chinese sub-region, description of, i. 329  
 zoological characteristics of, i. 330  
 illustration of, i. 331  
 reptiles of, i. 331  
 amphibia of, i. 331  
 insects of, i. 332  
 islands belonging to, i. 333  
 Indo-Malayan sub-region, description of, i. 334  
 mammalia of, i. 336  
 illustrations of, i. 336, 339  
 birds of, i. 337  
 remote geographical relations of, i. 339  
 reptiles and amphibia of, i. 340  
 fishes of, i. 341  
 insects of, i. 341  
 coleoptera of, i. 342  
 terrestrial mollusca of, i. 343  
 zoological relations of islands of, i. 345  
 recent geographical changes in, i. 357  
 probable origin of fauna of, i. 359  
*India*, ii. 209  
*Insectivora*, European Miocene, i. 117  
 N. American Post-Pliocene, i. 129  
 N. American Tertiary, i. 133  
 Insectivora, classification of, i. 87  
 of the Palearctic region, i. 181  
 of N. China and E. Thibet, i. 222  
 range of Palearctic genera of, i. 239  
 of Madagascar, i. 273  
 range of Ethiopian genera of, i. 301  
 of the Oriental region, i. 315  
 range of Oriental genera of, i. 372  
 range of Australian genera of, i. 476  
 INSECTIVORA, ii. 186  
 INSECTIVORA, general remarks on the distribution of, ii. 191  
 summary and conclusion, ii. 541  
 Insects, means of dispersal of, i. 32  
 tenacity of life of, i. 33  
 adapted to special conditions, i. 33  
 groups selected for the study of their geographical distribution, i. 102  
 antiquity of the genera of, i. 166  
 fossil of European Miocene, i. 166  
 European Cretaceous, i. 167  
 European Wealden, i. 167  
 Palaeozoic, i. 168  
 Palearctic, i. 187  
 of Central Europe, i. 196  
 of the Mediterranean sub-region, i. 205  
 of the Siberian sub-region, i. 220  
 of the Manchurian sub-region, i. 227  
 of the Ethiopian region, i. 255  
 of the E. African sub-region, i. 260  
 of W. African, i. 265  
 S. African, i. 268  
 of Madagascar, i. 282  
 general remarks on, i. 284  
 of tropical Africa and America, probable cause of similarities in, i. 291  
 of Indo-Chinese sub-region, i. 332  
 of the Oriental region, i. 318  
 of Ceylon, i. 327  
 of Indo-Malay sub-region, i. 341  
 statistics of collecting in the various islands of the Malay Archipelago, i. 343  
 of the Australian region, i. 403  
 of New Guinea, i. 417  
 of the Moluccas, i. 420  
 of the Timor group, i. 426  
 of Celebes, i. 454  
 of New Zealand, i. 458  
 scarcity of, in New Zealand, i. 462  
 influence of, on the flora, i. 463  
 of the Neotropical region, ii. 13  
 of S. Temperate America, ii. 42  
 of S. Temperate America, Palearctic affinity of, ii. 45  
 of the Mexican sub-region, ii. 55  
 of the Antilles, ii. 73  
 of the Nearctic region, ii. 122  
 of Canada, ii. 137  
 distribution of, ii. 468  
 range of, in time, ii. 469  
 summary and conclusion, ii. 550  
 lines of migration of, ii. 551  
*Iodoptera*, ii. 102  
*Iolæma*, ii. 107  
*Iolæus*, ii. 477  
*Iole*, ii. 267  
*Iora*, ii. 267  
*Iphiais*, ii. 478  
 ii. 394  
 IPHIASIDÆ, ii. 394  
*Irena*, ii. 269  
*Iridina*, ii. 534  
*Iridornis*, ii. 98  
*Irrisor*, ii. 318  
 IRRISORIDÆ, ii. 318  
*Isacis*, N. American Tertiary, i. 133  
*Ischognathus*, ii. 375  
*Ischyromys*, N. American Tertiary, i. 140  
 ii. 236  
 Islands, N. European, zoology of, i. 197  
 of the Mediterranean sub-region, i. 206  
 of the W. African sub-region, i. 265  
 of the Ethiopian region, i. 269  
 Mascarene, i. 280  
 of the Indo-Chinese sub-region, i. 333  
 of the Indo-Malay sub-region, i. 345

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

582

## GENERAL INDEX.

Islands, Fiji, Tonga, and Samoa, i. 443  
 Society and Marquesas, i. 444  
 New Caledonia and New Hebrides, i. 445  
 Sandwich, i. 446  
 of New Zealand sub-region, i. 453  
 Norfolk, i. 453  
 Lord Howe's, i. 454  
 Chatham, i. 454  
 Auckland, i. 455  
 of Tropical S. America, ii. 29  
 of the Mexican sub-region, ii. 59  
 of Eastern United States, ii. 134  
 peculiar colours of pigeons in, ii. 336  
 abundance of land-shells in, ii. 525

*Isodactylum*, ii. 413  
*Ieptidina*, ii. 316  
*Iasiotromys*, European Pliocene, i. 113  
 ii. 232  
*Ithaginis*, ii. 340  
*Ithomia*, ii. 470  
*Ithyocyphus*, ii. 379  
*Ixalus*, ii. 419  
*Ixonotus*, ii. 267  
*Ixulus*, ii. 266

## J.

*Jacamaralcyon*, ii. 311  
 Jacamars, ii. 311  
*Jacamerops*, ii. 311  
 Jacanas, ii. 255  
*Jacchus*, in Brazilian caves, i. 144  
*Jaculus*, ii. 232  
*Jaltrix*, ii. 375  
*Jamaica*, ii. 521  
*Janella*, ii. 517  
*Janthocinclia*, ii. 261  
*Japalura*, ii. 402  
 Japan and North China, physical features of,  
 i. 221  
 southern extremity of perhaps belongs to  
 the Oriental region, i. 226  
 Japan, general character of the fauna of, i.  
 230  
 former land-connexions of, i. 231  
 Java, mammalia of, i. 349  
 productions of, well known, i. 350  
 birds of, i. 351  
 representative species of birds in, i. 352  
 origin of the anomalous features of its  
 fauna, i. 352  
 Sumatra and Borneo, their geographical  
 contrasts and zoological peculiarities  
 explained, i. 357

Jays, ii. 273  
*Jenyntia*, ii. 450  
 Jerboas, ii. 231  
 Juan Fernandez, Carabidæ of, ii. 44  
 birds of, ii. 49  
 beetles and land-shells of, ii. 51  
*Juida*, ii. 238  
*Juliamyia*, ii. 109  
*Junco*, ii. 284  
*Junonia*, European Miocene, i. 167  
 ii. 474

## K.

Kagu, ii. 359  
 Kakapoe, of New Zealand, i. 455  
*Kalophrynus*, ii. 415  
 Kangaroos, extinct in Australia, i. 157  
 ii. 251  
*Keneuxia*, ii. 397

Kerguelen Island, apterous insects of, i. 211  
 (note)  
*Kerodon*, in Brazilian caves, i. 144  
 S. American Pliocene, i. 147  
 ii. 241  
*Ketingus*, ii. 443  
*Ketupa*, ii. 350  
 King-fisher, racquet-tailed, of New Guinea,  
 figure of, i. 415  
 King-fishers, ii. 315  
*Kitacinclia*, ii. 259  
 Kiwi of New Zealand, i. 455  
*Kneria*, ii. 453  
*Kobus*, ii. 224  
 Koodoo antelope, figure of, i. 261  
*Kricogonia*, ii. 478  
*Krynckia*, ii. 517

## L.

*Labeo*, ii. 451  
*Labrax*, ii. 425  
 LABRIDÆ, ii. 437  
*Labrus*, ii. 437  
 LABYRINTHICI, ii. 434  
*Lacerta*, ii. 391  
 LACERTIDÆ, ii. 390  
 Lacertilia, classification of, i. 99  
 LACERTILLA, ii. 388  
 general remarks on the distribution of,  
 ii. 403  
 fossil, ii. 404  
*Lacuna*, ii. 510  
 Ladrone Islands, birds of, i. 444  
*Læmargus*, ii. 461  
*Læmosthenes*, ii. 489  
*Leosopis*, ii. 477  
*Lafresnaya*, ii. 107  
*Lagenocoetus*, ii. 208  
*Lagenorhynchus*, ii. 209  
*Lagidium*, ii. 237  
 LAGOMYIDÆ, ii. 242  
*Lagomys*, European Pliocene, i. 113  
 European Miocene, i. 120  
 ii. 242  
*Lagopus*, ii. 339  
*Lagorchestes*, ii. 251  
*Lagostomus*, in Brazilian caves, i. 145  
 S. American Pliocene, i. 147  
 ii. 237  
*Lagothrix*, ii. 174  
*Lais*, ii. 442  
 Lake Baikal, seals of, i. 218  
 ii. 206  
*Lalage*, ii. 269  
*Lalotes*, ii. 280  
 LAMIIDÆ, ii. 498  
*Lamna*, ii. 400  
 LAMNIDÆ, ii. 460  
*Lampornis*, ii. 107  
 Lampreys, ii. 463  
*Lamprius*, ii. 493  
*Lamprius*, ii. 429  
*Lamprocolius*, ii. 288  
*Lamproloma*, ii. 107  
*Lamprophis*, ii. 380  
*Lampropsar*, ii. 282  
*Lampropygia*, ii. 108  
*Lamprospilus*, ii. 477  
*Lamprospiza*, ii. 99  
*Lamprotes*, ii. 93  
 Lancelet, ii. 464  
 Land-lizards, ii. 391  
 Land and water, proportions of, i. 35  
 Land and fresh-water shells, antiquity of the  
 genera of, i. 168

- Land-shells, Palaeozoic, i. 169  
 Palaeartic, i. 190  
 of Madeira, i. 209  
 of the Cape Verd Islands, i. 215  
 of the Ethiopian region, i. 257  
 of W. Africa, i. 265  
 of Madagascar and the Mascarene Islands, i. 285  
 of the Indo-Malay sub-region, i. 344  
 of the Australian region, i. 407  
 of the Sandwich Islands, i. 466  
 of New Zealand, i. 459  
 of the Neotropical region, ii. 19  
 of the Antilles, ii. 75  
 conditions favouring development of, ii. 75  
 of N. America, ii. 124  
 general observations on the distribution of, ii. 522  
 richness of islands in, ii. 525  
 their mode of diffusion, ii. 525, 528  
 comparative distribution of Operculate and In-operculate, ii. 526  
 estimated numbers of, ii. 526
- Land-snakes, ii. 382
- Langaha*, ii. 379
- Laniarius*, ii. 272
- Laniocerus*, ii. 288
- Laniellus*, ii. 272
- LANIIDÆ, ii. 272
- Lanio*, ii. 99
- Lanios*, European Miocene, i. 161  
 ii. 272
- Laopithecus*, N. American Tertiary, i. 133
- Laornis*, N. American Cretaceous, i. 164
- Laprisa*, ii. 421
- LARIDÆ, ii. 364
- Larimus*, ii. 428
- Larks, ii. 289
- Larus*, ii. 364
- Larvivora*, ii. 259
- Lasiomys*, ii. 229
- Lasiuromys*, ii. 239
- Latax*, ii. 199
- Lates*, ii. 425
- Luthria*, ii. 102
- Latonia*, ii. 421
- Latrunculus*, ii. 430
- Layardia*, ii. 261
- Lea, Dr. Isaac, on N. American Unionidæ, ii. 125
- Lebia*, ii. 489
- Lebiasina*, ii. 445
- Legatus*, ii. 101
- Leiocephalus*, ii. 401
- Leiolæmus*, ii. 401
- Leistes*, ii. 282
- Leistus*, ii. 489
- Leimperus*, ii. 420
- Leiyla*, ii. 419
- Lemonias*, ii. 476
- Lemur*, ii. 176
- Lemur*, fossil, ii. 178
- Lemuravida*, N. American Tertiary, i. 133
- Lemuravus*, N. American Tertiary, i. 133
- Lemuria*, a hypothetical land, i. 76
- Lemurida*, European Eocene, i. 124
- LEMURIDÆ, ii. 176
- Lemuroidea, range of Ethiopian genera of, i. 300  
 range of Oriental genera of, 371
- LEMUROLDEA, ii. 176
- Lemurs, ii. 176
- Leonia*, ii. 521
- Lepadogaster*, ii. 436
- Lepticis*, N. American Tertiary, i. 133
- Lepidocephalichthys*, ii. 453
- Lepidocephalus*, ii. 453
- Lepidogrammas*, ii. 309
- Lepidolarynx*, ii. 108
- Lepidoptera, cosmopolitan families of, i. 177  
 table of Palaeartic families of, i. 238  
 S. African, i. 268  
 table of Ethiopian families of, i. 299  
 of the Oriental region, i. 318  
 table of Oriental families of, i. 369  
 of the Australian region, i. 404  
 table of Australian families of, i. 472  
 of the Neotropical region, ii. 13  
 of the Antilles, ii. 73  
 table of Neotropical families of, ii. 90  
 of the Nearctic region, ii. 122  
 Nearctic families of, ii. 143
- LEPIDOPTERA, ii. 470
- Lepidostren*, ii. 458
- LEPIDOSTEIDÆ, ii. 459
- Lepidosteus*, ii. 459
- LEPIDOSTERNIDÆ, ii. 389
- Lepidosternon*, ii. 389
- Lepilemur*, ii. 176
- Lepistes*, ii. 450
- LEPORIDÆ, ii. 242
- Leporinus*, ii. 445
- Lepricornis*, ii. 476
- Leprodera*, ii. 501
- Leptalis*, ii. 478
- Leptarchus*, N. American Tertiary, i. 135  
 ii. 202
- Leptasthenura*, ii. 103
- Leptauchenia*, N. American Tertiary, i. 138
- Leptobarbina*, ii. 452
- Leptobrachium*, ii. 421
- LEPTOCARDII, ii. 464
- Leptocera*, ii. 502
- Leptocharus*, N. American Tertiary, i. 137  
 ii. 215
- Leptocircus*, ii. 479
- Leptodetra*, ii. 379
- Leptodon*, Miocene of Greece, i. 116  
 ii. 214  
 ii. 349
- Leptognathus*, ii. 381
- Leptomantis*, ii. 419
- Leptomeryx*, N. American Tertiary, i. 138  
 ii. 220
- Lepton*, ii. 535
- Leptonura*, ii. 471
- Leptonyx*, ii. 204
- Leptopogon*, ii. 101
- Leptoma*, ii. 520
- Leptoptila*, ii. 333
- Leptoptilus*, European Miocene, i. 162  
 ii. 361
- Leptorhylaon*, ii. 380
- Leptornis*, ii. 276
- LEPTOSOMIDÆ, ii. 310
- Leptosomus*, allied form in European Eocene, i. 168  
 ii. 310
- Leptosomus* of Madagascar, i. 278  
 figure of, i. 279
- Leptotherium*, in Brazilian caves, i. 144  
 ii. 226
- Leptotriccus*, ii. 101
- Leptura*, ii. 502
- Lepus*, in Brazilian caves, i. 145  
 S. American Pliocene, i. 147
- Lerista*, ii. 395
- Lcrwa*, ii. 339
- Lesbia*, ii. 108
- Lestodon*, S. American Pliocene, i. 147
- Leucippus*, ii. 109
- Leuciscus*, ii. 452
- Leucochroa*, ii. 516

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

- Leucocyon*, ii. 197  
*Leucomelana*, ii. 332  
*Leuconerpes*, ii. 304  
*Leucophasia*, ii. 270  
*Leucophasia*, ii. 478  
*Leucopleurus*, ii. 209  
*Leucosartia*, ii. 333  
*Leucosomus*, ii. 453  
*Leucosticta*, ii. 285  
 Lewis, Mr. George, his collection of Japan insects, i. 228  
**LIALIDÆ**, ii. 396  
*Liasis*, ii. 396  
*Liasis*, ii. 381  
*Libellula*, from the Lias, i. 167  
*Libythea*, ii. 475  
**LIBYTHEIDÆ**, ii. 475  
*Lichanotus*, ii. 381  
*Lichenops*, ii. 101  
*Licina*, ii. 521  
*Licmetis*, ii. 325  
 Lilljeborg, Professor, on classification of the Rodentia, i. 90  
**LIMACIDÆ**, ii. 517  
**LIMACINIDÆ**, ii. 531  
*Limax*, ii. 517  
*Limnætitis*, ii. 474  
*Limnæa*, Eocene, 169  
     European Secondary, i. 169  
     ii. 518  
**LIMNÆIDÆ**, ii. 518  
*Limnatornis*, European Miocene, i. 161  
*Limnocharis*, ii. 420  
*Limnocyon*, N. American Tertiary, i. 134  
*Limnodynastes*, ii. 420  
*Limnohyus*, N. American Tertiary, i. 136  
*Limnophis*, ii. 376  
*Limnornis*, ii. 103  
*Limnotheridæ*, N. American Tertiary, i. 133  
*Limnotherium*, N. American Tertiary, i. 133  
*Limnurgus*, ii. 450  
*Limosa*, ii. 353  
*Limpets*, ii. 511  
*Lingula*, ii. 538  
**LINGULIDÆ**, ii. 532  
*Linota*, ii. 285  
*Linsang*, ii. 195  
*Liocassis*, ii. 442  
*Liopelma*, ii. 417  
*Liopsis*, ii. 375  
*Liopitius*, ii. 267  
*Liocelis*, ii. 297  
**LIOTRICHIDÆ**, ii. 266  
*Liothrix*, ii. 266  
*Lipaugus*, ii. 102  
*Liparis*, ii. 430  
*Liphyra*, ii. 477  
*Lipinia*, ii. 397  
*Lipoa*, ii. 342  
*Liposarcus*, ii. 444  
*Liptala*, ii. 477  
*Lissolepis*, ii. 397  
*Listriodon*, European Miocene, i. 119  
*Lithiodon*, ii. 521  
*Lithomys*, European Miocene, i. 120  
     ii. 236  
*Lithornis*, European Eocene, i. 163  
*Litoria*, ii. 418  
*Littorina*, ii. 510  
**LITTORINIDÆ**, ii. 510  
 Lizards, classification of, i. 90  
     Tertiary, i. 165  
     wide range of a species in Polynesia, i. 448  
     distribution and lines of migration of, ii. 547  
*Lobodon*, ii. 204  
*Lochmias*, ii. 103  
*Locustella*, ii. 256  
*Loddigesia*, ii. 108  
*Loncheres*, in Brazilian caves, i. 145  
     ii. 239  
*Lonchophorus*, in Brazilian caves, i. 145  
     ii. 239  
**LONGICORNIA**, ii. 498  
 Longicornia, Falearctic, i. 188  
     Ethiopian, i. 237  
     Oriental, i. 320  
     Australian, i. 407  
     Neotropical, ii. 17  
     of Chili, ii. 46  
     Nearctic, ii. 123  
*Loutra*, ii. 199  
*Lophiodon*, European Eocene, i. 125  
     N. American Tertiary, i. 136  
     ii. 212  
*Lophiomyz*, ii. 218  
*Lophiotherium*, N. American Tertiary, i. 136  
*Lophius*, ii. 431  
*Lophocætus*, ii. 348  
**LOPHOBRANCHII**, ii. 456  
*Lophocitta*, ii. 273  
*Lophogyps*, ii. 346  
*Lophoicinia*, ii. 349  
*Lopholaimus*, ii. 362  
*Lophiomys*, ii. 230  
*Lophophaps*, ii. 333  
*Lophophanes*, ii. 266  
**LOPHOPHORINÆ**, ii. 340  
*Lophophorus*, ii. 340  
*Lophorhina*, ii. 274  
*Lophornis*, ii. 107  
*Lophortix*, ii. 339  
*Lophotrix*, ii. 350  
**LÓPHOTIDÆ**, ii. 432  
*Lophotragus*, ii. 220  
*Lophotriorchis*, ii. 348  
*Lophura*, ii. 402  
 Lord Howe's Island, birds of, i. 453  
*Loricaria*, ii. 444  
*Loriculus*, ii. 326  
*Loris*, ii. 178  
*Lorius*, ii. 327  
*Lota*, ii. 439  
*Loxia*, ii. 285  
*Loxigilla*, ii. 285  
*Loxomylus*, Pliocene of Antilles, i. 148  
     ii. 237  
*Loxops*, ii. 277  
*Lucania*, ii. 450  
**LUCANIDÆ**, ii. 492  
*Lucanus*, ii. 493  
*Lucia*, ii. 477  
*Lucidella*, ii. 522  
*Lucifuga*, ii. 440  
**LUCINIDÆ**, ii. 535  
*Lucinopsis*, ii. 536  
**LUCIOCEPHALIDÆ**, ii. 434  
*Luciopeperca*, ii. 425  
*Luciotrutta*, ii. 447  
*Lucisoma*, ii. 452  
 Lund, Dr., his researches in caves of Brazil, i. 143  
*Lupus*, ii. 197  
*Lurocalis*, ii. 320  
*Luscinia*, ii. 259  
*Lusciniola*, ii. 258  
*Lutra*, European Miocene, i. 118  
     Indian Miocene, i. 121  
     ii. 199  
*Lutronectes*, ii. 199  
*Lycæna*, Miocene of Greece, i. 115  
     ii. 196

- LYCÆNIDÆ, ii. 477  
*Lycalopex*, i. 197  
 LYCOLIDÆ, ii. 439  
*Lycodon*, ii. 380  
 LYCODONTIDÆ, ii. 380  
*Lycophidion*, ii. 380  
*Lycorea*, ii. 470  
*Lygosoma*, ii. 397  
*Lygosomella*, ii. 397  
*Lymanopoda*, ii. 471  
*Lymanas*, ii. 476  
*Lyncornis*, ii. 320  
*Lyncus*, ii. 193  
*Lytorhynchus*, ii. 376  
 Lyre-bird, figure of, i. 441  
 ii. 298
- M.
- Mabouya*, ii. 397  
*Macacus*, European Pliocene, i. 112  
 Miocene of Greece, i. 115  
 Indian Miocene, i. 121  
 supposed in European Eocene, i. 125  
 ii. 173  
 ii. 178  
*Macaws*, ii. 327  
*Machairodus*, i. 110, 111  
 Miocene of Greece, i. 115  
 European Miocene, i. 113  
 Indian Miocene, i. 121  
 N. American Tertiary, i. 134  
 in Brazilian caves, i. 144  
 S. American Pliocene, i. 146  
 ii. 193  
*Machetornis*, ii. 101  
*Machærahampus*, ii. 349  
*Machærirhynchus*, ii. 271  
*Machæropterus*, ii. 102  
*Machetes*, ii. 353  
*Macrauchenia*, S. American Pliocene, i. 146  
*Macrocalamus*, ii. 374  
*Macroceramus*, ii. 516  
*Macrochilus*, ii. 491  
*Macrocyclus*, ii. 516  
*Macrodipteryx*, ii. 320  
*Macrodon*, ii. 445  
*Macroglossa*, ii. 482  
*Macrones*, ii. 442  
*Macronus*, ii. 261  
*Macromyz*, ii. 290  
 MACROPODIDÆ, ii. 250  
*Macropus*, ii. 251  
*Macropygia*, ii. 332  
*Macrorhampus*, ii. 353  
 MACROSCOLIDIDÆ, ii. 186  
*Macrosclides*, ii. 186  
*Macrosila*, ii. 482  
*Macrotherium*, Miocene of Greece, i. 116  
 European Miocene, i. 121  
 ii. 246  
*Macrotus californicus*, ii. 182  
 MACROURIDÆ, ii. 440  
 MACTRIDÆ, ii. 443  
 Madagascar, extinct birds of, i. 164  
 description of, i. 272  
 mammalia of, i. 272  
 birds of, i. 274  
 reptiles of, i. 279  
 amphibia of, i. 280  
 extinct fauna of, i. 282  
 general remarks on insect fauna of, i. 284  
 Madeira, birds of, i. 208  
 land-shells of, i. 208  
 beetles of, i. 210  
 Madeira, wingless insects numerous in, i. 211  
 how stocked with animals, i. 213  
 MALACANTHIDÆ, ii. 433  
 Malacca, Sumatra, and Borneo, zoological  
 unity of, i. 353  
 comparison of mammalia, i. 354  
 of birds, i. 355  
*Malacocircus*, ii. 261  
*Malacopteron*, ii. 261  
*Malacoptila*, ii. 310  
*Malacorhynchus*, ii. 364  
*Malacothrix*, ii. 230  
 Malagasy sub-region, description of, i. 272  
 mammalia of, i. 272  
 birds of, i. 274  
 illustration of zoology of, i. 278  
 reptiles of, i. 279  
 amphibia of, i. 280  
 extinct fauna of, i. 282, 289  
 insects of, i. 282  
 early history of, i. 286  
*Malapterurus*, ii. 443  
 Malaya and Indo-Malaya, terms defined, i.  
 345 (note)  
 Malaya, meaning of term, ii. 261  
 Malay Archipelago, distribution of butterflies  
 in ii. 434  
 distribution of Cicindelidæ in, ii. 487  
 distribution of Longicorns in, ii. 500  
 Malayan forms of life reappearing in West  
 Africa, i. 263  
 fauna, probable origin of, i. 359  
 resemblances to that of Madagascar and  
 Ceylon explained, i. 361  
*Malimbus*, ii. 286  
*Mallodon*, ii. 501  
*Mallotus*, ii. 447  
 Malta, Post-Pliocene fauna of, i. 114  
 formerly joined to Africa, i. 201  
 fossil elephants of, i. 201  
 birds of, i. 203 (note)  
*Malurus*, ii. 253  
 Mammal, the most ancient American, i. 134  
 Mammalia, means of dispersal of, i. 10  
 as limited by climate, i. 11  
 as limited by rivers, i. 12  
 how far limited by the sea, i. 13  
 dispersed by ice-floes and drift-wood, i.  
 14  
 means of dispersal of aquatic, i. 15  
 of most importance in determining zoo-  
 logical regions, i. 57  
 classification of, i. 85  
 birthplace and migrations of some families  
 of, i. 142, 153  
 cosmopolitan groups of, i. 176  
 of the Palaearctic region, i. 181  
 of the European sub-region, i. 192  
 of the Mediterranean sub-region, i. 202  
 of the Siberian sub-region, i. 217  
 characteristic of Western Tartary, i. 218  
 of the Manchurian sub-region, i. 222  
 Palaearctic genera of, in the Manchurian  
 sub-region, i. 222  
 Oriental genera of, on borders of same  
 sub-region, i. 223  
 peculiar to Japan, i. 223  
 characteristic of N.W. China and Mongolia,  
 i. 226  
 table of Palaearctic families of, i. 234  
 range of Palaearctic genera of, i. 239  
 of the Ethiopian region, i. 253  
 absence of certain important groups, i. 253  
 of the F. African sub-region, i. 260  
 of W. Africa, i. 262  
 of S. Africa, i. 267



Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

- Mammalia**, of Madagascar, i. 272  
table of Ethiopian families of, i. 294  
table of Ethiopian genera of, i. 300  
of the Oriental region, i. 315  
range of the genera inhabiting the Indian sub-region, i. 322  
of Ceylon, i. 327  
of the Indo-Chinese sub-region, i. 330  
of the Indo-Malayan sub-region, i. 336  
illustration of characteristic Malayan, i. 336  
of the Philippine Islands, i. 345  
table of Oriental families of, i. 305  
table of Oriental genera of, i. 371  
of Australian region, i. 390  
of the Papuan Islands, i. 410  
of the Moluccas, i. 417  
of the Timor group, i. 422  
of Celebes, i. 427  
of Australia, i. 439  
illustration of, i. 439  
of New Zealand, i. 450  
table of families of Australian, i. 470  
table of genera of Australian, i. 475  
distinctive characters of Neotropical, ii. 6  
of S. Temperate America, ii. 36  
of Straits of Magellan, ii. 37  
of the Mexican sub-region, ii. 52  
of the Antilles, ii. 62  
table of Neotropical families of, ii. 85  
table of Neotropical genera of, ii. 91  
of the Nearctic region, ii. 115  
of California, ii. 127  
of N. American central plains ii. 129  
of E. United States, ii. 132  
of Canada, ii. 135  
table of Nearctic families of, ii. 140  
table of Nearctic genera of, ii. 145
- Mammalia**, extinct, of Old World, i. 107  
extinct, of historic period, i. 110  
extinct, comparative age of in Europe, i. 127  
extinct, of the New World, i. 129  
extinct, of N. America and Europe, compared, i. 141  
original birthplaces of some families and genera, i. 142, 153  
of the secondary period, i. 160
- MAMMALIA**, summary and conclusion, ii. 540  
lines of migration of, ii. 544
- Manakins**, ii. 102
- MANATIDÆ**, ii. 210
- Manatus**, N. American Post-Pliocene, i. 130  
ii. 210
- Manchurian** sub-region, description of, i. 220  
mammalia of, i. 222  
birds of, i. 223  
reptiles and amphibia of, i. 227  
fresh-water fish of, i. 227  
insects of, i. 227  
coleoptera of, i. 228
- MANIDIDÆ**, ii. 245
- Manis**, ii. 245
- Manorhina**, ii. 276
- Manticora**, ii. 437
- Manucodia**, ii. 274
- Mareca**, ii. 363
- Margaroperdix**, ii. 338
- Margarops**, ii. 256
- Margarornis**, ii. 103
- Marginella**, ii. 508
- Marine Mollusca**, general remarks on the distribution of, ii. 537
- Marine shells** of the Neotropical region, ii. 20
- Marmosets**, ii. 175
- Marquesas Islands**, birds of, i. 443
- Marsh, Mr.**, on improbability of Asiatic and African deserts, i. 200  
on camels and goats as destructive to vegetation, i. 200
- MARSUPIALIA**, ii. 248  
general remarks on the distribution of, ii. 253
- Marsupials**, classification of, i. 91  
N. American Post-Pliocene, i. 130  
European Miocene, i. 121  
first migration to America, i. 155  
diversified forms of, i. 391  
of America prove no connection with Australia, i. 399  
list of Australian genera of, i. 476
- MARSUPIALIA** and **MONOTREMATA**, summary and conclusion, ii. 543
- Martes**, N. American Tertiary, i. 135  
ii. 198
- Mascarene Islands**, zoology of, i. 280  
extinct fauna of, i. 282  
gigantic land-tortoises of, i. 289
- Mastius**, ii. 102
- MASTACEMBELIDÆ**, ii. 437
- Mastodon**, European Pliocene, i. 113  
Miocene of Greece, i. 116  
European Miocene, i. 120  
in Brazilian caves, i. 144  
S. American Pliocene, i. 147  
Indian Miocene, i. 123  
N. American Post-Pliocene, i. 130  
N. American Tertiary, i. 133  
ii. 227, 228
- Mauritius**, zoology of, i. 280  
reptiles of, i. 281
- McCoy, Professor**, on Palæontology of Victoria, i. 466
- Mechanitis**, ii. 460
- Meda**, ii. 452
- Mediterranean**, recent changes in, i. 39  
sub-region, description of, i. 199  
mammalia of, i. 202  
birds of, i. 203  
reptiles and amphibia of, i. 204  
fresh-water fish of, i. 205  
insects of, i. 205  
islands of, i. 206  
sea not separating distinct faunas, i. 201
- Megabias**, ii. 270
- Megablades**, ii. 376
- Megacephala**, ii. 478
- Megacephalon**, ii. 942
- Megacerops**, N. American Tertiary, i. 137
- Megaderma**, ii. 182
- Megacerphis**, ii. 383
- Megalerna**, ii. 306
- MEGALEMIDÆ**, ii. 305
- MEGALEMINÆ**, ii. 306
- Megalizalus**, ii. 419
- Megalocenus**, fossil in Cuba, i. 148
- Megalomastoma**, ii. 521
- Megalomeryx**, N. American Tertiary, i. 138
- Megalomma**, ii. 437
- Megalomys**, N. American Post-Pliocene, i. 130  
in Brazilian caves, i. 145  
S. American Pliocene, i. 147
- Megalophrys**, ii. 421
- Megalostoma**, Eocene, i. 169
- Megalurus**, ii. 258
- Megalophonus**, ii. 289
- Megamys**, S. American Eocene, i. 148  
ii. 238
- Meganostoma**, ii. 478
- MEGAPODIIDÆ**, ii. 341
- Megapodius**, ii. 342
- Megaptera**, ii. 207



- Megarhynchus*, ii. 101  
*Megaspira*, European Tertiary, i. 169  
   ii. 527  
*Megatheriidae*, in Brazilian caves, i. 145  
*Megatherium*, N. American Post-Pliocene, i. 130  
   in Brazilian caves, i. 145  
   S. American Pliocene, i. 147  
   ii. 245  
*Meionis*, ii. 369  
*Melampitta*, ii. 298  
*Melampus*, ii. 519  
*Melanerpes*, ii. 303  
*Melania*, European Secondary, i. 169  
**MELANIADÆ**, ii. 509  
*Melanitis*, ii. 471  
*Melanochloris*, ii. 266  
*Melanocorypha*, ii. 289  
*Melanophidium*, ii. 374  
*Melanoptila*, ii. 256  
*Melanotis*, ii. 256  
**MELIAGRINÆ**, ii. 340  
*Meligaris*, N. American Miocene, i. 163  
   ii. 340  
*Meles*, ii. 199  
*Melidectes*, ii. 276  
*Melidora*, ii. 316  
*Meliterax*, ii. 348  
*Melivrea*, ii. 470  
*Meliornis*, ii. 275  
*Meliphaga*, ii. 275  
**MELIPHAGIDÆ**, ii. 275  
*Melipotres*, ii. 276  
*Melirrhophetes*, ii. 276  
*Melitæa*, ii. 474  
*Melithreptus*, ii. 276  
*Melittophagus*, ii. 312  
*Melizophilus*, ii. 259  
*Mellisuga*, ii. 108  
*Melivora*, Indian Miocene, i. 121  
   ii. 199  
*Melolonthidium*, Oolitic insect, i. 167  
*Melopelia*, ii. 333  
*Melopsittacus*, ii. 325  
*Melopyrhæa*, ii. 285  
*Melospiza*, ii. 284  
*Melursus*, ii. 202  
*Menetia*, ii. 395  
*Meniceros*, ii. 317  
*Meniscotherium*, N. American Tertiary, i. 138  
*Menobanchus*, ii. 412  
*Menopoma*, ii. 412  
**MENOPOMIDÆ**, ii. 412  
*Menotherium*, N. American Tertiary, i. 133  
*Menura*, ii. 298  
**MENURIDÆ**, ii. 298  
*Mephitis*, in Brazilian caves, i. 144  
   ii. 199  
*Merganetta*, ii. 364  
*Mergulus*, ii. 367  
*Mergus*, ii. 364  
*Meriones*, ii. 232  
   ii. 230  
*Meristes*, ii. 272  
*Merluccius*, ii. 439  
*Meroe*, ii. 536  
**MEROPIDÆ**, ii. 312  
*Meropiscus*, ii. 312  
*Meropogon*, ii. 312  
*Merops*, ii. 312  
*Merulaais*, ii. 297  
*Merychus*, N. American Tertiary, i. 138  
*Merychippus*, N. American Tertiary, i. 135  
*Merychocherus*, N. American Tertiary, i. 138  
*Merycodus*, N. American Tertiary, i. 138  
   ii. 220  
*Merycopotamus*, Indian Miocene, i. 122  
   ii. 214  
*Merycotherium*, of Siberian drift, i. 112  
   ii. 217  
*Mesacodon*, N. American Tertiary, i. 133  
*Mesapia*, ii. 479  
*Mesites*, ii. 263  
*Mesohippus*, N. American Tertiary, i. 135  
*Mesomys*, ii. 239  
*Mesonanta*, ii. 438  
*Mesonyx*, N. American Tertiary, i. 134  
*Mesopithecus*, Miocene of Greece, i. 115  
   ii. 178  
*Mesoprion*, ii. 425  
*Mesops*, ii. 439  
*Mesosemia*, ii. 475  
*Messalina*, ii. 391  
*Messarax*, ii. 474  
*Metallura*, ii. 108  
*Metaphetes*, ii. 476  
*Methonella*, ii. 476  
*Mettius*, ii. 492  
*Metopia*, ii. 102  
*Metopiana*, ii. 364  
*Metoponia*, ii. 283  
*Metopothrix*, ii. 102  
*Metriopelia*, ii. 333  
 Mexican sub-region, ii. 51  
   mammalia of, ii. 52  
   birds of, ii. 52  
   reptiles of, ii. 54  
   amphibia of, ii. 54  
   fresh-water fish of, ii. 54  
   insects of, ii. 55  
   land-shells of, ii. 57  
   its relations to the N. and S. American  
   continents, ii. 57  
   islands of, ii. 59  
 Meyer, Dr. A. B., on reptiles and amphibia of  
   New Guinea, i. 415  
*Micraea*, ii. 270  
*Micracantha*, ii. 501  
*Micrastur*, ii. 347  
*Micrathene*, ii. 350  
*Micrhylla*, ii. 414  
*Microbates*, ii. 104  
*Microcebus*, ii. 176  
*Microcerculus*, ii. 264  
*Microchæra*, ii. 107  
*Microglossus*, ii. 325  
*Microhierax*, ii. 349  
*Microlestes*, oldest European mammal, i. 160  
*Micromeryx*, European Miocene, i. 120  
   ii. 220  
*Micropelama*, ii. 353  
*Micropternus*, ii. 304  
*Micropterus*, ii. 364  
*Microscelis*, ii. 267  
*Microstoma*, ii. 448  
*Microsops*, N. American Tertiary, i. 133  
*Microtherium*, European Miocene, i. 120  
*Midas*, ii. 176  
 Middendorf, on extreme northern birds, i. 219  
*Midea*, ii. 478  
*Miglyptes*, ii. 304  
 Migrating birds, in which region to be placed,  
   i. 185  
 Migration of animals, i. 10  
   general phenomena of, i. 18  
   of birds, i. 19  
   of birds in Europe, i. 19  
   probable origin of, i. 22  
   of birds in India and China, i. 23  
   of birds in N. America, i. 23  
   changes in extent of, i. 24  
   of birds in S. Temperate America, i. 25

- Migration of animals, general remarks on, i. 25
- Miletus*, ii. 477
- Milvulus*, ii. 102, 291
- Mitvus*, European Miocene, i. 162  
ii. 349
- Mimeba*, ii. 268
- Mimetes*, ii. 170
- Mimocichla*, ii. 256
- Mimus*, ii. 256
- Minya*, ii. 266
- Miocene fauna of the Old World, i. 114  
fauna of Greece, i. 115  
fauna of Greece, summary of, i. 116  
fauna of Central Europe, i. 117  
deposits of Siwalik Hills, i. 121  
faunas of Europe and Asia, general observations on, i. 123
- Miohippus*, N. American Tertiary, i. 135
- Mionectes*, ii. 101
- Mirusra*, ii. 289
- Miro*, ii. 260
- Misgurnus*, ii. 453
- Mitra*, ii. 503
- Mitrephorus*, ii. 102
- Mitua*, ii. 343
- Mivart, Professor, on classification of primates, i. 86  
on classification of insectivora, i. 87  
on classification of amphibia, i. 101  
of classification of lemurs, ii. 176
- Mizornis*, ii. 261
- Mniotilta*, ii. 279
- MNIOTILIDÆ, ii. 278
- Mochocus*, ii. 443
- Mocca*, ii. 397
- Moho*, ii. 276
- Mole-rat of W. Tartary, i. 218
- Mole-rats, ii. 231
- Moies, almost wholly Palearctic, i. 181  
ii. 190
- Molliesia*, ii. 450
- Mollusca, means of dispersal of, i. 80  
classification of, i. 104  
groups selected for study, i. 104
- MOLLUSCA, distribution of, ii. 504  
range of families of, in time, ii. 538
- Moluccas, zoology of, i. 417  
birds of, i. 419  
reptiles of, i. 420  
insects of, i. 420  
peculiarities of fauna of, i. 421
- Molossus*, ii. 184
- Molothrus*, ii. 282
- Molva*, ii. 439
- MOMOTIDÆ, ii. 313
- Monotus*, ii. 313
- Monachalcyon*, ii. 316
- Monarcha*, ii. 270
- Monasa*, ii. 311
- Monitor*, ii. 389
- Monkeys on the high Himalayas, i. 12  
fossil in N. American Miocene, i. 133  
in E. Thibet, i. 222  
abundance of in the Oriental region, i. 315
- Monoceros*, ii. 507
- Monodon*, ii. 208
- MONODONTIDÆ, ii. 208
- Monoplocus*, ii. 390
- Monopterus*, ii. 453
- Monotremata, classification of, i. 91  
list of Australian genera of, i. 477
- MONOTREMATA, ii. 253  
remarks on the distribution of, ii. 254
- Monotrophis*, ii. 289
- Montacuta*, ii. 533
- Monticola*, ii. 256
- Montifringilla*, ii. 284
- Mörch, Dr., on Panama shells, ii. 20
- Morselia*, ii. 381
- "More-pork" of Australia, figure of, i. 442
- Morotheria*, ii. 395
- Mormolyca*, ii. 490
- MORMYRIDÆ, ii. 448
- Mormyrops*, ii. 448
- Mormyrus*, ii. 488
- Morococyx*, ii. 309
- Morotherium*, N. American Pliocene, i. 140
- MORPHIDÆ, ii. 472
- Morphnus*, ii. 345
- Morpho*, ii. 472
- Moringa*, ii. 204
- Moschus*, ii. 219
- Motacilla*, European Miocene, i. 161  
ii. 290
- MOTACILLIDÆ, ii. 290
- Motella*, ii. 439
- Moths, ii. 481
- Motmots, ii. 313
- Mound-builders, peculiar Australian birds, i. 393
- Moupin, position and zoology of, i. 221
- Mouse-deer, ii. 218
- Moxostoma*, ii. 451
- Mugil*, ii. 435
- MUGILIDÆ, ii. 435
- Mulleria*, ii. 534
- Mulleripicus*, ii. 303
- MULLIDÆ, ii. 426
- Mullus*, ii. 426
- Mungos*, ii. 195
- Munia*, ii. 287
- MURÆNIDÆ, ii. 456
- Muraenopsis*, ii. 412
- Murex*, ii. 507
- MURICIDÆ, ii. 507
- Muridae*, S. American Pliocene, i. 147
- MURIDÆ, ii. 229
- Murray, Mr. Andrew, on zoological region, i. 60
- Mus*, ii. 229
- Muscardinus*, ii. 232
- Muscicapa*, ii. 270
- MUSCICAPIDÆ, ii. 270
- Muscicapula*, ii. 270
- Muscigralia*, ii. 101
- Muscipipra*, ii. 101
- Muscisarcicola*, ii. 101, 291
- Muscitodus*, ii. 271
- Muscivora*, ii. 101
- Muscophaga*, ii. 307
- MUSOPHAGIDÆ, ii. 307
- Mussels, ii. 533
- Mustela*, Miocene of Greece, i. 116  
European Miocene, i. 118  
S. American Pliocene, i. 146  
ii. 198
- Mustelidæ*, in Brazilian caves, i. 144
- MUSTELIDÆ, ii. 198
- Mustelus*, ii. 460
- MYACIDÆ, ii. 536
- Myadora*, ii. 536
- Mycalesis*, ii. 471
- Mycerobas*, ii. 284
- Mycetes*, ii. 175  
ii. 178
- Mycetopus*, ii. 534
- Mydus*, ii. 199
- Myiadestes*, ii. 260
- Myiagra*, ii. 271
- Myialestes*, ii. 271
- Myiarchus*, ii. 102, 291

- Myiobius*, ii. 101  
*Myioceyx*, ii. 316  
*Myiocy mes*, ii. 102  
*Myiodiactes*, ii. 279  
*Myiodynastes*, ii. 101  
*Myiophonous*, ii. 263  
*Myiophiltheus*, ii. 173  
*Myiotheretes*, ii. 100  
*Myiozetetes*, ii. 101  
*Myiostinus*, ii. 445  
*Myiotes*, ii. 445  
MYLIOBATIDÆ, ii. 463  
*Myiobatis*, ii. 463  
*Myiodon*, N. American Post-Pliocene, i. 130  
S. American Pliocene, i. 147  
*Myiopharodon*, ii. 452  
*Myiops*, ii. 474  
*Myochama*, ii. 536  
*Myodes*, ii. 230  
*Myogale*, European Miocene, i. 118  
ii. 190, 191  
*Myoictis*, ii. 249  
*Myomorphus*, fossil in Cuba, i. 148  
*Myopotamus*, in Brazilian caves, i. 145  
ii. 239  
*Myospalax*, ii. 230  
MYOXIDÆ, ii. 232  
*Myozus*, European Miocene, i. 120  
European Eocene, i. 126  
ii. 232  
*Myzomys*, ii. 230  
*Myrina*, ii. 477  
*Myrmeciza*, ii. 104  
MYRMECOBIIDÆ, ii. 250  
*Myrmecobius*, ii. 250  
*Myrmecophaga*, ii. 247  
MYRMECOPHAGIDÆ, ii. 247  
*Myrmotherula*, ii. 104  
*Myron*, ii. 376  
*Myrtis*, ii. 108  
*Myrsarachne*, European Miocene, i. 118  
*Myzops*, N. American Eocene, i. 140  
ii. 231  
*Mystacina tuberculata*, ii. 184  
*Mystacoleucus*, ii. 452  
*Mystacornis*, ii. 258  
*Mystromys*, ii. 230  
MYTILIDÆ, ii. 533  
*Mytilus*, ii. 539  
MYXINIDÆ, ii. 464  
*Myzophagus*, N. American Post-Pliocene, i. 130  
*Myzophyes*, ii. 420  
*Myzus*, ii. 435  
*Myzomela*, ii. 275  
*Myzornis*, ii. 266
- N.
- Nænia*, ii. 365  
*Naja*, ii. 383  
NANDIDÆ, ii. 493  
*Nandinia*, ii. 195  
*Nandus*, ii. 433  
*Nanina*, ii. 513  
*Nannophryne*, ii. 417  
*Nannophrys*, ii. 421  
*Nanodes*, ii. 327  
*Nanohyus*, N. American Tertiary, i. 137  
ii. 215  
*Nanotrachus*, ii. 224  
*Napeogenes*, ii. 470  
*Napothera*, ii. 261  
*Nardoa*, ii. 381  
*Narwhal*, ii. 208  
*Narope*, ii. 472  
*Nasica*, ii. 103  
*Nasiterna*, ii. 325  
*Nasua*, in Brazilian caves, i. 144  
ii. 200  
*Nathalis*, ii. 478  
*Natica*, ii. 539  
NATICIDÆ, ii. 508  
*Nautilus*, ii. 539  
NATRICINÆ, ii. 375  
*Nattereria*, ii. 417  
*Nauclerus*, ii. 349  
*Naucrates*, ii. 429  
*Nautilinus*, ii. 400  
NAUTILIDÆ, ii. 506  
*Navicella*, ii. 510  
Nearctic region, defined, i. 79  
subdivisions of, i. 80  
distinct from Palearctic, i. 79  
ii. 114  
zoological characteristics of, ii. 115  
mammalia of, ii. 115  
birds of, ii. 116  
reptiles of, ii. 119  
amphibia of, ii. 120  
fresh-water fishes of, ii. 120  
summary of vertebrata of, ii. 120  
insects of, ii. 122  
land and fresh-water shells of, ii. 124  
sub-regions of, ii. 125  
concluding remarks on, ii. 138  
tables of distribution of animals of, ii. 139  
Nearctic and Neotropical regions, no decided  
boundary between, ii. 117  
*Nebria*, ii. 439  
*Necronis*, European Miocene, i. 161  
NECTARINIIDÆ, ii. 276  
*Nectarinia*, ii. 276  
*Nectarophila*, ii. 276  
*Nectogale*, ii. 190  
*Necydalis*, ii. 502  
*Necyria*, ii. 476  
*Nelicurvius*, ii. 286  
*Nemachilus*, ii. 453  
*Nematogenys*, ii. 444  
NEMEObIIDÆ, ii. 475  
*Nemeobius*, ii. 475  
NEMORHEDINÆ, ii. 224  
*Nemorhedus*, ii. 224  
*Nemoricola*, ii. 290  
*Nemosia*, ii. 99  
*Neobatrachus*, ii. 420  
*Neochloe*, ii. 280  
*Neocorys*, ii. 290  
*Neoctantes*, ii. 104  
*Neomeris*, ii. 209  
*Neomorphus*, ii. 309  
*Neophasia*, ii. 478  
*Neophron*, ii. 346  
*Neopipo*, ii. 102  
*Neopus*, ii. 348  
*Neorhynchus*, ii. 235  
*Neosorex*, ii. 191  
*Neotoma*, ii. 230  
*Neotomys*, ii. 230  
*Neotragus*, ii. 224  
Neotropical region, defined, i. 78  
subdivisions of, i. 78  
relations of W. African sub-region with  
i. 265  
description of, ii. 1  
zoological features of, ii. 5  
birds of, ii. 6, 7  
distinctive features of mammalia of, ii. 6  
reptiles of, ii. 9  
amphibia of, ii. 11

- Neotropical region, fresh-water fishes of, ii. 12  
 summary of vertebrates of, ii. 13  
 insects of, ii. 13  
 land-shells of, ii. 19  
 marine shells of, ii. 20  
 summary of past history of, ii. 80  
 tables of distribution of animals of, ii. 84
- Neotropical sub-regions, ii. 21
- Neoziphius*, ii. 208
- Nephacetes*, ii. 320
- Neptis*, ii. 474
- NERITIDÆ, ii. 510
- Neritina*, ii. 510
- Nerophis*, ii. 457
- Nesocleus*, ii. 303
- Nesocichla*, ii. 256
- Nesodon*, S. American Pliocene, i. 147
- Nesomys*, ii. 230
- Nesonetta*, ii. 364
- Nesopsar*, ii. 282
- Nessia*, ii. 399
- Nestor*, ii. 329
- NESTORIDÆ, ii. 329
- Nettapus*, ii. 363
- Neusterophis*, ii. 376
- Newberry, Dr., on Cretaceous and Tertiary floras of N. America, ii. 155
- Newton, Professor, on position of *Menuridae* and *Atrichidae*, i. 95  
 on birds of Iceland, i. 198  
 on Neotropical sub-regions, ii. 25  
 on genus *Campylolæmus*, ii. 39  
 on peculiar genera of Nearctic and Neotropical birds, ii. 118  
 on family *Panuridae*, ii. 262
- Newtonia*, ii. 270
- Newts, ii. 413
- New Caledonia, birds of, i. 444
- New Guinea, zoology of, i. 409  
 mammalia of, i. 410  
 birds of, i. 411  
 peculiarities of its ornithology, i. 413  
 illustration of ornithology of, i. 414  
 reptiles and amphibia of, i. 415  
 insects of, i. 416
- New Zealand, objections to making a primary zoological region, i. 62  
 extinct birds of, i. 164  
 sub-region, description of, i. 449  
 compared with British Isles, i. 449  
 mammalia of, i. 451  
 islets of, i. 453  
 illustration of ornithology of, i. 455  
 reptiles of, i. 456  
 amphibia of, i. 457  
 fresh-water fish of, i. 457  
 insects of, i. 458  
 Longicorns of, i. 458  
 Myriapoda of, i. 458  
 land-shells of, i. 459  
 ancient fauna of, i. 460  
 origin of fauna of, i. 460  
 poverty of insects in, i. 462  
 relations of insect-fauna and flora of, i. 472
- Nicator*, ii. 272
- Nicobar Islands, their zoological relations, i. 332
- Nightingale, migration of the, i. 21
- Night-jars, ii. 319
- Nigidius*, ii. 498
- Nigrita*, ii. 286
- Niläus*, ii. 272
- Niltava*, ii. 270
- Ninox*, ii. 350
- Nisaetus*, ii. 348
- Nisoides*, ii. 348
- Nisoniades*, ii. 460
- NOCTILIONIDÆ, ii. 184
- Nocturnal tree-snakes, ii. 379
- Nonnula*, ii. 311
- Noröea*, ii. 397
- Norfolk Island, birds of, i. 453
- North Africa, zoological relations of, i. 202
- North America, remarks on Post-Pliocene fauna of, i. 130  
 Post-Pliocene fauna of, partly derived from S. America, i. 181  
 extinct birds of, i. 163
- Northern Hemisphere, zoological importance of, ii. 155
- NOTACANTHI, ii. 437
- Notaden*, ii. 415
- Notharctos*, N. American Tertiary, i. 133
- Nothocerus*, ii. 844
- Nothocrax*, ii. 343
- Nothoprocta*, ii. 344
- Nothura*, ii. 344
- NOTIDANIDÆ, ii. 461
- Notiophilus*, ii. 489
- Notodela*, ii. 259
- Notoglanis*, ii. 443
- Notonomus*, ii. 490
- NOTOPTERIDÆ, ii. 455
- Notopholis*, ii. 391
- Notornis of New Zealand, i. 455
- Notornis*, ii. 352
- Nototherium*, Australian Post-Tertiary, i. 157  
 ii. 251
- Nototrema*, ii. 418
- Noturus*, ii. 442
- Nucifraga*, ii. 273
- NUCLEO-BRANCHIATA, ii. 531
- Nucras*, ii. 891
- Numenius*, ii. 853
- NUMIDINÆ, ii. 340
- Namida*, ii. 840
- Naria*, ii. 452
- Nuthatches*, ii. 265
- Nutria*, ii. 199
- Nyctala*, ii. 350
- Nyctalatinus*, ii. 350
- Nyctalemon*, ii. 482
- Nyctalops*, ii. 350
- Nyctea*, ii. 850
- Nyctereutes*, ii. 197
- Nycteris*, ii. 182
- Nyctibius*, ii. 319
- Nycticorax*, ii. 359
- Nyctidromius*, ii. 320
- Nyctiornis*, ii. 312
- Nyctipithecus*, ii. 175
- Nyctiprogne*, ii. 320
- Nymphalis*, ii. 474
- NYMPHALIDÆ, ii. 473
- Nymphicus*, ii. 325
- Nymphidium*, ii. 476
- O.
- Ochetobius*, ii. 452
- Ochotherium*, in Brazilian caves, i. 145  
 ii. 245
- Ochthaea*, ii. 100
- Ochthodictya*, ii. 100
- Ocotodontide*, S. American Pliocene, i. 147
- OCTODONTIDÆ, ii. 237
- Ocotodon*, ii. 238
- OCTOPODIDÆ, ii. 505
- Ocyalus*, ii. 282
- Ocydromus*, ii. 852
- Ocyphaps*, ii. 333

- Odontochila*, ii. 496  
*Odontolabris*, ii. 493  
*Odontophorus*, ii. 339  
*Odontophrynus*, ii. 420  
*Oedemia*, ii. 364  
*Oedinemis*, ii. 355  
*Oedura*, ii. 399  
*Oena*, ii. 392  
*Ogmodon*, ii. 383  
*Ogyris*, ii. 477  
*Oligodon*, ii. 375  
**OLIGODONTIDÆ**, ii. 374  
*Oligosarcus*, ii. 445  
*Olisthopus*, ii. 489  
*Olytigon*, ii. 418  
*Olyra*, ii. 442  
*Omseus*, ii. 489  
*Ommatophoca*, ii. 204  
*Omoletida*, ii. 397  
*Omostenus*, ii. 492  
*Omphalotropis*, ii. 521  
*Omus*, ii. 487  
**ONCIDIADÆ**, ii. 517  
*Oncidium*, ii. 518  
*Onychodactylus*, ii. 413  
*Onychogale*, ii. 195  
*Onychogalea*, ii. 251  
*Onychognathus*, ii. 283  
*Onchorhynchus*, ii. 447  
*Oncostoma*, ii. 101  
*Ophidia*, classification of, i. 99  
**OPHIDIA**, ii. 372  
 remarks on the general distribution of, ii. 386  
 fossil, ii. 387  
**OPHIDIIDÆ**, ii. 440  
*Ophidium*, ii. 440  
**OPHIOCEPHALIDÆ**, ii. 435  
*Ophiodes*, ii. 397  
**OPHIOMORIDÆ**, ii. 393  
*Ophiomorus*, ii. 393  
*Ophiophagus*, ii. 383  
*Ophiops*, ii. 391  
*Ophioscincus*, ii. 397  
*Ophisaurus*, ii. 392  
*Ophites*, ii. 380  
*Ophonus*, ii. 489  
*Ophryodera*, ii. 487  
*Ophystia*, ii. 209  
**OPISTHO-BRANCHIATA**, ii. 529  
**OPISTHOCOMI**, ii. 345  
*Opisthoconus*, Brazilian caves, i. 164  
 ii. 345  
*Opisthodelphys*, ii. 418  
*Opisthostoma*, ii. 520  
*Opisthoporus*, ii. 520  
*Oporornis*, ii. 279  
*Opossum*, extinct in European Miocene, i. 121  
*Opossums*, ii. 248  
*Opsarichthys*, ii. 452  
*Opsiphanes*, ii. 472  
*Orang-utan*, ii. 171  
*Orca*, ii. 209  
*Orcaella*, ii. 209  
*Orchesticus*, ii. 99  
*Orchilus*, ii. 101  
*Orens*, ii. 223  
*Oreticola*, ii. 260  
*Oreinus*, ii. 452  
*Oreocephalus*, ii. 401  
*Oreocincla*, ii. 256  
*Oreodetra*, ii. 401  
*Oreodon*, N. American Tertiary, i. 133  
*Oreodontidæ*, N. American Tertiary, i. 138  
*Oreoca*, ii. 271  
*Oreomanes*, ii. 278  
*Oreonectes*, ii. 453  
*Oreonympha*, ii. 108  
*Oreoperdix*, ii. 338  
**OREOPHASINÆ**, ii. 343  
*Oreophasis*, ii. 343  
*Oreophilus*, ii. 356  
*Oreopyra*, ii. 107  
*Oreortyx*, ii. 339  
*Oreoscoptes*, ii. 256  
*Oreothraupis*, ii. 99  
*Oreotrochilus*, ii. 107  
*Orestias*, ii. 450  
**Oriental region**, defined, i. 75  
 subdivisions of, i. 75  
 description of, i. 314  
 zoological features of, i. 315  
 mammalia of, i. 315  
 birds of, i. 316  
 reptiles of, i. 317  
 amphibia of, i. 317  
 fresh-water fishes of, i. 318  
 summary of vertebrata of, i. 318  
 insects of, i. 318  
 sub-regions of, i. 321  
 concluding remarks on, i. 362  
 tables of distribution of animals of, i. 364  
**Oriental relations of W. African sub-region**, i. 265  
**Oriental and Palearctic faunas once identical**, i. 362  
**Oriental and Ethiopian faunas, cause of their resemblances**, i. 363  
*Origma*, ii. 260  
*Oriocalotes*, ii. 402  
*Orioles*, ii. 268  
**ORIOOLIDÆ**, ii. 268  
*Oriolus*, ii. 268  
*Orites*, ii. 266  
*Ornithion*, ii. 101  
**ORNITHORHYNCHIDÆ**, ii. 253  
*Ornithorhynchus*, ii. 253  
*Orocetes*, ii. 256  
*Orohippus*, N. American Tertiary, i. 136  
*Ortalida*, ii. 343  
*Orthagoricus*, ii. 457  
*Orthalicus*, ii. 516  
**ORTHIDÆ**, ii. 532  
**ORTHO CERATIDÆ** ii. 506  
*Orthodon*, ii. 452  
*Orthogonius*, ii. 491  
*Orthogonyx*, ii. 98  
*Orthonyx*, ii. 260  
*Orthorhynchus*, ii. 108  
*Orthotomus*, ii. 257  
*Ortygometra*, ii. 352  
*Ortygornis*, ii. 338  
*Ortyx*, ii. 339  
*Ortyxelos*, ii. 341  
**ORYCTEROPODIDÆ**, ii. 246  
*Orycteropus*, ii. 246  
*Orycterus*, ii. 231  
**ORYGINÆ**, ii. 223  
*Oryz*, ii. 2:3  
*Oryzoborus*, ii. 285  
*Oryzocricetes*, ii. 188  
*Osmerus*, ii. 447  
*Osphranter*, ii. 251  
*Osteobrama*, ii. 453  
*Osteochilus*, ii. 451  
*Osteogeniosus*, ii. 443  
**OSTEOGLOSSIDÆ**, ii. 454  
*Osteoglossum*, ii. 454  
*Ostinops*, ii. 282  
**OSTREIDÆ**, i. 533  
*Ostrich*, Miocene of N. India, i. 162  
*Ostriches*, ii. 368

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

592

## GENERAL INDEX.

- Otaria*, European Miocene, i. 118  
ii. 203  
**OTARIDÆ**, ii. 202  
**OTIDIDÆ**, ii. 356  
*Otidiphaps*, ii. 353  
*Otilophus*, ii. 415, 428  
*Otis*, ii. 356  
*Otocorys*, ii. 289  
*Otocryptis*, ii. 402  
*Otogyps*, ii. 346  
*Otomys*, ii. 230  
*Otopoma*, ii. 521  
*Ovibos*, N. American Post-Pliocene, i. 130  
ii. 224, 225  
Owl-parrot, ii. 329  
Owls, ii. 350  
Oxen. birth-place and migrations of, i. 155  
Palæarctic, i. 162  
ii. 221  
**OXUDERCIDÆ**, ii. 431  
*Oxyæna*, N. American Tertiary, i. 134  
*Oxydoras*, ii. 443  
*Oxyglossus*, ii. 421  
*Oxygomphus*, European Miocene, i. 118  
ii. 186  
*Oxylabes*, ii. 262  
*Oxymycterus*, in Brazilian caves, i. 145  
S. American Pliocene, i. 147  
ii. 230, 231  
*Ozynotus*, ii. 269  
*Ozypogon*, ii. 108  
**OXYRHAMPIDÆ**, ii. 292  
*Oxyrhampus*, ii. 292  
*Oxyrhopus*, ii. 379  
*Oxyurus*, ii. 103  
Oysters, ii. 333
- P
- Pachybatrachus*, ii. 416  
*Pachycephala*, ii. 271  
**PACHYCEPHALIDÆ**, ii. 271  
*Pachydactylus*, ii. 400  
*Pachyæna*, N. American Tertiary, i. 134  
*Pachyglossa*, ii. 277  
*Pachynolophus*, European Eocene, i. 126  
*Pachyrhampus*, ii. 102  
*Pachyrhynchus*, ii. 391  
*Pachytelea*, ii. 490, 492  
*Pachytherium*, in Brazilian caves, i. 145  
ii. 246  
*Pachyurus*, ii. 191  
*Paeocephalus*, ii. 328  
*Pecillus*, ii. 489  
*Pegellus*, ii. 427  
*Pegomys*, ii. 204  
*Pegophila*, ii. 364  
*Pegophilus*, ii. 204  
*Peguma*, ii. 195  
**PACTIDÆ**, ii. 298  
Palæarctic region, ancient limits of, ii. 157  
defined, i. 171  
subdivisions of, i. 71  
general features of, i. 180  
zoological characteristics of, i. 181  
has few peculiar families, i. 181  
mammalia of, i. 181  
birds of, i. 182  
high degree of speciality of, i. 184  
reptiles and amphibia of, i. 186  
fresh-water fish of, i. 186  
summary of vertebrata of, i. 186  
insects of, i. 186  
coleoptera of, i. 187  
number of coleoptera of, i. 189  
Palæarctic region, land-shells of, i. 190  
sub-regions of, i. 190  
general conclusions on the fauna of, i. 231  
tables of distribution of animals of, i. 233  
*Palæacodon*, N. American Tertiary, i. 133  
*Palæætus*, European Miocene, i. 162  
*Palæagihalus*, European Eocene, i. 162  
*Palæolodus*, European Miocene, i. 162  
*Palæocastor*, N. American Tertiary, i. 140  
ii. 234  
*Palæocercus*, European Miocene, i. 162  
*Palæochærus*, European Miocene, i. 119  
ii. 215  
*Palæocyon*, ii. 198  
*Palæohierax*, European Miocene, i. 162  
*Palæolagus*, N. American Tertiary, i. 140  
*Palæolama*, S. American Pliocene, i. 147  
ii. 217  
*Palæomephitis*, European Miocene, i. 118  
ii. 200  
*Palæomeryx*, European Miocene, i. 120  
ii. 220  
*Palæomys*, European Miocene, i. 121  
ii. 238  
*Palæontina oolitica*, Oolitic insect, i. 167  
Palæontology, i. 107  
how best studied in its bearing on geographical distribution, i. 168  
as an introduction to the study of geographical distribution, concluding remarks on, i. 169  
*Palæonyctis*, European Eocene, i. 125  
*Palæoperdix*, European Miocene, i. 161  
*Palæophræus*, European Miocene, i. 166  
*Palæoreas*, Miocene of Greece, i. 116  
*Palæornis*, ii. 326  
**PALÆORNITHIDÆ**, ii. 326  
*Palæonyctis*, ii. 196, 206  
*Palæortyx*, European Miocene, i. 161  
*Palæoryx*, Miocene of Greece, i. 116  
*Palæospalax*, i. 111  
European Miocene, i. 117  
ii. 190  
*Palæosyops*, N. American Tertiary, i. 136  
*Palæotheridæ*, European Eocene, i. 125  
*Palæotherium*, European Eocene, i. 125  
S. American Eocene, i. 148  
*Palæotrægas*, Miocene of Greece, i. 116  
*Palæotringa*, N. American Cretaceous, i. 164  
*Palamedea*, ii. 361  
**PALAMEDEIDÆ**, ii. 361  
*Palapterygidae* of New Zealand, i. 164  
**PALAPTERYGIIDÆ**, ii. 370  
*Palapteryx*, ii. 370  
Palestine, birds of, i. 203  
*Pallasia*, ii. 289  
*Palæotherium*, European Miocene, i. 119  
European Eocene, i. 125  
*Paludicola*, ii. 416  
*Paludina*, Eocene, i. 169  
European Secondary, i. 169  
ii. 510  
**PALUDINIDÆ**, ii. 510  
Pampas, Pliocene deposits of, i. 146  
*Pamphila*, ii. 480  
Panda, of Nepal and E. Tibet, i. 222  
Himalayan, figure of, i. 331  
ii. 201  
*Pandion*, ii. 349  
**PANDIONIDÆ**, ii. 349  
*Pangasius*, ii. 442  
*Pangolin*, ii. 245  
*Panolax*, N. American Tertiary, i. 140  
*Panopæa*, ii. 536  
*Panoplites*, ii. 107  
*Panterpe*, ii. 109

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

## GENERAL INDEX.

593

- Panthalops*, ii. 223  
**PANURIDÆ**, ii. 262  
*Panurus*, ii. 262  
*Panychlora*, ii. 109  
*Panyptila*, ii. 320  
*Paper-Nautilus*, ii. 505  
*Paphia*, ii. 474  
*Papilio*, ii. 479  
**PAPILIONIDÆ**, ii. 479  
*Papuan Islands*, zoology of, i. 409  
*Paracanthobrama*, ii. 452  
*Paradigalla*, ii. 275  
*Paradiplomystax*, ii. 443  
*Paradisea*, ii. 274  
*Paradise-bird*, twelve-wired, figure of, i. 414  
*Paradise-birds*, ii. 274  
**PARADISEIDÆ**, ii. 274  
**PARADISEINÆ**, ii. 274  
*Paradoxornis*, ii. 262  
*Paradoxurus*, ii. 195  
*Parahippus*, N. American Tertiary, i. 136  
*Paralabrax*, ii. 425  
*Paramys*, N. American Eocene, i. 140  
 ii. 236  
*Parandra*, ii. 501  
*Paraphoxinus*, ii. 452  
*Pardalotus*, ii. 277  
*Pareas*, ii. 380  
*Parodon*, ii. 445  
*Parvidactylus*, ii. 352  
**PARIDÆ**, ii. 265  
*Pariodon*, ii. 444  
*Parisoma*, ii. 266  
*Parmacella*, ii. 517  
*Parmarion*, ii. 517  
*Parmophorus*, ii. 511  
*Parnassius*, ii. 479  
*Paroaria*, ii. 284  
*Parotia*, ii. 274  
*Parra*, ii. 355  
**PARRIDÆ**, ii. 354  
*Parroquet*, Papuan, figure of, i. 415  
*Parrots*, classification of, i. 96  
 ii. 324, 329  
*Partridges*, ii. 338  
*Partula*, ii. 515  
*Parula*, ii. 279  
*Parus*, ii. 265  
*Pasimachus*, ii. 490  
*Passerculus*, ii. 284  
*Passerella*, ii. 284  
*Passeres*, arrangement of, i. 94  
 range of Palearctic genera of, i. 243  
 range of Ethiopian genera of, i. 306  
 range of Oriental genera of, i. 375  
 range of Australian genera of, i. 478  
**PASSERES**, ii. 255  
 general remarks on the distribution of, ii. 299  
*Passerita*, ii. 379  
*Pastor*, ii. 287  
*Patagona*, ii. 108  
*Patella*, ii. 539  
**PATELLIDÆ**, ii. 511  
*Patriofelis*, N. American Tertiary, i. 134  
*Patrobus*, ii. 489  
*Pauxi*, ii. 343  
*Pavo*, ii. 340  
**PAVONINÆ**, ii. 340  
*Paxillus*, ii. 520  
*Pearl-oysters*, ii. 533  
*Pease, Mr. Harper*, on Polynesian region of  
 Land-shells, ii. 528  
*Peccaries*, ii. 215  
*Pectinator*, ii. 238
- Peculiar groups*, geographically, how defined,  
 ii. 184  
*Pedetes*, ii. 232  
**PEDICULATI**, ii. 431  
*Pediocetes*, ii. 339  
*Pedionomus*, ii. 356  
**PEGASIDÆ**, ii. 456  
*Pelagius*, ii. 204  
*Pelagornis*, European Miocene, i. 162  
*Pelamis*, ii. 384  
*Pelargopsis*, ii. 316  
*Pelea*, ii. 224  
**PELECANIDÆ**, ii. 365  
*Pelecanoides*, ii. 365  
*Pelecanus*, ii. 365  
*Pelecium*, ii. 490  
*Pelecus*, ii. 453  
*Pelicans*, ii. 365  
*Peliperdix*, ii. 338  
*Pelloroneum*, ii. 261  
*Pelobates*, ii. 417  
**PELODRYADÆ**, ii. 418  
*Pelodryas*, ii. 418  
*Pelodytes*, ii. 421  
*Pelomedusa*, ii. 409  
*Pelomys*, ii. 230  
*Pelonax*, N. American Tertiary, i. 136  
*Peloperdix*, ii. 338  
*Pelotrophus*, ii. 453  
*Pellaphryne*, ii. 415  
*Peltocephalus*, ii. 408  
*Peltopelor*, ii. 385  
*Peltops*, ii. 270  
*Penelope*, ii. 343  
*Penelopides*, ii. 317  
*Penelopina*, ii. 343  
**PENELOPINÆ**, ii. 343  
*Penetes*, ii. 472  
*Penguins*, ii. 366  
*Pentadactylus*, ii. 399  
*Pentila*, ii. 477  
*Peragalea*, ii. 250  
*Perameles*, ii. 250  
**PERAMELIDÆ**, ii. 250  
*Peratherium*, European Miocene, i. 121  
 European Eocene, i. 126  
 ii. 249  
*Perca*, ii. 425  
*Percarina*, ii. 425  
*Perchoerus*, N. American Tertiary, i. 137  
 ii. 215  
*Percilia*, ii. 425  
*Percichthys*, ii. 425  
**PERCIDÆ**, ii. 425  
*Pernostola*, ii. 104  
**PERCOPSIDÆ**, ii. 448  
*Percus*, ii. 489  
*Perdix*, 338  
*Pericallus*, ii. 490  
*Pericrocotus*, ii. 268  
*Peridexia*, ii. 487  
*Perim Island*, extinct mammalia of, i. 122  
 probable southern limit of old Palearctic  
 land, i. 362  
 character of fossils of, ii. 157  
*Perioptalmus*, ii. 430  
*Perisoreus*, ii. 273  
*Perissodactyla*, N. American Tertiary, i. 135  
*Perissoglossa*, ii. 279  
*Persistera*, ii. 332  
*Peristethus*, ii. 428  
*Periwinkle*, ii. 510  
*Pernis*, ii. 349  
*Perodicticus*, ii. 176  
*Perognathus*, ii. 233  
*Peropus*, ii. 399

VOL. II.

Q Q



- Persia*, birds of, i. 204  
*Petasophora*, ii. 108  
*Petaurista*, ii. 252  
*Petenia*, ii. 438  
*Petrochelidon*, ii. 281  
*Petrodromus*, ii. 186  
 Petrels, ii. 365  
*Petraca*, ii. 260  
*Petrogale*, ii. 251  
*Petromys*, ii. 239  
*Petrophassa*, ii. 333  
*Petrotrynchus*, ii. 208  
*Petrosciartes*, ii. 431  
*Pewaea*, ii. 284  
*Pezophaps*, ii. 334  
*Pezoporus*, ii. 325  
*Pfeifferia*, ii. 518  
*Phacelodromus*, ii. 103  
*Phacochoerus*, ii. 215  
*Phaenicophaes*, ii. 309  
*Phaenicophilus*, ii. 99  
*Phaenicothraupis*, ii. 98  
*Phaeocephala*, ii. 380  
*Phaeochroa*, ii. 107  
*Phaeoema*, ii. 107  
*Phaeoptila*, ii. 109  
*Phaethornis*, ii. 107  
*Phaeton*, ii. 365  
*Phalacrocorax*, ii. 365  
 Phalangers, ii. 251  
*Phalangista*, ii. 252  
 Phalangistidae, ii. 251  
*Phalaropus*, ii. 353  
*Phapitreron*, ii. 333  
*Phaps*, ii. 333  
*Pharomacrus*, ii. 314  
*Phascogale*, ii. 249  
*Phascolarctos*, ii. 252  
 PHASCOLOMYIDÆ, ii. 252  
*Phascotomys*, Australian Post-Tertiary, i. 157  
 PHASIANIDÆ, ii. 339  
 PHASIANINÆ, ii. 340  
*Phasianus*, Miocene of Greece, i. 116  
     European Post-Pliocene, i. 161  
     ii. 340  
*Phasidus*, ii. 340  
*Phatagin*, ii. 245  
 Pheasants, in European Miocene, i. 161  
     golden, of N. China, i. 226  
     eared, of Mongolia, i. 226  
     ii. 339  
*Phedina*, ii. 281  
*Phelsuma*, ii. 400  
*Phenacodus*, N. American Tertiary, i. 138  
*Pheropsophus*, ii. 489  
*Phenicticus*, ii. 285  
*Phibalura*, ii. 102  
*Philagetes*, ii. 502  
*Philemon*, ii. 276  
*Philentoma*, ii. 271  
*Philepitta*, ii. 298  
*Philetærus*, ii. 286  
*Philotryas*, ii. 376  
 Philippine Islands, mammals of, i. 345  
     birds of, i. 346  
     origin of peculiar fauna of, i. 448  
*Phitohela*, ii. 353  
*Phitomys*, ii. 517  
*Philydor*, ii. 103  
 PHILYDORINÆ, ii. 295  
*Phloxomys*, ii. 230  
*Phlaocryptes*, ii. 103  
*Phlogœnas*, ii. 333  
*Phlogophilus*, ii. 108  
*Phlogopsis*, ii. 104  
*Phlogothraupis*, ii. 98, 283  
*Phoca*, ii. 204  
*Phocœna*, ii. 209  
*Phocitæ*, N. American Tertiary, i. 140  
 PHOCIDÆ, ii. 203  
*Phodilus*, ii. 350  
*Phœnicocercus*, ii. 102, 293  
*Phœnicophaes*, ii. 309  
 PHENICOPTERIDÆ, ii. 361  
*Phœnicopterus*, ii. 361  
 PHOLADIDÆ, ii. 537  
*Pholadomya*, ii. 536  
*Pholeopteryx*, ii. 350  
*Pholidotus*, ii. 245  
*Pholidotus*, ii. 493  
*Phonipara*, ii. 284  
*Phorus*, ii. 510  
*Phos*, ii. 507  
*Phractocephalus*, ii. 442  
*Phrygilus*, ii. 284  
 PHRYNISCIDÆ, ii. 414  
*Phryniscus*, ii. 414  
*Phrynobatrachus*, ii. 421  
*Phrynocephalus*, ii. 402  
*Phrynoslossus*, ii. 421  
*Phrynorhombus*, ii. 441  
*Phrynosoma*, ii. 401  
*Phycis*, ii. 439  
*Phyllastrephus*, ii. 267  
 PHYLLIDIADÆ, ii. 530  
*Phyllobates*, ii. 419  
*Phyllodactylus*, ii. 399  
*Phyllomedusa*, ii. 418  
*Phyllomyias*, ii. 101  
*Phyllomys*, in Brazilian caves, i. 145  
     ii. 239  
*Phyllornis*, ii. 267  
 PHYLLORNITHIDÆ, ii. 267  
*Phylloscartes*, ii. 101  
 PHYLLOSCOPINÆ, ii. 257  
*Phylloscopus*, ii. 258  
*Phyllostomidae*, in Brazilian caves, i. 144  
 PHYLLOSTOMIDÆ, ii. 181  
*Phyllurus*, ii. 400  
 PHYLLYRHOIDÆ, ii. 530  
*Phymaturus*, ii. 401  
*Physa*, ii. 518  
*Physalus*, ii. 207  
*Physeler*, European Pliocene, i. 112  
     ii. 208  
 Physical changes affecting distribution, i. 7  
*Physignathus*, ii. 402  
 PHYSOSTOMI, ii. 441  
*Phytala*, ii. 477  
*Phytotoma*, ii. 294  
 PEYTOTOMIDÆ, ii. 294  
*Phyton*, ii. 502  
*Piabuca*, ii. 445  
*Piabucina*, ii. 445  
*Piaya*, ii. 309  
*Pica*, ii. 273  
 Picariæ, arrangement of, i. 95  
     range of Palearctic genera of, i. 247  
     range of Ethiopian genera of, i. 309  
     range of Oriental genera of, i. 381  
     range of Australian genera of, i. 482  
 PICARIÆ, ii. 302  
     general remarks on the distribution of,  
     ii. 322  
*Picathartes*, ii. 274  
*Piciorvus*, ii. 273  
 PICIDÆ, ii. 302  
*Picoides*, ii. 303  
*Picolaptes*, ii. 103  
*Picumnus*, ii. 803  
*Picus*, European Miocene, i. 161  
     ii. 803



Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

## GENERAL INDEX.

595

- PIERIDÆ**, ii. 478  
*Pieris*, ii. 478  
*Piezia*, ii. 491  
 Pigeons, classification of, i. 96  
   remarkable development of, in the Australian region, i. 395  
   crested, of Australia, figure of, i. 441  
   ii. 331  
   abundant in islands, ii. 335  
 Pigs, power of swimming, i. 13  
 Pikas, ii. 242  
 Pike, ii. 449  
 Pikerimi, Miocene fauna of, i. 115  
 Pilchard, ii. 454  
*Pileoma*, ii. 425  
*Pimelodus*, ii. 443  
*Pimephales*, ii. 452  
*Pinacodera*, ii. 490  
*Pinicola*, ii. 285  
*Pisulia*, ii. 191  
*Pionus*, ii. 328  
*Pipa*, ii. 422  
**PIPIDÆ**, ii. 421  
*Pipile*, i. 343  
*Pipilo*, ii. 284  
 Piping crows, ii. 273  
*Pipra*, ii. 102, 292  
*Pipreola*, ii. 102  
**PIPRIDÆ**, ii. 102  
*Pipridea*, ii. 98  
*Piprisoma*, ii. 277  
*Piprites*, ii. 102, 292  
*Piramutana*, ii. 442  
*Piratinga*, ii. 443  
*Pirinampus*, ii. 443  
*Pitangus*, ii. 101  
*Pithecia*, ii. 175  
*Pithecopis*, ii. 420  
*Pithys*, ii. 104  
*Pitta*, ii. 298  
*Pittas*, ii. 297  
*Pittasoma*, ii. 104  
 Pittidæ, abundant in Borneo, i. 355  
**PITTIDÆ**, ii. 297  
*Pituophis*, ii. 375  
 Pit-vipers, ii. 384  
*Pitylus*, ii. 99  
*Pityriasis*, ii. 273  
*Plagiodontia*, ii. 238  
*Plagiolophus*, European Eocene, i. 126  
*Plagiolum*, ii. 492  
**PLAGIOSTOMATA**, ii. 460  
*Planetes*, ii. 490  
*Planorbis*, European Secondary, i. 169  
   Eocene, i. 169  
   ii. 518  
 Plantain-eaters, ii. 307  
 Plant-cutters, ii. 294  
 Plants, distribution of, probably the same fundamentally as that of animals, ii. 162  
*Platacanthomys*, ii. 230  
*Platalea*, ii. 360  
**PLATALEIDÆ**, ii. 360  
*Platanista*, ii. 209  
*Platemys*, ii. 408  
*Platurus*, ii. 384  
*Platyercida*, gorgeously-coloured Australian parrots, i. 394  
**PLATYCERCIDÆ**, ii. 325  
*Platyercus*, ii. 325  
*Platycheile*, ii. 487  
*Platygonus*, N. American Post-Pliocene, i. 130  
   ii. 215  
*Platylophus*, ii. 273  
*Platymantis*, ii. 419  
*Platynemateichthys*, ii. 442  
*Platynus*, ii. 489  
*Platyxocilus*, ii. 450  
**PLATYRRHYNCHINÆ**, ii. 201  
*Platyrrhynchus*, ii. 101  
*Platysaurus*, ii. 392  
*Platysoma*, ii. 439  
*Platystira*, i. 271  
*Platystoma*, ii. 442  
*Platystomatichthys*, ii. 442  
*Plecoglossus*, ii. 447  
*Plecostomus*, ii. 444  
*Plecotus*, ii. 183  
**PLECTOGNATHI**, ii. 457  
**PLECTROMANTIDÆ**, ii. 417  
*Plectromantis*, ii. 417  
*Plectrophanes*, ii. 286  
*Plectropterus*, ii. 363  
*Plectrotrema*, ii. 519  
*Plecturus*, ii. 374  
*Plesiarcotomys*, European Eocene, i. 126  
   ii. 236  
*Plesiomeryx*, European Eocene, i. 126  
*Plesiosorex*, European Miocene, i. 118  
*Plestiodon*, ii. 397  
*Plethodon*, ii. 413  
**PLEUROBRANCHIDÆ**, ii. 530  
*Pleurodeles*, ii. 413  
*Pleurodema*, ii. 420  
*Pleuronectes*, ii. 441  
**PLEURONECTIDÆ**, ii. 440  
*Pleurostrichus*, ii. 392  
*Pleurotoma*, ii. 508  
*Pleurotomaria*, ii. 539  
 Pliocene period, Old World, mammalia of, i. 112  
 Pliocene and Post-Pliocene faunas of Europe, general conclusions from, i. 113  
   of N. America, i. 132  
   of S. America, i. 146  
   of Australia, i. 157  
*Pliohippus*, N. American Tertiary, i. 135  
*Pliolophus*, European Eocene, i. 126  
   ii. 216  
*Pliopithecus*, European Miocene, i. 117  
   ii. 173  
**PLOCEIDÆ**, ii. 286  
*Plocepasser*, ii. 286  
*Plocens*, ii. 286  
*Plotosus*, ii. 441  
*Plotus*, ii. 365  
 Plovers, ii. 355  
*Pluvianellus*, ii. 356  
*Pluvianus*, ii. 355  
**PLYCTOLOPHIDÆ**, ii. 324  
*Pnoepyga*, ii. 263  
*Podabrus*, ii. 249  
*Podager*, ii. 320  
**PODARGIDÆ**, ii. 318  
*Podargus*, ii. 318  
*Podica*, ii. 352  
*Podiceps*, ii. 367  
**PODICIPIDÆ**, ii. 366  
*Podilymbus*, ii. 367  
*Podocnemis*, ii. 408  
*Poebrotherium*, N. American Tertiary, i. 133  
   ii. 217  
*Pœctitia*, ii. 450  
*Pœctilophis*, ii. 383  
*Pœctilothraupis*, ii. 98  
*Pœphagus*, ii. 222  
*Pœphila*, ii. 287  
*Pogonocichla*, ii. 271  
**POGONORHYNCHINÆ**, ii. 306  
*Pogonorhynchus*, ii. 306  
*Pogonornis*, ii. 275

Q Q 2

- Pogonostoma*, ii. 487  
*Pogonotriccus*, ii. 101  
*Pohlia*, ii. 418  
*Poiana*, ii. 195  
*Polemistria*, ii. 107  
*Potioaëtus*, ii. 349  
*Potiococcyz*, ii. 309  
*Potiohierax*, ii. 349  
*Potioptitta*, ii. 328  
*Potioptila*, ii. 258  
*Potlanianus*, ii. 481  
**POLYBORINÆ**, ii. 347  
*Polyboroides*, ii. 347  
*Polyborus*, ii. 347  
*Polybothris*, ii. 497  
**POLYCENTRIDÆ**, ii. 434  
*Polycesta*, ii. 479  
**POLYDONTIDÆ**, ii. 459  
*Polyhirna*, ii. 491  
**POLYNEMIDÆ**, ii. 429  
*Polymmatius*, ii. 477  
 Polynesian sub-region, description of, i. 442  
   birds of, i. 443  
   reptiles of, i. 447  
*Polypedates*, ii. 419  
**POLYPEDATIDÆ**, ii. 419  
*Polyppt*, ii. 505  
*Polypectron*, ii. 340  
*Polyprion*, ii. 425  
**POLYPTERIDÆ**, ii. 458  
*Polypterus*, ii. 458  
*Polytelis*, ii. 325  
*Pomacanthus*, ii. 427  
**POMACENTRIDÆ**, ii. 437  
*Pomacentrus*, ii. 437  
*Pomatias*, ii. 521  
*Pomatorhinus*, ii. 261  
*Pomotis*, ii. 425  
*Pompholyx*, ii. 518  
*Pontia*, ii. 478  
*Pontoporia*, ii. 209  
*Poocetes*, ii. 284  
*Poodytes*, ii. 258  
*Poospiza*, ii. 284  
*Porcupines*, ii. 240  
*Poritia*, ii. 477  
*Porphyrio*, ii. 352  
*Porpoises*, ii. 208  
*Portax*, ii. 223  
*Porzana*, ii. 352  
 Post-Pliocene, mammalia of Europe, i. 110  
   remains imply changes of physical geography in Europe, i. 111  
   fauna of N. America, i. 129  
   fauna of N. America, remarks on, i. 130  
*Potamides*, ii. 509  
*Potamocheirus*, ii. 215  
*Potamodus*, ii. 258  
*Potamogale* of W. Africa, figure of, i. 264  
*Potamogale*, ii. 189  
**POTAMOGLIDÆ**, ii. 189  
*Potamootherium*, European Miocene, i. 118  
   ii. 200  
*Potto* of W. Africa, figure of, i. 264  
   ii. 176  
*Pouched Rats*, M. 233  
*Praotherium*, N. American Post-Pliocene, i. 130  
*Pratincola*, ii. 260  
*Pratincolew*, ii. 355  
*Presbytes*, ii. 171  
*Prepona*, ii. 474  
 Primates, classification of, i. 86  
   probable birthplace of, i. 153  
   range of Palæarctic genera of, i. 239  
   range of Ethiopian genera of, i. 300  
 Primates, range of Oriental genera of, i. 371  
   range of Australian genera of, i. 475  
**Primates**, European Pliocene, i. 112  
   Miocene of Greece, i. 115  
   European Miocene, i. 117  
   Indian Miocene, i. 121  
   European Eocene, i. 124  
   N. American Tertiary, i. 132  
   of Brazilian caves, i. 144  
**PRIMATES**, distribution of, ii. 170–180  
   general remarks on the distribution of, ii. 179  
   summary and conclusion, ii. 540  
 Prince's Island, birds of, i. 266  
*Prinia*, ii. 257  
*Prion*, ii. 865  
*Prioneris*, ii. 478  
**PRIONIDÆ**, ii. 498  
*Prionidium*, Oolitic insects, i. 167  
*Prionirhynchus*, ii. 813  
*Prioniturus*, ii. 326  
*Prionochilus*, ii. 277  
*Prionodontes*, ii. 246  
*Prionops*, ii. 272  
*Prionoteles*, ii. 314  
**PRISTIDÆ**, ii. 462  
*Pristimantis*, ii. 419  
**PRISTIOFORIDÆ**, ii. 462  
*Pristiphoca*, in European Pliocene, i. 112  
   ii. 204  
**PRISTIPOMATIDÆ**, ii. 426  
*Pristiurus*, ii. 461  
*Pristonychus*, ii. 489  
 Proboscidea, classification of, i. 90  
   range of Ethiopian genus, i. 303  
   range of Oriental genus, i. 374  
**Proboscidea**, European Pliocene, i. 113  
   Miocene of Greece, i. 116  
   European Miocene, i. 120  
   Indian Miocene, i. 122  
   N. American Post-Pliocene, i. 130  
   N. American Tertiary, i. 138  
   of Brazilian caves, i. 144  
   S. American Pliocene, i. 147  
**PROBOSCIDEA**, ii. 227  
   summary and conclusion, ii. 542  
*Procamelus*, N. American Post-Pliocene, i. 130  
   N. American Tertiary, i. 138  
   ii. 217  
*Procapra*, ii. 223  
*Procarduelis*, ii. 283  
*Procellaria*, ii. 365  
**PROCELLARIIDÆ**, ii. 365  
*Procerus*, ii. 488  
   ii. 489  
*Prochilodus*, ii. 445  
*Prochilus*, ii. 202  
*Procnias*, ii. 98  
*Procris*, ii. 481  
*Procrustes*, ii. 488  
   ii. 489  
*Proctotretus*, ii. 401  
*Procyon*, N. American Post-Pliocene, i. 130  
   ii. 200  
*Procyonidæ*, in Brazilian caves, i. 144  
**PROCYONIDÆ**, ii. 200  
**PRODUCTIDÆ**, ii. 532  
*Progne*, ii. 281  
*Promecoderus*, ii. 490  
*Promephitis*, Miocene of Greece, i. 115  
   European Miocene, i. 118  
   ii. 200  
*Promerops* of East Africa, figure of, i. 261  
*Promerops*, ii. 276  
*Pronophila*, ii. 471  
*Propalæotherium*, European Eocene, i. 126

## GENERAL INDEX.

597

- Proparus*, ii. 266  
*Propyrrhula*, ii. 285  
*Prostomus*, ii. 211  
*Proserpina*, ii. 527  
**PROSOBRANCHIATA**, ii. 507  
*Prosthemadera*, ii. 275  
**PROTEIDÆ**, ii. 412  
*Proteles*, ii. 196  
**PROTELIDÆ**, ii. 196  
*Protamnodon*, Australian Post-Tertiary, i. 157  
 ii. 251  
*Proteus*, ii. 412  
*Prothoe*, ii. 474  
*Protohippus*, N. American Tertiary, i. 135  
*Protomeryx*, N. American Tertiary, i. 138  
 ii. 217  
*Protonopsis*, ii. 412  
*Protonotaria*, ii. 279  
*Protopithecus*, in Brazilian caves, i. 144  
 ii. 178  
*Protopterus*, ii. 458  
*Protornis*, European Eocene, i. 162  
*Prototomus*, N. American Tertiary, i. 134  
*Prototroctes*, ii. 446  
*Psalidoprogne*, ii. 281  
*Psaltria*, ii. 266  
*Psaltriparus*, ii. 266  
*Psammodromus*, ii. 391  
*Psammodynastes*, ii. 377  
*Psammomys*, ii. 230  
**PSAMMOPHIDÆ**, ii. 377  
*Psammophis*, ii. 377  
*Psammosaurus*, ii. 389  
*Psarisomus*, ii. 295  
*Psephotus*, ii. 325  
*Pseudacris*, ii. 418  
*Pseudæurus*, European Miocene, i. 113  
 ii. 194  
*Pseudaleper*, ii. 197  
*Pseudecheneis*, ii. 444  
*Pseudechis*, ii. 363  
*Pseudeutropius*, ii. 442  
*Pseudis*, ii. 420  
*Pseudobagrus*, ii. 442  
*Pseudobias*, ii. 270  
*Pseudobufo*, ii. 415  
*Pseudochalceus*, ii. 445  
*Pseudochelidon*, ii. 312  
*Pseudocolaptes*, ii. 103  
*Pseudocordylus*, ii. 392  
*Pseudocyon*, European Miocene, i. 118  
 ii. 198  
*Pseudodipsas*, ii. 477  
*Pseudogobio*, ii. 452  
*Pseudogryphis*, ii. 346  
*Pseudogypis*, ii. 346  
*Pseudohage*, ii. 383  
*Pseudolabuca*, ii. 453  
*Pseudoleistes*, ii. 282  
*Pseudomorphia*, ii. 490  
*Pseudomys*, ii. 230  
*Pseudonaja*, ii. 383  
*Pseudoperilampus*, ii. 452  
**PSEUDOPHIDIA**, ii. 411  
*Pseudophryne*, ii. 414  
*Pseudopontia*, ii. 478  
*Pseudopus*, ii. 392  
*Pseudorasbora*, ii. 452  
*Pseudorca*, ii. 209  
*Pseudoscops*, ii. 350  
*Pseudoxiphophorus*, ii. 450  
*Psilopogon*, ii. 306  
*Psiloptera*, ii. 497  
*Psitorhamphus*, ii. 104  
*Psitorhinus*, ii. 273  
*Psitorhynchus*, ii. 453  
 Psittaci, classification of, i. 96  
 range of Ethiopian genera of, i. 311  
 range of Oriental genera of, i. 383  
 range of Australian genera of, i. 484  
**PSITTACI**, ii. 324  
 general remarks on the distribution of, ii. 329  
**PSITTACIDÆ**, ii. 328  
*Psittacula*, ii. 328  
*Psittacus*, European Miocene, i. 161  
 ii. 328  
*Psittinus*, ii. 326  
*Psittirostra*, ii. 277  
*Psittospiza*, ii. 99  
*Psophia*, ii. 358  
**PSOPHIIDÆ**, ii. 358  
*Psophodes*, ii. 262  
**PSYCHROLUTIDÆ**, ii. 436  
*Pterocles*, European Miocene, i. 161  
 ii. 337  
**PTEROCLIDÆ**, ii. 337  
*Pterocyclos*, ii. 520  
*Pterodon*, European Miocene, i. 125  
*Pteroglossus*, ii. 307  
*Pteromys*, ii. 235  
*Pteromyzon*, ii. 463  
**PTEROMYZONTIDÆ**, ii. 463  
*Pteronura*, ii. 199  
*Pterophanes*, ii. 108  
*Pterophyllum*, ii. 439  
**PTEROPIDÆ**, ii. 181  
**PTEROPODA**, ii. 531  
*Pteropodocys*, ii. 269  
**PTEROPTOCHIDÆ**, ii. 297  
*Pteroptochus*, ii. 297  
*Pterorhinus*, ii. 261  
*Pterosarion*, ii. 452  
*Pterostichus*, ii. 489  
*Pteruthius*, ii. 266  
*Pterygoplichthys*, ii. 444  
*Ptilocercus*, ii. 186  
*Ptilochloris*, ii. 102, 293  
*Ptilogenys*, ii. 280  
*Ptilonorhynchus*, ii. 275  
*Ptilopachus*, ii. 338  
*Ptilopus*, ii. 332  
*Ptilorhis*, ii. 275  
*Ptilostomus*, ii. 273  
*Ptilotis*, ii. 275  
*Ptosima*, ii. 497  
*Ptyas*, ii. 375  
*Psychobarbus*, ii. 452  
*Pylonotus*, ii. 428  
*Pucrasia*, ii. 340  
 Puff-birds, ii. 310  
 Puffins, ii. 367  
*Puffinus*, ii. 365  
**PULMONIFERA**, ii. 512  
*Pulsatrix*, ii. 350  
*Puncturella*, ii. 511  
*Pupa*, Eocene, i. 169  
*Pupa vetusta*, Palæozoic, i. 169  
*Pupa*, ii. 514  
*Pupina*, ii. 520  
*Pupinella*, ii. 520  
*Putorius*, ii. 198  
**PYCNONOTIDÆ**, ii. 267  
*Pycnonotus*, ii. 267  
*Pycnophrys*, ii. 270  
*Pycrorhis*, ii. 261  
*Pygarrhicus*, ii. 103  
*Pygornis*, ii. 107  
*Pygomeles*, ii. 397  
**PYGOFODIDÆ**, ii. 395  
*Pygoptila*, ii. 104  
*Pygopus*, ii. 395

**PYRAMIDELLIDÆ**, ii. 509

- Pyrameis*, ii. 474  
*Pyrausta*, ii. 98  
*Pyrenestes*, ii. 286  
*Pyrgisoma*, ii. 284  
*Pyrgia*, ii. 284  
*Pyrgiella*, ii. 104  
*Pyrocephalus*, ii. 101, 291  
*Pyroderus*, ii. 103  
*Pyromelano*, ii. 286  
*Pyrophthalma*, ii. 259  
*Pyrrhocoma*, ii. 99  
*Pyrrhospiæa*, ii. 285  
*Pyrrhula*, ii. 285  
*Pyrrhulanda*, ii. 289  
*Pyrrhulina*, ii. 445  
*Pyrrhulopsis*, ii. 325  
*Pyrrhuloxia*, ii. 285  
*Pyrrhura*, ii. 328  
*Pytelia*, ii. 287  
*Python*, ii. 381  
*Pythonidæ*, European Miocene, i. 165  
**PYTHONIDÆ**, ii. 381  
*Pythonodipsas*, ii. 379  
*Pythonopsis*, ii. 376  
*Pythons*, ii. 381  
*Pyxicephalus*, ii. 420  
*Pyxis*, ii. 408

## Q.

- Quadrupana*, fossil, ii. 178  
*Quail-snipes*, ii. 354  
*Querquedula*, ii. 363  
*Querula*, ii. 102  
*Quiscalus*, ii. 282

## R.

- Rachis*, ii. 524  
*Raccoon-dog of N. China*, i. 226  
*Racoons*, ii. 200  
*Raia*, ii. 462  
**RAIIDÆ**, ii. 462  
*Rails*, ii. 351  
**RALLIDÆ**, ii. 351  
*Rallina*, ii. 352  
*Rallus*, ii. 352  
*Rana*, European Miocene, i. 166  
 ii. 420  
*Raniceps*, ii. 439  
**RANIDÆ**, ii. 420  
*Ranodon*, ii. 413  
*Rappia*, ii. 419  
*Rasbora*, ii. 452  
*Rasbortichthys*, ii. 453  
*Rattle-snakes*, ii. 384  
*Rays*, ii. 462  
*Realta*, ii. 521  
*Rectes*, ii. 272  
*Recurvirostra*, ii. 353  
*Regalecus*, ii. 432  
**Region**, the best term for the primary zoological divisions, i. 68  
 Arctic, why not adopted, i. 69  
 Palaearctic, defined, i. 71  
 Palaearctic, subdivisions of, i. 71  
 Ethiopian, defined, i. 73  
 Ethiopian, subdivisions of, i. 73  
 Oriental, defined, i. 75  
 Oriental, subdivisions of, i. 75  
 Australian, defined, i. 77  
 Australian, subdivisions of, i. 77

- Region**, Neotropical, defined, i. 78  
 Neotropical, subdivisions of, i. 78  
 Nearctic, defined, i. 79  
 Nearctic, distinct from Palaearctic, i. 79  
 Nearctic, subdivisions of, i. 80  
**Regions**, zoological, i. 50  
 zoological, how they should be formed, i. 53  
 zoological, may be defined by negative or positive characters, i. 54  
 zoological, by what class of animals best determined, i. 56  
 for each class of animals, not advisable, i. 58  
 zoological, proposed since 1857, i. 68  
 zoological, Mr. Sclater's, i. 59  
 zoological, discussion of those proposed by various authors, i. 61  
 zoological, proportionate richness of, i. 64  
 temperate and tropical, well marked in northern hemisphere, i. 65  
 and zones, table of, i. 66  
 comparative richness of, i. 81  
 and sub-regions, table of, i. 81  
 order of succession of the, i. 173

- Registoma*, ii. 521  
*Reguloides*, ii. 258  
*Regulus*, ii. 258  
*Reinwardtanas*, ii. 333  
*Reinwardtitycus*, ii. 303  
*Reithrodon*, ii. 230  
 Representative species, i. 4  
**Reptiles**, means of dispersal of, i. 28  
 classification of, i. 98  
 Miocene of Greece, i. 116  
 of Indian Miocene deposits, i. 123  
 extinct Tertiary, i. 165  
 cosmopolitan groups of, i. 176  
 peculiar to Palaearctic region, i. 186  
 of Central Europe, i. 195  
 of the Mediterranean sub-region, i. 204  
 of the Siberian sub-region, i. 220  
 of the Manchurian sub-region, i. 227  
 table of Palaearctic families of, i. 236  
 of the Ethiopian region, i. 254  
 of the E. African sub-region, i. 260  
 of W. Africa, i. 264  
 S. African, i. 268  
 of Madagascar, i. 279  
 table of Ethiopian families of, i. 297  
 of the Oriental region, i. 317  
 of the Indian sub-region, i. 326  
 of Ceylon, i. 327  
 of the Indo-Chinese sub-region, i. 331  
 of the Indo-Malay sub-region, i. 340  
 table of Oriental families of, i. 368  
 of the Australian region, i. 396  
 of New Guinea, i. 415  
 of the Moluccas, i. 420  
 of the Polynesian sub-region, i. 447  
 of New Zealand, i. 456  
 table of Australian families of, i. 472  
 Neotropical, ii. 9  
 of S. Temperate America, ii. 40  
 of the Mexican sub-region, ii. 54  
 of the Antilles, ii. 72  
 table of Neotropical families of, ii. 88  
 of the Nearctic region, ii. 119  
 of California, ii. 128  
 of Central N. America, ii. 131  
 of Eastern United States, ii. 133  
 of Canada, ii. 137  
 table of Nearctic families of, ii. 142  
 summary and conclusion, ii. 547  
**REPTILIA**, ii. 372  
*Retropinna*, ii. 447

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

## GENERAL INDEX.

599

- Revilgigedo Islands, zoology of, ii. 60
- Rhabdornis*, ii. 265
- Rhabdosoma*, ii. 374
- RACHIODONTIDÆ, ii. 377
- Rhacophorus*, ii. 419
- Rhamphos*, ii. 376
- RHAMPHASTIDÆ, ii. 306
- Rhamphastos*, ii. 307
- Rhamphichthys*, ii. 455
- Rhamphocœnus*, ii. 104
- Rhamphocœcyx*, ii. 309
- Rhamphocinctus*, ii. 256
- Rhamphocelus*, ii. 98
- Rhamphomicron*, ii. 108
- Rhaphantus*, ii. 520
- Rhea*, in Brazilian caves, i. 164  
ii. 368
- Rhinaster*, ii. 213
- Rhinatrema*, ii. 411
- Rhinechis*, ii. 376
- Rhinelepis*, ii. 444
- Rhinichthys*, ii. 452
- RHINIDÆ, ii. 462
- RHINOBATIDÆ, ii. 462
- Rhinoceros*, Post-Pliocene, i. 112  
European Pliocene, i. 113  
Miocene of Greece, i. 116  
Indian Miocene, i. 122  
fossil remains of, at 16,000 feet elevation  
in Thibet, i. 122  
fossil in N. China, i. 123  
N. American Tertiary, i. 136  
ii. 213
- Rhinoceros-hornbill*, figure of, i. 339
- Rhinocerotidæ*, N. American Tertiary, i. 136
- RHINOCEROTIDÆ, ii. 213
- RHINOCHETIDÆ, ii. 359
- Rhinochetus*, ii. 359
- Rhinocœcyx*, ii. 309
- Rhinocrypha*, ii. 297
- Rhinoderma*, ii. 416
- RHINODONTIDÆ, ii. 461
- Rhinodoras*, ii. 443
- Rhinogale*, ii. 195
- Rhinoglanis*, ii. 443
- RHINOLOPHIDÆ, ii. 182
- Rhinolophus*, ii. 183
- Rhinophis*, ii. 374
- RHINOPHRYNIDÆ, ii. 414
- Rhinophrymus*, ii. 414
- Rhinoplax*, ii. 317
- Rhinopoma*, ii. 183
- Rhinortha*, ii. 309
- Rhipidura*, ii. 271
- Rhizomys*, ii. 231
- Rhodeus*, ii. 452
- Rhodinocincta*, ii. 256
- Rhodona*, ii. 397
- Rhodopsis*, ii. 108
- Rhodostelia*, ii. 364
- Rhombomys*, ii. 230
- Rhombus*, ii. 441
- Rhopodytes*, ii. 309
- Rhopoterpe*, ii. 104
- Rhynchœa*, ii. 353
- RHYNCHOCEPHALIDÆ, ii. 405
- RHYNCHOCEPHALINA, ii. 405
- Rhynchocyon*, ii. 186
- Rhynchocyclus*, ii. 101
- Rhynchonella*, ii. 539
- RHYNCHONELLIDÆ, ii. 532
- Rhynchops*, ii. 365
- Rhynchopsitta*, ii. 328
- Rhynchotus*, ii. 344
- Rhytina*, ii. 210, 211
- Rhytidodus*, ii. 445
- Ricinula*, ii. 507
- Rimator*, ii. 263
- Rimula*, ii. 511
- Rissa*, ii. 364
- Rissoa*, ii. 510
- Rita*, ii. 442
- River-hog, of West Africa, figure of, i. 264  
of Madagascar, figure of, i. 278
- Rivers, limiting the range of mammalia, i. 12  
limiting the range of birds, i. 17
- River-scene in West Africa, i. 264
- River-snails, ii. 510
- Rivulus*, ii. 450
- Rock-snakes, ii. 381
- Rocky mountain sub-region, ii. 129  
mammalia of, ii. 129  
birds of, ii. 130  
reptiles, amphibia, and fishes of, ii. 130
- Rodentia, classification of, i. 90  
range of Palearctic genera of, i. 242  
range of Ethiopian genera of, i. 304  
range of Oriental genera of, i. 374  
range of Australian genera of, i. 476
- Rodentia*, European Pliocene, i. 113  
Miocene of Greece, i. 116  
European Miocene, i. 120  
European Eocene, i. 126  
N. American Post-Pliocene, i. 130  
N. American Tertiary, i. 139  
of Brazilian caves, i. 144  
of S. American Pliocene, i. 147  
of S. American Eocene, i. 148
- RODENTIA, ii. 229
- Rodentia, general remarks on the distribution  
of, ii. 243
- Rodentia*, summary and conclusion, ii. 543
- Rohtichthys*, ii. 452
- Rollers, ii. 311
- Rollulus*, ii. 339
- Romaleosoma*, ii. 474
- Rose-chafers, ii. 494
- Rostrhamus*, ii. 349
- Rough-tailed burrowing snakes, ii. 374
- Ruff, figure of, i. 195
- Rupicapra*, ii. 224, 225
- RUPICAPRINÆ, ii. 224
- Rupicola*, ii. 102, 293
- RUPICOLINÆ, ii. 293
- Ruticilla*, ii. 259
- RUTICILLINÆ, ii. 257
- S.
- Saccobranchus*, ii. 441
- Saccodon*, ii. 445
- SACCOMYIDÆ, ii. 233
- Sacomys*, ii. 233
- Saccostomus*, ii. 230
- Sagda*, ii. 516
- Sahara, a debatable land, i. 251
- Saiga, antelope of W. Tartary, i. 218
- Saiga*, ii. 223
- Saimiris*, ii. 175
- Sakis, ii. 175
- Salamandra*, ii. 413
- SALAMANDRIDÆ, ii. 413
- Salamandrina*, ii. 413
- Salarix*, ii. 448
- Salminus*, ii. 445
- Salmo*, ii. 447
- SALMONIDÆ, ii. 447
- Salpinctes*, ii. 264
- Salpornis*, ii. 264
- Sallator*, ii. 99

- Salvin, Mr., on birds of Galapagos, ii. 30  
*Sambus*, ii. 496  
 Samoa Islands, birds of, i. 443  
 Sand-grouse, Pallas', of Mongolia, i. 226  
 ii. 337  
 Sand-lizards, ii. 398  
 Sandpipers, ii. 353  
 Sandwich Islands, birds of, i. 445  
 probable past history of, i. 446  
 mountain plants of, i. 446  
 depth of ocean around, i. 447  
*Sanzinia*, ii. 351  
*Supercia*, ii. 501  
*Sapphitronia*, ii. 109  
*Sarcodaces*, ii. 445  
*Sarcophilus*, ii. 249  
**SARCORHAMPHINÆ**, ii. 346  
*Sarcorhamphus*, ii. 346  
*Sargus*, ii. 427  
*Sarkidiornis*, ii. 363  
*Saroglossa*, ii. 288  
*Sarotherodon*, ii. 438  
*Sasia*, ii. 303  
*Satanoperca*, ii. 439  
**SATYRIDÆ**, ii. 471  
*Satyrites* *Reynesii*, European Cretaceous insect, i. 167  
*Satyrus*, ii. 471  
*Saucerottia*, ii. 109  
 Saunders, Mr. Edward, on the Buprestidæ of Japan, i. 229  
*Sauroceles*, ii. 210  
*Saurophis*, ii. 392  
*Saurothera*, ii. 309  
*Saxicola*, ii. 260  
*Saxicolinae*, ii. 257  
*Sayornis*, ii. 100, 291  
 Scallops, ii. 533  
*Scalops*, ii. 190  
*Scapanus*, ii. 190  
*Scaphiopus*, ii. 417  
*Scaphirhynchus*, ii. 459  
*Scaptochirus*, ii. 190  
*Scaptonyx*, ii. 190  
*Scaraphites*, ii. 490  
*Scardafella*, ii. 333  
*Scarites*, ii. 489  
*Scelidotherium*, in Brazilian caves, i. 145  
 S. American Pliocene, i. 147  
 ii. 245  
*Scelodontis*, ii. 490  
*Sceloporus*, ii. 401  
*Scelotes*, ii. 398  
*Schaera*, ii. 452  
*Schastischeila*, ii. 522  
*Schiffornis*, ii. 102  
*Schilde*, ii. 442  
*Schilbichthys*, ii. 442  
*Schismaderma*, ii. 415  
*Schistes*, ii. 108  
*Schistopteurum*, S. American Pliocene, i. 147  
*Schizodon*, ii. 238  
*Schizogenius*, ii. 490  
*Schizopygopsis*, ii. 452  
*Schizorhina*, ii. 494  
*Schizorhis*, ii. 307  
*Schizothorax*, ii. 452  
*Schenionta*, ii. 502  
 Schweinfurth, Dr., on natural history of Central Africa, i. 252  
 on limits of W. African sub-region, i. 262  
 (note)  
*Sciades*, ii. 443  
*Sciæna*, ii. 428  
**SCLENIDÆ**, ii. 428  
**SCINCIDÆ**, ii. 396  
*Scincus*, ii. 397  
 Scinks, ii. 396  
*Scissirostrum*, ii. 288  
 Scissor, ii. 445  
*Sciuravus*, N. American Eocene, i. 140  
*Sciuravus*, ii. 236  
**SCIURIDÆ**, ii. 234  
*Sciuropterus*, ii. 235  
*Sciurus*, European Miocene, i. 120  
 European Eocene, i. 126  
 ii. 235, 236  
 Sclater, Mr., on zoological regions, i. 59  
 why his six regions are adopted, i. 63  
 on birds of Sandwich Islands, i. 445  
 on systematic position of *Certhidea*, ii. p. 31  
 Sclater and Salvin, Messrs., on Neotropical sub-regions, ii. 25  
**SCLERODERMI**, ii. 457  
*Sclerognathus*, ii. 451  
**SCLERURINÆ**, ii. 295  
*Sclerurus*, ii. 103  
*Scoleophagus*, ii. 282  
**SCOLOPACIDÆ**, ii. 353  
*Scolopax*, ii. 353  
*Scomber*, ii. 429  
**SCOMBRESOCIDÆ**, ii. 449  
*Scombresox*, ii. 449  
**SCOMBRIDÆ**, ii. 429  
**SCOPELIDÆ**, ii. 448  
*Scops*, ii. 350  
*Scopus*, ii. 360  
*Scortornis*, ii. 320  
*Scotopelia*, ii. 350  
*Scotophilus*, ii. 183  
*Scrapteira*, ii. 391  
 Screamers, ii. 361  
 Scrub-birds, ii. 299  
**SCYLLIDÆ**, ii. 461  
*Scyllium*, ii. 461  
*Scytale*, ii. 379  
**SCYTTALIDÆ**, ii. 379  
*Scytalopus*, ii. 297  
*Scythrops*, ii. 310  
 Sea, as a barrier to mammalia, i. 13  
 Sea-devils, ii. 463  
 Seals, fossil in European Miocene, i. 118  
 of Lake Balkal, i. 218  
 ii. 203  
 Sea-pens, ii. 505  
 Sea-snails, ii. 508  
 Sea-snakes, ii. 384  
*Sebastes*, ii. 428  
 Secondary formations, mammalian remains in, i. 169  
 Secretary bird, of Africa, figure of, i. 261  
 ii. 346  
 Seemann, Dr., on protective resemblance of sloths, ii. 24  
*Seisura*, ii. 270  
*Selache*, ii. 460  
*Selaphorus*, ii. 108  
*Selenidera*, ii. 307  
*Selenophorus*, ii. 490  
*Selencides*, ii. 275  
*Semioptera*, ii. 275  
*Semiplotus*, ii. 452  
**SEMNOPTHECIDÆ**, ii. 171  
*Semnopithecus*, European Pliocene, i. 112  
 Miocene of Greece, i. 115  
 European Miocene, i. 117  
 Indian Miocene, i. 121  
 ii. 171  
 ii. 178  
 Semper, Dr., on Philippine mammalia, i. 345  
*Senira*, ii. 397

## GENERAL INDEX.

601

- SEPIADÆ, ii. 505  
 SEPIDÆ, ii. 398  
*Seps*, ii. 398  
*Sepina*, ii. 398  
*Sericinus*, ii. 479  
*Sericornis*, ii. 258  
*Sericulus*, ii. 275  
*Serilophus*, ii. 295  
 SERPENTARIIDÆ, ii. 346  
*Serpentarius*, European Miocene, i. 162  
 ii. 346  
*Serphophaga*, ii. 101  
*Serranus*, ii. 425  
*Serrusaimo*, ii. 445  
*Sesia*, ii. 482  
*Setophaga*, ii. 279  
*Setornis*, ii. 267  
 Seychelle Islands, zoology of, i. 281  
 amphibia of, i. 281  
 Shad, ii. 454  
 Sharks, ii. 460  
 Sharp, Dr., on Japan beetles, i. 229  
 Sharpe, Mr. R. B., his arrangement of Accipitres, i. 97  
 on birds of Cape Verd Islands, i. 215  
 on classification of Cuckoos, ii. 309  
 Sheath-bills, ii. 354  
 Sheep, Palæarctic, i. 182  
 ii. 221  
 Short-tailed burrowing snakes, ii. 373  
 Shrikes, ii. 272  
*Sialia*, ii. 260  
*Stamanga*, ii. 171  
*Staphos*, ii. 397  
 Siberia, climate of, i. 217  
 Siberian sub-region, description of, i. 216  
 mammalia of, i. 217  
 birds of, i. 219  
 reptiles and amphibia of, i. 220  
 insects of, i. 220  
*Sibia*, ii. 262  
*Siderone*, ii. 474  
*Steboldia*, ii. 412  
*Sigmodon*, ii. 230  
*Silondia*, ii. 442  
*Silphomorpha*, ii. 490  
*Silubosaurus*, ii. 397  
*Siluranodon*, ii. 442  
*Silurichthys*, ii. 441  
 SILURIDÆ, ii. 441  
*Silurus*, ii. 441  
*Silybura*, ii. 374  
*Simenia*, ii. 197  
*Simia*, ii. 171  
 SIMIIDÆ, ii. 170  
*Simococephalus*, ii. 380  
*Simocyon*, Miocene of Greece, i. 115  
 ii. 198  
*Simorhynchus*, ii. 367  
*Simotes*, ii. 375  
*Simpulopsis*, ii. 516  
*Sinopa*, N. American Tertiary, i. 134  
*Siphia*, ii. 270  
*Siphneus*, ii. 230  
*Siphonopsis*, ii. 411  
*Siphonorhis*, ii. 320  
*Siphonostoma*, ii. 457  
*Siren*, ii. 411  
 Sirenia, classification of, i. 89  
 range of Ethiopian genera of, i. 303  
 range of Oriental genus, i. 374  
 range of Australian genus of, i. 476  
 Sirenia, European Pliocene, i. 112  
 European Miocene, i. 119  
 SIRENIA, ii. 210  
 SIRENIDÆ, ii. 411  
 SIRENOIDEI, ii. 458  
*Sirytes*, ii. 101  
*Sisor*, ii. 444  
*Sitana*, ii. 402  
*Sitta*, ii. 265  
*Sittasomus*, ii. 103  
*Sittella*, ii. 265  
 SITTIDÆ, ii. 265  
*Sturus*, ii. 279  
*Stiva*, ii. 266  
*Stivatherium*, Indian Miocene, i. 122  
 ii. 226  
 Siwalik Hills, Miocene deposits of, i. 121  
*Skenea*, ii. 510  
 Sloths, ii. 244  
 Slugs, ii. 517  
*Smaragdochrysis*, ii. 109  
*Smerinthus*, ii. 483  
*Smiliogaster*, ii. 453  
*Smithus*, ii. 230  
 Smith, Mr. Frederick, on Hymenoptera of Japan, i. 230  
*Smithornis*, ii. 270  
*Smutsia*, ii. 245  
 Snails, ii. 512  
 Snake, at great elevation in Himalayas, i. 220  
 Snakes, classification of, i. 99  
 Eocene, i. 165  
 large proportion of venomous species in Australia, i. 396  
 of New Zealand, i. 457  
 distribution and lines of migration of, ii. 547  
 Snipes, ii. 353  
 Society Islands, birds of, i. 443  
 Socorro, zoology of, ii. 60  
 Soft-tortoises, ii. 409  
*Solarium*, ii. 510  
*Solea*, ii. 441  
 SOLENIDÆ, ii. 536  
*Solenodon*, ii. 188  
 SOLENOSTOMIDÆ, ii. 456  
 Solitaire, ii. 334  
*Somateria*, ii. 364  
*Soricictis*, European Miocene, i. 118  
 ii. 196  
*Soricidae*, European Miocene, i. 118  
 SORICIDÆ, ii. 191  
*Soridia*, ii. 397  
*Sorubim*, ii. 442  
*Sotalia*, ii. 209  
 South African sub-region, description of, i. 266  
 mammalia of, i. 267  
 birds of, i. 267  
 reptiles of, i. 268  
 amphibia of, i. 268  
 fresh-water fish of, i. 268  
 butterflies of, i. 268  
 coleoptera of, i. 268  
 summary of its zoology, i. 269  
 South America, fossil fauna of, i. 143  
 Pliocene deposits of, i. 146  
 supposed land connection with Australia, i. 398  
 South America and Africa, parallelism of their past zoological history, ii. 83  
 South Australia, peculiar birds of, i. 441  
 SPALACIDÆ, ii. 231  
*Spalacomys*, ii. 230  
*Spalacopus*, ii. 238  
*Spalax*, ii. 231  
*Sparganura*, ii. 108  
 SPARIDÆ, ii. 426  
*Spatula*, ii. 364  
 Species, representative, i. 4



- Spelerpes*, ii. 413  
*Speothos*, in Brazilian caves, i. 145  
*Spermestes*, ii. 287  
*Spermophilus*, ii. 285  
*Spermophilus*, European Miocene, i. 120  
   ii. 235, 236  
*Spermospiza*, ii. 286  
 Sperm Whales, ii. 207  
*Sphærocephalus*, ii. 209  
*Sphærodactylus*, ii. 400  
*Sphæroderus*, ii. 490  
*Sphallomorpha*, ii. 490  
*Sphæcotheres*, ii. 268  
*Sphenæacus*, ii. 258  
 SPHENISCIDÆ, ii. 366  
*Spheniscus*, ii. 366  
*Sphenocephalus*, ii. 393  
*Sphenodon*, in Brazilian caves, i. 145  
   ii. 245  
*Sphenognathus*, ii. 493  
*Sphenoproctus*, ii. 107  
*Sphenops*, ii. 398  
*Sphenostoma*, ii. 266  
*Sphenura*, ii. 258  
 SPHINGIDÆ, ii. 432  
 Sphingidea, distribution of, ii. 433  
 SPHINGINA, ii. 481  
*Sphinxnotus*, ii. 501  
*Sphinx*, in European Oolite, i. 167  
   ii. 482  
 Sphinx Moths, ii. 482  
*Sphyrapicus*, ii. 303  
 SPHYRENIDÆ, ii. 429  
 Spider monkeys, ii. 174  
*Spilornis*, ii. 348  
*Spilotes*, ii. 376  
 SPINACIDÆ, ii. 461  
*Spindalis*, ii. 98, 284  
*Spizaxia*, ii. 515  
   PIRIFERIDÆ, ii. 532  
 SPIRULIDÆ, ii. 505  
*Spizaetus*, ii. 348  
*Spizella*, ii. 284  
*Spiziapteryx*, ii. 349  
*Spiciastur*, ii. 348  
*Spodiornis*, ii. 285  
 Sponsor, ii. 497  
 Spoonbills, ii. 360  
*Sporadinus*, ii. 109  
*Sporopipes*, ii. 286  
 Spraf, ii. 454  
*Sprao*, ii. 288  
*Squalodon*, ii. 210  
*Squaliocarbus*, ii. 452  
 SQUAMIPENNIS, ii. 427  
*Squatarola*, ii. 356  
 Squirrel monkeys, ii. 175  
 Squirrels, ii. 234  
 St. Helena, zoological features of, i. 269  
   coleoptera of, i. 270  
   landshells of, i. 271  
 St. Thomas's Island, birds of, i. 266  
*Stachyris*, ii. 261  
*Stactolæma*, ii. 308  
 Stag beetles, ii. 492  
*Stalagmosoma*, ii. 495  
 Starlings, ii. 287  
*Starnænas*, ii. 33  
 Stations, definition of, i. 4  
*Stavrotytus*, ii. 408  
*Steatomys*, ii. 230  
*Steatornis*, ii. 319  
 STEATORNITHIDÆ, ii. 319  
*Steganura*, ii. 108  
*Stegnotæma*, ii. 343  
*Stegophilus*, ii. 444  
*Stelgidopteryx*, ii. 281  
*Stellio*, ii. 402  
*Stellula*, ii. 108  
*Stenofiber*, European Miocene, i. 120  
   ii. 234  
*Steno*, ii. 209  
*Stenodactylus*, ii. 400  
*Stenogyra*, ii. 515  
*Stenopsis*, ii. 320  
*Stenopus*, ii. 516  
*Stenorhina*, ii. 375  
*Stenorrhynchus*, ii. 204  
   ii. 421  
*Stephanophorus*, ii. 98  
*Stercorarius*, ii. 364  
*Sterna*, ii. 364  
*Sternarchus*, ii. 455  
*Sternocera*, ii. 496  
*Sternoclyta*, ii. 107  
 STERNOPTYCHIDÆ, ii. 446  
*Sternopygus*, ii. 455  
*Sternotheres*, ii. 408  
*Steropus*, ii. 489  
*Stesilea*, ii. 501  
*Stethodesma*, ii. 495  
*Sthenurus*, Australian Post-Tertiary, i. 157  
   ii. 251  
*Stichæus*, ii. 431  
 Sticklebacks, ii. 424  
*Stigmatura*, ii. 101  
*Stigmodera*, ii. 496  
 STOMIATIDÆ, ii. 447  
 Storks, ii. 360  
*Stabomantis*, ii. 419  
 Straits of Magellan, mammalia of, ii. 37  
   birds of, ii. 39  
*Strepera*, ii. 273  
*Strepsilas*, ii. 356  
*Streptaulus*, ii. 520  
*Streptaxia*, ii. 515  
*Streptocerus*, ii. 493  
*Streptocitta*, ii. 274  
*Streptophorus*, ii. 374  
 STRIGIDÆ, ii. 350  
*Stringops*, ii. 329  
 STRINGOPIDÆ, ii. 329  
*Strix*, European Miocene, i. 162  
   ii. 350  
 STROMBIDÆ, ii. 507  
*Struthio*, ii. 368  
 Struthionæ, arrangement of, i. 93  
   range of Ethiopian genera of, i. 313  
   range of Australian genera of, i. 487  
 STRUTHIONIS, ii. 368  
   general remarks on the distribution of, ii. 370  
 STRUTHIONIDÆ, ii. 368  
 Struthious birds, probable origin of, i. 287  
 Sturgeons, ii. 459  
*Sturnella*, ii. 282  
*Sturnia*, ii. 287  
 STURNIDÆ, ii. 287  
*Sturnopastor*, ii. 287  
*Sturnus*, ii. 287  
 STYGHIDÆ, ii. 482  
*Stygogenes*, ii. 444  
*Stylinodontia*, N. American Eocene, i. 139  
*Stylinodontidae*, N. American Eocene, i. 139  
*Styporhynchus*, ii. 376  
*Sublegatus*, ii. 101  
 Sub-regions, on what principle formed, i. 180  
   Falaarctic, i. 191  
   Ethiopian, i. 258  
   Oriental, i. 321  
   Australian, i. 408  
   Neotropical, ii. 21

- Sub-regions, Nearctic, ii. 125  
*Succinea*, ii. 515  
 Sugar-birds, ii. 278  
*Suidæ*, European Miocene, i. 119  
 SUIDÆ, ii. 214  
 Sula Islands, fauna of, i. 433  
*Sula*, ii. 365  
 Summary of relations of regions, ii. 155  
 Sun-birds, ii. 276  
 Sun-bitterns, ii. 358  
*Suricata*, ii. 195  
*Surnia*, ii. 350  
*Surniculus*, ii. 310  
*Sus*, European Pliocene, i. 113  
   Miocene of Greece, i. 116  
   European Miocene, i. 119  
   Indian Miocene, i. 122  
     ii. 215  
*Suthora*, ii. 282  
*Suya*, ii. 258  
 Swallows, ii. 281  
 Swallow-shrikes, ii. 288  
 Swifts, ii. 320  
 Swine, ii. 214  
 Swinhoe, Mr., on zoology of Formosa and  
   Hainan, i. 332  
*Sycalis*, ii. 284  
*Sylvia*, ii. 259  
*Sylvietta*, ii. 264  
 SYLVIIDÆ, ii. 256  
 SYLVIINÆ, ii. 257  
*Sylvioorthorhynchus*, ii. 103  
*Syviparus*, ii. 266  
*Syma*, ii. 316  
*Symborodon*, N. American Tertiary, i. 137  
 SYMBRANCHIDÆ, ii. 455  
*Symbranchus*, ii. 455  
*Symmachia*, ii. 476  
*Symmorphus*, ii. 269  
*Symphædra*, ii. 474  
*Symphysodon*, ii. 439  
*Symplectes*, ii. 286  
 SYNALLAXINÆ, ii. 295  
*Synallaxis*, ii. 103  
*Synaphodus*, European Miocene, i. 119  
*Synaptura*, ii. 441  
*Synchloe*, ii. 474  
*Synchesus*, ii. 493  
*Synemon*, ii. 481  
*Syngnathus*, ii. 457  
 SYNGNATHIDÆ, ii. 457  
*Synodontis*, ii. 443  
*Synoplotherium*, N. American Tertiary, i. 134  
*Syntomis*, ii. 481  
*Syrnium*, ii. 350  
*Syrrhæptes*, ii. 337  
*Sysopygus*, ii. 101
- T.
- Tables of distribution of families and genera  
 explained, i. 177  
*Taccocoua*, ii. 309  
*Tachydromus*, ii. 391  
*Tachyphonus*, ii. 99  
*Tachyris*, ii. 478  
*Tachyriorchis*, ii. 348  
*Tadorna*, ii. 363  
*Tæniogale*, ii. 195  
*Tænioptera*, ii. 100, 291  
 TÆNIOPTERINÆ, ii. 291  
*Tæniura*, ii. 463  
*Talegallus*, ii. 342  
*Talpa*, European Miocene, i. 117  
   ii. 190  
 TALPIDÆ, ii. 190  
*Tamandua*, ii. 247  
*Tamias*, ii. 235, 236  
*Tanaccia*, ii. 474  
 Tanagers, ii. 233  
*Tanagra*, ii. 98  
*Tanagrella*, ii. 98  
 TANAGRIDÆ, ii. 283  
*Tantalus*, ii. 361  
*Tanygnathus*, ii. 326  
*Tanyptera*, ii. 316  
*Taonicus*, ii. 344  
*Taphozous*, ii. 183  
*Tapir*, fossil in N. China, i. 123  
*Tapir*, Malayan figure of, i. 337  
*Tapiridae*, European Eocene, i. 125  
 TAPIRIDÆ, ii. 212  
*Tapirs*, birthplace and migrations of, i. 154  
   ii. 212  
*Tapirus*, European Pliocene, i. 113  
   Indian Miocene, i. 122  
   in Brazilian caves, i. 144  
*Tarandus*, ii. 219  
*Tarentola*, ii. 400  
 Tarsier, Malayan, figure of, i. 337  
*Tarsiger*, ii. 259  
 TARSIIDÆ, ii. 177  
*Tarsipes*, ii. 252  
*Tarsius*, ii. 177  
 Tasmania, comparative zoological poverty of,  
   i. 441  
*Tulare*, ii. 258  
*Talasia*, ii. 246  
*Taxidea*, ii. 159  
*Taxila*, ii. 475  
*Taxodon*, European Miocene, i. 118  
   ii. 200  
*Taygetis*, ii. 471  
*Tchitra*, ii. 271  
 TECTONARCHINÆ, ii. 275  
*Teguexius*, ii. 390  
 TEIDÆ, ii. 390  
*Teinopalpus*, ii. 479  
*Tetra*, ii. 391  
*Tetus*, ii. 390  
*Teleopsis*, ii. 375  
 TELEOSTEI, ii. 424  
*Telephonus*, ii. 272  
*Tellia*, ii. 450  
 TELLINIDÆ, ii. 506  
*Teimatobius*, N. American Cretaceous, i. 164  
   ii. 417  
*Teimatolestes*, N. American Tertiary, i. 133  
*Temnotrogon*, ii. 314  
*Temnurus*, ii. 273  
*Tephrocorys*, ii. 289  
*Tephrodornis*, ii. 272  
*Teracoctus*, ii. 478  
*Terebratula*, ii. 539  
 TEREBRATULIDÆ, ii. 532  
*Terekia*, ii. 353  
*Terenura*, ii. 104  
*Teretristis*, ii. 279  
*Terias*, ii. 478  
*Terinos*, ii. 474  
 Terns, ii. 364  
*Terrapene*, ii. 408  
 Terrestrial Molluscs, ii. 512  
 Terrestrial Mollusca, summary and conclusion,  
   ii. 551  
   lines of migration of, ii. 552  
*Testa*, ii. 263  
*Testacella*, ii. 516  
   ii. 517  
 TESTUDINIDÆ, ii. 407  
*Testudo*, Miocene of Greece, i. 116  
   Indian Miocene, i. 123

- Testudo**, great antiquity of the genus, i. 289  
*Testudo*, ii. 408  
*Tethionea*, ii. 501  
**TETRABRANCHIATA**, ii. 506  
*Tetracha*, ii. 486, 487  
*Tetrachus*, European Miocene, i. 117  
*Tetraceros*, ii. 224  
*Tetracus*, ii. 188  
*Tetradactylus*, ii. 397  
*Tetragonoderus*, ii. 490  
*Tetragonops*, ii. 306  
*Tetragonopterus*, ii. 445  
*Tetragonosoma*, ii. 380  
*Tetranematichthys*, ii. 443  
*Tetrao albus*, in Italian caverns, i. 161  
*Tetrao*, ii. 339  
*Tetraogallus*, ii. 339  
**TETRAONIDÆ**, ii. 338  
*Tetraophasis*, ii. 340  
*Tetrodon*, ii. 457  
**TEUTHIDÆ**, ii. 505  
**TEUTHIDIDÆ**, ii. 433  
*Textor*, ii. 286  
*Thais*, ii. 479  
*Thalassarctos*, ii. 201  
*Thalassictis*, Miocene of Greece, i. 115  
     European Miocene, i. 118  
     ii. 195  
     ii. 197  
*Thalassornis*, ii. 364  
*Thaleichthys*, ii. 447  
*Thaluranin*, ii. 107  
*Thamnistes*, ii. 104  
*Thamnobia*, ii. 260  
*Thamnodactylus*, ii. 379  
*Thamnomanes*, ii. 104  
**THAMNOPHILINÆ**, ii. 297  
*Thamnophilus*, ii. 104  
*Thaumalea*, ii. 340  
*Thaumantis*, ii. 472  
*Thaumastura*, ii. 103  
*Thaumantias*, ii. 109  
*Thecla*, ii. 477  
*Theloderma*, ii. 419  
*Theope*, ii. 476  
*Theorema*, ii. 477  
*Theraps*, ii. 438  
*Therates*, ii. 486  
**Theridomys**, European Miocene, i. 126  
     European Eocene, i. 126  
     S. American Eocene, i. 148  
     ii. 239  
*Theropithecus*, ii. 173  
*Thestias*, ii. 478  
*Thestor*, ii. 477  
*Thetia*, ii. 391  
**THINOCORIDÆ**, ii. 354  
*Thinocorus*, ii. 354  
*Thinohyus*, ii. N. American Tertiary, i. 137  
     ii. 215  
*Thinolestes*, N. American Tertiary, i. 133  
*Thinornis*, ii. 356  
*Thomomys*, ii. 233  
*Thous*, ii. 197  
*Thrasaetus*, ii. 348  
*Threnetes*, ii. 107  
*Thripadectes*, ii. 103  
*Thripophaga*, ii. 103  
*Thryophilus*, ii. 263  
*Thryothorus*, ii. 263  
*Thrushes*, ii. 255  
*Thyca*, ii. 471  
*Thylacinus*, Australian Post-Tertiary, i. 157  
     ii. 249  
*Thylacoleo*, Australian Post-Tertiary, i. 157  
     ii. 252  
*Thymallus*, ii. 447  
*Thynnichthys*, 452  
*Thynnus*, ii. 429  
*Thyropterus*, ii. 491  
*Thyrus*, ii. 398  
*Tiaris*, ii. 284  
     ii. 402  
*Tichodroma*, ii. 264  
*Tiga*, ii. 303  
*Tiger-beetles*, ii. 486  
*Tigrisoma*, ii. 359  
*Tijuca*, ii. 102  
*Tillodontia*, N. American Eocene, i. 139  
*Tillotherida*, N. American Eocene, i. 139  
*Tillotherium*, N. American Eocene, i. 139  
*Tilmatura*, ii. 108  
*Timalia*, ii. 261  
**TIMALIIDÆ**, ii. 260  
*Timetes*, ii. 474  
**Timor**, physical features of, i. 389  
     group, mammalia of, i. 422  
     birds of, i. 422  
     origin of fauna of, i. 424  
     insects of, i. 426  
**TINAMIDÆ**, ii. 343  
**TINAMINÆ**, ii. 344  
*Tinamous*, ii. 343  
**TINAMOTINÆ**, ii. 344  
*Tinamotis*, ii. 344  
*Tinanus*, ii. 344  
*Tinca*, ii. 452  
*Tinoceras*, N. American Eocene, i. 139  
*Titanomys*, European Miocene, i. 121  
     ii. 242  
*Titanotherium*, N. American Tertiary, i. 137  
*Tits*, ii. 265  
*Tityra*, ii. 102  
**TITYRINÆ**, ii. 293  
*Tmesisternus*, ii. 501  
*Toads*, ii. 415  
*Tockus*, ii. 317  
**TODIDÆ**, ii. 313  
*Todies*, ii. 313  
*Todirhamphus*, 316  
*Todirostrum*, ii. 101  
*Todopsis*, ii. 271  
*Todus*, ii. 313  
*Tolypeutes*, ii. 246  
*Tomarctos*, N. American Tertiary, i. 135  
*Tomistoma*, ii. 405  
*Tomodon*, ii. 175  
*Tonga Islands*, birds of, i. 443  
*Topaza*, ii. 107  
**TORNATELLIDÆ**, ii. 530  
**TORPEDINIDÆ**, ii. 462  
**Tortoises**, classification of, i. 100  
     of Mascarene Islands and Galapagos, i. 289  
     ii. 407  
**TORTRICIDÆ**, ii. 373  
*Tortrix*, ii. 373  
*Totanus*, ii. 353  
*Toucans*, ii. 306  
*Touraco of W. Africa*, figure of, i. 264  
*Toxodon*, S. American Pliocene, i. 137  
*Toxodontida*, S. American Pliocene, i. 147  
*Toxotus*, ii. 502  
*Trachelyopterus*, ii. 443  
**TRACHINIDÆ**, ii. 428  
*Trachinus*, ii. 428  
*Trachurus*, ii. 429  
*Trachycephalus*, ii. 401  
     ii. 418  
*Trachydosaurus*, ii. 397  
*Trachyphonus*, ii. 306  
**TRACHYPTERIDÆ**, ii. 432  
*Trachytherium*, European Miocene, i. 119

- TRAGELAPHINÆ**, ii. 223  
*Tragelaphus*, ii. 223  
*Tragocerus*, Miocene of Greece, i. 116  
     European Miocene, i. 120  
 Tragopan, Himalayan, figure of, i. 331  
*Tragops*, ii. 379  
**TRAGULIDÆ**, ii. 218  
*Tragus*, ii. 218  
*Trapelus*, ii. 402  
*Trechus*, ii. 489  
 Tree-crows, ii. 273  
 Tree-kangaroo, figure of, i. 415  
 Tree-shrew of Borneo, figure of, i. 337  
 Tree-snakes, ii. 373  
*Tremarctos*, ii. 202  
*Treron*, ii. 332  
 Tres Marias, zoology of, ii. 59  
*Tribolonotus*, ii. 397  
*Tribonophorus*, ii. 517  
*Tribonyx*, ii. 352  
*Trichostoma*, ii. 261  
**TRICHECHIDÆ**, ii. 203  
*Trichechus*, N. American Post-Pliocene, i. 130  
     ii. 203  
**TRICHIURIDÆ**, ii. 429  
*Trichias*, ii. 262  
**TRICHOGLOSSIDÆ**, ii. 327  
 Trichoglossids, birds specially adapted to  
     Australia, i. 393  
*Trichoglossus*, ii. 327  
*Tricholema*, ii. 305  
*Trichomycterus*, ii. 444  
*Trycondyla*, ii. 486  
*Trichonis*, ii. 477  
**TRICHONOTIDÆ**, ii. 435  
*Trichothraupis*, ii. 39  
*Trichotropis*, ii. 507  
*Triclaria*, ii. 328  
**TRIDACNIDÆ**, ii. 535  
*Trigla*, ii. 428  
**TRIGLIDÆ**, ii. 427  
*Trigona*, ii. 536  
**TRIGONIADÆ**, ii. 534  
*Trigonoptera*, ii. 501  
*Trimeresurus*, ii. 385  
*Tringa*, ii. 353  
*Tringoides*, ii. 353  
**TRIONYCHIDÆ**, ii. 409  
*Trionyx*, Indian Miocene, i. 123  
     Miocene and Eocene, i. 165  
     ii. 409  
*Tripriion*, ii. 418  
*Tripriohinus*, ii. 297  
 Tristan d'Acunha, zoology of, i. 271  
 Tristram, Canon, summary of the birds of  
     Palestine, i. 203  
     on the arrangement of the Sylviidæ, ii. 257  
*Triton*, ii. 413  
**TRITONIADÆ**, ii. 530  
*Trochalepteron*, ii. 261  
*Trochatella*, ii. 522  
**TROCHILIDÆ**, ii. 321  
*Trochilus*, ii. 103  
*Trochus*, ii. 510  
*Troglodytes*, ii. 170  
     ii. 263  
**TROGLODYTIDÆ**, ii. 263  
 Trogon, European Miocene, i. 161  
     ii. 314  
*Trogon*, ii. 314  
**TROGONIDÆ**, ii. 314  
**TROGONOPHIDÆ**, ii. 388  
*Trogonophis*, ii. 388  
*Trogontherium*, Post-Pliocene of Europe, i. 111  
     ii. 234  
*Tropidochis*, ii. 383  
*Tropidocoecys*, ii. 379  
*Tropidodipsas*, ii. 379  
*Tropidolepis*, ii. 401  
*Tropidolepisma*, ii. 397  
*Tropidonotus*, ii. 375  
*Tropidophorus*, ii. 397  
*Tropidopterus*, ii. 490  
*Tropidorhynchus*, ii. 276  
*Trucifelis*, N. American Post-Pliocene, i. 129  
*Trugon*, ii. 333  
 Trumpeters, ii. 353  
*Truncatella*, ii. 519  
*Trygon*, ii. 463  
**TRYGONIDÆ**, ii. 463  
*Tuatara*, ii. 405  
*Tudora*, ii. 521  
 Tundras of Siberia, greatest extent of, i. 216  
*Tupaia*, ii. 186  
**TUPAIDÆ**, ii. 186  
*Tupaiaidæ*, European Miocene, i. 118  
*Turacoenæ*, ii. 333  
*Turacos*, ii. 307  
*Turacus*, ii. 307  
**TURBIDIDÆ**, ii. 510  
**TURDIDÆ**, ii. 255  
*Turdinus*, ii. 252  
*Turdus*, ii. 256  
*Turnagra*, ii. 262  
 Turner, Mr., on classification of Edentata, i.
- TURNICIDÆ**, ii. 341  
*Turnix*, ii. 341  
**TURBITELLIDÆ**, ii. 509  
*Tursio*, ii. 209  
 Turtles, ii. 409  
*Turtur*, ii. 333  
*Tylas*, ii. 267  
*Tylosodon*, European Eocene, i. 125  
     ii. 196  
*Tylognathus*, ii. 451  
*Tylosriton*, ii. 413  
*Typhlina*, ii. 372  
*Typhline*, ii. 372  
*Typhlocalamus*, ii. 374  
**TYPHLOPIDÆ**, ii. 372  
*Typhlops*, ii. 372  
*Typhloscincus*, ii. 399  
*Typostherium*, S. American Pliocene, i. 147  
**TYRANNIDÆ**, ii. 290  
**TYRANNINÆ**, ii. 291  
*Tyranniscus*, ii. 101  
*Tyrannulus*, ii. 101  
*Tyrannus*, ii. 102, 291  
 Tyrant-Shrikes, ii. 290
- U.
- Uaru*, ii. 439  
*Uimacoyon*, N. American Tertiary, i. 134  
*Uimatherium*, N. American Eocene, i. 139  
*Uimortis*, N. American Eocene, i. 163  
*Uma*, ii. 491  
**UMBRIDÆ**, ii. 449  
*Umbrina*, ii. 423  
*Ungalia*, ii. 381  
 Ungulata, classification of, i. 89  
     antiquity of, i. 154  
     of the Palearctic region, i. 182  
     range of Palearctic genera of, i. 241  
     range of Ethiopian genera of, i. 303  
     range of Oriental genera of, i. 374  
     range of Australian genera of, i. 476  
*Ungulata*, European Pliocene, i. 112  
     Miocene of Greece, i. 115  
     European Miocene, i. 119

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

606

## GENERAL INDEX.

- Ungulata*, Indian Miocene, i. 121  
 European Eocene, i. 125  
 N. American Post-Pliocene, i. 130  
 N. American Tertiary, i. 135  
 of Brazilian caves, i. 144  
 S. American Pliocene, i. 146
- UNGLATA, ii. 211  
 general remarks on the distribution of,  
 ii. 226  
 summary and conclusion, ii. 542
- Urio*, European Secondary, i. 169  
 ii. 534
- UNIONIDÆ, ii. 534
- Upucerthia*, ii. 103
- UPUPIDÆ, ii. 317
- Uragus*, ii. 285
- Urania of Madagascar, i. 282
- Urania*, ii. 482
- URANIDÆ, ii. 482
- Uria*, ii. 367
- Uroæetus*, ii. 348
- Urocissa*, ii. 273
- Urochroa*, ii. 107
- Urochroma*, ii. 328
- Urocyon*, ii. 197
- URODELA, ii. 411
- Urogalba*, ii. 311
- Urolestes*, ii. 272
- Uromastix*, ii. 402
- UROPELTIDÆ, ii. 373
- Uropeletis*, ii. 374
- Uropsila*, ii. 264
- Uropsilus*, ii. 190
- Uropsophorus*, ii. 385
- Urospatha*, ii. 313
- Urospizias*, ii. 348
- Urostictes*, ii. 108
- Urotrichus*, ii. 190
- Urotriorchis*, ii. 347
- Ursidae*, N. American Tertiary, i. 135  
 in Brazilian caves, i. 144
- URSIDÆ, ii. 201
- Ursitaxus*, Indian Miocene, i. 121  
 ii. 200
- Ursus*, Post-Pliocene, i. 112  
 Indian Miocene, 121  
 ii. 201
- Urubutinga*, ii. 348
- Ura*, ii. 195
- Uta*, ii. 401
- Utica*, ii. 477
- V.
- Vaginulus*, ii. 518
- Valgus*, ii. 493
- Valvata*, ii. 510
- Vanga of Madagascar, figure of, i. 278
- Vanga*, ii. 272
- Vandellia*, ii. 444
- Vanellus*, ii. 356
- Vanessa*, ii. 474
- VARANIDÆ, ii. 389
- Varanus*, Miocene of Greece, i. 116  
 Indian Miocene, i. 123
- VENERIDÆ, ii. 536
- Venilia*, ii. 309
- Vermicella*, ii. 383
- Verreauxia*, ii. 303
- Vertebrata, summary of Palearctic, i. 186  
 summary of Ethiopian, i. 255  
 summary of Oriental, i. 318  
 summary of Australian, i. 397  
 summary of Neotropical, ii. 13  
 summary of Nearctic, ii. 120
- Vespertillo*, European Eocene, i. 125  
 ii. 183
- VESPERTILIONIDÆ, ii. 183
- Vidua*, ii. 286
- Vipera*, ii. 385
- VIPERIDÆ, ii. 385
- Viperus*, European Miocene, i. 165
- Vipers, ii. 385
- Vireo*, ii. 280
- VIREONIDÆ, ii. 279
- Vireolanus*, ii. 280
- Vireosylva*, ii. 280
- Viscacha*, ii. 237
- Vitrina*, ii. 518
- Viverra*, European Pliocene, i. 112  
 European Miocene, i. 118  
 ii. 195
- Viverricula*, ii. 195
- Viverrida*, European Miocene, i. 118  
 European Eocene, i. 125
- VIVERRIDÆ, ii. 194
- Vivina*, ii. 303
- Volatinia*, ii. 284
- Voluta*, ii. 508
- Volutes*, ii. 508
- VOLUTIDÆ, ii. 508
- Volvocivora*, ii. 269
- Vulpes*, ii. 197
- Vultur*, ii. 346
- VULTURIDÆ, ii. 345
- VULTURINÆ, ii. 346
- W.
- Wagtails, ii. 290
- Walden, Viscount, on birds of Philippine  
 islands, i. 346  
 on birds of Celebes, i. 428  
 on arrangement of the Timaliidæ, ii. 261
- Wallago*, ii. 441
- Wall-lizards, ii. 399
- Walrus, ii. 203
- Wart-snakes, ii. 382
- Washakius*, N. American Tertiary, i. 134
- Waterhouse, Mr. G. R., on classification of  
 rodentia, i. 90  
 on classification of marsupials, i. 91
- Water-lizards, ii. 389
- Weaver-bunches, ii. 286
- West African sub-region, description of, i. 262  
 mammalia of, i. 262  
 birds of, i. 262  
 Oriental or Malayan element in, i. 263  
 river scene with characteristic animals,  
 i. 264  
 reptiles of, i. 264  
 amphibia of, i. 264  
 Oriental and Neotropical relations of,  
 i. 265  
 insects of, i. 265  
 land-shells of, i. 265  
 islands of, i. 265
- West Australia, peculiar birds of, i. 441
- Whelks, ii. 507
- Whip-snakes, ii. 279
- Whydah finch of W. Africa, figure of, i. 264
- Wing-shells, ii. 507  
 ii. 533
- Wollaston, Mr. T. V., on the Coleoptera of the  
 Atlantic Islands, i. 209  
 on the wings of the Madeiran beetles,  
 i. 211  
 on the origin of the insect fauna of the  
 Atlantic Islands, i. 214  
 on the Coleoptera of the Cape Verd Islands,  
 i. 215

Cambridge University Press

978-1-108-03785-3 - The Geographical Distribution of Animals: With a Study of the Relations of Living and Extinct Faunas: Volume 2

Alfred Russel Wallace

Index

[More information](#)

## GENERAL INDEX.

607

Wollaston, Mr. T. V., on the beetles of St. Helena, i. 270  
 Wombats, ii. 253  
 Woodpeckers, ii. 302  
 Wood-warblers, ii. 278  
 Woolly monkeys, ii. 174  
 Wrens, ii. 263  
 Wrynecks, ii. 304

## X.

*Xanthocephalus*, ii. 282  
*Xantholæma*, ii. 306  
*Xanthomelus*, ii. 275  
*Xanthopygia*, ii. 270  
*Xanthosomus*, ii. 282  
*Xanthotis*, ii. 275  
*Xema*, ii. 364  
*Xenelaphis*, ii. 376  
*Xenica*, ii. 471  
*Xenicus*, ii. 265  
*Xenochrophys*, ii. 375  
*Xenocypris*, ii. 452  
*Xenodermus*, ii. 376  
*Xenodon*, ii. 375  
 XENOPELTIIDÆ, ii. 373  
*Xenopeltis*, ii. 373  
*Xenophrys*, ii. 421  
*Xenopryo*, ii. 102  
*Xenops*, ii. 103  
*Xenorhina*, ii. 415  
 XENORHINIDÆ, ii. 415  
*Xenospingus*, ii. 384  
*Xenurus*, ii. 383  
*Xenurus*, in Brazilian caves, i. 145  
 ii. 246  
*Xiphias*, ii. 430  
*Xiphidiopicus*, ii. 303  
 XIPHIIDÆ, ii. 430  
*Xiphias*, ii. 208  
*Xiphocolaptes*, ii. 103  
*Xiphodontida*, European Miocene, i. 119  
*Xipholena*, ii. 102  
*Xiphorhampus*, ii. 445  
*Xiphorhynchus*, 103  
*Xiphostoma*, ii. 445  
*Xystocera* ii. 501

## Y.

*Ypthima*, ii. 471  
*Yuhina*, ii. 266  
 YUNGIDÆ, ii. 304  
*Yungipicus*, ii. 303  
*Yunz*, ii. 304

## Z.

*Zabrus*, ii. 489  
*Zalophus*, ii. 203  
*Zamenis*, ii. 375  
*Zanclotomus*, ii. 309  
*Zaocys*, ii. 375  
*Zebras*, ii. 211  
*Zegris*, ii. 478  
*Zemerus*, ii. 475  
*Zenaida*, ii. 333  
*Zenaidura*, ii. 332  
*Zephyrus*, ii. 477  
*Zeugloden*, ii. 210  
*Zeuglodontida*, N. American Tertiary, i. 140  
 ii. 210  
*Zeus*, ii. 429  
*Zenaidia*, ii. 472  
*Zoares*, ii. 431  
*Zonites*, ii. 516  
*Zonites priscus*, Palæozoic, i. 169  
*Zonotrichia*, ii. 284  
 ZONURIDÆ, ii. 391  
*Zonurus*, ii. 392  
 Zoological characteristics of Palæarctic region,  
 i. 181  
 Ethiopian region, i. 252  
 Oriental region, i. 315  
 Australian region, i. 390  
 of Neotropical region, ii. 5  
 of Neartic region, ii. 115  
 Zoological regions, discussion on, i. 50  
 their origin and relations, ii. 155-161  
*Zoothera*, ii. 256  
*Zootoca*, ii. 391  
*Zosterops*, ii. 377  
*Zygæna*, ii. 451  
 ZYGÆNIDÆ, ii. 481  
*Zygopsis*, ii. 398

THE END.

LONDON: R. CLAY, SONS, AND TAYLOR, PRINTERS.