

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

INDEX OF PLANT NAMES

- Acer campestre* 79, 81, 128, 171, 182, 184, 205
A. Pseudo-platanus 125, 179
Aceras anthropophora 178
Achillea Millefolium 85, 96, 159, 177, 179, 286, 301
Acorus Calamus 227
Actaea spicata 157, 161
Adoxa 152
A. Moschata 82, 151, 317, 324
Agrimonia Eupatoria 85
A. odorata 85
Agropyron Donianum 324
A. junceum 340, 342, 343, 344, 349, 361, 363
A. pungens 334
Agrostis 112, 115, 278, 284
A. alba (*palustris*) 85, 282, 285, 294, 335
A. canina 96, 97, 101, 105, 136, 285
A. setacea 96, 105
A. tenuis (*vulgaris*) 85, 93, 96, 116, 119, 133, 134, 135, 178, 180, 242, 243, 244, 282, 285, 294, 300
Aira 112
A. caryophyllea 96, 349
A. flexuosa 99, 275
A. præcox 96, 349
Ajuga Chamæpitys 177
A. reptans 80, 81, 82, 86, 129, 269
Alchemilla alpina 289, 291, 296, 300, 314, 316, 322, 324
A. arvensis 96
A. vulgaris 85, 301, 327
A. vulgaris var. *filicaulis* 159
alder 73, 126, 149, 205, 250, 269, 270
alder buckthorn 251
Alisma Plantago-aquatica 192
Allium oleraceum 160
- A. Scorodoprasum* 139
A. ursinum 82, 129, 151, 161
A. vineale 96, 160
Alnus rotundifolia (*glutinosa*) 65 n., 73, 81, 126, 128, 149, 205, 230, 240, 250, 251, 269
Alopecurus fulvus 87
A. geniculatus 87
A. pratensis 85
alsike clover 54
Amblyodon dealbatus 352
Amblystegium fluviatile 196
Ammophila 338, 342, 343, 344, 345, 357 n., 358
A. arenaria 341, 342, 349, 361, 362, 363
Anabæna 198, 203
Anagallis arvensis 180, 363
A. tenella 351
Andreaea 319, 322
Andromeda Polifolia 249, 271, 272, 279
Anemone nemorosa 81, 83, 84, 93, 100, 119, 128, 143, 151, 154, 161, 301, 324
A. Pulsatilla 176
Aneura multifida 195, 196
A. pinguis 196
A. pinguis var. *latifrons* 351
Angelica sylvestris 82, 129, 206, 233, 295, 324
Ankistrodesmus falcatus 202
Antennaria dioica 115, 116, 159, 285, 301
Anthoxanthum odoratum 82, 83, 85, 93, 96, 115, 116, 119, 129, 135, 160, 242, 282, 285, 294, 297, 300, 315
Anthriscus sylvestris 85, 206
Anthyllis Vulneraria 157, 159, 176, 179, 181, 352

T.

24

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

370

Index of Plant Names

- Apium inundatum* 193
A. nodiflorum 191
Aquilegia vulgaris 128, 151
Arabis petrea 314, 321, 322
arbutus 139, 140
Arbutus Unedo 16, 24, 138, 139,
 140
Arctium 82
Arctostaphylos 104
A. alpina 269, 314
A. Uva-ursi 114, 115, 119, 273,
 297, 314
Arenaria leptoclados 176
A. peploides 340, 342, 344, 361,
 362, 363, 364
A. rubella 317, 323
A. sedoides 312, 313, 314, 319,
 322
A. serpyllifolia 95, 153, 176
A. tenuifolia 95
A. trinervia 82, 129
A. verna 159
Arrhenatherum elatius (*avena-*
ceum) 82, 85, 160, 178, 180
Artemisia campestris 97
A. maritima 333, 365
Arthrodесmus convergens 202
Arthropуrya arenicola 352
Arum maculatum 82, 129, 151, 206
ash 79, 93, 126, 138, 148, 149, 164,
 165, 167, 168, 169, 172, 173, 181,
 182, 183, 205
aspen 126, 149
Asperula cynanchica 157, 159, 175,
 177, 181
A. odorata 82, 129, 151, 179
Asplenium 160
A. acutum 140
A. Trichomanes 161
A. viride 161, 322
Aster 339
A. Tripolium 332, 333, 338, 339,
 364, 365
Asterionella 197, 200, 201, 203
A. gracillima 202
Astragalus alpinus 314, 322
A. danicus 176, 179
Athyrium alpestre 325
A. Filix-femina 82, 129
A. flexile 325
Atriplex Babingtonii 340, 342
A. deltoidea 342
A. hastata 340, 342
A. patula 340, 361
A. portulacoides 332, 333, 339, 364,
 365
Atropa Belladonna 166, 172
Attheya Zachariasii 199
Aulacomnium palustre 195, 234,
 285
Austrian pine 125
Avena 154
A. fatua 180
A. pratensis 157, 160, 178, 180,
 181, 301
A. pubescens 157, 160, 178
awlwort 192
Azalea procumbens 313, 314, 316
Barbarea vulgaris 192, 206
Barbula convoluta 350
Bartsia alpina 322
B. Odontites 86
bearberry 273
beech 79, 93, 100, 102, 118, 125,
 149, 163, 164, 165, 166, 167, 168,
 169, 172, 173
Bellis perennis 85, 96, 159, 177,
 294, 301
Betula 149, 184, 243, 257, 297
B. alba 79, 81, 92, 101, 126, 180,
 186, 269
B. alba *forma pendula* 126
B. carpathica 125
B. nana 315
B. parvifolia 125
B. pendula 126
B. tormentosa 79, 81, 92, 101, 112,
 119, 123, 124, 125, 128, 137, 139,
 148, 180, 205, 230, 240, 250, 251,
 264, 269, 277, 278
B. verrucosa (= *B. alba*) 101, 126
Bidens cernua 86
B. tripartita 86
bilberry 99, 124, 250, 272, 273, 275,
 277, 281
birch 79, 93, 100, 102, 115, 117,
 124, 125, 141, 143, 148, 149,
 150, 168, 179, 250, 251, 258,
 264, 269, 270, 272, 277, 278,
 347
black pine 125
black poplar 205
Blackstonia perfoliata 177, 351, 352

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*Index of Plant Names*

371

- blackthorn 79, 93, 127
 bladderwort 262
 blaeberry 272, 301
Blechnum Spicant 93, 102, 105,
 112, 116, 119, 130, 135, 157,
 251, 278, 285, 301
Blindia acuta 193
 bluebell 81
Blysmus Carici 150
 bog asphodel 249, 263
 bog-bean 251, 262
 bog-moss 210, 249, 250, 251, 252,
 255, 263, 267
Botrychium Lunaria 301, 323
Botryococcus Braunii 197, 202, 203
Brachypodium gracile (sylvaticum)
 82, 154, 160, 175, 178
B. pinnatum 157, 160, 178, 180
Brachythecium albicans 351
B. purum 180
B. rivulare 195
B. rutabulum 351
 bracken 110, 115, 133, 134, 142,
 143, 156, 273, 285, 295
 bramble 345
Brassica nigra 179
Briza media 135, 160, 178, 180,
 181, 242, 285
Bromus asper (=B. ramosus) 129
B. erectus 157, 160, 175, 178
B. giganteus 82
B. mollis 85, 178
B. ramosus 82, 129, 151
B. sterilis 80, 82, 129
 broom 106, 127, 144, 294
Bryonia dioica 172
Bryophyta 129
Bryum callophyllum 351
B. neodamense 351
B. pendulum 351
B. pseudotriquetrum 351
B. Warneum 351
 bullrush 262
 bur-reed 262
Buxus sempervirens 172
- Calitricha 190
C. intermedia (hamulata) 193
C. stagnalis 86, 191, 195
Calluna 41, 46 n., 95, 97, 104, 109,
 111, 113, 114, 119, 250, 255, 257,
 264, 265, 269, 272, 289, 295, 301
C. vulgaris 27, 96, 99, 101, 104,
 105, 106, 110, 112, 115, 119,
 124, 130, 135, 136, 139, 157,
 159, 175, 234, 235, 249, 251,
 263, 265, 267, 270, 272, 275,
 278, 279, 285, 297, 314, 315
Caltha palustris 86, 128, 150, 158,
 206, 233, 240, 295
C. palustris var. minor 327
Calystegia (Convolvulus) sepium
 81, 206
C. Soldanella 344, 350, 361, 363
Campanula glomerata 157, 160,
 177, 180
C. latifolia 129, 151
C. rotundifolia 86, 96, 105, 129,
 135, 160, 177, 180, 181, 286,
 301, 314, 322
C. Trachelium 182
Campylopus flexuosus 278
Cardamine amara 128, 206
C. flexuosa 82, 128, 206, 317, 324
C. hirsuta 95, 324
C. impatiens 154
C. pratensis 82, 85, 86, 128, 206
C. sylvatica (=C. flexuosa) 128
Carduus crispus 177
C. heterophyllus 158
C. nutans 96, 159, 177
C. pycnocephalus var. *tenuiflorus*
 346
Carex 185, 251, 253, 289, 297,
 315, 351
C. acutiformis 227, 240, 241, 245
C. arenaria 96, 341, 342, 344, 345,
 346, 350, 351, 363
C. atrata 317, 324
C. binervis 96, 105, 129, 135, 157,
 301
C. capillaris 300
C. caryophyllea 160, 180
C. curta (canescens) 136, 267, 271,
 279, 285, 327
C. digitata 182
C. dioica 116, 285, 327
C. distans 351

24—2

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

372

Index of Plant Names

- C. *disticha* 158, 234
 C. *divulsa* 96
 C. *echinata* 136, 283, 285, 301, 327
 C. *elata* (*stricta*) 106, 192, 193, 194, 234
 C. *elongata* 206
 C. *ericetorum* 97
 C. *extensa* 351
 C. *filiformis* 194, 233, 262
 C. *flacca* (*glauca*) 86, 136, 160, 178, 180, 181, 278, 285
 C. *flava* 87, 105, 136, 234, 279, 285, 301
 C. *fulva* 234
 C. *Goodenowii* (*vulgaris*) 87, 116, 136, 262, 279, 285, 300, 327
 C. *helodes* 129
 C. *hirta* 192
 C. *humilis* (*clandestina*) 178
 C. *inflata* (*rostrata*) 194
 C. *levigata* (=C. *helodes*) 82, 87, 129
 C. *lasiocarpa* 234
 C. *leporina* (*ovalis*) 285
 C. *limosa* 262
 C. *Oederi* 106
 C. *ornithopoda* 157, 160
 C. *ovalis* (=C. *leporina*) 86, 87, 106
 C. *pallescens* 86
 C. *panicea* 86, 87, 136, 234, 279, 285
 C. *paniculata* 206, 227, 240, 241, 245, 251, 262
 C. *paradoxa* 234
 C. *pendula* 129, 206
 C. *pilulifera* 96, 105, 130, 135, 160, 285, 301
 C. *Pseudocyperus* 191, 206
 C. *pulicaris* 106, 285
 C. *remota* 87, 129
 C. *rigida* 290 n., 300, 313, 314, 316
 C. *riparia* 191, 192, 240
 C. *rostrata* (=C. *inflata*) 262
 C. *saxatilis* 327
 C. *stellulata* 267, 279
 C. *stricta* (=C. *elata*) 106
 C. *strigosa* 129
 C. *sylvatica* 82, 129, 151
 C. *vaginata* 327
 C. *verna* (*præcox*) 96, 105, 178, 180
 C. *vesicaria* 206
 C. *vulgaris* (=C. *Goodenowii*) 282
 C. *vulpina* 87, 192, 262
Carlina vulgaris 96, 159, 177, 180, 181, 346, 349
Carpinus Betulus 76 n., 81, 123
Castalia alba 190, 193, 225, 226, 227, 257
Castanea sativa 79, 101, 144
Catabrosa aquatica 206
Catascopium nigritum 352
Caucalis arvensis 342
Centaurea nigra 135, 159, 177, 180, 181
 C. *Scabiosa* 159, 177, 180
Centaureum capitatum 177
 C. *umbellatum* (=Erythræa *Centaureum*) 82, 86, 98, 96, 160, 177, 352
 C. *vulgare* (=Erythræa *littoralis*) 346, 352
Cephalanthera grandiflora 166, 172
 C. *longifolia* 139, 172
Cerastium 289
 C. *alpinum* 300, 314, 322
 C. *arcticum* 314
 C. *arvense* 95, 176
 C. *cerastioides* 327
 C. *glomeratum* 85
 C. *quaternellum* 95
 C. *semidecandrum* 95, 345, 363
 C. *triviale* 85, 95, 176
 C. *vulgatum* 179, 301
Ceratium 198
 C. *hirundinella* 198
Ceratodon purpureus 350
Ceratophyllum aquaticum 226
 C. *demersum* 190
 C. *submersum* 190
Cetraria islandica 314
 Chara 195, 351
 C. *aspera* 226
 C. *fragilis* var. *delicatula* 193
 C. *hispida* 226
 C. *polyacantha* 226
 C. *vulgaris* 196
 cherry 126
Chiloscyphus polyanthus 196
Chroococcus 203
 C. *limneticus* 198
Chrysanthemum Leucanthemum 85, 135, 154, 159, 177, 180

Index of Plant Names

373

- Chrysosplenium alternifolium* 128, 158, 206, 324
C. oppositifolium 128, 158, 206, 324, 327
Cichorium Intybus 177
Cicuta virosa 227
Cinclidotus fontinaloides 196
Ciræa lutetiana 82, 128, 166
Cirsium anglicum (*see* *Cnicus pratensis*)
C. heterophyllum 150
Cladonia 257, 258
C. Mariscus 194, 231, 232, 233, 234, 253, 264, 265
Cladonia 104, 116, 119, 278, 352, 363
C. rangiferina 99, 114, 272, 314, 316
Cladophora oegagropila 226
Clematis Vitalba 171, 182
Clinopodium vulgare 177
Closteriopsis 201
Closterium 202
cloudberry 281
clover 54, 294
club-moss 268
Cnicus acaulis 177, 180, 181
C. arvensis 180, 346, 363
C. eriophorus 154, 159
C. heterophyllum 129, 151, 295
C. lanceolatus 96, 177, 363
C. palustris 82, 85, 129, 151, 154, 158, 159, 206, 279, 285
C. pratensis (= *Cirsium anglicum*) 105
Cochlearia alpina 159
C. anglica 339, 365
C. micacea 316
C. officinalis 295, 327, 339
Cœlosphærium 198, 202, 203
Colchicum autumnale 86, 182
common bent grass 133
common rush 133
Conopodium denudatum 85, 96
C. majus 93, 96, 129, 135, 159
Convallaria majalis 93, 152, 154
Convolvulus sepium (*see* *Calystegia sepium*)
Cornus sanguinea 78, 81, 150, 154, 172, 182
C. suecica 112, 113, 297, 314, 315
Corydalis claviculata 95, 180
Corylus Avellana 78, 79, 81, 128, 139, 149, 154, 161, 172, 182, 184, 269
Corynephorus canescens 344, 363
Cosmarium abbreviatum var. *planc-tonicum* 202, 203
C. Botrytis 202
C. depresso var. *achondrum* 202
C. subaretoum 203
cotton grass 27, 249, 250, 252, 255, 261, 263, 281
cowberry 273
crack willow 149
Crambe maritima 340
cranberry 249
Cratægus monogyna (= *C. Oxyacantha* L.) 79, 81, 83, 92, 93, 94, 101, 108, 112, 127, 128, 139, 148, 154, 161, 171, 172, 179, 186, 205
creeping bugle 81
creeping willow 350
Crepis biennis 177
C. capillaris (*virens*) 85, 135, 159, 177, 180, 346
C. fetida 177
C. paludosa 129, 295
C. taraxacifolia 177
Crithmum maritimum 335
crowberry 275, 281
Crucigenia 201
Cuscuta Epithymum 105
Cyclotella 197, 201
Cynoglossum officinale 350
Cynosurus cristatus 85, 178, 294
Cypripedium Calceolus 154
Cystopteris fragilis 322, 325
C. montana 325
Cytisus scoparius 92, 95, 101, 105, 106, 115, 127, 135, 156, 294
Dactylis glomerata 80, 82, 85, 178, 180
Daphne Laureola 82, 150, 166, 172
D. Mezereum 150, 172
Daucus Carota 85, 96, 177, 179
Deshampsia alpina 324
D. cespitosa 82, 87, 129, 185, 206, 282, 285, 301
D. flexuosa 96, 97, 101, 105, 115, 116, 119, 123, 124, 130, 131, 132, 133, 134, 135, 136, 150, 156, 277, 278, 282, 285, 297, 300, 314

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

374

Index of Plant Names

- Dianthus Armeria 95
 D. deltoides 95, 176
 D. prolifer 95
 Diatoma 201
Dicranella squarrosa 195
Dicranum 138
 D. scoparium 278
Dictyosphaerium pulchellum 197, 203
Digitalis purpurea 93, 94, 129, 144, 157
Dinobryon 198, 202
D. cylindricum 198
D. cylindricum var. *divergens* 198
Dipsacus sylvestris 82, 85, 206
 dog's mercury 81, 151, 152, 161, 182
 dogwood 78
 Douglas fir 125
Draba 289
D. incana 314, 322
D. rupestris 317, 323
D. verna 95, 153
Drosera 251
D. anglica 106, 249, 265
D. longifolia (*intermedia*) 106, 233, 249, 263, 264, 265
D. rotundifolia 106, 136, 234, 249, 263, 265, 272, 279
Dryas octopetala 322
 duckweed 192
 dwarf-willow 289

Echium vulgare 177, 180, 353
Elatine hexandra 190, 269, 270
E. Hydropiper 190
 elder 345
Eleocharis acicularis 193
E. multicaulis 106, 194
E. palustris 87, 194
 elm 149, 270
Elodea canadensis 190, 191, 226
Elymus arenarius 344, 361
Empetrum nigrum 112, 113, 115, 119, 135, 136, 157, 267, 269, 270, 271, 272, 274, 275, 278, 281, 285, 290, 297, 313, 314, 315
Enteromorpha intestinalis 226
Epilobium alsinifolium 327
E. anagallidifolium 327
E. angustifolium 93, 102, 250
E. hirsutum 150, 158, 191, 192, 206, 227
E. montanum 93, 128
E. palustre 86, 128, 206
E. parviflorum 86, 206
Epipactis palustris (= *Helleborine longifolia*) 158, 234
Equisetum arvense 86
E. hyemale 206
E. limosum 87, 194, 262
E. maximum 87, 206
E. palustre 87
E. sylvaticum 129, 206
E. variegatum var. *arenarium* 351
Erica 95, 104
E. ciliaris 106, 109, 110
E. cinerea 96, 101, 104, 105, 109, 110, 114, 115, 119, 135, 139, 157, 272, 273, 278
E. Mackayi 265
E. mediterranea 265
E. Tetralix 105, 106, 109, 110, 112, 113, 115, 119, 136, 234, 249, 263, 265, 267, 270, 271, 272, 279, 285, 315
E. vagans 105, 110
Erigeron acre 177, 179
E. alpinum 317, 322
Eriocaulon septangulare 192
Eriophorum 27, 39, 254, 255, 257, 269, 315
E. angustifolium 106, 136, 233, 234, 243, 244, 249, 261, 263, 265, 267, 270, 272, 275, 279, 282, 285, 297
E. gracile 261
E. vaginatum 106, 113, 115, 136, 249, 250, 251, 264, 265, 268, 270, 275, 279, 285, 297, 315
Erodium cicutarium 95, 341, 345, 350, 363
Erophila præcox 159
E. verna 95, 159, 345
Eryngium maritimum 342, 344, 349, 363
Erythrea Centaurium (*see* *Centaurium umbellatum*)
E. littoralis (*see* *Centaurium vulgaris*)
Euastrum verrucosum var. *reductum* 202
Eudorina elegans 202
Euonymus europæus 139, 150, 154, 171, 182

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*Index of Plant Names*

375

- Eupatorium cannabinum* 158
Euphorbia amygdaloides 80, 82
E. hiberna 139, 141
E. Paralias 342, 344, 350
E. portlandica 350
Euphrasia officinalis 86, 96, 105,
 135, 160, 177, 180, 181, 285,
 294, 301, 314
Euryhynchium megapolitanum 351
E. rusciforme 193, 196
 evening primrose 352
- Fagopyrum sagittatum* 180
Fagus sylvatica 79, 81, 92, 101,
 123, 125, 149, 180 (*see* beech)
Festuca duriuscula 85
F. elatior 158, 178, 180
F. gigantea 129
F. membranacea 349
F. ovina 96, 115, 116, 133, 135,
 154, 160, 173, 174, 175, 176,
 179, 180, 275, 278, 300
F. ovina forma vivipara 290 n.,
 291, 300, 313, 314
F. rigidula 178
F. rubra 335, 346, 349
F. rubra var. arenaria 341, 344,
 349, 363
F. sylvatica 129
F. uniglumis 344
Filago germanica 177
F. minima 96
Fissidens crassipes 196
F. taxifolius 180
 flag 231
 floating bur-reed 192
Fontinalis antipyretica 193, 195
F. squamosa 193, 195
 forget-me-not 231
 foxglove 144
Fragaria vesca 80, 82, 128, 151,
 154, 166, 177, 185
Fragilaria 197, 201
Frankenia laevis 334, 365
Fraxinus excelsior 79, 81, 126,
 128, 139, 148, 184, 205, 240
Fucus 364
F. spiralis 364
Fumaria officinalis 179
- Galium Aparine* 206
G. asperum 139, 157, 159
- G. boreale* 295, 317, 324
G. Crucifera 154, 159, 206
G. hercynicum (=*G. saxatile*) 96,
 135
G. palustre 86, 206, 233, 295
G. palustre var. Witheringii 279,
 285
G. saxatile 93, 94, 96, 102, 105,
 116, 129, 130, 157, 278, 285,
 301, 314, 315, 316, 346
G. uliginosum 86, 234
G. verum 85, 96, 159, 177, 179,
 181, 286, 346, 349, 363
Genista anglica 105, 115, 116, 156,
 278
G. pilosa 105
G. tinctoria 85
Gentiana Amarella 135, 160, 177,
 180
G. baltica 160, 352
G. campestris 352
G. nivalis 317, 323
G. Pneumonanthe 105, 106, 251
Geranium dissectum 95
G. lucidum 159
G. molle 95
G. pratense 85
G. pusillum 95
G. Robertianum 82, 161, 324
G. Robertianum var. purpureum
 353
G. sanguineum 154, 159
G. sylvaticum 290, 295, 317, 324
Geum rivale 128, 150, 158
G. rivale × *urbanum* 150, 158
G. urbanum 82, 128
Glaucium flavum 342, 353, 361
Glaux maritima 334, 365
Glyceria 245
G. aquatica 191, 206, 227, 232, 233
G. fluitans 87, 190, 194, 195, 206
G. maritima 332, 333, 334, 338,
 365
Gnaphalium supinum 314, 316
G. sylvaticum 96, 157
G. uliginosum 86
Gomphosphæria 203
G. lacustris 198
 gorse 94, 127, 156, 285, 294
 great stooed sedge 251
 green spleenwort 161
 ground ivy 152

- Habenaria albida* 178
H. conopsea 160, 178
H. virescens (chloroleuca) 129, 151, 166, 295
H. viridis 160, 178
hartstongue fern 161
hawthorn 79, 93, 108, 127, 148, 149, 186
hazel 78, 93, 149, 182, 183, 253, 269, 270
heath 98, 249, 263
heather 124, 142, 250, 255, 277
Hedera Helix 80, 81, 128, 139, 154, 161
Helianthemum Chamæcistus 154, 157, 159, 175, 176, 179
H. polifolium 158
H. vulgare 181
Helleborine atrorubens 166, 172
H. atroviridis 139
H. longifolia (= *Epipactis palustris*) 158, 234
H. latifolia 129, 352
H. media 182
H. palustris (= *H. longifolia*) 206
H. purpurata (= *H. violacea*) 182
H. violacea 166, 172
Helleborus foetidus 166
H. viridis 166
Heracleum Sphondylium 82, 85, 129, 161, 301, 317
Herminium Monorchis 178
Hieracium 16 n., 160
H. alpinum 324
H. boreale 86, 93, 96, 129
H. pilosella 86, 96, 135, 159, 177, 180, 278, 286, 346, 363
H. umbellatum 96, 344, 349
H. vulgatum 93
Hippocratea comosa 157, 159, 177, 179, 181
Hippophaë rhamnoides 344, 345
Hippuris vulgaris 190, 226
hoary poplar 205
Holcus lanatus 85, 129, 206, 242, 244, 250, 285, 294
H. mollis 93, 94, 100, 129, 150, 157, 185, 346
holly 108, 126
holly fern 161
Holosteum umbellatum 97
Hordeum sylvaticum 151
hornbeam 76 n.
horsetail 268
Hottonia 262
H. palustris 190, 251
Humulus Lupulus 206
Hyalotheca mucosa 202
Hydrocharis 262
H. Morsus-ranae 190, 226
Hydrocotyle vulgaris 86, 136, 233, 285, 351
Hylocomium 285
H. flagellare 195
Hymenophyllum peltatum 139
H. tunbridgense 139
Hypericum elodes 106, 233, 262
H. hirsutum 82, 152, 154, 159, 182
H. humifusum 95
H. montanum 154
H. perforatum 82, 85, 93, 95
H. pulchrum 93, 94, 95, 105, 119, 135, 301
H. quadrangulum (tetrapherum) 85, 206, 233
Hypnum 104, 115, 138, 234, 278, 279, 285, 297
H. commutatum 195
H. elodes 351
H. fluitans 195
H. giganteum 234
H. molluscum 180
H. polygamum 351
H. scorpioides 234
H. stramineum 195
Hypochaëris glabra 96, 349
H. radicata 85, 96, 177, 180, 294, 344, 346
Ilex Aquifolium 81, 92, 101, 126, 128, 139, 171
Inula Conyzoides 177
I. squarrosa 154
Iris foetidissima 178, 182
I. Pseudacorus 87, 129, 192, 206, 227, 231, 240
Isoetes lacustris 192, 193
Jasione montana 96, 135, 157
Jubula Hutchinsonii 195
Juncus 86, 185, 191, 289
J. acutiflorus 106, 136, 279
J. articulatus (lampaecarpus), 86, 263, 279, 285

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*Index of Plant Names*

377

- J. biglumis* 316, 327
J. bufo 86
J. bulbosus var. *fuitans* 193
J. castaneus 327
J. conglomeratus 86, 134, 136, 156, 250, 278
J. effusus 86, 129, 133, 134, 135, 136, 156, 248, 244, 267, 278, 285
J. Gerardi 244, 339, 366
J. glaucus 86, 158
J. maritimus 243, 244, 334, 339, 351, 366
J. squarrosum 27, 39, 106, 112, 113, 115, 119, 135, 136, 275, 278, 282, 284, 285, 297, 301
J. subnodulosus (*obtusiflorus*) 232, 233, 234, 242
J. supinus 106, 279
J. sylvaticus=*J. acutiflorus*
J. trifidus 313, 314, 322
J. triglumis 316, 327
juniper 120, 149, 171, 251
Juniperus communis 81, 101, 105, 115, 116, 119, 120, 149, 150, 171, 172, 180, 251
J. sibirica 139
Koeleria gracilis (*cristata*) 154, 157, 160, 178, 180, 181
K. vallesiana 158
Lactuca alpina 324
L. muralis 82, 129, 161
Lamium album 206
L. Galeobdolon 80, 81, 82, 129, 151
larch 125, 296
Larix decidua 125
Lastrea æmula 140
L. aristata (*dilatata*) 82, 129, 130, 140, 251, 278, 295, 324
L. Filix-mas 82, 129
L. montana 105, 129, 286, 295
L. rigida 161
L. spinulosa 82, 206, 251
L. Thelypteris 139, 234, 240
Lathraea squamaria 82, 129
Lathyrus maritimus 353
L. montanus 80, 82, 130, 135, 278, 301
L. Nissolia 85
L. palustris 233
L. pratensis 85
Lecanora 278
Lemanea fluviatilis 195
Lemna 192
L. gibba 190, 226, 227
L. minor 190, 226, 227
L. polyrhiza 190, 226, 227
L. trisulca 190, 226, 227
Leontodon autumnale 86, 96, 159, 177, 294, 301, 346
L. hispidum 85, 96, 135, 159, 177, 180, 181
L. nudicaule (*hirtum*) 96, 157, 159, 177, 346, 349
Lepidozia reptans 278
Leskeia polycarpa 196
lesser celadine 151
Leucobryum glaucum 102, 118, 265, 278
Ligustrum vulgare 81, 150, 172, 182, 233, 240
lily-of-the-valley 152
Limonium 339
L. bellidifolium 364
L. binervosum 361
L. vulgare 333, 334, 335, 339, 365
Linaria minor 180
L. vulgaris 177, 180
ling 97, 99, 249, 250, 251, 255, 263, 341
Linnæa borealis 290
Linum angustifolium 176
L. catharticum 85, 95, 105, 135, 176, 179, 181, 243, 286, 301, 323
L. perenne 176
Liparis Loeselii 233
Listera cordata 112, 115, 139, 277, 278, 290
L. ovata 82, 129, 154, 160, 161, 177
Lithospermum purpureo-cœruleum 182
Littorella uniflora (*lacustris*) 192, 193
liverworts 138, 195, 196, 320, 324, 352
Lobelia Dortmanna 192, 193
Lolium perenne 54, 85, 178
Lonicera Periclymenum 80, 81, 92, 101, 128, 154, 172

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

378

Index of Plant Names

- Lotus corniculatus 85, 96, 105,
 176, 179, 181, 286, 294, 301,
 341, 345, 351, 352
 L. uliginosus 86, 135, 159
 Luzula 289
 L. arcuata 290 n., 314
 L. campestris 96, 160, 178
 L. erecta *forma* congesta (=L.
 multiflora *var.* congesta) 278
 L. maxima (=L. sylvatica) 129
 L. multiflora 96, 116, 130, 157,
 282, 285
 L. multiflora *var.* congesta 301
 L. pilosa 82, 93, 129, 154, 160
 L. spicata 290 n., 300, 314, 322,
 324
 L. sylvatica 139, 324
 L. vernalis (=L. pilosa) 93
 Lychnis alba 179
 L. alpina 314
 L. dioica 81, 82, 128, 151, 269,
 317, 324
 L. diurna (=L. dioica) 206
 L. Flos-cuculi 86, 206, 231, 233,
 295
 Lychnothamnus stelliger 226
 Lycopodium 275, 278
 L. alpinum 300, 314
 L. annotinum 301
 L. clavatum 105, 115, 116
 L. inundatum 106, 263
 L. Selago 275, 290, 297, 300, 314,
 316
 Lysimachia nemorum 82, 129
 L. Nummularia 82, 86, 206
 L. vulgaris 191, 192, 206, 234
 Lythrum Salicaria 191, 233

 Mahonia vulgaris 179
 Malaxis paludosa 106, 263
 Mallomonas 198
 Malva moschata 85
 M. rotundifolia 95
 maple 79
 maritime pine 144
 marram grass 341, 342, 343, 344,
 357 n.
 marsh cinquefoil 251, 262
 marsh horsetail 262
 marsh lousewort 262
 marsh St John's wort 262
 mat-grass 132, 133

 Medicago arabica 96
 M. denticulata 96
 M. Falcata 97
 M. lupulina 96, 176, 179
 M. minima 96
 M. sylvestris 97
 Meesia trichoides 352
 Melampyrum hians 139
 M. pratense 82, 86, 93, 101, 105
 M. pratense *var.* montanum 115,
 116, 119, 130, 157, 278, 301
 Melandrium rubrum (=Lychnis
 dioica) 128
 Melica nutans 152, 154
 M. uniflora 82, 129
 Melosira 197, 200, 201
 M. granulata 197
 M. varians 197
 Mentha 158, 206, 227
 M. aquatica 87, 150
 Menyanthes trifoliata 194, 234, 243,
 251, 253, 262, 265
 Mercurialis 152
 M. perennis 81, 82, 129, 151, 161,
 166, 172, 182, 185, 317
 Mertensia maritima 361, 362
 Milium effusum 82, 129
 Minium hornum 240
 Moenchia erecta 95
 Molinia 251, 263, 284
 M. cærulea 27, 39, 102, 105, 106,
 112, 113, 130, 132, 135, 139, 156,
 231, 233, 234, 250, 251, 253, 262,
 270, 278, 284, 297, 300
 M. cærulea *forma* depauperata 113,
 136, 265, 282
 Moneses grandiflora 119
 Monotropa Hypopitys 166, 351
 Montia fontana 195, 279, 295, 327
 moor grass 262
 moschatel 151
 mossy saxifrage 153
 Mouggeotia 197
 mountain ash 115, 126, 141, 250,
 251
 Muscari racemosum 97
 Myosotis arvensis 82, 86, 177
 M. cæspitosa 206
 M. collina 96, 177, 346, 361
 M. palustris (=M. scorpioides) 150,
 158, 206, 227, 234
 M. pyrenaica 317, 323

Index of Plant Names

379

- M. scorpioides* (*palustris*) 129, 150,
191, 192, 231, 233
M. sylvatica 82, 129, 151
M. versicolor 96
Myrica Gale 106, 139, 230, 233,
236, 240, 251, 262, 265, 285
Myriophyllum alterniflorum 190,
193
M. spicatum 190, 226, 227
M. verticillatum 190, 226, 227
- Naias marina* 226
Narcissus Pseudo-narcissus 86
Nardia compressa 193
N. emarginata 193
Nardus 284
N. stricta, 27, 39, 105, 106, 112,
113, 115, 123, 131, 132, 133,
135, 136, 156, 275, 277, 278,
282, 284, 285, 297, 300, 314
Narthecium ossifragum 136, 249,
251, 263, 265, 271, 272, 279,
285, 295, 327
Nasturtium (= *Radicula*) 86
N. officinale (= *Radicula Nastur-*
tium-aquaticum) 206
Navicula 202
Neottia Nidus-avis 129, 139, 166
Nepeta hederacea (*Glechoma*) 82,
86, 152, 154, 177
Nephrocytium 201
nettle 152
Nitella opaca 193, 195
Nitzschia longissima 202
N. reversa 202
nodding melic-grass 152
Nymphaea lutea 190, 192, 193, 225,
226, 227
N. lutea var. *intermedia* 192, 193
N. pumila 192, 193
- oak 11 n., 77, 78, 100, 102, 125,
130, 138, 141, 148, 149, 165,
166, 168; 181, 182, 186, 251,
253, 269, 347
Enanthe aquatica (*Phellandrium*)
191
Œ. crocata 206
Œ. fistulosa 233
Œ. flaviatilis 191
Œ. Lachenalii 191, 233, 334
Oenothera biennis 352
- Onobrychis viciæfolia* 177, 179
Ononis repens 85, 96, 341, 350
O. repens var. *horrida* 345
O. spinosa 176, 179
Oocystis 197, 201
Ophioglossum vulgatum 86, 135,
178, 234
Ophrys apifera 157, 160, 178
O. fuciflora (*arachnites*) 178
O. muscifera 157, 160, 172
O. sphegodes (*aranifera*) 178
orchid 163, 166, 172, 175
Orchis ericetorum 102, 105, 136,
157, 279, 285 n.
O. hircina 172
O. incarnata 234
O. latifolia 158, 206
O. maculata 86, 87, 160, 178, 180,
206, 285, 301, 324
O. mascula 82, 86, 129, 151, 160
O. militaris 172
O. Morio 160, 178
O. purpurea 172
O. pyramidalis 157, 160, 178, 180,
352
O. Simia 172
O. ustulata 157, 160, 178
Origanum vulgare 154, 157, 160,
177
Ornithogalum umbellatum 97
Ornithopus perpusillus 96
Orobanche elatior 177
O. Hederæ 189
O. Picridis 177
Orthotrichum rivulare 196
Oscillaria 203
O. Aghardii 198
O. tenuis 198
osier willow 149, 205
Osmunda regalis 105, 129, 140,
206, 240, 251
Oxalis Acetosella 80, 82, 93, 100,
119, 128, 143, 151, 161, 301,
317, 324
Oxycoccus quadripetalala 106, 136,
249, 255, 267, 271, 279, 285
Oxyria digyna 296, 324, 327
Oxytropis uralensis 322
oyster-plant 362
- Pallavicinia hibernica* 351
Papaver hybridum 179

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

380

Index of Plant Names

- P.* Rhoeas 179
P. quadrifolia 182
Parnassia 284
P. palustris 158, 295, 351
Pediasstrum 201
Pedicularis palustris 158, 262, 285
P. sylvatica 87, 105, 279
pedunculate oak 11 n., 124, 138, 205
Peltigera 352
P. canina 314, 344, 363
Pelvetia canaliculata 364
Peridinium 198, 200, 201
P. cinctum 198, 201
P. Westii 198
P. Willei 198
Petalophyllum Ralfsii 351
Petasites officinalis 86
P. ovatus 129, 150, 158
Peucedanum palustre 233, 244
P. sativum 179
Phalaris 245
P. arundinacea 150, 192, 206, 227, 232, 233, 262
Phegopteris Dryopteris 119, 129, 325
P. polypodioides 129
P. Robertiana (calcarea) 153, 178
Philonotis calcarea 196
P. fontana 195, 326
Phleum alpinum 300, 316
P. arenarium 341, 344, 349, 363
P. pratense 85, 178, 180, 294
Phragmites 234, 235, 240, 243, 245, 257, 258
P. vulgaris (communis) 150, 191, 194, 227, 228, 231, 232, 233, 234, 241, 242, 244, 251, 253, 262, 264, 265, 270
Phyllitis Scopulendrum 161
Phyteuma orbiculare 177
Picea vulgaris 180
Picris echioides 177
P. hieracoides 154, 159, 177, 180
pillwort 192, 262
Pilularia globulifera 192, 193, 262
Pimpinella magna 159
P. Saxifraga 85, 96, 135, 159, 177, 179, 181
pine 117, 118, 125, 143, 179, 254, 270, 347
Pinguicula grandiflora 139, 140
P. lusitanica 263
P. vulgaris 106, 136, 271, 279, 295, 327
Pinus austriaca 125
P. Pinaster 144
P. sylvestris 65 n., 100, 101, 107, 110, 116, 123, 125, 180, 181, 250, 253, 269
P. sylvestris var. scotica 116, 119
Plagiothecium undulatum 278
Plantago Coronopus 96, 244, 334, 335
P. lanceolata 86, 96, 135, 160, 177, 180, 181, 301
P. maritima 244, 333, 334, 339, 365
P. media 86, 157, 160, 177, 180, 181
Poa alpina 300, 324
P. annua 361
P. pratensis 85
P. trivialis 85, 87, 206, 232, 233, 242
Polemonium caeruleum 150, 158
Polygala austriaca 176
P. calcarea 157, 176
P. oxyptera 176
P. serpyllacea 101, 105, 129, 135, 156, 278, 285, 301
P. vulgaris 85, 95, 116, 159, 176, 179
Polygonum amphibium 87, 190, 193
P. Hydropiper 82, 87
P. Persicaria 87
P. Raiti 340
P. viviparum 296, 314, 324, 327
Polyodium vulgare 363
polypody 153
Polystichum aculeatum 129
P. lobatum 161
P. Lonchitis 161, 317, 325
Polytrichum 104, 138, 285, 322
P. commune 234, 279
P. gracile 185
P. piliferum 99
Populus canescens 205
P. nigra 205
P. serotina 149
P. tremula 81, 92, 126, 149
P. tremula var. villosa 184
Potamogeton alpinus (rufescens) 193

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*Index of Plant Names*

381

- P. *angustifolius* (*Zizii*) 193
 P. *coloratus* 190
 P. *crispus* 191, 193, 227
 P. *crispus forma serratus* 191
 P. *densus* 191
 P. *interruptus* 226
 P. *lucens* 191, 193
 P. *lucens forma acuminatus* 191, 226, 227
 P. *natans* 190, 193, 227
 P. *perfoliatus* 191, 193, 226, 227
 P. *plantagineus* 190
 P. *polygonifolius* 193, 279
 P. *prælongus* 191, 193
 P. *pusillus* 193
Potentilla 289
 P. *anserina* 85, 346, 352
 P. *argentea* 96
 P. *Crantzii* 159, 300, 32^o, 323
 P. *erecta* (*sylvestris*) 87, 85, 93, 94, 96, 101, 105, 11^o, 119, 129, 130, 135, 175, 233, 2^o, 244, 251, 263, 278, 285, 301, ? 4
 P. *mixta* 85
 P. *palustris* 158, 233, 251, 262, 269, 284, 295
 P. *procumbens* 12, 135, 157
 P. *reptans* 85, 244, 346
 P. *Sibbaldi* 300, 313, 314, 322
 P. *sterilis* 80, 82, 93, 96
 P. *verna* 157, 159
Poterium Sanguisorba 154, 157, 159, 175, 177, 179, 180
primrose 81
Primula elatior 182
 P. *farinosa* 157, 158
 P. *veris* 86, 154, 160, 177, 180
 P. *vulgaris* 80, 81, 82, 84, 129
Prunella vulgaris 82, 86, 177, 180, 285, 294
Prunus Avium 81, 166
 P. *Cerasus* 101, 126, 128, 171
 P. *insititia* 171
 P. *Padus* 128
 P. *spinosa* 79, 81, 83, 92, 93, 94, 96, 101, 127, 128, 154, 171, 179, 205
Pseudotsuga Douglasii 125
Pteris 143
 P. *aquatica* 80, 82, 83, 93, 94, 96, 101, 105, 110, 115, 117, 129, 130, 133, 134, 135, 143, 156, 185, 235, 273, 278, 285
 Pulicaria *dysenterica* 85
 purple moor-grass 132
Pyrola media 115, 119, 130, 278
 P. *minor* 119, 130, 290, 324
 P. *rotundifolia* 233, 324, 350, 351
P. rotundifolia var. arenaria 350
 P. *secunda* 119, 324
Pyrus Aria 92, 101, 108, 150, 165, 170, 172
 P. *Aucuparia* 92, 93, 101, 112, 115, 126, 128, 139, 250, 251, 278
 P. *Malus* 81, 101, 128, 179
 P. *rupicola* 139
 P. *torminalis* 81
Quercus Cerris 101
 Q. *Robur* (=Q. *pedunculata*) 77, 79, 81, 92, 93, 101, 123, 124, 138, 149, 165, 181, 184, 205, 240
 Q. *sessiliflora* 92, 93, 101, 123, 124, 127, 128, 137, 138, 139, 148, 149, 181, 186, 251, 269
quillwort 192
Radicula (*Nasturtium*) *amphibia* 206
 R. *Nasturtium-aquaticum* 206
 R. *palustris* 206
 R. *sylvestris* 206
ragged robin 231
Ranunculus acris 85, 135, 176, 285, 301, 313, 314
 R. *auricomus* 81, 128
 R. *bulbosus* 85, 95, 135, 159, 176
 R. *circinatus* 191, 226
 R. *Ficaria* 81, 128, 151, 206
 R. *Flammula* 86, 136, 279, 284, 295
 R. *fuitans* 195
 R. *hederaceus* 86, 195
 R. *Lenormandi* 195, 279
 R. *Lingua* 227
 R. *peltatus* 190
 R. *repens* 81, 85, 86, 206, 269, 285
 R. *sceleratus* 86
red campion 81
red clover 54
redwood 125
reed-grass 262
reedmace 262
Reseda lutea 176, 179
 R. *luteola* 176

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

382

Index of Plant Names

- Rhaesomitrium 310, 311 n., 315, 315 n.
 R. aciculare 195
 R. ericoides 314
 R. lanuginosum 265, 272, 311, 314, 316, 322
 Rhamnus catharticus 139, 150, 154, 171, 179, 240
 R. Frangula 81, 101, 139, 233, 240, 251
 Rhinanthus borealis 323
 R. Crista-galli 86
 Rhizosolenia morsa 197, 199
 Rhynchospora alba 106, 249, 255, 263, 264, 267
 R. fusca 263, 265
 Ribes Grossularia 240
 R. nigrum 240
 R. petraeum 161
 R. rubrum 240
 Riccia natans 227
 rock-rose 175
 Rosa 83, 94, 96, 171
 R. agrestis (sepium) 172
 R. arvensis 79, 81, 126, 128, 172
 R. canina 79, 81, 126, 128, 154, 172, 179
 R. Englantica (rubiginosa) 172, 179, 346
 R. micrantha 150, 172
 R. mollis 127, 154
 R. pimpinellifolia 172
 R. spinosissima 150, 154, 346, 350
 R. stylosa var. systyla 172
 R. tomentosa 127
 rowan 126, 250
 Rubia peregrina 139
 Rubus 16 n., 79, 81, 83, 94, 96, 101, 105, 128, 154, 171, 172
 R. cæsius 101, 126, 128, 172
 R. Chamæmorus 267, 270, 271, 274, 275, 281, 291, 297, 315
 R. dasypylloides 126
 R. discolor (agg.) 345
 R. "fruticosus" 79, 172
 R. Idæus 92, 101, 161
 R. rusticana 92
 R. saxatilis 139, 152, 154, 290, 295, 317, 324
 R. Selmeri 126
 Rumex Acetosa 86, 285, 295, 301, 314, 324
 R. Acetosella 93, 96, 112, 129, 135, 275, 278, 301
 R. crispus 342, 350, 353
 R. crispus var. trigranulatus 361
 R. Hydrolapathum 191, 206, 227
 R. viridiflora 82
 Ruscus aculeatus 166, 172
 rush 133, 184, 156, 250
 rye-grass 54
 Sagina apetala 95
 S. ciliata 95
 S. nivalis 323
 S. procumbens 95, 301, 361
 S. saginoides 300
 S. subulata 95
 Sagittaria sagittifolia 190
 S. sagittifolia forma vallisneriifolia 191
 St John's wort 152
 salad-burnet 175
 Salicornia 332, 339, 365
 S. europaea 332, 333, 334, 338, 339, 364, 365
 S. Oliveri 333 n.
 S. radicans 332, 333, 334 n., 339
 S. ramosissima 339
 S. stricta 365
 Salix 154, 205
 S. alba 205
 S. arbuscula 269
 S. aurita 81, 101, 105, 128, 149, 295
 S. caprea 78, 81, 101, 128, 149, 172, 205, 243, 250, 251, 269
 S. cinerea 78, 81, 101, 128, 149, 184, 205, 230, 240, 243, 250, 251, 269
 S. fragilis 128, 149, 205
 S. herbacea 290 n., 313, 314, 316
 S. Lapponum 324
 S. purpurea 205
 S. repens 106, 157, 236, 240, 278, 345, 350, 351
 S. repens forma argentea 350
 S. repens forma ascendens 350
 S. repens forma fusca 350
 S. reticulata 269, 317, 322
 S. triandra 205
 S. viminalis 149, 205
 sallow 78, 149, 250, 251
 Salsola Kali 340, 363

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*Index of Plant Names*

383

- Salvia Verbenaca* 177
Sambucus nigra 128, 172, 205, 345,
 346, 353
samphire 335
sand sedge 345
Sanicula europaea 82, 128, 166
Sarrothamnus scoparius 144
Saussurea alpina 317, 324
Saxifraga aizoides 296, 327
S. cernua 317, 323
S. Geum 139, 140
S. granulata 85
S. hypnoides 153, 154, 159, 322
S. nivalis 317, 322
S. oppositifolia 312, 313, 314, 319,
 322
S. rivularis 317, 321, 323
S. stellaris 290 n., 296, 314, 316,
 324, 327
S. tridactylites 96, 153, 159
S. umbrosa 139, 140
saxifrages 289
Scabiosa arvensis 85, 177, 179
S. Columbaria 157, 159, 177, 179,
 181
S. Succisa 82, 85, 102, 135, 285,
 301
Scapania undulata 193, 195
Scenedesmus 201
S. quadricauda 202
Schenkus nigricans 105, 106, 110,
 263, 265
Scilla autumnalis 96
S. non-scripta 81, 82, 83, 84, 93,
 94, 100, 129, 143
Scirpus cæpitosus 27, 39, 41, 46 n.,
 106, 115, 136, 249, 269, 271,
 272, 278, 282, 285, 297, 301, 315
S. compressus 150, 158
S. fluitans 193, 253
S. lacustris 191, 194, 224, 227,
 228, 241, 245
S. multicaulis 263
S. palustris 262
S. pauciflorus 253
S. setaceus 106
S. sylvaticus 206
Scleranthus annuus 96
Scolopendrium vulgare (= *Phyllitis*
 Scolopendrium) 161
Scots pine 56, 100, 125, 250, 253,
 269, 272, 296 (*see* *Pinus sylvestris*)
Scrophularia aquatica 82, 86, 206
S. nodosa 82, 129, 206
Scutellaria galericulata 206
S. minor 102, 106
S. Nicholsoni 139
sea couch-grass 348
sea-lavender 334
sea lyme-grass 344
sea-rush 334
Sedum acre 96, 153, 159, 177, 346,
 361
S. anglicum 96
S. roseum 322
S. Telephium 93
S. villosum 290, 295, 327
Selaginella selaginoides 158, 300,
 352
Senecio aquaticus 86
S. erucifolius 85, 177
S. integrifolius (*campestris*) 177,
 180
S. Jacobaea 85, 96, 177, 180, 344,
 346, 349, 363
S. paludosus 191
S. palustris 191
S. sylvaticus 96, 105
S. vulgaris 349
S. vulgaris var. *radiatus* 349
Sequoia sempervirens 125
Serratula tinctoria 105
Seseli Libanotis 177
Sesleria cœrulea 157
sessile oak 125
shore-weed 192
sheep's fescue-grass 133, 154, 173
Sieglinia decumbens 96, 119, 242,
 243, 244, 282, 285
Silaus flavescens 85
Silene acaulis 290 n., 312, 313,
 314, 319, 322
S. conica 97
S. latifolia (*Cucubalus, inflata*) 176,
 179
S. maritima 353, 361, 364
S. nutans 176
S. Otites 97
silver hair-grass 124, 132, 133
Sium erectum 206
S. latifolium 191, 227
sloe 79, 93, 127
small furze (*see* *small gorse*)
small gorse 133, 134

384

Index of Plant Names

- small-leaved elm 205
 small-leaved lime 126
Solanum Dulcamara 172, 206, 227
Solanum Dulcamara var. marinum 353
S. nigrum 172
Solidago Virgaurea 82, 93, 94, 102,
 130, 154, 295, 314
Sonchus arvensis 180, 361
S. oleraceus 361
S. palustris 191, 206
 Spanish chestnut 79 (*see* sweet
 chestnut)
Sparganium affine [*natans*] 193,
 194
S. erectum 192, 262
S. ramosum 150, 227
S. simplex 192
S. simplex forma longissima 191
S. simplex forma zosterifolium 226
Spartina 333, 337, 338, 339, 364
S. alterniflora 337, 338
S. stricta 333, 337
S. stricta × *alterniflora* 337 n
S. Townsendii 337, 338, 339
Spergularia marginata 333, 338,
 339, 365
S. rubra 95, 156
S. salina 244, 333
Sphaerocystis Schroeteri 197, 202,
 203
Sphagnum 39, 106, 113, 138, 195,
 210, 233, 234, 235, 243, 249,
 251, 252, 254, 255, 257, 258,
 259, 263, 264, 265, 267, 269, 272,
 279, 285, 297
S. crassidulum 195
S. cymbifolium 234, 252, 255
S. intermedium 234
S. recurvum 267
S. squarrosum 234
Spiraea Filipendula 177, 179
S. Ulmaria 82, 86, 128, 150, 158,
 185, 192, 206, 233, 240
Spiranthes spiralis (*autumnalis*) 86,
 160, 177
Spirogyra 226
Spondylosium planum 202, 203
squianancywort 175
Stachys Betonica 82, 160
S. palustris 191, 206
S. sylvatica 82, 206
- star-grass 342, 349
Statice (Armeria) maritima 333,
 334, 339, 361, 365
S. reticulata (= *Limonium bellidi-*
folium) 364
Staurastrum anatinum 202
S. Arctiscon 202, 203
S. curvatum 203
S. cuspidatum var. maximum 202,
 203
S. furcigerum 202
S. furcigerum forma armigera 202
S. jaculiferum 202, 203
S. lunatum var. plancticum 202,
 203
S. Ophiura 202, 203
S. paradoxum 202
S. paradoxum var. longipes 202
S. pseudopelagicum 202, 203
Stellaria aquatica 206
S. graminea 85, 95
S. Holostea 80, 82, 128, 154
S. media 179
S. nemorum 128
S. uliginosa 86, 195, 279, 295, 327
 stone-bramble 152
Stratiotes 241
S. Aloides 190, 226
 strawberry tree 138
Sueda fruticosa 361, 362, 364, 365
S. maritima 333, 334, 339, 364, 365
Subularia aquatica 192, 193
 sundew 249, 263
Suriella, 197, 199
S. robusta var. splendida 197, 202
 sweet chestnut 144 (*see* Spanish
 chestnut)
 sweet gale 262
 sycamore 125
Symphytum officinale 191, 206
Synedra 201, 203
S. Ulna 203
- Tabellaria* 197, 200
T. fenestrata 202, 203
T. fenestrata var. asterionelloides
 197, 202
T. flocculosa 203
Tamus communis 80, 81
Taraxacum erythrospermum 96,
 344, 346, 349
T. officinale 86, 177, 301, 324

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*Index of Plant Names*

385

- Taraxacum paludosum* 279
T. palustre 136
Taxus baccata 81, 139, 149, 150,
 166, 169, 180, 250, 251
Teesdalia nudicaulis 95
Teucrium Botrys 177
T. Scordonia 80, 82, 83, 93, 96,
 101, 105, 129, 130, 152, 154, 177,
 286
Thalictrum alpinum 327
T. flavum 158, 192, 231, 233, 243
T. minus 154, 157, 159, 161, 176,
 179
Thesium humifusum 177, 180
thrift 334
Thuidium abietinum 180
Thymus Chamædrys 177
T. ovatus 96
T. Serpyllum 86, 96, 153, 160, 177,
 180, 181, 286, 295, 301, 322, 346
Tilia cordata 126, 150
T. parvifolia (=*T. cordata*) 126
T. platyphyllos 150
T. ulmifolia (=*T. cordata*) 126
Tofieldia palustris 296, 327
tomentil 251, 263 (*see* *Potentilla*
erecta)
Tortula ruralis var. arenicola 350
T. ruraloides 363
Tragopogon pratense 86, 177, 180
Trichomanes radicans 140
Trientalis europaea 115, 116, 119,
 278, 315
Trifolium arvense 96, 345
T. dubium 85, 96
T. filiforme 96, 176
T. hybridum 54, 294
T. medium 85
T. minus 96, 176
T. pratense 54, 85, 176, 179, 345
T. procumbens 96, 176, 179
T. repens 54, 85, 294, 301, 345
T. subterraneum 96
Triglochin maritimum 244, 332,
 333, 339, 365
T. palustre 87, 244, 285, 295
Trinia glauca 158
Trisetum flavescens 160, 175, 178
Triticum caninum 151
Trollius europaeus 128, 150, 151,
 158, 290, 295, 317, 324
Tussilago Farfara 85, 361
- Typha* 240, 245
T. angustifolia 191, 227, 228, 241,
 262
T. latifolia 192, 227
- Ulex* 294
U. europaeus 81, 83, 92, 94, 95,
 101, 105, 106, 109, 115, 127,
 128, 156, 179, 235, 285
U. Gallii 105, 109, 110, 127, 128,
 130, 133, 134, 135, 278, 285
U. minor 105, 109
Ulmus glabra Huds. 126, 128, 148
U. montana (=*U. glabra* Huds.)
 126, 128, 148, 186
U. sativa 205
Urtica dioica 82, 152, 180, 206,
 240, 295
Utricularia intermedia 190, 193,
 234, 262
U. minor 190, 234, 262, 264
U. vulgaris 190, 193, 226, 227
- Vaccinium* 104, 119, 289, 315, 316
V. Myrtillus 41, 99, 101, 102, 104,
 105, 112, 114, 115, 117, 119,
 124, 130, 139, 157, 250, 270,
 272, 273, 274, 275, 277, 278,
 281, 285, 297, 301, 313, 314,
 315
V. Oxycoccus (*see* *Oxycoccus quadrifolius*)
V. uliginosum 314, 315
V. Vitis-Idaea 112, 114, 115, 119,
 130, 273, 278, 297, 314, 315
valerian 231
Valeriana dioica 129, 151, 158, 234
V. officinalis (*Mikanii*) 150, 151,
 158, 231, 233, 234
V. sambucifolia 82, 129, 206
Vaucheria dichotoma 226
Verbascum Lychnitis 177
V. nigrum 177
V. Thapsus 177
Veronica alpina 321, 327
V. Anagallis 206
V. arvensis 96
V. Beccabunga 191, 192, 206
V. Chamædrys 82, 86, 160, 206
V. montana 82, 129
V. officinalis 82, 83, 86, 93, 96,
 102, 105, 135

T.

25

386

Index of Plant Names

- V. saxatilis 317, 323
V. scutellata var. hirsuta 86
V. serpyllifolia 86, 301
V. serpyllifolia var. tenella 327
V. triphyllos 97
V. verna 95, 97
Viburnum Lantana 150, 172, 179,
182, 184
V. Opulus 65 n., 81, 128, 172, 184,
205, 240, 269, 270
Vicia angustifolia 85
V. angustifolia var. Bobartii 96
V. Cracca 82, 177, 179
V. lathyroides 96
V. sepium 82, 128, 135
V. sylvatica 128, 139
V. tetrasperma 85
Vinca minor 82
Viola calcarea 176
V. canina 95, 105
V. Curtisiae 352
V. ericetorum 95, 105, 345
V. hirta 157, 159, 166, 176,
179
V. lactea 105
V. lutea 135, 159, 290, 323
V. lutea forma amœna 301
V. palustris 106, 136, 233, 244,
267, 269, 279, 295
V. Riviniana 80, 82, 93, 95, 102,
104, 105, 119, 128, 129, 135,
161, 166
V. sylvestris 166, 182
Wahlenbergia hederacea 102, 105
water-crowfoot 195
weasel-snout 81
Webera nutans 278
whitebeam 108, 165, 170, 172
white birch 126, 186
white clover 54
whortleberry 272
willow 149, 205, 269
willow-herb 250
Wolfia arrhiza 190
wood-anemone 81
wood-garlic 151, 161
wood-sage 152
Woodsia alpina 322
woolly fringe-moss 310, 311
wyck elm 126, 148, 186
Xanthidium antilopænum 202
X. antilopænum var. depauperatum
202
X. subhastiferum 202, 203
yellow archangel 81
yellow meadow-rue 231
yellow water-lily 191, 192
yew 108, 149, 166, 169, 170, 171,
172, 250, 251, 253
Zannichellia palustris 226
Zostera marina 332, 337
Z. nana 337
Zygnum stellatum 226

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

GENERAL INDEX

The page-numbers printed in heavy type refer to the pages on which descriptions are given of the different formations, associations, etc.

- Aberdeenshire 116, 118, 291, 306
- Aberystwyth, Quercetum sessili-floræ of 138
- Acids (of Sphagnaceæ) 235
- Acid humus 6, 33, 35, 35 n., 89, 99, 104, 122, 246, 283
 - peat 35, 60, 114, 122
 - peaty humus 127
 - peaty soils 252
 - reaction 35, 35 n., 75, 103, 123, 210, 211, 223
- Acidic humus 123 (*see* 123 n.)
- Acidic soil 136
- Acidity 5, 34
- Acle Bridge (Norfolk) 218
- Acorns 168
- Adamson, R. S. 183
- Adaptation 13
- Aeration 5, 326
 - deficient 188
 - of water 188, 194, 225
- Aerial water 210, 212
- Agricultural area of Scotland 40
 - regions of British Isles 38
- Agriculture, Board of 62
 - of the chalk 54
 - Irish department of 62
 - of Scotland 42, 43
- Agropyretum juncei 342, 348
- Ainsdale 347, 349
- Alde, River 220
- Alder societies 204
 - thicket 261
 - willow association 76
 - wood 251
- Algae 36, 190, 324
 - blue-green 198, 199, 200, 201, 202, 203
 - coating rock-faces 319
 - green 197
 - marine 331
- Algal vegetation 190
- Aliens 9, 125
- Altis 103
- Alkaline peat 6, 35
 - ground waters 229, 235, 243
 - reaction of waters 194, 223
- Alluvial flats, lowlying 207
 - land 218
 - riverside soils 205
 - soils 59
 - soils, lighter 207
 - soils, draining of lowlying 205
- Alluvium 58, 61, 221
- Alnetum 240, 252, 261
- Alpine [the term] 291
 - “Alpine formation on the rocky flat” 311
 - “pasture” 299
 - “plateau” 311
- American “formations” 8
 - species 16
- Ammophila* association 342, 349, 363
- Ammophiletum arenariae* 342–343
- Amorphous peat 239, 257, 259
- Anaerobic bacteria 188
- Anderson, T. 321
- Ant, River 214, 224, 225, 226, 228, 229, 234
- Anticyclonic periods 23

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

388

General Index

- Antrim, Co. 47
 Appin 286
 Aquatic formation 204, 214–222
 of Norfolk Broads 223–229,
 231, 259
 vegetation 187 (*see* Aquatic forma-
 tion)
 Arable land 28, 47, 53, 62, 74, 80,
 95, 186, 345
 Archaean rocks 37, 48, 61, 200
 Arctic-alpine [The term] 291
 chomophyte formation 304, 317–
 327
 grassland 297
 grassland formation 298–301
 plants 289
 plant-communities 304
 species 16, 41, 315
 vegetation 288–329
 zone of 298–327
 zone 72, 288, 299, 304
 Arctic distribution of *Mertensia*
 maritima in Europe 362
 mat-vegetation 312
 species 289
 vegetation (in peat) 270
 Arden, Forest of 61
 Arenicolous species 123, 353
 Artificial drainage 286, 299
 manuring 84 n.
 Arundel (beechwoods near) 163
 Ash-content of peat 258
 Ashdown Forest 107
 Sand 55, 56, 89, 102, 107
 Ashford 148
 Ash-oak-hazel copse 51, 182–183
 Ash-oakwood 52, 58
 association 181–186
 Ash societies (of damp oakwood) 204
 Ashprington series (of volcanic
 rocks) 50
 Ashwood 10, 52, 162, 167, 168,
 174, 186
 association 147–154, 166–167, 181
 Dale 148
 Association [The Plant] 4, 8, 10–
 12, 13
 Associations, ash-oakwood 181–186
 alder-willow 205–6
 ashwood 147–154, 166–167, 181
 beechwood 163–166
 bilberry moor 272
 Associations, birchwood 141–143
 bog moss 234, 235, 248, 250, 261,
 263, 267
 carr 229, 236–240
 chief 11
 closed 298, 362
 closed moorland 312
 closed reed-swamp 223, 227
 cottongrass 249, 250, 267–272
 dry oakwood 92–94
 fen 207, 229, 230–235, 236,
 243
 floating leaf 224, 225, 228
 fringing, of ponds, lakes and
 rivers 205
 general salt marsh 333, 364
 glasswort, 332, 363
 Glyceria 333, 338, 365
 grass fen, 242
 grassland 84, 131, 143, 154, 173,
 186
 heath 90, 99, 100, 101, 103–106,
 118
 heather moor 275–279
 herbaceous marsh 207
 marram-grass 342–344, 349, 363
 Molinia 261, 265
 moor (on fen) 234 (*see* Moor
 formation)
 moss lichen, open 310
 oak-birch heath 100–103
 oakwood 76–83, 92–94, 123–130
 of *Ammophila arenaria* 342–344,
 349, 363
 of fixed dunes 345, 363
 of hydrophilous chomophytes 325
 of *Salix repens* 350–1
 of shade chomophytes 324
 of strand plants 340, 348, 363
 open 8
 open reed-swamp 223, 227
 pedunculate oakwood 76–83
 plankton 189
 progressive 153, 173, 261
 reed-swamp 204, 223, 227, 228,
 230, 261, 262
 retrogressive 83, 94, 130, 153,
 274
 Rhacomitrium 304, 310, 311, 313,
 314, 315, 316
 rush 86–87
 sea couch-grass 342, 348

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

389

- A**ssociations, sea rush 334, 366
scrub 83, 94, 130, 153, 171
sessile oakwood 123–130
Sphagnum (*see* Bog moss)
stable 103
submaritime fen pasture 243
submerged leaf 224, 225, 228
subordinate (*see* retrogressive
and progressive)
transitional (intermediate) 100
zonation of aquatic 189–190
- A**tlantic 15, 26, 40, 44, 45, 66, 71
coast 47, 288
mid- 20
north 20
side of Scotland and Ireland
289
- A**tmospheric humidity 4, 307, 324
- A**utecology 2, 3
- A**utumn frosts 31
- A**utumnal fall of temperature 200
- A**von, valley of 260
- A**yrshire, soils of 43
vegetation of 113
- B**acillariae 196
“Backbone of England” 266
- B**ackwaters of rivers 190
- B**acteria 188
anaerobic 188
- B**adenoch 286
- B**agshot Sands 56, 60, 89, 108,
110, 117
heaths on 107, 108
pinewoods on 107, 117
- B**allochbuie, Forest of 118
- B**altic Islands (heaths of) 98
- B**anff 65
- B**ark (oak) 79
in peat 253
- B**arley 30, 43
- B**arometric pressure, low 20
- B**arren soils 192
- B**arrowes (neolithic, on downs) 165
- B**arton Sands (heaths on) 108
- B**asalt 45, 47
- B**asaltic hills 306
rocks 307
- B**ases 89 (*see* alkaline)
- B**asic slag 53
- B**ath 163
- B**aumann 36 n.
- B**each, sandy 339
shingle 59, 74 (*see* Shingle-bank,
Shingle-beach communities)
- B**eaulieu Road 260
- B**edford, Duke of (Woburn estate)
111
- B**edfordshire 58
- B**eech and ash, competition between
167
- B**eechwood 10, 52, 53, 68, 162,
168, 170, 171, 172
association (of Chalk) 163–166
on sand 102, 164
- B**elgian dunes 350
- B**elgian heaths 98
- B**elgium 64, 98, 209
- B**en Lawers 17, 42, 291, 308
schist 305
vegetation of 292 etc.
- B**en Macdhui (= Ben Muic Dhui)
17, 290
- B**en Nevis 17, 21, 292, 308
depth of snow on 309
sunshine records 310
- B**en-y-glo 316
- B**erkshire 70
- B**erwyn Range 18
- B**etuletum tomentosæ 141, 250
- B**ilberry moor associations 272–
275
- B**irch
bark 253
scrub 250
seedlings 141
thicket 250
- B**irch heath 102, 112
- B**irchwood 56, 124, 141, 253
association 141–143
Highland 142
- B**irmingham (rainfall of) 21
- B**lair Atholl 115
- B**lakeney 356
- B**lakeney Harbour, maritime for-
mations of 354–366
- B**lakeney Point 356, 357, 358, 361,
362, 363, 364, 365
- B**leakland Hill 281
- B**lock scree 319, 324
- B**locking of estuaries 219–220
of tributaries 220
- B**lowing sand 343
- B**lown sand 32, 59, 60, 74, 339, 341

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

390

General Index

- “Blow-outs” 343, 344
- Blue-green algae 188, 198, 199, 200, 201, 202, 203
- Board of Agriculture 62
- Bog 67, 106
 - moss association 234, 235, 248, 250, 261, 263, 267
 - species 196
 - Sphagnum* 254
- Boggy land 208
- Boreal type 290
- Bottom species (plankton) 200
- Bouche d’Erquy 333, 334
- Boulder clay 37, 42, 61, 75, 113, 282
- Boulogne 54
- Bournemouth (heaths near) 109
- Brackish marshes 335
 - water 201, 223, 224
 - associations 346
 - ground water 243, 335
 - water species 202, 335
- Bracklesham Sands (heaths on) 108
- Brandon 58, 97
- Breadalbane 42, 291
 - range 292
- “Breaking of meres” 198
- Brecon Beacons 18
- Brighton (rainfall of) 21
- British Isles 3, 15, 16, 18, 19, 22, 23, 24, 26, 65, 66
 - climate of 20-31
 - geological structure of 16-20, 32
 - soils of 32-38
- British
 - plant geographers 266
 - Vegetation Committee 4
 - woodland 63
- Broads 73
 - lateral separation of 222
 - Norfolk 187, 190, 196, 214 etc., 259
 - plankton of 201
 - origin of 219-222
- Broad, Barton 239
 - Decoy 220
 - Filby 220
 - Hickling 201
 - Hoveton, Great 220, 238
 - Little 220
- Ormsby 220
- Rollesby 220
- Broad, Salhouse 220, 238
 - Surlingham 222, 232
 - Wroxham 220
- Browsing animals 14, 83
- Brue, River, old estuary of 213
- “Bruaria” 108
- Buckinghamshire 163
 - chalk of 161
- Bunter Sands 61
 - Sandstones 89, 103, 111
- Bure, River 60, 73, 214, 216, 218, 220, 221, 224, 225, 226, 229, 234
 - broads of 224, 228
 - estuary 221
 - fen 232-233
 - valley of 214, 220
 - valley fen association 229, 231, 232
- Buried forest 269
- Burley 260
- Burn, hill 326
- Burning (of moors) 69, 113
- “Burton Lake” 255
- Bushland (=scrub) 7
- Bute 30
- Butser Hill 167
- Cairngorm 17, 312
 - group 42, 118, 292, 303
- Caister 220
- Caithness 29, 305
- Calcareous clay 57, 58, 75
 - grassland 154, 173, 186
 - grit 111
 - marls 34
 - pasture 49, 51, 52, 154, 156, 157, 158, 165, 173, 284
 - sands 33
 - sandstones 34, 88, 145
 - subformation of 181-186
 - scrub 153, 154, 171-173, 186
 - soils 34, 35, 45, 144-145, 305
 - vegetation of 144-186
- Upper Greensand 182
- Calcicole plants 144, 145, 157, 172, 175, 181
- Calceifuge plants 144, 145, 156-7
- Calcium 298
 - carbonate 144, 256 (see Lime)
 - salts 195

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

391

- Caledonian Canal 40, 43, 286
Calluna-heath 114 (*see* Heath-association)
Calluna-moor 113 (*see* Heather moor)
 Callunetum 107, 109, 111, 112, 250, 265, 271, 273, 274, 275-279, 280, 284
 arenosum 103-106
 Cam, River (aquatic vegetation of) 191
 Cambrian rocks 48, 49
 Cambridge 191, 214
 Cambridgeshire 28, 54, 58, 70, 73, 163, 169, 178, 183, 186, 243
 Camps, ancient 165, 173
 Canlochan plateau 292
 Schist 305
 Canopy, close 77, 79, 165
 Capillarity 89
 Capital 69, 70
 Carboniferous limestone 44, 46, 48, 49, 61, 139, 146, 147
 rocks 48
 slate 46
 Carie Burn 303
 Carr 235
 association 229, 236-240
 fen 230, 236, 238, 239, 240
 swamp 236, 238, 239, 240
 ultimate 240
 Carts (wood for) 69
 Caruncle (of *Ulex* and *Cytisus*) 106
 Casual constituents of plankton 196
 Casuals 9
 Cattle-raising 27, 43, 45
 Central Highlands 18
 Downs of Isle of Wight 56
 Lowland Plain of Scotland 42, 44, 66
 Plain of England 19, 21, 51
 of Ireland 19, 20, 45
 Century, twelfth 218
 Cereal crops 54
 Chalk 10, 38, 45, 47, 53, 55, 56, 61, 67, 72, 75, 145, 146, 148
 down 10, 28, 54, 65, 154, 161, 173
 grassland 170
 association 173-181
 heath 176
 Chalk, Lower 162, 167
 Middle 162
 orchids 172
 pasture 10, 107, 169, 171, 173
 pits 171
 Scrub 163, 169, 170
 subformation of 146, 161-181
 summits 176
 uplands 161, 178
 Upper 162
 valleys, dry 170
 Chalky boulder clay 57, 58, 61, 162, 186
 Channel, English 15, 17, 24
 Channelled peat 297
 Charcoal 76
 oak for 102
 Charnwood Forest 48
 Chasmophytes 318, 320
 Chemical characters of soil 211
 of ground waters 225
 erosion 49
 Chert 103, 104
 Cheshire 51, 57, 61, 102, 111
 Chesil Bank 59, 74
 Chichester (Sussex) 337
 Chiltern beech forests 71, 163
 region 164
 Chippenham Fen 214
 Chloritic Schists 41
 Chlorophyces 197, 202
 Chomophytes 304, 307
 shade 320
 Chomophyte Formation, Arctic-alpine 307, 309, 317-327
 Circulation of water 225
 Circumpolar lands 291
 Clare Co. 46, 140
 "Clark's degrees" 194
 Clay 6, 33, 34 n., 51, 53, 57, 61, 75, 83, 92, 171, 259
 basement 253
 calcareous 57, 58, 75
 false 122
 sandy 252
 Clayland 29
 Clay-with-flints 53, 58, 75, 162
 Clearing of woodlands 7, 94
 Clements, F. E. 8
 Cleveland district 20, 208
 Hills, 52
 Clew Bay 140

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

392

General Index

- Cley-next-the-Sea 354, 356, 360
 Cley Channel 357
 Cliffs, limestone 153
 spray-washed 335
 Climate 5, 34
 dry 89
 of the British Isles, 20-31
 wet 67
 Climatic conditions 66
 factors 4, 38
 formation 142
 zonal association, 142
 zonation 14
 Close canopy 77, 79, 165
 Closed associations 8, 298, 362
 moorland associations 296, 312
 association 223, 230
 Cloud 23
 Cloudiness 23
 Clough, Dr 304
 Clova 292
 -Canlochan plateau 314
 district 297
 " Snub " near 315
 Clover 54
 Clwyd, Vale of 51 n.
 Clyde, Firth of 42, 43
 Valley of the 44
 Coal-measures 48, 57, 123
 Coarse-grained sands 88
 Coastal habitats 330, 335
 sand dunes 218, 243, 339, 341
 vegetation 339
 woodland association of 341
 Colborne moors 133
 Colloids 36 n.
 Colonisation by Scots pine 100,
 117
 by birch 102
 of rock-exposures 306
 of waste ground 9
 Committee for the Survey and
Study of British Vegetation 4
 Commons 84, 94
 Competition 144
 between beech and ash 167
 of closed moorland associations
 297
 Complementary society 151
 association 175
 Compton, R. H. 178 n.
 Conglomerate, Dolomitic 147
 Conifers 125, 149
 Coniferous plantations 46
 Connemara, Desmids in lakes of,
 203
 lakes of 203, 264
 lowland moors of 264
 Constituents of Plankton, true and
casual 196
 Contaminated Lakes 201, 203
 Continent (of Europe) 15, 163
 Continental beechwoods 164
 climate 27
 countries 71
 flora 16
 shelf 15
 species 15
 writers 211, 213
 Coppice shoots 68, 78
 woods 68, 81
 Coppice-with-standards 68, 71, 77,
 182
 Coppices 69, 77, 78, 80, 81, 205
 Copse 77
 Cord-grass association 333, 337-
 338
 " Corduroy road " 255
 Cord roots 284
 Cork, Co. 45
 coast 139
 Cornish heaths 98, 110
 " Cornstones " 50
 Cornwall 24, 48, 109, 164, 286
 gorse in 134
 Quercetum sessiliflorae of 137
 Corries 303, 305, 308, 317, 321
 Corrie-snow 308
 vegetation 317
 Cotswold Hills 52
 beechwoods of 162, 163
 region 61
 Cottages, gorse near 105, 109
 Cottongrass associations 249-250,
 267-271
 Cottongrass moors (*see* Cottongrass
associations)
 " Crag " 57, 99, 309, 317
 formation 216
 Crag vegetation 307
 Crampton, Dr 304, 305
 Creeks 333, 363, 364, 365
 Cressbrook Dale 149, 153
 Cretaceous series 52, 54, 58, 89

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

393

- Crevices 319
 Cromer (Norfolk) 354
 Crop rotation 54
 Cross Fell 270
 Crowden 136
 Crystalline Rocks 32, 49
 Cultivation 58, 63
 zone of 293–296
 Cumberland 21, 51 n.
 Cumbrian district 48
 mountains 18, 21
 Current 191, 194
 tidal, 219, 224
 Cushions (of sub-alpine species) 289
 of mosses 298
 Cutting back (by torrents) 281
Cyanophyceæ (*see* Blue-green Algae)
 Cyclonic depressions 23
Cyperaceæ 230 (*see* Sedges)
 Dales of Derbyshire 147
 streamless 150
 Dartmoor 18, 20, 110
 Dead water (formation of broads) 222
 Decaying organic matter 188
 Decoy Broad 220
 Dee (Scottish) 292
 heaths of Dee valley 113, 115
 Deep ploughing 143
 Deer 141, 299
 forests 44
 red 44
 Definite succession 286
 Degenerate woods 80, 110
 oak and birchwoods 136
 oakwood 80, 83
 Degeneration of moorland 280
 of woodland 7, 108
 Delamere Forest (Cheshire) 51, 61, 102, 111
 Delta-formation 221, 222
 Denmark 24, 64, 66, 163, 210
 Denudation 281
 channels 271
 Depth of seas 15
 of snow on Ben Nevis 309 n.
 Derbyshire 148, 149, 151, 153, 156, 157, 158, 266, 270, 274, 279
 ashwoods of 147
 limestone 157
 north 136
 Derelict pasture 186
 Desert regions 339
 Desiccation (of moor) 248, 274
 (of peat) 281
 Desmid areas 200
 flora 199, 201
 plankton 193, 200
 Desmida 199, 202, 203
 Destruction (of forests) 66–67
 (of sand dunes) 282
 Detritus 36
 mountain-top 302–303
 plant-formation of 308, 310–316
 rock 305
 soil 321
 Devon 48, 61
 coast 51
 chalk of 161, 162
 Spartina stricta in 337
 Devon, ashwoods on chalk of East 167, 182
Ulex Gallii in 134
Quercetum sessilifloræ of 137
 south 50
 Devonian, Middle 50
 limestones 61, 146
 rocks 48, 49
 sandstones and grits (heaths on) 110
 Dew 4
 Diabases 50
 Diatoms 196, 197, 199, 200, 201, 202, 203
 centric 197, 203
 pennate 197
 Dickie, G. 290 n.
 Disforestation 174
 Dissolved mineral salts 188
 Distribution of chief forms of vegetation 62–74
 of geological formations 37
 of plant-formations 27
 of rainfall 21–23
 of soils 60–61
 of temperatures 24–26
 Ditches 188, 252
 Dolomitic conglomerate 147
 Domesday Book 108
 Dominance (of heather) 277
 Dominant plant-forms 104
 species 11, 14, 173 (*see also lists throughout*)

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

394

General Index

- Dominants, local 232
 reed swamp 228
- Donegal, Co. 47
- Don, George 291
- Dorset 17, 24, 51, 52, 59, 74, 99, 109
 ashwoods on chalk of 162, 167
 heaths of 108
- Dover, Straits of 167
- Down, Co. 47
- Downs, chalk 161
 pasture 163
 North 163, 175
 South 163, 167, 173
 summits of 174
- Drainage (of moor) 281, 293
 artificial 286, 299
 system (New Forest) 259, 260
 water 260
- Draining of low-lying alluvial soils 206
- Drains (in moor) 283
- Driest months 23
- Drives (in woods) 7
- Drought 84
 "Drowned valleys" 247, 336
- Drude, O. 1
- Drumlins 45
- Dry oakwood association 88, 92–94, 97, 100, 101, 111, 112
 degeneration of 100
- Dry summers (heath fires in) 117
 Mediterranean 140
- Dublin, 44, 45, 272
- Dune associations, Fixed 345, 349, 351, 363
 formation 6, 339–346, 346–352, 362
 formation, static phase in 344
 retrogression of 344
- grasses 343
- grassland 345
- marsh association 351
- marshes 341, 346
- valley 350
- vegetation 59, 74, 346–352
- Dunes, embryonic 358, 360, 362
 static phase of 344
- fixation of 343
- fixed 340, 341
- mobile 340, 343
- of Belgium 350
- Dunes of Somerset 346
Salix 350
- Dunes, sand 6, 8, 9, 74, 108, 218
 coastal 218, 243, 339, 341
 shifting 343
 travelling 343
 white 343
- Dungeness (shingle beach of) 59, 74, 353
- Durham 17, 50, 52
 coast 51
- Dwarf form of *Vaccinium Myrtillus* 104, 112
 shrubs (Ericaceæ) 104
 willows 289
- Dyke, Fleam 178, 179
 vegetation of 179–181
- Dyke, Muck Fleet 220
- Dyke off, to 354, 357
- Dykes (=banks) 335, 336
- Dykes (=ditches) 223, 232
- Dysgeogenous rocks 152
- Earthworks, ancient military 178
- East Anglia 61, 70, 89
 heaths of 97, 99, 107, 117
 fens of 211, 213, 264
- East Anglian coast 364
 plain 19
 sands 89
- East coast 56, 333
- East Meadour 296
- East Riding of Yorkshire 70
- Ecological conditions 182
 factors 45
 plant geography 2
- Ecology 2
- Economic development of estates 69
- Edale valley 133
- Edaphic conditions 98, 229
 factors 4, 5, 6, 114, 306
- Eden valley 51 n.
- Edinburgh 42, 43, 306, 310 n.
 "Egdon Heath" 108
- Elaiosome (of *Ulex* and *Cytisus*) 106
- Ely (rainfall of) 23
- Embryonic dunes 358, 360, 362
- England 16, 23, 26, 63, 64, 70, 73
 Eastern 26, 28, 29, 57, 61, 69, 89, 98, 246

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

395

- England, Northern 17, 29, 48, 50, 51, 71, 158, 275, 288
 scarcity of heaths in 98
 South-eastern 29, 53, 54, 55, 58 n., 70, 72, 75, 90
 mixed wood of oak, birch and beech 100
 oak-birch heath 100–102
 sandy heath of 210
 soils of 167
 Southern 28, 61, 67, 69, 71, 77, 89, 94, 98
 heath association of 103, 104
 South-western 12, 17, 23, 24, 29, 48, 57
 West and North, *Ranunculus Lenormandi* in 195
 Western 27, 158
 limestones of 158
 England and Wales, geological structure of 47
 soils of 47–61
 English Channel 15, 17, 24, 54, 71, 161, 336
 fen 211
 heaths 114, 115
 lakes 196
 Midlands 196
 Endemic Hieracia 16 n.
 Rubi 16 n.
 species 16
 varieties 16 n.
 variety of Scots pine 116
 Eocene 56, 70, 89, 260
 clays 336
 Bagshot sands 99
 sands 60, 122
 Ephemeral species 95, 153
 Ericaceous moor or heath 296, 312
 undershrubs 150
 Eriophoretum 249, 250, 251, 267–271, 273, 284
angustifolii 267, 268, 271
 retrogressive 274
vaginati 267, 268–271, 274, 280
 Eriophoro-Callunetum 250, 280
 Erosion in arctic-alpine region 319–320
 by sea 344, 347
 by wind 323
 Erratics 58
 Escarpments 58, 162, 164, 174
 “Eskers” 45
 Essex 21, 23, 28, 58
 Estuaries 61, 74, 220
 old 210
 silting of 219–220
 Estuarine gravels 108
 moors 247, 250
 mud 248
 sandstones 111
 silt 246, 253
 Europe 66
 Central 23, 199
 Northern 16, 199
 North-western 65, 66
 Southern 24
 Western 24, 25
 European Alps 290
 lakes, Northern and Central 198
 lakes, North-western 198
 plants, South-western 110
 Eutrophic peat 213
 Evans, W. E. 312, 321 n.
 Evaporation 89
 Exmoor 18, 110
 Exochomophytes 319, 326
 Exploitation of peat 247, 252
 of timber 76, 117
 of woodland 68, 69
 Facies 11, 100, 112, 133, 134, 153
 of grass-moor 284
 Factors determining the richness or poverty of plankton 200
 ecological 4, 5
 edaphic 5, 114
 master 5, 10, 341
 Fagetum ericetosum 102
sylvaticum calcareum 163–166
 Fall of temperature, autumnal 200
 Fallen blocks 317
 Families of plants 1
 Fareham 337
 Farm implements 69
 land 42, 293
 Faröer 299, 311
 Felling of trees 66, 92, 118
 indiscriminate 130
Felsenflur 312
 Felspars 146

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

396

General Index

- Fen 6, 73, 209–214, 217, 246, 247, 248, 256, 264
 association 229, 230–235, 236, 243
 “Black” 211
 Bure 232
 Carr 230, 236, 238, 239, 240
 Chippenham 213 n.
 development from 247
 district 52
 East Anglian 264
 formation 204, 211, 212–213, 229–240, 259 n., 261 n.
 Holme 213 n.
 isolated areas of 243
 peat 213, 252, 253, 258
 plants 211
 surface 231
 vegetation 247
 Wicken 213 n.
 Wood Walton 213 n.
 Yare 232
 Fencing, hurdles for 69
 Fenland 19, 21, 60, 73, 178, 212, 213
 “Fens, The” 73, 210, 212
 Fernanagh 45
 Ferns 5
 Ferruginous clays 34 n.
Festucetum ovinae 154, 173
 Fife peninsula 43
 Filby Broad 220
 Fiords 247
 Firing 69
 (=burning) of heather moor 277
 Firth of Clyde 42, 43
 of Forth 42, 43
 of Tay 21, 42, 43
 Fissures 303, 305, 317, 319
 Fixation of dunes 343
 (of mud by *Spartina*) 338
 Fixed dunes 340, 341
 dune association 345, 351, 363
Flachmoor 6, 210, 211, 261 n.
 Flagellata 198
 Flags (rocks) 37
 Flamborough Head 57
 Flanders 66
 Fleam Dyke 178–179
 Flints 53
 Floating leaves 189, 190
 leaf association 223, 224, 229
 free 226
 rooted 227
 Flood plains 59, 61, 207, 262
 Flora 1, 9
 preglacial 304
 floristic groups 16
 plant geography 1
 poverty (of British Isles) 15
 Flushing 326
 Food constituents 201
 material of telluric water 320
 Forest 10, 57, 64, 65, 66, 69, 91, 278
 Ashdown 107
 bed 270
 buried 269
 Dartmoor 67
 destruction of 66–67, 67, 76
 fires 110, 117
 former extension of 65
 High 69
 limit 72
 New 67, 99, 108, 110, 252, 259–264
 of Arden 61
 of Dean 67
 Rothiemurchus 118
 Royal 67, 68
 submerged 116
 Forester 70, 148
 Forestry 69, 71, 77
 Forfarshire 291
 Formations, geological 16, 32, 37, 38
 “crag” 216
 igneous 38
 Palaeozoic 38
 Pliocene 216
 Formation, plant 3, 4–10
 aquatic 188–203
 of East Norfolk 223–229
 Arctic-alpine formations 298–302,
 304, 307, 308, 309, 310–316,
 317–327
 of Arctic-alpine grasslands 298–302
 chomophyte 304, 317–327
 fen 204, 211, 212–213, 229–240,
 259 n., 261
 heath, 9, 90, 98–121
 marsh 204–207
 moor 6, 9, 90, 114, 204, 211, 213,
 235, 246–287, 314
 of calcareous soils 145–186
 of clays and loams 75–87

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

397

- Formation of mountain-top detritus 303, 310–316
 of sandy soils 92–97
 of siliceous soils 122–143
 salt marsh 6, 9, 330–339, 363–366
 sand dune 6, 9, 339–352, 362–363
 Formby 349, 352
 Forth, Firth of 42, 43
 Foul waters, sub-formation of 188–190
 Foulshaw Moss 248, 249, 250
 France 54, 64, 66
 Northern 98
 South-western 24
 Western 16, 98
Fraxinetum excelsioris 147–153, 166–167
 Free floating-leaf association 226
 Freshwater aquatic formation 188–196, 214, 223–229
 marsh 335
 Phytoplankton 196–203
 vegetation 187
 Friesland, meres of 216
 Fritton Decoy 220
 Frost 26
 action of 305
 Galtymore 46
 Galty range 46
 Galway, Co. 45, 46, 47
 desmids in lakes of 203
 Quercetum sessilifloræ of 137
 Gamekeeper 78
 Game-preservation 69
 preserves 38
 Gamlingay Wood 184, 185
 Gardiner, W. 292 n.
 Gault 53, 55, 75
 clay 61
 Genera 1
 Genetic relations of plant communities 83, 121, 137, 178, 245, 250, 329
 varieties of carr association 229
 Geographical botany 1
 Geography, plant 1
 scientific 3
 Geological changes 8
 formations (*see* Formations)
 Geological structure
 of British Isles 32
 of England and Wales 47–48
 of Ireland 44
 of Scotland 38
 survey 304
 memoirs 214, 305
 German beechwoods 164 n.
 heaths 98
 Germany, forest area of 64
 semi-natural vegetation of 64
 North-west 90, 98, 210
 Gilpin estuary 253
 valley 248
 Glacial boulder clay 47
 débris 253
 deposits 37, 40, 41, 45, 216
 of Scotland 39
 drift 37
 loamy 43
 period 57, 91, 97
 terraces 296
 Glaciated mountain plateaux 305
 Glaciation 269
 Glasgow 42
 Glasswort association 332
 Glaven, River 354, 356, 357, 358
 Glen 117
 Callater 292
 Doll 292
 More 40, 41
 Lyon 293
 Glendalough (co. Wicklow), *Quercetum sessilifloræ* of 138
 Gloucestershire 28, 52, 162
Glyceria maritima, association of (*see* *Glycerietum*)
Glyceria-turf 366
Glycerietum maritimæ 333, 338–339, 365–366
 Gorleston 216, 220
 Gosport 336
 Graebner, P. 90
 Gramineæ 230
 Grange-over-Sands 248
 Granite-débris 311 n.
 Granites 40, 41, 44, 45, 47
 heath on 110
 Grass heath 90, 97, 101, 104, 111, 112
 association 94–96, 107, 109, 175

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

398

General Index

- Grassland 7, 68, 72, 110
 Arctic-alpine 297, 298–301
 calcareous 154, 284
 chalk 173–181
 damp 78
 dry 90
 Irish 45
 limestone 154–160
 neutral 84–87, 186, 207
 permanent 62
 primitive 10
 semi-natural 186, 208
 siliceous 131–137, 143, 274, 282,
 283, 284, 285
 Grass moor 27, 113, 282–286, 297
 Grass slope (Arctic-alpine) 299 n.,
 312
 Gravel 6, 57, 99, 103, 236
 Gravel ridges (= eskers) 45
 Gravelly sands 118
 soil 103, 104, 114, 210
 Gravels 164
 estuarine 108
 plateau 108, 110, 162, 260
 river 108
 valley 108
 Grazing 62, 63, 84, 130, 132, 174,
 307
 Great Britain 16, 21, 28, 44
 Great Ouse, river 212
 Green algae 197
 Green crops 54
 “Green land” 284
 Gregarious habit 12
 Gregory, Professor J. W. 219,
 221
Grimmia (Racomitrium)-heath 311
 Grindsbrook Clough 133
 “Grips” 294
 Grits 33
 Ground moraine 247
 Ground vegetation (of woods) 79,
 80, 81, 84, 93, 100, 101, 119,
 127, 128, 150, 154, 166, 170
 Ground water 75, 88, 89, 210
 alkaline 211, 229, 235, 243
 brackish 243, 325
 chemical and physical characters
 of 225
 level 165
 Grouse 44, 111
 moors 44, 111, 113, 276
 Growth forms 288, 289, 307, 313
 Gulls 250
 Habit, gregarious 12
 Habitat 2, 4, 5, 10, 13, 14
 and adaptation 13
 coastal 330, 335
 Haggart, D. A. 323 n.
 Halifax 157, 194
 Halophilous species 353
 vegetation 59, 332
 Halophytes 36, 144, 332, 340
 Hampshire basin 19, 56, 61, 89
 heaths of 107–110
 Coast, salt marshes of 336–339
 East 168
 South 107
 yew-woods in 170
 “Hanger” (beech) 165
 “Hanging valleys” 260
 Happisburgh 218
 Hardy, Marcel 99, 114, 115, 299
 Hartlepool 17
 Hastings Beds 55
 Hayling Island 338
 Heath 2, 27, 208, 209 (*see also*
 heathland)
 association 90, 99, 100, 101, 103–
 106, 118
 wet 106
 ericaceous 296
 formation 90, 93, 98–121, 142
 gorse on 105
 grass 94–97
 grasses 95, 115
 Newmarket 95 n.
 pasture 90
 plants 95, 175
 Royston 95 n.
 soils 103
 upland 111
 vegetation 99
 woods 70
 Heather, firing of 277
 moor 272, 273, 274
 association 275–279
 regeneration of 277
 Heathland 2, 117, 192, 208
 of Highlands 113
 primitive 99, 107
 Heaths derived from dunes 341
 Cornish 98, 110

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

399

- Heaths, Dorsetshire 99
 East Anglian 97, 99, 107, 111
 English 115
 Midland 111
 New Forest 99, 108–110
 of Belgium 209
 of South-East England 99, 107
 of Southern and Eastern Eng-
 land 98, 103
 of Holland 209
 of Denmark 209
 of North-West Germany 210
 of Hampshire Basin 107–110
 of London Basin 107
 of the Weald 107
 of North-East Yorkshire 111–
 113
 Scottish 113–116
 Western 110
 wet continuations of 235
 Heathy flora 127
 Hebrides 26, 271, 272, 275
 Outer 202
 Hedgerows 71
 Hedges, natural 171
 Heigham Sound 201, 202
Helix obvoluta 164 n.
 Hempsy (Norfolk) 218
Hepaticæ 313
 Herbaceous marsh association 207
 Herefordshire 50
 Hertfordshire 163
 Hickling Broad 201, 243
 High forest 69, 165
 Highland area 40
 birchwoods 142
 loch 193
 species 297, 312
 “type” 290
 valleys 141
 Highlands (of Scotland) 17, 21, 40,
 42, 272, 288, 289, 294
 Central 17, 41, 42, 43, 65 n., 266,
 271, 273, 275
 Eastern 41, 271, 275
 heaths of 98, 113
 Northern 305
 heaths of 113
 North-Western 40, 41, 271, 275
 pinewoods of 117
 Western 17, 21
 moorland of 113
 High rainfall 21, 246
 regions of 30, 211
 High-water mark (*see Tide*)
 High Wilhays (Dartmoor) 20
 Hillside pastures 28
 Historical period 92
Hochmoor 6, 210, 267
 Holland 64, 66, 98
 heaths of 209
 Holme (Lonsdale) 248
 Holme Fen 213 n.
 Holy Island (*Mertensia maritima*
 on) 362
 “Hood,” The (Blakeney) 357, 358,
 366
 Hop poles 69
 yards 50
 Hornbeam association 76 n.
 Horsey Mere 201, 243
 Human agency 9
 interference 8, 11, 76
 Humboldt 291
 “Humic acid” 36 n.
 Humidity (of air) 4, 34, 307
 “Humin” 36 n.
 Hummocks (on Salt Marsh) 334
 Humous compounds 91, 103
 acids 194, 246
 sand 111
 soils 39, 115
 Humus 5, 6, 33, 34, 35, 77, 90, 99,
 115, 183, 311, 320
 absorptively “saturated” 36 n.
 acid 6, 33, 35, 89, 99, 104, 123,
 246, 283
 peaty 127
 black peaty 119
 brown 119
 mild 35, 92
 peaty 282
 sandy 115
 Huntingdonshire 28, 58, 70, 73,
 213 n.
 Hurst Castle shingle bank 364
 Hydrophilous chomophytes 321,
 325–327
Hypnum-peat 258
 Hythe Beds 103
 Iberian flora 265
 peninsula 141
 plants 16

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

400

General Index

- Ice age 304
sheet 247
transport 57
-formed drift 57
- Iceland 20
- Icelandic (language) 229 n.
- Icknield Way 179
- Igneous rocks 33, 37, 50, 61, 200, 247
- Impermeable substratum 341
- Impervious subsoil 283
- Improved drainage
desiccation of peat by 281
- Inland lakes 339
- Insolation 309, 312
- Intrusive lavas 356
- Invaders 80, 91, 95, 115
- Invasion of dry oakwood by heath plants 100
of heaths by gorse and broom 106
of ledges by exochomophytes 319
of moor by trees 250
of oak-birch heath by Scots pine 100
of reed-swamp association by fen plants 231
- Invasional factor 224
- Inverness-shire 65, 118
- Ireland 16, 20, 23, 26, 27, 30, 57, 63, 64, 65, 73, 288, 362
Atlantic side of 289
east 271
Mountain Limestone of 147
soils of 44-47
South-west 140
West 21, 264
lakes in 198
gorse in 134
- Irish Sea 346
- Iron 76
oxide 103
silicate 109
- Ironstone, red 269
- Isle of Man 24, 346
Wight 56, 336
ashwoods on chalk of 162, 167, 182
- Isotherms 24, 25, 26
- January isotherms 24, 25, 26
July isotherms 26
- Juncetum communis 205, 278, 295
maritimi 334, 366
Juncus maritimus, association of 334, 366
- Jurassic rocks 58, 75, 146
limestones 147, 163
marls 183
- Jutland, heaths of 98
- Kelling (Norfolk) 356, 357
- Kent (river) valley 248
- Kent 54, 55, 59, 70, 74
downs of 175
- Kerry 46, 138, 139
desmids in lakes of 203
lakes of 204
- Keuper 51
marls 34 n., 51
- Kew Gardens 26
- Keyhaven 364
- Killarney, woods of *Quercus sessili-flora* at 138-141
Arbutus Unedo in 24, 138-140
- Kimeridge Clay 52, 75
“Knee pieces” (of timber) 77
- Knolls 152, 297
Rhacomitrium and Arctic-alpine species on 315
- Lacustrine moors (of Lonsdale) 247, 248, 256-259
silt 246
- Lagerheim 270
- Lagerplatz 295
- Lagopus scoticus* 44, 111
- Laidlaw, F. F. 321 n., 327
- “Lair-flora” 295
- Lake area, Welsh 198
areas (of British Isles) 196
district (of England) 17, 48, 198
birchwoods of 124
hills, oak-ashwood on 138
Quercetum sessilifloræ of 137
marl 46
mud 256, 257
- Lakes 188
British 196, 199
central and northern European 198
inland 339
lowland 189
north-western European 198

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

401

- Lakes of Connemara 203
 of Ireland 8, 196, 203
 of mountain regions 189, 192
 of Scotland 193, 196, 198, 200
 of S.W. Ireland 203
 of Wales 198, 199, 200
- Lanarkshire (vegetation of) 113
- Lancashire 51, 57, 60, 149
 hills 352
 north 247
 sand dunes of 342, 346–354
- Land molluscs 164 n.
 -winning vegetation 262
- Landowners 70
- Landscapes 1
- Lateral moraine 296
- Lawers (*see Ben Lawers*)
 village of 293, 296, 303
- Lawers Burn 296
- Lawers-Canlochan schists 307
- “Layer” of yew in beechwoods 166
- Leached soils 156, 159
- Leaching (of soil) 91, 158, 183
- Leaf, floating-, association 223, 225
 submerged 190, 223
- Leaves, floating 190
- Ledges 303, 305, 317, 319
 as habitat for Chomophytes 317, 318, 319
 exposed 321, 322
 sheltered 322
- Leeds 157
- Leicester 17
 shire 28, 45
- Leinster 30, 46
- Leland 108
- Levels (Somerset) 60
- Lewis, F. J. 65 n., 272
- Liias 51, 52
- Liassic marls 51
- Lichens 36, 104
 coating bare rock-faces 319
 siccicolous 153
- Light 84, 307, 321
 factor 228
 soil, species of 345
- Lime 32, 33, 34, 34 n., 47, 53, 75, 89, 97, 107, 123, 144 (*see also* Calcareous soil)
 content 58, 75, 123
- Liming 293
- Limnea pereger* 256
- Limestone 6, 7, 34, 37, 41, 46, 48, 49, 52, 53, 61, 145, 247
 arbutus on 140
 ashwood association of 147–153
 bands 50, 51, 55
 Carboniferous 44, 46, 48, 49, 61, 146, 147, 306
 Derbyshire 157, 158
- Devonian 61, 146
 grassland association 154–160
 heath 158
 magnesian 49, 50, 61, 146
 mountain (*see Carboniferous*)
 older 162
 pavement 160, 305 n.
 pavement association 160–161
 peat overlying 266
 screes 153
 scrub association 153–154
 subformation of the older 146–161
 sugar loaf 306
 terraced 46
- Lincolnshire 28, 52, 54, 58, 70, 73, 163
 carrs 229 n.
Spartina stricta in 337
 wolds 61, 162
- Lithological composition 49, 52
 constituents 33
- Lithology 41
- Lithophytes 312, 318, 319, 320
- Liverworts 195, 196, 324
 of interstices in rock 320
- Lizard peninsula (cliffs and grass-land) 110
 heaths of 110
- Loam 6, 33, 53, 55, 75, 83, 92, 171, 217, 218
- Loams, plant-formation of clays and 75–87
- Local plant-societies 243
- Loch Arkaig 118 n.
 Highland 193
 Lowland 193
 peaty moorland 193
 Tay 292, 296
- Lochaber 286
- Lochan-a-Chat 297, 302
- Locheil Old Forest 118 n.

T.

26

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

402

General Index

- Lochnagar 42, 118 n., 290, 292
 Lochs, Scottish, Plankton of 202
 London 26, 27, 60
 Basin 19, 56, 61, 89, 216
 heaths of 107, 110
 Catalogue of British Plants 16
 Clay 56, 61, 75
 Londonderry, Co. 47
 Longford 47
 Long Hills (Blakeney) 363
 Lonsdale, Lowland moors of 247-
 259
 moors 261 n.
 Lothians 43
 Lough Currane, Plankton of 203
 Irish, Plankton of 203
 Leane, Plankton of 203
 Lower Cretaceous 55
 Greensand 53, 55, 60, 70, 89,
 102, 108, 111, 117, 122
 heaths on 107
 London Tertiaries (heaths on) 107
 Lowland lakes 189
 loch 193
 moors 60, 72, 246-265, 286
 oakwoods 124
 Plain (of Scotland) 286
 ponds 190, 192
 rivers 189
 Low-lying alluvial flats 208
 Lusitanian flora 265 (*see also*
 Iberian, south-west European)
 Macgillicuddy's Reeks 20
 Macvicar, S. M. 313
 Magnesian limestone 49, 50, 61,
 146
 Magnesium 104 n., 298
 Malvern Hills, gorse on 134
 Mam Tor range 133
 Man, dependence on vegetation 1
 activity in changing vegetation
 7, 65
 no power to change formations
 13
 the enemy of tree-communities
 66
 (*see also* Human interference)
 Manuring 64, 84 n., 295
 Maps, Ordnance Survey 236, 275
 "Marams," The (Blakeney) 357,
 358, 360, 361, 363, 364, 365
 Marginal associations (of lowland
 moors) 251
 Marine algae 331
 Maritime factors 353
 influences 330
 land-communities 187
 plant-formations 6, 330-366
 of Blakeney harbour 354-366
 species 330, 345, 353
 vegetation 74
 Market-gardening 59, 207
 Marl 51, 61, 75, 145, 164
 Marly soils 164
 subformation of 181
 Marr, Dr J. E. 97
 Marram grass association 342-344,
 349-350, 363
 Marsh 2, 156, 204
 associations, herbaceous 207
 communities 204
 freshwater 335
 formation 204-207, 251
 land 59, 60, 73
 salt (*see* Salt marsh)
 vegetation 247, 248
 Marshall Ward Society 178 n.
 Marshes 218
 Massart, J. 350
 Mast (beech) 168
 Master-factors 5, 10, 341
 Mat (Arctic-alpine growth-forms)
 289, 313
 of peaty humus 283
 vegetation, arctic growth-forms
 312
 Mat-forming plants 319
 Maximum (of plankton), autumn
 200
 spring 200
 Mayo, Co. 47, 140
 Meadowland 84, 89
 Meall Odhar 296
 Mean January temperature (of
 Killarney) 140
 Mediterranean coast 24
 plants 16, 24
 maquis 140
 summers 140
 Medway (River) 76
 Melting snows 321, 326
 Mendip Hills 49, 61
 Mountain Limestone of 147

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

403

- "Meols" 354
- "Mer de glace" 305
- Meres 346
 - "breaking of" 198
 - of Friesland 216
- Mersey River 346
- Mesophilous species in chomophyte formation 309, 317, 321
 - type of leaf 323
- Mesophytes 319
- Mesotrophic peat 212
- Mesozoic rocks 17, 50
- Metamorphic rocks 16, 33, 37, 41, 44, 50, 122
 - Quercetum sessilifloræ* on 137
- Mica schists 41, 42, 319, 321
- Middle Ages, forest destruction in 67, 76
- Midland heaths 111
- Midlands (of England) 17, 27, 29, 33, 48, 51, 65, 67, 69, 71, 75, 77, 89, 196
 - East 60, 61
 - South 61
- Mild climate of British Isles 20
 - humus 35, 89
 - peat 35
 - winter 140
- Mildenhall 58, 97
- Millstone Grit 44, 48, 123, 348
- Mineral constituents, visible 209
 - matter 277
 - plant food 50
 - salts 59, 60, 91, 108, 190, 192, 210, 211, 246
 - dissolved 188, 201
 - nutritive 189
 - waters rich in 190
 - poor in 192
- Minerals 5
- Miocene rocks (absent from Britain) 56
- Mist 23
- Mobile dunes 340, 343, 345
- Moir, Ed. 292 n.
- Moisture-laden winds 20
- Molinia* association (*see Molinietum*)
- Molinietum cæruleæ* 135–136, 251–252, 261, 262–263, 265, 284–285
- Monadhliath Mts 286
- Money Ash 148
- Monsal Dale 153
- Moor 25, 27, 43, 65, 69, 103, 208, 209
 - association (on fen) 234–235
 - bilberry 272–275
 - burning 114
 - Calluna* 113, 114 (*see also Heather moor*)
 - cottongrass 267–271
 - ericaceous 296, 312
 - Eriophorum* (*see cottongrass and Eriophoretum*)
- formation 90, 114, 204, 211, 213, 235, 246–287, 314
 - grass 27, 113, 282–286, 297
 - grouse 276
 - habitat 250
 - heather 272, 273, 274, 275–279
 - Molinia* (*see Molinietum*)
 - pan 91, 103, 114, 269
 - peat 209, 212, 246, 252, 259
 - North German 259 n.
 - plants 35, 209
 - Scirpus* 271–272
 - soil 35, 210
 - Sphagnum* 261, 267
 - spring 260
 - transition 6, 212
- Moorfoot Hills 286
- Moorland 39, 72, 135, 266
 - Irish 266
 - plateaux 286
 - regeneration of 280–282
 - retrogression of 280–282
 - Scottish 266
 - streams 282
 - sub-alpine ericaceous 289
- Moors
 - development of 246
 - estuarine 247–256
 - lacustrine 256–259
 - Lonsdale 247–259
 - lowland 246–265, 286
 - North German 247
 - upland 246, 266–286
 - valley 259–264
 - wet 249, 260
- Moraine 118
 - ground 247
 - lateral 296
- Moray Firth 21, 43
- Morecambe Bay 60, 247, 253

26—2

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

404

General Index

- Morston (Norfolk) 356
 Moss, C. E. 51, 183, 213 n.
 moss-carpets, spongy 300
 communities (Arctic-alpine hydrophilous chomophytes) 325-327
 humus 302
 lichen open association 310, 313, 314
 -moor 263, 267
 -tundra 312
 Mosses 36, 91, 104, 138, 195, 196, 324, 352
 cushions of 298
 xerophytic 310
 "Mosses" (= wet moors) 247, 268
 peat- 116
 Mount Keen 290
 Mountain complexes 14
 Limestone 38, 48, 49, 146, 147, 306
 plateaux, glaciated 305
 regions, lakes of 189, 192
 tarns 192
 -top detritus 36, 302-303, 304, 321, 325
 formation of 303, 308, 310-316
 origin of 304
 Mountains 5, 62, 63, 65, 246
 Muck Fleet Dyke 220
 mud, fixation of by *Spartina* 338
 flats 332
 muddy salt marshes 332
 Müller, P. E. 90
Muschelkalk 51
 Myrmecochorous plants 106
Myxophyceæ 203 (*see also* Blue-green Algae)
Nardetum strictæ 132-135, 284, 285
 Natural classification of vegetation 13
 grassland 72
 plant-communities 63
 regeneration (of woods) 78
 vegetation 62
 woodland 58, 99
Naviculaceæ 203
 Navy (timber for) 76
 Neap tides 332, 358
 Needles (Isle of Wight) 336
 Nen (River) 59, 60, 212
 Neolithic barrows 165
 period 161
 Neutral grassland association 84-87
 pasture 94, 105, 207
 reaction (of soil water) 6, 223
 Newcastle 21
 New Forest 67, 99, 252
 heaths of 108-110
 valley moors of 259-264
 Newmarket Heath 95 n.
 Nibbled turf 169, 174
Niedermoer 6, 212
 Nith, Valley of 44
 Non-calcareous clays and loams 6
 rocks 122, 123
 soils 156
 streams 196
 waters, association of 195
 Norfolk 28, 52, 54, 56, 58, 60, 73, 163, 354
 east 60, 214-245
 four-course system 54
 Norfolk Broads 187 n., 190, 196, 214, 218, 223-228, 237-239, 259 n.
 origin of 220-222
 plankton of 201, 202
 North Downs 54, 55, 56, 163, 175
 Sea 15, 17, 26, 40 n., 71, 97, 162, 214, 356
 coast 111
 Northumberland 57, 266, 362
 Norway 64, 65
 Norwegian (language) 229 n.
 Norwich 214, 218
 Nottinghamshire 49, 51, 61, 102, 111
 Nutritive salts 89
 soluble 89
 (*see also* mineral salts, mineral food)
 Oak, felling of 125
 Oak-ash woods 138
 Oak-birch heath association 100-103, 104 n., 108, 111, 127, 142
 Oak-birch woods 50, 107, 150
 degeneration of 136
 Oak forest 76, 78
 Oak-hazel woods 51, 78, 183

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

405

- Oak woods 52, 53, 55, 56, 69, 76, 77, 84, 141, 168, 186
 associations 83, 84, 99
 dry 92-94
 pedunculate 76-83
 sessile 123-130, 137-139
 damp 127, 165, 182
 dry 124, 127, 165, 184
 lowland 124
 upland 124
 upper limit of 141
- Oats 30, 31, 43, 54
- Oceanic climate 20
- Ochil Hills 286
- Ocknell Clump (introduction of pines into) 110
- Oetelli, M. 306
- Old Red Sandstone 43, 45, 46, 50, 139
- Quercetum sessilifloræ on 137, 139
- Oligocene beds 56
 marls 336
- Oligotrophic peat 212
- One Ash 148
- Oolites 38, 52
 heaths on 111
 non-calcareous N.E. Yorkshire 137
- Oolithic limestones 61, 146
- Ooze 217
 soil 218
- Open association 8
 moss-lichen 310
- Open reed-swamp association 223, 227, 228
- Orchards 50, 62
- Orchids of chalk 163, 176
 of chalk scrub 172
- Ordovician foothills 46
 rocks 44, 45, 47, 48
 Quercetum sessilifloræ on 137
- Ordnance Survey Maps 236, 275
- Orfordness 59, 74
- Organic débris 230
 matter, decaying 188
 soils 59, 60
- Origin of Norfolk Broads 219-222
- Ormesby Broad 220
- Orography 17, 19
- Ortstein 91, 103
- Ostenfeld, C. H. 276, 284, 299 n., 311, 318, 321, 326
- Ouse (River) 59, 60, 213
- Outer Hebrides 202
- Oxford clay 52, 75
- Oxfordshire 56
 south 163
- Oxidation 59
- Oxygen, prevention of access of to soil 91
- Palaeozoic rocks 16, 17, 18, 20, 33, 37, 45, 47, 50, 51, 61, 122, 200
 "Pan" 91, 103, 109, 114, 269
- Parrett, estuary of 213 n.
- Pastoral industries 27, 63
- Pasture 7, 27, 51, 54, 59, 84, 207, 294
 derelict 186
 -land 218, 339
 permanent 7, 28, 29
- Pasturage 84 n., 294, 334
- Pathsides, vegetation of 119, 120
- Paul, H. 235
- Pavement, limestone 305
- Peak (of Derbyshire) 133, 274, 281
 district 270
- Peat 6, 35, 40, 59, 66, 67, 106, 204, 209, 211, 216, 311, 314, 325
 acid 60
 amorphous 239, 257, 259 n.
 bare 275
 bog 42, 46, 260
 brown 255
 buried forests in 347
 channelled 297
 deep 67, 72, 283
 dry 99, 103, 108
 eutrophic 212
 exploitation of 108, 112
 fen 213, 239, 252, 253, 258
 formation 211
 hags 281, 315, 325
Hypnum 258
 land 208
 mesotrophic 212
 mild 60
 -mosses 116
 oligotrophic 212
 reed and sedge 258
 sections 248
 shallow 73

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

406

General Index

- Peat, silty 259 n.
 slimy 297
 soils 2, 59, 209, 211, 218
 shallow 236
 stratification of 252–259
 structureless 268
 subaerial 258
 succession 252–259
 vegetation of 208–213
- Peaty layer 114
 humus (mat of) on soil of grass moor 283
 soils 27
 vegetation of 208
- Pebble (=shingle) beaches 59, 352
- Pebbles 74
- Pedunculate oak association 76–83
- Pendleside (=Yoredale) series of Carboniferous Rocks 123
- Pennine anticline 48
- Pennine Range (hills) 18, 20, 50, 51, 60, 61, 67, 71, 146, 147, 157, 158, 160, 266, 348
 ashwood association of 147–153
 bilberry moors of 272–275
Calluna-moor of 99, 109, 114, 275–279
 cottongrass moors of 267–271
 non-calcareous rocks of 123
 northern 65 n., 266, 267, 269, 270, 273, 275, 276
Quercetum sessiliflorae of 123–130
 scrub on 130
 siliceous rocks of 141
 grassland of 131–136
 southern 124, 125, 134, 266, 268, 269, 270, 276, 280
Sphagnum-moor of 267
 upland moors of 266–282
 watershed 271
- Pennines (*see* Pennine Range)
- Pentland Firth 21
 Hills 286
- Percolation of rain-water in sandy soils 89
- Peridiniae 198, 203
- Permanent grassland 62, 64, 66
 pasture 50, 59, 63, 75, 186
- Permian age 49, 50, 146
- Perth 42
- Perthshire 17, 115, 118, 291
- Pethybridge, G. H. 271, 272, 311 n.
- Pheasant covers 78
- Pheasants 69
- “*Philonotis* formation” 326
- Phycologists 190
- Physiognomy 1, (of grass moor) 284
- Phytoplankton, freshwater 196–203
- Pine heath 118
 needles 117
 seedlings 117, 120, 125
- Pinetum sylvestris* 116–120
- Pinewoods 120, 142
 association 116–120
 Scottish 117–120
 subs spontaneous, English 110, 111, 117
- Pioneer association 332
 species 8
- Pioneers 99, 361
- Place-names 76, 131, 134, 148, 210
- Plains 17, 75
- Plankton 196
 association 189
 bulk of 199
 desmid- 193, 199, 200
 poverty of 200
 richness of 200
 Scottish 203
 spring 198
- Plant-association 4, 10–12 (*see* Association)
- Plantations 7, 62, 63, 64, 100, 108, 206
 pine 107
- Plant-community 2–3
- Plant-covering 312
- Plant-food 6
 mineral 50
- Plant-form 9, 13
- Plant-formation 3, 4–10 (*see* Formation)
- Plant-geography 1
- Plant-geographers, British 266
- Plant-society 4, 12
- “Plashes” 262
- Plateau (of Derbyshire Peak) 274
 chalk 165
 gravels 60, 89, 108, 110, 162, 260
 heath on 107
 shingle 360

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

407

- Plateaux, moorland 286
 Pliocene crag 89, 99
 formation 216
 strata 56, 60
 Plough land 294
 Ploughing 293
 Pond species of Desmids 200
 snail 256
 Ponds 188, 197
 Pools 188
 permanent 346
 stagnant 188
 Poole Harbour (Dorset) 337
 Population 130
 Portsmouth 76, 167
 Post-glacial soil 259 n.
 Post-tertiary rocks 17
 times 89, 132, 216
 Potassium 298
 Potatoes 31, 43
 early 43
 Potter Heigham (Norfolk) 234
 Praeger, R. Lloyd 271, 272,
 311 n.
 Precipitation 4
 Pre-Cambrian rocks 48, 200
 Pre-glacial flora 304
 Preserving pheasants 69
 game 69
 Pre-Roman Road 179
 Primary rocks 47
 succession 8
 Primitive forests 71
 Progressive association 173, 261
 changes 13
 scrub 131, 173, 236
 society 94
 succession 153
 Protococcales 197, 199, 201, 202
 Provence 24
 Purbeck ridges 167
 Putrefaction, gaseous products of
 225
 Quaternary deposits 57, 58, 107
 Quercetum arenosum 92-94
 Roburis 76-83
 sessilifloræ 123-130, 137-141
 Quartz 32
 Quartzites 33, 40
 Quartzitic metamorphic rocks 47
 Quartzose schists 41, 42
 Rabbits, destructive effect of, on
 tree seedlings 141, 169, 174;
 on *Aster Tripolium* 364
 immunity from 170
 Radiation 176
 Rainfall 4, 21, 41, 89, 176
 distribution of 21-23
 heavy 138
 high 211 n., 246
 highest in Europe 21
 insufficient 235
 of Highland heaths 113
 of north-east Yorkshire 111
 Rainiest months 23
 Rainwash 162
 Ramann 90
 Rannoch, Black Wood of 111
 Loch 118
 Recent deposits 17
 Red ironstone 269
 Reed belt 258
 and sedge peat 258
 Reed-swamp (*see* Reed-swamp as-
 sociation)
 association 189, 191, 205, 228,
 230, 240, 258, 261, 262
 closed 223, 227, 230
 open 223, 227
 Reeks of Kerry (Macgillicuddy's
 Reeks) 20, 46
 Regeneration (of beechwood) 169
 of heather moor 277
 of oakwood 78, 130, 131
 of pinewood 120
 of woodland 8, 66, 68
 Reid, Clement, Scots pine in South
 England 116
 preglacial origin of Arctic-alpines
 304
 Rejuvenation (*see* Regeneration)
 Relicts 115
 Replanting 69, 125, 130
 Retrogression of formations 7
 of moorland 280-282
 Retrogressive associations 83, 94,
 130, 153
 changes 7, 13
 scrub 131, 153
 Rhacomitrium associations 304,
 311, 314, 315
 Rhizomes, creeping 143
 network of 175

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

408

General Index

- Rhynchosporietum albae 264, 265
 Ribble (River) 346, 348
 Rides (in woods) 7
 River alluvium 58-59
 backwaters 190
 gravels 108
 valleys 215, 223
 Rivers 59, 188, 223
 floodplains of 59, 61, 207
 lowland 189
 Riviera 24, 140
 Roads 115
 pre-Roman 179
 Roadsides 80, 104
 Rock, bare 36
 basaltic 307
 detritus 302
 faces 305, 319, 321, 324
 habitats 306-307
 ledges 317, 319, 321-324
 Rocks, insoluble 246
 schistose 298
 (see also Formations, Palaeozoic,
 etc.)
 Rollesby Broad 220
 Roman generals 67
 times, Yare estuary in 216
 Root-crop 54
 -system (of heath plants) 108
 Rooted floating-leaf association 227, 228
 Rootlets 91, 119
 Rosettes, Arctic-alpine growth-forms 289, 313
 Rothamsted Experimental Station 84 n.
 Rothiemurchus forest 118-120
 Royal forests 67, 68
 Royston Heath 95 n.
 Rush societies 86, 278
 Ryde (Isle of Wight), *Zostera nana* off 337
 Rye 31, 43
 grass 54
 St Andrews (rainfall of) 21
 St Annes (sand dunes of) 352
Salicornia-Pelvetia community 364
 Salicornietum europaeæ 332, 337, 338
 Salisbury Plain 54, 163
Salix-dunes 350
Salix repens, dry association of 350-351
 damp association of 351, 352
 Salt ground water 331
 mud 59
 washing out of 331
 -water 334
 -water vegetation 187, 330 n.
 “Saltings” 354, 356, 357, 363, 365
 Salt-marsh 6, 8, 9, 72, 74, 331, 354, 356
 association, general 333-334, 338, 364, 365
 formation 330-339, 363-366
 muddy 332
 reclamation of 335
 Salts, mineral 6, 36, 246
 soluble 223
 Salty soils 36
 Sand 6, 7, 32, 57, 92, 103, 107, 171, 236, 259, 330
 blowing 343
 blown 32, 59, 60, 339, 341
 fine 104
 humous 111
 Sand dune formation (see Dune formation)
 Sand dune vegetation 59, 74
 Sand dunes (see Dunes)
 Sandstone screes 273
 slopes 273
 Sandstones 32, 33, 34, 37, 49, 92, 122, 123, 124, 136, 171
 arbutus on 140
 calcareous 88
 coarse-grained 32, 89
 estuarine 111
 fine-grained 88
 peat overlying 266
 Sandy beach 339
 clay 252
 loam 75, 88
 soils 10, 72, 91, 95, 99, 104, 122, 123
 plant-formation of 92-97
 coarse 88, 89, 90, 164
 “Saturated” humus 36 n.
 Scafell Pike (height of) 17
 Scandinavia 23, 24, 198 (see also Norway)
 Schimper, A. F. W. 4, 291, 318

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

409

- Scirpetum cæspitosi* 271–272, 273,
280, 284
- Schistose rocks 41, 298
areas 325
- Schists 40, 49, 122
mica 47, 318, 319
quartzitic 42
sericite 305
- Schleswig-Holstein 66
- Schneeflecken* 36
- Schneetälchen* 316, 321
- Schröter, Prof. C. 2, 211 n
- Scotland 16, 17, 23, 57, 60, 63, 64,
65, 66, 67, 71, 73, 98 164
Atlantic side of 89
birchwoods of 121, 141
Central 41
East 23, 26–31, 40
North 29, 31, 267
scarcity of heath on western
side of 98
soils of 38–44
West 29, 31, 286
- Scottish coast, *Mertensia maritima*
on 362
heaths 98, 113–116
Highlands 17, 21, 272, 273, 288,
289
Lowlands 39
lochs (lakes) 193, 202
moors 109, 208, 209
mountains 16
pinewoods 118
Southern Uplands 17, 21, 28, 30,
42, 44, 113, 282
- Scree 152, 319, 320
block 319
limestone 153
succession on 320
- Scrub 7, 10, 78, 80, 83, 94, 112,
171, 186, 236, 341
associations 83–84, 94, 130–131,
153–154, 171–173
calcareous 153, 163, 169
chalk 171–173
climatic 130
limestone 153–154
on dunes 341
progressive 131, 173, 236
retrogressive 131, 153, 236
- Scully, Dr R. W. 139 n.
- Sea-coast, vegetation of the 330–366
- Sea-coast, couch-grass association
342, 348
effect of proximity to 26, 330
erosion 347
rush association 334
salt 330
vegetation of the 185, 330–331n.
walls 59
wrack association 337
- Seadrift 353
- Seas, depth of 15
- Seasonal distribution of rainfall 20
- Seathwaite (highest rainfall in
Europe) 21
- Secondary rocks 17, 50, 75
- Sedge-communities (of Arctic-alpine
hydrophilous chomophytes) 327
- Sedges 174, 229
- Seed, self-sown 78
- Seedlings in closed associations 130
Ammophila 358, 360
ash 169
beech 168–169
birch 141
pine 117, 120
tree 66
yew 170
- Seeds in peat 253
dormant 80
myrmecochorous 106
of ash 168, 169
of beech 168, 169
of pine 120
of yew 170
on shingle-beach 360
- Selborne (Hants.), beechwoods of
163
- Selsey peninsula 336
- Seminal草land 72
permanent grassland 207
plant-communities 63, 69
vegetation 9, 62, 64
woods 71, 107
- Sericite schist 305
- Serpentine tract 306
- Shade of beechwood 102, 164, 166,
167, 168, 172
of birchwood 100
of *Calluna* 104, 112, 277
of dry oakwood 94
of hazel coppice 79
of oakwood 77, 79, 80

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

410

General Index

- Shade of pinewood 117, 119, 143
 of *Pteris aquilina* 143
 of yew wood 170
 bearing heath plants 91
 chomophytes 324, 325
 form (of *Pteris aquilina*) 117
 plants 7, 79, 84
 type of leaf 323
- Shales 33, 38, 49, 51, 75, 122, 123,
 124, 171
 peat overlying 266, 268
- Shallow-rooted plants 175, 183
 pools and ponds 197
- Sheep 28, 44, 54, 141, 173, 293,
 294, 299
 drains 294
 pasture 174
 regions 28
- Shell marl 256
- Shells of *Limnaea peregrina* 256
- Shelter 228, 324
 from wind 321
- Sheltered bays (salt marsh of) 331
 estuaries (salt marsh of) 331
 ledges 322
- Shelves (*see* Ledges)
 as habitat for chomophytes 318
- Sheringham 356
- Sherwood Forest 51, 61, 102, 111
- Shetland Islands 29, 272
- Shifting dunes 343
- Shingle 330
 areas 353
 Hurst Castle 364
 bank 356, 357
 lateral 357, 358, 363
 bank of Weybourne-Blakeney 354
- Shingle-beach association 354
 communities 352–354, 360
 ecology of 353
- Shingle-beaches 59, 74
 heaths on 108
- Shingle plateau (at Blakeney) 360,
 362
- Shipbuilding 76, 77
 oak for 102
- Shoeburyness (low rainfall of) 23
- Shooting moors 43, 111, 113, 276
- Shore forms (plankton) 196
 species (plankton) 200
- “Shrub-formations” 13
 layer 78, 83
- Shrubs, coppice 68
 of alder-willow association 205,
 207
 of ash-oakwood 182
 of ashwood 148, 150
 of chalk 166, 171
 of dry oakwood 92, 93
 of fen 236
 of oak-birch heath 101
 of pedunculate oakwood 78, 79, 81
 of sessile oakwood 126, 128
 of various scrubs 83, 94, 171, 236
- Silica 32, 276
- Siliceous rocks 49–50, 104, 137
 grassland 131, 156, 157, 158,
 282, 284, 285, 286
 association 131–137, 143, 274,
 283
 wetter type 135–137
 pastures semi-natural 143
 soils 33, 45, 61, 122, 136, 137
 extension in British Isles 137
- Silt, deposition of 338
- estuarine 253
 shingle-beaches on 74
 thickness of 225
- Silting up of Norfolk estuaries
 219–220
- Silurian limestones 61
 rocks 44, 45, 47, 48, 49
 shales 46
 siliceous rocks, *Quercetum ses-*
 silifloræ on 137
- Slates 33, 37, 49, 122, 247
- volcanic rocks 5
- Sieve Bloom (mountains, Ireland)
 46
- Slimy peat 297
- Slowly flowing waters 191
 “Small wood” 68, 78
- Smith, Dr (History of Kerry) 140
 Robert 115, 142, 273, 299, 304,
 311
- Smith, W. G. 111, 141
- Snow 26, 308, 309
 corrie 308
 -covering 308, 309
 depth of, on Ben Nevis 309
 influence of 308–309
 melted 326
 on Clova-Camlchan plateau 315
 patches 308

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

411

- Snow patch vegetation 316
 protection by 309, 323
 rarity in S.W. England and Ireland 26
 valley 321
 water 316
- Snowdon (height) 17
- Snowfall 4
- "Snub" near Clova 315
- Social growth of rhizomic plants 12
- Societies (plant)
 local 243
 of birch and alder 149
 of elm and hawthorn 149
 of social plants 231
- Society, plant 4, 12, 13
- Society, beech 93
 of *Carex arenaria* 345
 of dog's mercury and moschatae 151
 of *Populus tremula* 149
 of stagnant hollows 278
 rush 86, 278
- "Soft" water 194
- Soil, dependence of formations on 5, 6, 8, 9, 10
 barren 192
 clayey 123
 detritus 321
 fresh moist 83
 gravelly 97, 108, 104, 114, 210
 marly 164
 moisture 84, 324
 peaty 115, 209, 210, 218
 salty 36, 144
 sandy 98, 122, 123, 209
 stable 298
 strong 29
 types of 32-36
 water 5, 88, 89, 104 n., 106 (*see also* Ground-water)
- Soils, acid peaty 252
 British 37
 fine 302
 leached 156
 lighter alluvial 207
 loam 218
 moor 211
 non-calcareous 156
 of the British Islands 32-61
 ooze 218
 post-glacial 259
- Soils, shallow peat 236
 and deep 38
 wet undrained 204
- Solent 336, 337, 364
- Soluble salts 223
- Somerset 28, 49, 51
 ashwoods of 147
 Levels 60, 213 n., 265
 marshes of 183
 sand dunes of 342
- South Downs 54, 55, 163, 165 n., 167, 173
- South Wales 49, 61
- Southampton district 108, 109
- Water 108, 336
 Spartinetum of 337, 338
- Southern Uplands (of Scotland) 17, 21, 28, 30, 42, 44, 282, 286
- Southport 347, 348
- South-west winds, prevalence of 20
- Spartinetum 333, 337-338
- Species, American 16
 arctic 289
 -alpine 16, 41, 291, 292, 305 n.
 brackish water (of diatoms) 202
 bottom (of plankton) 200
 dominant 11, 14
 endemic 16, 292
 "Highland" 297, 312, 313
 Iberian 16
 marine (of diatoms) 202
 maritime 345
 Mediterranean 16
 mesophilous 309
 pond (of plankton) 200
 shore (of plankton) 200
 subalpine 305 n.
- Spey, River 292
 valley (heaths of) 113
- Sphagnaceæ 234, 235
- Sphagnetum 234, 235, 250, 263, 267, 280
- Sphagnum*-moor 248, 250, 261, 263, 267
 peat 249, 252-258, 267
- Spines 83
- Spiny species 83
- Spray-washed cliffs 36
 and rocks 335
- Spring bog 263, 264
- Moor 260, 263

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

412

General Index

- Spring Plankton 198
 tides 33, 360
 highest 334
- Springs 303, 325
- Spurn Head (low rainfall of) 23
- Stagnant hollows, society of (in heather moor) 278
 pools 188
 waters, nearly 190, 191
- Stagnation of soil-water 104 n.
- Stainmoor 269
- Stakes, "small wood" for 69
- Standard trees 68, 77, 182
 oaks 77
- "Standels" 77
- Stapf, Dr O. 337 n.
- Static phase of dune formation 344
- Statutes 77
- Steppe, conditions 97
 flora 97
 period 97
 plants 97
- Stiffkey 366
 River 356
- Stirling 42
- Stony waste 303, 312, 313
- Stools (of coppice) 68
 of *Phragmites* 234, 235
- Straits of Dover 167
- Strand plants, association of 340–341, 348, 363
- Strathmore 42, 43
- Straths 116
- Strathspey 118
- Stratigraphical succession (of peat) 252, 256
- Strawberry cultivation 109
- Stream-banks 297
 vegetation 326
 sides 76, 110
 valleys 115
- Stream-banks and woodland species in corrie vegetation 317
- Streamlets 325
- Streams 303
 moorland 282
 subformation of quickly flowing 194–196
- Structureless peat 268
- Subaerial peat 258
- Sub-alpine deciduous wood 141
 districts 197
- Sub-alpine ericaceous moorland 289
 grassland 299
 moorlands 302, 315 n.
 moors 315
- plant-communities 304
 formations 304
- Scottish birchwoods 142
- species 305 n.
- stream-banks 323
 woods 142
- zone 299, 328, 329
- Sub-arctic Asia 290
- Europe 290
- Sub-association 11, 229 n.
 of chalk heath 176
 wet heath 106, 210
- Sub-associations of ground vegetation of sessile oakwood 127–130, 150
 of ground vegetation of ash-wood 150–153
- Sub-formation 10
 of chalk 146, 161–181
 of foul waters 188–190
 of marls and calcareous sandstones 181–186
 of the older limestones 146–161
 of quickly flowing streams 194–196
 of waters poor in mineral salts 192–194
 of waters rich in mineral salts 190–192, 223 n.
- Submaritime fen pasture association 243–244
 pasture 72
- Submerged forests 116
 forms 189
 leaf association 223, 224
 leaves 190
- Subordinate associations 11, 83, 94, 130 (*see also* Retrogressive associations)
 succession 248
- Subsidence of Lancashire coast 347
- Spontaneous pinewoods 111, 116, 117
- Substratum, impermeable 341
- Succession 8, 100, 229
 from fen to moor 211, 247
 aquatic formation to fen 230
 in chomophyte formation 318, 319

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

413

- Succession in formation of mountain-top detritus 310
 in scree vegetation 320
 moor 247
 of sand dune associations 341
 of salt marsh formation 358
 on lowland moors 286
 primary, from fen to moor 256
 in a formation 8
 stratigraphical (of peat of Lonsdale moors) 252-256
 subordinate on lowland moor 248
- Suffolk 59, 74, 220
 arable land of 28
 derived sands and gravels of 58
 East, river valleys of 214
 heaths of 107
 low rainfall of East 21
 tertiary beds of 56, 60
- Sugarloaf limestone 306
- Summer droughts 176
 temperature 26
- Summers, dry Mediterranean 140
- Summer flora of Scottish mountains 290 n.
 (of Ben Lawers) 303
- Summits of downs 174
- Sun, influence of, on arctic-alpine vegetation 309-310
 low angle of elevation of 309
- Sunlight 176
- Sunshine (in British Isles) 23
- Surface of fen 231
 layers (of peat) 256
 rooting plants 319
 vegetation (of peat) 256
- Surlingham Broad 222 n., 232
- Surrey 54, 55, 56, 70
 downs of 175
- Survey and Study of British Vegetation, Central Committee for the 4
- Suspended material 228
- Sussex 70, 107
 South Downs of 54, 55
 yew woods 170
- Sutherland 29
- Swamp (*see* Reed-swamp)
- Swamp-carr 236, 240
 wood 236
 tussock 240
- Swamps 137
 absence of, from chalk 173
 of New Forest moors 261
- Swedes 54
- Swedish (language) 229 n.
- Swine 168
- Swiss botanists 316
- Synecology 2, 3
- Systematists, British 16 n.
- Talus 36
- Tanning, oak bark for, 79
- Tarns, mountain 192, 247
- Tay, Firth of 21, 42, 43
 Valley 115
 Valley (heaths of) 113
- Teesdale 269, 270, 271, 286, 306
- Telluric water 210, 211, 246, 263, 307, 309, 320
- Temperature 4, 20
 low 308
 range of 26
- Terraces (water flowing over) 325
 glacial 296
- Tertiary rocks 17, 53, 56, 75
 of Hampshire basin 107
 sands 108
 times 108, 216
- Thames 76
 estuary 21
 valley 58, 163
- Thetford 58, 97
- Thurmann 152
- Thurne, River 214, 224, 225, 226, 228, 229, 234
- Tides 331, 336, 360, 364
 neap 332
 spring 331, 334, 337
- Tidal current 219, 224
 drift 362
- estuaries 36, 60, 335
 flats 338
 invasion 354
 mud 60, 74, 331
 scour 331
 zone 332
- Tide level, low 218
 marks 59, 331, 339
- Till, glacial 42, 282
- Timber 68, 69, 76, 78
 exploitation of 117
 oak 253

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

414

General Index

- Timber, rotting (in peat) 251
 Scots pine (in peat) 253
 subfossil 125
- Tools (wood for) 69
- Tourbière* 208
- Trackways, ancient 165, 171, 173
- Trampling by animals 307
- Transition-moors 6, 212
- Transitions between associations 13
 formations 12, 101
 wood and scrub 131
- Travelling dunes 343
- Tree-communities 66
- Tree-seedlings 66
- Trees and shrubs 236
 on fens 230
- Trees, invasion of moor by 250
 heavy seeded 168
- Trias 45, 51, 57, 89
- Triassic marls 34 n., 183
 sandstones 122
- tributaries, blocking of 220
- Tuffs, volcanic 50
- Tunbridge Wells Sand 55, 56
- Turf 84, 334, 365
 nibbled 169
- Turnips 43, 54
 "Turves" 108
- Tussock-swamp 240
- Tweed, valley of 44
- Tynedale 269, 270
 "Types," H. C. Watson's 290
- Uebergangsmoor* 6, 212
 "Ultimate" carr 240
- Unconformity (in peat) 255
- Underground water (of chalk) 173
- Units of vegetation 1, 4
 Salt-marsh 358
- "Unsaturated" humus 36 n.
- Upper Greensand 122, 167
 Calcareous (ash-oakwood of) 182
Quercetum sessilifloræ on 187
- Upland moors 72, 266-286
 oakwoods 124
 woods 236
- Uplands, Scottish Southern (*see* Southern Uplands)
- Vaccinieta Myrtilli* 272, 275, 280, 287
- Vaccinium*-ridges 273
 -summits 273
- Vacciniö-callunetum* 315
- Valley gravels 60, 89
 moors of the New Forest 259-264
- sides 58, 162
 slopes 174
- Valleys 76
 chalk, dry 170
 "hanging" 260
 snow 321
- Van Bemmelen 35 n.
- Varieties, endemic 16, 116
 of carr association, genetic 229
- Variation in facies 100
- Vegetation 1
 aquatic 187-203
 arctic 270
 Arctic-alpine 288-329
 crag 307
 distribution of chief forms of
 62-74
- fen 247
- freshwater 187
- heathy 91
- land-winning 261
- marsh 247
- of Ben Lawers 292
- of calcareous soils 144-186
- of the coarser sands and sand-
 stones 88-97
- of the sea-coast 330-366
- salt water 187
- seminatural 62
- units 1, 4
- Vegetative propagation 312
- Village greens 84
- Villages, gorse near, 105
- Visible mineral constituents 209
- Viviparous species 313
- Wadhurst Clay 55
- Wales 16, 21, 24, 28, 31, 57, 60, 61,
 63, 64, 66, 67, 286, 288, 362
 Central, *Quercetum sessilifloræ*
 of 137
- North 16, 17, 49, 51
Quercetum sessilifloræ of 137
 scarcity of heaths of 89
- South 24, 49
 western 24, 48
- Wareham Heath 109
- Warming, Prof. E. 312
- Wash, The 21, 27, 59, 73, 212, 354

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)*General Index*

415

- Washing out (*see* Leaching)
 Waste ground 9
 land 38, 62
 Water, aerial 210, 211
 “bloom” 198
 capacity 88
 circulation of 225
 colour (due to Plankton) 199
 content 5, 277, 307
 “dead” 222
 “hard” 194
 meadow 231
 nearly stagnant 191
 poor in salts 192, 201, 210, 211
 rich in salts 190, 209
 slowly flowing 191
 “soft” 194
 -table 254
 Waterford 46
 Waters, calcareous, association of 195
 non-calcareous, association of 195
 (*see* Ground water, Soil water)
 Watson, H. C. 290
 Waveney, River 60, 73, 214, 216, 220
 valley of 214, 243
 Weald 19, 55, 60, 61, 70, 76, 78,
 102, 111, 163
 Clay 55, 75, 336
 heaths of 107
 western 167
 Wealden anticline 54–55
 area (heath of) 109
 beds 55, 89
 Weardale 269, 271
 Weathering rock 318
 Weber, Dr C. A. 209, 212, 247
 Weiss, Prof. F. E. 106, 346
 Welland, River 59, 60, 212
 Welsh Hills 44
 Western coasts (of British Isles) 24,
 26
 moors of 246
 Westmorland 247, 286
 ash-birch woods of 147
 Wet heath sub-association 106,
 110, 112, 113, 209
 Wet moor 249, 260
 Weybourne (Norfolk) 354, 356, 360
 Wheat 28, 29, 30, 31, 43, 54
 area 28, 54
 land 28–30
 Whin-sill 306
 White dunes 343
 Wicken Fen 213 n., 243
 Wicklow Mountains 133
 gorse on 134
 Scirpetum cæspitosi of 271–272
 Vaccinietum Myrtilli of 273
 zonation of moor associations of 280
 Wicklow Co. 138
 Quercetum sessilifloræ of 137
 Widdy Bank (Teesdale) 352
 Wind 4, 176
 erosion 322
 prevailing 20
 shelter from 320
 Winds, strong 308
 action of, on sand dunes 339,
 340, 341, 343, 344
 violent 343
 Winstan Valley 248
 Winters, mild 66, 140
 Witham, River 59, 60, 212
 Woburn estate 111
 Wolds 161
 of Lincolnshire 162
 of Yorkshire 162
 Wollny 90
 Wolves 174
 Woodhead 151, 175 n.
 Woodland 5, 7, 8, 10, 49, 58, 63,
 65, 67, 70, 72, 92, 289, 293
 association of coastal dunes 341
 associations 11
 clearing of 7, 92
 degeneration of 7, 90, 98, 123,
 130
 former limits of 299
 heathy 68
 plants 84
 regeneration of 7, 66, 91
 retrogression of 7
 species 80, 161, 172
 Wood-limit 76, 118, 130
 Woodman 78
 Woodwalton Fen 213 n.
 Worcestershire 28
 Xerophilous plants 152
 adaptations 176
 flowering plants 320
 forms 321

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Index

[More information](#)

416

General Index

- Xerophilous plant-covering 312
 species 319
- Xerophytic growth-forms 307
 mosses 310
- Yare, River 60, 73, 214, 216, 218,
 219, 220, 224, 225, 226, 234
 Valley of 214, 217, 243
 Fen 231, 232
- Yarmouth 216, 218
- Yealand Storrs (Lonsdale) 248
- Yew groves 170
 seedlings 170
 woods 169
 of Sussex and Hampshire 170
- Yoredale series (of rocks) 123
- York, Plain of 51
 Vale of 19, 57
- Yorkshire 20, 23, 49, 50, 51, 52,
 54, 58, 61
 absence of beechwoods in 163
- Yorkshire, ashwoods of 147
 carrs of 229
- East Riding of 70
- North Riding of 209, 306
- North-East (heaths of) 111
 siliceous soils in 137
- Wolds 61, 161, 162
- Young fen carr, plants of 240
- Zonation 248
 of Pennine moors 280
 of aquatic associations 189
 of moor associations 279
 of valley moors 252 n.
 in salt-marsh formation 332
- Zone of Arctic-alpine vegetation
 298–302
- of closed moorland 296–298
- of cultivation 293–296
- tidal 332
- Zosteretum 337

CAMBRIDGE : PRINTED BY JOHN CLAY, M.A. AT THE UNIVERSITY PRESS.