

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee  
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Table of Contents

[More information](#)

## CONTENTS

## INTRODUCTION.

CHAP.	PAGE
THE UNITS OF VEGETATION—THEIR RELATIONSHIPS AND	
CLASSIFICATION . . . . .	1
The Plant-formation . . . . .	4
Sub-formations . . . . .	10
The Plant-association . . . . .	10
Sub-associations and “ facies ” . . . . .	11
The Plant-society . . . . .	12

PART I. THE CONDITIONS OF VEGETATION  
IN THE BRITISH ISLES.

I. THE PHYSICAL CHARACTERS AND CLIMATE OF THE BRITISH ISLANDS . . . . .	15
II. THE SOILS OF THE BRITISH ISLANDS . . . . .	32
The Soils of Scotland, by W. G. Smith . . . . .	38
The Soils of Ireland, by Grenville A. J. Cole . . . . .	44
The Soils of England and Wales . . . . .	47

PART II. THE EXISTING VEGETATION OF THE  
BRITISH ISLES.

I. THE DISTRIBUTION OF THE CHIEF FORMS OF VEGETATION . . . . .	62
II. THE PLANT-FORMATION OF CLAYS AND LOAMS . . . . .	75
Pedunculate oakwood association ( <i>Quercetum Roburis</i> ) . . . . .	76
Scrub association . . . . .	83
Neutral grassland association . . . . .	84
<i>Juncetum communis</i> . . . . .	86

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee  
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Table of Contents

[More information](#)

## xiv

## Contents

CHAP.		PAGE
III.	THE VEGETATION OF THE COARSER SANDS AND SANDSTONES . . . . .	88
	The Plant-formation of Sandy Soil . . . . .	92
	Dry Oakwood association . . . . .	92
	Scrub association . . . . .	94
	Grass heath association . . . . .	94
	East Anglian heaths . . . . .	97
IV.	THE HEATH FORMATION . . . . .	98
	Oak-birch heath association . . . . .	100
	Heath association . . . . .	103
	Regions of English heathland . . . . .	107
	Scottish Heaths, by W. G. Smith . . . . .	113
	Pinewood association . . . . .	116
V.	THE PLANT-FORMATION OF THE OLDER SILICEOUS SOILS . . . . .	122
	A. The Pennine Region, by C. E. Moss . . . . .	122
	Association of the Sessile Oak ( <i>Quercetum sessilifloræ</i> ) . . . . .	123
	Sub-associations of the ground vegetation . . . . .	127
	Scrub associations . . . . .	130
	Siliceous grassland associations . . . . .	131
	<i>Nardetum strictæ</i> . . . . .	132
	<i>Molinietum cæruleæ</i> . . . . .	135
	B. Other regions . . . . .	137
	Birchwood association ( <i>Betuletum tomentosæ</i> ) . . . . .	141
VI.	THE VEGETATION OF CALCAREOUS SOILS . . . . .	144
	The Plant-formation of Calcareous Soils . . . . .	145
	A. The sub-formation of the Older Limestones, by	
	C. E. Moss . . . . .	146
	Ashwood association . . . . .	147
	Sub-associations of the ground vegetation . . . . .	150
	Limestone scrub association . . . . .	153
	Limestone grassland association . . . . .	154
	Limestone heath . . . . .	158
	Limestone pavement association . . . . .	160
	B. The sub-formation of the Chalk, by A. G. Tansley and W. M. Rankin . . . . .	161
	Beechwood association of the Chalk . . . . .	163
	Ashwood association . . . . .	166
	Competition between beech and ash . . . . .	167
	Yew-woods . . . . .	169
	Chalk scrub association . . . . .	171
	Chalk grassland association . . . . .	173
	Chalk heath . . . . .	175
	Vegetation of Fleam Dyke . . . . .	178

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee  
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Table of Contents

[More information](#)*Contents*

xv

CHAP.		PAGE
VI. <i>cont.</i>	C. The sub-formation of Marls and Calcareous sand-stones . . . . .	181
	Ash-oakwood association . . . . .	181
	Scrub and grassland associations . . . . .	186
VII.	AQUATIC VEGETATION . . . . .	187
	The Freshwater aquatic formation . . . . .	188
	A. The sub-formation of foul waters . . . . .	188
	B. The sub-formation of waters rich in mineral salts . . . . .	190
	C. The sub-formation of waters poor in mineral salts . . . . .	192
	D. The sub-formation of quickly-flowing streams . . . . .	194
	The British Freshwater Phyto-plankton, by Prof. G. S. West . . . . .	196
VIII.	THE MARSH FORMATION . . . . .	204
	Alder-willow association . . . . .	205
	Herbaceous marsh association . . . . .	207
IX.	THE VEGETATION OF PEAT AND PEATY SOILS—MOOR, FEN AND HEATH . . . . .	208
X.	THE RIVER VALLEYS OF EAST NORFOLK: THEIR AQUATIC AND FEN FORMATIONS, BY MARIETTA PALLIS . . . . .	214
	The River Valleys . . . . .	216
	Origin of the Broads . . . . .	219
	The Aquatic formation . . . . .	223
	The Fen formation . . . . .	229
	Fen association . . . . .	230
	Sphagneta . . . . .	234
	Carr association . . . . .	236
	Other associations . . . . .	242
	Genetic relations of associations . . . . .	245
XI.	THE MOOR FORMATION—LOWLAND MOORS . . . . .	246
	The Transition from Fen to Moor . . . . .	246
	The Lowland Moors (“Mosses”) of Lonsdale (North Lancashire) and their Development from Fens, by W. Munn Rankin . . . . .	247
	1. Estuarine Moors . . . . .	248
	The present vegetation . . . . .	248
	Stratification of the Peat . . . . .	252
	2. Lacustrine Moors . . . . .	256
	Stratification of the Peat . . . . .	256
	The Valley Moors of the New Forest, by W. Munn Rankin . . . . .	259
	The Lowland Moors of Connemara (West Ireland) . . . . .	264

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee  
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Table of Contents

[More information](#)

xvi

*Contents*

CHAP.		PAGE
XII.	THE UPLAND MOORS OF THE PENNINE CHAIN, BY F. J. LEWIS AND C. E. MOSS . . . . .	266
	1. Bog-moss association ( <i>Sphagnetum</i> ) . . . . .	267
	2. Cotton-grass associations ( <i>Eriophoretum</i> ) . . . . .	267
	3. Association of <i>Scirpus cæpitosus</i> ( <i>Scirpetum</i> ) . . . . .	271
	4. Bilberry moor associations ( <i>Vaccinieta</i> ) . . . . .	272
	5. Heather moor association ( <i>Callunetum</i> ) . . . . .	275
	Rush society . . . . .	278
	Society of stagnant hollows . . . . .	279
	Zonation of the moor associations . . . . .	279
	Degeneration (Retrogression) of Moorland . . . . .	280
	Grass moor association, by W. G. Smith . . . . .	282
	Summary of moor associations . . . . .	286
XIII.	ARCTIC-ALPINE VEGETATION, BY W. G. SMITH . . . . .	288
	The Vegetation of Ben Lawers . . . . .	292
	1. Zone of Cultivation and Pasture . . . . .	293
	2. Zone of Closed Moorland Associations . . . . .	296
	3. Zone of Arctic-Alpine vegetation . . . . .	298
	Arctic-Alpine grassland formation . . . . .	298
	Upper Arctic-Alpine formations . . . . .	302
	I. Formation of mountain-top detritus . . . . .	310
	Snow-patch vegetation . . . . .	316
	II. Arctic-Alpine chomophyte formation . . . . .	317
	A. Open communities on exposed rock-faces . . . . .	321
	B. Association of sheltered ledges . . . . .	323
	C. Association of shade chomophytes . . . . .	324
	D. Association of hydrophilous chomophytes . . . . .	325
	Synopsis of Scottish Arctic-alpine Vegetation . . . . .	328
XIV.	THE VEGETATION OF THE SEA COAST . . . . .	330
	I. The Salt-marsh formation . . . . .	330
	1. Glasswort association ( <i>Salicornietum europææ</i> ) . . . . .	332
	1a. Cord-grass association ( <i>Spartinetum</i> ) . . . . .	333
	2. General salt-marsh association . . . . .	333
	3. Glycerietum maritimæ . . . . .	333
	4. Sea-rush association ( <i>Juncetum maritimi</i> ) . . . . .	334
	Association of spray-washed cliffs and rocks . . . . .	335
	Brackish water associations . . . . .	335
	The Salt marsh formation of the Hampshire Coast, by W. M. Rankin . . . . .	336

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee  
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Table of Contents

[More information](#)*Contents*

xvii

CHAP.		PAGE.
XIV. cont.	Cord-grass association ( <i>Spartinetum</i> ) . . . . .	337
	<i>Glycerietum maritimæ</i> . . . . .	338
II.	The Sand dune formation . . . . .	339
	Association of Strand plants . . . . .	340
1.	Sea couch-grass association ( <i>Agropyretum juncei</i> )	342
2.	Marram-grass association ( <i>Ammophiletum arenariæ</i> ) . . . . .	342
	Fixed dune associations—Dune scrub, Dune grassland	345
	Association of dune marshes . . . . .	346
	The Sand dune vegetation of the Lancashire coast .	346
	Sea couch-grass association . . . . .	348
	Marram or Star-grass association . . . . .	349
	Dry association of <i>Salix repens</i> . . . . .	350
	Damp association of <i>Salix repens</i> . . . . .	351
	Dune marsh association . . . . .	351
	Grassland association of dune hollows . . . . .	351
III.	Shingle-beach communities . . . . .	352
	The Maritime formations of Blakeney Harbour, by F. W. Oliver.	
I.	Topographical structure of the area . . . . .	354
II.	The Vegetation.	
1.	The Shingle-beach communities . . . . .	360
2.	The Sand dune formation . . . . .	362
	Association of strand plants . . . . .	363
	Association of marram-grass . . . . .	363
	Association of fixed dunes . . . . .	363
3.	The Salt-marsh formation . . . . .	363
	The Blakeney Point series . . . . .	363
	“The Marams” . . . . .	364
	Association of <i>Glyceria maritima</i> . . . . .	365
	Association of <i>Juncus maritimus</i> . . . . .	366
	BIBLIOGRAPHY OF PAPERS ON BRITISH VEGETATION . . . . .	367
	INDEX OF PLANT NAMES . . . . .	369
	GENERAL INDEX . . . . .	387

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee  
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Table of Contents

[More information](#)

---

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee  
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Table of Contents

[More information](#)

## LIST OF PLATES

		To face page
I    a.	Oakwood on Weald Clay (S. Mangham).	79
	b. Oak-hazel copse on Clay-with-flints (S. Mangham) . . . . .	
II    a.	Oakwood on Weald Clay—prevernal aspect (A. G. Tansley).	83
	b. Oaks and Neutral pasture (A. G. Tansley) . . . . .	
III    a.	Dry oakwood on sandy loam—general (S. Mangham).	93
	b. Ditto. <i>Holcus mollis</i> and <i>Pteris aquilina</i> (R. S. Adamson) . . . . .	
IV    a.	Oak-birch heath, Ashdown Forest (S. Mangham).	100
	b. Ditto. Toy's Hill (S. Mangham) . . . . .	
V    a.	Oak-birch heath—general, Ashdown Forest (S. Mangham).	102
	b. Birch wood, Ashdown Forest (S. Mangham) . . . . .	
VI    a.	Heath association, Ashdown Forest (S. Mangham).	104
	b. Ditto (S. Mangham) . . . . .	
VII    a.	Subspontaneous pinewood, Crockham Hill (A. G. Tansley).	117
	b. Chert diggings with heath (A. G. Tansley) . . . . .	
VIII    a.	Pine heath, Black Wood of Rannoch (A. G. Tansley).	118
	b. Pine heath, Rothiemurchus Forest (A. G. Tansley) . . . . .	
IX    a.	Wood of <i>Quercus sessiliflora</i> : <i>Holcus mollis</i> , etc. (W. B. Crump).	127
	b. Wood of <i>Quercus sessiliflora</i> : with <i>Vaccinium Myrtillus</i> (W. B. Crump) . . . . .	
X    a.	Siliceous grassland: facies of <i>Ulex Gallii</i> , Wicklow Mountains (R. Welch) . . . . .	134
XI    a.	<i>Arbutus Unedo</i> at Killarney (R. Welch) . . . . .	139
XII    a.	Highland birchwoods, Kinloch Rannoch (A. G. Tansley).	142
	b. Dittō. Near Aviemore (A. G. Tansley) . . . . .	
XIII    a.	Limestone scrub, Ebbor Gorge (W. B. Crump).	147
	b. Ashwood ground vegetation (W. B. Crump) . . . . .	
XIV    a.	Ashwood on limestone hill, Anstwick (W. M. Rankin).	151
	b. Ashwood on limestone pavement (W. M. Rankin) . . . . .	
XV    a.	Limestone pavement, Co. Clare (R. Welch).	160
XVI    a.	Beechwood and Chalk grassland (S. Mangham).	163
	b. Interior of beechwood (S. Mangham) . . . . .	
XVII	Beechwood, Ditcham Park (C. J. P. Cave) . . . . .	165

Cambridge University Press

978-1-108-04506-3 - Types of British Vegetation: By Members of the Central Committee  
for the Survey and Study of British Vegetation

Edited by A.G. Tansley

Table of Contents

[More information](#)

xx

*List of Plates*

	<i>To face page</i>
XVIII a. Beechwood ground vegetation (A. G. Tansley).	166
b. Degenerating beechwood (W. M. Rankin) . . . . .	166
XIX a. Yew wood on chalk (A. G. Tansley).	170
b. Ditto (A. G. Tansley) . . . . .	170
XX a. Chalk scrub, Butser Hill (W. M. Rankin).	171
b. Ditto. Kemsing (S. Mangham) . . . . .	171
XXI a. General view of broads and fen (F. F. Blackman).	221
b. <i>Typha angustifolia</i> and <i>Myriophyllum spicatum</i> (F. F. Blackman) . . . . .	221
XXII a. <i>Scirpus lacustris</i> and <i>Castalia alba</i> (M. Pallis).	228
b. Detail of fen association (M. Pallis) . . . . .	228
XXIII a. Swamp-carr and tussock swamp (M. Pallis).	232
b. Yare valley fen (M. Pallis) . . . . .	232
XXIV Development of fen carr (M. Pallis)	236
XXV a. Heather moor (W. B. Crump).	268
b. Cotton-grass moor (W. B. Crump) . . . . .	268
XXVI a. Retrogressive moor (A. Wilson).	281
b. <i>Rubus Chamaemorus</i> (F. H. Graveley) . . . . .	281
XXVII a. Arctic-alpine grassland (A. G. Tansley).	300
b. Hydrophilous chomophytes (F. F. Laidlaw) . . . . .	300
XXVIII a. <i>Erigeron alpinum</i> (F. F. Laidlaw).	322
b. <i>Salix reticulata</i> and <i>Rhacomitrium lanuginosum</i> (F. F. Laidlaw) . . . . .	322
XXIX a. <i>Salicornietum</i> . The Wash (R. H. Yapp).	332
b. General salt marsh, Holme-by-the-Sea (R. H. Compton) . . . . .	332
XXX a. Channel with <i>Atriplex portulacoides</i> (S. Hastings).	333
b. <i>Glycerietum</i> and <i>Salicornia</i> (F. F. Blackman) . . . . .	333
XXXI <i>Juncus maritimus</i> , Erquy (F. F. Blackman) . . . . .	334
XXXII a. Strand plants of <i>Arenaria peploides</i> (R. H. Compton).	342
b. <i>Ammophila</i> and <i>Elymus</i> (A. G. Tansley) . . . . .	342
XXXIII a. Hippophaë rhamnoides (A. G. Tansley).	345
b. Hippophaë, <i>Rubus</i> , <i>Lonicera</i> , <i>Polypodium</i> (A. G. Tansley) . . . . .	345
XXXIV a. Dunes with <i>Agropyron junceum</i> (W. Ball).	349
b. Dune valley with <i>Salix repens</i> , etc. (W. Ball) . . . . .	349
XXXV View near Blakeney Point (F. W. Oliver) . . . . .	361
XXXVI a. Blakeney shingle-beach (F. W. Oliver).	362
b. <i>Ammophila</i> seedlings on shingle (F. W. Oliver) . . . . .	362
<i>Folding diagrams</i>	
Fig. 11. Transect taken from Barton Broad to the Upland	224
Diagram illustrating the relationships of British plant-formations.	368