

INDEX.

The numbers refer to the articles.

- AMONTONS.** Experiments on friction, 170.
- ANCHOR RING.** Surface and volume, 415. Centre of gravity of a portion, 425.
Anchor ring slides on an axis, 269.
- ANTICENTRE.** Defined, 460. Of a circle and ellipse, &c., 460.
- ARCHIMEDES.** Parallelogram of forces founded on the lever, 31.
Relation of sphere to the circumscribing cylinder, 420.
- AREAL COORDINATES.** Defined, 53, Ex. 2. Trilinear equation of the resultant of any three forces acting along the sides of the triangle, 120. Central axis in terms of the moments about and resolutes along the sides, 278, Ex. 8.
- ASTATICS.** Equilibrium defined, 70. Astatic triangle, 71, 73. Centre defined, 72, 160. Central point of two forces, 74. Of any forces in a plane, 160.
- ATOMS.** Equilibrium of four repelling atoms, 130.
Kelvin on the theory of Boscovich, 226. Two, three and four atoms in various arrangements, 227.
- AXIOMS.** Newton's laws of motion, 13. Elementary statical axioms, 18. Other axioms necessary, 148. Frictional axiom, 164. Axiom on elasticity, 489.
- AXIS.** See also **CENTRAL AXIS.** Of a couple, 97.
Friction between wheel and axis, 179.
Instantaneous axis always exists when a body moves in a plane, 180.
Axis of initial motion, 185, 188, &c.
Pressure on axis reduced to two forces, 268.
Axis of revolution and Pappus' theorems, 413.
- BALANCE.** Three requisites of the common balance, 519. False balances and other problems, 520. Roberval's balance, used to weigh letters, 517.
- BALL, SIR ROBERT.** The cylindroid, 287. Reciprocal screws, 294. The sexiant, 326. The pitch conic, 288.
- BALL, W. W. R.** History of mathematics. Parallelogram of forces, 31. Catenary, 443 note.
- BENDING COUPLE.** Defined, 142. Of a plank bridge, 144. Of a rod acted on by forces shown graphically, 145. Heavy rod, 147, Ex. 1. Rotating wire, 147, Ex. 2. Crane, 147, Ex. 5. Gipsy tripod, 147, Ex. 6. Rod under centre of force, 147, Ex. 7. Townsend's theorem on a bridge, 147, Ex. 3. Found by graphics, 362.
- BERNOULLI.** Discovers the catenary, 443. On the form of a sail, 458. String acted on by a centre of force, 475.
- BESANT.** On roulettes, 244.
- BONNET.** The catenary of equal strength for a central force which varies as the inverse distance, with a list of curves included, 477, Ex. 11.
- BOOLE.** Envelope of an equilibrium locus, 224.
- BOSCOVICH.** Theory of atoms, 226.
- Bow.** System of lettering reciprocal figures, 349.

- CATENARY.** *Centre of gravity of arc*, with a geometrical construction, **399, 445**.
The suspended chain, **443**. Examples, **446**. The parameter of a suspended catenary found, **447, 448**. Catenary with a heavy ring fixed or moveable, **448**. Examples on smooth pegs, festoons, endless strings, &c., **448**.
Stability of equilibrium of a chain over two smooth pegs, **449**.
Heterogeneous catenary, **450**. The cycloidal chain, **451**. Parabolic chain, when roadway is light, **452**. Catenary of equal strength, equation, centre of gravity, span, &c., **453**.
Examples. Chain partly in water, partly in air, **456**. Heavy string on a rough catenary, **469, 471**. A heavy string fits a tube without pressure, if cut find the pressure, **462**. A heavy endless string hangs round a horizontal cylinder, **462**. The catenary is the only homogeneous curve such that the centre of gravity is vertically over the intersection of the tangents, **448, Ex. 24**.
 Stability of a heavy rod sliding on two catenaries, **243**.
Spherical catenary, **482**. See **STRINGS**.
Calculus of variations, **488**.
- CAYLEY.** The six coordinates of a line, **260**. On four forces in equilibrium, **316**. Determinant of involution, **324**.
- CENTRAL AXIS**, defined and found in terms of R, G , **270**. Cartesian equation found in terms of the six components, **273**.
 Central axis of forces A_1A_1' ; A_2A_2' ; &c. **278, Ex. 6, 7**. Central axis with trilinear coordinates, **278, Ex. 8**. Central axis of forces represented by the sides of a tetrahedron, **278, Ex. 5**. Central axis in tetrahedral coordinates in terms of forces along the edges, **339**. Central axis of conjugate forces, **285, 309**. Problems on central axis, **278, 283, 310**.
- CENTRE OF GRAVITY.** Definition, **51, 374**. Unique point, **375**. Working rule, **52, 380**; with examples, **382**. Triangular area, **383**; equivalent points, **385**; perimeter, **386**. Quadrilateral, **387**; pentagonal area, trapezium, **388**. Tetrahedron, **389**; frustum, **391**; faces and edges, **392**; isosceles tetrahedron, **393**; double tetrahedra, **394**. Pyramid and Cone, **390, 418**.
 Circular arc, **396 &c.**, other arcs and the curve $r^n \sin n\theta = a^n$, **399**. Circular sectors, **400**; quadrant, **401**; segment, **402**. Elliptic areas, **404**; other areas, **409, 412**. Space bounded by four coaxials, **406**; by four confocals, **412**.
 Pappus' theorems, **413, &c.**, with extensions when axis does not lie in the plane of the curve, **417**.
 Spherical surfaces, **420**; hemisphere, segment, **423**. Spherical triangle, **424**. Spherical solid sector, segment, **426, 427**. Ellipsoidal sectors &c., **428, 429**. Ellipsoidal thin shells, both kinds, **430**; also shell when the density varies as the inverse cube of the distance from a point, **430, &c.**
 Any volume and surface, **431**. The solid $\left(\frac{x}{a}\right)^n + \left(\frac{y}{b}\right)^n + \left(\frac{z}{c}\right)^n = 1$, **434**.
 Octant of an ellipsoid when density is $x^l y^m z^n$, **434**. Triangle of density $x^l y^m$, **434**.
 Lagrange's two theorems, **436, 437**. Franklin's extensions, **438**.
 Applications of the centre of gravity to pure geometry, **439**.
- CENTRE OF PARALLEL FORCES.** Defined, **83**; distinguished from the centre of gravity, **373**.
- CENTROID**, **51**. See **CENTRE OF GRAVITY**.
- CHAÎNETTE.** See **CATENARY**, **443**.
- CHARACTERISTIC OF A PLANE.** Defined, **314**.
- CHORDAL CONSTRUCTION OF MAPS**, **421**.

- CHASLES.** Radius of curvature of a roulette, 242.
Invariants of two systems of forces, 280.
Characteristic of a plane, 314.
Four forces in equilibrium, 316.
- CIRCLE.** Least force to move a hoop, disc, &c. placed on a rough plane, 189.
- CLARKE.** Principles of Graphic statics, 340 note.
- CLAUSIUS.** Virial, 157.
- CLEBSCH.** Expresses the form of a heavy string on a sphere in elliptic integrals, 482 note.
- COMPONENT.** Defined, 40. In three dimensions, 257, 260.
The six components of a system of forces, 273, 276.
- CONE.** Centre of gravity of volume, 390; of surface, 418; of cone on elliptic base, 419.
Cone of friction, 173.
Couple to turn a cone in a hole, 189, Ex. 12.
- CONIC.** The relations of a chord to the normals at its extremities, 126 and note.
Conic of closest contact, position found, 249.
Centre of inscribed and circumscribing conic, 440.
The pitch conic, 288.
- CONJUGATE FORCES AND LINES.** A system can be reduced to two forces, one line of action arbitrary, 303; other elements arbitrary, 313. Self-conjugate lines, 306. Conjugate of a given line found, 308.
Arrangement of conjugate forces round the central axis, 309; arranged in hyperboloids, 310; in planes, 311.
Theorems on conjugates, 312, 313. Two systems of forces with common conjugate lines, 311.
- CONSERVATIVE SYSTEM.** Definition and fundamental theorem, 211. See also 479.
- COORDINATES.** Of a system defined, 206, 207.
The six coordinates of a line, 260.
Areal coordinates, 53. Tetrahedral coordinates, 339.
- COUPLE.** Poinso't's theory of couples, 89, &c. Measure of couple, 96; axis, 97.
Laws of combination of forces and couples, 101. Tetrahedron of couples, 99. Any four axes being given, couples in equilibrium can be found, 99.
Forces represented by skew polygon are equivalent to a couple, 99.
Friction couple, 167. Least couple which can turn a table on a rough floor; a cone in a rough circular hole; and other problems, 188, 189.
Minimum couple of a system of forces, 277.
- CORIOLIS.** Invents the catenary of equal strength, after Gilbert, 453.
- COULOMB.** Experiments on friction, 170.
- CREMONA.** The polar plane of a system of forces, 298. Double lines, 306.
Reciprocal figures, 342.
- CROFTON.** On self-strained frames of six joints, 238.
- CULMANN.** Graphical statics, 340. Method of sections, 366.
- CURTIS.** Problem on two spheres in a paraboloid, 129.
- CURVE.** Equilibrium of a particle on a smooth curve, 56, 59. Rough curve, 172, 174. Pressure, 58.
Centre of gravity, 398; the curve $r^n \sin n\theta = a^n$, 399.
String on a curve, 457, &c.
- CYCLOID.** Centre of gravity of the arc, 399; of the area, 412.
Cycloidal catenary, the law of density, centre of gravity &c., 451.
Heavy string on a rough cycloid, 469.
- CYLINDROID.** Defined, 287; the fundamental theorems, 289-291.

- DARBOUX.** Astatic equilibrium in two dimensions, 157, 162.
On the relation of four forces in equilibrium to a hyperboloid, 316.
- DEFORMATION.** Normal and abnormal deformations defined, 231. Abnormal deformations lead to indeterminate reactions, 235.
- DE MORGAN.** The polygon of maximum area, 133.
On Lagrange's proof of virtual velocities, 256.
On the use of Jacobians in integration, 411.
- DILATABLE.** Framework defined, 231.
- DIRECTRIX.** Of a catenary, 443. Statical directrix of a heavy string on a smooth curve, 460. Other cases, 482, 494, 500.
- DOUBLE LINES.** Defined by Cremona, 306. See **NUL LINES.**
- DUCHAYLA.** Proof of the parallelogram of forces, 27.
- DYNAMES.** Defined by Plücker, 261. Relation to a wrench, 271.
- EDDY.** Graphical statics, 340.
- EFFICIENCY.** Of a machine defined, 504. If a force P raise and P' support a weight, the efficiency is $(P + P')/2P$, 505.
- ELASTIC STRINGS.** Hooke's law, 489. Heavy string (a) free, (b) on an inclined plane, 492.
Work of stretching, 493. Various problems, 492, 493.
Heavy string on a smooth curve, tension, pressure &c., 494. Light string on a rough curve, 495. See **ENDLESS STRINGS.** Various problems, 495. General equations, 496.
Heavy string on various surfaces, 497.
String under central force, 498, 499.
Elastic catenary, equations, 500, geometrical properties, 501, Ex. 2.
- ELLIPSE.** See **CONIC.** Centre of gravity of sector, segment, &c., 405; of the space bounded by co-axials, 406; confocals, 412; of the space between ellipse and two tangents, 406.
Equilibrium of a rod in an ellipse, 126, 243.
- ELLIPSOIDS.** Centres of gravity of the two kinds of thin shells, 430. Centre of gravity when the density varies as the cube of the distance from a point, 430. Centre of gravity of an octant, density $x^m y^n z^n$, 434.
Resultant of normal forces to an octant, 319.
- ENDLESS STRINGS.** Slipping of a band which works two wheels, 466, Ex. 5. Maximum tension when string is slightly extensible, 495, Ex. 5. Festoons, 466, Ex. 10.
Strings which *just fit* a curve, 472. Examples of a circle, catenary, cycloid, ellipse &c., 473.
Twisted cords, 495, Ex. 3.
Slipping of cords round pegs &c., 495, Ex. 4, &c.
- EQUILIBRIUM.** Of a particle, 45. Of a rigid body in two dimensions, 109. In three dimensions, 259; problems on, 268.
Conditions deduced from the principle of work, 203. Altitude of the centre of gravity a max-min, 218. Stability defined, 70, 75; of three forces, 77, 221; conditions of stability, 214, 220; of rocking stones, 244, &c.
Critical equilibrium, 246.
On the sufficiency of the six conditions, i.e. m moments and n resolutions being zero, 331.
Condition of equilibrium found by Graphics, 353.
Condition that six wrenches of given pitches on six given axes can be in equilibrium, i.e. sextant, 326.

- EULER.** Quadrilateral of jointed rods, not acted on by external forces, tightened by strings, 132.
Relation between corners, faces and edges in a polyhedron, 351.
Form of the teeth of wheels, 545.
- EWING.** Experiments on friction, 170.
- FIVE FORCES.** Two straight lines can be drawn to cut five forces in equilibrium, 320. Invariant, Central axis &c., 323. Given the five lines of action, to find the forces, 323, &c.
- FLEEMING JENKIN.** Practical use of reciprocal figures, 340.
- FORCE.** Its characteristics, 5. Represented by a straight line, 7. How measured, 10, 16. Superposition, 15.
 n forces act along the generators of a hyperboloid, 316, 317. n forces intersect two straight lines, 320, 323. Forces represented by the sides of a skew polygon are equivalent to a couple, 103.
- FORCES AT A POINT.** Resultant, 42, 44, 46. Conditions of equilibrium, 45, 49. A force moved parallel to itself, 100.
- FOUR FORCES.** Their relations to (a) a skew quadrilateral, 103, 323; (b) a hyperboloid, 316; (c) a tetrahedron, 40, 318. Geometrical proofs, 316; analytical, 317.
Conditions of equilibrium of four forces acting at a point, 40. Rankine's theorem on four parallel forces in equilibrium, 86.
Four forces acting along tangents to a conic, 120, Ex. 5, 317, Ex. 4.
The invariants, 316, 317, 323.
Given the lines of action, to find the forces, 316, 317.
- FREET.** Problem on the most stable position of the feet, 88.
- FOURIER.** Proof of the principle of virtual work, 193.
- FRAMEWORK.** Defined, 150. The number of rods necessary to stiffen a framework, 151. The reactions are determinate in a simply stiff framework, 153. The same deduced from the principle of work, 232; in an over stiff framework, indeterminate, 155, 235. Problems on hexagons, tetrahedra, polygons &c., 234. Self-strained frameworks, 132, 238.
Reactions found by graphical methods, 363. Problems on graphical statics, 372.
- FRANKLIN.** Extension of Lagrange's two theorems on centres of gravity, 438.
- FRICTION.** Defined, 54; experiments, 164, 166; laws, 165; limiting friction, 165. Coefficient and angle of friction, 166. Friction couple, 167. Cone, 173.
The two kinds of problems, 171, 181. Problems of the first kind, 176, 178, &c. The ladder, 177, 178. Tripos and College problems, 178. Wheel and axle, 179, &c. The indeterminateness of friction, 181. Limiting equilibrium, 182.
Problems of the second kind, 182, &c. The least couple or force which can move a triangular table, a rod, a lamina, a hoop, a disc, a cone in a hole and other bodies, 188, 189.
Two connected particles, 190; a string of n particles arranged in a circular arc, 190, 487, Ex. 2.
Friction in three dimensions, 269. Examples, a rod over a wall, against a wall; spheres, curtain ring on a pole, cone rolling on a wall, 269.
- FUNICULAR POLYGON.** For parallel forces, 140, 356. For forces not parallel, 353, &c. Theorems, 357-360.
- FUSS.** Polygon of jointed rods, 133. The parabolic catenary, 452. General equations of equilibrium of a string, 455.

- GILBERT.** Invents the catenary of equal strength, 443, 453.
- GIULIO.** Centre of gravity of a spherical triangle, 424; also of a solid generated by a catenary, 424.
- GOODWIN, HARVEY.** Stability of a rod inside a spheroid, 126, 243.
- GRAHAM.** Graphic and Analytic statics, 340.
- GREENHILL AND DEWAR.** Construct a model of an algebraic spherical catenary, 482.
- GREGORY.** Solves the problem of the catenary, 443.
- GULDIN.** Centre of gravity of $2n$ sides of a regular polygon, 397. Centre of gravity of the area of a right cone, 418.
Guldin's or Pappus' theorems on surfaces of revolution, 413.
- HOOKE.** Law on elastic strings, 489.
- HYPERBOLA.** Relation of the theory of projection to the hyperbola, 408.
- HYPERBOLOID.** Forces act along the generators, pitch, single resultant, central axis, &c., 317.
Locus of principal force of a given system, 277.
Locus of conjugate forces, 310.
- INCLINED PLANE.** Smooth, 537; rough, 538; problems, 539.
- INDETERMINATE.** Problems so called, if the elementary laws of statics are insufficient for their solution, 148. Additional laws derived from the elasticity of bodies, 148. Examples of such problems, weight on a table, the gallows problem, bars suspended by several strings, framework, &c., 149.
The reactions of a framework are not or are indeterminate according as it is simply or over stiff, 153, 155, 235.
Indeterminate tensions, 237, 368. Indeterminate friction, 181.
Indeterminate multipliers, 213.
Indeterminate reciprocal figures, 351.
- INDEPENDENCE OF FORCES.** Principle explained, 15.
- INERTNESS OF MATTER.** Explained, 14.
- INFINITE FORCES.** 154, 198, 306.
- INITIAL MOTION.** Of a body when acted on by a couple, 102.
Of a system is such that the initial work is positive, 200; and that the potential energy decreases, 216.
- INVARIANTS.** The two invariants defined, 279.
Meaning of the vanishing, 279.
Chasles' invariants of two systems of forces, 280.
Rules to find the invariants of two forces, any number of forces, of couples, of wrenches, 281, 282.
Invariant of forces acting along n generators of a hyperboloid, 317. Of forces intersecting two directors, 323. Invariant of any forces along the edges of a tetrahedron, 339.
- INVOLUTION.** Forces in involution defined, 325.
Forces along the edges of a tetrahedron are not in involution, 339.
- JACOBIAN.** The Jacobian condition of equilibrium of a particle on a curve, 59.
Applied to centre of gravity of an area, 411.
- JELLETT.** Conditions of equilibrium of a string on a rough surface, 486.
- JOUBERT.** Theorems on forces normal to every element of a surface, 319.
- KATER.** Treatise on mechanics, 502.
- KELVIN.** Proof of the principle of virtual work, 199.
On atoms in equilibrium in Boscovich's theory, 226.
Span of the catenary of equal strength, 453.
On Young's modulus, 490.

- LAGRANGE.** Remarks on the parallelogram of forces, 31.
 Method of indeterminate multipliers, 213.
 Proof of the principle of virtual work, 255.
 Two theorems on centre of gravity, 436, 437.
- LAPLACE.** Proof of the parallelogram of forces, 31.
- LARMOR.** Astatic equilibrium in two dimensions, 162. Critical equilibrium, 246.
- LAWS OF MOTION.** Newton's, 13.
- LEIBNITZ.** Theorem on the mean centre, 51. Solves the problem of the catenary, 443.
- LEMNISCATE.** Centre of gravity of the arc AP lies in the bisector of the angle AOP , 399. The locus of the centre of gravity of an arc of given length, 399. The centre of gravity of half the area of either loop, 412, string 477.
- LEVER.** Three kinds, 511. Conditions of equilibrium, 507, pressure, 508.
 What is gained in power is lost in speed, 513.
 Examples from animal economy, 515.
- LEVY.** *Statique Graphique*, on the reactions of frameworks, 150. His definitions, 231. Theorem on indeterminate tensions of a framework, 236, 368. Graphical statics, 340. Theorems on the force polygon, 357.
- LIMITING.** Friction, 165, equilibrium, 182.
- LOCK.** Elementary statics, 41.
- MACHINE.** Mechanical advantage defined, 502; lever, 512; pulley, 527, 532, &c.; inclined plane, 537; wheel and axle, 540; wedge, 547; screw, 550.
- MAPS.** The two systems of equal areas and of similarity, 421.
- MAXWELL.** On stiff jointed frameworks, 150, 151.
 Friction locus of a particle, 189.
 If R be the thrust of a rod in a framework, r its length, ΣRr found in terms of the forces, 230.
 Theorem on reciprocal figures, 341, &c.
- MEAN CENTRE.** See also CENTRE OF GRAVITY. Use of, in resolving and compounding forces which meet at a point, 51. Also other forces, 120.
- MILNE.** Application of centre of gravity to pure geometry, 439.
- MINIMUM.** Minimum method of solving friction problems, 185.
 The work is a max-min in equilibrium, 212.
 Altitude of centre of gravity a max-min, 218.
 Minimum couple of forces in three dimensions, 277.
 Minimum couples and forces to move a body, 188, 189. Minimum force at one end to move (a) a string of particles, 190, and (b) a heavy string in a circular arc on a rough floor, 487.
- MOEBIUS.** The polyhedron of couples, 99.
 The nul plane, 298.
 Four forces in equilibrium lie on a hyperboloid, 316.
 Five forces intersect two directors, 320.
 Six forces in equilibrium, 324.
- MOMENT.** Moment of a force defined in two dimensions, 113, in three dimensions, 263.
 Proved equal to $dW/d\theta$ where W is the work, 209.
 Moment of a line in geometry, 265. Represented by the volume of a tetrahedron, 266. By a determinant, 266, 267. In tetrahedral coordinates, 267, 339.
- MOIGNO.** The astatic triangle of forces, 71.
 Definition of principal force, 257.
- MONTUCLA.** History of the Catenary, 443.

- MORIN.** Experiments on friction, 170.
- NEWTON.** Laws of motion, 13. Proof of the parallelogram of forces, 25.
- NORMAL FORCES.** To a polygon, 133; to a tetrahedron, 318; to a polyhedron, 318; to a closed surface, 319; to an octant of an ellipsoid, 319.
- NUL.** Nul plane defined, 298. Its Cartesian equation, 301. Its tetrahedral equation, 339. Theorems on the nul plane, 304.
The Cartesian condition that a given line is a nul line, 301. Nul point of a given plane found geometrically and analytically, 302.
- OBLIQUE.** Resolution of forces, 40. Axes, 50.
- PAPPUS.** The surface and volume of a solid of revolution deduced from a centre of gravity sometimes called Guldin's theorems, 413.
- PARABOLA.** Centre of gravity of areas, bounded by an ordinate, 412; bounded by four parabolas, 412, &c.
Parabolic chain, tension, centre of gravity, &c., 452.
- PARALLEL FORCES.** Centre of parallel forces, 83, 373. Conditions of equilibrium, 85.
A given force replaced by two parallel forces, 79; by three forces, 86.
Rankine on the equilibrium of four parallel forces, 86.
Theory of couples, 89.
- PARALLELEPIPED OF FORCES.** Theorem, 39.
- PARALLELOGRAM.** The parallelogram law, 7. Of velocities, 12. Of forces, 24.
- PENTAGON.** Centre of gravity of a homogeneous pentagon, 388, Ex. 5.
- PITCH.** Defined, 271. Pitch of an equivalent wrench found, 273.
- PLÜCKER.** The six coordinates of a line, 260. A dyname, 261.
A proof of Moebius' theorem, 316.
- POINSON.** Theory of couples, 89.
Why some problems are indeterminate, 148.
Method of finding resultants, 104, 257.
Central axis, 270.
- POLAR PLANE.** Cremona's polar plane defined, 298.
Sylvester's defined, 325. Various theorems, 336, &c.
- POTENTIAL.** Defined, 59. Potential energy, 211. Decreases in initial motion, 216.
- POLYGON.** The polygon of forces, 36. Forces at the corners, 37. Forces perpendicular to the sides, 37. Forces wholly represented by the sides make a couple, 103, Ex. 6. Forces proportional to the sides at an angle θ and dividing the sides in a given ratio, 103, Ex. 9. Forces which join the corners of two positions of the same polygon, 120, Ex. 6.
Polygon of heavy rods, 134. Subsidiary polygon, 139.
On the number of conditions necessary to determine a polygon, 152.
- POLYHEDRON.** Polyhedron of forces, 47, 318.
Euler's relation between the number of corners, faces and edges, 351.
Reciprocal polyhedra, 341, 351.
Centre of gravity of polyhedron circumscribing a sphere, 392, Ex. 5.
- PRATT.** Treatise on Mechanical Philosophy, 502.
- PULLEY.** Single pulley, 527. Systems with one rope, 529; several ropes, two cases, 532. Problems, 535.
- PRESSURE.** See REACTIONS. Pressure of a particle on curves and surfaces, 58, 175.
Of a body on the supports, 87, 88.
Pressure found by graphical method, 361.
Line of pressure, 369. Various theorems, 370, &c.
- PRINCIPAL FORCE.** Moigno's definition, 257.
- PRINCIPAL COUPLE.** Of a system at any point defined, 257. See NUL PLANE.

- PROBLEMS.** Rules for resolving and taking moments in the solution of problems, 121, &c.
- PROJECTION.** Centre of gravity of the projection of an area, 403.
Working rule to project figures, 403.
Analytical aspect of projections, 407.
- PYRAMID.** Centre of gravity of the volume, 390.
The five equivalent points of a pyramid on a quadrilateral base, 395.
- QUADRILATERAL.** Jointed with attracting particles at the corners, 130. With various strings, 132.
Centre of gravity when uniform, 387, 388. When heterogeneous, 434.
Some geometrical theorems deduced from statics, 439, 441.
Forces along the sides of a *skew* quadrilateral are not in equilibrium, form a couple or single resultant, 103. Their invariant, 323.
- RANKINE.** Equilibrium of four parallel forces, 86.
Force diagram, 140.
Moment of flexure or bending stress, 142.
Graphical statics, 340.
- REACTIONS.** Three rules (1) when two smooth rods press, 125; (2) when two rods are jointed, (a) line of symmetry, (b) one rod not acted on by a force, 131, (c) when more than two rods meet at the same point, 132; (3) when two rods are rigidly connected the reaction is a force and a couple, 142, 143.
Jointed quadrilaterals tightened up by various strings, 132.
Jointed polygons acted on by normal forces, 133. Reactions at the joints of a polygon of heavy rods, 134. Various problems on reactions at joints, 141.
Bending moment, 142. Weight on a light plank bridge, 144. Diagram of stress for a rod acted on by forces at isolated points, 145. Weight on a heavy bridge, 147, Ex. 1. Bending moment for a rotating semicircular wire, 147, Ex. 2. Townsend's problem on a bridge, 147, &c.
Principle of work used to find reactions at the joints of a hexagon, tetrahedron, rhombus, tripods, &c., 234.
Reactions in three dimensions, at an axis, pressures, joints, &c., 268.
Reactions found by graphics, 361, 363, &c.
 n spheres in a cylinder, 129.
- RECIPROCAL FIGURES.** Defined, 340. Maxwell's theorem, 341; Cremona's, 342. To draw reciprocal figures, 343, 350. Mechanical property, 346.
- RESOLUTE.** Defined, 41. Equal to dW/ds where W is the work, 209.
- RESOLUTION.** Defined, 40. Resolved part or resolute, 41.
Three methods of oblique resolution, 40.
Use of the mean centre, 51.
Resolution in three dimensions, 260.
Along three lines by a tetrahedron, 53, Ex. 3.
Along six lines in space, 329.
Graphical method, 360.
- RESULTANT.** Resultant force defined, 22. Forces in a straight line, 23; at a point, 42.
Method of the mean centre, 51. With an extension, 53, Ex. 4.
Parallel forces, 78, 80.
Single resultant in two dimensions, 118. A trilinear equation, 120.
Resultant force and couple in three dimensions, 257. Single resultant, 274.
Resultant found by a graphical method, 352.

- REYNOLDS, OSBORNE. Experiments on friction, 170.
- RIGID BODY. Defined, 19. Rigidity of cords, 531.
- ROBERTS, R. A. Theorem on the centre of gravity of the arc of a lemniscate, 399.
- ROBERVAL. Method of finding envelopes, 242.
Balance, 517.
- ROCKING BODIES. Condition of stability, 244.
Hollow bodies with fluid, 245.
Second approximations, 247, 249.
In three dimensions, 251.
- ROD. Heavy rod in a bowl and cylinder, 125. In a spheroid, 126, 243. Two rods support an ellipse, 127. Jointed light rods forming quadrilaterals and polygons, 131–133. Jointed heavy rods, 134. Friction problems, 178.
Bending couple due to a weight, 142, 144, &c.
Various problems, 141, 149. Stability, 221, &c.
Rod on rough wall in three dimensions, 269.
Pressure on supports of a rod found by graphics, 361. Stress at any point, 362.
- SAIL. Can a boat sail quicker than the wind? 53, Ex. 10. Form of a sail acted on by the wind and its best position, 458.
- SALMON. The relation between the inclinations of any four lines in space, 48.
A leading theorem on determinants quoted, 49.
On roulettes, 244.
On the six coordinates of a line, 260.
Generalization of a theorem on the relations of a chord of a conic to the two normals, 126 and note.
- SCOTT, R. F. Treatise on determinants, 267.
- SCREWS. See also WRENCH. Pitch defined, 271. Right and left handed, 272.
Work of a wrench on a screw, 292.
Reciprocal screws, 294.
As a machine defined, 550. Mechanical advantage, 550. Various theorems, 551.
- SHEAR. Defined, 142.
- SIX FORCES. Analytical view, 324. Geometrical view, 334.
Two methods of describing the sixth line (*a*) as a plane locus, (*b*) as the nul line of two fixed forces, 334.
Only one way in general of reducing a system to six forces along given straight lines, 329.
The case of involution, 328.
On the ratio of P_5 to P_6 and other theorems, 336. See also EQUILIBRIUM.
On six forces along the edges of a tetrahedron, 339. See also TETRAHEDRON.
- SMITH, R. H. On graphics quoted, 364.
- SMOOTH BODY. Defined, 54. Reactions, 55.
- SPOTTISWOODE. The determinant of involution, 327.
- STABILITY. Defined, 70, 75. Of two forces, 76. Of three forces, 77, 221. Resolute of restitution for a particle on a surface, 77.
Deduced from the principle of work, 214.
Analytical rule when gravity is the only force, 220. Geometrical rule, 239.
Alternation of stable and unstable positions, 219.
Stability of a body when two points are constrained to slide on curves, 222. When two rods slide, 225.
Various problems on stability, 223.

- STABILITY.** Circle of stability in rocking bodies, 244, 251. Stability of neutral equilibrium determined by second approximations, 247.
Stability of a heavy string suspended from two points, 447; over two pegs, 449. Of a free string on a sphere, 482.
- STATICS.** Defined as one case of mechanics, 1. As the science of force, 21.
- STEELYARD.** (a) Roman, 521, (b) Danish, 522. Comparison of a steelyard and a balance, 523. Problems on steelyards, 524.
- STEREOGRAPHIC PROJECTION.** On the principle of similitude in Maps, 421.
- STEVINUS.** Enunciates the triangle of forces, 31.
- STRESS.** Defined, 142. See BENDING COUPLE.
- STRING.** See CATENARY, ELASTIC STRINGS, ENDLESS STRINGS.
Tension of a light string unaltered by passing over a smooth surface, 197.
Intrinsic equations of equilibrium, 454. Cartesian form, 455. Polar, 456.
Constrained by a curve, four cases, (a) string light, curve smooth, 457, (b) string heavy, curve smooth, 459, (c) string light, curve rough, 463, (d) string heavy, curve rough, 467, &c.
String with normal forces, 458.
The statical directrix, 460. Heavy string on a circle with hanging ends and a catenary, 462.
Methods of integration in case (d), 468, 469.
Rope wound round thin rough posts and pegs, 466.
One centre of force, 474, 476. Force when the curve is a circle, Ex. 2, the curve $r^m = a^n \cos n\theta$, Ex. 3; infinite strings, Ex. 4, &c.; force the inverse square, Ex. 6; catenary of equal strength when the force varies as the inverse distance, Ex. 11; dynamic curves, Ex. 12.
Two centres of force, 477. The lemniscate, Ex. 2.
Constrained by a surface. General equation, 478. Geodesic strings, 480.
Inflectional points, 480.
Solid of revolution, 481.
Spherical catenary form, tension, pressure, 482. Case of one end free, case when directrix plane passes through the centre of the sphere, &c., 482.
Instability, 482.
Cylindrical surface, if smooth and vertical the string when developed is a catenary, 483; if rough, Ex. 3. Examples on a horizontal cylinder, 483.
Conical surface with centre of force at the vertex, 484.
Rough surfaces, general equation, 485. Geodesics, 485. Helix, 487.
Minimum force to move a circular heavy string on a rough horizontal plane, 487.
Calculus of variations. A string (a) suspended from two points, (b) on a surface under any forces, 488.
- SUPERPOSITION OF FORCES.** A principle of statics, 15.
- SURFACE.** Particle on a smooth surface in equilibrium, 57. On a rough surface, 175.
Resultant of normal forces, 319.
- SUSPENSION.** Of a heavy body, with examples on triangles, rods, cones, &c., 87.
Of a polygon of heavy rods, 134.
Of a heavy string, 447.
- SUSPENSION BRIDGE.** See CATENARY. When the main chain alone is heavy, 443.
When the roadway alone is heavy, 452.
When the vertical rods are heavy, 452. Other problems, 452.
- SYLVESTER.** On the equilibrium of six forces, 324. The determinant of involution, 325.

- TENDENCY TO BREAK.** Defined, 142, see **BENDING COUPLE.**
- TENSION.** Of a rod defined, 142; of a string, 442. See **FRAMEWORKS AND STRINGS.**
A bundle of heavy horizontal cylinders tied by a string, 129, Ex. 7.
- TETRAHEDRON.** Used in two ways to resolve forces (*a*) by sines of angles, 40, (*b*) by the mean centre of the base, 53, Ex. 3.
Volume found, 266; used to measure moments, 266, 267.
Any six forces along edges are not in involution, 339.
Central axis of the forces represented by the six sides, 278.
Forces referred to tetrahedral coordinates, 267, 339.
Relation of four forces (*a*) acting at the corners perpendicularly to the opposite faces, (*b*) at the centres of gravity of the faces, (*c*) at middle points of the edges, 318.
Centre of gravity of the volume, 389; frustum, 391; double tetrahedra, 394; faces and edges, 392; heterogeneous, 434.
The isosceles tetrahedron, 393.
Geometrical theorems deduced from the centre of gravity, 439.
- THOMSON AND TAIT,** see **KELVIN.** Proof of the principle of virtual work, 199.
- THREE FORCES,** see **TRIANGLE.** A system reduced to three forces acting at the corners of an arbitrary triangle, (*a*) in two dimensions, 120, (*b*) in three dimensions, 315.
Parallel forces reduced to three, 86.
- THRUSTS.** Defined, 364, see **FRAMEWORKS.**
- TIES.** Defined, 364, see **FRAMEWORKS.**
- TOOTHED WHEELS.** Small teeth, 544. Involute of a circle, 545; effect of separating the wheels, 545. Epicycloidal teeth, 545. Problems, locking of teeth, &c. 546.
- TOWNSEND.** Bending moment of a bridge with a carriage of finite size, 147.
Relation between the equilibrium of a string and the free motion of a particle, 476.
- TRANSMISSIBILITY OF FORCE.** A principle of statics, 17.
- TRANSON.** Radius of curvature of a roulette, 242.
- TRAPEZIUM.** Centre of gravity of the area, 388.
- TRIANGLE.** Triangle of forces, 32, &c.; theorems, 103; astatic triangle, 73.
A heavy triangle suspended by strings and in other ways, 87.
A system of forces reduced to three along the sides of an arbitrary triangle, 120. A system in three dimensions reduced to forces at the corners, 315.
The least couple to move a triangular table on a rough floor, 188.
Centre of gravity of area, 383; various equivalent points, 385; perimeter, 386; heterogeneous density $x^l y^m z^n$, 434.
Geometrical property of the product of the alternate segments of points on the sides, 132. Centre of the nine points circle and the orthocentre found by centre of gravity, 440.
- TWO FORCES,** see **CONJUGATE FORCES.** A system reduced to two forces (*a*) in two dimensions acting at arbitrary points, 120, (*b*) in three dimensions with one line of action arbitrary, 303, &c. 313.
- UNITS.** Various kinds, 11.
- VARIGNON.** On the transformation of forces, 116.
- VENTUROLI.** Contradicts Montucla's assertion about Galileo, 443.
- VINCE.** Experiments on friction, 170.
- VIRTUAL VELOCITIES,** see **WORK.**

- WALLIS.** Centre of gravity of a circular arc, 396. Circular sector, 400. Cycloidal area, 412.
- WALTON.** Centre of gravity of a spherical triangle, 424. Of the space between a parabola and two tangents, 412. Of the lemniscate, 399.
- WARREN GIRDER.** Problem on, 372.
- WATSON.** Problems of the reactions of the legs of a table supporting a weight, 149. On a case of neutral equilibrium, 88.
- WEDGE.** Defined, 547; mechanical advantage, 548. Condition that a wedge stays in when struck, 549.
- WHEEL AND AXLE.** Mechanical advantage, 540; differential axle, 541. Problems on the wheel and axle, 542.
Friction between wheel and axle, 179.
Work required to turn the wheel when the string is elastic, 493, Ex. 2.
- WHITE.** A system of pulleys invented to diminish friction &c., 530.
- WILLIS.** His principles of mechanism, 502. On the form of toothed wheels, 545.
- WORK.** Defined, 62; equilibrium of a particle, 66; rings on elliptic wires, &c., 69.
Proof of the general principle, after Fourier, 194, 195. The converse after Thomson and Tait, 199. Work of forces equal to that of resultants, 194. List of forces which do not appear, 196.
Work of a bent elastic string, 197, 493.
Method of using the principle, 202, examples, semicircle, rods, &c., 205.
Work function defined, 208; stability deduced, 214; application to frameworks, 229.
Lagrange's proof of virtual velocities, 255.
- WRENCH.** Defined, 271. See CENTRAL AXIS.
Equivalent wrench (*a*) when *R* and *G* are given, 270, (*b*) when system is given by its six components, 273, (*c*) when the system is two wrenches, 285, (*d*) when the system is two forces, 284.
Method of compounding wrenches by the cylindroid, 287.
Problems on wrenches, 278.
The work of a wrench, 292.
Condition of equilibrium of six wrenches, the sexiant, 326.
Used by Cremona for reciprocation, 342.
- YOUNG.** Modulus of elastic strings, 490.