

CAMBRIDGE LIBRARY COLLECTION

Books of enduring scholarly value

Mathematics

From its pre-historic roots in simple counting to the algorithms powering modern desktop computers, from the genius of Archimedes to the genius of Einstein, advances in mathematical understanding and numerical techniques have been directly responsible for creating the modern world as we know it. This series will provide a library of the most influential publications and writers on mathematics in its broadest sense. As such, it will show not only the deep roots from which modern science and technology have grown, but also the astonishing breadth of application of mathematical techniques in the humanities and social sciences, and in everyday life.

A Treatise on Analytical Statics

As senior wrangler in 1854, Edward John Routh (1831–1907) was the man who beat James Clerk Maxwell in the Cambridge mathematics tripos. He went on to become a highly successful coach in mathematics at Cambridge, producing a total of twenty-seven senior wranglers during his career – an unrivalled achievement. In addition to his considerable teaching commitments, Routh was also a very able and productive researcher who contributed to the foundations of control theory and to the modern treatment of mechanics. This two-volume textbook, which first appeared in 1891–2 and is reissued here in the revised edition that was published between 1896 and 1902, offers extensive coverage of statics, providing formulae and examples throughout for the benefit of students. While the growth of modern physics and mathematics may have forced out the problem-based mechanics of Routh's textbooks from the undergraduate syllabus, the utility and importance of his work is undiminished.



Cambridge University Press has long been a pioneer in the reissuing of out-of-print titles from its own backlist, producing digital reprints of books that are still sought after by scholars and students but could not be reprinted economically using traditional technology. The Cambridge Library Collection extends this activity to a wider range of books which are still of importance to researchers and professionals, either for the source material they contain, or as landmarks in the history of their academic discipline.

Drawing from the world-renowned collections in the Cambridge University Library and other partner libraries, and guided by the advice of experts in each subject area, Cambridge University Press is using state-of-the-art scanning machines in its own Printing House to capture the content of each book selected for inclusion. The files are processed to give a consistently clear, crisp image, and the books finished to the high quality standard for which the Press is recognised around the world. The latest print-on-demand technology ensures that the books will remain available indefinitely, and that orders for single or multiple copies can quickly be supplied.

The Cambridge Library Collection brings back to life books of enduring scholarly value (including out-of-copyright works originally issued by other publishers) across a wide range of disciplines in the humanities and social sciences and in science and technology.



A Treatise on Analytical Statics

With Numerous Examples

VOLUME 2

EDWARD JOHN ROUTH





CAMBRIDGEUNIVERSITY PRESS

University Printing House, Cambridge, CB2 8BS, United Kingdom

Published in the United States of America by Cambridge University Press, New York

Cambridge University Press is part of the University of Cambridge. It furthers the University's mission by disseminating knowledge in the pursuit of education, learning and research at the highest international levels of excellence.

 $www. cambridge. org \\ Information on this title: www. cambridge. org/9781108050296$

© in this compilation Cambridge University Press 2013

This edition first published 1902 This digitally printed version 2013

ISBN 978-1-108-05029-6 Paperback

This book reproduces the text of the original edition. The content and language reflect the beliefs, practices and terminology of their time, and have not been updated.

Cambridge University Press wishes to make clear that the book, unless originally published by Cambridge, is not being republished by, in association or collaboration with, or with the endorsement or approval of, the original publisher or its successors in title.



A TREATISE ON ANALYTICAL STATICS



Mondon: C. J. CLAY AND SONS,
CAMBRIDGE UNIVERSITY PRESS WAREHOUSE,
AVE MARIA LANE.

Slasgow: 50, WELLINGTON STREET.



Leipzig: F. A. BROCKHAUS. Pew York: THE MACMILLAN COMPANY.

[All Rights reserved]



A TREATISE ON ANALYTICAL STATICS

WITH ILLUSTRATIONS TAKEN FROM THE THEORIES OF ELECTRICITY AND MAGNETISM

BY

EDWARD JOHN ROUTH, Sc.D., LL.D., M.A., F.R.S., ETC.,
HON. FELLOW OF PETERHOUSE, CAMBRIDGE;
FELLOW OF THE UNIVERSITY OF LONDON.

VOLUME II

SECOND EDITION. REVISED AND ENLARGED.



Cambridge:

PRINTED BY J. & C. F. CLAY,
AT THE UNIVERSITY PRESS.



PREFACE.

In the first edition of this treatise the subject of Attractions was presented only in its gravitational aspect. This limitation was formerly customary, when electricity was less studied than now, but the result has become somewhat unsatisfactory. When lecturing on the subject the Author found that some of the most striking examples of Attraction were those derived from the theory of electricity. While it was impossible wholly to pass these over, it appeared that the interest in them was sensibly diminished if they were discussed without explanations of their meaning. Examples on the attractions of thin layers of matter, subject to what appeared to be arbitrary laws, seemed to have no real applications.

For these reasons a selection has been made of those propositions in Magnetism and Electricity which appeared most forcibly to illustrate the theory of Attraction. These have been joined together, with brief introductions, so as to form a continuous story which could be understood without reference to any other book.

These illustrations have been so far separated from the rest of the volume that any portion of them may be omitted by a reader who desires to confine his attention chiefly to gravitational problems.

Some theorems, which it was not deemed expedient to include in the text, have been shortly discussed in the notes at the end of the volume. These are not always closely connected with the theory of attractions, yet, being natural developments of the text, will probably assist the reader in following the argument.



vi PREFACE.

The general arrangement of the gravitational part of "Attraction" has been only slightly altered. New theorems have, however, been introduced and the demonstrations of some of the old ones simplified.

The second part of this volume is on the stretching and bending of rods. The investigation of the stretching, and consequent thinning, of a rod is founded on Hooke's law. The fact that (with certain restrictions) the stress couple is proportional to the bending is assumed as an experimental result and applied to determine the bending of rods and springs under various circumstances. The problem, when put into this form, is properly included in a treatise on Statics. Although this chapter is not a treatise on the theory of Elasticity, it did not seem proper wholly to omit the theoretical considerations by which the truth of the fundamental law is confirmed. Accordingly some simple examples which had been briefly discussed in the last edition have been retained.

The theory of Astatics occupies the third part of this volume. It was discussed with sufficient fulness in the first edition and only very slight alterations have now been made.

A separate index to each of the three chapters has been given. So many results are included under the head of Attraction that it was found impossible to mention them all without unduly lengthening the list. It was also necessary to classify some theorems only under one heading.

Finally, I desire to express my thanks to Mr J. D. H. Dickson of Peterhouse for the very great assistance he has given me in correcting most of the proof-sheets and for his many valuable suggestions.

EDWARD J. ROUTH.

Peterhouse, December, 1901.



CONTENTS.

ATTRACTIONS.

	$Introductory \ remarks.$					
ARTS.						PAGES
1-6.	Law of attraction, units and magnitude					1—3
7—9.	Law of the direct distance	•	•	•	•	3—4
	Attraction of Rods, Discs,	d c				
1013.	Components and resultant attraction .					4—6
14.	Attraction of an infinite cylinder					6
15—16.	Examples and theorems on rods					6-8
17—19.	Curvilinear rods. Examples and theorems					8—9
20.	Some inverse problems					910
2123.	Circular disc. Infinite plate. Young's rule	е.				10 - 12
24.	Attraction of cylinders					12—13
25-30.	Attraction of a lamina. Playfair's rule .					13 - 16
31-32.	Solid of greatest attraction		•			16—17
33—38.	Attraction of mountains; density of the ea	irth	•	•	•	17—19
	The Potential.					
39—43.	Relations of force to potential					20—22
44.	Work and potential					22 - 23
45—48.	Level surfaces, various theorems					2324
4951.	Potentials of rods. Rectilinear lamina, w	rith	confoc	al le	vel	
	surfaces. See also Art. 253					2426
52.	Circle of parallel rods. A discontinuity.					26
53-54.	Discs and cylinders					27
55—57.	Attraction of a homogeneous cylindrical shell	lat (1) an i	ntern	al,	
	(2) an external, point					27-29
58 .						29
59—63.	Systems of particles, mutual work					30-33



viii CONTENTS.

Spherical Surface.

	- · · · · · · · · · · · · · · · · · · ·	
ARTS.		PAGES
64—67.	Potential and attraction of a thin shell	33—35
6872.	Ellipsoidal and cylindrical elliptic shells	35 - 37
73—76.	Various theorems	37 —38
77—78.	Solid sphere	3839
79.	Portions of spheres, hemispheres, &c	39—40
80.	Other laws of force	40—41
81—83.	Eccentric shells	41 - 42
84.	Gauss and Poisson on mean potential	42
85—88.	Heterogeneous spherical shell	43—44
89—91.	Find the law of force that the attraction may be the same as	
	that of a particle	44 - 45
92-93.	Method of differentiation	45 - 46
94.	Similar solids	47
	Laplace's, Poisson's and Gauss' Theorems.	
95—98.	Laplace's theorem. Jellett's theorem, &c	47—49
99.	Potential constant through a finite space (see Art. 139) .	49
100.	Invariant property of Laplace's operator	49
101—104.	Potential at internal points (see Art. 146)	4951
105.	Poisson's theorem	51 - 52
106—107.	Gauss' theorem, $\int F d\sigma = 4\pi M$	52 - 54
108—110.		5456
	Theorems on the Potential.	
111—114.	Potential not an absolute minimum	5658
115—117.	Potential constant through any space	58-59
118—121.	Points of equilibrium. Stability. Separating cone	59—61
122—125.	Intersections of a level surface. Rankine's theorem	61 - 62
126—128.	Tubes of force, &c. Theorems. Note A, page 356	62 - 63
129—132.	Bodies with equal potentials	$63 - \!\!\! -65$
133.	Extensions of these theorems	6566
134.	To trace level curves and lines of force	66
135.	Potential at a distant point. MacCullagh's theorem	6667
136.	Theorem on equipotential bodies	6768
137—138.	Centrobaric bodies	69
139—141.	Potential constant through a finite space (see Art. 99) .	6970
	Attraction of a Thin Stratum.	
142.	Green's theorem, $X'-X=4\pi m$	70—72
143.	Attraction of a stratum on an element of itself, $X' + X = 2F$	72 - 73
144—146.	Changes of force and potential at the surface	73
147.	Green's theorem deduced from Gauss'	73—74
148.	Relation between normal force and constant potential .	74



	CONTENTS.		ix
	Green's Theorem.		
ARTS.			PAGES
149153.	A volume integral replaced by a surface integral. Also	а	
	surface integral by a line integral, Note A, page 38		7477
154—157.	Green's equivalent layer		77 - 79
15 8— 160 .	Points at which V is infinite		79 - 80
161—162.	Multiple-valued functions		8081
163.	Extensions of Green's theorems	•	8182
	Given the Potential, find the Body.		
164 165	Solid and appendial restten		00 02
164—165. 166—167.	Solid and superficial matter	•	82—83 83—84
100—107.	10 mid these, see also Art. 259	•	03-04
	Method of Inversion.		
168—180.	Inversion from a point. Theorems		84—89
181—183.	Inversion from a line		89—90
184.	Extension of the theory, $r' = Ar^n$, $\theta' = n\theta$	٠	90—92
	Circular Rings and Anchor Rings.		
			00 00
185—189.	Potential found by the use of a conic		92—93
190—191.	Law of the inverse κth power. See Note B, page 358		93—96 96—97
192—193.	Anchor rings	•	90—91
	Attraction of Ellipsoids.		
194—195.	Two kinds of shells		97—98
196-200.	Homoeoid, internal point. The integrals I and J .		98-101
201-207.	Thin homoeoids, attractions and lines of force .		102—105
208-210.	Homoeoid, external point, $F = Mp'/a'b'c'$, &c		105106
211215.	Solid homogeneous ellipsoid. Note C, page 358 .		106 - 108
216-217.	Level surfaces		108—109
218.	Other laws of force. Note D, page 359		109—110
219221.	Spheroids. Nearly spherical ellipsoids		110—111
222-223.	Ivory's theorem		111112
224 —227.	Maclaurin's theorem, &c	•	112—114
228.	Focal discs. Focaloids	•	114—115
229.	Mutual attraction	٠	115
230.	Potential in elliptic coordinates	•	115
231.	Ellipsoidal quadratic layers. Heterogeneous shells.	•	116—117
232-238.	Elliptic cylinders, attraction and potential	•	117—120
239—244.	Heterogeneous ellipsoid, similar strata		120-122
245—250.	Ellipsoids with any law of density. Note E, page 360	٠.	122—128
251 —254.	Elliptic discs. Confocal level surfaces, &c	•	128—130



X CONTENTS.

	$Rectilinear\ Figures.$	
ARTS.	g	PAGES
255—261.	Potential of a lamina found in terms of those of the sides	THOES
200-201.	and that of a solid in terms of those of the faces.	130133
262.	Application to a tetrahedron, &c	133
202.	Application to a tetrahedron, &c	199
	Laplace's Functions and Spherical Harmonics.	
263—277.	Legendre's functions. Elementary theorems. Note F, page 360	134138
278—282.	The integrals $\int f(p) P_n dp = 0$, $\int P_n^2 dp = 2/(2n+1)$. See	138—140
283.	also Note G, page 361	140
284—287.		140—142
288—291.	Three fundamental theorems. See Note H, page 362	140-142 $142-145$
292—293.	Examples and theorems. See Note 11, page 502.	
292—293. 294—296.	Examples and theorems	145—146
	Heterogeneous spherical strata, &c	146—148
297—298.	Nearly spherical bodies. See Art. 221 Potential found when given on spheres	148—150
299.		150—151
300—302.	Solid of revolution	151—153
303.	Potential of a ring, &c. Oblate spheroid	153—154
304—309.	Clairaut's theorem, first and second approximations .	154—159
310.	Figure of Saturn acted on by the ring	159 - 160
3 1 1—313.	Jacobi's ellipsoid. Nearly spherical earth and Haughton's	
	problem on a fluid nucleus	160—162
	Magnetic Attractions.	
314—322.	Potentials, couples, forces and energy	162 - 167
323.	Lines of force of a rectilinear row of particles and of	
	parallel rods in a plane	168 - 169
324-325.	Examples and applications	169 - 170
326—332.	Magnetic body. Elementary rule, rod, sphere, ellipsoid,	
	cylinder. Note I, page 363 Infinite cylinder in a field of force	170 - 174
333.	Infinite cylinder in a field of force	174 - 175
335—338.	Terrestrial magnetism	175 - 177
339341.	Poisson's general theorem	177 - 178
342—345.	Magnetia ferra and Magnetic industrian See Notes V. T.	
	page 363	178—180
346349.	page 363	180—181
350362.	Lamellar shells. Potential force, mutual energy. Circular	
	shells, &c. See Note M on vector potential, page 364	181—187
	TT - 1 1 1 1 1 1	
	$Electrical\ Attractions.$	
363—375. 376—385.	Introductory statement and elementary examples Ellipsoids. Quantity on a portion of the surface. Elliptic	187193
	discs, potentials, &c	193196



	CONTENTS.	X1
ARTS.		PAGES
386 - 392.	Conductor with a cavity. Screens	196 - 198
393 - 396.	Two methods of solution. Green's theorem	198-201
397-406.	Sphere acted on by a point charge. Lines of force, &c.	
	Quantity on a portion of the sphere and its potential.	
	See Note N, page 365. Electrified ring. See Art. 422	201-207
407-411.	Cylinders with parallel axes	207-210
412-416.	Plane conductors. Intersecting at right angles or at an	
	angle π/n	210212
417—419.		212-215
420—421.	Nearly spherical bodies, &c. Point charge	215—219
422.	Sphere with electrified ring. See Art. 406	219
423-432.		219—224
433—437.	Two orthogonal spheres. Capacity	224227
		224227
438—450.	Theory of a system of conductors. Energy. Junction and	
	introduction of conductors	227 — 2 33
451-455.	Circular disc with point charge	233236
4 56— 4 58.	Spherical bowl	236 - 238
459—464.	Two separate spheres	238 - 241
	Magnetic Induction.	
465-472.	Induced magnetism. The boundary condition	242-245
473—486.	Specific Inductive Capacity. Dielectrics. Kelvin's theorem.	212-210
110-100.	Problems on Condensers and on Induction	245—258
487.		
	Magnetic shells	258
488—491.	Surface integral of magnetic induction	258-260
492—494.	11	260—261
495.	Potential of an electric system	261262
	THE BENDING OF RODS.	
	Introductory Remarks.	
1-4.	Definition of central line, thickness of rod, extent of defor-	
	mation, &c	263 - 264
	,	
	The Stretching of Rods.	
5.	Hooke's law	264
6.	Isotropic and æolotropic bodies	264
7—9.	Theory of a stretched rod. Change of sectional area.	265—266
1—v.	incory of a succeed fou. Onlinge of sectional area.	200-200
	The Bending of Rods.	
10—12.	Equations of equilibrium. Two methods	267—269
13.	The additional experimental law. Flexural rigidity	269—270
10.	The additional experimental law. Pleadian fightity .	200-210



xii	CONTENTS.			
ARTS.		PAGES		
14—15.	Limits to the law of elasticity	270		
16.	Work of bending an element	270-271		
17—18.	Deflection of a straight heavy rod	271 - 274		
1920.	Equation of the three moments	274 - 275		
21.	General method of solving problems. Yielding	275-277		
22 .	Examples of bent rods. Determination of the constants of			
	bending by experiment	277-278		
23.	Problems on the Britannia Bridge	278		
24.	Supported rods with weights. Relation of the pressures at			
	consecutive points of support. Also the deflection .	278 - 279		
2 5.	How $2m+1$ supports should be arranged that the pressures			
	of a heavy beam may be equal	279 - 280		
27-32.	A bent bow. Euler's theorem on the strength of columns.			
	Greenhill's problems on columns	281-285		
33—35.	Theory of a bent rod. The displacements of the fibres .	285 - 288		
36.	Airy's problem on the proper method of supporting stand-			
	ards of length	288 - 289		
37 —39.	Bending of circular rods; inextensible and extensible .	289 - 291		
40-42.	Work of bending and stretching a circular rod	291-292		
43-44.	Very flexible rods	292 - 294		
	Rods in Three Dimensions.			
45.	Measures of twist	294-295		
46 — 5 0.	Resolved curvature	295 - 297		
51.	Relations of stress to strain	297298		
52 - 53.	Work of bending	298-299		
54.	Helical twisted rods	299 - 301		
55 - 56.	Spiral springs	301—303		
57 — 5 9.	Equations of equilibrium	303-306		
	ASTATICS.			
	Astatic Couples.			
	Howaite Compies.			
12.	Definitions of the astatic arm, the astatic angle. History.	307-308		
3.	A couple may be moved parallel to itself	308		
4-5.	Resultant of two couples, (1) forces parallel, (2) arms parallel	308309		
67.	Working rule	309 - 310		
8.	Three couples cannot in general be in a static equilibrium.	310-311		
$The \ Central \ Ellipsoid.$				
9.	Reduction to a force and three couples	311312		
10.	Astatic notation. The twelve elements. See Art. 59.	312313		
11—12.	Conditions of equilibrium, &c	313-314		



	CONTENTS.	xiii
ARTS.		PAGES
13.	If a system be equivalent to three forces their points of	
	application lie in a fixed plane	314315
14—17.	The central ellipsoid	315317
18.	Principal axes at any base. The principal couples	318
19—20.	The initial positions	318—319
21.	There are only four positions in which the forces are equi-	
	valent to a single resultant passing through the base.	319 - 320
22.	Other ellipsoids	320321
	The Central Plane and the Central Point.	
23.	The central ellipsoids at different points compared	321
24.	If $R=0$, they are all similar	321
25-26.	When the central ellipsoid is a cylinder the locus of the	
	base is the central plane	321 - 322
27.	Reduction to a force and two couples	323
28-29.	The central point. The arms of the two couples are perpen-	
	dicular; the forces are perpendicular to each other and	
	to R	323—324
30.	Working rule to find the central point	324—325
31.	Equation to the central plane expressed in terms of the	905
90	forces and their mutual inclinations	325
32. 33.		325—326 326—327
55.	Analogy to moments of inertia	320-321
	$The \ Confocals.$	
34.	Arrangement of central ellipsoids about the central point.	327 - 328
35.	The principal axes are the normals to the three confocals.	328 - 329
36.	The focal conics and the focal lines	329—330
37.	Theorems on focal lines. Distance of a focal line from the	
	centre. Four real focal lines can be drawn through a	
	given point or parallel to a given line. Locus of focal	
	lines passing through a point on a focal conic is a right	
	cone. Locus of the base when the central ellipsoid is a surface of revolution. Other theorems	990 991
	surface of revolution. Other theorems	330—331
	Arrangement of Poinsot's Central Axes.	
38—40.	When the body is rotated about R, Poinsot's axis is fixed	
	in space and describes a right cylinder in the body.	
	To so place the body that, when possible, a given straight	
	line is a Poinsot's axis	331—335
41-42.	The couple-moment follows the law $\Gamma = \Gamma_0 \sin (\phi - \phi_0)$.	335—336
43.	Inversion of the body	336—337
44.	Equation to Poinsot's axis referred to the principal axes at	00= 05-
	the central point. Minding's theorem. See Art. 48.	337338
45.	To find the axes when the couple-moment is given.	000 000
	Another construction on Poinsot's axis	338339



xiv	CONTENTS.	
ARTS.		PAGES
46—47.	Cylinders which intersect the circular cylinder in four	
	Poinsot's axes of given moment	339 - 340
48—50.	Minding's theorem. See Art. 44	340-341
5154.	Relations of Poinsot's axes to the confocals	341342
	Reduction to Three and to Four Forces.	
55—56.	Reduction to three forces	342-344
57 —58.	Astatic triangles lie on the central plane.	
	Hence a rule to find the central plane	344 - 345
59.	Interpretation of a column of the twelve elements	345 - 346
60—62.	Reduction to four forces	346-347
63.	Transformation of a tatic triangles	347-348
64.	The imaginary focal conic	348
65.	The invariants of three forces	348349
6669.	Various theorems	349350
70—71.	Transformation of a tatic tetrahedrons	350-351
72.	A system cannot in general be reduced to fewer than three	
	forces	351
7377.	Conditions that it can be reduced to two	352 - 354
78.	The invariants of two forces	354355
79.	Conditions that a system can be reduced to a single force.	355
	NOTES.	
	NOTES.	
	A. A surface integral replaced by a line integral	356—35 8
	B. Potential of a thin circular ring	358
	C. Attraction of a solid ellipsoid; another proof	358 - 359
	D. Potential of a homoeoid for any law of force	359
	E. Heterogeneous ellipsoids	36 0
	F. The expansion of the potential for other laws of force	360361
	G. Theorems on Legendre's functions	361— 362
	H. Laplace's equation $\int Y_m Y_n d\omega = 0$	362363
	I. A magnetic sphere	363
	K. Magnetic forces	363
	L. The magnetic induction	363364
	M. The vector potential	364 - 365
	N. Figure showing the distribution of electricity on a sphere	365366
	P. On a discontinuity	366

ERRATA.

Page 50, line 27. For π read $\pi/2$. Page 140, note. For a read V. Page 323, line 11. For 10 read 9.