

## INDEX.

- AIR condenser, discharge of, 89.  
 horizontal whirl of, causes electrification, 4.
- Aitken, 8.
- Alternating currents (*see also* Oscillatory Discharge), magnetic effects of, 48, 129, 302.  
 traverse surface of conductor only, 40.
- Alternative path experiments, 32, 47, 50, 74, 176, 218, 281, 313.  
 theory of, 97, 240, 274.
- Arago, 73.
- Area of protection meaningless, 18, 137, 190, 442, 522.
- Atmosphere compared to Leyden jar, 8, 88, 156.
- Atmospheric electricity, origin of, 2.
- Aurora, 3.
- Ayrton, 48.
- Bennett, A. R., 518.
- Bertsch, 83.
- Bidwell, Shelford, 8.
- Bottomley, 152.
- Boys, C. V., 126, 149, 151.
- Brown, J., 255.
- Brush discharge, 10, 196.
- Bucknill, Col. J. T., 429, *et seq.*
- Bursting of Leyden jar, 148, 170.
- Cables, protection of, 369, 398.
- Callaud, 26, 251, 252.
- Capacity of conductor, analogous to elasticity, 52.  
 desirability of increasing it, 72.  
 effect of, 53, 354.  
 its relation to wave length, 61.
- Cavendish, 23.
- Charge, energy of, 9.
- Chattock, A. P., 20, 70, 106, 146, 408.
- Chimney climbing, 534.
- Chimneys, a mild source of danger, 69, 222.  
 protection of, 53, 370, 448.
- Circuit, surging, cases of, 192, 196.  
 experiments on, 63, 356, 358.
- Clark, J. W., 6.
- Cloud, acts as a conductor, 4.  
 capacity of, 88.  
 compared to spangled jar, 215.  
 discharge of, 170, 213.  
 energy of charged, 88.  
 potential of, 88.  
 quantity of electricity on, 88.
- Coalescence of electrified globules, 5.
- Condenser (*see also* Leyden Jar), 1.  
 rate of discharge of, 271.  
 time constant of, 270.
- Conductor, capacity of, 52.  
 cross section of, 372.  
 hollow, protection afforded by, 23, 70, 369, 399.  
 iron *v.* copper for, 25, 35, 46, 124, 175, 219, 248, 305, 315, 323, 371, 451, 474.  
 points for top of, 25, 55, 57, 189, 218.  
 rod *v.* ribbon for, 26, 41, 44, 197, 228, 249, 309, 452.  
 stranded *v.* solid, 26.  
 throttling of, by induced currents, 40.

- Conductors, allowance for expansion in, 21.  
 connection to roof-gutters, 64, 188, 192.  
 details regarding their failure, 25.  
 experimental lightning, 131, 221.  
 failure of, 15.  
 for houses, 19.  
 forms suggested for by Bucknill, 441, *et seq.*  
 Lightning, discussion on at Bath, 117.  
 Lodge, 207.  
 Mann, 22.  
 Maxwell, 23.  
 melting of, 250.  
 should not be connected to gas pipes, 22, 135, 192, 200.  
 Conference, Lightning Rod, 20.  
 Cook, Dr. E., 106.  
 Copper *v.* iron for lightning rods, 25, 35, 46, 124, 175, 219, 248, 305, 315, 323, 371, 451, 474.  
 Core, effect of iron, 328, 353, 354.  
 Culley, 458.  
 Current, alternating (*see also* Oscillatory Discharge), lag of in B-circuit, 300.  
 magnetic effects of, 48, 129, 302.  
 traverses surface of conductor only, 40.  
 Cuthbertson, 321.
- Deflagration of wires, 334.  
 Direct generation of light, 105.  
 Discharge, current during, 9.  
 heat produced by, 13, 21.  
 jumps across bends in conductor, 21.  
 of air condenser, 89.  
 of cloud, 170.  
 oscillatory, 38, 59.  
 oscillatory, criterion of, 92, 168.  
 oscillatory, magnetic effects of, 48, 129.  
 potential required for, 9.  
 quantity of electricity concerned in, 9.  
 time of, 269.  
 various kinds of, 10.
- “Earth” of lightning rod, 16, 27, 72, 456.  
 testing of, 28, 190, 464.  
 Electrical Inertia (*see also* Inductance, Self-Induction), 11, 30, 31, 38, 42, 173, 187.  
 Electricity, origin of atmospheric, 2.  
 Electric light installations, protection of, 423.  
 Energy, loss of by radiation, 243, 332.  
 of charge, 9.  
 of charged cloud, 88.  
 Everett, 5.  
 Ewing, 302.  
 Expansion, allowance for in lightning rods, 21.  
 Experimental lightning rods, 131, 221.  
 Experiments of Hughes and Guilemin, 74.  
 Experiments of Lodge.  
 on alternative path, 32, 47, 50, 74, 176, 218, 281, 313.  
 on bye-path, 50.  
 on deflagration of wires, 334.  
 on discharge by impulsive rush, 57, 99.  
 on effect of iron core, 328.  
 on gauze house, 70.  
 on liability of objects to be struck, 54, 57, 99.  
 on lightning guards, 180, 379, 393.  
 on overflow of jar, 65, 337, 346, 358.  
 on protection by hollow conductor, 405.  
 on recoil kick, 59, 100, 113.  
 on side flash, 51, 176.  
 on steady discharge, 54, 99.  
 on surging circuit, 63, 358.  
 with Leyden jar, 32, 47, 48, 50, 342.
- Failure of conductors, 15.  
 Faraday, 2, 44, 407.  
 Feddersen, 108.  
 Fitzgerald, 108.  
 Flash, discharge by, 10.  
 duration of, 40, 86.

## INDEX.

541

- Flash, illuminating power of, 40.  
 secondary, 11.  
 side, 51, 192, 196, 216.  
 side, cause of, 64.  
 side, theory of, 241.
- Flashes in high air, 126.  
 in rain, 163.  
 multiple, 17, 69, 86, 195.  
 oscillatory character of, 166.
- Forbes, 326.
- Franklin, 1, 26, 65, 68, 122, 150.
- Friction, probable cause of atmospheric electricity, 2, 3.
- Gas-pipes should not be near lightning-rod, 22, 135, 192, 200.
- Generation of light, direct, 105.
- Globules, coalescence of electrified, 5.  
 potential of, 5.
- Guards, lightning, 375.  
 connecting up of, 387.  
 experiments on, 180, 379.  
 Jamieson's, 385, 416.  
 Lodge's, 388, 419.  
 Saunders's, 385, 393.
- Guillemin, 81, 83.
- Harris, Snow, 2, 18, 44, 81, 82, 198.
- Heaviside, O., 40, 42, 46, 87, 111, 219, 261.
- Helmholtz, H. von, 109, 202.  
 R. von, 7.
- Hertz, 73, 105, 107, 110, 256, 314, 408.
- High air, flashes in, 126.
- Hollow conductor, protection by, 23, 70, 369, 399.
- Hôtel de Ville, Brussels, 20, 206, 456.
- Houses, protection of, 19, 71, 234, 448, 486.
- Hughes, 40, 87.  
 and Guillemin, 73, 74, 83.
- Impedance, calculation of, 43, 95, 246.  
 determines path of impulsive rush, 58.  
 distinguished from resistance, 42.
- Impedance due to magnetization of space, 172.  
 independent of material at high frequencies, 96, 219.  
 of Leyden jar discharges, 114, 245.
- Impulsive Rush (*see* Rush.)
- Inductance (*see also* Self-Induction, Electrical Inertia), 31, 38, 42, 82.  
 its relation to wave length, 61.
- Inertia, Electrical (*see also* Inductance, Self-Induction), 11, 30, 31, 33, 42, 173, 187.  
 its relation to wave length, 61.
- Instruments for testing "earth" of lightning-rod, 28.  
 protection of, 180, 380, 419.
- Iron core, effect of, 328, 353, 354.
- Iron *v.* copper for lightning rods, 25, 35, 46, 124, 175, 219, 248, 305, 315, 323, 371, 451, 474.
- Isobars, depressions in during thunderstorms, 3, 4.
- Jamieson's lightning guard, 385, 416.
- Janssen, 124.
- Karsten, 193.
- Kirchhoff, 111, 200.
- Knobs, behaviour of to impulsive rush, 253, 361.
- Lag, magnetic, in iron conductors, 48.  
 of current in B-circuit, 300.
- Lamb, 87.
- Leyden jar, arranged for blasting operations, 363.  
 bursting of, 148, 170.  
 discharge, 55, 88, 101.  
 discharge, impedance of, 114.  
 discharge, magnetic effects of, 48, 129.  
 discharge, oscillatory, 39.  
 earth's atmosphere compared to, 8, 88, 156.  
 experiments with, 32, 47, 50, 57, 60, 74, 342.  
 overflow of, 65, 337, 346.  
 spark, character of, 86.

- Liability of objects to be struck, 54, 57, 99, 158.
- Light, an electric phenomenon, 257.  
 direct generation of, 105.  
 effect of, on sparks, 314, 340.
- Lightning, buildings, etc. struck by :  
 Churches : Cardiff, 199 ;  
 Chichester Cathedral, 223 ;  
 Crumpsall, St. Mary's, 192 ;  
 Garding, 194 ; Greifswald,  
 Nicolaikirche, 200 ; Itzehoe,  
 St. Lawrence's, 201 ; Leices-  
 ter, St. George's, 14 ; Nantes,  
 Ste. Croix, 251 ; Newbury,  
 Mass., 122 ; Rosstall, Bavaria,  
 15, 18 ; Shelton, Potteries,  
 446 ; Stralsund, 201 ; Wyatt  
 Papworth, 192.
- Electric bell wire, North Wales,  
 224.
- Electric light leads, Oporto,  
 515.
- Gas meter, 199.
- Hôtel de Ville, Brussels, 206.
- Houses : Carolina, U.S., 73 :  
 Compton Lodge, Jamaica,  
 448 ; Larnaca, 514 ; Lyons,  
 73 ; Surbiton, 512 ; Waver-  
 tree, 135, 136.
- Instruments : Canso, N.S., 135,  
 378.
- Lighthouse : Mangalore, India,  
 139.
- Powder magazine : Bruntcliffe,  
 192 ; Lake District, 223.
- Railway Station : Antwerp,  
 204, 531.
- Schoolhouse : Elmshorn, 201.
- Ship : H.M.S. Conway, 17, 166.
- Stable : Hanover, 509.
- Street Bracket, 199.
- Telegraph lines : Calcutta, 479 ;  
 Shrewsbury and Hereford,  
 224, 413 ; Worcester and  
 Wolverhampton, 413.
- Tower : Slough Fort, 223.
- Underground lines : Metro-  
 politan Railway, 414 ; Clif-  
 ton, 414.
- Wall : Hampstead Heath, 146.
- Lightning conductors, discussion  
 on, at Bath, 117.  
 experimental, 131.  
 disruptive effect of, 14.  
 oscillatory character of, 166.  
 protectors, 180.
- Lodge's lightning guard, 388, 419.  
 for electric light installations,  
 423.
- Macleay, 31.
- Magnetic lag in iron conductors,  
 48.
- Mahon, Lord, 11.
- Mann, Dr., 2, 22.
- Maxwell, 23, 40, 87, 88, 114, 369.
- Melsens, 20, 203, 456, 522.
- Metallic screens, effect of, 235.
- Multiple flashes, 17, 69, 86, 195.
- Oberbeck, 87.
- Oscillations, electric, at discharge  
 of cloud, 170, 367.  
 at discharge of condenser, 170.  
 in conductor, 64, 101, 108, 367.
- Oscillator, Hertzian, 257.  
 radiating power of, 263.  
 wave length of, 262.
- Oscillatory discharge, 38, 59.  
 confined to surface of conduc-  
 tor, 40.  
 criterion of, 92, 168.  
 duration of, 39.  
 magnetic effects of, 48.  
 of clouds, 170, 367.
- Overflow of jar, effect of high re-  
 sistance on, 352.  
 effect of iron core on, 353.  
 effect of length of circuit on,  
 67, 348.  
 experiments on, 65, 337, 346.
- Path, alternative, experiments  
 on, 32, 47, 50, 74, 176, 218, 281,  
 313.  
 theory of, 97, 240, 274.
- Permeability, magnetic, value of  
 for rapidly alternating forces,  
 302, 306.
- Points, behaviour of to impulsive  
 rush, 253, 361.

## INDEX.

543

- Points, discharging power of, 20, 370.  
 for top of conductor, 25, 55, 57, 189, 218.
- Potential and spark length, 290.  
 of coalescing globules, 5.
- Potential required for discharge, 9.
- Powder magazine, destroyed by lightning, 192.  
 protection of, 70, 429, 486.
- Poynting, 40, 111.
- Preece, 26, 45, 117, 124, 184, 214, 249, 327.
- Protection, area of, meaningless, 18, 137, 190, 442, 522.  
 best kind of, 10, 24, 71.  
 by hollow conductor, 23, 70, 370, 399.  
 by non-conducting soil, 438.  
 conditions for, 158.  
 of cables, 369, 398.  
 of chimneys, 53, 370.  
 of houses, 19, 234.  
 of instruments, 180, 380.  
 of powder magazines, 70, 192, 486.
- Protectors, lightning, 180.  
 cost of, 533.  
 Jamieson's, 385, 416.  
 Lodge's, 388, 419.  
 Saunders's, 385, 393.
- Radiation, electric, 256.  
 from Hertz oscillator, 263.  
 loss of energy by, 243, 332.
- Rain drops, coalescence of, 6.  
 sparks in, 163.
- Rayleigh, Lord, 5, 40, 46, 48, 87, 94, 98, 104, 109, 114.
- Recoil kick, experiments on, 59, 100, 113, 365.
- Return stroke, 11, 58.
- Resistance, analogous to friction, 42.  
 critical for alternate currents, 92, 175.  
 effect of on impulsive rush, 57, 100.  
 effect of in surging circuit, 64.  
 effect of on steady discharges, 52, 55, 100.
- Resistance of conductor to currents of high frequency, 245.
- Ribbon *v.* Rod for conductors, 26, 41, 44, 197, 228, 249, 292, 309, 452.
- Rood, 85.
- Roof gutters, connection of lightning rods to, 64, 188, 192.
- Rush, impulsive, and steady strain, effects of compared, 54, 99, 156, 360.
- Saunders's lightning-guard, 385, 393.
- Schaw, Col., 470.
- Schiller, 109.
- Screens, metallic, effect of, 235.
- Secondary flash, 11.
- Self-induction (*see also* Electric Inertia, Inductance), 31, 38, 42, 82, 245.  
 influence of on cloud discharge, 268.  
 its relation to wave length, 61.  
 of path of a flash, 91.
- Side flash, 51, 176, 192, 196, 216.  
 theory of, 241.
- Silent discharge, 10.
- Snow, Harris, Sir W., 2, 18, 44, 81, 82, 198.
- Spark, difference between positive and negative, 253.  
 effect of light on, 314, 340.
- Sparks in rain, 163.  
 to surface of water, 165.  
 under water, 165.
- Steady strain and impulsive rush, effects of compared, 54, 99, 156, 360.
- Steam, opacity of when electrified, 7.
- Stroke, return, 11, 68.
- Sumpner, 298.
- Surging circuit, cases of, 192, 196.  
 experiments on, 63, 356, 358.
- Symons, 221.
- Tape *v.* Rod (*see* Ribbon *v.* Rod).  
 Thomson, J. J., 260.
- Thomson, Sir W., 32, 87, 109, 228, 272, 474.

- |  |  |
|--|--|
| <p>Throttling of conductor by induced currents, 40, 173.<br/>         Thunder-cloud, formation of, 6.<br/>         Time-constant of a condenser, 270.<br/>         Tyndall, 11.<br/>         Violett-le-Duc, 252.<br/>         War Office rules for lightning protectors, 486.</p> | <p>Water, sparks to surface of, 165.<br/>         sparks under, 165.<br/>         Waves, electromagnetic, in conductors (<i>see also</i> Oscillatory Discharge), 61, 101.<br/>         on wires, 111.<br/>         production of, 258.<br/>         Whirl of air, horizontal, may cause its electrification, 4.<br/>         Wimshurst, 215, 244, 253.<br/>         Wires, deflagration of, 334.<br/>         waves on, 111.</p> |
|--|--|