

INDEX.

- A.
- Abrus precatoria*, perhaps a case of mimicry, 226
- Absorption-colours or pigments, 183
- Acræidæ, warning colours of, 174
- Adaptive characters, 150, 155
- Affinities, how to determine doubtful, 148
- African large mammalia, recent immigrants, 323
- Allen, Mr. Grant, on protective colours of fruits, 225
- Alpine flowers, why so beautiful, 232
- Amboyna, large sized butterflies of, 258
- American monkeys, 118
- American Continents, past history of, 332
- Ancient races of North and South America, 298
- Andaman Islands, pale butterflies of, 260
- white-marked birds of, 263
- Anderson, Mr. W. Marshall, on cranium from N. American mound, 296
- Andes, very rich in humming-birds, 139
- Animal colours, how produced, 134
- life in tropical forests, 70
- Anthrribidæ, 95
- Ants, wasps, and bees, 80
- numbers of, in India and Malaya, 81—88
- destructive to insect-specimens, 85
- and vegetation, special relation between, 89
- Apatura and Heterochroa, resemblance of species of, 257
- Apes, 116
- Aqueous vapour of atmosphere, its influence on temperature, 9
- quantity at Batavia and Clifton, 10
- Arctic plants, large leaves of, 236
- flowers and fruits brightly coloured, 237
- Areca palm, 45
- Arenga saccharifera*, 43
- Argus-pheasant, wonderful plumage of, 205
- Arums, 48
- Assai of the Amazon, 43
- Auckland Isles, handsome flowers of, 238
- Audubon, on the ruby humming-birds, 130, 137
- Australian Region, mammalia of, 340
- birds of, 340
- extinct fauna of, 341
- its supposed union with S. America, 341
- Azara, on food of humming-birds, 135
- B.
- BAMBOOS, 52
- uses of, 53—58
- Bananas, wild, 47
- Banana, 48
- Barber, Mrs. on colour changes of pupa of *Papilio nireus*, 168
- Barbets, 105
- Bark, varieties of in tropical forests, 33
- Barometer, range of, at Batavia, 24
- Batavia, Meteorology of, 4
- and London, diagram of mean temperatures, 5
- greatest rainfall at, 24
- range of barometer at, 24
- Bates, Mr. on climate at the Equator, 24
- on scarcity of forest-flowers on Amazon, 61
- on animal life in Amazon valley, 70
- on abundance of butterflies at Ega, 75
- on importance of study of butterflies, 78
- on leaf-cutting ants, 86
- on blind ants, 88
- on bird-catching spider, 97
- on use of toucan's bill, 106
- on large serpents, 115
- on the habits of humming birds, 132

Cambridge University Press

978-1-108-05313-6 - Tropical Nature and Other Essays

Alfred Russel Wallace

Index

[More information](#)

350

INDEX.

- Bats, 118
- Beetles, 94
 abundance of, in New Forest-clearings, 96
 probable use of horns of, 202
- Belt, Mr. on virgin forests of Nicaragua, 62
 on aspects of tropical vegetation, 67
 on leaf-cutting ants, 86
 on an *Acacia* inhabited by ants, 89
 on uses of ants to the trees they live on, 90
 on a leaf-like locust, 93
 on tree-frogs, 116
 on the habits of humming-birds, 133, 134
 on uneatable bright-coloured frog, 175
 on use of light of glow-worm, 205
- Betel-nut, 45
- Bill of humming-birds, 129
- Biology, by-paths of, illustrated, 251
- Birds, 99
 how many known, 124
 cases of local variation of colour among, 262
 influence of locality on colours of, 255
 which fertilize flowers, 273, 274
 and insects blown to oceanic islands, 308
 of Palearctic Region, 316
 of Ethiopian Region, 318
 of Oriental Region, 320
- Bonelli, Mr., on the Sappho comet humming-bird, 132
- Bullock on food of humming-birds, 153
- Buprestidæ, 94
- Burchell, Dr., on the "stone mesembryanthemum," 223
- Butterflies, abundance of, in tropical forests, 72
 conspicuousness of in tropical forests, 73
 colours and form of, 74
 peculiar habits of tropical, 76
 tropical and temperate compared as to colour, 164
 females do not choose their partners, 200
 with gaily-coloured females, 204
 numbers and variety of, 255
 influence of locality on colours of, 255
- Buttressed trees, 31
- C.
- CALAMUS, 41
- Callithea*, imitated by species of *Catagramma* and *Agrias*, 257
Callithea markii, 75
- Campylopterus hemileucurus*, pugnacious and ornamental, 214
- Cattleyas, 51
- Cecropias, trees inhabited by ants, 89
- Celebes, large and peculiarly formed butterflies of, 259
 white-marked birds of, 263
- Centipedes, 97
- Ceylon and Malaya, resemblances of fauna of, 327
- Chameleons, 113
- Chameleon, cause of changes of its colour, 170
- Chemical action changes colours, 183
- Chili, humming-birds of, 141
- Chiroptera, 119
- Chrysobactron Rossii*, 238
- Clark, Rev. Hamlet on leaf-cutting ants, 86
- Climate of Equator, general features of, 17
- Climates of Timor, Angola, and Scotland compared, 14
- Climbing plants of tropical forests, 37
 uses of, 39
- Cockatoos, 100
- Cœlogynes, 51
- Coloration of tropical birds, 110
- Colour, cause of change of, in humming-birds, 144
- Colour in nature, problems of, 159
 how far constant, 161
 as affected by heat and light, 161
 of tropical birds, 163
 of tropical butterflies, 164
 of temperate and tropical flowers, 165
 changes of, in animals produced by coloured light, 167
 voluntary change of, in animals, 170
 not usually influenced by coloured light, 171
- Colour, the nature of, 180
 how produced, 183
 changed by heat, 183
 a normal product of organization, 185
 as a means of recognition, 196
 proportionate to integumentary development, 198
 not caused by female selection, 198
- Colour absent in wind-fertilized flowers, 233
 same theory of, in animals and plants, 234
 of flowers and their distribution, 235
- Colour, nomenclature of, formerly imperfect, 247
- Colour-development as illustrated by humming-birds, 212

- Colour-development, local causes of, 216
 in animals, summary, 216
 Colour-perception, supposed recent growth of, 244
 Colour-sense, origin of the, 241
 need for, 243
 not of recent origin, 246
 not wholly explicable, 248
 Colours, classification of organic, 172
 protective, 172
 warning, 174
 sexual, 177
 typical, 179
 of animals, how produced, 184
 theory of protective, 187
 theory of warning, 189
 theory of sexual, 192
 theory of typical, 215
 Colours and ornaments of humming-birds, 127
 Colours of fruits, attractive, 224
 protective, 225
 Colours, which first perceived, 243
Cometes sparganurus, very pugnacious, 214
 Compositæ, arborescent in oceanic islands, 276
 Continent, past changes of the great Eastern, 321
 Continents of Tertiary period, probable aspect of, 343
 Copridæ, 95
 probable use of horns of, 202
 Crematogaster, genus of ants, 83
 Cross-fertilization of flowers, use of, 228
 complex arrangements for, 229
 Cuckoos, 104
- D.
- DANAIDÆ, warning colours of, 174
 Danainæ, Acreainæ and Heliconiinae, local resemblances of, 256
Daphne pontica, 230
 Darwin, Mr., on mode of cross-fertilization and its use, 228
 not too highly rated, 252
 on vegetation of Galapagos, 272
 on use of scented leaves, 277
 on former union of West Indian islands and S. America, 306
 on oceanic islands, 307
 revolution in thought effected by, 284
 Deserts on line of tropics, 28
Desmoncus, 41
 De Vry, Mr., on the sugar-palm, 43
 Dews, cause of heavy tropical, 10
 Diagram of mean temperature at Batavia and London, 5
 of rainfall at Batavia and London, 15
Dianthus alpinus, *D. glacialis*, 232
 Distribution of humming-birds, 138
 Dragons or flying-lizards, 113
 Drugs from equatorial forest-trees, 36
 Duke-of-York - Island, pale-coloured insects of, 259
 Islands, remarkable white plumaged birds of, 263
 Dyes from equatorial forest-trees, 36
 Dynastidæ, 95
 probable use of horns of, 202
- E.
- EARL, MR. GEORGE WINDSOR, on division of Malay Archipelago, 307
 Earth-sculpture or surface-geology, 250
 Earth-works, North American, 292
 Easter Island, sculptures on, 291
 Eciton, genus of foraging ants, 87
 Elateridæ, luminous species perhaps mimetic, 205
 Emperor-moth, protective coloration of, 174
 Environment, relation of living things to, 254
Epicallia, sexes of, differently coloured, 178
Epilobium angustifolium, *E. parviflorum*, 233
 Epimachinæ, 150
 Equator, cause of uniform high temperature near, 6
 short twilight at, 21
 Equatorial climate, general features of, 17
 uniformity of in all parts of the world, 18
 local diversities of, 19
 Equatorial forests, general features of, 29
 Equatorial forest-belt, cause of, 27
 Equatorial heavens, aspect of, 23
 Equatorial zone, temperature of, 3
 Ethiopian Region, 317
 Eugenes fulgens, 134
 Eunice and Siderone, resemblance of species of, 257
 Euplœa, pale species of, in Moluccas and New Guinea, 258
 Euro-Asiatic continent, miocene fauna of, 323
 Eustephanus, 141
Eustephanus galeritus, 143
Euterpe oleracea, 43
 Evaporation and condensation, equalising effects of, 16

- F.
- FEMALE birds, greater brilliancy of some, 211
- Female insects, greater brilliancy of some, 203
- Ferns, 46
- Ferns, preponderance of in Tahiti and Juan Fernandez, 269, 270
- Fiji Islands, pale butterflies of, 259
- Fire-ants, 83
- Fishes, causes of general coloration of, 171
- Flowering-trunks, probable cause of, 34
- Flowers, comparative scarcity of in equatorial forests, 60
- Flowers and insects, 64
- Flowers of temperate zones brilliantly coloured, 165
 comparatively scarce in tropical forests, 167
- Flowers, attractive colours of, 228
 fertilized by insects, 228
 attractive odours of, 230
 when sweet-scented not conspicuously coloured, 230
 attractive grouping of, 231
 alpine, why so beautiful, 232
 why allied species differ in beauty, 233
 when wind-fertilized not coloured, 233
 relation of colours of, to distribution, 235
 and fruits, recent views as to action of light on, 236
- Flowers of Auckland and Campbell's Isles, bright coloured, 233
- Flying-lizards, 113
- Foliage, two chief types of, in tropical forests, 33
 colours of, 221
- Foot of savages does not approach that of apes, 289 (note)
- Forest-belt, cause of equatorial, 27
- Forest-belts, temperate, 29
- Forest-tree, section of a Bornean, 32
 formed from climbers, 32
- Forest-trees, characteristics of, 30
- Forest-trees of low growth, 34
- Forest-trees, uses of equatorial, 35
- Forests, effect of on rainfall and drought, 19
 devastation caused by destruction of, 20
 equatorial, 29
 undergrowth of tropical, 34
- Formica gigas*, 81
- Foxes, none in Isle of Wight in 1605, 305
- Frogs and toads, 116
- Frog, with bright colours uneatable, 175
- Frogs of oceanic islands, 309
- Fruit-bats, 119
- Fruits of equatorial forest-trees, 36
- Fruits, attractive colours of, 224
 protective colours of, 225
 greater antiquity of protected than attractive, 227
- G.
- GALAPAGOS, colours of productions of, 163
 poor in flowers and insects, 235
 weedy vegetation of, 272
- Gardener, Dr., on a large water-boia, 115
- Geckos, 112
- Geiger, on ancient perception of colour, 245
- Geranium pratense*, *G. pusillum*, 233
- Gibbons, 116
- Ginger-worts, 47
- Gladstone, Mr., on the colour-sense, 245
- Glow-worm, use of its light, 205
- Goliath cuckoo, 105
- Gosse, Mr. on Jamaica humming-birds, 132, 135
 on the pugnacity of humming-birds, 134
 on food of humming-birds, 137
- Gould, Mr. on the motions of humming-birds, 131
- Grammatophyllums, 51
- Green, why the most agreeable colour, 244
- Grisebach, on cause of vivid colours of arctic flowers, 237
- Guiljelma speciosa*, 42
- Gums from equatorial forest-trees, 36
- H.
- Habenaria chlorantha*, 230
- Habits of humming-birds, 130
- Heat due to condensation of atmospheric vapour, 14
 changes colours, 183
- Heliconiinae and Acaeiinae, local resemblances of, 256
- Hindustan and Africa, resemblances of fauna of, 328
- Hooker, Sir J. on flowers of Auckland Isles, 238
 on deficient odour of New Zealand flowers, 277
- Hornbills, 107
- Horns of beetles, probable use of, 202
- Howling-monkeys, 118
- Humming-birds, number of, 124, 133
 distinctness of, 125, 129
 structure of, 125

- Humming-birds, colours and ornaments of, 127
 descriptive names of, 129
 motions and habits of, 130
 display of ornaments by males, 134
 food of, 135
 nests of, 137
 geographical distribution and variation of, 138
 of Juan Fernandez, 140
 influenced by varied conditions in South America, 147
 relations and affinities of, 148
 sternum of, 151
 eggs of, 152
 feather-tracts of, 152
 resemblance of swifts to, 152
 nestlings of, 153
 differences from sun-birds, 154
- I.
- IGUANAS, 113
 Indian peninsula once an island, 325
 ancient fauna of, 325
 Insects, wingless, 97
 general observations on tropical, 98
 Insular plants and insects, relations of, 267
 Interference-colours in animals, 184
 Islands, influence of locality on colour in, 257
- J.
- JACAMARS, 105
 Juan Fernandez, humming-birds of, 140
 insects of, 270
 abundance of humming-birds in, 273
- L.
- LAND and sea, peculiar distribution of, 311
 existing distribution of, very ancient, 312
 Leaf-insects, 92
 Leaves, supposed use of odours of, 277
 Lemuria, an hypothetical continent, not required, 328
Leopoldinia major, 45
 Lepidoptera, diurnal, 72
Leptalis, a good case of mimicry, 189
Leptena erastus, 256
 Light, theory of, as producing colours, 161
 action of, on plants, 222
 supposed direct action of, on colours of flowers and fruits, 236
 Lizards, 111
- Local causes of colour-development, 216
 Locusts, richly coloured tropical, 94
 Longicorns, 95
Lophornis ornatus, very pugnacious, 214
 Lord Howe's Island, white rail in, 264
 Lubbock, Sir John, on colour perception in insects, 255
- M.
- MACAWS, 100
 Madagascar, white-marked butterflies of, 260
 Madagascar once united to Africa, 325
 Madagascar and Malaya, resemblances of fauna of, 328
 Male birds, origin of ornamental plumage of, 205
 Male birds which incubate, 212
 Male humming-birds produce a shriller sound, 215
 Males, theory of display of ornaments by, 207
Malva sylvestris, *M. rotundifolia*, 233
 Mammals, 116
 Mammalia, supposed variations of, comparable to those of butterflies, 261
 local resemblances of, in Africa, 262
 Mammalia of Palæartic Region, 315
 of Ethiopian Region, 317
 of Oriental Region, 319
 of miocene period in Euro-Asia, 321
 Man, antiquity and origin of, 280
 indications of extreme antiquity of, 285
 highly developed at very early period, 286
 antiquity of intellectual, 290
 Mangroves, 58
Manicaria saccifera, 41
 Mantidæ, 91
 Mantis resembling an orchis-flower, 173
 Marantaceæ, 47
 Marmosets, 118
 Marshall, Messrs. on barbets, 106
 Martins, M. Charles, on increased size of leaves of arctic plants, 236
 Mates readily found by birds, 200
 Mauritia, palm, 40
Maximiliana regia, 41
 Meiglyptes, 150
 Meldola, Mr. R. on variable colouring in insects, 170
 Meliphagidæ in Auckland Isles probably flower-fertilizers, 239
 Melliss, Mr. on flora of St. Helena, 275
 Migrations between N. America and Euro-Asia, 334
 between N. America and South America, 335

- Mesembryanthemum, stone, 223
 Meteorological phenomena, intensity of, at the equator, 23
 Mimicry, theory of, 189
Mimosa pudica, 59
 Mivart, Professor, on animal origin of man, 284
 on the divergent affinities of man and apes, 288
 Mongredien, Mr. on showy and fragrant flowers, 230
 Monkeys, 116
 Monkeys and pigeons, 102
 Moseley, Mr. on humming-birds of Juan Fernandez, 143
 Moseley, Mr. H. N. on birds conveying seeds to islands, 268
 Moths, conspicuously coloured caterpillars of, uneatable, 175
 Motmots, 105
 Mott, Mr. Albert, on antiquity of intellectual man, 291
 Mounds of N. America, antiquity of, 296
 Mound-builders, a semi-civilized race, 297
 Müller, Dr. Hermann, on fertilization of alpine flowers, 232
 on fertilization of Martagon lily, 231
 on variations of insect-fertilized flowers, 275
 on differences of allied species of flowers, 233
Musa paradisiaca, 48
 Musaceæ, 48
 Mygale, a bird-catching spider, 97
Mysis chameleon, changes of colour of, 171
- N.
- NEARCTIC REGION, mammalia of, 329
 birds of, 330
 Neotropical region, mammalia of, 331
 birds of, 332
 Nests of humming-birds, 137
 Newton, Professor, on appearance of living humming-birds, 130
 New Zealand, poor in flowers and insects, 235
 New World, regions of the, 329
 North American earth-works, 292
 Nuttall, Mr. on the rufous flame-bearer, 131
 Nymphalidæ, local resemblances of species of distinct genera of, 257
- O
- OCEANIC ISLANDS, peculiar floras of, 269
 theory of, 307
- Odontomachus, genus of ants, 82
 Odour deficient in New Zealand flowers, 277
 Odours absorbed unequally by differently coloured stuffs, 266
 of flowers attractive, 230
Æcodoma cephalotes, 85
Æcophylla smaragdina, 82
 Ogle, Dr. on colour and sense-perception, 265
 Oil from palms, 45
 Oncidiums, 51
 Optical theory of colour, 180
 Orchids, 49
 Oriental Region, 319
 Ornamental humming-birds, the most pugnacious, 214
 Ornaments, display of, by male humming-birds, 134
 Orthoptera, 91
- P.
- PALÆARCTIC REGION, 314
 Palms, 40
 height of, 41
 climbing, 41
 Palm-wine, 43
 Palm-trees, uses and products of, 42—46
 Pandanaceæ, 49
 Papilio, pale varieties of, in Moluccas and New Guinea, 258
 Papilionidæ and Nymphalidæ, local resemblances of, 255
Papilio nireus, changes of colour of pupa of, 168
 Parrots, 99
 red in Moluccas and New Guinea, 264
 black in New Guinea and Madagascar, 264
 Passeres, 108
 Phyllostoma, 120
 Phasmidæ, 91—93
Phoenix sylvestris, 45
 Phaëthornithinæ, 136
 Pheasants, brilliant plumage of, in cold countries, 163
 Pheidole, genus of ants, 84
Philippine Islands, metallic colours of butterflies of, 259
 white-marked birds of, 263
 Picariæ, 103
 Pickering, Mr. on plants of Pacific Islands, 269
 Pieridæ and Lycœnidæ, local resemblances of, 256
 Pigeons, 102
 black in Australia and Madagascar, 264

INDEX.

355

- Pigs, white poisoned in Virginia, black not, 265
 Pipes from N. American mounds, 295
 Plantain, 48
 Plantain-eaters, 197
 Plants, protective coloration in, 223
 Platycerium, 47
 Plumage of tropical birds, 109
 of humming-birds, 128
 Polyrachis, genus of ants, 81
Polyalthea, tree with flowers on trunk, 35
Polygonum bistorta, *P. aviculare*, 233
Pontia rapae, changes of colour of chrysalis of, 168
Ponera clavata, terrible sting of, 82
 Portraits on sculptured pipes from mounds, 295
 Prothemadera in the Auckland Isles, 239
 Protective colours, theory of, 187
Psittacula diophalma, sexual difference of colour of, 178
 Pterylography, 151
 Pyramid, the Great, 298
 the Great, indicates an earlier civilization, 300
 Pythons, 115
- R.
- RABBITS, why white-tailed, 197
 Rainbow, how described by ancient writers, 245
 Rainfall at London and Batavia, diagram of, 15
 Rainfall, greatest recorded at Batavia, 24
 Ramsay, Prof. on ancient fresh-water deposits, 313
Raphia taedigera, 41
 Rattan-palms, 42
 Recognition aided by colour, 196
 Reed, Mr., on humming-birds in Juan Fernandez, 146
 Mr. Edwyn C., on insects of Juan Fernandez, 270
 Reptiles, 111
 Reptiles of oceanic islands, 309
 Rhamphococyx, 105
- S.
- SALVIN, MR. on the pugnacity of humming-birds, 134, 214
 Sauba ant, 85
Saxifraga longifolia, 233
S. cotyledon, 233
S. oppositifolia, 233
 Scorpions, 97
 Screw-pines, 49
 Scythrops, 105
 Seeds, how protected, 226
 Sensitive-plants, 59
 Sexes of butterflies differently coloured for recognition, 196
 Sexual colours, 177
 theory of, 192
 Sexual selection not a cause of colour, 198
 neutralized by natural selection, 210
 Sickle-bill humming-bird, 136
 Size, correspondence of, in tropical flowers and insects, 236
 Sky, colour of not mentioned in old books, 245
 Smith, Mr. Worthington, on mimicry in fungi, 223
 Smyth, Professor Piazzi, on the Great Pyramid, 298
 Snakes, 114
 Sobralias, 51
 Soil, heat of, 8
 influence of temperature on climate, 8
 Solenopsis, genus of ants, 84
 Sorby, Mr., on composition of chlorophyll, 221
 South America, extinct fauna of, 336
 geographical changes of, 338
 its parallelism with Africa, 339
 an area of preservation of ancient types, 339
 Spices from equatorial forest-trees, 36
 Spiders, 97
 Spruce, Dr. Richard, on number of ferns at Tarapoto, 47
 on inconspicuousness of tropical flowers, 61
 on use of aromatic secretions of leaves, 278
 Stainton, Mr., on insects attacking scented leaves, 277
 Stick-insects, 92
 St. Helena, indigenous flowers of, 275
 St. John, Mr., on large python, 115
 Structure of humming-birds, 125
 Sugar from palm-trees, 44
 Sunda Islands and Japan once joined to Asia, 326
 Sun-birds, differences from humming-birds, 154
 Sun's noonday altitude in Java and London compared, 6
 Sun's rays, heating effect of, 7
 Sunrise in the equatorial zone, 22
 Swifts, resemblances of to humming-birds, 152
Symmachia trochilus, 75
colubris, 75

- T.
- TAHITI, preponderance of ferns in, 269
 Temperature of London and Batavia compared, 6
 of different latitudes, various causes of, 7
 Temperature, influenced by heat of soil, 8
 influenced by aqueous vapour of atmosphere, 9
 Temperature of tropical and temperate zones, cause of, illustrated, 12
 Tertiary faunas and their relations, 344, 347
Thaumastura cora, very pugnacious, 214
 Timor and Scotland, climates compared, 14
 Timor and Flores, white-marked birds of, 263
 Toucans, 106
 Tree-frogs, 116
 Tristan d'Acunha, bright - coloured Pelargonium of, 275
 Trochilidæ, 125
 Trogons, 105
 Tropical vegetation, concluding remarks on, 65
 probable causes of its luxuriance and variety, 66
 Mr. Belt on, 67
 Tropical birds, dull-coloured, 110
 coloration of, 110
 green, 110
 Tropics, limitation of, 3
 aspects of animal life in, 121
 Trunks, variety of, 31, 33
 probable cause of flowering, 34
 Twilight, short at equator, 21
 Typical colours, 179
- V.
- Vanda lowii*, 51
 Vampire-bats, 119
- Variation, how influenced, 142
 Vegetation, equatorial, 27
 Vipers, green, 114
 Vitality a cause of bright colour, 193
- W.
- WARNING COLOURS, theory of, 189
 Wasps and bees, 90
 Wave-lengths of coloured rays, 180
 Weale, Mr. J. P. Mansel, on plants of Karoo, 223
 on *Ajuga ophrydis*, 223
 Webber Mr. on food of humming-birds, 137
 West-Indian Islands, large and brilliant butterflies of, 261
 peculiarly coloured birds of, 262
 Whip-snakes, 114
 White animals poisoned where black escape, 265
 White colours influencing sense-perception, 265
 White colour doubly prejudicial to animals, 266
 White tropical birds, 110
 Wilson, Dr. on pottery from N. American mounds, 295
 Winds, influence of on temperature, 11
 direction of near equator, 11, 12
 cause of cold near equator, 12, 13
 Wolves in England show its union with continent, 305
 Woods from equatorial forest-trees, 36
- Z.
- ZEBRA, possible use of its stripes, 197
 Zingiberacæ, 47
 Zoological regions, 314
 Zoological regions of the New World 329