

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

In order to enable the traveller to apply the information he may receive from the botanists of the country in which he may happen to be, and not spend his time in hunting after plants with which he is perfectly familiar under other names, I have inserted in this Index, in Italics, the synonyms of the Authors of the most generally received Floras of the countries within the limits of this work.

	Page.		Page.
<i>Abama.</i> Narthecium.		<i>A. dentifera,</i> DUBY. tana-	
<i>Abies.</i> Pinus.		cetifolia.	311
<i>Abutilon.</i> Sida.		<i>denudata.</i> Clavennæ β	lxv., 175
<i>Acacia</i>	75	<i>Herba-rota</i>	175
ACANTHACEÆ	282	<i>hybrida</i>	175
<i>Acanthus</i>	liv., 282	<i>impunctata.</i> moschata β	175
		<i>intermedia.</i> atrata γ	175
		<i>lanata</i>	175
		<i>ligustica</i>	175
		<i>linearis.</i> Ptarmica γ	175
		<i>longifolia</i>	175
		<i>macrophylla</i>	175
		<i>magna,</i> DC. tanaceti-	
		folia.	
		<i>Millefolium</i>	175
		<i>moschata</i>	175
		<i>mucronulata</i>	175
		<i>nana</i>	175
		<i>nobilis</i>	175
		<i>ochroleuca,</i> RB. nobilis.	
		<i>odorata</i>	175
		<i>pectinata,</i> RB. nobilis?	
		<i>Ptarmica</i>	175
		<i>pubescens.</i> Ptarmica β	175
		<i>punctata</i>	175
		<i>Seidlitzii,</i> RB. Millefo-	
		lium.	
		<i>serrata</i>	175
		<i>setacea.</i> Millefolium β	175
		<i>sylvatica</i>	175
		<i>tanacetifolia</i>	175
		<i>thomasiana</i>	175
		<i>tomentosa</i>	175
		<i>valesiaca</i>	175
<i>Aceras</i>	lxiv., 353	Achnatherum	xxii., 401
<i>anthropophora</i>	353	<i>Calamagrostis</i>	401
<i>Achillea</i>	lxix., 202	Achnodonthon	xxi., 398
<i>Ageratum</i>	202	<i>bulbosum</i>	398
<i>alpina</i>	202		
<i>atrrata</i>	202	Achyranthes	xxx., 311
<i>Barrelieri</i>	203		
<i>chamænilifolia</i>	203		
<i>Clavennæ</i>	202		
<i>clusiana</i>	203		
<i>corymbosa.</i> atrata β	203		
<i>compacta,</i> DUBY. lanata.			
<i>crustata</i>	202		
<i>decipiens</i>	204		
<i>decorolorans</i>	202		

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

436

INDEX.

Page.	Page.	Page.
<i>A. multifidum</i> , RB. Nap. δ 10	<i>Adonis</i>	li., 3
<i>Mycoctonum</i> , RB. Ly- coctonum γ 10	<i>festivalis</i>	3
<i>Napellus</i> 10	<i>ambigua</i> , GAU. æsti- valis.	
<i>nasutum</i> . variegatum β 10	<i>autumnalis</i>	3
<i>nemorosum</i> . <i>Anthora</i> γ 9	<i>citrina</i> , DC. <i>flammea</i> .	
<i>neubergense</i> , RB. Na- pellus λ 10	<i>cupaniana</i> , Guss. æsti- valis.	
<i>pallidum</i> . <i>Lycoc- tum</i> δ 10	<i>dentata</i>	4
<i>paniculatum</i> 10	<i>distorta</i>	4
<i>palmatifidum</i> , RB. in- termedium.	<i>flammea</i>	3
<i>pyramidalis</i> , RB. Na- pellus β 10	<i>flava</i>	3
<i>pyrenæum</i> , RB. Lycoc- tonum ε 10	<i>micrantha</i>	3
<i>rostratum</i> , RB. varie- gatum γ 10	<i>pyrenaica</i>	4
<i>Stærkianum</i> . interme- dium.	<i>vernalis</i>	4
<i>strictum</i> , RB. Nap. ο 10	<i>Aodoxa</i>	xliv., 161
<i>tauricum</i> , RB. Nap. σ 10	<i>Moschatellina</i>	161
<i>Thelyphonum</i> , RB. Ly- coctonum β 10	<i>Egilops</i>	xix., 419
<i>variegatum</i> 10	<i>caudata</i>	419
<i>Vulparia</i> , RB. <i>Lycoc</i> . α 10	<i>cylindrica</i> . <i>caudata</i> .	
<i>Acorus</i> xlii., 378	<i>incurvata</i> , LINN. <i>Lep-</i> <i>turus incurvatus</i> .	
<i>Calamus</i> 378	<i>neglecta</i>	419
<i>Actaea</i> xlix., 10	<i>ovata</i>	419
<i>spicata</i> 10	<i>squarrosa</i> , DC. <i>caudata</i> .	
<i>Actinocarpus</i> . <i>Alisma</i> .	<i>triariata</i>	419
<i>Adenarium</i> . <i>Alsine</i> .	<i>triticoides</i>	419
<i>Adenocarpus</i> lxi., 80	<i>triuncialis</i>	419
<i>Bivone</i> 80	<i>Æsculus</i>	67
<i>commutatus</i> 80	<i>Hippocastanum</i>	67
<i>complicatus</i> , Gr. & G. divaricatus.	<i>Pavia</i>	68
<i>divaricatus</i> 80	<i>Ætheorhiza</i>	lxvii., 189
<i>grandiflorus</i> , Gr. & G. telonensis.	<i>bulbosa</i>	189
<i>intermedium</i> 80	<i>Ægomarathrum</i> xxxviii., 160	
<i>parvifolius</i> , DUBY. di- varicatus.	<i>Libanotis</i>	160
<i>telonensis</i> 80	<i>pterochlæna</i>	160
<i>Adenophora</i> xxx., 241	<i>Ægopodium</i>	xxxiv., 147
<i>suaveolens</i> 241	<i>Podagraria</i>	147
<i>Adenostyles</i> lxx., 212	<i>Æthionema</i>	lxvii., 17
<i>albida</i> , RB. <i>albifrons</i> .	<i>gracile</i> , RB. <i>saxatile</i> .	
<i>albifrons</i> 212	<i>saxatile</i>	17
<i>alpina</i> 212	<i>thomasianum</i>	17
<i>hybrida</i> 212	<i>Æthusa</i>	xxxv., 148
<i>leucophylla</i> 212	<i>cynapioides</i>	148
<i>Adiantum</i> lxxii., 426	<i>Cynapium</i>	148
<i>Capillus-Veneris</i> 426	<i>Meum</i> . <i>Meum athamant</i> .	
<i>odorum</i> , DUBY. <i>Chei-</i> <i>laesthes odora</i> .	<i>Agave</i>	xl., 362
	<i>Agraphis</i> . <i>Hyacinthus</i> .	
	<i>Agrimonia</i>	xlvii., 120
	<i>agrimonioides</i> , LINN.	
	<i>Spallanzania agrimo-</i>	
	<i>noides</i> .	
	<i>Eupatoria</i>	120
	<i>odorata</i>	120
	<i>repens</i> , RB. <i>odorata?</i>	
	<i>Agropyrum</i> . <i>Triticum</i> .	

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

437

Page.	Page.	Page.
A. capillaris 403	A. pentaphylla 121	A. ligusticum. pallens?
caryophyllea 403	pubescens 120	magicum. nigrum β . 371
cristata. Koeleria crist.	pyrenaica. fissa.	margaritaceum 369
cupaniama 403	vulgaris 120	maritimum, Guss. pu-
discolor. flexuosa.	Aldrovanda xxxix., 42	sillum.
flexuosa 403	vesiculosa 42	Moly 372
globosa 403	Alectorolophus. Rhinan-	montanum, BERT. pa-
grandiflora, BERT. Koe-	thus.	niculatum.
leria setacea.	ALISMACEÆ 345	montanum 372
hirsuta. Koeleria hirs.	Alisma xliii., 345	moschatum 372
insularis 403	Damasonium 345	multibulbosum 371
Lagascæ 403	graminifolium. Plan-	multiflorum 370
media. Deschampsia	tago γ 345	narcissiflorum 371
juncea.	lanceolatum. Plant-	neapolitanum 371
minuta 403	go β 345	nebrodense, Guss. flav.
multiculmis 403	natans 345	nigrum 371
oryzetorum 403	parnassifolium 345	nutans, Guss. trique-
præcox 403	Plantago 345	trum?
pubescens, BERT. Koe-	ranunculoides 345	ochroleucum 371
leria villosa.	repens. ranunculoides β . 345	oleraceum 372
spicata. Trisetum sub-	Alliaria lix., 26	Ophioscorodon. sativum.
spicatum.	officinalis 26	pallens 372
subspicata. Trisetum	Allium xli., 369	paniculatum 372
subspicatum.	acutangulum 370	parciflorum 372
Tenorio 403	acutiflorum 370	pedemontanum 370
uliginosa 403	album. neapolitanum.	pendulinum 371
valesiaca, BERT. Koe-	ambiguum, DC. ochro-	permixtum 371
leria valesiaca.	leucum.	Porrum 370
wibeliana, KOCH. Des-	ambiguum, Guss. ro-	pusillum 372
champsia wibeliana.	seum.	roseum 371
Airochloa. Koeleria.	Ampeloprasum 369	rotundum 370
Airopsis. Aira.	angulosum. fallax.	sardoum 370
Aizoon xlvi., 185	arenarium, GAU. vineale.	sativum 370
hispanicum 185	arenarium, SM. Scoro-	saxatile 372
Ajuga liv., 297	doprasum.	Schemoprasum 372
acaulis 298	arvense, Guss. sphæ-	Scorodoprasum 370
alpina. genevensis.	rocephalum β 369	senescens, DUBY. fallax.
Chamæpitys 298	ascendens 370	sibiricum 372
chia 298	Babingtonii 370	siculum 371
foliosa, GAU. genevensis.	carinatum 372	sphaerocephalum 369
genevensis 298	carneum. roseum β 371	strictum 370
Iva 298	Chamæmoly 370	suaveolens 371
montana, RB. genevensis.	Coppolieri 372	subhirsutum 371
orientalis 297	Cupani 372	trifoliatum 371
Pseudo-Iva. Iva β 298	danubiale, RB. fallax.	triquetrum 371
pyramidalis 297	descendens, PARL. 369	tenuiñorum. paniculatum.
reptans 297	descendens, KOCH. vi-	ursinum 371
AJUGÆ lii., liv., 296	neale β .	vernale 371
Albersia. Amaranthus.	fallax 370	Victorialis 370
Abucea, RB. Ornithogalum.	flavum 372	vineale 369
Alchemilla xxv., 120	flexum. montanum 372	Allosorus lxxii., 426
alpina 121	foliosum, RB. Scheno-	crispus 426
hybrida, DUBY. vulgaris.	prasum.	Alnus lxxvi., 342
Aphanes. arvensis.	grandiflorum. narcissi-	cordata, DUBY. cordi-
arvensis 120	florum.	folia.
conjuncta 120	intermedium, DUBY.	cordifolia 342
fissa 120	paniculatum?	glutinosa 342

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

438

INDEX.

	Page.		Page.		Page.
A. incana	342	A. <i>subulifolia</i> , Guss. ten-		A. <i>adscendens</i> . Blitum.	Blitum
pubescens	342	uifolia.		chlorostachys	311
<i>suaveolens</i> , DUBY. <i>viridis?</i>		tenuifolia	55	<i>patulus</i> . <i>chlorostachys?</i>	
<i>viridis</i>	342	<i>umbellata</i> . Holosteum		polygonoides	311
Aloe	434	umbellatum.		prostratus	311
<i>vulgaris</i>	432	verna	54	retroflexus	311
Alopecurus	xxi., 398	Villarsii	54	<i>spicatus</i> , RB. retro-	
agrestis	398	Althaea	lx., 63	flexus.	
alpinus	398	cannabina	63	strictus	312
bulbosus	399	hirnsuta	63	sylvestris	311
fulvus	399	Ludwigii	63	<i>viridis</i> , RB. <i>sylvestris</i> .	
geniculatus	399	narbonensis	63	AMARYLLIDÆ	360
Gerardi	399	officinalis	63	<i>Amaryllis</i> . Sternbergia.	
nigricans	399	palida	64	AMBROSIEÆ	lxiV., 236
pratensis	398	rosea	64	Ambrosia	lxxvi., 236
utriculatus	399	taurinensis	63	maritima	236
ALSINEÆ	44, 53	ALYSSINEÆ	lvi., lvii., 17	Ambrosinia	lxxvii., 378
Alsine	xlii., 53	(See also Ko-		Bassii	378
Arduini	54	niga.)	lvii., 18	maculata	378
arvatrica, Guss. <i>tenui-</i>		alpestre	18	reticulata	378
<i>folia</i> .		argenteum	18	Amelanchier . Aronia.	
aretioides	54	calycinum	19	AMENTACEÆ	332
austriaca	54	campestre	19	Ammannia	xxv., 127
biflora	54	compactum	19	verticillata	127
cerastiifolia	54	corsicum	18	Ammi	xxxiv., 145
<i>Cherleria</i> , GR. & G. <i>Cher-</i>		cuneifolium	19	crinitum	146
<i>leria sedoides</i> .		<i>difusum</i> , TEN. monta-		glaucifolium	145
diandra	53	num β	19	intermedium	145
<i>fasciculata</i> . <i>fastigiata</i> .		<i>edentulum</i> , RB. <i>geo-</i>		majus	145
<i>fastigiata</i>	55	<i>nense</i> .		Visnaga	145
Gerardi	54	<i>flexicaule</i>	19	AMMINEÆ	xxxiii., 143
<i>heterosperma</i> , Guss.		<i>gemonense</i>	18	Ammophila	xxi., 402
<i>salina?</i>	54	<i>hirsutum</i> , RB. <i>cam-</i>		arenaria	402
hispida	55	<i>pestre</i> .		<i>arundinacea</i> , BERT. <i>a-</i>	
<i>Jacquinia</i> . <i>fastigiata</i> .		<i>incanum</i> , GAU. <i>Ber-</i>		<i>renaria</i> .	
lanceolata	54	<i>teroa incana</i> .		baltica	402
laricifolia	54	<i>leucadæum</i> . <i>orientale</i> .		AMPELIDÆ	68
liniflora	54	medium	18	Ampelodesmos	402
macrorhiza	53	minimum	19	tenax	402
<i>marginata</i> , RB. <i>marina</i> .		montanum	19	Ampelopsis	xxx., 68
marina	53	<i>murale</i> , RB. <i>argenteum</i> .		hederacea	68
<i>media</i> , Guss. <i>marina</i> .		nebrodense	18	<i>quinqefolia</i> . <i>hederacea</i> .	
peploides	54	orientale	18	AMYGDALEÆ	111
procumbens	54	<i>petreum</i> , Koch. <i>geo-</i>		Amygdalus	xlviii., 111
radicans	53	<i>nense</i> .		communis	111
recurva	54	<i>robertianum</i> , GR. & G.		nana	111
Rosani, Guss. Arduini.		<i>alpestre</i>	428	persica	111
rostrata	55	ANACAMPTEÆ		Anacamptis . Orchis.	
rubella	54	<i>rupestre</i> , BERT. <i>Coch-</i>		Anacyclus	lxix., 201
rubra	53	<i>learia saxatilis</i> .		clavatus	201
salina	53	<i>saxatile</i>	18	officinalis	201
sedoides	54	<i>sinuatum</i> , RB. <i>Vesi-</i>		pallescens	202
segetalis	53	<i>caria sinuata</i> .		<i>pubescens</i> , RB. <i>tomen-</i>	
setacea	55	<i>tortuosum</i> , RB. <i>alpestre</i> .		<i>tosus</i> .	
<i>striata</i> , GR. & G. <i>lari-</i>		<i>wulfenianum</i>	19	<i>purpurascens</i> . <i>radiatus</i> β	202
<i>cifolia</i> .		AMARANTHACEÆ	311	<i>radiatus</i>	202
stricta	54	Amaranthus	lxxvi., 311		
		albus	311		

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

439

	Page.		Page.		Page.
A. <i>tomentosus</i>	202	A. <i>carnea</i>	300	A. <i>pratensis</i> . Pulsatilla.	
<i>valentinus</i>	202	<i>Chamaejasme</i>	300	<i>Pulsatilla</i>	3
Anagallis	xxvii., 299	<i>ciliata</i>	300	<i>ranunculoides</i>	3
<i>arvensis</i>	299	<i>cylindrica</i>	299	<i>sulphurea. alpina</i> γ	3
<i>cærulea</i>	299	<i>elongata</i>	300	<i>stellata</i> , DUBY. <i>hortensis</i> .	
<i>collina</i>	299	<i>glacialis</i>	300	<i>sylvestris</i>	3
<i>crassifolia</i>	299	<i>Heerii</i>	300	<i>trifolia</i>	3
<i>phenicea</i> , GAU. <i>arvensis</i> .		<i>helvetica</i>	299	<i>vernalis</i>	2
<i>tenella</i>	299	<i>imbricata</i>	300	ANEMONEÆ	1
<i>verticillata</i> . <i>arvensis</i> .		<i>lactea</i>	300	Anethum	xxxvi., 154
Anagyris	xliv., 75	<i>maxima</i>	300	<i>graveolens</i>	154
<i>fetida</i>	75	<i>nana</i>	300	<i>segetum</i>	154
<i>neapolitana</i> . <i>fetida</i> .		<i>obtusifolia</i>	300	Angelica	xxxvi., 151
Anarrhinum	lv., 263	<i>pennina</i> , GAU. <i>glacialis</i> .		<i>aquilegifolia</i> . Siler <i>trilobum</i> .	
<i>bellidifolium</i>	263	<i>pubescens</i>	300	Archangelica. Archangelica officinalis.	
Anchusa	xxvii., 256	<i>pyrenaica</i>	300	<i>montana</i>	151
<i>aggregate</i>	257	<i>septentrionalis</i>	300	<i>nemorosa</i> . <i>sylvestris</i> .	
<i>angustifolia</i> , officinalis β	256	<i>villosa</i>	300	<i>pyrenæa</i>	151
<i>arvalis</i> , RB. <i>officinalis</i> .		Androsænum. Hypericum.		<i>Razoulsii</i>	151
<i>arvensis</i> , Guss. Lyc-		Andryala	lxxvi., 180	<i>scabra</i>	151
<i>opsis arvensis</i> .		<i>cossyrensis</i>	180	<i>sylvestris</i>	151
<i>azurea</i> , RB. <i>italica</i> .		<i>dentata</i>	180	ANGELICEÆ xxxiii. xxxvi., 151	
Barrelieri	257	<i>incana</i> , DUBY. <i>ragusina</i> .		ANOMALE	75
Capellii	257	<i>integrifolia</i>	180	Antennaria. Gnaphalium.	
<i>crispa</i>	256	<i>lanata</i> , Guss. <i>Hiera-</i>		ANTHEMIDEÆ lxviii. lxix., 199	
<i>hybrida</i> . <i>undulata</i> β	256	<i>cium lanatum</i> .		Anthemis	lxix., 199
<i>italica</i>	257	<i>lyrata</i> , DUBY. <i>ragu-</i>		<i>abrotanifolia</i>	201
<i>leptophylla</i>	256	<i>sina</i> β	180	<i>etnensis</i>	200
<i>lutea</i>	257	<i>ragusina</i>	180	<i>agrestis</i> . <i>arvensis</i> .	
<i>officinalis</i>	256	<i>sinuata</i>	180	<i>alpina</i>	201
<i>paniculata</i> , RB. <i>italica</i> .		<i>tenuifolia</i>	180	<i>altissima</i>	200
<i>semperfirens</i>	257	<i>undulata</i> , Guss. <i>inte-</i>		<i>anglica</i>	201
<i>tinctoria</i> , RB. <i>Lithos-</i>		<i>grifolia</i> β	180	<i>arvensis</i>	200
<i>permum tinctorium</i> .		<i>Anemone</i>	li., 2	<i>aurea</i>	200
<i>undulata</i>	256	<i>coronaria</i>	3	<i>austriaca</i>	201
<i>variegata</i> .		<i>fulgens</i> . <i>pavonia</i> β	3	<i>Chamomilla</i>	199
Andracine	lxxviii., 325	<i>bognerhardtiana</i> . RB.		<i>chia</i>	200
<i>telephioïdes</i>	325	<i>Pulsatilla</i> .		<i>clavata</i>	199
Andromeda	xlv., 242	<i>coronaria</i>	3	<i>Cota</i>	201
<i>calyculata</i> . Cassandra		<i>hortensis</i>	3	<i>Cotula</i>	201
<i>calyculata</i> .		<i>lilacina</i> , Sw. <i>Pulta-</i>		<i>erucifolia</i>	200
<i>polifolia</i>	242	<i>tilia</i> β	3	<i>fuscata</i>	201
Andropogon	xx., 395	<i>millefoliata</i> , BERT. al-		<i>incrassata</i>	199
<i>Allionii</i>	395	<i>pina</i> β	3	<i>intermedia</i> , Guss. <i>se-</i>	
<i>angustifolius</i> . Ischæ-		<i>montana</i>	428	<i>cundiramea?</i>	
<i>num</i> .		<i>narcissiflora</i>	3	Kitabelli, RB. <i>mon-</i>	
<i>distachyon</i>	395	<i>nemorosa</i>	3	<i>tana</i> .	
Gryllus	395	<i>palmata</i>	3	<i>maritima</i>	200
<i>hirtus</i>	395	<i>patens</i>	3	<i>mixta</i>	201
Ischaënum	395	<i>pavonina</i>	3	<i>montana</i>	200
<i>pubescens</i>	395			<i>muconulata</i> , RB. <i>mon-</i>	
ANDROPOGONEÆ..	394, 395			<i>tana</i> .	
Androsace	xxviii., 299			<i>muricata</i>	432
<i>alpina</i> , GAU. <i>pubescens</i> .				<i>nobilis</i>	200
<i>bryoides</i> , DUBY. <i>helve-</i>				<i>peregrina</i>	200
<i>tica</i> .					

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

440

INDEX.

	Page.		Page.		Page.
<i>A. petræa</i>	200	<i>A. latifolium</i>	263	<i>A. ovirensis</i> . Halleri γ .	31
<i>punctata</i> , Guss. mon-		<i>majus</i>	263	<i>pedemontana</i>	32
<i>tana</i> .		<i>molle</i>	263	<i>perfoliata</i> , GAU. Tur-	
<i>ruthenica</i>	201	<i>Orontium</i>	263	<i>ritis glabra</i> .	
<i>secundiramea</i>	200	<i>semperfivrens</i>	264	<i>petraea</i>	31
<i>sphacelata</i>	199	<i>siculum</i>	263	<i>procurrens</i>	31
<i>tinctoria</i>	201	<i>tortuosum</i>	263	<i>pumila</i>	31
<i>Triumfetti</i>	201	<i>Apargia</i> . Leontodon.		<i>sagittata</i>	30
<i>Anthericum</i>	xli, 365	<i>Apera</i> . Agrostis.		<i>saxatilis</i>	30
<i>fugax</i>	365	<i>Aphanes</i> . Alchemilla.		<i>scabra</i> , RB. <i>pumila</i> .	
<i>Liliago</i>	365	<i>Aphyllanthes</i>	374	<i>schizophreckiana</i>	31
<i>Liliastrum</i> . Paradisia		<i>monspeliensis</i>	374	<i>serpyllifolia</i>	31
<i>Liliastrum</i> .		<i>Apium</i>	xxxiv, 147	<i>stellulata</i>	31
<i>ramosum</i>	365	<i>graveolens</i>	147	<i>stolonifera</i> . Halleri β	31
<i>serotinum</i> . <i>Lloydia</i> sc-		<i>Petroselinum</i> . Petro-		<i>stricta</i>	30
<i>rotina</i> .		<i>selinum sativum</i> .		<i>Thlasiana</i> . Sisym. Tha-	
<i>Anthoxanthum</i>	xvii, 397	<i>Aplophyllum</i> . Ruta.		<i>lianum</i> .	
<i>gracie</i>	397	<i>APOCYNEÆ</i>	245	<i>Turrita</i>	31
<i>odoratum</i>	397	<i>Apocynum</i>	245	<i>verna</i>	30
<i>Anthriscus</i>	xxxvii, 158	<i>Aposeris</i>	lxv, 174	<i>vochinensis</i>	31
<i>alpestris</i> . <i>sylvestris</i> β	159	<i>Aquilegia</i>	I, 8	<i>ARALIACEÆ</i>	161
<i>alpinus</i> . <i>sylvestris</i> γ	159	<i>alpina</i>	8	<i>Arbutus</i>	xlv, 241
<i>Cerefolium</i>	159	<i>atra</i> , KOCH. <i>vulgaris</i> γ	8	<i>alpina</i> . Arctostaphy-	
<i>Cicutaria</i> , DUBY. Chæ-		<i>Bernhardi</i>	428	<i>turbinata</i> , RB. Unedo.	
<i>rophyllum hirsutum?</i>		<i>henkiana</i> , KOCH. <i>vul-</i>		<i>Unedo</i>	241
<i>fumarioides</i>	159	<i>garis</i> β	8	<i>Uva-Ursi</i> . Arctosta-	
<i>longirostris</i> . Chæroph.		<i>nigricans</i> , RB. <i>vulg.</i> γ		<i>phylos</i> Uva-Ursi.	
<i>sativum</i> .		<i>platysepala</i> , RB. <i>vulg.</i>		<i>Archangelica</i>	151
<i>nemorosa</i>	159	<i>pyrenaica</i>	8	<i>officinalis</i>	151
<i>nodosa</i> , RB. <i>Physo-</i>		<i>Sternbergii</i> , RB. <i>hæn-</i>		<i>Arctium</i>	lxii, 219
<i>caulis nodosus</i> .		<i>kiana</i> .		<i>Dalechampii</i> . Berardia	
<i>sicula</i>	159	<i>viscosa</i>	8	<i>subacaulis</i> .	
<i>sylvestris</i>	158	<i>vulgaris</i>	8	<i>lanuginosum</i> . Berardia	
<i>torquata</i>	159	<i>ARABIDEÆ</i>	lvi, lix, 28	<i>subacaulis</i> .	
<i>trichosperma</i>	159	<i>Arabis</i>	lx, 30	<i>Lappa</i>	219
<i>vulgaris</i>	159	<i>albida</i>	30	<i>minus</i>	220
<i>Anthyllis</i>	lxii, 82	<i>Allionii</i>	30	<i>tomentosum</i>	220
<i>alpestris</i> . <i>Vulneraria</i> .		<i>alpina</i>	30	<i>Arctostaphylos</i>	xlv, 242
<i>Barba-Jovis</i>	82	<i>arenosa</i>	31	<i>alpina</i>	242
<i>cytisoides</i>	82	<i>auriculata</i>	30	<i>officinalis</i> . Uva-Ursi.	
<i>erinacea</i>	82	<i>bellidifolia</i>	31	<i>Uva-Ursi</i>	242
<i>Gerardi</i>	82	<i>brassiciformis</i>	30	<i>Aremonia</i> . Spallanzania.	
<i>Hermannæ</i>	82	<i>cebenuensis</i>	31	<i>Arenaria</i>	xlii, 55
<i>maritima</i> , RB. <i>Vul-</i>		<i>ciliata</i>	31	<i>aggregata</i> . tetraquetra.	
<i>montana</i>	82	<i>caerulea</i>	31	<i>Arduini</i> . Alsine Ar-	
<i>tetraphylla</i>	82	<i>collina</i> , GUSS. <i>muralis</i> .		<i>duini</i> .	
<i>Vulneraria</i>	82	<i>crantziana</i> , RB. <i>petræa</i> .		<i>austriaca</i> . Alsine aus-	
<i>vulnerarioides</i> , RB. <i>Vul-</i>		<i>crispata</i> , RB. <i>alpina</i> .		<i>balearica</i>	55
<i>neraria</i> .		<i>Gerardi</i>	30	<i>bavarica</i> , BERT. <i>Mœh-</i>	
<i>ANTIREHINEÆ</i>	262, 363	<i>Halleri</i>	31	<i>ringia</i> Ponæ.	
<i>Antirrhinum</i>	lv., 262	<i>hirsuta</i>	30	<i>biflora</i>	55
<i>See also Linaria.</i>		<i>incana</i> . <i>auriculata</i> .		<i>cerastiifolia</i> . Alsine	
<i>Asarina</i>	264	<i>longisiliqua</i>	31	<i>cerastiifolia</i> .	
<i>bellidifolium</i> , GAU. A-		<i>muralis</i>	31	<i>ciliata</i>	55
<i>narrh. bellidif.</i>		<i>nomorensis</i> , RB. <i>sagittata</i> ?		<i>cinerea</i>	55
<i>grandiflorum</i> . <i>Oron-</i>					
<i>tium</i> β	263				

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

441

Page.	Page.	Page.
A. conimbreensis 56	A. <i>Villarii</i> , BERT. <i>Alsine Villarsii</i> . <i>Villarsia</i> . <i>Alsine Vill.</i> <i>villosa</i> , R.B. <i>Mehringia villosa</i> .	A. <i>Doronicum</i> , GAU. <i>Aronicum Doronicum</i> . <i>montana</i> 207
<i>controversa</i> , GR. & G. conimbreensis.		<i>scorpioides</i> , Aronicum scorpioides.
<i>fasciculata</i> . <i>Alsine fasciata</i> .		<i>Arnopogon</i> . <i>Urospermum</i> .
<i>fastigiata</i> . <i>Alsine fastigiata</i> .		<i>Arnoseris</i> lxx, 174
<i>Gerardii</i> . <i>Alsine verna</i> .		<i>minima</i> , <i>pusilla</i> .
<i>grandiflora</i> 55	<i>Argylobium</i> , GR. & G. <i>Cytisus</i> .	<i>pusilla</i> 174
<i>hispidia</i> . <i>Alsine hispida</i> .	<i>Arisarum</i> . <i>Arum</i> .	AROIDÆ 378
<i>lanceolata</i> . <i>Alsine lanceolata</i> .	<i>Aristella</i> , BERT. <i>Stipa</i> .	<i>Aronia</i> xlvi, 124
<i>laticifolia</i> . <i>Alsine laticifolia</i> .	<i>Aristida</i> xxii, 401	<i>Amelanchier</i> , R.B. ro-
<i>ligericina</i> 429	<i>Adscensionis</i> 401	tundifolia.
<i>liniflora</i> . <i>Alsine verna</i> .	<i>cærulescens</i> . <i>Adscen.</i>	<i>reticula</i> . <i>rotundifolia</i> .
<i>macrocarpa</i> . <i>Alsine laticifolia</i> .	<i>ARISTOLOCHIÆ</i> 324	<i>rotundifolia</i> 124
<i>macrorhiza</i> . <i>Als. mac-</i>	<i>Aristolochia</i> lxxv, 324	<i>Aronicum</i> lxx, 207
<i>rorhiza</i> .	<i>altissima</i> 324	<i>Bauhini</i> . <i>Doronicum</i> .
<i>marina</i> . <i>Alsine marina</i> .	<i>Clematitis</i> 324	<i>Clusii</i> . <i>Doronicum</i> .
<i>Marschlinsii</i> 55	<i>longa</i> 324	<i>corsicum</i> 207
<i>massiliensis</i> , GR. & G.	<i>lutea</i> , GAU. <i>pallida</i> .	<i>Doronicum</i> 207
<i>Gouffea arenarioid.</i>	<i>pallida</i> 324	<i>glaciale</i> 207
<i>media</i> . <i>Alsine marina</i> .	<i>Pistolochia</i> 324	<i>latifolium</i> , R.B. <i>scorpi-</i>
<i>modesta</i> 429	<i>rotunda</i> 324	<i>oides</i> .
<i>montana</i> 55	<i>sicula</i> , GUSS. <i>pallida</i> ?	<i>scorpioides</i> 207
<i>mucronata</i> . <i>Alsine ros-</i>	<i>Armeniaca</i> . <i>Prunus</i> .	ARRHENATHERUM. <i>xxi</i> , 406
<i>trata</i> .	<i>Armeria</i> 307, 434	<i>avenaceum</i> 406
<i>multicaulis</i> , R.B. <i>ciliata</i> .	<i>alliacea</i> 308	<i>bulbosum</i> . <i>avenaceum</i> .
<i>norvegica</i> 55	<i>alpina</i> 308	<i>elatius</i> . <i>avenaceum</i> .
<i>peploides</i> . <i>Alsine pe-</i>	<i>arenaria</i> . <i>plantaginea</i> δ 308	<i>Thorei</i> 406
<i>ploides</i> .	<i>cephalotes</i> . <i>plantag. β</i> 308	<i>Artemisia</i> lxxi, 213
<i>polygonoides</i> . <i>Moe-</i>	<i>denticulata</i> 308	<i>Abrotanum</i> 214
<i>ringia polyg.</i>	<i>elongata</i> 308	<i>Absinthium</i> 215
<i>procumbens</i> . <i>Alsine</i>	<i>fasciculata</i> 307	<i>achilleifolia</i> 215
<i>procumbens</i> .	<i>Gussonei</i> 308	<i>arborescens</i> 215
<i>purpurascens</i> 55	<i>Halleri</i> 307	<i>argentea</i> 215
<i>recurva</i> . <i>Als. recurva</i> .	<i>junccea</i> 308	<i>austriaca</i> 214
<i>rubra</i> . <i>Alsine rubra</i> .	<i>Kochii</i> 308	<i>cerulescens</i> 213
<i>Salzmanni</i> 55	<i>leucantha</i> 307	<i>campestris</i> 213
<i>segetalis</i> . <i>Alsine sege-</i>	<i>leucocephala</i> 308	<i>camphorata</i> 215
<i>tal</i> .	<i>macropoda</i> 309	<i>chamænilifolia</i> 214
<i>serpyllifolia</i> 55	<i>magellensis</i> 308	<i>corymbosa</i> , DUBY. <i>cam-</i>
<i>setacea</i> . <i>Alsine setacea</i> .	<i>maritima</i> 307	<i>phorata</i> .
<i>sphærocarpa</i> , GUSS. <i>ser-</i>	<i>Morisii</i> 308	<i>erithrifolia</i> 214
<i>phyllifolia</i> .	<i>nebrodensis</i> 308	<i>densiflora</i> 213
<i>striata</i> . <i>Alsine larici-</i>	<i>plantaginea</i> 308	<i>eriantha</i> . <i>spicata</i> β 214
<i>folia</i> .	<i>pubescens</i> 307	<i>gallica</i> . <i>maritima</i> γ 213
<i>tenuifolia</i> . <i>Alsine te-</i>	<i>pubigera</i> 307	<i>glacialis</i> 215
<i>nufolia</i> .	<i>pubinervis</i> 309	<i>glutinosa</i> 213
<i>tetraguetra</i> 56	<i>purpurea</i> . <i>elongata</i> β 308	<i>helvetica</i> , R.B. <i>nana</i> .
<i>triflora</i> . <i>grandiflora</i> β 56	<i>ruscinonensis</i> 307	<i>insipida</i> 214
<i>trinervia</i> . <i>Mehringia</i>	<i>sardoa</i> 308	<i>laciniata</i> 214
<i>trinervia</i> .	<i>scorzoniferifolia</i> . <i>plan-</i>	<i>lanata</i> 214
<i>uliginosa</i> . <i>Als. stricta</i> .	<i>taginea</i> β 308	<i>maritima</i> 213
<i>verna</i> . <i>Alsine verna</i> .	<i>Soleirolii</i> 307	<i>mutellina</i> 214
	<i>vulgaris</i> , R.B. <i>elongata</i> .	<i>nana</i> 214
	<i>Armoracia</i> . <i>Cochlearia</i> .	<i>nana</i> . <i>campestris</i> β 213
	<i>Arnica</i> lxx, 207	<i>narbonensis</i> 213
	<i>corsica</i> . <i>Aronicum cors.</i>	

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

442

INDEX.

Page.	Page.	Page.
<i>A. nitida.</i> lanata γ 214	<i>A. speciosa.</i> Achnathe-	<i>A. liburnicus</i> 365
paniculata 213	rum Calamagrostis.	<i>luteus</i> 365
<i>pedemontana.</i> lanata β 214	stricta 402	<i>ramosus</i> 365
<i>pontica</i> 214	<i>sylvatica</i> 402	<i>Aspidium.</i> See <i>Polysti-</i>
<i>procera</i> 214	<i>tenella</i> 401	chum, <i>Lastræa</i> , and
<i>rupestris</i> 215	Asarum xvii., 324	<i>Cystea.</i>
<i>saligna.</i> variabilis β 213	<i>europæum</i> 324	ASPLENIEÆ lxxi., 424
<i>salina.</i> maritima β 213	Asclepias xxxii., 246	Asplenium lxxi., 424
<i>saxatilis.</i> R.B. campf. 214	<i>Cornuti</i> 246	<i>Adiantum nigrum</i> 425
<i>scoparia</i> 214	<i>fruticosa.</i> <i>Gomphocar-</i>	<i>alternifolium</i> 425
<i>spicata</i> 214	<i>pus fruticosus.</i>	<i>brachyphyllum</i> , Guss. 425
<i>tanacetifolia</i> 214	ASPARAGEÆ 362	<i>Breynii</i> 425
<i>valesiacu.</i> maritima δ 213	Asparagus xli., 362	<i>Filix-femina.</i> <i>Athy-</i>
<i>variabilis</i> 213	<i>acutiflorus</i> 362	<i>rium Filix-femina.</i>
<i>vulgaris</i> 214	<i>albus</i> 362	<i>fissum</i> 425
ARTEMISIEÆ lxxi., 213	<i>amarus.</i> <i>scaber.</i>	<i>fontanum.</i> <i>Athyrium</i>
<i>Arthrolobium</i> lxiii., 101	<i>aphyllus</i> 362	<i>fontanum.</i>
<i>ebrieteatum</i> 101	<i>horridus</i> 362	<i>germanicum.</i> <i>alternifo-</i>
<i>repandum</i> 101	<i>marinus,</i> R.B. <i>scaber.</i>	<i>lrium.</i>
<i>scorpioides</i> 101	<i>officinalis</i> 362	<i>Halleri.</i> <i>Athyrium font.</i>
Arum lxxvii., 378	<i>scaber.</i> 362	<i>lanceolatum</i> 425
<i>Arisarum</i> 378	<i>tenuifolius</i> 362	<i>marinum</i> 425
<i>Colocasia</i> 378	Asperugo xxvii., 252	<i>Matthioli</i> 424
<i>crinitum</i> 378	<i>procumbens</i> 252	<i>microphyllum,</i> Guss.
<i>cylindricum</i> 378	Asperula xxiv., 163	Trichomanes.
<i>Draeunculus</i> 378	<i>Aparine</i> 164	<i>obovatum</i> 425
<i>italicum</i> 378	<i>aristata.</i> <i>cynanchica</i> β 163	<i>pilosum</i> 425
<i>maculatum</i> 378	<i>arvensis</i> 163	<i>Ruta-muraria</i> 424
<i>muscivorum.</i> <i>crinitum.</i>	<i>canescens.</i> 163	<i>septentrionale</i> 425
<i> pictum</i> 378	<i>commutata,</i> Guss. <i>to-</i>	Trichomanes.
<i>proboscideum</i> 378	<i>mentosa.</i>	<i>Virgili</i> 425
<i>tenuifolium</i> 378	<i>cynanchica</i> 163	<i>viride</i> 425
<i>vulgare.</i> <i>maculatum.</i>	<i>galiooides</i> 164	Aster lxviii., 197
ARUNDINACEÆ 394, 401	<i>hexaphylla</i> 164	<i>acris.</i> <i>Galatella punc-</i>
Arundo xxi., 401	<i>hirta</i> 164	<i>tata.</i>
<i>altissima</i> 402	<i>lævigata</i> 163	<i>alpinus</i> 197
Ampelodesmos. Am-	<i>longiflora</i> 163	<i>amelloides,</i> R.B. <i>Amel-</i>
<i>pelodesmos tenax.</i>	<i>molluginoides.</i> <i>Crucia-</i>	<i>lus.</i>
<i>arenaria.</i> <i>Psamma are-</i>	<i>nella molluginoides.</i>	<i>Amellus</i> 197
<i>naria.</i>	<i>montana.</i> <i>cynanchica.</i>	<i>annua.</i> <i>Stenactis annua.</i>
<i>baltica.</i> <i>Psamma balt.</i>	<i>neglecta</i> 164	<i>brachyglossus.</i> <i>alpinus</i> β 197
<i>Calamagrostis</i> 401	<i>nitens.</i> <i>cynanchica</i> γ 163	<i>brumalis</i> 197
<i>Donax</i> 402	<i>odorata</i> 164	<i>lanceolatus,</i> R.B. <i>parvi-</i>
<i>Epigejos</i> 401	<i>pumila</i> 164	<i>florus.</i>
<i>halleriana</i> 401	<i>rivalis,</i> R.B. <i>Aparine.</i>	<i>leucanthemus</i> 197
<i>littorea</i> 401	<i>rupestris</i> 164	<i>Novi-Belgii</i> 197
<i>mauritanica.</i> <i>Ampelo-</i>	<i>scabia,</i> Guss. <i>cyan-</i>	<i>pannonicus,</i> R.B. <i>Tri-</i>
<i>desmos tenax.</i>	<i>chica.</i>	<i>polium?</i>
<i>mauritanica,</i> Guss. <i>pli-</i>	<i>suberosa</i> 164	<i>parviflorus</i> 197
<i>niana.</i>	<i>taurina</i> 163	<i>Pseudo-Amellus.</i> <i>Amel-</i>
<i>montana</i> 402	<i>tinctoria</i> 163	<i>lus</i> β 197
Phragmites. <i>Phragm-</i>	<i>tomentosa</i> 164	<i>punctatus,</i> R.B. <i>Gala-</i>
<i>communis.</i>		<i>tella punctata.</i>
<i>pliniiana.</i> Plinii.	Asphodelus xl., 365	<i>pyrenæus</i> 197
<i>Plinii</i> 402	<i>albus</i> 365	<i>salignus</i> 197
<i>Pseudo- Phragmites,</i>	<i>creticus,</i> BERT. <i>libur-</i>	<i>serotinus,</i> DUBY. <i>Novi-</i>
<i>GAU.</i> <i>littorea.</i>	<i>nicus.</i>	<i>Belgii.</i>
	<i>fistulosus</i> 365	

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

443

	Page.		Page.		Page.
A. <i>Tripolium</i>	197	A. <i>pauciflora</i>	142	A. <i>prostrata</i> , BAB.	tri-
ASTERINEÆ	lxviii., 196	<i>Astrocarpus</i>	xlvii., 42	angularis?	
<i>Asteriscus</i> . <i>Bupthalmum</i>		<i>Clusii</i> . <i>sesamooides</i> ?		rosea	317
aquaticum.		<i>sesamooides</i>	42	<i>sicula</i>	317
<i>Asterocephalus</i> . <i>Scabiosa</i> .		<i>Astrolobium</i> . See <i>Arthro-</i>		<i>tatarica</i>	316
<i>Asterolinum</i> . <i>Linum</i> .		lobium.		<i>Tornabeni</i>	317
ASTRAGALEÆ	96	<i>Athamanta</i>	xxxv., 149	<i>triangularis</i>	316
<i>Astragalus</i>	lxiii., 97	<i>cretensis</i>	149	<i>veneta</i>	317
alopecuroides	99	<i>Libanotis</i> . <i>Libanotis</i>		<i>Atropa</i>	xxix., 258
arenarius	98	montana.		<i>Belladonna</i>	258
argenteus	98	macedonica.		<i>Mandragora</i> . <i>Mandra-</i>	
aristatus	99	Matthioli	150	gora officinarum.	
asper	99	<i>sicula</i>	149	<i>Aubrieta</i>	lvii., 18
austriacus	98	<i>Athyrium</i>	lxxxi., 424	<i>Columnæ</i>	18
bayonensis	98	<i>Filix-femina</i>	424	<i>deltoidea</i>	18
beticus	99	<i>fontanum</i>	424	<i>Avena</i>	xxiii., 404
<i>Bonanni</i> , Guss. depres-		<i>irriguum</i> . <i>Filix-fem.</i> β	424	<i>airoides</i> , DUBY. <i>Trise-</i>	
sus?		<i>Atractylis</i>	lxii., 228	tanum subspicatum.	
<i>campestris</i> . <i>Oxytropis</i>		<i>cancellata</i>	228	<i>alba</i>	406
<i>campestris</i> .		<i>humilis</i>	228	<i>alpestris</i>	405
<i>caprinus</i>	99	<i>radiciflora</i>	228	<i>alpina</i>	406
Cicer	99	<i>Atragene</i>	li., 1	<i>amethystea</i>	405
contortuplicatus.	99	<i>alpina</i>	1	<i>argentea</i> . <i>distichophylla</i> .	
depressus	99	<i>Atriplex</i>	xxxi., 315	<i>aurata</i> , RB. <i>Agrostis</i>	
epiglottis	99	<i>alba</i> , RB. <i>rosea</i> .		<i>alpina</i> .	
exscapus	99	<i>arenaria</i>	317	<i>brevis</i>	406
Glaux	98	<i>angustifolia</i>	316	<i>capillaris</i> . <i>Aira capil.</i>	
Glycyphyllos	99	<i>Babingtonii</i>	316	<i>caryophyllacea</i> . <i>Aira</i>	
hamosus	99	<i>Bocconii</i>	317	<i>caryophyllaceæ</i> .	
hypoglossis	98	<i>calotheca</i>	316	<i>Cavanillesii</i> . <i>Trisetum</i>	
incanus	100	<i>campanulata</i>	317	<i>Cavanillesii</i> .	
leontinus	98	<i>deltoidea</i>	316	<i>condensata</i> . <i>Trisetum</i>	
<i>massiliensis</i> . <i>Traga-</i>		<i>elongata</i>	317	<i>condensatum</i> .	
<i>cantha</i> .		<i>erecta</i>	316	<i>distichophylla</i> . <i>Triset.</i>	
monspessulanus	100	<i>farinosa</i>	317	<i>distichophyllum</i> .	
narbonensis	99	<i>flavescens</i>	317	<i>elatior</i> . <i>Arrhenatherum</i>	
Onobrychis	98	<i>Halimus</i>	317	<i>elatius</i> .	
pentaglottis	98	<i>hastata</i>	316	<i>fallax</i>	405
Pseudo-Tragacantha	99	<i>hortensis</i>	316	<i>fatua</i>	406
purpureus	98	<i>laciñata</i>	317	<i>filifolia</i> . <i>striata</i> β	405
sesameus	98	<i>latifolia</i> , KOCH. <i>hastata</i> .		<i>flavescens</i> . <i>Trisetum</i>	
siculus	99	<i>litoralis</i>	316	<i>flavescens</i> .	
sirinicus	99	<i>macrodira</i>	317	<i>fragilis</i> . <i>Gaudinia fra-</i>	
Stella	98	<i>marina</i>	316	<i>gilis</i> .	
sulcatus	98	<i>microperma</i>	316	<i>gracilis</i> , BERT. <i>Tri-</i>	
Tragacantha	99	<i>microtheca</i>	316	<i>setum gracile</i> .	
vesicularius	98	<i>nitens</i>	316	<i>hirsuta</i>	406
<i>virgatus</i> , RB. <i>argenteus</i> .		<i>oppositifolia</i> . <i>deltoid.</i> , &c.		<i>lanata</i> , DUBY. <i>Holcus</i>	
Wulfeni	100	<i>patula</i> . <i>hastata</i> .		<i>lanatus</i> .	
<i>Astrantia</i>	xxxiii., 142	<i>pedunculata</i> . <i>Halimus</i>		<i>longifolia</i>	406
carniolica	142	<i>pedunculatus</i> .		<i>loeffingiana</i> . <i>Trisetum</i>	
<i>Epipactis</i> . <i>Hacquetia</i>		<i>platysepalæ</i>	317	<i>Cavanillesii</i> .	
gracilis	142	<i>polymorpha</i> , Coss. <i>has-</i>		<i>lucida</i>	405
intermedia, RB. major?		<i>tata</i> , &c.		<i>mollis</i> , DUBY. <i>Holeus</i>	
major	142	<i>polysperma</i>	317	<i>mollis</i> .	
minor	142	<i>portulacoides</i> . <i>Halimus</i>		<i>myriantha</i> , BERT. <i>Tri-</i>	
		<i>portulacoides</i> .		<i>setum myrianthum</i> .	

3 L 2

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

444

INDEX.

Page.	Page.	Page.
<i>A. neglecta</i> . Trisetum neglectum. nuda 406	<i>Barbarea</i> lxx., 29 <i>arcuata</i> . <i>vulgaris</i> β . 29 <i>bracteosa</i> 29 <i>intermedia</i> 29 <i>patula</i> , GR. & G. <i>præcox</i> ? <i>præcox</i> 29 <i>rupicola</i> 29 <i>sicula</i> 29 <i>stricta</i> 29 <i>taurica</i> . <i>vulgaris</i> β . <i>vulgaris</i> 29	<i>B. purpurea</i> . Eufragia la- tifolia. <i>serotina</i> . Odontites serot. <i>spicata</i> 270 <i>Trizago</i> . Trixago apula. <i>versicolor</i> . Trixago apula. <i>viscosa</i> . Odontites visc.
<i>odorata</i> . Hierochloa borealis. <i>orientalis</i> 406	<i>Beckmannia</i> ix., 402 eruciformis 402	
<i>panicea</i> , DUBY. Trise- tum neglectum. <i>Parlatorii</i> 405	<i>Bellevallia</i> , Rb. <i>Hya-</i> <i>cinthus</i> .	
<i>parviflora</i> . Trisetum parviflorum. planiculmis 405	<i>Bellidiastrum</i> lxxx., 198 <i>Michelii</i> 198	
<i>præcox</i> . Aira præcox. <i>praesta</i> , Rb. alpina. <i>pratensis</i> 406	<i>Bellis</i> lxxx., 198 <i>annua</i> 198 <i>dentata</i> 198	
<i>pubescens</i> 405	<i>hybrida</i> , TEN. <i>perennis</i> . <i>perennis</i> 198	
<i>sativa</i> 406	<i>sylvestris</i> 198	
<i>scheuchzeria</i> , Rb. ver- sicolor. <i>sedensis</i> 405	<i>Bellium</i> lxxx., 198 <i>bellidoides</i> 198 <i>crassifolium</i> 198	
<i>semperfiriens</i> 405	<i>nivale</i> 198	
<i>setacea</i> 405	<i>Berardia</i> lxxii., 219	
<i>sterilis</i> 406	<i>subacaulis</i> 219	
<i>striata</i> 405	<i>BERBERIDEÆ</i> 11	
<i>strigosa</i> 406	<i>Berberis</i> xl., 11	
<i>subspicata</i> . Trisetum subspicatum. <i>tenuis</i> . Trisetum tenue. <i>Thorei</i> . Arrhen. Thorei. <i>trisperma</i> , Rb. sativa. <i>versicolor</i> 406	<i>ætnensis</i> 11 <i>cretica</i> , DUBY. <i>ætnensis</i> . <i>vulgaris</i> 11	
<i>villosa</i> . Trisetum vill.	<i>Beringeria</i> , Rb. <i>Ballota</i> .	
AVENACEÆ 395, 403	<i>Berteroa</i> lvii., 18	
<i>Azalea</i> xxix., 243	<i>incana</i> 18	
<i>procumbens</i> 243	<i>obliqua</i> 18	
BALANOPHOREÆ 323	<i>viridis</i> , Rb. <i>incana</i> .	
<i>Ballota</i> liii., 295	<i>Berula</i> . Sium.	
<i>fetida</i> . nigra. frutescens 295	<i>Beta</i> xxxi., 314	
<i>italica</i> 295	<i>Cicla</i> xxxi., 314	
<i>nigra</i> 295	<i>macrocarpa</i> . maritima?	
<i>ruderalis</i> . nigra β . 295	<i>maritima</i> 314	
<i>saxatilis</i> , GUSS. <i>italica</i> .	<i>sułcata</i> , GUSS. <i>Cicla</i> .	
<i>spinosa</i> , BERT. <i>frutes-</i> <i>cens</i> . <i>urticifolia</i> 295	<i>vulgaris</i> 314	
BALSAMINEÆ 71	<i>Betonica</i> liii., 294	
<i>Balsamita</i> , DUBY. <i>ageratifolia</i> . Plagius ageratifolius. <i>annua</i> . Lonas inodora. <i>Audibertia</i> . Tanacetum Audibertia. <i>major</i> . Tanacetum Balsamita. <i>virgata</i> . Plagius virgatus.	<i>Alopecurus</i> 294 <i>foliosa</i> , GUSS. <i>officinalis</i> . <i>hirsuta</i> 294 <i>hirta</i> . officinalis. <i>incana</i> , Rb. <i>hirsuta</i> . <i>officinalis</i> 294 <i>stricta</i> , Rb. <i>officinalis</i> β 294	
	<i>Betula</i> (See also <i>Alnus</i>). alba lxxviii., 342	
	<i>carpathica</i> , Rb. <i>pubes-</i> <i>cens</i> . <i>fruticosa</i> , Rb. <i>humilis</i> . <i>humilis</i> 342	

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

445

Page.	Page.	Page.
B. intermedia 342	<i>Bonjeania</i> . <i>Lotus</i>	<i>B. robertiana</i> , <i>balearica</i> . 428
nana 342	BORAGINÆ 251	<i>rupestris</i> 24
pubescens 342	Borago xxvii., 257	<i>sabularia</i> , GR. and G.
BETULINEÆ 332, 342	laxiflora 257	Eruc. <i>Tournefortii</i> .
Biasolettia xxxvii., 160	officinalis 257	villosa 24
<i>nodosa</i> . <i>Physocaulis</i>	Botrychium lxxxii., 426	<i>valentina</i> . <i>Erucastr.</i>
<i>nodosa</i> .	Lunaria 426	valentinum.
tuberosa 160	matricarifolium 426	BRASSICÆ lvi., lix., 22
Bidens lxix., 199	rutifolium 426	Braya lix., 27
bipinnata 199	Brachypodium xix., 417	alpina 27
bullata 199	Barrelieri. <i>pinnatum</i> γ 417	aspera 27
cernua 199	<i>cespitosum</i> . <i>ramosum</i> .	pinnatifida 27
tripartita 199	distachyon 417	supina 27
Bifora xxxviii., 161	festucoides 417	Brignolia xxxv., 149
<i>flosculosa</i> , Guss. testic.	genuense. <i>pinnatum</i> β 417	<i>pastinacifolia</i> . <i>sicula</i> .
radians 161	gracile. <i>sylvaticum</i> .	<i>sicula</i> 149
testiculata 161	<i>hispanicum</i> . <i>tenellum</i> .	Briza xxiii., 412
Biscutella vi., 14	phoenicoïdes 417	maxima 412
<i>ambigua</i> . <i>saxatilis</i> γ . 14	<i>pinnatum</i> 417	media 412
<i>apula</i> . <i>didyma</i> γ . . 14	<i>Plukeneti</i> . <i>ramosum</i> .	minor 412
<i>auriculata</i> 14	<i>Poa</i> . <i>tenellum</i> .	virens 412
<i>cichoriifolia</i> 14	ramosum 417	Bromus xxiii., 415
<i>ciliata</i> . <i>didyma</i> .	strictum 417	arduennensis 416
<i>Columnæ</i> . <i>didyma</i> β . 14	<i>sylvaticum</i> 417	arvensis 416
<i>coronopifolia</i> 14	tenellum 417	asper 415
<i>didyma</i> 14	<i>teniunculum</i> . <i>tenellum</i> β 417	brachystachys 416
<i>hispida</i> 14	<i>tuberculosum</i> 433	commutatus 416
<i>levigata</i> . <i>saxatilis</i> δ . 14	<i>unilaterale</i> 417	confertus 416
<i>longifolia</i> . <i>saxatilis</i> α . 14	<i>unicoides</i> 417	contortus 416
<i>lucida</i> . <i>saxatilis</i> ε . . 14	Brassica lix., 23	<i>decolorans</i> , RB. <i>Fest.</i>
<i>lyrata</i> 14	<i>asperifolia</i> , GR. & G.	elatior.
<i>maritima</i> . <i>lyrata</i> β . 14	Rapa & <i>campestris</i> .	diandrus 415
<i>mollis</i> . <i>saxatilis</i> β . . 14	balearica 23, 429	divaricatus 416
<i>obcordata</i> , RB. <i>saxat.</i>	campestris 23	erectus 415
<i>raphanifolia</i> . <i>lyrata</i> β . 14	<i>Cheiranthiflora</i> . <i>Eru-</i>	fasciculatus 415
<i>saxatilis</i> 14	<i>castrum monense</i> .	<i>giganteus</i> . <i>Festuca gi-</i>
Biserrula lxiii., 100	<i>cheiranthus</i> . <i>Eruca-</i>	<i>gantea</i> .
Pelecinus 100	<i>strum monense</i> .	<i>grossus</i> , DUBY. <i>secalinus</i> .
Bivonea lvii., 17	<i>Erucastrum</i> . <i>Eruca-</i>	Gussonii 415
lutea 17	<i>strum Candolii</i> .	inermis 415
Blechnum lxxii., 425	<i>Erucastrum</i> , Auct. <i>Eru-</i>	<i>intermedius</i> . <i>confertus</i> .
boreale 425	<i>castrum obtusangu-</i>	<i>jubatus</i> . <i>sterilis</i> β . 415
<i>Spicant</i> . <i>boreale</i> .	<i>lunum</i> and <i>Pollichii</i> .	<i>lanceolatus</i> 416
Blitum xv., 315	fruticulosa 24	<i>laxus</i> 415
<i>Bonus-Henricus</i> . <i>Che-</i>	Gravineæ 24	<i>macrostachys</i> , Guss. <i>lan-</i>
<i>nopodium</i> B.-Henr.	humilis 24	<i>ceolatus</i> .
<i>capitatum</i> 315	incana 24	<i>madritensis</i> . <i>diandrus</i> .
<i>crassifolium</i> . <i>Chenop.</i>	insularis 428	<i>maximus</i> 416
<i>botryoïdes</i> .	macrocarpa 24	<i>maximus</i> , BAB. <i>rigidus</i> .
<i>glaucum</i> . <i>Chenop. glau-</i>	Napus 23	<i>mollis</i> 416
<i>polymorphum</i> , Coss.	<i>nigra</i> . <i>Sinapis nigra</i> .	<i>multiflorus</i> , DUBY. <i>ar-</i>
<i>Chenop. rubrum</i> .	<i>obtusangula</i> . <i>Eruc. obt.</i>	<i>vensis</i> .
<i>rubrum</i> . <i>Chenop. rubr.</i>	oleracea 23	<i>patulus</i> 416
<i>virgatum</i> 315	præcox 23	<i>pilosus</i> 415
Blysmus xviii., 381	Rapa 23	<i>polystachys</i> , DUBY. <i>di-</i>
<i>compressus</i> 381	repanda 24	<i>andrus</i> β 415
<i>rufus</i> 381	Richerii 24	<i>pratensis</i> , DUBY. <i>racem.</i>

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

446

INDEX.

Page.	Page.	Page.
B. racemosus 416	B. salicifolium 194	C. maritima 22
rigidus 415	speciosissimum 194	rugosa, Gau. Rapis-
rubens 415	spinosum 194	trum rugosum.
<i>scaberrimus</i> , BERT. di-	Bupleurum xxxiii., 143	<i>Calamagrostis</i> . Arundo.
andrus γ 415	affine 143	<i>Calamintha</i> lii., 289
scoparius 416	aristatum 143	acinoidea 289
secalinus 416	<i>angulosum</i> . pyrenaeum.	Acinos 289
squarrosum 416	<i>caricifolium</i> . ranuncul.	alpina 289
sterilis 415	<i>caricinum</i> . ranuncu-	<i>cretica</i> , Rb. <i>Nepeta</i> .
tectorum 415	loides β 144	glandulosa 289
<i>tenuis</i> . <i>Festuca incrassata</i> .	cernuum 143	grandiflora 289
<i>velutinus</i> . <i>secalinus</i> β . 416	<i>dianthifolium</i> 144	graveolens 289
<i>Brunella</i> . Prunella.	elatum 144	microphylla 289
<i>Bryonia</i> lxxvi., 129	exaltatum 144	<i>Nepeta</i> 289
acuta, Guss. alba?	falcatum 144	<i>nepetoides</i> 289
alba 129	frutescens 144	<i>officinalis</i> 289
dioica 129	fruticosum 144	<i>patavina</i> 289
<i>sicula</i> . dioica?	Gerardi 143	<i>Piperella</i> , Rb. Micro-
<i>Buffonia</i> xxv., 53	glaucum 143	meria <i>Piperella</i> .
annua. <i>tenuifolia</i> .	glumaceum 143	rotundifolia 289
macrosperma. <i>tenuifolia</i> .	gramineum, Gr. and G.	<i>sylvatica</i> 289
perennis. <i>tenuifolia</i> .	cernuum.	<i>thymifolia</i> 289
<i>tenuifolia</i> 53	graminifolium 144	<i>umbrosa</i> , Rb. <i>officinalis</i> .
<i>Bulbine</i> . Simethis.	juncicum 143	Calendula lxxiv., 235
<i>Bulbocastanum</i> . Buniwm.	longifolium 144	arvensis 235
<i>Bulbocodium</i> xli., 373	Odontites 143	<i>bicolor</i> . arvensis β . 235
vernun 373	<i>petraeum</i> . <i>graminifolium</i> .	fulgida 236
<i>Bulliarda</i> xxv., 131	procumbens 143	maritima 235
aquatica 131	protractum 144	officinalis 235
Vaillantii 131	pyrenaeum 144	parviflora 235
<i>Bunias</i> lviii., 21	ranunculoides 144	sicula 235
aspera. Erucago.	rigidum 144	CALENDULACEÆ
Erucago 21	rotundifolium 144	lxiv., lxxiv., 235
<i>macroptera</i> , Rb. Erucago.	<i>Saxifraga</i> , BERT. pro-	<i>Calepina</i> lviii., 21
orientalis 22	tractum?	<i>Corvini</i> 21
<i>Bunium</i> xxxiv., 146	semicompositum 143	<i>Calla</i> lxxvii., 378
aphyllum 146	spinosum 432	<i>palustris</i> 378
alpinum 146	stellatum 144	<i>Callianthemum</i> , Rb. Ra-
<i>Bulbocastanum</i> 146	tenüssimum 143	nunculus.
capillifolium 146	Butomus xliv., 345	Callitrichæ xv., 126
<i>Carui</i> , Gr. & G. Carum	umbellatus 345	<i>aquatica</i> , C. & G. Nearly
Carui.	Buxus lxxvi., 325	all the species.
<i>cynapioides</i> . Biasolettia	semperfiriens 325	autumnalis 127
tuberosa.	<i>Calachia</i> . Adenostyles.	hamulata 127
divaricatum 146	<i>Cachrys</i> xxxviii., 160	pedunculata 127
flexuosum 146	echinophora. Lophocah-	<i>platycarpa</i> . stagnalis β . 127
<i>majus</i> , Rb. flexuosum.	chrys echinophora.	stagnalis 127
montanum 146	lævigata 160	<i>truncata</i> , Guss. au-
verticillatum 146	pungens. Lophoc echin-	tumnalis.
<i>virescens</i> . Gasparrinia	nophora β.	verna 126
virescens.	CACTÆ 135	<i>ernalis</i> , Koch. pedun-
<i>Buphtalmum</i> lxviii., 194	<i>Cactus</i> . Opuntia.	culata.
aquaticum 194	CESALPINEÆ .	<i>Calluna</i> xliii., 242
cordifolium 194	<i>Cakile</i> lviii., 22	<i>Erica</i> . vulgaris.
<i>grandiflorum</i> . salicifol.	<i>egyptiaca</i> . maritima β . 22	vulgaris 242
inuloides 194	<i>latifolia</i> . maritima.	<i>Calystegia</i> . Convolvulus.
maritimum 194		<i>Caltha</i> li., 8

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

447

Page.	Page.	Page.
C. palustris 8	C. latifolia 240	CAPPARIDÆ 33
radicans 8	ligulata, R.B. cervicaria.	Capparis xlix, 33
CALYCIFLORÆ 73	linifolia. Scheuchzeri.	ovata 34
Calycotome, Guss. Cytisus.	Lorei 240	rupestris 33
Camelineæ lviii, 21	lunariafolia, R.B. ra-	sicula. ovata.
<austriaca< a="">, R.B. Nastur-</austriaca<>	punculoides.	spinosa 34
tium austriacum.	macrorhiza 239	CAPRIFOLIACEÆ 162
dentata 21	Medium 238	Capsella vi, 16
<i>fatidæ</i> , Gr. & G. sa-	molis, TEN. dichotoma.	Bursa-Pastoris 16
tiva.	morettiana 239	pauciflora 16
microcarpa 21	multijflora, R.B. Cervi-	procumbens 16
sativa 21	cariæ.	Cardamine lx, 32
<i>sylvestris</i> , Gr. & G. mi-	nemorosa 239	alpina 32
crocarpa.	nicæensis. glomerata γ	amara 32
CAMELINEÆ lvi, lviii, 21	patula 240	asarifolia 32
Campanula xxix, 237	persicifolia 240	bellidifolia, DUBY. al-
<i>aggregata</i> , R.B. glo-	petræa 238	pina.
merata.	pubescens, R.B. pusilla β	bicolor 32
Allionii 238	pulla 240	Chelidonia 32
alpina 238	pusilla 239	dentata. pratensis β
<i>Alpini</i> . Adenophora	pyramidalis 239	glauca 33
suaveolens.	pyrenaica 240	græca, Guss. Ptero-
barbata 238	Raineri 239	neurum græcum.
Baumgartneriæ, R.B. ro-	rapunculoides 240	granulosa 32
tundifolia.	Rapunculus 240	hamulosa 32
bononiensis 240	rhomboidalis 240	hirsuta 32
cæspitosa 239	rotundifolia 239	impatiens 32
carnica 239	Scheuchzeri 239	latifolia 32
cenisia 240	sibirica 238	maritima 33
Cervicaria 238	simplicæ, R.B. bononi-	Matthioli 33
<i>cervicarioides</i> . glome-	eensis.	parviflora 33
rata ϵ 238	speciosa 238	petræa, LINN. Arabis
<i>crenata</i> , R.B. rapuncu-	speciosa, HORNEMANN.	petræa.
loides.	glomerata β 238	pratensis 33
dichotoma 238	Speculum. Specul. Spec.	Plumieri, Gr. & G. tha-
Elatines 239	spicata 238	lictroides.
<i>Elatines</i> , TEN. gar-	Tenoriæ 239	resedifolia 32
ganica.	<i>tenuifolia</i> , R.B. Edrai-	sylvatica 32
elatinoides 238	anthus <i>tenuifolius</i> .	thalictroides 33
<i>elliptica</i> , R.B. glomer. δ	thyrsoidæ 238	trifolia 33
Erius 240	<i>trachelioïdes</i> , R.B. ra-	uliginosa, Guss. amara β
excisa 240	punculoides.	umbrosa, DUBY. hirsuta.
<i>falcata</i> . Specularia fal-	Trachelium 240	Cardopatium lxxiii, 228
cata.	trichocalycina 240	corymbosum 228
floribunda 239	urticifolia. Trachelium.	CARDUINEÆ lxxi, lxxii, 219
foliosa 238	valdensis, GAUDIN.	Carduncellus lxxiii, 229
fragilis 239	Scheuchzeri.	cærules 229
garganica 239	cesula, ALLIONI. per-	mitissimum 229
glomerata 238	sicifolia.	monspeliensium 229
<i>graminifolia</i> . Edraian-	Zoysiæ 240	pinnatus 229
thus <i>tenuifolius</i> .	CAMPANULACEÆ 236	tingitanus 229
<i>hederacea</i> . Wahlen-	Camphorosma xxv, 314	Cardiúus. (See also Cir-
bergia <i>hederacea</i> .	monspeliaca 314	sium.) lxxii, 220
<i>Hostii</i> , R.B. rotundifolia.	Canna xv., 356	acanthideo-nutans 222
<i>hybrida</i> . Specularia hyb.	indica 356	acanthoides 221
<i>lanceolata</i> , R.B. rhom-	CANNACEÆ 356	acicularis 222
boidalis β 240	<i>Cannabis sativa</i> 331	affinis 221

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

448

INDEX.

Page.	Page.	Page.
C. <i>agrestis</i> , DC. 222	C. <i>acuta</i> 389	C. <i>fimbriata</i> , RB. <i>hispidula</i> .
<i>alpestris</i> , RB. <i>defloratus</i> η 222	<i>agastachys</i> , RB. <i>pendula</i> 389	<i>firma</i> 392
<i>arabis</i> 220	<i>alba</i> 390	<i>flava</i> 391
<i>arctioides</i> 221	<i>alpestris</i> . <i>gynobasis</i> 390	<i>fetida</i> 386
<i>Argemone</i> 221	<i>ambleocarpa</i> . <i>glauca</i> β 393	<i>foliola</i> , RB. <i>flava</i> .
<i>Argemone</i> , DUBY. <i>arcticoides</i> 221	<i>ampullacea</i> 393	<i>frigida</i> 391
<i>Argyroa</i> 220	<i>approximata</i> . <i>lagopina</i> 393	<i>fuliginosa</i> 391
<i>candicans</i> , RB. <i>collinus</i> 221	<i>aquatica</i> 389	<i>fulva</i> 391
<i>Candolii</i> 221	<i>arenaria</i> 386	<i>furcata</i> , LAP. 394
<i>carlinifolius</i> 222	<i>aryroglochin</i> . <i>ovalis</i> β 387	<i>fusca</i> , Suteri 394
<i>carlinoides</i> 221	<i>atterima</i> 388	<i>gaudiniana</i> 388
<i>cephalanthus</i> 220	<i>atratia</i> 388	<i>Gebhardi</i> . <i>elongata</i> β 387
<i>chrysacanthus</i> 222	<i>axillaris</i> 387	<i>geniculata</i> , RB. <i>frigida</i> .
<i>cirsoides</i> . <i>defloratus</i> δ 222	<i>badea</i> , PERS. 394	<i>genuensis</i> 393
<i>collinus</i> 221	<i>baldensis</i> 385	<i>Gibsoni</i> 388
<i>confertus</i> 221	<i>basilaris</i> 389	<i>glauca</i> 393
<i>congestus</i> 220	<i>bastardiana</i> , DC. 394	<i>Goodenovii</i> , Coss. <i>vulg.</i>
<i>corymbosus</i> 221	<i>bicolor</i> 388	<i>Grahami</i> 388
<i>crassifolius</i> , GAU. <i>defloratus</i> γ 222	<i>bilobularis</i> . <i>laevigata</i> , &c.	<i>Grioletti</i> 389
<i>crispum-nutans</i> 222	<i>binervis</i> 392	<i>Grypos</i> 387
<i>crispus</i> 221	<i>boenninghauseniana</i> 387	<i>guestphalica</i> . <i>divulsa</i> β 385
<i>defloratus</i> 221	<i>brachystachys</i> . <i>tenuis</i> .	<i>gynomane</i> , KOCH. Linkii.
<i>fasciculiflorus</i> 221	<i>brevicollis</i> 392	<i>gynobasis</i> 389
<i>hamulosus</i> 221	<i>brizoides</i> 386	<i>Heleonastes</i> 387
<i>laxiflorus</i> 222	<i>Buxbaumii</i> 387	<i>hirta</i> 393
<i>leptophyllus</i> , GAU. <i>defloratus</i> ζ 222	<i>cespitosa</i> . <i>vulgaris</i> .	<i>hispidula</i> 393
<i>leucographus</i> 222	<i>canescens</i> , KOCH. curta.	<i>hispidula</i> 392
<i>macrocephalus</i> 222	<i>capillaris</i> 390	<i>hordeistichos</i> 393
<i>medius</i> , DUBY. <i>arctioides</i> .	<i>capitata</i> 385	<i>hornschlorhiana</i> 392
<i>microcephalus</i> , GAU.	<i>chordorrhiza</i> 386	<i>hosteana</i> , RB. <i>fulva</i> β 392
<i>tenuiflorus</i> 222	<i>clandestina</i> , SM. <i>humilis</i> .	<i>humilis</i> 390
<i>multiflorus</i> , KOCH. <i>polyanthemus</i> .	<i>claviformis</i> 393	<i>incurva</i> 386
<i>neglectus</i> 220	<i>costata</i> , PRESL 394	<i>intermedia</i> 386
<i>nigrescens</i> 222	<i>curta</i> 387	<i>intricata</i> 388
<i>nutans</i> 222	<i>curvula</i> 385	<i>irrigua</i> 390
<i>nutanti-acanthoides</i> 222	<i>cyperoides</i> 385	<i>juncifolia</i> . <i>incurva</i> .
<i>Personata</i> 220	<i>davalliana</i> 384	<i>juncoides</i> 394
<i>platylepis</i> 222	<i>decipiens</i> 385	<i>kochiana</i> . <i>paludosa</i> β 394
<i>podacanthus</i> 221	<i>depauwera</i> 392	<i>laevigata</i> 392
<i>polyacanthus</i> , RB. <i>acanthoides</i> .	<i>digitata</i> 390	<i>lasiocleena</i> 393
<i>polyanthemus</i> 221	<i>dioica</i> 384	<i>lagopina</i> 387
<i>pycnocephalus</i> 220	<i>distachya</i> , RB. Linkii.	<i>lepidocarpa</i> . <i>flava</i> β 391
<i>rhaeticus</i> . <i>defloratus</i> ϵ 222	<i>distantis</i> 392	<i>leporina</i> . <i>ovalis</i> .
<i>sardous</i> 220	<i>disticha</i> . <i>intermedia</i> .	<i>leptostachys</i> , RB. <i>stri-gosa</i> .
<i>Sancta-Balmæ</i> , DC. 222	<i>divisa</i> 386	<i>leucoglochin</i> . <i>pauciflora</i> .
<i>summanus</i> . <i>defloratus</i> β 222	<i>divulsa</i> 385	<i>ligerica</i> 387
<i>syncephalus</i> , RB. <i>tenuiflorus</i> 220	<i>Dreyeri</i> , KOCH. <i>pacifica</i> .	<i>limosa</i> 390
<i>tenuiflorus</i> 220	<i>drymeia</i> . <i>sylvatica</i> .	<i>Linkii</i> 387
<i>tenuifolius</i> 222	<i>elongata</i> 387	<i>lobata</i> 386
<i>Carex</i> lxxvi, 384	<i>erecta</i> , DUBY. <i>semper-virens</i> β 392	<i>loliaceae</i> 387
<i>acuminata</i> 393	<i>ericetorum</i> 390	<i>ludibunda</i> 386
	<i>evoluta</i> 393	<i>macrolepis</i> 389
	<i>extensa</i> 391	<i>Mairii</i> 391
	<i>ferruginea</i> 392	<i>maxima</i> . <i>pendula</i> ,
	<i>filiformis</i> 393	<i>membranacea</i> . <i>ericet.</i> β 390
		<i>micheliana</i> . <i>glauca</i> β 393

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

449

Page.	Page.	Page.
C. Michelii 392	C. saxatilis 388	C. Ostrya 333
microcarpa 391	schoenoides 386	Carrichtera lviii., 21
microglochin 385	Schraderi. laevigata β 392	annua 21
microstachya 388	Schreberi 387	Carthamus lxxiii., 229
microstyla 386	Scopoli. ferruginea β 392	tinctarius 229
<i>Mielichoferi.</i> ferruginea 392	secalina, R.B. hordeis-	Carum xxxiv., 147
modesta 386	tichos. 387	<i>Bulboastarum.</i> Bunium
menchiana 389	semperfirens 392	<i>Bulbocastanum.</i>
mollis. præcox β 390	serulata 391	Carui 147
montana 390	Soleirolii 393	<i>divaricatum.</i> Bunium
mucronata 388	spadicea. ferruginea β 392	<i>divaricatum.</i>
muricata 385	stellulata 387	<i>rigidulum.</i> Meum rigid.
<i>nemorosa,</i> WILLD. vul-	stenophylla 386	<i>verticillatum.</i> Bunium
pina β 385	stricta 389	<i>verticillatum.</i>
<i>nervosa,</i> GUSS. extensa.	strigosa 391	CARYOPHYLLACEÆ 44
nigra 388	supina 389	Cassandra xlvi., 242
nitida 390	Suteri 385	calyculata 242
nutans 394	sylvatica 392	Castanea. Fagus.
obtusata 385	tenuis 392	Catabrosa xxiii., 408
Cederi 391	teretiuscula 385	aquatica 408
ohmülleriana 386	<i>tetanica,</i> R.B. <i>vaginata.</i>	Catananche lxv., 173
olbiensis 391	<i>thuringiaca,</i> R.B. <i>glaucha.</i>	caerulea 173
ornithopoda 390	tomentosa 389	lutea 173
ovalis 387	trimeris 389	CATANANCHEÆ lxiv. lxv., 173
pacifica 388	<i>uetliaca.</i> flava γ 391	<i>Catapodium.</i> Sclerochloa.
pallescens 390	<i>umbrosa.</i> præcox. 391	CAUCALINEÆ xxxiii.,
paludosa 393	ustulata 390	xxxvii., 158
panicea 391	vaginata 391	Caucalis xxxvii., 158
paniculata 385	Vahlii 388	daucoides 158
panormitana 389	vesicaria 393	<i>grandiflora.</i> Orlaya
paradoxa 385	<i>vires.</i> muricata β 385	<i>grandiflora.</i>
<i>patula,</i> DUBY. <i>sylvatica.</i>	vulgaris 388	<i>infesta.</i> Torilis helvetica.
pauciflora 385	vulpina 385	latifolia 158
pendula 391	Carlina lxxiii., 229	leptophylla 158
Persoonii 387	acanthifolia 229	<i>maritima.</i> Orlaya marit.
<i>pheostachya,</i> SM. va-	acaulis. subacaulis.	<i>muricata.</i> 158
ginata. 387	<i>Chamaeleon.</i> subacaulis.	<i>platycarpus.</i> Orlaya
pilosa 390	corymbosa 229	<i>platycarpus.</i>
pilulifera 390	<i>Cynara.</i> acanthifol. β 229	<i>pumila.</i> Orlaya marit.
platystachya 389	gummifera 230	Caulinia. (See also Naias.)
polyrrhiza 390	involuterata 229	xviii., 348
præcox 389	lanata 229	oceanica 348
Pseudo-cyperus 391	longifolia 229	CELASTRINEÆ 73
pulicaris 385	macrocephala 229	Celsia lv., 262
<i>pulla,</i> SM. <i>saxatilis.</i>	nebrodensis 229	cretica 262
punctata 392	racemosa 229	Celtis xxxi., 331
pyrenaica 385	sicula 229	australis 331
rariflora 390	<i>simplex.</i> subacaulis β 229	Centaurea lxxiii., 230
recurva, SM. <i>glaucha.</i>	subacaulis 229	<i>aculeosa.</i> rupestris γ 233
reflexa, R.B. præcox.	vulgaris 229	<i>adonisifolia,</i> R.B. ru-
refracta. præcox γ 390	CARLINEÆ lxxi., lxxii., 228	pestris.
remota 387	<i>Carpesium</i> lxxi., 215	adulterina 234
repens 386	abrotanoides 215	alba 231
rigida 388	cernuum 215	alpina 231
riparia 393	<i>Carpinus</i> lxxviii., 333	amara 231
rupestris 385	Betulus 333	ambigua 232
sarda 387	duinensis 333	apolepis 233

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

450

INDEX.

Page.	Page.	Page.			
C. apula	234	C. nigra	231	C. transylvanica	170
arachnoidea	233	nigrescens	231	Cerastium	xlvii., 58
aspera	235	nigrescens, DC. Jacea γ	231	aggregatum, GR. & G.	
aurea	234	paniculata	232	siculum.	
auriculata. sonchifol. β	235	Parlatoris	232	alpinum	59
austriaca	231	pectinata	231	alsinooides, GODR.	59
autumnalis. Calcitr. β	234	peregrina	235	androsaceum	58
axillaris	233	phrygia	232	anomalum, GR. & G.	
benedicta. Cnicus bene-		phrygia, DUBY. nervosa.		Stellaria viscosa.	
dictus.		Pouzini	234	aquaticum	58
busambrensis	232	pratensis. Jacea δ	231	arenarium. triviale.	
cærulescens	232	procumbens	231	arvense	59
Calcitrapa	234	pullata	233	atrovirens	
calcitrapoides	234	rupestris	233	Boissieri	429
Centaurium	231	salicifolia, DC. nigres-		brachypetalum	58
centauroioides	234	cens.		campanulatum	59
ceratophylla	233	salmantica. Microlon-		densiflorum. glome-	
cichoracea. Serratula		chus salmanticus.		ratum.	
cichoracea.		Scabiosa	233	fallax. triviale.	
Cineraria	232	Schowii	234	filiforme	59
cinerea	232	sempervirens	232	glaciele	59
collina	234	sicula	234	glaucum, GR. & G.	
crassifolia	235	solstitialis	234	Menchia mantica and	
cristata	232	sonchifolia	235	erecta.	
Crupina. Crupina vul-		sordida	233	glomeratum	58
garis.		spatulata	231	glutinosum	58
Crupinastrum	231	sphaerocephala	234	grandiflorum	59
Cyanus	233	spinulosa, RB. Sca-		hirsutum. arvense.	
decipiens. Jacea β	231	biosa β	233	holosteoides. triviale β	59
deusta	231	splendens	231	illyricum	58
diffusa	233	Stoebe	235	lanatum. alpinum.	
dissecta	232	stricta, RB. axillaris.		laricifolium, RB. ar-	
filiformis	233	subinermis. rupestris β	233	vense.	
flosculosa	232	taurometana	231	latifolium	59
fuscata	234	toreana	234	lineare, RB. arvense.	
galactites. Galactites		uniflora	232	manticum. Menchia	
tomentosa.		variegata. axillaris.		mantica.	
grafiana, DC. sordida.		vochinensis, RB. ni-		obscurum, GODR.	59
horrida	233	grecens.		ovatum	59
hybrida	233	xanthina. fuscata β	234	pedunculatum, RB. la-	
inceana	231	CENTAURIEÆ lxxii.lxxiii., 230		tifolium.	
intybacea	233	Centranthus	xv., 169	pentandrum	58
Isnardi	235	angustifolius	169	pumilum	59
Jacea	231	Calcitrapa	169	pyrenaicum	429
kartschiana	232	ruber	169	repens. sylvaticum.	
kotschyana	233	trinervis	169	Riae	429
laciniata	232	Centrophyllym. Kento-		semidecandrum	59
lappacea	234	phyllum.		siculum	58
macroacantha	234	Centunculus	xxiv., 299	Soleirolii, DUBY. al-	
maculosa	232	minimus	299	pinum.	
melitensis	234	Cephalanthera. Epipactis.		stenopetalum, GR. & G.	
montana	233	Cephalaria	xxiv., 170	arvense	429
mutabilis	231	alpina	171	strictum. arvense β	59
myacantha	234	centauroioides	171	suffruticosum. arvenseγ	59
napifolia	235	joppensis	170	sylvaticum	59
nervosa	232	leucantha	171	tetrandrum	58
nicœensis. fuscata.		syriaca	171	tomentosum	59

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

451

Page.	Page.	Page.
<i>C. trigynum</i> , GR. & G. <i>Stellaria cerastoides</i> . <i>triviale</i> 59	<i>C. temulum</i> 159 <i>Villarsii</i> 159	<i>C. Bonus-Henricus</i> 313 <i>botryoides</i> 313
<i>varians</i> , Coss. semi- decandrum, &c. <i>viscosum</i> . <i>triviale</i> . <i>vulgatum</i> . <i>glomeratum</i> .	<i>Chaiturus</i> . <i>Leonurus</i> . <i>Chameorchis</i> . <i>Ophrys</i> . <i>Chamaegrostis</i> . <i>Knapia</i> . <i>Chamaepetee</i> lxxii., 227	<i>Botrys</i> 314 <i>ficifolium</i> 314 <i>fetidum</i> . <i>Vulvaria</i> . <i>fruticosum</i> . <i>Suæda fru-</i>
<i>Cerasus</i> . <i>Prunus</i> .	<i>Casabonæ</i> 227 <i>firma</i> 227 <i>gnaphalodes</i> 227 <i>nivea</i> 227 <i>stellata</i> 227 <i>stricta</i> 227	<i>ticosa</i> . <i>glaucum</i> 313 <i>glomerulosum</i> , RB. album. <i>hirsutum</i> , DUBY. <i>Kochia</i> <i>hirsuta</i> . <i>hybridum</i> 314
<i>Ceratocephalus</i> li., 4	<i>Chamærepes</i> , RB. <i>Ophrys</i> . <i>Chamærops</i> xlivi., 378	<i>Jacquinii</i> . <i>Suæda mari-</i>
<i>falcatus</i> 4	<i>humilis</i> 378 <i>macrocarpa</i> , Guss. hu-	<i>timæ</i> . <i>lanceolatum</i> . album γ 314
<i>orthoceras</i> 4	<i>milis</i> .	<i>leiospermum</i> , DUBY. al-
<i>Ceratonia</i> xxxi., lxxix., 75	<i>Chara</i> lxxxi., 421	<i>bum</i> .
<i>Siliqua</i> 75	<i>aspera</i> 421 <i>barbata</i> 421 <i>brogniartiana</i> 422 <i>capitata</i> 422 <i>ceratophylla</i> 421 <i>coronata</i> 421 <i>erinita</i> 421 <i>flexilis</i> 422 <i>fragilis</i> 421 <i>glomerata</i> 421, 422 <i>gracilis</i> 422 <i>hispida</i> 421 <i>hyalina</i> 422 <i>mucronata</i> 422 <i>nudiflæa</i> 421, 422 <i>polysperma</i> 422 <i>prolifera</i> 422 <i>scoparia</i> 421 <i>stellata</i> 422 <i>syncarpa</i> 422 <i>tenuissima</i> 422 <i>translucens</i> 421, 422 <i>vulgaris</i> 421	<i>maritimum</i> . <i>Suæda ma-</i>
<i>Ceterach</i> lxxxii., 425	<i>CHARACEÆ</i> lxxx., lxxxi., 426	<i>ritima</i> . <i>melanospermum</i> , Guss.
<i>Maranteæ</i> . <i>Notholæna</i>	<i>Cheilanthes</i> lxxxii., 426	<i>urbicum</i> . <i>multifidum</i> 314
<i>officinarum</i> 425	<i>odoros</i> 426	<i>murale</i> 314
<i>Cheerophyllum</i> xxxvii., 159	<i>Cheiranthus</i> lix., 28	<i>olidum</i> . <i>Vulvaria</i> . <i>opulifolium</i> 314
<i>aromaticum</i> 160	<i>Chœiri</i> 28	<i>paganum</i> , RB. album.
<i>aureum</i> 159	<i>Chelidonium</i> xl ix., 12	<i>pedunculare</i> 314
<i>bulbosum</i> 159	<i>laciniatum</i> . <i>majus</i> γ . 12	<i>polyspermum</i> 313
<i>Cicutaria</i> , RB. <i>Villarsii</i> .	<i>majus</i> 12	<i>rhombifolium</i> , RB. ur-
<i>Cicutaria</i> , VILLARS. <i>hir-</i>	<i>CHENOPODIÆ</i> 312	<i>bicum</i> .
<i>sumum</i> .	<i>Chenopodium</i> xxxi., 313	<i>rubrum</i> 313
<i>elegans</i> 159	<i>acutifolium</i> . <i>polysper-</i>	<i>scoparia</i> , DUBY. <i>Kochia</i>
<i>hirsutum</i> 160	<i>num</i> β 313	<i>scoparia</i> .
<i>maculatum</i> . <i>aureum</i> β 159	<i>album</i> 314	<i>sepium</i> 314
<i>magellense</i> 159	<i>ambrosioides</i> 314	<i>setigerum</i> . <i>Suæda seti-</i>
<i>nemorosum</i> , RB. <i>An-</i>	<i>aristatum</i> 313	<i>gera</i> .
<i>thriscus nemorosa</i> .	<i>blitoides</i> 313	<i>urbicum</i> 313
<i>nodosum</i> . <i>Physocaulis</i>		<i>viride</i> . <i>album</i> β 313
<i>nodosus</i> .		<i>Vulvaria</i> 313
<i>sativum</i> . <i>Anthriscus</i>		<i>Cherleria</i> xlvi., 53
<i>Cerefolium</i> .		<i>imbricata</i> , BERT. <i>Alsine</i>
<i>sylvestre</i> . <i>Anthriscus</i>		<i>aretioides</i> .
<i>sylvestris</i> .		<i>sedoides</i> 53

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

452

INDEX.

Page.	Page.	Page.
<i>C. juncea</i> 194	<i>C. filiformis</i> 249	<i>C. Acarna.</i> <i>Picnomon</i>
<i>muralis.</i> <i>Lactuca muralis.</i> 194	<i>pusilla</i> 249	<i>Acarna.</i>
<i>prenanthoides</i> 194	<i>arietinum</i> 102	<i>acaule</i> 226
<i>ricens.</i> <i>juncea</i> β 194	<i>Cicer</i> lxiii., 102	<i>acauli-bulbosum</i> 226
<i>CHONDRILLEÆ</i> lxxv., lxxvii., 192	<i>Cichorium</i> lxxv., 174	<i>acauli-oleraceum</i> 224
<i>Chrysanthemum</i> . lxx., 206	<i>divaricatum.</i> <i>Intybus</i> β 174	<i>acauli-spinosissimum</i> 225
<i>alpinum.</i> <i>Pyrethrum alpinum.</i> 206	<i>glabratum</i> 174	<i>ambiguum,</i> DUBY. <i>ri-</i>
<i>atratum,</i> DC. <i>Leucanthemum montanum.</i>	<i>Intybus</i> 174	<i>vulari-heteroph.</i>
<i>atratum,</i> LINN. <i>Pyrethrurum Halleri.</i> 206	<i>spinosum</i> 174	<i>anglicum.</i> <i>pratense</i> 226
<i>ceratophyllum</i> . <i>Pyrethrurum ceratoph.</i> 206	<i>Cicuta</i> xxxiv., 144	<i>antarcticum.</i> <i>heteroph-</i>
<i>coronarium</i> 206	<i>virosa</i> 144	<i>spinosisimum.</i>
<i>coronopifolium.</i> <i>Pyrethr. Halleri.</i> 206	<i>Cimicifuga</i> 1, 10	<i>arvense</i> 224
<i>corymbosum.</i> <i>Pyrethr. corymbosum.</i> 206	<i>festida</i> 10	<i>arvensi-palustre</i> 224
<i>graminifolium.</i> <i>Leucanthemum graminifol.</i> 206	<i>Cineraria</i> lxx., 211	<i>Bertolonii</i> 225
<i>Halleri.</i> <i>Pyrethr. Halleri.</i> 206	<i>alpestris</i> 211	<i>bulbosum</i> 226
<i>heterophyllum.</i> <i>Leucanth. montanum.</i> 206	<i>alpina,</i> DUBY. <i>Senecio lyratifolius.</i>	<i>bulboso-acaulé</i> 226
<i>italicum</i> 206	<i>ambigua,</i> GUSS. <i>Senecio ambiguus.</i>	<i>bulboso-oleraceum</i> 224
<i>inodorum.</i> <i>Pyreth. inod.</i> 206	<i>aurantiaca</i> 211	<i>bulboso-palustre</i> 226
<i>Leucanthemum.</i> <i>Leucanth. vulgare.</i> 206	<i>balsibiana</i> 211	<i>canum</i> 227
<i>macrophyllum.</i> <i>Pyrethr. macrophyllum.</i> 206	<i>bicolor,</i> GUSS. <i>Senecio bicolor.</i>	<i>cano-oleraceum</i> 224
<i>maritimum.</i> <i>Pyrethr. maritimum.</i> 206	<i>campestris</i> 211	<i>carnolicum</i> 225
<i>maximum.</i> <i>Leucanth. maximum.</i> 206	<i>campestris,</i> DC. <i>spatul.</i>	<i>Casabonæ.</i> <i>Chamæpence.</i>
<i>monspeliense.</i> <i>Leucanth. cebennense.</i> 206	<i>capitata.</i> <i>aurantiaca</i> β 211	<i>Cervini.</i> <i>heterophyllo-</i>
<i>montanum.</i> <i>Leucanth. montanum.</i> 206	<i>clusiana.</i> <i>alpestris</i> β 211	<i>spinosisimum.</i>
<i>Myconis.</i> <i>Pyrethr. Myconis.</i> 206	<i>cordifolia,</i> DUBY. <i>Se-</i>	<i>Chailleti,</i> KOCH. <i>ar-</i>
<i>Parthenium.</i> <i>Pyrethr. Parthenium.</i> 206	<i>necio cordatus.</i>	<i>vensi-palustre</i> 224
<i>perpusillum.</i> <i>Nananthea perpusilla.</i> 206	<i>crassifolia,</i> RB. <i>alpest.</i>	<i>controversum.</i> <i>hetero-</i>
<i>segetum</i> 206	<i>crispa</i> 211	<i>phylllo-spinosissimum</i> 225
<i>tomentosum.</i> <i>Pyrethrum tomentosum.</i> 206	<i>crocea.</i> <i>crispa</i> ϵ 211	<i>erinitum</i> 232
<i>Chrysocoma.</i> <i>Linosyris.</i> 206	<i>gibbosa,</i> GUSS. <i>Senecio gibbosus.</i>	<i>dissectum.</i> <i>monspessu-</i>
<i>Chrysosplenium</i> . xlvi., 141	<i>integrifolia,</i> SM. <i>cam-</i>	<i>lanum</i> γ 227
<i>alternifolium</i> 141	<i>pestris.</i>	<i>dubium,</i> WILLD. 226
<i>oppositifolium</i> 141	<i>longifolia.</i> <i>spatulifolia?</i>	<i>echinatum</i> 223
<i>ovatifolium</i> 141	<i>maritima.</i> <i>Senecio Ci-</i>	<i>eriophorum</i> 223
<i>Chrysurus.</i> <i>Lamarchia.</i> 206	<i>neraria.</i>	<i>Erisithales</i> 225
<i>Cicendia</i> xxiv., 249	<i>nebrodensis.</i> <i>Senecio nebrodensis.</i>	<i>Erisithali-heterophyl-</i>
<i>Candolii</i> 249	<i>orientensis.</i> <i>alpestris</i> γ 211	<i>lum</i> 225
	<i>palustris</i> 212	<i>erucagineum,</i> DC. <i>ole-</i>
	<i>papposa</i> 211	<i>raceo-rivulare</i> 224
	<i>pratensis</i> 211	<i>ferox</i> 223
	<i>rivalaris.</i> <i>crispa</i> β 211	<i>Forsteri</i> 226
	<i>Schkuhrii.</i> <i>crispa</i> δ 211	<i>giganteum</i> 223
	<i>sibirica,</i> DUBY. <i>Ligu-</i>	<i>glabrum</i> 225
	<i>spatulifolia</i> 211	<i>glutinosum,</i> Erisithales.
	<i>sudetica.</i> <i>crispa</i> γ 211	<i>heterophyllum</i> 226
	<i>Ciræa</i> xvi., 126	<i>heterophyllo-acaulé</i> 226
	<i>alpina</i> 126	<i>heterophyllo-oleraceum</i> 224
	<i>intermedia.</i> <i>alpina</i> β 126	<i>heterophyllo-spinosissi-</i>
	<i>lutetiana</i> 126	<i>mum</i> 225
	<i>Cirsium</i> (<i>Cnicus</i> , SM. and Guss.) lxxii., 222	<i>hybridum.</i> <i>palustri-</i>
		<i>oleraceum.</i>
		<i>inerme,</i> RB. <i>bulboso-ol-</i>
		<i>raceum.</i>
		<i>italicum</i> 223
		<i>Lachenali.</i> <i>oleraceo-bul-</i>
		<i>bosum</i> and <i>oleraceo-</i>
		<i>acaulé</i> 224

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

453

Page.	Page.	Page.
C. lanceolatum 223 <i>lanceolato-acaule</i> 223 <i>lanceolato-oleraceum</i> 224 <i>lanceolato-palustre</i> 223 <i>lanceolato-pratense</i> 223 <i>Lobelii. ferox</i> β 223 <i>medium</i> , Rb. <i>bulbosum-acaule</i> 223 <i>microcephalum</i> 225 <i>molle</i> , Vill. <i>acaule</i> 226 <i>monspessulanum</i> 227 <i>montanum</i> 226 <i>nemorale</i> , <i>lanceolatum</i> β 223 <i>niveum</i> , <i>Chamaepetrum nivea</i> 223 <i>ochroleucum</i> 225 <i>ochroleucum</i> , DUBY. E- risithales. 224 <i>oleraceum</i> 224 <i>oleraceo-acaule</i> 224 <i>oleraceo-cavense</i> 224 <i>oleraceo-bulbosum</i> 224 <i>oleraceo-Erisithales</i> 224 <i>oleraceo-heterophyllum</i> 224 <i>oleraceo-rivulare</i> 224 <i>oleraceo-spinosissimum</i> 225 <i>palustre</i> 223 <i>palustri-acaule</i> 224 <i>palustri-bulbosum</i> 226 <i>palustri-Erisithales</i> 225 <i>palustri-oleraceum</i> 224 <i>palustri-rivulare</i> 226 <i>pannonicum</i> 227 <i>pannonico-acaule</i> 227 <i>pannonico-Erisithales</i> 227 <i>parviflorum</i> , DC. <i>palus- tri-oleraceum</i> 224 <i>pauciflorum</i> , KOCH, ed. 1. <i>rivulari-het.</i> 226 <i>pauciflorum</i> , DC. <i>Erisi- thali-heterophyllum</i> 225 <i>pratense</i> 226 <i>pratense</i> , DC. 227 <i>pungens</i> 223 <i>purpureum</i> , Rb. <i>heter- ophyllo-spinosissi- mum</i> 227 <i>pyrenaicum</i> , Rb. <i>mons- pessulanum</i> β 227 <i>rigens</i> , DC. <i>heterophy- losissimum</i> 225 <i>rivulare</i> 225 <i>rivulari-acaule</i> 226 <i>rivulari-heterophyllum</i> 226 <i>rivulari-palustre</i> 226 <i>rivulari-spinosissimum</i> 225 <i>Rozeni</i> , Villars 226	C. <i>rufescens</i> , DUBY. car- niolicum. <i>salisburgense</i> , DUBY. rivulare. <i>semidecurrans</i> , Rb. <i>pa- lustris-bulbosum</i> . <i>semipectinatum</i> , Rb. <i>ri- vulari-oleraceum</i> . <i>serruloides</i> , Rb. pan- nonicum. <i>serratum</i> 227 <i>setosum</i> , arvense β 224 <i>siculum</i> , pungens β 223 <i>spatulatum</i> , eriophyllum 223 <i>spinosisissimum</i> 225 <i>spinosissimo-Erisithales</i> 225 <i>spurium</i> , eriophorum β 223 <i>stellatum</i> , Chamaepetrum stellata. <i>subalatum</i> , <i>palustri-ole- raceum</i> 224 <i>subalpinum</i> , DC. <i>palus- tri-rivulare</i> 226 <i>sylvaticum</i> 223 <i>syriacum</i> , <i>Notobasis syriaca</i> 223 <i>tataricum</i> , DUBY. <i>ole- raceo-acaule</i> . <i>tricephalodes</i> , rivulare. <i>tuberosum</i> 227 <i>Zizianum. bulb.-acaule</i> 226	C. <i>villosum</i> , ineanus β 34 <i>Citrus</i> <i>Aurantium</i> 65 <i>Limonium</i> 65 <i>medica</i> 65 <i>vulgaris</i> 65 <i>Cladium</i> xvii, 381 <i>germanicum</i> , Mariscus. <i>Mariscus</i> 381 <i>Clematis</i> li, 1 <i>alpina</i> , Atragene alp. <i>balearica</i> 1 <i>cirrhosa</i> 1 <i>erecta</i> , DUBY. recta. <i>Flammula</i> 1 <i>integrifolia</i> 1 <i>polymorpha</i> , cirrhosa. <i>recta</i> 1 <i>Vitalba</i> 1 <i>Viticella</i> 1 <i>Cleonia</i> liii, 290 <i>lusitanica</i> 290 <i>Clinopodium</i> lii, 289 <i>vulgare</i> 289 <i>Clypeola</i> lvii, 21 <i>cyclodontea</i> 21 <i>Jonthlaspi</i> 21 <i>Cneorum</i> xvii, 75 <i>tricoccum</i> 75 <i>Cnicus</i> . (See <i>Cirsium</i>) lxxiii, 230 <i>benedictus</i> 230 <i>Cnidium</i> xxxv, 150 <i>apioides</i> 150 <i>Monnierii</i> 150 <i>palustre</i> , Rb. <i>venosum</i> . <i>venosum</i> 151 <i>Cochlearia</i> lvii, 17 <i>anglica</i> 17 <i>Armoracia</i> 17 <i>auriculata</i> , DUBY. <i>sax- atilis</i> β 17 <i>brevicaulis</i> 17 <i>danica</i> 18 <i>glastifolia</i> 17 <i>grænlandica</i> , officina- lis β 18 <i>officinalis</i> 18 <i>pyrenaica</i> 18 <i>saxatilis</i> 17 <i>Cæloglossum</i> , Orchis. <i>Codonoprasum</i> , Rb. <i>Al- lium</i> . <i>Coryx</i> lxxvi, 398 <i>Lacryma</i> 398 <i>COLCHICACEÆ</i> 373 <i>Colchicum</i> xlii, 373 <i>alpinum</i> 373

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

454

INDEX.

	Page.		Page.		Page.
<i>C. arenarium</i>	373	<i>C. sabatius</i>	250	<i>C. juncea</i>	100
autumnale	373	<i>saxatilis. lanuginosus.</i>		<i>minima</i>	100
<i>Bivonæ</i>	373	<i>sepium</i>	250	<i>montana</i>	100
<i>Cupaniæ. montanum.</i>		<i>siculus</i>	250	<i>parviflora</i>	100
<i>latifolium. Bivonæ.</i>		<i>Soldanella</i>	249	<i>repanda. Arthrolobium</i>	
<i>montanum</i>	373	<i>sylvaticus, Rb. sepium.</i>		<i>repandum.</i>	
<i>parvulum, TEN. autumn-</i>		<i>sylvestris.</i>	249	<i>scorpioides. Arthro-</i>	
<i>nale.</i>		<i>tenuissimus</i>	250	<i>bium scorpioides.</i>	
<i>Valery. montanum.</i>		<i>tricolor</i>	250	<i>securidaca. Securigera</i>	
<i>variegatum. Bivonæ.</i>		<i>Conzya</i>	lxxi., 218	<i>Coronilla.</i>	
<i>Coleanthus</i>	xvii., 400	<i>ægyptiaca</i>	218	<i>stipularis.</i>	100
<i>subtilis</i>	400	<i>ambigua</i>	218	<i>vaginalis. minima.</i>	
<i>Colladonia</i>	xxxviii., 161	<i>calycina</i>	218	<i>valentina. stipularis.</i>	
<i>angustifolia</i>	161	<i>intermedia. saxatilis</i> β	218	<i>varia</i>	101
<i>Colobachne. Alopecurus.</i>		<i>rupestris</i>	218	<i>Coronopus. Senebiera.</i>	
<i>Colocasia. Arum.</i>		<i>saxatilis</i>	218	<i>Corrigiola</i>	xxxix., 130
<i>Colutea</i>	lxiii., 96	<i>sicula. Jasonia sicula.</i>		<i>littoralis</i>	130
<i>arborescens</i>	96	<i>sordida</i>	218	<i>telephœfolia</i>	130
<i>orientalis</i>	96	<i>squarrosa. Inul. Conzya.</i>		<i>Cortusa</i>	xxvii., 302
<i>Comarum</i>	xlix., 117	<i>Tenorioi, Guss. rupe-</i>		<i>Matthioli</i>	302
<i>palustre</i>	117	<i>tris.</i>		<i>Corydalis</i>	lxi., 13
<i>COMPOTIÆ</i>	173	<i>Corallorrhiza</i>	lxxv., 356	<i>acaulis</i>	13
<i>Condyllocarpus. Tordy-</i>		<i>Halleri. innata.</i>		<i>bulbosa. solidia.</i>	
<i>lium.</i>		<i>innata</i>	356	<i>capnoides</i>	428
<i>CONIFERÆ</i>	332, 343	<i>Cordaria, Rb. Lepidium.</i>		<i>cava</i>	13
<i>Conioselinum</i>	xxxvi., 151	<i>CORIANDREÆ</i>	xxxiii.,	<i>claviculata</i>	13
<i>Fischeri</i>	151		xxxvii., 161	<i>densiflora</i>	13
<i>Conium</i>	xxxviii., 161	<i>Coriandrum</i>	xxxix., 161	<i>digitata, Rb. solida.</i>	
<i>croaticum, Rb. macul.</i>		<i>meliphintense</i>	161	<i>enneaphylla, Gr. & G.</i>	
<i>maculatum</i>	161	<i>sativum</i>	161	<i>Sarcocapnos ennea-</i>	
<i>Conopodium. Bunium.</i>		<i>CORIARÆ</i>	72	<i>phylla.</i>	
<i>Conringia. Erysimum.</i>		<i>Coriaria</i>	lxxx., 72	<i>fabacea</i>	13
<i>Convallaria</i>	xli., 363	<i>myrtifolia</i>	72	<i>lutea</i>	13
<i>bifolia. Maianthemum</i>		<i>Coris</i>	xxviii., 299	<i>ochroleuca</i>	13
<i>bifolium.</i>		<i>Corispernum</i>	xv., 315	<i>pumila</i>	13
<i>bracteata, GAU. multi-</i>		<i>bracteatum. hyssopifo-</i>		<i>solida</i>	13
<i>flora</i>	363	<i>lium</i> β	315	<i>tuberosa, DUBY. cava.</i>	
<i>latifolia</i>	363	<i>hyssopifolium</i>	315	<i>Corylus</i>	lxxviii., 333
<i>majalis</i>	363	<i>intermedium</i>	315	<i>Avellana</i>	333
<i>multiflora</i>	363	<i>Marschallii</i>	315	<i>tubulosa</i>	333
<i>Polygonatum</i>	363	<i>nitidum</i>	315	<i>Corynephorus. Aira.</i>	
<i>verticillata</i>	363	<i>squarrosum</i>	315	<i>Cota, GAY in Guss. An-</i>	
<i>CONVOLVULACEÆ</i>	249	<i>Coristospermum</i>	xxv., 151	<i>themis.</i>	
<i>Convolvulus</i>	xxviii., 249	<i>cuneifolium</i>	151	<i>Cotoneaster</i>	xlvi., 124
<i>althæoides</i>	250	<i>CORNÆ</i>	162	<i>pyracantha, Gr. & G.</i>	
<i>arvensis</i>	250	<i>Cornus</i>	xxv., 162	<i>Crataegus pyracantha.</i>	
<i>cantabricus</i>	250	<i>mas</i>	162	<i>tomentosa. vulgaris</i> β	124
<i>Cneorum</i>	250	<i>mascula. mas.</i>		<i>vulgaris</i>	124
<i>evolvuloides</i>	250	<i>sanguinea</i>	162	<i>Cotula</i>	lxxi., 213
<i>Imperati</i>	250	<i>suecica</i>	162	<i>coronopifolia</i>	213
<i>italicus, Guss. althæ-</i>		<i>COROLLIFLORÆ</i>	244	<i>Cotyledon. Umbilicus.</i>	
<i>oides.</i>		<i>Coronilla</i>	lxiii., 100	<i>Cracca. Gr. & G. Vicia.</i>	
<i>lanuginosus</i>	250	<i>coronata</i>	100	<i>Crambe</i>	lviii., 22
<i>lineatus</i>	250	<i>cretica</i>	101	<i>hispanica</i>	22
<i>meonanthus</i>	250	<i>Emerus</i>	100	<i>maritima</i>	22
<i>pentapetaloides</i>	250	<i>glauca</i>	100	<i>C. tataria</i>	22
<i>Pseudo-tricolor</i>	250			<i>Crassula. Sedum.</i>	

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

455

Page.	Page.	Page.	
CRASSULACEÆ	181	C. rupestris	168
Crataegus	123	suffulta	168
Aria. Sorbus Aria.		CRUCIFERÆ	14
Azarolus	124	Crupina	lxxiii., 230
<i>florentina</i> . Sorbus flo-		vulgaris	230
<i>rentina</i> .		Crypsis	xxi., 399
<i>laciiniata</i>	123	aculeata	399
<i>levigata</i>	123	alopecuroides	399
<i>monogyna</i> . Oxyacantha.		nigricans	399
Oxyacantha	124	schoenoides	399
<i>oxyacanthoides</i>	124	CRYPTOGAMIA	lxxx., 421
<i>pauciflora</i>	124	Cryptotaenia	xxxiv., 146
<i>polyacantha</i>	124	Thomasii	146
<i>pyracantha</i>	124	Cucubalus	xlvi., 47
<i>torminalis</i> . Sorbus tor-		baccifer, or <i>bacciferus</i>	47
<i>minalis</i> .		Cucumis	lxxvii., 129
CREPIDEÆ	lxv., lxvii., 189	Colocynthus	129
Crepis	lxvii., 189	CUCURBITACEÆ	129
<i>atnensis</i> , PRESL	191	Cypressus <i>sempervirens</i>	343
<i>agrestis</i> . virens	190	CUPULIFERÆ	332
<i>alpina</i> . Barkhausia al-		Cuscuta	xxxii., 251
<i>pina</i> .		alba	251
<i>alpestris</i> . Barkhausia		corymbosa	251
<i>alpestris</i> .		densiflora	251
<i>aurea</i>	190	<i>Epilinum</i> . densifl.	
<i>biennis</i>	190	Epithymum	251
<i>blattarioides</i>	191	europæa	251
<i>bulbosa</i>	190	hassiacæ	251
<i>bursifolia</i> . Barkhausia		major, DC. europæa.	
<i>bursifolia</i> .		<i>micrantha</i> , Guss. Epi-	
<i>chondrilloides</i>	190	thymum?	
<i>chrysanthæ</i>	190	minor, DC. Epith.	
Columnæ	190	monogyna	251
<i>corymbosa</i>	190	planiflora	251
<i>diffusa</i> . virens	190	<i>subulata</i> , Guss. Epith.?	
Dioscoridis. Endoptera		Trifolii	251
Dioscoridis.		Cyclamen	xxviii., 303
<i>funiculacea</i>	190	europæum	303
<i>fætidæ</i> . Barkhausia fæ-		hederifolium	303
<i>glandulosa</i>	191	<i>neapolitanum</i> , Guss.	
<i>grandiflora</i>	191	hederifolium.	
<i>hyoseridifolia</i>	191	Poli	303
Jacquinæ. chondryloides.		repandum	303
<i>incarnata</i>	190	vernum	303
<i>integrifolia</i> . succisi-		Cydonia	xlvi., 124
<i>folia</i> β	191	vulgaris	124
laceræ	189	Cynanchum	xxxii., 245
Lachenalii, DUBY. tec-		acutum	245
<i>torum</i> .		contiguum	245
<i>lævigata</i> , DUMORTIER	191	laxum	245
lapsanoïdes	191	<i>medium</i> , R.B. laxum.	
<i>leontodontoides</i> . Bark-		monspeliacum	245
<i>hausia leontodont.</i>		nigrum	245
<i>mollis</i> . succisifolia α	191	Vincetoxicum	245
<i>montana</i>	191	Cynara	lxxii., 228
<i>neglecta</i>	189	Cardunculus	228
		horrida	228

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

456

INDEX.

Page.	Page.	Page.
C. humilis 228	C. Papyrus 380	C. spinescens 79
CYNAREÆ lxiv., lxxi., 218	polystachyos 379	spinosa 79
Cynodon xx., 402	rotundus 380	supinus 79
Dactylon 402	serotinus, RB. Monti.	triflorus 78
Cynoglossum xxvii., 252	Tenoriæ 380	<i>Crackia. Paradisia.</i>
apenninum 252	tenuiflorus. badius? 380	<i>Dabeocia</i> xlivi., 243
calcaratum. cheirifo- lium β 252	virescens, RB. fuscus.	polifolia 243
cheirifolium 252	Cypripedium lxxv., 356	Dactylis xxiii., 412
clandestinum 252	Calceolus 356	glaucescens. glomerata γ 412
Columnæ 252	Cystea lxxxii., 424	glomerata 412
linifolium. Omphalodes	alpina 424	hispanica. glomerata β 412
linifolia.	dentata 424	littoralis 433
magellense 252	fragilis 424	maritima, RB. litto- ralis.
montanum. 252	montana 424	repens 433
nebrodense. officinale β 252	<i>Cystopteris. Cystea.</i>	Dactyloctenium xx., 402
officinale 252	CYTINEÆ 324	α egyptiacum 402
Omphalodes. Ompha- lodes verna.	Cytinus lxxviii., 324	<i>Damasonium. Coss. Alis-</i> ma.
pietum 252	Hypocistus 324	<i>Danthonia</i> xxii., 406
siculum 252	Cytisus lxi., 78	calycina, RB. provinc.
tomentosum 252	æolicus 79	decumbens 406
Cynomorium lxxv., 323	affinis 79	provincialis 406
coccineum 323	albus 78	<i>Daphne</i> xliv., 321
Cynosorus xxiiii., 412	alpinus 78	alpina 322
aureus 412	arboreus 79	blagayana 322
cristatus 412	argenteus 79	Cneorum 322
durus. <i>Sclerochloa dura.</i>	argyrus, RB. spinesc.	collina 322
echinatus 412	austriacus 79	glandulosa 322
elegans 412	biflorus 79	Gnidium 322
giganteus, Guss. echin- atus β 412	candicans. Genista	Laureola 322
CYPERACEÆ 379	candicans.	Mezereum 321
Cyperus xviii., 379	capitatus 79	oleoides. glandulosa.
aureus, Guss. Tenoriæ.	divaricatus. Adenocar-	striata 322
badius 380	pus divaricatus.	Tartonraira 321
badius, Guss. longus β 380	elongatus. hirsutus β 430	Tommasii 322
cossyrensis, Guss. mu- cronatus β 379	emersifolius, RB. gla- brescens.	<i>Datura</i> xxix., 259
difformis 380	falcatus, RB. hirsutus.	ferox 259
esculentus 380	glabrescens 79	lævis 259
fascicularis, DC. globos.	hirsutus 79	Metel 259
flavescens 379	holopetalus. Genista	Stramonium 259
fuscus 380	holopetalia.	<i>Tatula. Stramonium</i> β 259
glaber 380	infestus 79	<i>DAUCINEÆ</i> xxxiii., xxxvii., 155
globosus 379	Laburnum 78	<i>Daucus</i> xxxvii., 155
glomeratus 380	lanigerus 79	aureus 157
Gussoneii. flavescens β 379	leucanthus, RB. aus-	australis 157
intermedius, Guss. lon- gus.	triacus.	Bocconi 156
junciformis. mucron.	nigricans 78	Broteri 157
longus 380	prostratus 79	Carota 156
Monti. 380	purpureus 79	dentatus 157
mucronatus 379	radiatus. Genista rad.	foliosus 156
myriostachys 380	ramentaceus 78	gibbosus 156
neglectus 380	ramosissimus. spinesc.	Gingidium 156
olivarisi. rotundus.	ratisbonensis. biflorus.	gummifer 157
	sagittalis. Genista sa-	hispanicus. gummifer.
	gittalís.	hispidus 156
	scoparius 79	
	sessilifolius 78	

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

457

Page.	Page.	Page.
<i>D. maritimus</i> . Gingidium β , γ , δ 156	<i>D. asper</i> . Seguieri α 45	<i>D. Fraxinella</i> . albus.
mauritanicus 157	attenuatus 45	<i>obtusiflorus</i> . albus β 72
maximus 156	atrorubens 45	<i>Digitalis</i> : lv., 267
muricatus 157	<i>Balbisii</i> . liburnicus β 45	ferruginea 267
parviflorus 156	barbatus 45	<i>fuscescens</i> 267
setulosus 156	Bertolouii 45	grandiflora 267
siculus 157	Bisignani 45	lævigata 267
<i>Delphinium</i> 1, 8	<i>brachyanthus</i> , Gr. & G. pungens. 45	lutea 267
Ajacis 9	cesius 46	<i>media</i> 267
<i>alpinum</i> , RB. elatum. 9	<i>capitatus</i> , RB. liburn. 46	<i>mcrantha</i> . lutea.
cardiopetalum 9	<i>Carthusianorum</i> 44	<i>ochroleuca</i> , RB. gran- diflora.
<i>Consolida</i> 8	<i>caryophylloides</i> , RB. sylvestris. 45	<i>parviflora</i> . lutea.
<i>cuneatum</i> , DC. elatum γ 9	<i>Caryophyllus</i> 46	<i>purpurascens</i> 267
elatum 9	ciliatus 45	<i>purpurea</i> 267
emarginatum 9	<i>collinus</i> , GAU. Seguieri γ 45	<i>Thapsi</i> 267
<i>fissum</i> . hybridum. 9	<i>controversus</i> . Seguieri δ 45	<i>Digitaria</i> xx., 396
gracile 9	<i>Courtosii</i> , RB. Seg. 45	ciliaris 396
halteratum 9	deltae 45	debilis 396
hybridum 9	<i>diminutus</i> . prolifer β 44	<i>globra</i> . humifusa.
<i>intermedium</i> , DC. elat. α 9	<i>ferrugineus</i> , DUBY. a- tro-rubens. 45	<i>filiformis</i> . humifusa.
<i>juncceum</i> , DC. peregr. 9	gallicus 46	humifusa 396
longipes 9	glacialis 45	<i>paspaliformis</i> 396
montanum 9	hirtus 45	<i>sanguinalis</i> 396
<i>palmatifidum</i> , DC. elat. γ 9	<i>Hornemannii</i> 45	<i>Dineba</i> . Leptochloa.
paniculatum 9	<i>integer</i> , RB. alpestris. 45	<i>Diospyrus</i> lxxx., 244
peregrinum 9	liburnicus 45	<i>Lotus</i> 244
pictum 9	<i>longicaulis</i> , TEN. Ca- ryophyllus. 45	<i>Diotis</i> lxix., 207
pubescens 9	monspessulanus 46, 429	candidissima 207
Requieni 9	neglectus 45	<i>ceratooides</i> . Eurotia ceratooides.
<i>Staphysagria</i> 9	plumarius 46	<i>Diplachne</i> . Melica.
velutinum 9	prolifer 44	<i>Diplotaxis</i> lix., 24
<i>Dentaria</i> lx., 33	pungens 45	<i>Barrelieri</i> 25
bulbifera 33	racemosus, RB. ciliatus. 45	<i>crassifolia</i> 24
digitata 33	Requienii, Gr. & G. hirt. 46	<i>erucoides</i> 25
enneaphyllum 33	saxatilis 46	<i>muralis</i> 25
glandulosa 33	Scheuchzeri, RB. sylves. 45	<i>saxatilis</i> 25
<i>heptaphyllum</i> , RB. pin- nata 33	Seguieri 45	<i>scoposa</i> 25
<i>pentaphyllum</i> . digitata. 33	<i>sylvaticus</i> , GR. & G. Seg. 45	<i>tenuifolia</i> 25
pinnata 33	sylvestris 46	<i>viminea</i> 25
polyphyllum 33	Seguieri β 45	<i>DIPSACEÆ</i> 170
trifolia 33	tener 46	<i>Dipsacus</i> xxiv., 170
<i>Deschampsia</i> xxii., 403	tripunctatus 45	<i>divaricatus</i> , PRESL. la- ciniatus.
cæpitosa 403	vaginatus, RB. Carthu- sianorum. 46	ferox 170
junccea 404	velutinus 44	fullonum 170
<i>Wibeliana</i> 404	virginicus 46	laciniatus 170
<i>Dethawia</i> , Gr. & G. Wall- rothia. 404	<i>Dictamnus</i> xlv., 72	pilosus 170
<i>Deyeuxia</i> . Arundo. 404	albus 72	<i>pinnatifidus</i> . sylves- tris β 170
<i>Dianthus</i> xlvi., 44		sylvestris 170
<i>alpestris</i> , DUBY. Seguieri. 45		<i>DISCOIDÆ</i> lxiv., lxxi., 213
<i>alpinus</i> 45		<i>Dolichos Catiang</i> 110
arenarius 46		<i>Dondia</i> . Hacquetia.
<i>Armeria</i> 45		<i>Doronicum</i> lxx., 207
<i>Arrostii</i> , Guss. Caryo- phyllus. 45		austriacum 207

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

458

INDEX.

Page.	Page.	Page.
D. caucasicum 207	D. stylaris 21	E. pustulatum 255
Columnæ 207	Thomasii. stylaris.	pyrenaicum 255
cordifolium, Columnæ.	tomentosa 20	rubrum 255
humile, Pardalianch. β 207	Traunsteineri 20	Sibthorpii 255
longifolium, R.B. Aro-	verna 21	tuberculatum, TEN.
nicum Clusii.	Wahlenbergii 20	pustulatum.
Matthiolii, R.B. Parda-	Zahlbrückneri 20	violaceum 255
lianches.	Dracocephalum liii, 291	vulgare 255
orientale, R.B. cordifol.	austriacum 291	Wierzbickii, R.B. vulgare.
Pardalianches 207	moldavicum 291	Edraianthus xxx, 241
plantagineum 207	ruyschianum 291	Kitaibelii 241
scorpioides 207	Drepania. Tolpis.	tenuifolius 241
Dorycnium lxi, 94	Drepanophyllum. Falcaria.	Ehrhartia xx, 397
decumbens, GR. & G.	Drosera xxxix, 42	panicea 397
suffrut. β 95	anglica 42	ELÆGNEÆ 323
gracile. herbaceum β 430	intermedia. longif.	Eleagnus xxv, 323
herbaceum 94	longifolia 42	angustifolia 323
hirsutum 94	obovata. anglica β 42	ELÆOSELINÆE
incanum. hirsutum β 94	rotundifolia 42	xxxiii., xxxvii., 158
parviflorum 94	DROSERACEÆ 42	Elæoselinum xxxvii., 158
rectum 94	DRYADEÆ 111, 112	asclepium 158
sabaudum, R.B. herba-	Dryas xlix, 112	Lagascæ 432
ceum.	depressa 112	meoides 158
suffruticosum 95	octopetala 112	Elatine xliv., 59
Dorycnopsis. Anthyllis.	pilosa. octopetala β 112	Alsinastrum 60
Draba lvi, 20	Drypis xxxix, 53	campylosperma 429
aizoides 20	spinosa 53	hexandra 60
Aizoon, R.B. aizoides.	EBENACEÆ 244	Hydropiper 60
alpina 20	Ecbalium. Momordica.	macropoda 60
carinthiaca, R.B. Jo-	Echinaria xvii, 420	major 60
hannis.	capitata 420	paludosa, GR. & G. hex-
ciliata 20	Echinochloa, R.B. Oplis-	andra and major.
confusa, R.B. incana.	menus.	schkuhriana, R.B. Hy-
confusa, DUBY. stylaris.	Echinophora xxxviii, 160	dropiper.
contorta, DUBY. incana.	spinosa 160	triandra 59
cuspidata 20	tenuifolia 160	ELATINEÆ 44, 59
elongata, R.B. aizoides.	Echinops lxxii, 218	Elephantina, BERT. Rhyn-
fladnizensis. ciliata?	exaltatus 218	chocoris.
frigida 20	Ritro 218	Elephas, Guss. Rhynchoc.
helvetica. Wahlen-	ruthenicus 218	Elodes, Coss. Hypericum.
bergii β 20	sphærocephalus 218	Elsholtzia lii, 283
incana 20	viscosus 218	cristata 283
Johannis 20	ECHINOPSIDEÆ lxxi.lxxii, 218	Elymus xix, 419
levigata. Wahlenb. γ 20	Echinospermum xxvii, 253	arenarius 419
lævipes 20	deflexum 253	crinitus 420
lapponica. Wahlen-	Lappula 253	europeus 420
bergii β 20	squarrosum, R.B. Lap-	geniculatus 419
lasiocarpa, R.B. aizoid.	pula.	Elyna lxxvi, 383
muralis 21	Echium xxvii, 255	spicata 383
muricella, R.B. frigida.	ambiguum 255	Emex. Rumex.
nemoralis 21	arenarium 256	EMPETREÆ 324
nivalis 20	calycinum 256	Empetrum lxxix, 324
olympica 20	creticum 255	nigrum 324
præcox. verna β 21	italicum 255	Enarthrocarpus lvii, 22
rupestris 20	maritimum 255	arcuatus 22
Sauteri 20	plantagineum 255	lyratus 22
stellata 20		Endoptera lxvii, 189

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

459

Page.	Page.	Page.
E. aspera 189	E. <i>Nidus-Avis.</i> Neottia	E. <i>mediterranea.</i> occiden-
Dioscoridis 189	<i>Nidus-Avis.</i>	tal.
<i>Endressia</i> , Gr. & G. Meum.	ovalis 356	multiflora 242
<i>Endymion</i> . Hyacinthus.	<i>ovata</i> , DUBY. <i>Listera</i>	occidentalis 242
<i>Ephedra</i> . . . lxxx., 343	<i>ovata.</i>	<i>peduncularis</i> , Guss.
distachya 343	<i>pallens</i> . grandiflora.	multiflora.
fragilis 343	<i>palustris</i> 356	<i>polytrichifolia</i> 242
nebrodensis 343	<i>purpurata</i> . media β . 356	<i>ramulosa</i> . stricta.
<i>Epilobium</i> . . . xlivi., 125	<i>rubiginosa</i> . media . 356	<i>scoparia</i> 242
<i>alpestre</i> , R.B. trigonum.	<i>rubra</i> 355	<i>sicula</i> 242
<i>alpinum</i> 126	<i>Epipogium</i> . . lxxiv., 349	<i>stricta</i> 242
<i>alsinifolium</i> 126	<i>aphyllum</i> , R.B. Gmelini.	<i>Tetralix</i> 242
<i>angustifolium</i> 125	<i>Gmelini</i> 349	<i>vagans</i> 242
<i>angustissimum</i> . rosma-	<i>EQUISETACEÆ</i> lxxx. lxxxii., 422	<i>vulgaris</i> . <i>Calluna vulg.</i>
<i>riniifolium</i> .	<i>Equisetum</i> . . . lxxxii., 422	<i>ERICACEÆ</i> 241
<i>collinum</i> , R.B. monta-	<i>arvense</i> 422	<i>Erigeron</i> lxix., 198
num.	<i>campestre</i> , R.B. <i>arvense</i> .	<i>acris</i> 198
<i>Dodonæi</i> . <i>rosmarinii-</i>	<i>elongatum</i> , R.B. <i>ramo-</i>	<i>alpinus</i> 198
<i>folium</i> .	<i>sum.</i>	<i>canadensis</i> 198
<i>Duriæi</i> 431	<i>fluviatile</i> . <i>Telmateja</i> .	<i>dræbæchensis</i> . <i>acris</i> β . 198
<i>Fleischeri</i> 125	<i>hyemale</i> 422	<i>glabratus</i> 198
<i>hirsutum</i> 125	<i>limosum</i> 422	<i>grandiflorus</i> . <i>alpinus</i> β . 198
<i>hypericifolium</i> 125	<i>Mackaii</i> 423	<i>graveolens</i> , R.B. <i>Inula</i>
<i>intermedium</i> , R.B. <i>hir-</i>	<i>multiforme</i> . <i>ramosum</i> .	<i>graveolens</i> .
<i>sutum</i> .	<i>palustre</i> 422	<i>intermedius</i> . <i>Villarsii</i> .
<i>Lamyi</i> 431	<i>pannonicum</i> , R.B. <i>ra-</i>	<i>uniflorus</i> 198
<i>lanceolatum</i> 125	<i>mosum</i> .	<i>Villarsii</i> 198
<i>montanum</i> 125	<i>pratense</i> , R.B. <i>umbro-</i>	<i>Erinacea</i> , Gr. & G. <i>An-</i>
<i>obscurum</i> , Guss. <i>tetra-</i>	<i>sum.</i>	<i>thyllis</i> .
<i>gonum</i> .	<i>ramosissimum</i> , Guss.	<i>Erinus</i> lv., 266
<i>origanifolium</i> . <i>alsimi-</i>	<i>ramosum</i> .	<i>alpinus</i> 266
<i>folium</i> .	<i>ramosum</i> 422	<i>ERIOCAULEÆ</i> 346
<i>palustre</i> 125, 431	<i>sylvaticum</i> 422	<i>Eriocaulon</i> lxxvi., 346
<i>parviflorum</i> 125	<i>Telmateja</i> 422	<i>septangulare</i> 346
<i>pubescens</i> , Guss. <i>par-</i>	<i>trachyodon</i> 423	<i>Eriophorum</i> xviii., 383
<i>viriflorum</i> .	<i>umbrosum</i> 422	<i>alpinum</i> 383
<i>rivulare</i> , R.B. <i>parviflor.</i>	<i>variegatum</i> 423	<i>angustifolium</i> 383
<i>roseum</i> 126	<i>Eragrostis</i> xxiii., 410	<i>capitatum</i> 383
<i>rosmarinifolium</i> 125	<i>leersiooides</i> 411	<i>gracile</i> 383
<i>spicatum</i> , Gr. & G. <i>an-</i>	<i>megastachya</i> 410	<i>latifolium</i> . <i>pubescens</i> .
<i>gustifolium</i> .	<i>pilosa</i> 411	<i>polystachyum</i> . <i>angus-</i>
<i>tetragonum</i> 125, 431	<i>poaformis</i> 411	<i>tifol.</i> and <i>pubesc.</i>
<i>trigonum</i> 126	<i>poæoides</i> . <i>poaformis</i> .	<i>pubescens</i> 383
<i>virgatum</i> 126, 431	<i>triticea</i> 411	<i>Scheuchzeri</i> . <i>capitat.</i>
<i>Epimedium</i> xxv., 11	<i>vulgaris</i> , Coss. <i>megast.</i>	<i>triquetrum</i> . <i>gracile</i> .
<i>alpinum</i> 11	<i>and poaformis</i> .	<i>vaginatum</i> 383
<i>Epipactis</i> lxxv., 355	<i>Eranthis</i> li., 8	<i>Eritrichum</i> xxvii., 253
<i>atro-rubens</i> , R.B. <i>media</i> .	<i>hyemalis</i> 8	<i>Hacquetii</i> . <i>nanum</i> β . 253
<i>comosa</i> 355	<i>Erianthus</i> xx., 395	<i>nanum</i> 253
<i>cordata</i> , DUBY. <i>Listera</i>	<i>Ravenneæ</i> 395	<i>Ernodia</i> . <i>Putoria</i> .
<i>cordata</i> .	<i>Erica</i> xlivi., 242	<i>Erodium</i> lx., 68
<i>ensifolia</i> 355	<i>arborea</i> 242	<i>albiflorum</i> 69
<i>grandiflora</i> 355	<i>carnea</i> 242	<i>almifolium</i> 69
<i>latifolia</i> 355	<i>ciliaris</i> 242	<i>alpinum</i> 68
<i>Maravigni</i> 355	<i>cineræa</i> 242	<i>asplenioïdes</i> 68
<i>media</i> 356	<i>herbacea</i> 242	<i>Botrys</i> 69
<i>microphylla</i> 356	<i>Mackaïi</i> . <i>Tetralix</i> β . 242	<i>chiun</i> 69

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

460

INDEX.

	Page.		Page.		Page.
<i>E. ciconium</i>	68	<i>E. maritimum</i>	142	<i>Erythronium</i>	xli., 365
<i>cicutarium</i>	68	<i>planum</i>	142	<i>Dens-Canis</i>	365
<i>corsicum</i> . <i>malapoides</i> .		<i>pusillum</i>	142	<i>Euclidium</i>	lviii., 21
<i>glandulosum</i>	68	<i>Spina-alba</i>	142	<i>syriacum</i>	21
<i>gruinum</i>	69	<i>tricuspidatum</i>	142	<i>Eufragia</i>	lv., 269
<i>Gussonii</i>	69	<i>triguetrum</i>	142	<i>latifolia</i>	269
<i>laciniatum</i>	69	<i>viviparum</i> . <i>pusillum</i> .		<i>viscosa</i>	270
<i>littoreum</i>	69	<i>Erysimum</i> . (<i>See also</i>		<i>EUPATORIACEÆ</i> lxviii., lxx., 212	
<i>malacoides</i>	69	<i>Barbarea</i> .)	lx., 26	<i>Eupatorium</i>	lxx., 212
<i>malapoides</i>	69	<i>Alliaria</i> . <i>Alliaria officinalis</i> .		<i>cannabinum</i>	212
<i>Manescavi</i>	68	<i>alpinum</i> . <i>Arabis brassiciformis</i> .		<i>corsicum</i> , DUBY. canabinum?	
<i>maritimum</i>	69	<i>australe</i> , GAY. <i>canescens</i> ?		<i>Soleirolii</i> , DUBY. canabinum?	
<i>moschatum</i>	68	<i>austriacum</i>	27	<i>Euphorbia</i>	lxxv., 325
<i>nervulosum</i>	69	<i>bonannianum</i>	27	<i>akenocarpa</i>	326
<i>petraeum</i>	68	<i>canescens</i>	26	<i>acuminata</i> . <i>falc. β</i>	329
<i>romanum</i>	68	<i>carniolicum</i>	26	<i>aleppica</i>	329
<i>staphylium</i>	68	<i>cheiranthoides</i>	26	<i>amygdaloïdes</i>	327
<i>tenuisetum</i>	429	<i>Cheiranthes</i>	27	<i>angulata</i>	326
<i>Erophila</i> . <i>Draba</i> .		<i>cheiriflorum</i> . <i>odoratum</i> .		<i>Apios</i>	326
<i>Eruca</i>	lix., 25	<i>crassistylum</i>	27	<i>biglandulosa</i>	329
<i>hispida</i>	25	<i>crepidifolium</i>	26	<i>biumbellata</i>	329
<i>sativa</i>	25	<i>difusum</i> , RB. <i>canescens</i> .		<i>canescens</i> , RB. <i>Chamæsyce</i>	326
<i>Erucago</i> . <i>Bunias</i> .		<i>glabrum</i>	26	<i>syce β</i>	326
<i>Erucastrum</i>	lix., 24	<i>helveticum</i>	27	<i>carniolica</i>	326
<i>Candolii</i>	24	<i>lanceolatum</i> , DUBY. <i>odoratum</i> .		<i>ceratocarpa</i> , Guss. <i>orientalis</i> .	
<i>cheiranthiflorum</i>	24	<i>longifolium</i>	27	<i>Chamæsyce</i>	326
<i>Cheiranthes</i>	24	<i>longistiquosum</i> , RB. <i>virgatum</i> .		<i>Characias</i>	327
<i>incanum</i> . <i>Sinapis incana</i> .		<i>murale</i> , GR. & G. <i>Cheiranthus</i> .		<i>coralloides</i>	327
<i>inodorum</i> , RB. <i>Pollichii</i> .		<i>ochroleucum</i>	27	<i>cuneifolia</i>	329
<i>monense</i>	24	<i>odoratum</i>	26	<i>Cupani</i>	330
<i>obtusangulum</i>	24	<i>orientale</i>	27	<i>Cyparissias</i>	328
<i>ochroleucum</i>	24	<i>perfolutum</i> . <i>orient.</i>		<i>dendroides</i>	329
<i>Polliehi</i>	24	<i>pumilum</i>	27	<i>denudata</i>	326
<i>Tournefortii</i>	24	<i>repandum</i>	26	<i>dulcis</i>	326
<i>valentinum</i>	24	<i>rhaeticum</i>	26	<i>epithymoides</i>	327
<i>Ervilia</i> , GR. & G. <i>Ervum</i> .		<i>siculum</i>	26	<i>ericarpa</i>	327
<i>Ervum</i>	lxiii., 106	<i>strictum</i>	26	<i>esula</i>	328
<i>Biebersteinii</i>	106	<i>suffruticosum</i>	26	<i>exigua</i>	329
<i>dispermum</i> . <i>Vicia disp.</i>		<i>virgatum</i>	26	<i>falcata</i>	329
<i>Ervilia</i>	106	<i>Erythrea</i>	xxviii., 248	<i>flavicomæ</i> . <i>verrucosa β</i>	327
<i>gracile</i>	106	<i>Centaurium</i>	248	<i>fragifera</i>	327
<i>hirsutum</i>	106	<i>diffusa</i>	249	<i>fruticosa</i>	327
<i>Lens</i>	106	<i>Eldes</i>	249	<i>Gayi</i>	329
<i>Lenticula</i>	106	<i>latifolia</i>	249	<i>gerardiana</i>	327
<i>monanthos</i>	106	<i>linariifolia</i>	249	<i>Helioscopia</i>	326
<i>nigriceps</i>	106	<i>lutea</i> . <i>maritima</i> .		<i>hiberna</i>	326
<i>pubescens</i> . <i>hirsutum β</i>	106	<i>maritima</i>	249	<i>Lathyris</i>	330
<i>tetraspermum</i>	106	<i>pulchella</i>	249	<i>lucida</i>	328
<i>uniflorum</i> . <i>Lenticula β</i>	107	<i>ramosissima</i> . <i> pulch.</i>		<i>maculata</i>	326
<i>ERYNGIEÆ</i> xxxii., xxxiii., 141		<i>spicata</i>	249	<i>massiliensis</i> . <i>Chamæsyce</i>	
<i>Eryngium</i>	xxxiii., 141	<i>tenuiflora</i> . <i> pulch.</i>		<i>syce γ</i>	326
<i>alpinum</i>	142	<i>tenuifolia</i>	249	<i>melapetala</i>	327
<i>amethystinum</i>	141			<i>micrantha</i>	327
<i>Bourgali</i>	141			<i>Myrsinites</i>	329
<i>campestre</i>	142				
<i>dichotomum</i>	142				
<i>dilatatum</i> ,	142				

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

461

	Page.		Page.		Page.
E. <i>nicaeensis</i>	329	E. <i>Bianca</i> , Guss. Odon-		F. <i>brachystephana</i> . . .	169
<i>obscura</i> , R.B. <i>falcata</i> .		<i>tites</i> Bocconi ?		<i>carinata</i>	168
<i>orientalis</i>	327	<i>Bocconi</i> . <i>Odontites</i> Boc.		<i>Cornucopiae</i>	168
<i>palustris</i>	327	<i>corsica</i> . <i>Odont. cors.</i>		<i>coronata</i>	169
<i>paniculata</i> . <i>pilosa</i> β	326	<i>jaubertiana</i> . <i>Odontites</i>		<i>dentata</i>	169
<i>pannonica</i>	327	<i>jaubertiana</i> .		<i>echinata</i>	169
Paradias	328	<i>linifolia</i> . <i>Odont. lutea.</i>		<i>eriocarpa</i>	169
Peplos	326	<i>lutea</i> . <i>Odont. lutea.</i>		<i>gibbosa</i>	168
peploides	329	<i>mirantha</i> , R.B. <i>officin.</i>		<i>hamata</i>	168
Peplus	329	<i>minima</i>	270	<i>lasiocarpa</i> . <i>dentata</i> γ	169
<i>perforata</i> , Guss. Cha-		<i>nemorosa</i> , R.B. <i>offic.</i> β	270	<i>laticuspis</i> . <i>Auricula?</i>	
<i>mæsycæ</i> δ	326	<i>Odontites</i> . <i>Od. rubra.</i>		<i>microcarpa</i> , Guss. pu-	
<i>pilosa</i>	326	<i>officinalis</i>	270	<i>berula</i>	169
<i>pinea</i>	329	<i>pratensis</i> , R.B. <i>offici-</i>		<i>mixta</i> . <i>dentata</i> β . . .	169
Pityusa	329	<i>nalis</i> .		<i>Morisonii</i> , DUBY. <i>den-</i>	
<i>platyphylla</i>	326	<i>rigidifolia</i> . <i>Odontites</i>		<i>tata</i> .	
<i>portlandica</i>	329	<i>rigidifolia</i> .		<i>olitoria</i>	168
Preslii	325	<i>salisburgensis</i>	270	<i>puberula</i>	169
procera	327	<i>serotina</i> . <i>Odont. sero-</i>		<i>pumila</i>	169
<i>provincialis</i> . <i>terrac.</i>		<i>fina</i> .		<i>tridentata</i> . <i>Auricula</i> β	169
<i>ptericocca</i>	326	<i>tricuspidata</i>	270	<i>turgida</i>	168
<i>pubescens</i> . <i>pilosa</i> .		<i>verna</i> . <i>Odont. rubra.</i>		<i>vesicaria</i>	169
<i>purpurata</i> . <i>dulcis</i> β	326	<i>viscosa</i> . <i>Eufragia vis-</i>			
<i>pyrenaica</i>	326	<i>cosa</i> .		<i>Ferula</i> . (<i>See also</i> Feru-	
<i>rugosana</i> , R.B. <i>pinea</i> .		<i>Eurotia</i>	lxvi.	<i>lago.</i>)	151
<i>ramosissima</i>	328	<i>ceratooides</i>	315	<i>communis</i>	151
<i>retusa</i> . <i>exigua</i> .		<i>Evax</i>	lxvi.	<i>glaucia</i>	151
<i>rubra</i> . <i>exigua</i> β	329	<i>asterisciflora</i>	215	<i>neapolitana</i>	151
<i>salicifolia</i>	328	<i>discolor</i>	216	<i>Ferulago</i>	152
<i>saxatilis</i>	328	<i>exigua</i>	216	<i>Barrelieri</i>	152
<i>saxatilis</i> , Lois. <i>gerar-</i>		<i>Heldreichii</i>	216	<i>nodiflora</i> . <i>galbanifera</i> .	
<i>diana</i> β	327	<i>pygmaea</i>	215	<i>galbanifera</i>	152
<i>segetalis</i>	329	<i>rotundata</i>	215	<i>geniculata</i>	152
<i>semiperfoliata</i>	327	<i>tenuifolia</i>	216	<i>Festuca</i>	xxiii.
<i>serotina</i> , R.B. <i>nicaen-</i>		<i>Evonymus</i>	xxx.	<i>Alopecurus</i>	412
<i>sis</i> .		<i>europeus</i>	73	<i>alpina</i> , GAU. <i>ovina</i> β	413
<i>serrata</i>	328	<i>latifolius</i>	73	<i>amethystina</i> , R.B. <i>ovi-</i>	
<i>solisequa</i> , R.B. <i>dulcis</i> .		<i>verrucosus</i>	73	<i>na</i> η	413
<i>spinosa</i>	327	<i>Eracum</i> . <i>Cicendia</i> .		<i>arundinacea</i> . <i>elatior</i> .	
<i>squamigera</i>	326	<i>Faba</i> . <i>Vicia</i> .		<i>attenuata</i>	413
<i>stricta</i>	326	<i>Facchinia</i> . <i>Alsine</i> .		<i>aurata</i>	413
<i>sylvatica</i> . <i>amygdalo-</i>		<i>Fagonia</i>	xlv.	<i>borealis</i>	414
<i>ides</i> .		<i>cretica</i>	72	<i>bromooides</i>	413
<i>taurinensis</i>	329	<i>Fagopyrum</i> . <i>Polygonum</i> .		<i>cærulea</i> , DC. <i>Melica</i>	
<i>teuuiifolia</i>	328	<i>Fagus</i>	lxxvii.	<i>cærulea</i> .	
<i>terraccine</i>	328	<i>Castanea</i>	332	<i>cœrulescens</i> . <i>Koeleria</i>	
<i>tommasiniana</i>	328	<i>sylvatica</i>	332	<i>cœrulescens</i> .	
<i>trinervis</i> , BERT. Preslii.		<i>Falcaria</i>	xxxiv.	<i>calamaria</i> . <i>sylvatica</i> .	
<i>Triumfetti</i>	328	<i>latifolia</i>	145	<i>ciliata</i>	412
<i>variabilis</i>	328	<i>Rivini</i>	145	<i>compressa</i>	414
<i>veneta</i> . Wulfenii.		<i>Farsetia</i>	lvii.	<i>cristata</i> , BERT. <i>Koe-</i>	
<i>verrucosa</i>	326	<i>clypeata</i>	18	<i>leria cristata</i> .	
<i>virgata</i>	328	<i>incana</i> . <i>Berteroia in-</i>		<i>depauperata</i> , BERT.? .	433
<i>Wulfenii</i>	327	<i>cana</i> .		<i>distachya</i> . <i>Brachypo-</i>	
<i>EUPHORBIACEÆ</i>	325	<i>Fedia</i>	xvii.	<i>dium distachyon</i> .	
<i>Euphrasia</i>	lv., 270	<i>Auricula</i>	168	<i>divaricata</i> . <i>Sclerochl.</i>	
<i>alpina</i> , GAU. <i>salisburg</i> .				<i>divaricata</i> .	
				<i>drymcia</i>	414

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

462

INDEX.

Page.	Page.	Page.
<i>F. duriuscula</i> . ovina ε . 413	<i>F. spadicea</i> 414	<i>F. sterilis</i> . <i>Potentilla Fragastrum</i> .
<i>duriuscula</i> , BERT. heterophylla.	<i>spectabilis</i> 414	<i>vesca</i> 116
elatior. 414	<i>stipoides</i> . <i>ligustica</i> .	<i>Frankenia</i> xl., 43
<i>eskia</i> . varia.	<i>sympatrica</i> 414	<i>intermedia</i> 43
<i>exaltata</i> 414	<i>tenuiflora</i> . <i>Brachyp. unilaterale</i> .	<i>levis</i> 43
<i>ferruginea</i> 414	<i>tenuifolia</i> . <i>ovina</i> .	<i>pulverulenta</i> 43
<i>flavescens</i> . varia.	<i>ungulmis</i> 412	FRANKENIACEAE 43
<i>geniculata</i> 413	<i>vaginata</i> . <i>ovina</i> θ . 413	<i>Fraxinus</i> vii., 244
<i>gigantea</i> 415	<i>vallesiaca</i> . <i>ovina</i> δ . 413	<i>argentea</i> . <i>Ornus</i> ?
<i>glaucia</i> . <i>ovina</i> ζ . 413	<i>varia</i> 414	<i>excelsior</i> 245
<i>gracilis</i> . <i>Brachypodium sylvaticum</i> .	<i>violacea</i> . <i>ovina</i> γ . 413	<i>heterophylla</i> . <i>excels. β</i> 245
Halleri 413	FESTUCACEAE 395, 407	<i>Ornus</i> 244
<i>heterophylla</i> 413	<i>Ficaria</i> . <i>Ranunculus</i> .	<i>parvifolia</i> 245
<i>hispida</i> . <i>Koeleria hisp.</i>	FICOIDÆ 135	Fritillaria xli., 364
<i>incrassata</i> 413	<i>Ficus</i> lxxix., 331	<i>involucrata</i> . <i>montana</i> ?
<i>inermis</i> . <i>Bromus inermis</i> .	<i>Carica</i> 331	<i>Meleagris</i> 364
<i>Lachenalii</i> . <i>Brachypodium tenellum</i> .	Filago lxxi., 216	<i>messanensis</i> 364
<i>latifolia</i> , R.B. <i>sylvatica</i> .	<i>apiculata</i> 216	<i>montana</i> 364
<i>laza</i> , KOCH. <i>varia</i> ?	<i>arvensis</i> 216	<i>pyrenaica</i> 364
<i>ligustica</i> 412	<i>cupaniiana</i> . <i>heterantha</i> .	<i>tenella</i> , R.B. <i>montana</i> .
<i>loliacea</i> 414	<i>ericócephala</i> 216	Fumaria . (<i>See also Corydalis</i>) li., 13
<i>longifolia</i> 413	<i>gallica</i> 217	<i>agraria</i> 13
<i>maritima</i> . <i>Sclerochloa Triticum</i> .	<i>germanica</i> 216	<i>capreolata</i> 13
<i>Micheli</i> , BERT. <i>Koeleria macilenta</i> .	<i>heterantha</i> 216	<i>flabellata</i> . <i>capreolata</i> .
<i>montana</i> , R.B. <i>Drymeia</i> .	<i>Jussiae</i> . <i>pyramidalata</i> .	<i>leucantha</i> . <i>parviflora</i> .
<i>Myurus</i> 413	<i>lagopus</i> 216	<i>major</i> , R.B. <i>agraria</i> .
<i>nemorum</i> , R.B. <i>heterophylla</i> .	<i>minima</i> 216	<i>media</i> , DUBY. <i>agraria</i> .
<i>nigrescens</i> . <i>heterophylla</i> .	<i>montana</i> . <i>minima</i> .	<i>micrantha</i> 13
<i>oryzetorum</i> , R.B. <i>elatior</i> .	<i>neglecta</i> 216	<i>muralis</i> 13
<i>ovina</i> 413	<i>prostrata</i> 216	<i>officinalis</i> 13
<i>pannonica</i> , R.B. <i>ovina</i> .	<i>pygmæa</i> . <i>Evax pygm.</i>	<i>parviflora</i> 14
<i>panormitana</i> 413	<i>pyramidalata</i> 216	<i>Pettieri</i> . <i>muralis</i> .
<i>phœnicoides</i> , BERT. <i>Bra-chypod. phœnicoides</i> .	<i>tenuifolia</i> 217	<i>spicata</i> 13
<i>pilosa</i> 414	FILICES lxxx., lxxx., 423	<i>Vaillantii</i> 14
<i>pinnata</i> . <i>Brachyp. pinnat.</i>	Fimbristylis xviii., 383	<i>Wirtgenii</i> 13
<i>Poa</i> . <i>Brachyp. tenell.</i>	<i>annua</i> . <i>dichotoma</i> β . 383	FUMARIACEAE 13
<i>poaformis</i> . <i>pilosa</i> .	<i>cioniana</i> . <i>dichotoma</i> γ . 433	Gagea xli., 367
<i>pratensis</i> 414	<i>dichotoma</i> 383	<i>arvensis</i> 367
<i>Pseudo-Myurus</i> . <i>Myur-</i>	Fœniculum xxxv., 148	<i>bohemica</i> 367
<i>pumila</i> 414	<i>dulce</i> 148	<i>busambrensis</i> 368
<i>rhaetica</i> , DUBY. <i>pilosa</i> .	<i>officinalis</i> 148	<i>chrysanthæ</i> 368
<i>rigida</i> . <i>Scleroc. rigida</i> .	<i>piperitum</i> 148	<i>fistulosa</i> , DUBY. <i>Liotardi</i> .
<i>rubra</i> 413	<i>sativum</i> 148	<i>Granatelli</i> 367
<i>sabulicola</i> . <i>rubra</i> .	<i>vulgare</i> , GUSS. <i>officinale</i> .	<i>Liottardi</i> 367
<i>Scheuchzeri</i> 414	<i>Fontanesia</i> vii., 244	<i>lutea</i> 368
<i>sciuroides</i> . <i>bromoïdes</i> .	<i>phillyreoides</i> 244	<i>minima</i> 367
<i>serotina</i> . <i>Molinia serot.</i>	Fragaria xlix., 116	<i>nebrodensis</i> 368
<i>setacea</i> 413	<i>breslingea</i> 117	<i>pratensis</i> , R.B. <i>stenop. β</i> 367
<i>sicula</i> 413	<i>calycina</i> 116	<i>pusilla</i> 368
	<i>collina</i> 116	<i>saxatilis</i> 367
	<i>eflagellis</i> , R.B. <i>vesca</i> .	<i>Schreberi</i> , R.B. <i>stenop.</i>
	<i>elatior</i> 116	<i>spathacea</i> 367
	<i>hagenbachiana</i> 117	<i>stenopetalta</i> 367
	<i>magna</i> , GR. & G. <i>elatior</i> .	
	<i>majaufsea</i> , <i>hagenbachiana</i> 117	

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

463

Page.	Page.	Page.
<i>G. villosa</i> , DUBY. <i>minima</i> .		<i>G. hypnoides</i> . <i>pumilum</i> α 166
<i>Galactites</i> lxxiii, 235		<i>insubricum</i> . . . 165, 433
<i>tomentosa</i> 235		<i>lavee</i> . <i>sylvestre</i> α . . . 166
<i>Galanthus</i> xl, 362		<i>linifolium</i> 166
<i>Imperati</i> 362		<i>litigiosum</i> . <i>parisiense</i> .
<i>nivalis</i> 362		<i>litorale</i> 165
<i>Galasia</i> lxvi, 180		<i>lucidum</i> 165
<i>villosa</i> 180		<i>maritimum</i> 166
<i>Galatella</i> lxviii, 197		<i>mediterraneum</i> 165
<i>cana</i> 198		<i>minutulum</i> 167
<i>punctata</i> 197		<i>Mollugo</i> 165
<i>rigida</i> 198		<i>mucronatum</i> , DUBY.
<i>Galega</i> lxi, 96		<i>rubrum</i> .
<i>officinalis</i> 96		<i>murale</i> 167
<i>Galeobdolon</i> liii, 292		<i>obliquum</i> . <i>rubrum</i> β . . . 166
<i>luteum</i> 292		<i>palidum</i> , Guss. erect.
<i>Galeopsis</i> liii, 291		<i>palustre</i> 166
<i>angustifolia</i> . Ladanum.		<i>parisiense</i> 167
<i>bifida</i> 291		<i>pedemontanum</i> 167
<i>intermedia</i> , R.B. Lad.		<i>pubescens</i> , R.B. Mol-
<i>Ladanum</i> 291		<i>lugo?</i>
<i>ochroleuca</i> 291		<i>pumilum</i> 166
<i>parviflora</i> , DUBY. Lad.		<i>purpureum</i> 166
<i>pubescens</i> 291		<i>pusillum</i> . <i>sylvestre</i> γ 166
<i>Tetrahait</i> 292		<i>pyrenaicum</i> 166
<i>versicolor</i> 292		<i>retrosum</i> , Guss. pede-
<i>Galinsoga</i> lxxix, 199		<i>montanum</i> .
<i>parviflora</i> 199		<i>rotundifolium</i> 164
<i>GALINSOGEAE</i> lxviii, lxxix, 199		<i>rubrioides</i> 164
<i>Galium</i> xxiv., 164		<i>rubrum</i> 166
<i>ætnicum</i> . erectum.		<i>rupicola</i> . <i>saxatile</i> ?
<i>alpestre</i> . <i>sylvestre</i> β . . . 166		<i>saccharatum</i> 167
<i>anglicum</i> . <i>parisiense</i> β . . . 167		<i>saxatile</i> 166
<i>Aparine</i> 167		<i>setaceum</i> 167
<i>arenarium</i> 165		<i>Soleirolii</i> 165
<i>aristatum</i> 165		<i>spurium</i> 167
<i>Barrelieri</i> . <i>rotundifol.</i>		<i>supinum</i> . <i>sylvestre</i> δ . . . 166
<i>Baulini</i> , R.B. <i>vernun.</i>		<i>svaticum</i> 166
<i>Bocconi</i> . <i>sylvestre</i> γ . . . 166		<i>sylvestre</i> 166
<i>boreale</i> 164		<i>tenerum</i> . <i>Aparine</i> β . . . 167
<i>cæspitosum</i> . <i>pumilum</i> β 166		<i>tenuifolium</i> . <i>lucidum</i> .
<i>campanulatum</i> . <i>Aspe-</i>		<i>tricorne</i> 167
<i>rula galiooides</i> .		<i>trifidum</i> 167
<i>campestre</i> 166		<i>uliginosum</i> 166
<i>cinereum</i> 165		<i>Vaillantii</i> 167
<i>Cruciata</i> 167		<i>vernum</i> 167
<i>divaricatum</i> . <i>parisi-</i>		<i>verrucosum</i> . <i>saccharat.</i>
<i>ense</i> β 167		<i>verticillatum</i> 167
<i>ellipticum</i> . <i>rotundif.</i> β 164		<i>verum</i> 165
<i>elongatum</i> , Guss. pa-		<i>Villarsii</i> 166
<i>lustre</i> .		<i>Witheringii</i> . <i>palustre</i> β 166
<i>erectum</i> 165		<i>Garidella</i> l, 8
<i>glaucum</i> . Asp. <i>galloid.</i>		<i>Nigellastrum</i> 8
<i>helveticum</i> 166		<i>Gasparinia</i> xxxiv., 146
<i>hercynicum</i> . <i>saxatile</i> .		<i>virescens</i> 146
<i>hirtum</i> . <i>sylvestre</i> γ . . . 166		<i>Gastridium</i> xxi, 399
<i>hyssopifolium</i> . <i>boreale</i> β 165		<i>lendigerum</i> 399

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

446

INDEX.

	Page.		Page.		Page.
G. <i>triquetra</i>	76	G. <i>dissectum</i>	71	Glaux	xxxi., 303
GENISTÆ	75	<i>divaricatum</i>	71	<i>maritima</i>	303
Gentiana	xxxii., 246	<i>Endressi</i> , GE. & G. pa-		Glechoma	lvi., 291
<i>acaulis</i>	247	<i>lustre</i> β	429	<i>hederacea</i>	291
<i>aestiva</i>	248	<i>tividum</i> . <i>phaeum</i> .		<i>heterophylla</i> , RB. he-	
<i>alpina</i> . <i>excisa</i> β	248	<i>lucidum</i>	71	deracea.	
Amarella	248	<i>macrorhizum</i>	69	<i>hirsuta</i>	291
<i>angulosa</i> , RB. <i>aestiva</i> .		<i>molle</i>	71	Glinus	xlvii., 135
<i>angustifolia</i> , RB. Frœ-		<i>nodosum</i>	70	<i>lotoides</i>	135
<i>lichii</i> .		<i>palustre</i>	70	Globularia	xxiv., 303
<i>asclepiadea</i>	247	<i>phaeum</i>	70	<i>Alypum</i>	303
<i>bavarica</i>	248	<i>pratense</i>	70	<i>bellidifolia</i> . <i>cordifolia</i> .	
<i>biloba</i>	247	<i>purpleum</i> . <i>robert</i> . β	71	<i>cordifolia</i>	303
<i>brachiphylla</i>	248	<i>pusillum</i>	70	<i>incanescens</i>	303
Burseri	247	<i>pyrenaicum</i>	70	<i>nana</i> , DUBY. <i>cordifolia</i> .	
<i>campanulata</i> . <i>punctata</i> β	247	<i>reflexum</i>	69	<i>nudicaulis</i>	303
<i>campestris</i>	248	<i>robertianum</i>	71	<i>vulgaris</i>	303
Charpentieri	247	<i>rotundifolium</i>	70	GLOBULARIÆ	303
<i>chlorifolia</i> , RB. <i>cam-</i>		<i>sanguineum</i>	70	Glyceria	xxiii., 411
<i>pestris</i> .		<i>sibiricum</i>	70	<i>airoides</i> , RB. <i>aquatica</i> .	
ciliata	248	<i>striatum</i>	70	<i>aquatica</i> , KOCH, &c.	
<i>erecta</i>	247	<i>sylvaticum</i>	70	Catabrosa <i>aquatica</i> .	
<i>excisa</i>	247	<i>tuberosum</i>	70	<i>aquatica</i>	411
<i>frigida</i>	247	<i>varium</i>	70	<i>distans</i> . Sclerochl. dist.	
<i>Freibreichii</i>	247	<i>villosum</i>	71	<i>festuciformis</i> . Sclerochl.	
<i>gaudiniana</i>	247	Geropogon	lxvi., 175	<i>maritima</i> .	
<i>germanica</i>	248	<i>glaber</i>	175	<i>fluitans</i>	411
<i>glacialis</i> . <i>tenella</i> .		Geum	xlix., 112	<i>maritima</i> . Sclerochl.	
<i>imbricata</i>	248	<i>inclinatum</i> . <i>pyrenaic</i> .		<i>maritima</i> .	
<i>lutea</i>	247	<i>intermedium</i>	113	<i>plicata</i> . <i>fluitans</i> β	411
<i>macrophylla</i>	247	<i>micropetalum</i>	113	<i>rigida</i> . Sclerochl. rig.	
<i>nana</i>	248	<i>montanum</i>	113	<i>spectabilis</i> . <i>aquatica</i> .	
<i>nivalis</i>	248	<i>pyrenaicum</i>	113	<i>spicata</i> , GUSS. <i>fluitans</i> ?	
<i>obtusifolia</i>	248	<i>reptans</i>	113	Glycyrrhiza	lxii., 96
<i>pannonica</i>	247	<i>rivale</i>	113	<i>echinata</i>	96
Pneumonanthe	247	<i>sylvaticum</i>	113	<i>glabra</i>	96
prostrata	248	<i>thomasianum</i>	113	GNAPHALIÆ	lxxi., 216
pumila	248	<i>urbanum</i>	112	Gnaphalium	lxxi., 217
<i>punctata</i>	247	Gladiolus	xvii., 358	<i>alpinum</i>	217
<i>purpurea</i>	247	<i>byzantinus</i>	358	<i>arvense</i> . Filago arvensis.	
<i>pyrenaica</i>	248	<i>communis</i>	358	<i>carpathicum</i>	217
<i>tenella</i>	248	<i>dubius</i> . <i>communis</i> ?		<i>dioicum</i>	217
Thomasia	247	<i>illyricus</i>	358	<i>fuscum</i> , RB. <i>sylvaticum</i> .	
utriculosa	248	<i>imbricatus</i>	358	<i>gallicum</i> . Filago gallica.	
verna	248	<i>infestus</i>	358	<i>germanicum</i> . Fil. germ.	
GENTIANÆ	246	<i>palustris</i>	358	<i>hoppeanum</i> . <i>sylvat</i> . γ	217
Geracium, RB. Hieracium.		<i>segetum</i>	358	Leontopodium	217
GERANIACEÆ	68	<i>triphyllus</i>	358	<i>luteo-album</i>	217
Geranium	lx., 69	Glaucium	xlix., 12	<i>margaritaceum</i>	217
<i>abortivum</i> , Guss. vil-		<i>corniculatum</i>	12	<i>minimum</i> . Filago min.	
<i>losum</i> ?		<i>flavum</i> . <i>luteum</i> .		<i>montanum</i> . Filago min.	
<i>aconitifolium</i>	70	<i>fulvum</i>	12	<i>norvegicum</i> . <i>sylvat</i> . β	217
<i>argenteum</i>	70	<i>hybridum</i>	12	<i>nudum</i> , RB. <i>uliginosum</i> .	
<i>aspodeloides</i>	70	<i>luteum</i>	12	<i>pusillum</i> . <i>supinum</i>	217
<i>bohemicum</i>	70	<i>phaniceum</i> . <i>cornicu-</i>		<i>supinum</i>	217
<i>cinereum</i> . <i>argenteum</i> ?		<i>latum</i> .		<i>sylvaticum</i>	217
<i>columbinum</i>	71	<i>rubrum</i> , RB. <i>corniculat</i> .		<i>uliginosum</i>	217

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

465

Page.	Page.	Page.
<i>Gomphocarpus</i> xxxii. , 246	<i>HEDYSAREÆ</i> 75 , 100	<i>H. procumbens</i> 36
<i>fruticosus</i> 246	<i>Hedysarum</i> lxiv. , 101	<i>pulverulentum</i> 38
<i>Goodyera</i> lxxiv. , 355	<i>capitatum</i> 101	<i>punctatum</i> 35
<i>repens</i> 355	<i>coronarium</i> 101	<i>retrofractum</i> . <i>salicifolium</i> .
<i>Gouffea</i> xlii. , 53	<i>humile</i> 101	<i>roseum</i> 38
<i>arenariooides</i> 53	<i>obscurum</i> 102	<i>rubellum</i> 37
<i>GRAMINA</i> 394	<i>pallidum</i> 101	<i>rugosum</i> . <i>alyssoides</i> β 35
<i>Grammitis</i> lxxi. , 424	<i>spinosissimum</i> 101	<i>salicifolium</i> 36
<i>Ceterach</i> . <i>Cet. officin.</i>	<i>Heleocharis</i> . <i>Scirpus</i> .	<i>Savii</i> 36
<i>leptophylla</i> 424	<i>Helianthemum</i> lxix. , 35	<i>seabrosum</i> 35
<i>GRANATEÆ</i> 125	<i>acuminatum</i> 37	<i>semiglabrum</i> 37
<i>Gratiola</i> xvi. , 266	<i>ægyptiacum</i> 36	<i>serpyllifolium</i> , <i>R.B.</i>
<i>officinalis</i> 266	<i>alpestre</i> . <i>oelandicum</i> β 37	<i>vulgare</i> .
<i>Gregoria</i> xxviii. , 299	<i>alyssoides</i> 35	<i>sessiliiflorum</i> 36
<i>vitaliana</i> 299	<i>apenninum</i> . <i>polifolium</i> 38	<i>stechadifolium</i> 37
<i>GROSSULARIÆ</i> 136	<i>arabicum</i> 36	<i>surrejanum</i> . <i>vulgare</i> β 38
<i>Gymnadenia</i> . <i>Orchis</i> .	<i>arcuatum</i> 38	<i>stellatum</i> . <i>croceum</i> .
<i>Gymnogramma</i> . <i>Ceterach</i> .	<i>Barrelieri</i> . <i>thymifol.</i> β 37	<i>Thibaudi</i> 38
<i>Gypsophila</i> xlvi. , 44	<i>berterianum</i> 37	<i>thymifolium</i> 36
<i>acutifolia</i> 44	<i>Breweri</i> 35	<i>tomentosum</i> 38
<i>Arrostii</i> 44	<i>canum</i> . <i>marifolium</i> β 37	<i>Tuberaria</i> 35
<i>cretica</i> 44	<i>crocum</i> 38	<i>umbellatum</i> 35
<i>fastigiata</i> 44	<i>denticulatum</i> . <i>salicifo-</i>	<i>velutinum</i> , <i>JORDAN</i> 38
<i>illyrica</i> 44	<i>lium</i> β 36	<i>vineale</i> . <i>marifolium</i> β 37
<i>muralis</i> 44	<i>ericoides</i> 36	<i>viride</i> . <i>juniperinum</i> β 36
<i>paniculata</i> 44	<i>erioaulon</i> 35	<i>Vivianii</i> . <i>guttatum</i> .
<i>permixta</i> , <i>Guss.</i> <i>Saxi-</i>	<i>Fumana</i> 36	<i>vulgare</i> 38
<i>fraga</i> .	<i>glaucum</i> , <i>Guss.</i> <i>croceum</i> ,	<i>Helianthus</i> 198
<i>prostrata</i> , <i>R.B.</i> <i>repens</i> .	<i>glutinosum</i> . <i>thymifol.</i> β 37	<i>annuus</i> 199
<i>repens</i> 44	<i>grandiflorum</i> . <i>vulgare</i> .	<i>tuberosus</i> 199
<i>rigida</i> . <i>Saxifraga</i> .	<i>guttatum</i> 35	<i>Helichrysum</i> 217
<i>Saxifraga</i> 44	<i>halimifolium</i> 35	<i>angustifolium</i> 218
<i>serotina</i> , <i>R.B.</i> <i>muralis</i> .	<i>hirtum</i> 38	<i>arenarium</i> 218
<i>Vaccaria</i> . <i>Saponaria</i>	<i>hispidum</i> 38	<i>cæspitosum</i> . <i>angustif</i> . 218
<i>Vaccaria</i> .	<i>inconspicuum</i> 36	<i>frigidum</i> 217
<i>Habenaria</i> . <i>Orchis</i> .	<i>intermedium</i> . <i>salicifol.</i> γ 36	<i>glutinosum</i> 217
<i>Hacquetia</i> xxxii. , 142	<i>italicum</i> . <i>oelandicum</i> γ 37	<i>italicum</i> . <i>angustif</i> .
<i>Epipactis</i> 142	<i>juniperinum</i> 36	<i>littoreum</i> . <i>angustif</i> .
<i>Halianthus</i> . <i>Alsine</i> .	<i>lævipes</i> 36	<i>microphyllum</i> . <i>angustif</i> .
<i>Halimus</i> . <i>Obione</i> .	<i>lavandulifolium</i> 37	<i>nebrodense</i> . <i>Stœchas</i> . 218
<i>HALORAGEÆ</i> 126	<i>ledifolium</i> 36	<i>panormitanum</i> . <i>angustif</i> .
<i>Hedera</i> xxx. , 161	<i>lunulatum</i> 36	<i>pendulum</i> . <i>Stœchas</i> .
<i>Helix</i> 161	<i>majoranifolium</i> . <i>hirt.</i> β 38	<i>rupestre</i> . <i>angustif</i> .
<i>Poetarum</i> . <i>Helix</i> β . 161	<i>marifolium</i> 37	<i>saxatile</i> . <i>angustif?</i> . 218
<i>Hedynopsis</i> lxv. , 174	<i>morisianum</i> 38	<i>scandens</i> 217
<i>coronopifolia</i> 174	<i>mutabile</i> . <i>pulverulent</i> .	<i>Stœchas</i> 217
<i>crepidiformis</i> . <i>cretica</i> . 174	<i>nebrodense</i> . <i>rubellum</i> .	<i>stramineum</i> . <i>Stœchas</i> . 218
<i>cretica</i> 174	<i>niloticum</i> . <i>ledifolium</i> β 36	<i>Heliotropium</i> 252
<i>furfuracea</i> . <i>cretica</i> . 174	<i>nummularium</i> 37	<i>Bocconi</i> 252
<i>globulifera</i> . <i>cretica</i> . 174	<i>obscurum</i> 37	<i>europæum</i> 252
<i>mauritanica</i> . <i>cretica</i> . 174	<i>oelandicum</i> 37	<i>supinum</i> 252
<i>monspeliensis</i> . <i>cretica</i> . 174	<i>origanifolium</i> 37	<i>HELLEBOREÆ</i> 1 , 8
<i>pendula</i> 174	<i>penicillatum</i> . <i>oeland.</i> γ 37	<i>Helleborus</i> li , 8
<i>polymorpha</i> 174	<i>pilosum</i> 38	<i>atrorubens</i> . <i>odorus</i> .
<i>rhagadioloides</i> . <i>cretica</i> . 174	<i>plantagineum</i> . <i>guttat.</i> β 35	<i>Bocconi</i> . <i>purpurascens</i> β 8
<i>tubæformis</i> . <i>cretica</i> β . 174	<i>polifolium</i> 38	<i>dumetorum</i> 8

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

466

INDEX.

Page.	Page.	Page.
H. <i>fœtidus</i> 8	H. <i>permixta</i> , Guss. <i>hirsuta</i> . polygonoides 130	H. <i>cordifolium</i> . <i>villosum</i> α 183 <i>coronopifolium</i> , BERNH. umbellatum β 188
<i>intermedius</i> , Guss. <i>viridis</i> . lividus 8	<i>Hesperis</i> lxx., 27 <i>cyaniana</i> . <i>laciiniata</i> . heterophylla 28	<i>cotoneifolium</i> . <i>prenan-</i> <i>thoides</i> ϵ 187
niger 8	<i>inodora</i> . <i>matronalis</i> β 28	<i>crinitum</i> 187
odorus 8	<i>laciiniata</i> 27	<i>cydoniifolium</i> 186
purpurascens 8	<i>matronalis</i> 27	<i>cymigerum</i> , R.B. <i>præalt.</i>
<i>viridis</i> 8	<i>runcinata</i> 28	<i>cymosiforme</i> 182
Helminthia lxvi., 178	<i>tristis</i> 27	<i>cymosum</i> 182
aculeata 178	Heteropogon . <i>Andropogon</i> .	<i>decipiens</i> 186
echoïdes 178	Hibiscus ix., 64	<i>dentatum</i> 183
humifusa 178	aquaticus 65	<i>denticulatum</i> . <i>prenan-</i> <i>thoides</i> δ 187
spinosa 178	pentacularis 64	DREPANOÏDEÆ 182
Helosciadium xxxiv., 145	roseus 65	<i>dubium</i> , SM. <i>Auricula</i> .
<i>bulbosum</i> . <i>intermedium</i> . crassipes 145	Trionum 65	<i>echoïdes</i> 182
intermedium 145	HIERACIEÆ lxv., lxvii., 180	<i>elongatum</i> , DUBY. <i>ce-</i> <i>rinthoides</i> .
inundatum 145	Hieracium lxvii., 180	<i>eriophorum</i> 188
nodiflorum 145	AccIPITEINEÆ 187	<i>eriophyllum</i> . <i>villosum</i> η 183
repens 145	<i>acutifolium</i> . <i>villosum</i> η 183	<i>albidum</i> 186
stoloniferum 145	<i>albidum</i> 186	<i>fallax</i> . <i>præaltum</i> 182
Helxine . <i>Parietaria</i> .	<i>Allionii</i> , R.B. <i>glaucum</i> .	<i>filiferum</i> , R.B. <i>præalt.</i>
Hemerocallis xlii., 372	<i>alpicola</i> . <i>furcatum</i> β 181	<i>flagellare</i> , DC. <i>stolonif.</i> 181
flava 372	<i>alpinum</i> 186	<i>flexuosum</i> , DUBY. <i>gla-</i> <i>bratum</i> .
fulva 373	amplexicaule 186	<i>flexuosum</i> , R.B. <i>villosum</i> .
Hepatica . <i>Anemone</i> .	ANDRYALOÏDEÆ 183	<i>florentinum</i> . <i>præalt.</i> α 181
Heracleum xxvi., 153	<i>audryaloides</i> 183	<i>furecatum</i> 181
alpinum 153	<i>angustifolium</i> 181	<i>fuscum</i> , R.B. <i>aurantiac.</i> δ 181
angustifolium. <i>Sphon-</i> <i>dylium</i> . asperum 153	<i>armeriaefolium</i> , R.B. <i>gla-</i> <i>cum?</i>	<i>glabratum</i> 183
austriacum 153	<i>asperum</i> , R.B. <i>rigidum</i> .	<i>glabratum</i> , WILLD. <i>vil-</i> <i>losum</i> δ 183
cordatum 153	<i>atrovirens</i> 184	<i>glabrum</i> , HOPPE. <i>vil-</i> <i>losum</i> δ 183
elegans 153	<i>aurantiacum</i> 181	<i>glanduliferum</i> 183
<i>flavescens</i> , BERT. <i>Sphon-</i> <i>dylium?</i>	<i>auraeum</i> , DUBY. <i>Crepis</i>	<i>glaucescens</i> , R.B. <i>præalt.</i> γ
LecocKII, GR. & G. si- biricum.	aurea.	<i>glaucum</i> 182
longifolium 153	Auricula 181	<i>gracile</i> 188
minimum 153	<i>Bauhinia</i> . <i>præaltum</i> δ 182	<i>graminifolium</i> 182
Orsimi 153	<i>bellidifolium</i> 186	<i>grandiflorum</i> . <i>Crepis</i>
<i>palmarum</i> , R.B. <i>Panaces</i> .	<i>bicolor</i> . <i>aurantiacum</i> γ 181	<i>grandiflora</i> .
Panaces 153	<i>bifidum</i> 183	<i>Halleri</i> . <i>alpinum</i> γ . 186
<i>pollinianum</i> 153	<i>bifurcum</i> 181	<i>hoppeanum</i> 184
pyrenaicum 153	<i>brachiatum</i> . <i>bifurcum</i> 181	<i>jacobæifolium</i> 187
sibiricum 153	<i>brevifolium</i> 187	<i>Jacquinii</i> 185
<i>siifolium</i> , R.B. <i>austr.</i>	<i>brevicapum</i> 187	<i>incisum</i> 183
Sphondylium 153	<i>bulbosum</i> , Guss. <i>Crepis</i>	<i>INTYBACEÆ</i> 186
Herniium lxxiv., 355	bulbosa.	<i>intybaceum</i> . <i>albidum</i> .
Monorchis 355	bupleuroides 183	<i>inuloides</i> 187
Herniaria xxxii., 130	Candolii 183	<i>Lachenalii</i> . <i>vulgatum</i> γ 184
alpina 130	CERINTHOÏDEÆ 185	<i>lactucaceum</i> 187
ciliata 130	cerinthoides 185	<i>lævigatum</i> . <i>rigidum</i> .
<i>cinerea</i> . <i>hirsuta?</i>	chlorospermum 184	<i>lanatum</i> 185
glabra 130	<i>cinerarium</i> . <i>echoïdes</i> γ 182	<i>lanceolatum</i> , WILLD. <i>ri-</i> <i>gidum</i> β 187
hirsuta 130	compositum 188	<i>Lapeyroussi</i> 185
incana 130	cordifolium 185	
latifolia 431		

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

467

Page.	Page.	Page.
<i>H. lapsanoides</i> , DUBY. Crepis lapsanoides. <i>lasiophyllum</i> 184 <i>latifolium</i> . boreale β 187 <i>Lawsonii</i> 185 <i>Lawsonii</i> , VILLARS. <i>sax-</i> <i>atile</i> . <i>Liotardi</i> 185 <i>longifolium</i> 186 <i>lucidum</i> 187 <i>kuteum</i> . <i>aurantiacum</i> β 181 <i>lycopifolium</i> 186 <i>macranthum</i> . <i>Pilosella</i> ϵ 181 <i>maculatum</i> . <i>vulga-</i> <i>tum</i> β 184 <i>mixtum</i> 185 <i>montanum</i> , DUBY. <i>Cre-</i> <i>pis montana</i> . <i>murorum</i> 184 <i>murorum-pilosissimum</i> , LINN. <i>murorum</i> β 184 <i>Nestleri</i> 182 <i>nigrescens</i> 186 <i>nivale</i> 184 <i>obovatum</i> , DUBY. <i>ce-</i> <i>rithoides</i> . <i>obscurum</i> , RB. <i>praetalt.</i> <i>ochroleucum</i> , KOCH. <i>pi-</i> <i>croides</i> . <i>pallescens</i> 183 <i>paludosum</i> . <i>Crepis pa-</i> <i>ludosa</i> . <i>peleterianum</i> . <i>Pilosella</i> . β 181 <i>perfoliatum</i> , DC. <i>pre-</i> <i>nanthoides</i> β 187 <i>phlomoides</i> 185 <i>picrodes</i> 186 <i>pictum</i> 184 <i>pictum</i> , PERS. <i>andrya-</i> <i>loides</i> γ 185 <i>Pilosella</i> 181 <i>PILOSELLAE</i> 180 <i>piloselliforme</i> . <i>Pilosella</i> δ 181 <i>piloselloides</i> 181 <i>piloselloides</i> , WALLR. <i>praealtum</i> ζ 182 <i>polyphyllum</i> , RB. <i>lon-</i> <i>gifolium</i> . <i>porrifolium</i> 182 <i>praetaltum</i> 181 <i>premorsum</i> . <i>Crepis pre-</i> <i>morsa</i> . <i>pratense</i> 181 <i>PRENANTHOIDEAE</i> 186 <i>prenanthoides</i> 187 <i>primulifolium</i> , VIVIANI. 188 <i>prostratum</i> 188	<i>H. prunellifolium</i> . <i>Crepis</i> <i>pygmæa</i> . <i>Pseudo-cerinthe</i> 186 <i>PULMONARIEÆ</i> 183 <i>pulmonarioides</i> 186 <i>pumilum</i> , HOPPE. <i>al-</i> <i>pinum</i> β 186 <i>pumilum</i> , DUBY. <i>Cre-</i> <i>pis pygmæa</i> . <i>racemosum</i> 187 <i>ramosum</i> 184 <i>rigidum</i> 187 <i>rupestre</i> 184 <i>sabaudum</i> 187 <i>sabinum</i> 181 <i>saxatile</i> 182 <i>Schmidtii</i> 184 <i>Schraderi</i> 183 <i>scorzoneraifolium</i> . <i>vil-</i> <i>losum</i> ζ 183 <i>setigerum</i> . <i>echioides</i> β 182 <i>siculum</i> 185 <i>speciosum</i> 183 <i>sphaerocephalum</i> . <i>furecat</i> 181 <i>staticifolium</i> 182 <i>stelligerum</i> 184 <i>Sternbergii</i> 186 <i>stoloniflorum</i> 181 <i>strictissimum</i> . <i>prenan-</i> <i>thoides</i> γ 187 <i>succisifolium</i> . <i>Crepis</i> <i>succisifolia</i> . <i>sudeticum</i> . <i>alpinum</i> δ 186 <i>sylvaticum</i> . <i>vulgatum</i> α 184 <i>sylvestre</i> , RB. <i>boreale</i> . <i>sympatophytonia</i> 185 <i>tenoreanum</i> . <i>Pilosella</i> γ 181 <i>trichocephalum</i> . <i>villo-</i> <i>sum</i> γ 183 <i>tubulosum</i> , DUBY. <i>al-</i> <i>bidum</i> . <i>umbellatum</i> 188 <i>undulatum</i> . <i>andryal</i> . β 185 <i>Vallantii</i> , RB. <i>Nestleri</i> . <i>valdepilosum</i> . <i>villosum</i> ϵ 183 <i>VILLOSÆ</i> 182 <i>vilosum</i> 183 <i>virescens</i> , KOCH. <i>rigid.</i> ? <i>Virga-aurea</i> 184 <i>vulgatum</i> 184 <i>Hierochloa</i> xxii, 397 <i>australis</i> 398 <i>borealis</i> 397 <i>odorata</i> . <i>borealis</i> . <i>parviflora</i> 398 <i>Himantoglossum</i> . <i>Orchis</i> . <i>Hippocrepis</i> lxiv, 101	<i>H. ciliata</i> 101 <i>comosa</i> 101 <i>glauca</i> 101 <i>multisiliquosa</i> 101 <i>unisiliquosa</i> 101 <i>velutina</i> 101 <i>Hippophae</i> lxxix, 323 <i>rhamnoides</i> 323 <i>Hippuris</i> xv., 127 <i>maritima</i> , RB. <i>vulgaris</i> . <i>vulgaris</i> 127 <i>Hadniackia</i> . <i>golacensis</i> , BEERT. <i>Ma-</i> <i>labala</i> <i>Haquetii</i> . <i>pastinacifolia</i> , RB. <i>Fal-</i> <i>caria latifolia</i> . <i>Holcus</i> xxii, 406 <i>lanatus</i> 406 <i>mollis</i> 406 <i>Sorghum</i> , <i>Sorghum</i> <i>vulgare</i> . <i>Holosteum</i> xxiii, 56 <i>umbellatum</i> 56 <i>Homogyne</i> lxx, 212 <i>alpina</i> 212 <i>discolor</i> 212 <i>sylvestris</i> 212 <i>Honkenija</i> , GE. & G. AL- <i>sine</i> . <i> HORDEACEÆ</i> 395, 417 <i>Hordeum</i> xix., 420 <i>bulbosum</i> 420 <i>crinitum</i> . <i>Elymus cri-</i> <i>nitus</i> . <i>distichum</i> 420 <i>europæum</i> . <i>Elymus eur.</i> <i>hexastichon</i> 420 <i>leporinum</i> , Guss. <i>mu-</i> <i>rinum</i> ? <i>maritimum</i> 420 <i>murinum</i> 420 <i>nodosum</i> , Guss. <i>pratense</i> . <i>pratense</i> 420 <i>pseudo-murinum</i> , KOCH. <i>murinum</i> β 420 <i>pubescens</i> . <i>marit.</i> β . 420 <i>secalinum</i> . <i>pratense</i> . <i>strictum</i> 420 <i>vulgare</i> 420 <i>Zeocriton</i> 420 <i>Horminum</i> lii, 286 <i>pyrenaicum</i> 286 <i>Hottonia</i> xxviii, 303 <i>palustris</i> 303 <i>Hugueninia</i> lix, 27 <i>tanacetifolia</i> 27 <i>Humulus</i> lxxix, 331

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

468

INDEX.

Page.	Page.	Page.
H. Lupulus 331	H. <i>rhagadiolooides</i> . Hedyp-	H. radicata 175
Hutchinsia lvi., 16	nois cretica.	<i>uniflora</i> . Achyropho-
alpina 16	scabra 174	rus helveticus.
breviscaulis 16	Hypecoum xxv., 12	Hyssopus lii., 287
brevistyla 16	glaucescens 12	officinalis 287
<i>pauciflora</i> . Capsella	grandiflorum 428	
<i>pauciflora</i> .	pendulum 12	Iberis lvi., 14
petrea 16	procumbens 12	<i>amara</i> 15
<i>procumbens</i> . Caps. proc.	HYPERICINEÆ 65	<i>aurosica</i> , Gr. & G. <i>nana</i> .
<i>rotundifolia</i> . Thlaspi	Hypericum lxiv., 65	<i>bernhardiana</i> , Gr. & G.
<i>rotundifolium</i> .	Androsænum 66	ciliata.
stylosa 16	<i>australe</i> , Gr. & G. <i>repens</i> .	<i>bicornycifera</i> 428
Hyacinthus xlii., 366	<i>barbatum</i> 67	<i>ciliata</i> 15
<i>amethystinus</i> 366	<i>Burseri</i> , Gr. & G. Ri-	<i>Durandii</i> . <i>intermedia</i> γ
<i>botryoides</i> . Muscaribo-	cheri.	<i>garrexiana</i> 15
tryoides.	<i>calycinum</i> 66	<i>integerrima</i> 14
<i>ciliatus</i> 367	<i>ciliatum</i> 66	<i>intermedia</i> 15
<i>comosus</i> . Musc. <i>comos</i> .	<i>commutatum</i> , Rb. <i>per-</i>	<i>linifolia</i> 15
<i>dubius</i> 366	<i>foratum</i> .	<i>nana</i> 15
<i>fastigiatu</i> s 367	<i>Coris</i> 66	<i>pinnata</i> 15
<i>nonscriptus</i> 366	<i>corsicum</i> 429	<i>Prostii</i> . <i>intermedia</i> β
<i>orientalis</i> 367	<i>crispum</i> 66	<i>Pruiti</i> 15
<i>patulus</i> 366	<i>dubium</i> 66	<i>pyrenaica</i> 15
<i>racemosus</i> . Muscari <i>rac.</i>	<i>elegans</i> 67	<i>saxatilis</i> 15
<i>romanu</i> s 366	<i>Elodes</i> 67	<i>semperflorens</i> 15
<i>serotinus</i> 366	<i>fimbriatum</i> . Richeri.	<i>sempervirens</i> . <i>garrexiana</i> .
<i>trifoliatus</i> 367	<i>hiricum</i> 66	<i>spatulata</i> 15
HYDROCHARIDÆ 345	<i>hirsutum</i> 66	<i>tenoreana</i> 14
<i>Hydrocharis</i> lxxx., 345	<i>humifusum</i> 66	<i>umbellata</i> 15
<i>Morsus-Ranæ</i> 345	<i>hyssopifolium</i> 66	<i>Violeti</i> . <i>intermedia</i> δ
<i>Hydrocotyle</i> xxxii., 143	<i>linariifolium</i> 66	Ilex xxv., 73
<i>inundatum</i> , Sm. <i>He-</i>	<i>maculatum</i> 66	<i>Aquifolium</i> 73
<i>sciadium inundatum</i> .	<i>montanum</i> 66	<i>Illecebrum</i> xxxi., 130
<i>natans</i> 143	<i>neapolitanum</i> . quad-	<i>echinatum</i> . <i>Paronychia</i>
<i>schkuhriana</i> , Rb. <i>vulgaris</i> .	<i>rangulum</i> .	<i>echinata</i> .
<i>vulgaris</i> 143	<i>nummularium</i> 66	<i>longisetum</i> . <i>Paron.longis.</i>
HYDROCOTYLEÆ xxxii., 143	<i>perfoliatum</i> 67	<i>niveum</i> . <i>Paron. nivea</i> .
<i>Hymenocarpos</i> . <i>Medicago</i> .	<i>perforatum</i> 66	<i>Paronychia</i> . <i>Paronychia</i>
HYMENOPHYLLÆ lxxxi.,	<i>pulchrum</i> 66	<i>argentea</i> .
<i>lxxxii.</i> , 426	<i>quadrangulum</i> 66	<i>polygonifolium</i> . <i>Parony-</i>
<i>Hymenophyllum</i> lxxxii., 426	<i>repens</i> 66	<i>chia polyg.</i>
<i>tunbridgense</i> 426	<i>Richeri</i> 67	<i>serpyllifolium</i> . <i>Parony-</i>
<i>Wilsoni</i> 426	<i>tetrapherum</i> . <i>quadrang-</i>	<i>chia capitata</i> .
Hyoscyamus xxix., 259	<i>tomentosum</i> 67	<i>verticillatum</i> 130
<i>albus</i> 259	<i>veronense</i> 66	Impatiens xxx., 71
<i>aureus</i> 259	HYPOCHERIDÆ liv., 175	<i>fulva</i> 71
<i>auriculatus</i> 259	<i>Hypochceris</i> lxi., 175	<i>Noli me tangere</i> 71
<i>niger</i> 259	<i>arachnoidea</i> . <i>glabra</i> β	Imperata xx., 395
HYOSERIDÆ lxiv., 174	<i>Balbisii</i> . <i>glabra</i> γ	<i>cylindrica</i> 395
<i>Hyoseris</i> lxv., 174	<i>glabra</i> 175	<i>Imperatoria</i> xxxvi., 154
<i>cretica</i> . <i>Hedynois cret.</i>	<i>helvetica</i> . <i>Achyropho-</i>	<i>angustifolia</i> 154
<i>fœtida</i> . <i>Aposeris fœt.</i>	<i>rus helveticus</i> .	<i>Chabrei</i> . <i>Palimbia</i>
<i>Hedynois</i> . <i>Hedyn. cret.</i>	<i>maculata</i> . <i>Achyropho-</i>	<i>Chabrei</i> .
<i>lucida</i> 174	<i>rus maculatus</i> .	<i>Ostruthium</i> 154
<i>minima</i> , Guss. <i>Arno-</i>	<i>neapolitana</i> 175	<i>Inula</i> lxviii., 195
<i>seris pusilla</i> .	<i>pinnatifida</i> , DUBY. <i>A-</i>	<i>bifrons</i> 195
<i>radiata</i> 174	<i>chyrophorus pinnatifid</i> .	<i>britannica</i> 196

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

469

Page.	Page.	Page.
I. <i>Bubonium</i> , R.B. <i>squarr.</i> <i>campestris</i> , R.B. <i>Oculus-</i> Christi.	I. <i>variegata</i> 359 <i>xyphioides</i> 359 <i>Isatis</i> lviii., 21 alpina 21 canescens 21 <i>præcox</i> , R.B. <i>tinctoria</i> . rostellata 21 <i>tinctoria</i> 21	J. <i>diffusus</i> 374 <i>effusus</i> 374 <i>ericetorum</i> , DUBY. ca- pitatus. <i>fasciculatus</i> , BERT. bu- fonius β .
<i>Conyza</i> 195 <i>erithmoides</i> 196 <i>dysenterica</i> . <i>Pulicaria</i> dysenterica.	<i>Isnardia</i> xxv., 126 palustris 126	<i>filiformis</i> 375 <i>fistulosus</i> 374 <i>fluitans</i> , DUBY. uligi- nosus.
<i>ensisfolia</i> 195 <i>germanica</i> 195 <i>graveolens</i> 196 <i>helenioides</i> 196 <i>Helenium</i> 195 <i>hirta</i> 196 <i>hybrida</i> 195 <i>media</i> 195 <i>montana</i> 196 <i>Oculus-Christi</i> 196 <i>odora</i> . <i>Pulicaria odora</i> . <i>Oetteliana</i> , R.B. <i>britann.</i> <i>provincialis</i> 196 <i>salicina</i> 196 <i>semiamplexicaulis</i> 196 <i>spiraefolia</i> 196 <i>squarrosa</i> 196 <i>suaveolens</i> 196 <i>tuberosa</i> . <i>Jasonia tu-</i> berosa.	<i>Isoetes</i> lxxii., 427 <i>lacustris</i> 427 <i>Isopyrum</i> l., 8 <i>thalictroides</i> 8 <i>Ixia</i> . <i>Romulea</i> .	Gerardi 376 glaucus 374 Hostii. 375 <i>hybridus</i> , Guss. <i>bufon.</i> <i>insulanus</i> . <i>bufonius</i> β . 376 Jacquinii 374 lagenarius 375 lamprocarpus 375 <i>maritimus</i> 374 <i>melananthus</i> , R.B. <i>atrat.</i> multibracteatus 374 multiflorus 375 nigritellus 375 obtusiflorus 375 paniculatus 374 pygmæus 376 repens 376 <i>rigidus</i> . <i>maritimus</i> β 374 <i>scutellus</i> , Guss. multifl.
<i>INULEÆ</i> lxviii., 194 <i>Ipomœa</i> xxviii., 250 <i>sagittata</i> 250	<i>Jasione</i> xxix., 236 humilis 236 <i>littoralis</i> . <i>montana</i> γ 236 <i>major</i> . <i>montana</i> β . 236 montana 236 <i>perennis</i> 236	<i>sphaerocarpus</i> 376 <i>squarrosum</i> 376 <i>striatus</i> 375 <i>stygius</i> 375 <i>supinus</i> 376 Tenageia 376 tenuis 376 triandrus 376 trifidus 375 <i>triglumis</i> 375 <i>uliginosus</i> . <i>supinus</i> .
<i>IRIDEÆ</i> 357 <i>Iris</i> xvii., 358	<i>Jasminum</i> xv., 244 <i>Jasminum</i> 244 fruticans 244 humile 244 <i>officinale</i> 244 <i>Jasonia</i> lxviii., 195 glutinosa 195 sicula 195 tuberosa 195	<i>Juniperus</i> lxxx., 343 communis 343 Lobelii 343 <i>lycia</i> , R.B. <i>phenicia</i> . macrocarpa 343 nana 343 <i>Oxycedrus</i> 343 <i>phenicia</i> 343 <i>Sabina</i> 343 <i>turbanata</i> 343
<i>JUNCÆ</i> 373	<i>Juncus</i> xlii., 374 acutiflorus 375 acutus 374 alpinus 375 ambiguus 376 anceps 375 arcticus 374 <i>articulatus</i> . <i>acutiflorus</i> and <i>lamprocarpus</i> . atratus 376 balticus 374 bicephalus 376 biglumis 375 <i>brevirostris</i> . <i>acutifl.</i> β 376 bufoinius 376 <i>bulbosus</i> , DUBY. com- pressus. capitatus 376 castaneus 375	<i>Jurinea</i> . <i>Serratula</i> 219 <i>Kalbfussia</i> lxvi., 177 Müllerii 177 <i>Kentrophyllum</i> lxxiii., 228 lanatum 228 turbinatum 228
<i>pumila</i> 359 <i>sambucina</i> 359 <i>scorpioides</i> 359	<i>Castelli</i> , Guss. <i>striatus</i> . <i>communis</i> . <i>conglomer-</i> atus and effusus. compressus 376 conglomeratus 374	
<i>sibirica</i> 359 <i>Sisyrinchium</i> 360 <i>spuria</i> 359 <i>squalens</i> 358		
<i>tuberosa</i> 360		

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

470

INDEX.

Page.	Page.	Page.
<i>Kernera</i> . <i>Cochlearia</i> .	LABIATÆ	282
<i>Knappia</i> xxii., 401	<i>Lactuca</i> lxvii., 192	
<i>agrostidea</i> . <i>minima</i> .	<i>augustana</i> , R.B. <i>sagit.</i>	
<i>minima</i> 401	<i>Chaixi</i> 193	
<i>Knautia</i> xxiv., 171	<i>cichoriifolia</i> 192	
<i>arvensis</i> 171	<i>cerulea</i> . <i>perennis</i> .	
<i>campestris</i> . <i>arvensis</i> β 171	<i>longidentata</i> 193	
<i>collina</i> . <i>arvensis</i> δ . 171	<i>muralis</i> 193	
<i>hybrida</i> 171	<i>perennis</i> 192	
<i>integrifolia</i> . <i>arvensis</i> ϵ 171	<i>sagittata</i> 193	
<i>longifolia</i> . <i>sylvatica</i> β 171	<i>saligna</i> 193	
<i>rigidiuscula</i> . <i>arvensis</i> γ 171	<i>sativa</i> 193	
<i>sylvatica</i> 171	<i>Scariola</i> 193	
<i>Kobresia</i> lxxvi., 383	<i>segusiana</i> 193	
<i>caricina</i> 383	<i>stricta</i> 193	
<i>scirpina</i> . <i>Elyna spicata</i> .	<i>tenerrima</i> 192	
<i>Kochia</i> xxxi., 313	<i>vimenea</i> . <i>Phænopus</i>	
<i>arenaria</i> 313	<i>vimineus</i> .	
<i>hirsuta</i> 313	<i>virosa</i> 193	
<i>hyssopifolia</i> 313	<i>Lagurus</i> xxi., 404	
<i>prostrata</i> 313	<i>ovatus</i> 404	
<i>scoparia</i> 313	<i>Lamarcia</i> . <i>Cynosurus</i> .	
<i>Koeleria</i> xxii., 407	<i>Lamium</i> liii., 292	
<i>albescens</i> 407	<i>album</i> 292	
<i>Barrelieri</i> . <i>villosa</i> .	<i>amplexicaule</i> 292	
<i>brachystachya</i> 407	<i>bifidum</i> 292	
<i>caerulescens</i> 407	<i>cryptanthum</i> , Guss. <i>bif.</i>	
<i>calycina</i> , DUBY. <i>Schis-</i>	<i>dissectum</i> , R.B. <i>incisum</i> .	
<i>mus calycinus</i> .	<i>flexuosum</i> 292	
<i>cristata</i> 407	<i>garganicum</i> 292	
<i>discolor</i> , Guss. <i>villosa</i> .	<i>hirsutum</i> . <i>maculatum</i> .	
<i>glauca</i> 407	<i>hybridum</i> . <i>incisum</i> .	
<i>gracilis</i> , Guss. <i>setacea</i> .	<i>incisum</i> 292	
<i>grandiflora</i> 407	<i>intermedium</i> 292	
<i>hirsuta</i> 407	<i>levigatum</i> . <i>maculat.</i> β 292	
<i>hispida</i> 407	<i>longiflorum</i> 292	
<i>intermedia</i> , Guss. <i>vill.</i>	<i>maculatum</i> 292	
<i>Linkii</i> 407	<i>Orvala</i> 292	
<i>macilenta</i> 407	<i>pedemontanum</i> , R.B. <i>lon-</i>	
<i>phlæoides</i> 407	<i>giformum</i> .	
<i>setacea</i> . <i>valesiaca</i> β 407	<i>pubescens</i> 292	
<i>subspicata</i> , R.B. <i>Trise-</i>	<i>purpureum</i> 292	
<i>tum subspicatum</i> .	<i>tomentosum</i> 292	
<i>valesiaca</i> 407	<i>Lappa</i> . <i>Arctium</i> .	
<i>villosa</i> 407	<i>Lappago</i> xxi., 397	
<i>Koniga</i> lvi., 19	<i>racemosa</i> 397	
<i>halimifolia</i> 19	<i>Lapsana</i> lxv., 173	
<i>lapeyrousiiana</i> 19	<i>communis</i> 173	
<i>leucadæa</i> 19	<i>fætidæ</i> . <i>Aposeris fætidæ</i> .	
<i>macrocarpa</i> 19	<i>minima</i> . <i>Arnos. pusilla</i> .	
<i>maritima</i> 19	<i>LAPSANEÆ</i> lxiv., lxv., 173	
<i>pyrenaica</i> 19	<i>Larbraæ</i> . <i>Stellaria</i> .	
<i>rupestris</i> 19	<i>Larix</i> . <i>Pinus</i> .	
<i>spinosa</i> 19	<i>Laserpitium</i> xxxvii., 154	
<i>Krubera</i> xxxvii., 154	<i>alpinum</i> 155	
<i>dichotoma</i> 154	<i>aquilegifolium</i> , DUBY.	
<i>leptophylla</i> . <i>dichotoma</i> .	<i>alpinum</i> .	

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

471

Page.	Page.	Page.
L. hirtus 108	L. punctata 64	L. Marrubiastrum 293
inconspicuus 108	sylvestris 64	LEPIDINEÆ lvi., 16
incurvus, R.B. palustris.	thuringiaca 64	Lepidium lvii., 16
latifolius 107	triloba 64	bonannianum 17
macrorrhiza, Gr. & G.	trimestris 64	campestre 16
Orobus tuberosus.	unguiculata 64	Draba 16
maritimus. Pisum ma-	Lecokia xxxviii., 161	graminifolium 17
ritimum.	cretica 161	heterophyllum 17, 428
micranthus 108	Ledum xlv., 243	hirtum 16
montanus, Gr. & G.	palustre 243	humifusum 17
Orobus luteus.	Leersia xxi., 397	Iberis. graminifolium.
niger, Gr. & G. Orobus	oryzoides 397	latifolium 17
niger.	LEGUMINOSE 75	nebrodense. bonann.
Nissolia 107	Lemna xvii., 349	perfoliatum 17
Ochrus 109	arrhiza 349	ruderale 17
odoratus 108	gibba 349	sativum 16
palustris 107	minor 349	Smithii 16, 428
platyphyllus 107	polyrrhiza 349	Villarsii 428
pratensis 107	trisulca 349	virginicum 428
purpureus 109	LEMNACEÆ 349	Lepigonum. Alsine 53
sativus 108	Lens, Gr. & G. Ervum.	Leptochloa xx., 402
sepium. pratensis.	LENTIBULARIÆ 298	arabica 402
setifolius 108	Leontice xl., 11	Lepturus xix., 420
sphæricus 107	Leontopetalum 11	cylindricus 420
stans 108	Leontodon lxvi., 176	fasciculatus 420
sylvestris 107	alpinum, R.B. hastilis.	filiformis 420
tenuifolius 109	asper 177	incurvatus 420
tuberousus 107	autumnalis 177	paanonicus 420
variegatus, Gr. & G.	Berini 177	Leucanthemum lxix., 205
Orobus variegatus.	biscutellifolius 177	atratum 205
vernus, Gr. & G. Oro-	crispus 177	cebennense 205
bus vernus.	croceus. pyren. β & γ 176	corsicum 205
Laurentia xxx., 236	dubius, R.B. hastilis ϵ 176	graminifolium 205
Michellii 236	hastilis 176	heterophyllum 205
tenella 236	hispidus. hastilis β 176	lanceolatum 205
LAURINEÆ 322	hyoseridifolium. hasti-	latifolium 205
Laurus xliv., 322	lis δ 176	maximum 205
nobilis 322	incanus 177	montanum 205
Lavandula lii., 282	lucidus 176	pallens 205
dentata 282	minimum, GUSS. Tarax-	vulgare 205
latifolia. Spica.	acum officinale.	Leucojum xl., 362
multifida 283	pratensis. autumnalis β 177	aestivum 362
pyrenaica. vera β 283	pyrenaicus 176	autumnale 362
Spica 283	Rosani 177	hyemale 362
Stœchas 282	saxatilis 177	roseum 362
vera 283	siculus. hastilis γ 176	trichophyllum. roseum.
Lavatera lx., 64	squamulosus, DUBY. py-	vernun 362
agrigenina 64	renaicus.	Leuzea lxxiii., 230
ambigua 64	Taraxaci 176	conifera 230
arborea 64	Taraxacum. Taraxa-	Levisticum xxxvi., 151
biennis 64	cum officinale.	officinale 151
cretica 64	tenuiflorus 177	vulgare, R.B. officinale.
hispida 64	Villarsii 177	Libanotis xxxv., 149
maritima 64	LEONTODONTEÆ lxiv.,	athamantoides. monta-
neapolitana. sylvestris.	lxxvi., 176	num β 149
Olbia 64	Leonurus liii., 292	cretensis. Athamanta
pallescens, BERT. triloba.	Cardiaca 292	cretica.

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

472

INDEX.

Page.	Page.	Page.
<i>L. daucifolia</i> , montana δ 149	<i>L. græca</i> 264	<i>L. flavum</i> 61
<i>Matthioli</i> . Ath. Matth.	<i>humilis</i> , Guss. supina.	<i>gallicum</i> 61
montana 149	<i>hepaticifolia</i> 264	<i>glandulosum</i> , DUBY.
<i>pubescens</i> . montana γ 149	<i>italica</i> 265	campanulatum and
<i>sibirica</i> , KOCH. montana?	<i>junccea</i> , DUBY. <i>spartea</i> .	flavum.
<i>sicula</i> . Atham. sic.	<i>junccea</i> , RB. <i>odora</i> .	<i>hirsutum</i> 61
<i>verticillata</i> 149	<i>linifolia</i> 265	<i>læve</i> , RB. <i>narbonense</i> .
<i>vulgaris</i> , DC. montana.	<i>littoralis</i> 266	<i>Leonii</i> 60
Ligularia . . . lxx, 212	<i>Loeselii</i> , KOCH. <i>odora</i> .	<i>maritimum</i> 61
<i>sibirica</i> . . . 212	<i>maritima</i> , RB. <i>odora</i> .	<i>montanum</i> . <i>alpinum</i> .
LIGULATÆ . . . lxiv, 173	<i>micrantha</i> 265	<i>Mulleri</i> 61
Ligusticum . . . xxxv, 150	<i>minor</i> 266	<i>narbonense</i> 60
<i>corsicum</i> 432	<i>odora</i> 265	<i>nodiforum</i> 61
<i>ferulaceum</i> 150	<i>origanifolia</i> 266	<i>perene</i> 60
<i>pyrenæum</i> 150	<i>pallida</i> 264	<i>piligerum</i> 61
<i>resinosum</i> 150	<i>pelisseriana</i> 265	<i>punctatum</i> 60
<i>scoticum</i> 150	<i>pilosa</i> 264	<i>salsolooides</i> 61
<i>Seguieri</i> 150	<i>prætermissa</i> 266	<i>serrulatum</i> 61
Ligustrum . . . xvi, 244	<i>Prestrandreae</i> 264	<i>siculum</i> 60
<i>vulgare</i> 244	<i>pubescens</i> , Guss. <i>pilosa</i> .	<i>spicatum</i> , Guss. <i>stric-</i>
<i>Lilac</i> , DUBY. <i>Syringa</i> .	<i>purpurea</i> 265	<i>tum</i> .
LILIACEÆ 363	<i>reflexa</i> 266	<i>strictum</i> 61
Lilium . . . xli, 364	<i>rubrifolia</i> 266	<i>suffruticosum</i> , Gr. & G.
<i>bulbiferum</i> 364	<i>rupestris</i> , Guss. <i>rubri-</i>	<i>salsolooides</i> .
<i>candidum</i> 364	<i>folia</i> .	<i>tenuifolium</i> 61
<i>carniolicum</i> 365	<i>saxatilis</i> , DUBY. <i>aren</i> .	<i>usitatissimum</i> 60
<i>Martagon</i> 365	<i>simplex</i> 265	<i>viscosum</i> 61
<i>Pomponium</i> 365	<i>spartea</i> 265	Liparis lxxv, 356
<i>pyrenaicum</i> 365	<i>speciosa</i> . <i>vulgaris</i> β 265	<i>Loeselii</i> 356
<i>Limnanthemum</i> , KOCH. Vil-	<i>spuria</i> 264	<i>Listera</i> lxiv, 355
larsia.	<i>striata</i> 265	<i>cordata</i> 355
Limodorum . . . lxxiv, 349	<i>stricta</i> , Guss. <i>aparinoid</i> .	<i>ovata</i> 355
<i>abortivum</i> 349	<i>supina</i> 266	Lithospermum xxvii, 254
<i>sphærolabium</i> 349	<i>thymifolia</i> 266	<i>apulum</i> 254
Limosella lv, 266	<i>trifylla</i> 265	<i>arvense</i> 254
<i>aquatica</i> 266	<i>versicolor</i> 265	<i>calabrum</i> 254
Linaria lv, 264	<i>vulgaris</i> 265	<i>fruticosum</i> 254
<i>acutangula</i> 264	Lindernia lv, 266	<i>Gastoni</i> 254
<i>æquitriloba</i> 264	<i>Pyridaria</i> 266	<i>graminifolium</i> 254
<i>alpina</i> 266	LINEÆ 60	<i>incrassatum</i> 254
<i>alsinifolia</i> 264	Linnaea lvi, 163	<i>Lehmanni</i> 254
<i>angustifolia</i> , RB. <i>italica</i> .	<i>borealis</i> 163	<i>minimum</i> 254
<i>aparinoides</i> 265	Linosyris lxviii, 197	<i>officinale</i> 254
<i>arenaria</i> 266	<i>vulgaris</i> 197	<i>oleifolium</i> 254
<i>arvensis</i> 265	Linum xxxix, 60	<i>prostratum</i> 254
<i>Bauhinia</i> . <i>vulgaris</i> γ 265	<i>alpinum</i> 60	<i>purpuro-cæruleum</i> 254
<i>Candolii</i> 266	<i>angustifolium</i> 60	<i>rosmarinifolium</i> 254
<i>capraria</i> 266	<i>aureum</i> 61	<i>Splitgerberi</i> 254
<i>chalepensis</i> 265	<i>austriacum</i> 60	<i>tinctorium</i> 254
<i>chlorœfolia</i> , RB. <i>genist</i> .	<i>campanulatum</i> 61	Littorella lxxvi, 309
<i>cirrhosa</i> 264	<i>capitatum</i> , RB. <i>serru-</i>	<i>lacustris</i> 309
<i>commutata</i> 264	<i>latum</i> .	Lloydia xli, 365
<i>Cymbalaria</i> 264	<i>catharticum</i> 61	<i>serotina</i> 365
<i>Elatine</i> 264	<i>corymbulosum</i> . <i>aureum</i> .	Lobelia xxx, 236
<i>flava</i> 266	<i>cribratum</i> , Guss. <i>an-</i>	<i>Bivonæ</i> . <i>Laurentia te-</i>
<i>genistifolia</i> 265	<i>gustifolium</i> .	<i>nella</i> .
<i>glauca</i> 266	<i>decumbens</i> 61	Dortmanna 236

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

473

Page.	Page.	Page.
I. <i>Gasparrini</i> . Laurentia	Loranthus	L. <i>angustifolius</i>
<i>Michelii</i> .	europaeus	Cosentini
Laurentia. Laurentia	<i>Loroglossum</i> . Orchis.	hirsutus
<i>Michelii</i> .	LOTEÆ	linifolius
minuta. Laurentia te-	Lotus	luteus
nella.	Allionii, GR. & G. cyti-	micranthus
tenella. Laurentia te-	soides.	pilosus
nella.	angustissimus	Termis
urens	biflorus. Tetragonolo-	varius
236	bus biflorus.	Luzula
LOBELIACEÆ	ciliatus	xlii., 377
<i>Lobularia</i> , KOCH. Koniga.	commutatus	albida
<i>Loeflingia</i>	comimbrensis	arcuata
<i>hispanica</i>	conjugatus. Tetragro-	campestris
<i>Logfia</i> . Filago.	nolobus conjugatus.	congesta. multiflora β
<i>Lolium</i>	corniculatus	erecta, Guss. multiflora.
<i>arvense</i>	coronillifolius	flavescens
<i>complanatum</i> , RB. li-	creticus	Forsteri
<i>nicola</i> .	cytisoides	glabrata
<i>festucaceum</i> , RB. Fes-	decumbens	græca
<i>tua loliacea</i> .	Dioscoreidis	lutea
<i>italicum</i>	edulis	maxima. sylvatica.
<i>linicola</i>	<i>hirsutus</i> . Dorycnium	multiflora
<i>multiflorum</i>	<i>hirsutum</i> .	<i>nigrans</i> . multifl. γ
<i>perenne</i>	hispidus	nivea
<i>rigidum</i>	lateralis	parviflora
<i>robustum</i> , RB. temu-	major	pediformis
<i>lentum</i> .	maritimus, Guss. Tetra-	pilosula
<i>siculum</i>	gonolobus siliquosus.	spadicea
<i>strictum</i>	ornithopodioides	spicata
<i>temulentum</i>	parviflorus. Dorycnium	sudetica, DUBY. cam-
<i>tenue</i> . perenne β	<i>parviflorum</i> .	pestris.
<i>Lomatogonium</i> xxxii., 246	patens	<i>sylvatica</i>
<i>carinthiacum</i>	peregrinus	vernalis. pilosa.
LOMENTACEÆ	<i>pilosissimus</i> , DUBY. his-	Lychnis
<i>lvi</i> , <i>lviii</i> , 22	<i>pidus</i> .	xvii., 52
<i>Lonas</i>	prostratus, Guss. cyti-	alpina
<i>inodora</i>	sooides.	Cceli-Rosa
<i>Lonicera</i>	pusillus	coronaria
<i>adenocarpa</i> , Guss. im-	rectus. Dorycn. rect.	<i>corsica</i> . lœta.
<i>plexa</i> .	sericeus. Dorycnium	<i>dioica</i> . diurna and ves-
<i>alpigena</i>	<i>hirsutum</i> .	pertina.
<i>balearica</i> , DUBY. im-	siliquosus. Tetragono-	diurna
<i>plexa</i> .	<i>lobus siliquosus</i> .	Flos-Cuculi
<i>cærulea</i>	tenuifolius. decumbens.	Flos-Jovis
<i>canescens</i>	tenuis, Guss. cornic. β	Githago
<i>Caprifolium</i>	<i>tenuis</i> , GR. & G. de-	lœta
<i>etrusca</i>	<i>cumbens</i> .	pyrenaica
<i>implexa</i>	Tetragonolobus. Tetra-	<i>sylvestris</i> . diurna.
<i>nigra</i>	<i>gonolobus purpureus</i> .	vespertina
<i>pallida</i> , RB. Caprifoli-	uliginosus. major.	Viscaria
<i>lum</i> .	Lunaria	Lycium
Periclymenum	<i>lvi</i> , 21	afrum
pyrenaica	annua, LINN. biennis.	barbarum
Xylosteum	biennis	europeum
Lophocachrys xxxviii., 160	rediviva	<i>Lycopersicum</i> . Solanum.
<i>echinophora</i>	21	Lycopodiaceæ
<i>pungens</i> . echinoph. β	Lupinus	lxxxi., 427
LORANTHACEÆ	albus	Lycopodium
160	110	lxxxii., 427

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

474

INDEX.

Page.	Page.	Page.			
L. alpinum	427	M. monophylla	356	Marsilea	lxxii., 427
annotinum	427	paludosa	356	<i>natans</i> . <i>Salvinia natans</i> .	
Chamæcyprissias	427	Malcomia	lix., 28	<i>pubescens</i>	427
clavatum	427	africana	28	<i>quadrifolia</i>	427
complanatum	427	littorea	28	MARSILIACEÆ	lxxxi., 427
denticulatum	427	maritima	28		lxxii., 427
helveticum	427	orsiniiana	28	Matricaria	lxx., 206
inundatum	427	parviflora	28	<i>Chamomilla</i>	206
selaginoides	427	Malope	lx., 62	<i>inodora</i> . <i>Pyrethr. inod.</i>	
Selago	427	malacoides	62	<i>maritima</i> . <i>Pyrethr. mar.</i>	
Lycopsis	xxvii., 257	<i>Malus</i> . <i>Pyrus</i> .		<i>suaveolens</i> , DUBY. <i>Cha-</i>	
arvensis	257	Malva	lx., 62	<i>momilla</i> .	
<i>crispa</i> . <i>Anchusa crispa</i> .		<i>Alcea</i>	62	Matthiola	lii., 28
orientalis	257	<i>althæoides</i> , GR. & G.		<i>annua</i>	28
<i>pulla</i> . <i>Nonnea pulla</i> .		cretica.		<i>coronopifolia</i>	28
variegata	257	<i>ambigua</i>	62	<i>incana</i>	28
Lycopodium	xvi., 284	<i>Bismalva</i> , RB. <i>Alcea</i> .		<i>patens</i>	28
europæum	284	<i>bivoniana</i>	63	<i>rupestris</i>	28
exaltatus	284	<i>borealis</i>	63	<i>sinuata</i>	28
Lygeum	xviii., 398	<i>cretica</i>	62	<i>tricuspidata</i>	28
Spartum	398	<i>erecta</i>	62	<i>tristis</i>	28
Lysimachia	xxvii., 299	<i>excelsa</i>	63	<i>undulata</i>	28
ciliata	299	<i>fastigiata</i> , DUBY. <i>Alcea</i> .		<i>varia</i>	28
Ephemerum	299	<i>flexuosa</i>	63	Meconopsis	xlii., 12
Linum-stellatum	299	<i>hirsuta</i>	62	<i>cambrica</i>	12
nemorum	299	<i>hispanica</i>	62	<i>edicago</i>	lxii., 83
Nummularia	299	<i>italica</i> , RB. <i>Alcea</i> .		Mapenningia	84
punctata	299	<i>mauritiana</i>	63	<i>apiculata</i>	86
thyrsiflora	299	<i>microcarpa</i> . <i>parvifl.</i> β	429	<i>arborea</i>	83
<i>verticillata</i> , RB. <i>punc-</i>		<i>Morenii</i>	62	<i>Braunii</i>	430
<i>tata</i> .		<i>moschata</i>	62	<i>cancellata</i> , TEN. <i>te-</i>	
vulgaris	299	<i>niæensis</i>	63	<i>noreana</i>	86
LYTHRARÆ	127	<i>parviflora</i>	63	<i>Carstiensi</i>	86
Lythrum	xlvii., 127	<i>polymorpha</i>	62	<i>ciliaris</i>	86
<i>bibracteatum</i> . <i>Thymifol.</i>		<i>rotundifolia</i>	63	<i>circinata</i>	83
<i>geminiflorum</i>	128	<i>sulcata</i>	63	<i>coronata</i>	86
Græfferi	128	<i>sylvestris</i>	63	<i>crinita</i>	86
<i>Hyssopifolia</i>	127	<i>tomentella</i>	62	<i>cuneata</i>	84
Preslii	128	<i>tournefortiana</i>	62	<i>cupaniiana</i> , GUSS. <i>lu-</i>	
Salicaria	128	<i>vulgaris</i> , RB. <i>rotundifol.</i>		<i>polina</i> .	
Thymifolia	127	MALVACEÆ	62	Decandollii , GUSS. <i>mu-</i>	
virgatum	128	Mandragora	258	<i>ricolettiis</i> .	
Magydaris	xxxviii., 161	<i>microcarpa</i>	258	<i>denticulata</i>	86
panacina	161	<i>officinarum</i>	258	<i>disciformis</i>	85
tomentosa	161	<i>vernalis</i>	258	Echinus	86
Maianthemum	xxiv., 363	Marrubium	liv., 295	<i>elegans</i>	84
bifolium	363	<i>Alysson</i>	295	<i>falcata</i>	83
Majorana	lii., 287	<i>apulum</i> . <i>vulgare</i> .		<i>flexuosa</i>	86
Onites	287	<i>candidissimum</i>	295	Gerardi	85
Malabaila	xxxviii., 160	<i>creticum</i> , RB. <i>pere-</i>		<i>glomerata</i> , RB. <i>falcata</i> .	
Hacquetii	160	<i>grinum</i> .		<i>glutinosa</i>	83
<i>Malachium</i> , KOCH. <i>Ceras-</i>		<i>pannonicum</i>	295	<i>græca</i> . <i>minima</i> β	85
<i>tium</i> .		<i>peregrinum</i>	295	<i>Helix</i>	84
Malaxis	lxxv., 356	<i>radiatum</i>	295	<i>Histriz</i> , GUSS. <i>lappacea</i> .	
<i>Loeselii</i> , DUBY. <i>Liparis</i>		<i>supinum</i> . <i>candidiss.</i>		<i>intertexta</i>	86
<i>Loeselii</i> .		<i>Vallantii</i>	296	<i>laciñiata</i>	85
		<i>vulgaris</i>	296	<i>lappacea</i>	85

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

475

Page.	Page.	Page.
M. leiocarpa 84	Melia Azederach 68	M. gentilis. pratensis.
littoralis 85	Melica xxii., 407	gracilis 284
<i>lunata</i> , R.B. radiata.	Bauhini 407	graffissima, R.B. sylvest.
<i>lupulina</i> 83	ciliata 407	<i>hirsuta</i> . aquatica α . 283
<i>maculata</i> 86	Cupani 407	<i>hirta</i> , R.B. nepetoides.
<i>marginata</i> 84	minuta 408	<i>incana</i> , R.B. sylvestris 283
<i>marina</i> 85	nebrodensis 408	<i>intermedia</i> , R.B. aquatica.
<i>media</i> , R.B. sativa.	nutans 408	<i>macrostachya</i> 283
minima 85	pyramidalis 408	<i>nepetoides</i> 283
<i>mollissima</i> , R.B. minima.	ramosa 408	<i>odorata</i> , R.B. aquatica.
Murex 85	uniflora 408	<i>palustris</i> , R.B. arvensis.
<i>muricata</i> 85	Melilotus lxii., 87	piperita 284
<i>muriceoptis</i> 86	alba 87	præcox 284
<i>neglecta</i> 85	altissima 87	pratensis 283
<i>obscura</i> 84	arvensis 87	<i>pubescens</i> , R.B. nepet.
<i>oliviformis</i> 85	cærulea 87	Pulegium 284
<i>orbicularis</i> 84	compacta 87	<i>pyramidalis</i> , TEN. pi-
<i>pentacycla</i> 86	dentata 87	perita.
<i>polycarpa</i> , GR. & G.	elegans 87	Requieni 284
apic. and dentic.	gracilis 87	Rosani. sylvestris γ . 283
præcox 86	infesta 88	rotundifolia 283
<i>procumbens</i> 83	italica 87	rubra 284
<i>prostrata</i> 83	Kochiana 87	sativa 284
<i>pubescens</i> , DUBY. tri-	leucantha. alba.	suavis 283
buloides.	littoralis 87	sylvestris 283
<i>radiata</i> 83	macrorrhiza. altissima 87	<i>undulata</i> . sylvestris δ . 283
<i>recta</i> . minima γ . 85	messanensis 88	urticifolia 283
<i>reticulata</i> 85	neapolitana. gracilis.	<i>verticillata</i> . aquat. β . 283
<i>rigidula</i> 85	officinalis 87	<i>willoza</i> . sylvestris β . 283
<i>sativa</i> 83	parviflora 87	viridis 283
<i>scutellata</i> 84	<i>petitianniæ</i> . officinalis.	MENTHOIDEÆ . li., lii., 283
Soleirolii 84	sulcata 87	Menyanthes . xxviii., 246
<i>sphaerocarpa</i> 85	uncinata 87	trifoliata 246
<i>spinosa</i> , GUSS. <i>obscura</i> β	Melissa lii., 289	Menziesia, DUBY. Dabeocia.
<i>spinulosa</i> , GUSS. <i>Helix</i> β	altissima, GUSS. offici-	Mercurialis lxxx., 330
striata 84	nalis β 290	ambigua. annua.
suffruticosa 84	cordifolia. officinalis β 290	annua 330
tenoreana 86	officinalis 289	elliptica 330
Terebellum 86	pyrenaica. Horminum	ovata 330
tornata 84	pyrenaicum.	perennis 330
tribuloides 85	villosa. officinalis β . 290	tomentosa 330
truncatulata 84	MELISSINEÆ . li., lii., 288	Merendera xlii., 373
tuberculata 84	Melittis liii., 291	Bulbocodium 373
turbinata 84	albida, GUSS. Melisso-	Mesembryanthemum
<i>uncinata</i> , R.B. pentacyc.	phyllum.	xlix., 135
<i>Willdenovii</i> , BÖNN. lu-	grandiflora. Melissoph.	crystallinum 135
<i>pulina</i> β 84	Melissophyllum 291	nodiforum 135
<i>Willdenovii</i> , GUSS. a-	Mentha lii., 283	Mespilus xviii., 124
<i>pennina</i> ? 84	acutifolia, R.B. gracilis.	<i>Amelanchier</i> . Aronia
Melampyrum liv., 272	angustifolia 284	rotundifolia.
arvense 272	aquatica 283	<i>Azarolus</i> . Crataegus
barbatum 272	arvensis 284	Azarolus.
cristatum 272	balsamea, R.B. sylvestris.	Chamæespilus. Sor-
nemorosum 272	canescens, R.B. sylvestris.	bus Chamæespilus.
pratense 273	cervina. Preslia cerv.	Cotoneaster. Cotoneas-
<i>sylvaticum</i> 273	citrata 284	ter vulgaris.
Melandrium, Coss. Lychnis.	dentata, R.B. sativa.	germanica 124

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

476

INDEX.

Page.	Page.	Page.
<i>M. Insegnæ</i> , Guss. <i>Cratæ-</i> <i>gus Oxyacantha</i> .	<i>M. caerulescens</i> . <i>Piptath-</i> <i>erum caerulescens</i> .	<i>M. rivularis</i> 430
<i>laciniata</i> , Guss. <i>Cra-</i> <i>tægus Oxyacantha</i> .	<i>confertum</i> , GUSS. <i>vernale</i> .	<i>Moricandia</i> lix., 25
<i>monogyna</i> . <i>Cratægus</i> <i>Oxyacantha</i> .	<i>confertum</i> , RB. <i>effusum</i> .	<i>arvensis</i> 25
<i>Oxyacantha</i> . <i>Cratægus</i> <i>Oxyacantha</i> .	<i>effusum</i> 399	<i>Morisia</i> lviii., 22
<i>oxyacanthoides</i> . <i>Crat.</i> <i>Oxyacantha</i> .	<i>lendigerum</i> . <i>Gastrid. lend.</i>	<i>hypogea</i> 22
<i>pyracantha</i> . <i>Crat. pyrac.</i>	<i>multiflorum</i> . <i>Piptathe-</i> <i>rum multiflorum</i> .	<i>Morus</i> 331
<i>tomentosa</i> , BERT. <i>Co-</i> <i>toneaster vulgaris</i> .	<i>muticum</i> . <i>Gastridium</i> <i>muticum</i> .	<i>alba</i> 331
<i>triloba</i> . <i>Crat. Oxyac.</i>	<i>paradoxum</i> . <i>Piptathe-</i> <i>rum paradoxum</i> .	<i>nigra</i> 331
<i>vulgaris</i> , RB. <i>germanica</i> .	<i>scabrum</i> , BERT. <i>vernale</i> .	<i>Mulgédium</i> lxvii., 188
<i>Metabasis</i> lxi., 175	<i>vernale</i> 399	<i>alpinum</i> 188
<i>athenensis</i> 175	<i>Millina</i> lxvi., 177	<i>Plumieri</i> 188
<i>cretensis</i> 175	<i>leontodontoides</i> 177	<i>Muscaria</i> xlvi., 367
<i>Meum</i> xxxv., 150	<i>Mœhringia</i> xlvi., 56	<i>botryoides</i> 367
<i>athanauticum</i> 150	<i>dasyphylla</i> , Gr. & G. Ponæ.	<i>commutatum</i> 367
<i>caruifolium</i> 150	<i>diversifolia</i> 57	<i>comosum</i> 367
<i>corsicum</i> 150	<i>glaucou-virens</i> 433	<i>cupaniianum</i> , Guss. co- mosum?
<i>Mutellina</i> 150	<i>muscosa</i> 56	<i>maritimum</i> 367
<i>pyrenaicum</i> 150	<i>papulosa</i> 57	<i>parviflorum</i> 367
<i>rigidulum</i> 150	<i>pentandra</i> 429	<i>racemosum</i> 367
<i>tenuifolium</i> . <i>Wallrothia</i> <i>tenuifolia</i> .	<i>polygonoides</i> 57	<i>Myagrum</i> lviii., 22
<i>Mibora</i> . <i>Knappia</i> .	<i>Ponæ</i> 57	<i>perfoliatum</i> 22
<i>Microlonchus</i> lxxiii., 230	<i>sedifolia</i> 57	<i>Mylinum</i> , BERT. <i>Selinum</i> .
<i>salmanticus</i> 230	<i>thomasiana</i> 433	<i>Myosotis</i> xxvii., 253
<i>Micromeria</i> lii., 288	<i>trineria</i> 57	<i>alpestris</i> 253
<i>approximata</i> 288	<i>villosa</i> 57	<i>apula</i> . <i>Lithospermum</i> <i>apulum</i> .
<i>canescens</i> 288	<i>Mœnchia</i> xlvi., 58	<i>annua</i> , DUBY. <i>arvensis</i> .
<i>cosentina</i> . <i>græca</i> β 288	<i>erecta</i> 58	<i>arvensis</i> 253
<i>græca</i> 288	<i>mantica</i> 58	<i>caespitosa</i> 253
<i>juliana</i> 288	<i>oetandra</i> 58	<i>collina</i> 253
<i>marifolia</i> 288	<i>Molinia</i> xxiii., 408	<i>deflexa</i> . <i>Echinosper-</i> <i>mum deflexum</i> .
<i>microphylla</i> 288	<i>cærulea</i> 408	<i>hispida</i> . <i>collina</i> .
<i>montana</i> , RB. <i>Satureja</i> <i>montana</i> .	<i>littoralis</i> , RB. <i>cærulea</i> .	<i>incrassata</i> 253
<i>nervosa</i> 288	<i>serotina</i> 408	<i>intermedia</i> . <i>arvensis</i> .
<i>Piperella</i> 288	<i>Molopospermum</i>	<i>Lappula</i> . <i>Echinosper-</i> <i>mum Lappula</i> .
<i>Pulegium</i> 288	xxxviii., 160	<i>laxiflora</i> , RB. <i>palustris</i> .
<i>pygmaea</i> , RB. <i>Satureja</i> <i>pygmæa</i> .	<i>Cicutarium</i> 160	<i>lithospermifolia</i> . <i>sylvat.</i>
<i>rupestris</i> 289	<i>peloponnesiacum</i> . <i>Cicut.</i>	<i>lutea</i> , DUBY. <i>versicolor</i> .
<i>spicata</i> , RB. <i>Satureja</i> <i>montana</i> .	<i>Moluccella</i> lxi., 295	<i>micrantha</i> 253
<i>tenuifolia</i> 288	<i>frutescens</i> . <i>Ballota frut.</i>	<i>multiflora</i> 253
<i>thymoides</i> 288	<i>spinosa</i> 295	<i>nana</i> . <i>Eritrichium nanum</i> .
<i>variegata</i> , RB. <i>Satureja</i> <i>variegata</i> .	<i>Momordica</i> lxxvii., 129	<i>palustris</i> 253
<i>Micropus</i> lxxi., 215	<i>Elaterium</i> 129	<i>perennis</i> , DUBY. <i>palust.</i>
<i>bombycinus</i> 215	<i>MONARDEÆ</i> li., lii., 284	<i>pusilla</i> 253
<i>erectus</i> 215	<i>MONOCOTYLAMYDEÆ</i> 311	<i>repens</i> 253
<i>supinus</i> 215	<i>MONOCOTYLEDONES</i> 345	<i>sparsiflora</i> 253
<i>Milium</i> xxii., 399	<i>Monotropa</i> xl., 243	<i>strigulosa</i> , RB. <i>palustris</i> .
	<i>glabra</i> , RB. <i>Hypopitys</i> .	<i>stricta</i> 253
	<i>Hypopitys</i> 243	<i>suaveolens</i> , RB. <i>sylvat.</i>
	<i>multiflora</i> . <i>Hypopit.</i> β 243	<i>sylvatica</i> 253
	<i>Montia</i> xxiii., 129	<i>variabilis</i> 253
	<i>fontana</i> 129	<i>versicolor</i> 253
	<i>minor</i> . <i>fontana</i> .	<i>Myosurus</i> li., 4
		<i>miuiinus</i> 4

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

477

Page.	Page.	Page.
<i>Myrica</i> lxxix, 342	<i>N. trilobus</i> 361	<i>N. auriculata</i> 258
<i>Gale</i> 342	<i>unicolor</i> 361	<i>rustica</i> 259
<i>Myricaria</i> . Tamarix.	<i>Nardosmia</i> lxx, 212	<i>Nigella</i> l., 8
<i>MYRICEÆ</i> 332, 342	<i>fragrans</i> 212	<i>arvensis</i> 8
<i>Myriophyllum</i> lxxvii, 126	<i>Nardus</i> xviii, 420	<i>damascena</i> 8
<i>alternifolium</i> 126	<i>aristata</i> . <i>Psilurus arist.</i>	<i>divaricata</i> . <i>arvensis?</i>
<i>intermedium</i> . verticil-	<i>stricta</i> 420	<i>hispanica</i> 428
<i>latum</i> β 126	<i>Narthecium</i> xli, 373	<i>sativa</i> 8
<i>pectinatum</i> . vertic. γ 126	<i>Nasturtium</i> lx, 29	<i>Nigritella</i> . <i>Orchis.</i>
<i>pinnatifidum</i> . vertic. α 126	<i>amphibium</i> 29	<i>Nonnea</i> xxvii, 256
<i>siculum</i> , Guss. vertic.	<i>anceps</i> 29	<i>lutea</i> 256
<i>spicatum</i> 126	<i>armoracioides</i> 29	<i>pulla</i> 256
<i>verticillatum</i> 126	<i>astylon</i> , R.B. <i>sylvestre</i> .	<i>nigricans</i> 256
<i>Myrrhis</i> . (See also Cha-	<i>austriacum</i> 29	<i>violacea</i> , DUBY. <i>nigricans?</i>
<i>rophyllum</i> .) xxxviii, 160	<i>fluviale</i> 29	<i>Notholæna</i> lxxxii, 426
<i>odorata</i> 160	<i>lippincense</i> 29	<i>lanuginosa</i> 426
<i>MYRTACEÆ</i> 129	<i>microphyllum</i> , R.B. offi-	<i>Marantæ</i> 426
<i>Myrtus</i> xlvi, 129	<i>cinalae</i> .	<i>Notobasis</i> lxxii, 227
<i>communis</i> 129	<i>officinale</i> 29	<i>syriaca</i> 227
<i>mucronata</i> . <i>communis</i> β 129	<i>palustre</i> 29	<i>NUCAMENTACEÆ</i> lvi, lviii, 21
<i>tarentina</i> 433	<i>pyrenaicum</i> 29	<i>Nuphar</i> l., 11
<i>Naias</i> lxxv, 348	<i>rivulare</i> , R.B. <i>sylvestre</i> .	<i>luteum</i> 11
<i>alagnensis</i> 348	<i>ruderale</i> , R.B. <i>Lepi-</i>	<i>minimum</i> . <i>spennerianum</i> .
<i>flexilis</i> 348	<i>dium ruderale</i> .	<i>pumilum</i> 11
<i>major</i> 348	<i>siifolium</i> . <i>officinale</i> β	<i>spennerianum</i> 11
<i>marina</i> , R.B. <i>major</i> .	<i>sylvestre</i> 29	<i>Nymphaea</i> l., 11
<i>minor</i> 348	<i>terrestre</i> 29	<i>alba</i> 11
<i>Nananthea</i> lxx, 205	<i>terrestre</i> , Sm. <i>palustre</i> .	<i>biradiata</i> 11
<i>perpusilla</i> 205	<i>Nectaroscordum</i> . <i>Allium.</i>	<i>candida</i> 11
<i>Narcissus</i> xl, 360	<i>Negundo fraxinifolium</i> 67	<i>NYMPHÆACEÆ</i> 11
<i>biflorus</i> 361	<i>Neottia</i> lxiv, 355	<i>Obione</i> xxxi, 315
<i>Bulbocodium</i> 361	<i>œstivalis</i> . <i>Spiranthes</i>	<i>pedunculata</i> 315
<i>calathinus</i> 360	<i>œstivalis</i> .	<i>portulacoides</i> 315
<i>chrysanthus</i> 360	<i>Nidus-Avis</i> 355	<i>OXYMONDEÆ</i> li, lii, 282
<i>cupanianus</i> 361	<i>ovata</i> . <i>Listera ovata</i> .	<i>Odontites</i> lv., 270
<i>cupularis</i> 433	<i>repens</i> . <i>Goodyera rep.</i>	<i>Bocconi</i> 270
<i>dubius</i> 360	<i>spiralis</i> . <i>Spiranth. spir.</i>	<i>corsica</i> 270
<i>incomparabilis</i> 360	<i>Nepeta</i> liii, 290	<i>lanceolata</i> 270
<i>intermedius</i> 361	<i>agrestis</i> 291	<i>Jaubertiana</i> 270
<i>italicus</i> . Tazzetta.	<i>Apulei</i> 291	<i>lutea</i> 270
<i>Jonquilla</i> 361	<i>Cataria</i> 291	<i>rigidifolia</i> 270
<i>latus</i> 361	<i>citriodora</i> , R.B. <i>Cataria</i> 291	<i>rubra</i> 270
<i>minor</i> 360	<i>foliosa</i> 291	<i>serotina</i> 270
<i>niveus</i> 361	<i>graveolens</i> . <i>Nepetella</i> β 291	<i>verna</i> , R.B. <i>rubra</i> .
<i>ochroleucus</i> 361	<i>latifolia</i> 291	<i>viscosa</i> 270
<i>odorus</i> 361	<i>Nepetella</i> 291	<i>Enanthe</i> xxxv., 147
<i>orientalis</i> . Tazzetta β 361	<i>nuda</i> 291	<i>apiifolia</i> . <i>crocata</i> .
<i>patulus</i> 361	<i>pannonica</i> . <i>nuda</i> .	<i>approximata</i> , DUBY. La-
<i>poeticus</i> 361	<i>tuberosa</i> 290	<i>chenalii</i> .
<i>polyanthus</i> 361	<i>violacea</i> . <i>nuda</i> β 291	<i>charophylloides</i> , DUBY.
<i>præcox</i> 361	<i>NEPETÆ</i> lii, liii, 290	<i>pimpinelloides</i> .
<i>Pseudo-Narcissus</i> 360	<i>Nerium</i> xxix, 245	<i>crocata</i> 148
<i>radiiflorus</i> 361	<i>Oleander</i> 245	<i>densa</i> 147
<i>serotinus</i> 361	<i>Neslia</i> lviii, 21	<i>fistulosa</i> 147
<i>stellatus</i> , DUBY. <i>niveus</i> .	<i>paniculata</i> 21	<i>fluviatile</i> 148
<i>Tazzetta</i> 361	<i>Nicotiana</i> xxviii, 258	<i>globulosa</i> 147

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

478

INDEX.

Page.	Page.	Page.
O. Jordani 148	O. minutissima 82	O. <i>fuciflora</i> , R.B. arachnites.
<i>Karsthiae</i> , R.B. Peuce- danum Schottii. 148	mitissima 82	funerea 354
Lachenalii 148	mollis 81	fusca 354
Lisæ 148	monophylla 82	lunulata 354
peucedanifolia 148	Natrix 80	lutea 353
Phellandrium 148	oligophylla 81	<i>Monorchis</i> . Herminium
pimpinelloides 148	ornithopodioides 81	Monorchis.
prolifera. <i>silaifolia</i> . 148	polymorpha 80	muscifera 354
<i>silaifolia</i> . 148	<i>procurrens</i> . repens. 81	<i>myodes</i> . muscifera.
<i>Tabernæmontani</i> . fistu- losa β 147	pubescens 81	oxyrhynchos 354
<i>Enothera</i> xliii., 126	ramosissima 80	pallida 353
biennis 126	reclinata 81	Pseudo-speculum 354
muricata 126	repens 81	Speculum 354
Olea xvi., 244	rotundifolia 81	tenthredinifera 354
europea 244	Schowii 81	<i>Oplismenus</i> xx., 396
<i>Omphalodes</i> xxvii., 252	<i>serrata</i> . diffusa. 80	<i>Crus-Galli</i> 396
linifolia 252	sieula 81	eruciformis 396
littoralis 252	Sieberi 81	undulatifolius 396
scorpioides 252	spinosa 81	zonalis 396
verna 252	striata 82	<i>Opopanax</i> . Pastinaca.
ONAGRÆ 125	tribracteata 81	<i>Opuntia</i> xlvi., 135
<i>Onobrychis</i> lxiv., 102	variegata 82	Amyclæa 135
æquidentata 102	villosissima 430	Ficus-indica 135
alba 102	viscosa 80	Vulgaris 135
arenaria 102	Onopordon lxxii., 228	ORCHIDÆ 349
Caput-Galli 102	Acanthium 228	<i>Orchis</i> lxiv., 349
conferta 102	arabicum 228	<i>acuminata</i> . variegata?
Crista-Galli 102	horridum 228	ætnensis 351
depressa 102	illyricum 228	albida 353
montana 102	macracanthum 228	<i>angustifolia</i> , R.B. Traun- steineri.
safiva 102	pyrenaicum 228	bifolia 353
saxatilis 102	<i>tauricum</i> , Guss. virens.	Bivonæ 350
supina 102	virens 228	Branciforti 351
Ononis lxii., 80	Onosma xxvii., 256	Champagneuxii 352
alba. monophylla. 82	arénarium 256	chlorantha 353
alopecuroides 82	echoïdes 256	<i>commutata</i> , Guss. va- riegata?
altissima, DUBY. hir- cina. 82	montanum 256	conopea 353
antiquorum. spinosa β 81	stellatum 256	coriophora 350
arachnoidea 80	Ophioglossum lxxxii., 426	corsica 353
arenaria 80	lusitanicum 426	cylindracea 353
arragonensis 82	vulgatum 426	decipiens 350
arvensis, BAB. repens.	Ophrys lxxiv., 353	<i>fasciculata</i> , Guss. in- carnata?
breviflora 80	alpina 354	fragrans 350
campestris, GR. & G. spinosa. 82	<i>anthropophora</i> . Aceras	fusca 351
ceunisia 81	anthropophora.	galeata 351
Cherleria 81	apifera 354	globosa 351
Columnæ. 82	arachnites 354	<i>hæmatodes</i> , R.B. Trauns.
Dernhardtii 82	aranifera 354	<i>Haurii</i> , JORDAN. teno- reana β 351
diffusa 82	<i>atra</i> . aranifera γ 354	hircina 350
fruticosa 81	Bertolonii 354	incarnata 352
hircina 81	bombylifera 353	latifolia 352
longearistata 81	canaliculata 354	laxiflora 352
Masquillieri 430	crabronifera 354	longibracteata 351
	<i>exaltata</i> , Guss. arani- fera β 354	

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

479

Page.	Page.	Page.
O. longicornu 352	O. platycarpa 158	O. densiflora 276
macra 351	<i>Ormenis.</i> <i>Anthemis.</i>	denudata 279
maculata 352	<i>Ornithogalum.</i> (<i>See also</i>	elatior 277
<i>majalis,</i> R.B. <i>latifolia.</i>	Gagea.) xli, 368	<i>elatior,</i> KOCH. <i>rubens.</i>
mascula 351	arabicum 368	<i>Epithymum</i> 275
<i>mediterranea.</i> <i>palustris?</i>	areuatum 369	<i>Eryngii.</i> <i>amethystea.</i>
militaris 351	chloranthum 369	flava 279
<i>moravica,</i> R.B. <i>fusca.</i>	collinum 368	fetida 274
Morio 352	comosum 368	fragrans 280
nigra 353	exscapum 368	fragrantissima 277
odoratissima 353	montanum 368	fuliginosa 275
pallens 352	arbonense 368	<i>Galii.</i> <i>caryophyllacea.</i>
palustris 352	nutans 369	glaberrima 278
panormitana 352	pyrenaicum 368	<i>gracilis,</i> R.B. <i>cruenta.</i>
papilionacea 350	refractum 368	<i>Hederæ</i> 278
parviflora 353	stachyoides 369	<i>Klugii.</i> 276
provincialis 351	sulphureum 368	<i>Kochii.</i> 277
<i>Pseudo-sambucina.</i> ro-	tenuifolium 368	<i>Laserpitii</i> 277
mana.	umbellatum 368	<i>laurina</i> 278
pyramidalis 350	<i>Ornithopus</i> lxiv, 101	<i>lavandulacea</i> 281
quadripunctata 351	compressus 101	<i>laxiflora,</i> R.B. <i>caryoph.</i>
romana 352	<i>ebracteatus.</i> <i>Arthrolo-</i>	<i>Ligustri.</i> <i>caryoph.</i> β . 275
rubra 350	<i>bium ebracteatum.</i>	<i>littorea</i> 279
saccata 350	<i>intermedius,</i> R.B. <i>per-</i>	<i>loricata</i> 279
sambucina 352	<i>pusillus.</i>	<i>lucorum</i> 276
<i>secundiflora,</i> DUBY.	<i>perpusillus</i> 101	<i>macrosepala</i> 278
<i>cylindracea.</i>	<i>roseus</i> 101	<i>major</i> 275
Simia 350	<i>sativus.</i> <i>roseus.</i>	<i>Medicaginis.</i> <i>rubens.</i>
<i>speciosa,</i> R.B. <i>mascula.</i>	<i>scorpioides.</i> <i>Arthrolo-</i>	<i>minor</i> 278
Spitzelii 351	<i>bium scorpioides.</i>	<i>Muteli</i> 281
suaveolens 353	<i>OROBANCHACEÆ</i> 273	<i>nebrodensis</i> 276
tenoreana 351	<i>Orobanche</i> lvi, 273	<i>nudiflora</i> 280
<i>tephroanthos.</i> Simia.	<i>alba,</i> Guss. <i>pruinosa.</i>	<i>olbiensis</i> 280
Traunsteineri 352	Alexandri 275	<i>pallidiflora</i> 275
undulatifolia 350	<i>amethystea</i> 278	<i>Picridis</i> 278
ustulata 351	arenaria 280, 281	<i>platystigma</i> 280
variegata 351	australis 279	<i>procera</i> 274
viridis 353	Avellanæ 275	<i>pruinosa</i> 274
Oreochloa xxi, 408	bicolor 280	<i>pubescens</i> 277
disticha 408	brachysepala 277	<i>ramosa</i> 281
Origanum lii, 287	<i>bracteata</i> 280	<i>Rapum.</i> <i>major.</i>
<i>creticum.</i> <i>vulgare</i> β . 287	bucklandiana 278	<i>rigens</i> 280
heracleoticum 287	cærulae 280, 281	<i>robusta</i> 281
<i>hirtum,</i> KOCH. <i>hera-</i>	cærulescens 280	<i>rubens</i> 277
<i>cleoticum.</i> 287	caesia 280	<i>rubra</i> 276
<i>humile,</i> vulgare.	canescens 279	<i>Salvie</i> 279
<i>macrostachyum.</i> <i>vul-</i>	<i>caryophyllacea</i> 275	<i>sanguinea</i> 280
<i>gare.</i>	<i>centaurina</i> 277	<i>Satyrus</i> 276
<i>Majorana.</i> Majorana	<i>cernua</i> 279	<i>Scabiosæ</i> 275
<i>Onites.</i>	<i>comosa.</i> <i>arenaria.</i>	<i>serotina</i> 278
<i>Onites.</i> Majorana O-	concolor 276	<i>Spartii</i> 274
nites.	condensata 274	<i>speciosa</i> 275
<i>virens.</i> <i>vulgare</i> γ 287	crinita 276	<i>stigmatodes.</i> Kochii . 277
vulgare 287	Critthmi 279	<i>stricta</i> 280, 281
Orlaya xxxvii, 157	cruenta 274	<i>strobiligena,</i> R.B. <i>cary-</i>
grandiflora 157	cumana, Guss. bicolor.	<i>ophyllacea.</i>
maritima 158	decora 277	<i>Teucrii</i> 275

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

480

INDEX.

Page.	Page.	Page.
O. thyrsoidæ 274	P. reniformis 319	P. Teneriffæ 396
variegata 274	Oxytropis lxiii., 97	<i>undulatifolium</i> . Oplis. <i>undulatifolius</i> .
Vitalbæ 279	campestris 97	<i>verticillatum</i> . Setaria <i>verticillata</i> .
vulgaris, R.B. caryoph.	cerulea. campestris γ 97	<i>viride</i> . Setaria viridis.
Yuccæ 278	cyanæa 97	<i>zonale</i> . Oplis. zonalis.
Orobus lxii., 109	fotida 97	Papaver xlix., 12
albus 109	Halleri, Koch. ural.	alpinum 12
angustifolius 109	lapponica 97	apulum 12
atropurpureus 110	montana 97	Argemone 12
canescens 109	neglecta. montana β . 97	Burseri, R.B. alpinum.
Clusii, R.B. Vicia oro- boides.	pilosa 97	dubium 12
hirsutus 109	sordida. campestris β . 97	hybridum 12
Jordani 109	triflora 97	intermedium, R.B. Rhœas.
lacteus, R.B. albus.	uralensis 97	levigatum. dubium β . 12
levigatus, R.B. luteus.	viscosa. campestris δ . 97	<i>obtusifolium</i> , Guss. du- biuim γ .
luteus 109	Pæderota xvi., 267	officinale. somniferum β . 12
niger 109	Ageria 267	<i>pinnatifidum</i> , MORIS. dubium.
pallescens, R.B. albus.	Bonarota 267	pyrenaicum 12
saxatilis 110	Pæonia 1, 10	Rhœas 12
sessilifolius 110	corallina 10	Roubbæi. dubium γ . 12
sylvaticus 110	officinalis 11	setigerum. somnifer. γ . 12
tristis. niger.	paradoxa, DUBY. pere- grina β 11	<i>siculum</i> , Guss. hybrid.
tuberous 109	peregrina 11	somniferum 12
variegatus 109	pubens, R.B. peregrina β .	PAPAVERACEÆ 12
varius 109	Russi 11	PAPPOPHORÆ 395, 420
venetus, R.B. variegatus.	Palimbia xxxvi., 154	Paradisia xli., 365
vernus 109	Chabreï 154	Liliastrum 365
versicolor, R.B. albus.	Paliurus xxx., 73	Parietaria xxv., 330
Ortegia xvii., 53	aculeatus 73	cretica 331
dichotoma 53	australis, BERT. acul.	diffusa. officinalis β . 331
hispanica 53	Pallenis . Buphthalmum.	erecta. officinalis α . 331
Orvala. Lamium.	PALME 378	<i>filiformis</i> . lusitanica β . 331
Oryza xlii., 397	Pancratium xl., 360	<i>judaica</i> , DUBY. offic. β .
sativa 397	illyricum 360	lusitanica 331
OYZÆ 394, 397	maritimum 360	officinalis 330
Osmunda lxxii., 426	PANICÆ 394, 396	Soleirolii 331
regalis 426	Panicum xx., 396	Paris xliv., 363
OSMUNDEÆ. lxxxi. lxxxii., 426	capillare 396	quadrifolia 363
Ostericum xxxvi., 151	ciliare. Digitaria ciliaris.	Parnassia xxxix., 42
palustre 151	compressum 396	palustris 42
verticillare, R.B. Tom- masiniana verticillaris.	<i>Crus-galli</i> . Oplismenus	Paronychia xxxi., 130
Ostrya. Carpinus.	Crus-galli.	argentea 131
Osyris xvii., 323	debile. Digitaria debilis.	capitata 131
alba 323	eruciforme. Oplism.	cymosa 130
OXALIDEÆ 71	eruciformis.	echinata 130
Oxalis xlvi., 71	germanicum. Setaria	<i>imbricata</i> , R.B. serpyllif.
Acetosella 71	germanica.	longiseta 130
corniculata 71	glabrum. Digitaria hu-	nivea 131
lybica 430	mifusa.	<i>polygonifolia</i> 130
stricta 71	glaucum. Setaria glauc.	serpyllifolia 131
villosa, R.B. corniculata.	italicum. Setaria ital.	PARONYCHIEÆ 130
Oxycoccus xlvi., 241	miliaceum 396	Passerina xliv., 321
palustris 241	repens 396	annua. Stellera Passer.
Oxyria xlvi., 319	<i>sanguinale</i> . Digitaria	
digyna. reniformis.	sanguinalis.	

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

481

	Page.		Page.		Page.
<i>P. dioica</i>	321	<i>Peplis</i>	xl., 127	<i>P. frigida</i>	97
<i>hirsuta</i>	321	<i>Boræi</i>	127	<i>Gerardi</i> . <i>glabra</i> .	
<i>nivalis</i>	321	<i>erecta</i> . <i>nummulariif.</i>		<i>glabra</i>	97
<i>pubescens</i> , Guss. Stel-		<i>nummulariifolia</i> . . .	127	<i>Phænopus</i>	lxvii, 192
lera Passerina.		<i>Portula</i>	127	<i>ramosissimus</i> . <i>vimin.</i> β	192
<i>Stellera</i> , Coss. Stel. Pas.		<i>Timeroyi</i>	127	<i>vimineus</i>	192
<i>Tartourairia</i> , Daphne Tart.		<i>tithymaloides</i> , BERT.		<i>Phagnalon</i> . <i>Conyzæ</i> . .	218
<i>Thomasii</i> . Daphne Tart.		<i>nummulariifolia</i> .		<i>Phalangium</i> . <i>Anthericum</i> 365	
<i>Thymelea</i>	321	<i>Periploca</i>	xxii., 246	<i>PHALARIDEÆ</i>	394, 397
<i>Pastinaca</i>	xxxvi., 153	<i>angustifolia</i>	433	<i>Phalaris</i>	xx., 397
<i>divaricata</i>	154	<i>græca</i>	246	<i>alpina</i> , DUBY. <i>Phleum</i>	
<i>Fleischmanni</i>	483	<i>Persica</i> . <i>Amygdalus</i> .		<i>Michelii</i> .	
<i>Kochii</i> , DUBY. <i>divari-</i>		<i>Petagna</i>	xxxiii., 142	<i>aquatica</i>	397
<i>cata and sativa</i> .		<i>sanculifolia</i>	142	<i>arenaria</i> . <i>Phleum aren.</i>	
<i>lucida</i>	432	<i>Petasites</i>	lxx., 212	<i>arundinacea</i>	397
<i>opaca</i> . <i>sativa</i> β . . .	154	<i>albus</i>	212	<i>bulbosa</i> , DUBY. <i>Achno-</i>	
<i>Öpopanax</i>	153	<i>hybridus</i> . <i>vulgaris</i> β	212	<i>donton bulbosum</i> .	
<i>sativa</i>	153	<i>niveus</i>	212	<i>cærulescens</i> , Guss. <i>aquat.</i>	
<i>selinoides</i> , R.B. <i>Palim-</i>		<i>officinalis</i> . <i>vulgaris</i> .		<i>canariensis</i>	397
<i>bia Chabreii</i> .		<i>spurius</i> . <i>tomentosus</i> .		<i>cylindrica</i> , DUBY. <i>Ach-</i>	
<i>urens</i> , Gr. & G. <i>sativa</i> ?		<i>tomentosus</i>	212	<i>nodonton bulbosum</i> .	
<i>Pedicularis</i>	lv., 271	<i>vulgaris</i>	212	<i>gracilis</i>	397
<i>acaulis</i>	272	<i>Petrocallis</i>	lvii., 19	<i>minor</i>	397
<i>adscendens</i>	271	<i>pyrenaica</i>	19	<i>nitida</i>	397
<i>aspplenifolia</i>	271	<i>Petroselinum</i>	xxxiv., 146	<i>nodosa</i>	397
<i>atrorubens</i>	271	<i>sativum</i>	146	<i>paradoxa</i>	397
<i>Barrelieri</i> . <i>tuberosa</i> .		<i>segetum</i>	146	<i>phleoides</i> . <i>Phleum Bœh-</i>	
<i>Bonjeannii</i> , BERT. <i>cenisia</i> .		<i>PEUCEDANÆ</i>	xxxiii.,	<i>meri</i> .	
<i>cenisia</i>	271		xxxvi., 151	<i>truncata</i>	397
<i>comosa</i>	272	<i>Peucedanum</i>	xxxvi., 152	<i>PHASEOLEÆ</i>	75, 110
<i>fasciculata</i>	271	<i>alsaticum</i>	152	<i>Phaseolus</i>	110
<i>foliosa</i>	272	<i>austriacum</i>	152	<i>multiflorus</i>	110
<i>Frederici</i>	272	<i>italicum</i> , R.B. <i>officinale</i> .		<i>vulgaris</i>	110
<i>gyroflexa</i>	271	<i>Chabreii</i> .		<i>Phelippæa</i> . <i>Orobanche</i> .	
<i>gyroflexa</i> . VILLARS.		<i>Cervaria</i>	152	<i>Phellandrium</i> . <i>Genanthe</i> .	
<i>tuberosa</i> .		<i>Chabreii</i> . <i>Palimbia Chab.</i>		<i>PHILADELPHÆ</i>	128
<i>Hacquetii</i>	272	<i>coriaceum</i> , R.B. <i>Petteri</i> .		<i>Philadelphus</i>	xlviii., 128
<i>incarnata</i>	271	<i>involucratum</i>	153	<i>coronarius</i>	128
<i>Jacquinii</i>	271	<i>italicum</i> , R.B. <i>officinale</i> .		<i>Phillyrea</i>	xvi., 244
<i>palustris</i>	272	<i>montanum</i> , DUBY. <i>aus-</i>		<i>angustifolia</i>	244
<i>Portenschlagii</i>	271	<i>triacum</i> .		<i>latifolia</i>	244
<i>recutita</i>	272	<i>officinale</i>	152	<i>media</i>	244
<i>rosea</i>	272	<i>Oreoselinum</i>	152	<i>stricta</i>	244
<i>rostrata</i>	271	<i>Ostruthium</i> , GR. & G.		<i>PHLEINEÆ</i>	394, 398
<i>Sceptrum</i>	272	<i>Imperat. Ostruthium.</i>		<i>Phleum</i>	xxi., 398
<i>sudetica</i>	272	<i>palustre</i>	152	<i>alpinum</i>	398
<i>svylvatica</i>	272	<i>paniculatum</i>	152	<i>ambiguum</i> , Guss. <i>Mi-</i>	
<i>tuberosa</i>	271	<i>parisiense</i>	152	<i>chelii</i> .	
<i>versicolor</i>	272	<i>Petteri</i>	152	<i>arenarium</i>	398
<i>verticillata</i>	272	<i>rabilense</i>	153	<i>asperum</i>	398
<i>Peganum</i>	xlvii., 72	<i>Schottii</i>	152	<i>Bertolonii</i> . <i>pratense</i> β	398
<i>Harmala</i>	72	<i>sulcatum</i>	152	<i>Bechmeri</i>	398
<i>Peltaria</i>	lvii., 21	<i>venetum</i>	152	<i>commutatum</i>	398
<i>alliaeæ</i>	21	<i>Phaca</i>	lxiii., 97	<i>echinatum</i>	398
<i>Pennisetum</i>	xx., 397	<i>alpina</i>	97	<i>felinum</i> , Guss. <i>echinat.</i>	
<i>ciliare</i>	397	<i>astragalina</i>	97	<i>Gerardii</i> . <i>Alopeç. Ger.</i>	
<i>distylum</i> . <i>ciliare</i> .		<i>australis</i>	97	<i>Michelii</i>	398

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

482

INDEX.

Page.	Page.	Page.
P. <i>nodosum</i>	pratense γ 398	P. <i>scorzoniferifolium</i> . Mi-
pratense	398	chelii δ 237
<i>tenue</i> . . . Achnodonton	bulbosum.	serratum 237
<i>trigynum</i> , R.B. Michelii.		Sieberi 237
Phlomis	lili. 294	spicatum 237
ferruginea	295	veronicifolium 237
fruticosa	295	Phytolacca xlvi., 312
Herba-Venti	295	decaandra 312
italica	295	PHYTOLACCEÆ 312
lanata	295	Picea, Coss. Pinus.
Lychnites	294	Picromon lxxii., 228
tuberosa	295	Acaria 228
Phænixopus. Lactuca.		Picotia, BEERT. Omphal.
Phragmites	xxi., 402	PICRIDEÆ lxiv., lxvi., 178
communis	402	Picridium lxvii., 189
isia	402	albidum. vulgare.
Phucagrostis	lxxviii., 349	tingitanum 189
major	349	vulgare 189
Phylodoce	xlv., 242	Picris lxvi., 178
cærulea	242	crepoides. hierac. β 178
Physalis	xxix., 258	hieracioides 178
Alkekengi	258	hispidissima 178
edulis	258	integrifolia 178
somnifera	258	paleacea. hieracioides δ 178
Physocaulis	xxxvii., 159	pauciflora 178
nodosus	159	pyrenaica, DUBY. hie-
Physospermum	xxxviii., 160	racioides ?
acteifolium	161	ruderalis. hieracioid. γ 178
aquilegifolium	160	scaberrima. hierac. ϵ 178
cornubiense	161	spinulosa. hierac. ζ 178
Phyteuma	xxix., 236	sprengeriana 178
angustissimum. Mi-		umbellata, R.B. hierac.
chelii ϵ	237	Pilularia lxxii., 427
Balbisii. Michelii β	237	globulifera 427
betonicifolium. Mich. α	237	Pimpinella xxxiv., 146
canescens	237	alpina. Saxifraga γ 147
Charmelii. Scheuch-		anisoïdes 147
zéri β	237	Anisum 147
collinum, BEERT. limo-		dissecta. magna δ 147
niifolium.		Gussonii 147
comosum	236	hircina. Saxifraga β 147
cordatum, R.B. Sieberi.		lutea 147
fistulosum, R.B. orbiculare.		magna 146
globulariifolium. pau-		nigra 147
ciflorum β	237	orientalis. magna γ 147
Halleri	237	peregrina 147
hemisphaericum	237	rubra. magna β 147
humile	237	Saxifraga 147
lanceolatum, R.B. Sieberi.		Tragium 147
limoniifolium	237	Pinardia. Chrysanthemum.
Michelii	237	Pinguicula xvi., 298
nigrum	237	alpina 298
orbiculare	237	flavescens, R.B. alpina.
pauciflorum	236	grandiflora 298
persicifolium. Mich. γ	237	leptoceras, R.B. vulgaris.
Scheuchzeri	237	longifolia. grandifl. β 298
		lusitanica 298

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

483

Page.	Page.	Page.
P. Cornuti 309	P. Balfourii 409	P. calcitrapifolium 178
Coronopus 310	Bivonaæ 410	callosum 179
<i>Cupani.</i> Coronopus γ 311	bulbosa 410	Columnæ 179
Cynops 311	caesia 410	<i>decumbens.</i> calcitrapi-
<i>eriostachya.</i> Lagopus.	cenisia 409	folium β 178
fuscescens 310	<i>coarctata.</i> nemoralis γ 409	intermedium 178
<i>graminea.</i> maritima.	compressa 409	jacquinianum 178
<i>humilis.</i> Guss. maritima.	concinna 410	laciniatum 178
inacana 310	<i>distant.</i> Sclerochloa	<i>muricatum.</i> lacinia-
<i>incurvata.</i> R.B. mari-	distantis	tum β 179
timæ β	<i>disticha.</i> Oreochloa	subulatum lacinia-
<i>intermedia.</i> DUBY. ma-	disticha	tum γ 179
jor β 309	<i>distichophylla.</i> cenisia.	Tenoriæ 178
Lagopus 310	divaricata 410	Pogonostylis xviii., 383
lanceolata 309	<i>dura.</i> Sclerochloa dura.	squamosa 383
<i>macrorhiza.</i> Coronop. δ 311	<i>Eragrostis.</i> Eragrostis	POLEMONIACEÆ 249
major 309	poæformis	Polemonium xxviii., 249
maritima 310	fertilis 410	cæruleum 249
<i>maxima.</i> Cornuti.	<i>firmula.</i> nemoralis β . 409	Pollinia. Andropogon.
media 309	<i>flexuosa.</i> laxa.	Polycarpon xxiii., 131
montana 310	<i>fluitans.</i> Glyceria flu-	alsinifolium 131
<i>neglecta.</i> Coronopus β 310	itans.	peploides 131
<i>pilosa.</i> Bellardi.	<i>glauca.</i> Sm. nemoralis ε 409	tetraphyllum 131
Psyllium 311	<i>hybrida.</i> R.B. sudetica.	Polycnemum xvii., 314
<i>recurvata.</i> maritima β 310	hybrida 410	arvense 314
<i>saxatilis.</i> R.B. montana.	<i> langeana.</i> compressa γ 409	majus 314
sericea 310	laxa 410	Polygala lix., 42
serpentina 310	<i>littoralis.</i> Dactylis litt.	<i>alpestris.</i> amara γ . 43
Serraria 310	<i>toliacea.</i> Sclerochloa	<i>alpestris.</i> vulgaris γ . 43
subulata 310	loliacea.	amara 42
victorialis 310	<i>maritima.</i> Sclerochloa	<i>amarella.</i> Coss. calcarea.
<i>Platanthera.</i> Orchis.	maritima.	<i>amblyptera.</i> amara β . 43
PLATANEE 332, 342	<i>megastachya.</i> Eragr.	<i>austriaca.</i> amara δ . 43
Platanus lxxviii., 342	megastachya.	<i>calcarea.</i> 43
acerifolia 342	<i>mihiacea.</i> 409	<i>Chamæbuxus.</i> 43
cuneata 342	minor 410	<i>ciliata.</i> Gr. & G. vul-
<i>occidentalis.</i> 342	montana 409	garis.
orientalis 342	<i>montana.</i> nemoralis ζ 409	comosa 43
<i>Platycapnos.</i> Guss. Fu-	nemoralis 409	depressa 43
maria.	Nymanni 409	exilis 42
Pleurosperrum	<i>Parnellii.</i> nemoralis η 409	flavescens 43
xxxviii., 161	<i>pilosæ.</i> Eragrostis pil.	major 43
austriacum 161	polynode 409	monselliaca 42
Golaka. Malabaila	pratensis 409	nicaensis 43
Hacquetii.	<i>procumbens.</i> Sclerochloa	<i>oxyptera.</i> vulgaris β . 43
PLUMBAGINEÆ 304	pumila 410	Preslii 43
Plumbago xxix., 304	rariiflora 410	rosea 43
europea 304	<i>rigida.</i> Sclero. rigida.	<i>rupestris.</i> Gr. & G. sax-
Poa xxiii., 408	serotina. fertilis.	atilis.
ætnensis 409	<i>subcompressa.</i> com-	saxatilis 42
<i>airoides.</i> Catabrosa	pressa β 409	<i>serpyllacea.</i> R.B. de-
aquatica.	sudetica 409	pressa.
alpina 410	trivialis 410	<i>uliginosa.</i> R.B. amara ε 43
<i>angustifolia.</i> R.B. fertilis.	<i>Polygonaleæ.</i> 42	
annua 410	<i>Polygonatum.</i> Convallaria.	
<i>aquatica.</i> Glyceria	<i>Polygonaceæ.</i> 318	
aquatica.		

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

484

INDEX.

Page.	Page.	Page.
Polygonum	xliv., 319	P. cristatum , KOCH. <i>Las-</i>
<i>alpinum</i>	320	<i>træa cristata</i> .
<i>amphibium</i>	320	<i>dilatatum</i> . <i>Lastrea dila.</i>
<i>aviculare</i>	320	<i>Filix-nas.</i> <i>Last. F.-mas.</i>
<i>Bellardi</i>	320	<i>hastulatum</i> . <i>angulare</i> γ 423
<i>Bistorta</i>	320	<i>lobatum</i> . <i>aculeatum</i> β 423
<i>Convolvulus</i>	321	<i>Lonchitis</i> 423
<i>controversum</i>	321	<i>Oreopteris</i> . <i>Lastrea Or.</i>
<i>dumetorum</i>	321	<i>Plukenetii</i> , DUBY. <i>acul.</i> β .
<i>elegans</i>	321	<i>rigidum</i> . <i>Lastrea rig.</i>
<i>equisetiforme</i>	321	<i>spinulosum</i> . <i>Lastrea sp.</i>
<i>Fagopyrum</i>	321	<i>tanacetifolia</i> 424
<i>flagellare</i>	321	<i>Thelypteris</i> . <i>Last. Thel.</i>
<i>herniaroides</i>	321	<i>POMEÆ</i> 111, 123
<i>Hydropiper</i>	320	<i>Populus</i> lxxx., 341
<i>incanum</i> . <i>lapathifolium</i> β	320	<i>alba</i> 341
<i>lapathifolium</i>	320	<i>canescens</i> 342
<i>laxiflorum</i> . mite.		<i>dilatata</i> . <i>pyramidalis</i> 342
<i>laxum</i>	320	<i>fastigiata</i> . <i>pyram.</i>
<i>maritimum</i>	320	<i>monilifera</i> 342
<i>minus</i>	320	<i>nigra</i> 342
<i>mite</i>	320	<i>pyramidalis</i> 342
<i>nodosum</i> . <i>lapathifolium</i> .		<i>tremula</i> 342
<i>Persicaria</i>	320	<i>Portulaca</i> xlvii., 129
<i>pusillum</i> , DUBY. <i>minus</i> .		<i>latifolia</i> , RB. <i>sativa</i> .
<i>Raii</i>	320	<i>oleracea</i> 129
<i>serrulatum</i>	320	<i>pilosa</i> 129
<i>tataricum</i>	321	<i>sativa</i> 129
<i>tenuiflorum</i>	320	<i>PORTULACACEÆ</i> 129
<i>viviparum</i>	320	<i>POTAMEÆ</i> 346
POLYPODIEÆ	lxxxi., 423	<i>Potamogeton</i> xxvi., 346
Polypodium	lxxxi., 423	<i>acutifolius</i> 347
<i>alpestre</i> , KOCH. <i>rhœ-</i>		<i>augustanus</i> 347
<i>ticum</i> .		<i>compressus</i> 348
<i>calcareum</i>	423	<i>crispus</i> 347
<i>cambricum</i> . <i>vulgare</i> γ	423	<i>decipiens</i> 347
<i>Dryopteris</i>	423	<i>densus</i> 348
<i>Phegopteris</i>	423	<i>fluitans</i> 348
<i>rhaeticum</i>	423	<i>gramineus</i> , KOCH, &c.
<i>robertianum</i> , KOCH. <i>cal-</i>		<i>heterophyllus</i> .
<i>careum</i> .		<i>gramineus</i> , Sm. <i>obtusifol.</i>
<i>serratum</i> . <i>vulgare</i> β	423	<i>graminifolius</i> . <i>heter.</i> β 347
<i>vulgare</i>	423	<i>heterophyllus</i> 347
Polypogon	xxii., 399	<i>Hornemannii</i> , KOCH.
<i>adscendens</i> , BEET. <i>mons-</i>		<i>Plantagineus</i> .
<i>pelensis?</i>		<i>lanceolatus</i> 347
<i>Lagascæ</i> . <i>littoralis</i> .		<i>lancifolius</i> . <i>densus</i> γ 348
<i>littoralis</i>	399	<i>longifolius</i> 347
<i>maritimus</i>	399	<i>lucens</i> 347
<i>monspeliensis</i>	399	<i>marinus</i> 348
<i>subspathaceus</i> . <i>marit.</i> 399		<i>natans</i> 346
Polystichum	lxxxi., 423	<i>nitens</i> 347
<i>aculeatum</i>	423	<i>oblongus</i> 346
<i>angulare</i>	423	<i>obscurum</i> , DUBY. <i>rufesc.</i>
<i>Braunii</i> . <i>angulare</i> β	423	<i>obtusifolius</i> 348
<i>Callipteris</i> , DUBY. <i>Las-</i>		<i>oppositifolius</i> . <i>densus</i> β 348
<i>træa cristata</i> .		

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

485

	Page.		Page.		Page.
P. mixta	118	P. <i>muralis</i> . <i>Lactuca mur.</i>		P. <i>parviflora</i> . <i>vulgaris</i> γ	290
multifida	117	<i>pulchra</i> , DUBY. <i>Crepis</i>		<i>pinnatifida</i> . <i>vulgaris</i> β	290
nitida	120	<i>pulchra</i> .		<i>vulgaris</i>	290
<i>nivalis</i> , GR. & G. cau-		<i>purpurea</i>	189	Prunus	xlviii., 111
lescens β	119	<i>tenuifolia</i>	189	Armeniaca	111
nivea	117	<i>viminea</i> . <i>Phænop. vi-</i>		Avium	112
norvegica	117	<i>mineus</i> .		brigantica	111
<i>obscura</i> . <i>recta</i> β	119	Preslia	lii., 283	cerasifera	111
opaca	118	<i>cervina</i>	283	Cerasus	112
patula	119	Primula	xxviii., 301	Chamæcerasus	112
<i>pedata</i> . <i>hirta</i> γ	119	<i>acaulis</i> . <i>vulgaris</i> .		Cocomilia	111
<i>pensylvanica</i>	117	<i>Allionii</i>	302	domestica	111
petiolulata	119	<i>alpina</i> , RB. <i>rhetica</i> .		<i>fruticans</i> . <i>spinosa</i>	111
<i>pilosa</i> , DC. <i>hirta</i> .		<i>Auricula</i>	301	humilis	111
pilosa	119	<i>calycina</i> . <i>glaucescens</i> .		insititia	111
procumbens	118	<i>candolleana</i> , RB. <i>integrif.</i>		<i>Lauro-Cerasus</i>	112
pyrenaica	481	<i>carniolica</i>	302	<i>lusitanica</i>	112
<i>pyrenaica</i> . <i>grandif.</i> δ	117	<i>ciliata</i> , RB. <i>Auricula</i> .		<i>macrocarpa</i> . <i>spinosa</i>	111
recta	119	<i>crenata</i> , RB. <i>Auric.</i>		Mahaleb	112
reptans	118	<i>diniana</i>	302	Padus	112
rupestris	117	<i>elatior</i>	301	prostrata	111
<i>ruthenica</i> . <i>norvegica</i> β	117	<i>farinosa</i>	301	<i>sempervirens</i> , RB. <i>Ce-</i>	
<i>sabauda</i> . <i>alpestris</i> β	118	<i>fœrkeana</i>	302	<i>rasus</i> .	
<i>salisburgensis</i> . <i>alpestris</i> .		<i>glaucescens</i>	302	<i>serotina</i> , BOREAU. <i>spi-</i>	
<i>splendens</i>	120	<i>glutinosa</i>	302	<i>nosa</i>	111
subacaulis	118	<i>grandiflora</i> . <i>acaulis</i> .		<i>serotina</i> , RB. <i>Cerasus</i> .	
supina	117	<i>helvetica</i> , RB. <i>pubescens</i> .		<i>spinosa</i>	111
thuringiaca	119	<i>hirsuta</i> , DC. <i>villosa</i> .		Psamma . <i>Ammophila</i> .	
Tomentilla	118	<i>integerrifolia</i>	302	Psilurus	xv., 420
tridentata	120	<i>latifolia</i>	301	aristatus	420
<i>Vaillanti</i> , Coss. <i>splend.</i>		<i>longiflora</i>	301	<i>nardooides</i> . <i>aristatus</i> .	
valdesia	119	<i>marginata</i>	302	Psoralea	lxii., 96
verna	118	<i>minima</i>	302	bituminosa	96
<i>Viennaniana</i> . <i>collina</i> .		<i>officinalis</i> . <i>veris</i> .		paestina	96
Poterium	lxvii., 121	<i>Palinuri</i>	301	Parmica . <i>Achillea</i> .	
<i>dictyocarpon</i> , GR. & G.		<i>pedemontana</i>	302	PTERIDÆ	lxxxi. lxxxii., 426
<i>Sanguisorba</i> .		<i>poliniana</i> , RB. <i>specta-</i>		Pteris	lxxii., 426
<i>garganicum</i>	121	<i>bilis</i> .		<i>aquilina</i>	426
<i>glaucescens</i> , RB. <i>San-</i>		<i>pubescens</i>	301	<i>cretica</i>	426
<i>guisorba</i> .		<i>rhoëtica</i>	302	<i>crispa</i> . <i>Allosurus crispus</i> .	
<i>Magnolii</i>	481	<i>scotica</i>	301	<i>longifolia</i>	426
<i>muricatum</i> . <i>polygamum</i> .		<i>spectabilis</i>	302	Pterocephalus	xxiv., 171
<i>polygamum</i>	121	<i>suaveolens</i>	301	<i>calabricus</i> . <i>palestinus</i> β	171
<i>Sanguisorba</i>	121	<i>truncata</i> , RB. <i>minima</i> .		<i>palæstinus</i>	171
<i>spinosum</i>	121	<i>venusta</i>	301	<i>plumosus</i>	171
Prangos	xxxviii., 160	<i>veris</i>	301	Pteroneurum	lx., 33
<i>cylindracea</i> . <i>ferulacea</i> β	160	<i>villosa</i>	302	<i>græcum</i>	33
<i>ferulacea</i>	160	<i>viscosa</i> . <i>villosa</i> .		<i>maritimum</i> , RB. <i>Car-</i>	
PRASIEÆ	lii., liv., 296	<i>vitaliana</i> . <i>Gregoria vit.</i>		<i>damine maritima</i> .	
Prasium	liv., 296	<i>vulgaris</i>	301	Pteroselinum . <i>Peuce-</i>	
<i>majus</i>	296			<i>danum</i> .	
PRENANTHES	lxvii., 189	Prismatocarpus . <i>Specularia</i> .		Pterotheca	lxvii., 189
<i>bulbosa</i> , DUBY. <i>Æthe-</i>		Prunella	lii., 290	<i>nemausensis</i>	189
<i>orhiza bulbosa</i> .		<i>alba</i>	290	Ptychosotis	xxxiv., 145
<i>chondrilloides</i> . Chondr.		<i>grandiflora</i>	290	<i>ammoides</i> . <i>verticillata</i> .	
<i>prenanthoides</i> .		<i>hyssopifolia</i>	290	<i>Bunius</i> . <i>heterophylla</i> .	
		<i>lacinata</i> . <i>alba</i> β	290	<i>heterophylla</i>	145

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

486

INDEX.

Page.	Page.	Page.
P. <i>Thorei</i> . <i>Helosciadium intermedium</i> .	P. <i>amygdaliformis</i> 124	Radiola xxv., 61
verticillata 145	Aria. <i>Sorbus Aria</i> .	<i>linoides</i> . <i>Millegrana</i> .
<i>Pulegium</i> . <i>Mentha</i> .	<i>Aucuparia</i> . <i>Sorbus Auc.</i>	<i>Millegrana</i> 61
<i>Pulicaria</i> lxviii., 194	bollwylleriana 124	Ramondia xxviii., 258
dentata 194	communis 124	<i>Myconi</i> . <i>pyrenaica</i> .
dysenterica 194	cuneifolia 124	pyrenaica 258
odora 194	<i>Cydonia</i> . <i>Cydonia vulg.</i>	RANUNCULACEÆ 1
viscosa 195	<i>domestica</i> . <i>Sorbus dom.</i>	RANUNCULÆ 1, 4
vulgaris 194	<i>erioystyla</i> , GUSS. <i>Malus</i> .	<i>Ranunculus</i> li., 4
<i>Pulmonaria</i> xxvii., 255	<i>intermedia</i> , DUBY. <i>Sor-</i>	aconitifolius 5
angustifolia 255	bus hybrida.	acris 7
azurea 255	Malus 124	<i>aduncus</i> , GR. & G. mon-
media, RB. <i>angustifolia</i> .	<i>nebrodensis</i> . <i>Cotone-</i>	tanus.
mollis 255	aster <i>vulgaris</i> .	Agerii 6
<i>oblongata</i> , RB. <i>angustif.</i>	<i>parviflora</i> , GUSS. <i>amyg-</i>	alpestris 5
officinalis 255	<i>daliformis</i> .	amplexicaulis 5
saccharata 255	<i>Polleria</i> . <i>bollwyller.</i>	anemonoides 5
<i>Punica</i> xlvi., 125	<i>przemorsza</i> , GUSS. <i>Sor-</i>	angulatus 7
<i>Granatum</i> 125	bus <i>Aucuparia</i> .	angustifolius 5
<i>Putoria</i> xxiv., 163	salviifolia 124	aquatalis 4
calabrica 163	<i>Sorbus</i> . <i>Sorbus domest.</i>	arvensis 7
<i>Pyrethrum</i> lxi., 204	<i>torminalis</i> . <i>Sorbus tor-</i>	<i>aureus</i> , RB. <i>nemorosus</i> .
Achilleæ 204	minalis.	auricomus 6
alpinum 204	<i>Quercus</i> lxxvii., 332	Bachii 5
ceratophyloides 204	<i>Ægilops</i> 332	Balbisii 6
<i>Chamomilla</i> , Coss. Ma-	<i>amplifolia</i> 333	<i>Baudotii</i> . <i>aquatilis</i> γ
tricaria <i>Chamomilla</i> .	<i>apennina</i> 332	<i>brevifolius</i> , BERT. hybr.
corymbosum 204	<i>austriaca</i> . <i>Cerris</i> β . 332	bruttius 7
<i>Clusia</i> , RB. <i>corymbosum</i> .	<i>bivoniana</i> 333	bulbosus 7
Halleri 204	<i>brutia</i> 332	bullatus 6
<i>hybridum</i> , GUSS. <i>My-</i>	<i>Cerris</i> 332	<i>bupleurifolius</i> . <i>pyre-</i>
<i>conis</i> β 205	<i>coccifera</i> 333	<i>næus</i> β 5
inodorum 204	<i>congesta</i> , GUSS. <i>pubes-</i>	<i>cæspitosus</i> . <i>aquatilis</i> β
<i>Leucanthemum</i> , Coss.	<i>cens</i> .	<i>calthifolius</i> 428
Leucanth. <i>vulgare</i> .	<i>cupaniiana</i> , GUSS. <i>pe-</i>	<i>cassubicus</i> 6
macrophyllum 204	<i>dunculata</i> .	<i>chaerophyllus</i> 6
maritimum 204	<i>Esculus</i> 333	<i>circinatus</i> 4
Myconis 205	<i>fastigiata</i> . <i>peduncul.</i>	<i>cenosus</i> . <i>Lenormandi</i> .
Parthenium 204	<i>Fontanesii</i> 332	<i>confertus</i> . <i>aquatilis</i> δ.
<i>pubescens</i> . <i>alpinum</i> β 204	<i>Haliphleos</i> , GUSS. <i>Cer-</i>	<i>cordigerus</i> 7
tomentosum 204	<i>ris?</i>	<i>crenatus</i> 5
<i>Pyrola</i> xlvi., 243	<i>humilis</i> . <i>coccifera</i> β . 333	<i>dealbatus</i> . <i>aconitifol.</i> δ
chlorantha 243	<i>Ilex</i> 333	5
media 243	<i>intermedia</i> 332	<i>demissus</i> 428
minor 243	<i>leptobalana</i> 332	<i>divaricatus</i> . <i>circinatus</i> .
<i>rosea</i> , RB. <i>minor</i> .	<i>pedunculata</i> 332	<i>Drouettii</i> . <i>aquatilis</i> ζ.
rotundifolia 243	<i>Pseudo-coccifera</i> . <i>coc-</i>	<i>falcatus</i> . <i>Ceratocepha-</i>
secunda 243	<i>cifera</i> .	<i>lus falcatus</i> .
umbellata 243	<i>pubescens</i> 332	Ficaria 6
uniflora 243	<i>racemosa</i> , DUBY. <i>pe-</i>	flabellatus 6
PYROLACEÆ 243	<i>dunculata</i> .	Flammula 5
<i>Pyrus</i> xlvi., 124	<i>sessiliflora</i> 332	fluitans 4
acerba. <i>Malus</i> β 124	<i>Suber</i> 333	<i>fluvialis</i> . <i>fluitans</i> .
<i>Achras</i> , RB. <i>communis</i> .	<i>Toza</i> 332	fontanus 6
<i>Amelanchier</i> . <i>Aronia</i>	RADIATÆ lxiv., lxviii., 194	<i>garganicus</i> 6
rotundifolia.		<i>glacialis</i> 5
		<i>Gouani</i> . <i>montanus</i> .
		<i>gracilis</i> , RB. <i>montanus</i> .

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

487

Page.	Page.	Page.
R. gramineus 5	R. trilobus 7	R. persicifolia 74
hederaceus 4	tripartitus 4	pubescens 74
<i>heterophyllus</i> , LAP. a- conitifolius β 5	<i>tuberculatus</i> . arvensis β 7	pumila 74
heucherifolius 7	<i>tuberosus</i> . acris β 7	<i>pusillus</i> , TEN. <i>pumila</i> γ 74
hirsutus 7	<i>umbrosus</i> , GUSS. lanu- ginosus.	rupestris 74
<i>hololeucus</i> . aquatilis ϵ 4	velutinus 7	saxatilis 74
<i>hybridus</i> 6	<i>verrucosus</i> , RB. <i>hirsut.</i> <i>Villarsii</i> 6	<i>tinctoria</i> 74
<i>illyricus</i> 6	Raphanus lviii, 22	<i>Zizyphus</i> . <i>Zizyph. vulg.</i>
<i>incrassatus</i> , GUSS. par- viflorus.	fugax 22	Rhaponticum lxxiii, 230
<i>inermis</i> . arvensis γ 7	Landra 22	cynaroides 230
lacerus 5	maritimus 22	scariosum 230
lanuginosus 7	Raphanistrum 22	RHINANTHACEÆ 269
lateriflorus 5	sativus 22	Rhinanthus lv, 270
Lenormandi 4	Rapistrum lviii, 22	<i>Alectorolophus</i> . maj. β 271
Lingua 6	<i>glabrum</i> , RB. <i>rugosum</i> . <i>hirtum</i> , RB. <i>rugosum</i> ?	alpinus 271
magellensis 5	<i>hypogaeum</i> . <i>Morisia hy-</i> pogaea.	angustifolius 271
millefoliatus 6	<i>tinneanum</i> , Gr. & G. ori- entale.	buccalis 271
monspeliacus 6	orientale 22	Crista-Galli 270
montanus 6	<i>paniculatum</i> , BERT. Nes- lia paniculata.	<i>glabra</i> . Crista-Galli.
muricatus 7	perenne 22	<i>hirsutus</i> . major β .
neapolitanus 7	<i>rugosum</i> 22	major 271
nemorosus 7	Reaumuria 1, 135	minor. Crista-Galli.
nodiflorus 5	vermiculata 135	Reichenbachii 271
ophioglossifolius 5	Reseda xlvi, 41	Rhodiola lxxx, 132
palustris 6	<i>alba</i> . suffruticulosa. crispata 41	rosea 132
<i>Pantothrix</i> . fluitans.	glaucia 41	Rhododendron xlvi, 243
parnassifolius 5	gracilis 41	Chamaecistus 243
parviflorus 7	Jacquinii. lutea β 429	<i>ferrugineum</i> 243
<i>parvulus</i> . hirsutus β 7	lutea 42	hirsutum 243
<i>paucistamineus</i> . aquat. ζ 4	Luteola 41	intermedium 243
<i>Petiveri</i> . aquatilis δ 4	Phyteuma 42	Rhus xxxix, 74
<i>Philonotis</i> . hirsutus.	purpurascens 41	Coriaria 74
<i>Pithora</i> , RB. hybridus.	sesamoides. <i>Astrocy. sesam.</i> suffruticulosa 42	Cotinus 74
<i>plantagineus</i> . pyren. γ 5	undata. suffruticulosa.	dioica 74
<i>plataniifolius</i> . aconitif. γ 5	RESEDAEÆ 41	<i>pentaphyllum</i> . <i>Thezera</i> .
<i>polyanthemus</i> 7	Retama. Genista.	radicans 75
<i>pratinensis</i> , GUSS. heucherif.	Rhagadiolus lxv., 174	Thezera 74
<i>pumilus</i> . hirsutus.	<i>edulis</i> . <i>stellatus</i> β 174	Rhynchoscoris iv, 271
pyrenæus 5	<i>stellatus</i> 174	Elephas 271
repens 7	RHAMNÆ 73	Rhynchospora xviii, 381
<i>reptans</i> . Flammula β 5	Rhamnus xxx., 73	<i>alba</i> 381
<i>rupestris</i> , GUSS. spicatus.	Alaternus 74	<i>fusca</i> 381
rutifolius 5	alpina 74	Ribes xxx., 136
scleratus 7	cathartica 73	<i>alpinum</i> 136
<i>Schovii</i> . flabellatus?	Frangula 74	<i>Grossularia</i> 136
Seguieri 5	<i>hydriensis</i> . <i>cathartica</i> β 73	<i>nigrum</i> 136
spicatus 6	inectoria 74	<i>petraeum</i> 136
Stevensi, RB. acris.	oleoides 74	<i>reclinatum</i> , RB. <i>Gros-</i> <i>sularia</i>
subapetalus 7	<i>Palinurus</i> . Pal. aculeat.	<i>rubrum</i> 136
<i>sylvaticus</i> . nemorosus.		<i>Uva-crispa</i> . <i>Grossul.</i>
<i>Thomasii</i> , BERT. poly- anthemus?		Ricinus lxxviii, 325
Thora 6		africanus 325
Traunfellneri 5		communis 325
<i>trichophyllus</i> . aquat. ζ		<i>Robertia</i> lxvi, 175
		<i>taraxacoides</i> 175

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

488

INDEX.

Page.	Page.	Page.
<i>Robinia</i> lxiii, 96	R. <i>involuta</i> 122	<i>Rotboellia</i> . <i>Lepturus</i> .
<i>Pseudacacia</i> 96	<i>jundzilliana</i> , Rb. canin.	<i>Rubia</i> xxiv., 168
<i>Römeria</i> . <i>Glaucium</i> .	<i>lucida</i> 122	<i>angustifolia</i> . <i>peregrina</i> .
<i>Romulea</i> xvii, 357	<i>lutea</i> 122	<i>Bocconi</i> . <i>peregrina</i> β .
<i>Bulbocodium</i> 357	<i>macrantha</i> 431	<i>longifolia</i> 168
<i>Columnæ</i> 357	<i>majalis</i> . <i>cinnamomea</i> 121	<i>lucida</i> 168
<i>Linariae</i> . <i>Bulboc.</i> β 357	<i>marginata</i> , Rb. <i>toment</i> .	<i>peregrina</i> 168
<i>purpurascens</i> 357	<i>micrantha</i> 123	<i>Requieni</i> . <i>peregrina</i> .
<i>ramiflora</i> 357	<i>montana</i> , Gr. & G. <i>glandulosa</i> .	<i>tinctorum</i> 168
<i>Rosa</i> xlix, 121	<i>myriacantha</i> 122	RUBIACEÆ 163
<i>aciphylla</i> , Rb. <i>canina</i> .	<i>obtusifolia</i> 431	<i>Rubus</i> xlix, 113
<i>affinis</i> , Rb. <i>canina</i> .	<i>pendulina</i> . <i>alpina</i> .	<i>acheranticus</i> . <i>cæsius</i> .
<i>agrestis</i> , Rb. <i>rubiginosa</i> .	<i>pimpinellifolia</i> . <i>spinosa</i> .	<i>affinis</i> 114
<i>alpina</i> 122	<i>Platypetalum</i> 121, 122	<i>arcticus</i> 114
<i>andegavensis</i> , Rb. <i>canina</i> .	<i>platyphylla</i> , Rb. <i>canina</i> .	<i>argenteus</i> . <i>discolor</i> β 114
<i>apeunina</i> 123	<i>pomifera</i> . <i>villosa</i> .	<i>Babingtonii</i> 115
<i>arvensis</i> 123	<i>psilophylla</i> . <i>canina</i> .	<i>balfourianus</i> 114
<i>arvina</i> , Gr. & G. 431	<i>pulchella</i> , Woods.	<i>Bloxamii</i> . <i>Babingtonii</i> β 115
<i>baltica</i> , Rb. <i>lucida</i> .	<i>ciliato-petala</i> ? 122	<i>Borreri</i> 115
<i>BLANDÆ</i> 121, 122	<i>pulverulenta</i> . <i>pustulosa</i> ? 123	<i>cæsius</i> 116
<i>Borneri</i> , Woods. <i>inod.</i>	<i>pumila</i> 121	<i>carpinifolius</i> 115
<i>boreykiana</i> , Rb. <i>canina</i> .	<i>pustulosa</i> 123	<i>Chamaemorus</i> 114
<i>bractescens</i> 123	<i>pyrenaica</i> . <i>alpina</i> .	<i>collinus</i> 430
<i>cæsia</i> 123	<i>repens</i> , Rb. <i>arvensis</i> .	<i>cordifolius</i> 114
<i>canina</i> 123	<i>reversa</i> 122	<i>corylifolius</i> 114
<i>CANINÆ</i> 121, 123	<i>rubella</i> 122	<i>cupaniatus</i> , Guss. <i>glandulosus</i> .
<i>caucasica</i> , Rb. <i>canina</i> .	<i>rubiginosa</i> 123	<i>dalmaticus</i> . <i>tomentosus</i> ?
<i>CENTIFOLIE</i> 121	<i>PULBIGINOSÆ</i> 121, 122	<i>discolor</i> 114
<i>ciliato-petala</i> 122	<i>ruberfolia</i> 123	<i>fastigiatus</i> 114
<i>cinnamomea</i> 121	<i>Sabini</i> 122	<i>fissus</i> . <i>plicatus</i> β 114
<i>CINNAMOMEÆ</i> 121	<i>semperfirens</i> 123	<i>foliosus</i> . <i>fucus</i> 115
<i>collina</i> . <i>canina</i> 123	<i>Sepium</i> 123	<i>fruticosus</i> , W. & N. <i>tomentosus</i> ?
<i>cuspidata</i> , Rb. <i>toment</i> .	<i>Serafini</i> 122	<i>fruticosus</i> , Sm. <i>discolor</i> 114
<i>Dicksomii</i> 122	<i>spinosissima</i> 122	<i>fuscoc-ater</i> 116
<i>dimorpha</i> , Rb. <i>toment</i> .	<i>spinulifolia</i> 122	<i>fucus</i> 115
<i>doniana</i> . <i>Sabini</i> β 122	<i>stylosa</i> . <i>arvensis</i> .	<i>glandulosus</i> 116
<i>dumetorum</i> , Woods.	<i>sylvestris</i> , Rb. <i>canina</i> .	<i>Godronii</i> , Gr. & G. <i>cordifolius</i> ?
<i>canina</i> .	<i>systyla</i> 123	<i>Grabowskii</i> 114
<i>Eglanderia</i> . <i>lutea</i> .	<i>SYSTYLÆ</i> 121, 123	<i>Günteri</i> 116
<i>farinosa</i> , Rb. <i>toment</i> .	<i>tomentosa</i> 122	<i>hirtus</i> 116
<i>flexuosa</i> , Rb. <i>canina</i> .	<i>trachypetala</i> , Rb. <i>can.</i>	<i>humifusus</i> 116
<i>fœtida</i> , Gr. & G. <i>toment</i> .	<i>trachypetala</i> , Gr. & G. <i>spinulifolia</i> ?	<i>Ideus</i> 114
<i>fœtida</i> , Rb. <i>lutea</i> .	<i>turbinata</i> 122	<i>incanescens</i> 116
<i>gallica</i> 121	<i>umbellata</i> , Rb. <i>rubiginosa</i> .	<i>infestus</i> , Kœhleri 116
<i>geminata</i> 431	<i>uncinella</i> , Rb. <i>canina</i> .	<i>Kœhleri</i> 116
<i>gentilis</i> , KOCH. <i>rubella</i> 122	<i>villosa</i> 122	<i>leightonianus</i> 115
<i>glandulosa</i> 123	<i>VILLOSÆ</i> 121, 122	<i>Lejeunii</i> . <i>leucostachys</i> ?
<i>glandulosa</i> , BELLARDI 123	<i>viscosa</i> , Guss. <i>rubiginosa</i> .	<i>leucostachys</i> 114
<i>glutinosa</i> 123	<i>Wilsoni</i> 122	<i>Lingua</i> 115
<i>gracilis</i> . <i>Sabini</i> γ 122	<i>ROSACEÆ</i> 111	<i>linkianus</i> 115
<i>graveolens</i> , Gr. & G. <i>rubiginosa</i> .	<i>ROSEÆ</i> 111, 121	<i>macrophyllus</i> 115
<i>heckeliana</i> 123	<i>Rosmarinus</i> xvi, 286	<i>micanus</i> 430
<i>heoleliana</i> , Guss. <i>heck.</i>	<i>officinalis</i> 286	<i>nemorosus</i> 116
<i>hibernica</i> 122	<i>ROTBOELLACEÆ</i> 395, 420	
<i>hybrida</i> , Gr. & G. <i>pumila</i> ?		
<i>inodora</i> 123		

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

489

	Page.		Page.
<i>R. nitidus</i>	114	<i>R. nivalis</i>	319
pileostachys	430	<i>obtusifolius</i>	318
<i>plicatus</i>	114	<i>palustris</i>	318
<i>præcox</i> , BERT. <i>discolor</i> .	114	<i>Patientia</i>	318
<i>pubescens</i> , W. & N. <i>leu-</i>		<i>pratensis</i>	318
<i>costachys</i>	115	<i>Pseudo-acetosa</i> . <i>Acetosa</i> .	
<i>Radula</i>	115	<i>pulcher</i>	318
<i>rhamnifolius</i> . <i>cordif.</i> β	114	<i>purpureus</i> , DUBY. <i>ob-</i>	
<i>rosaceus</i>	115	<i>tusifolius</i> .	
<i>rudis</i>	115	<i>sanguineus</i>	318
<i>Salteri</i>	114	<i>scutatus</i>	319
<i>saxatilis</i>	114	<i>spinosus</i>	319
<i>seaber</i>	115	<i>Steinii</i>	318
<i>Schlechtendalii</i> . <i>macro-</i>		<i>suffocatus</i>	318
<i>phyllus</i> .		<i>thyrsoides</i> , BERT. <i>interm.</i>	
<i>Schleicheri</i>	116	<i>tingitanus</i>	319
<i>serpens</i> , GR. & G. <i>gla-</i>		<i>triangularis</i> , GUSS. <i>scu-</i>	
<i>dulosus?</i>		<i>tatus</i> .	
<i>siculus</i> , GUSS. <i>tomen-</i>		<i>tuberosus</i>	319
<i>tosus</i> .		<i>Ruppia</i>	xxvi., 348
<i>Sprengelii</i>	115	<i>drepanensis</i> , GUSS. <i>marit.</i>	
<i>suberectus</i>	114	<i>maritima</i>	348
<i>svylvaticus</i>	115	<i>rostellata</i>	348
<i>tenuis</i>	114	<i>spiralis</i>	348
<i>thyrsoides</i>	430	<i>Ruscus</i>	lxix., 363
<i>tomentosus</i>	116	<i>aculeatus</i>	363
<i>velutinus</i>	116	<i>Hypoglossum</i>	363
<i>vestitus</i> . <i>leucostachys</i>	115	<i>Hypophyllum</i>	363
<i>villicaulis</i>	115	<i>Buta</i>	lxviii., 333
<i>Wahlbergii</i>	116	<i>angustifolia</i>	72
<i>Rumex</i>	xlii., 318	<i>bracteosa</i>	72
<i>Acetosa</i>	319	<i>chalepensis</i> . <i>angusti-</i>	
<i>Acetosella</i>	319	<i>folia</i> and <i>bracteosa</i> .	
<i>acutis</i>	318	<i>corsica</i>	72
<i>atrensis</i> . <i>scutatus</i> β	319	<i>divaricata</i>	72
<i>alpinus</i>	319	<i>graveolens</i>	72
<i>amplexicaulis</i>	319	<i>montana</i>	72
<i>aquaticus</i>	319	<i>patavina</i>	72
<i>arifolius</i> . <i>montanus</i> .		<i>RUTACEÆ</i>	72
<i>bucephalophorus</i>	319	<i>Sabulina</i> . <i>Alsine</i> .	
<i>conglomeratus</i> . <i>acutus</i> .		<i>Saccharum</i>	xx., 395
<i>crispus</i>	318	<i>egyptiacum</i>	395
<i>digynus</i> . <i>Oxyria digyna</i> .		<i>cylindricum</i> . <i>Imperata</i>	
<i>divaricatus</i> , GUSS. <i>pul-</i>		<i>cylindrica</i> .	
<i>cher</i> β	318	<i>Ravennæ</i> . <i>Erianthus</i>	
<i>domesticus</i>	319	<i>Ravenæ</i>	
<i>elongatus</i> , GUSS. <i>cris-</i>		<i>Teneriffæ</i> . <i>Panicum</i>	
<i>pus</i> .		<i>Teneriffæ</i> .	
<i>Hydrolypnum</i>	318	<i>Sagina</i>	xxv., 57
<i>intermedius</i>	319	<i>apetala</i>	57
<i>maritimus</i>	318	<i>bryoïdes</i>	57
<i>maximus</i>	318	<i>ciliata</i>	57
<i>montanus</i>	319	<i>deondra</i> , R.B. <i>Alsine</i>	
<i>multifidus</i>	319	<i>sedoides</i> .	
<i>Nemolapathum</i> . <i>san-</i>		<i>densa</i> , GR. & G. <i>apet.</i>	
<i>guineus</i> .		<i>depressa</i> , R.B. <i>ciliata</i> .	
<i>nemorosus</i> . <i>sanguineus</i> .			

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

490

INDEX.

Page.	Page.	Page.
S. doniana 340	S. REPENTES 334, 340	S. confusa 285
ferruginea 336	reticulata 341	controversa 286
finmarchica, Rb. fusca.	RETICULATÆ 334, 341	garganica 285
fissa. rubra.	retusa 341	glutinosa 285
forbyana 335	rosmarinifolia 341	hæmatodes 286
forsteriana 338	RosMARINIFOLIE 334, 340	hispanica 286
FRAGILES 333, 334	rubra 336	Horminum 285
fragilis 334	ruppestris 338	incisa, verbenaca β . 286
fusca 340	russelliana 335	multifida. clandest. β . 286
glabra 339	salviifolia 336	nemorosa 286
GLACIALES 334, 341	seringiana 336	oblongata 286
glauca 339	silesiaca 337	officinalis 285
grandifolia 337	smithiana 336	pratensis 285
hastata 339	spatulata. ambigua β . 340	scabrida, BERT. sylves- tris?
Hegetschweileri 339	sphacelata 337	Sclarea 285
Helix 335	starkeana, Rb. depressa.	sclareoides 286
herbacea 341	stipularis 336	sylvestris 286
hippophaefolia 335	stuartiana 339	tiberina 286
hirta 337	tenuifolia 339	triloba 285
hoffmanniana 335	tenuior 338	variegata, Rb. praten- tris?
holosericea 336	triaandra 335	verbenaca 286
incana 337	undulata 335	verticillata 286
incubacea. fusca ϵ . 340	vacciniifolia 340	virgata 286
jacquiniana 341	VACCINIIFOLIE 334, 340	viridis 285
lambertiana 335	venulosa 340	viscosa 285
lanata 341	versicolor. ambigua β . 340	Salvinia lxxii., 427
lanceolata. undulata β . 395	villarsiana, Guss. amyg- dalina.	natans 427
Lapporum, KOCH. are- naria and stuartiana.	VIMINALES 334, 336	Sambucus xxxix., 162
laurina 338	viminalis 336	Ebulus 162
laxiflora 338	vitellina 335	nigra 162
meyeriana. cuspidata.	waldsteiniana, Rb. ar- buscula.	racemosa 162
mollissima 336	weigeliana 339	Samolus xxix., 303
mollissima, SM. smith- iana.	woolgarihana 336	Valerandi 303
monandra, DUBY. pur- purea.	wulfeniana, Rb. glabra.	Sanguisorba xv., 121
myrsinutes 341	Salsola xxxi., 312	auriculata, Rb. officin-
MYRSINITES 334, 341	fruticosa. Suaeda frut.	dodecandra 121
myrtilloides 340	Kali 312	garganica. Poterium garganicum.
nigricans 338	maritima. Suaeda marit.	media. officinalis β . 121
nitens 339	oppositifolia 312	minor. Poterium Sanguis.
oleifolia 337	prostrata. Kechia prostr.	officinalis 121
pentandra 334	Soda 312	spinosa. Poterium spin.
petraea 338	Tragus. Kali β 312	SANGUISOREÆ 111, 121
phillyreifolia 339	vermiculata 312	Sanicula xxxiii., 142
phylicifolia 338	Salvia xvi., 284	europeæ 142
pontederana 336	β Ethiopis 284	SANICULEÆ xxxii. xxxiii., 142
procumbens 341	argentea 285	SANTALACEÆ 322
propinquæ 338	austriaca 285	Santolina lxix., 206
prostrata, SM. fusca γ . 340	Bertolonii 286	alpina 206
PRUINOSÆ 334, 336	betonicæfolia, Rb. ob- longata.	Chamæcypræsiæ 206
prunifolia 340	cannariensis 285	erucoïdes 206
purpurea 335	candidissima. argen. β . 285	incana, DUBY. Cha- mæcypræsiæ α 206
PURPUREÆ 334, 335	ceratophyloides 286	leucantha 206
pyrenaica 340	clandestina 286	rosmarinifolia 206
repens. fusca β 340		pectinata 206

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

491

Page.	Page.	Page.
<i>S. squarrosa</i> . Chamæc. γ 206	<i>S. atropurpurea</i> . musc. ϵ 138	marginata 137
<i>tomentosa</i> . Chamæc. β 206	<i>atrorubens</i> . aizoides β 140	media 137
<i>viridis</i> 206	<i>australis</i> . lingulata.	<i>moschata</i> . muscoïdes β 138
<i>villosissima</i> . Chamæc. δ 206	biflora 137	muscoïdes 138
<i>Saponaria</i> xlvi, 46	bryoides 141	mutata 137
<i>bellidifolia</i> 46	bulbifera 140	nervosa 432
<i>cæspitosa</i> 46	burseriana 137	nivalis 140
<i>calabrica</i> 46	caesia 138	obscura 432
<i>depressa</i> 46	<i>caesia</i> , DUBY. <i>squarrosa</i> .	oppositifolia 137
<i>lutea</i> 46	<i>caspitososa</i> 139	<i>palmata</i> , SM. <i>cæspitosa</i> .
<i>ocymoides</i> 46	<i>capitata</i> 139	<i>paradoxa</i> . Zahlbrück- neri <i>paradoxa</i> .
<i>officinalis</i> 46	<i>capitata</i> , GR. & G. <i>aju-</i>	parviflora 140
<i>orientalis</i> 47	<i>gifikasiola</i> .	patens 138
<i>Vaccaria</i> 46	<i>cernua</i> 140	pedatifida 139
<i>Sarcocapnos</i> lxi, 13	<i>Clusii</i> 140	pedemontana 139
<i>enneaphylla</i> 13	<i>cochlearis</i> 137	pentadactylis 138
<i>Sarothamnus</i> . Cytisus.		
<i>Satureja</i> lii, 287	<i>compacta</i> . <i>caesia</i> .	petrea 140
<i>canescens</i> , Guss. Mi-	<i>controversa</i> 140	planifolia 138
<i>cromeria canescens</i> .	<i>corsica</i> , GR. & G. <i>gra-</i>	porophylla 137
<i>capitatus</i> . Thymus cap.	<i>nulata</i> .	<i>pubescens</i> , DUBY. ex-
<i>consentina</i> . Microme-	<i>Cotyledon</i> 137	arata β 138
<i>ria græca</i> .	<i>crocea</i> . muscoïdes γ 138	<i>recta</i> , RB. Aizoon.
<i>cuneifolia</i> 287	<i>crustata</i> 137	<i>repanda</i> . rotundifolia β 140
<i>fasciculata</i> , BERT. Mi-	<i>cuneifolia</i> 141	<i>retusa</i> 137
<i>crom. approximata</i> .	<i>decipiens</i> , RB. <i>caespit.</i> γ 139	<i>rivularis</i> 140
<i>græca</i> . Microm. græca.	<i>depressa</i> , RB. <i>andro-</i>	<i>rotundifolia</i> 140
<i>hortensis</i> 287	<i>sacea</i> β 139	<i>rudolphiana</i> 137
<i>juliana</i> . Microm. jul.	<i>diapenoides</i> 138	<i>secunda</i> . muscoïdes δ 138
<i>microphylla</i> , Guss. Mi-	<i>elatior</i> 137	<i>sedoides</i> 139
<i>crom. microphylla</i> .	<i>elegans</i> 141	<i>Seguieri</i> 138
<i>montana</i> 287	<i>elongella</i> 139	<i>sponhemica</i> 139
<i>nervosa</i> . Microm. nerv.	<i>exarata</i> 138	<i>squarrosa</i> 138
<i>Piperella</i> , BERT. Micro-	<i>Fachchinii</i> 138	<i>stellaris</i> 140
<i>meria Piperella</i> .	<i>florulenta</i> 137	<i>stenopetala</i> 138
<i>pygmaea</i> 287	<i>geranoides</i> 139	<i>Sternbergii</i> , RB. <i>caesi-</i>
<i>rupestris</i> . Microm. rup.	<i>Geum</i> 141	<i>tosa</i> .
<i>sicula</i> . Microm. græca.	<i>glabella</i> 138	tenella 139
<i>tenuifolia</i> . Mier. græca.	<i>granulata</i> 140	<i>tridactylites</i> 140
<i>Thymbra</i> 287	<i>grønlandica</i> . <i>caespit.</i> β 139	<i>umbrosa</i> 141
<i>variegata</i> 287	<i>hederacea</i> . parviflora. 140	<i>valdensis</i> . <i>caesia</i> β . 138
SATUREINEÆ li, lii, 287	<i>hieraciifolia</i> 140	<i>Vandellii</i> 137
Saussurea lxxii, 219	<i>Hirculus</i> 141	SAXIFRAGACEÆ 136
<i>alpina</i> 219	<i>hirsuta</i> 141	Scabiosa xxiv, 171
<i>discolor</i> 219	<i>hirta</i> 139	<i>ambigua</i> 172
<i>pygmaea</i> 219	<i>Hohenwartii</i> 139	<i>argentea</i> 172
Saxifraga xlvi, 136	<i>Hostiæ</i> , RB. <i>elatior?</i>	<i>arvensis</i> . Knautia arv.
<i>adscendens</i> 139	<i>hypnoïdes</i> 139	<i>atropurpurea</i> 172
<i>affinis</i> 139	<i>intermedia</i> . <i>exarata</i> γ 138	<i>australis</i> 173
<i>aizoides</i> 140	<i>intricata</i> , GR. & G. <i>exar.</i>	<i>campestris</i> , RB. Knau-
<i>Aizoon</i> 137	<i>Kochii</i> 137	<i>tia arvensis</i> .
<i>ajugifolia</i> 139	<i>ladanifera</i> , DUBY. pedatif.	<i>Columbaria</i> 172
<i>ambigua</i> 431	<i>leucanthemifolia</i> . Clusii.	<i>crenata</i> 172
<i>androsacea</i> 138	<i>lingulata</i> 137	<i>cretica</i> 171
<i>arachnoidea</i> 140	<i>longifolia</i> 137	<i>Cupani</i> , Guss. mari-
<i>aretioides</i> 138	<i>luteo-purpurea</i> . are-	<i>timia</i> .
<i>aspera</i> 141	<i>tioïdes</i> β 138	<i>dichotoma</i> 173
	<i>luteo-purpurea</i> , GR. & G. 431	

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

492

INDEX.

Page.	Page.	Page.
<i>S. dipsacifolia</i> , R.B. Knautia sylvatica.	366	<i>S. parvulus</i> 381
eburnea 172	366	<i>pauciflorus</i> 382
<i>graminifolia</i> 171	366	<i>pubescens</i> 383
<i>grandiflora</i> , Guss. 155	366	<i>pungens</i> . Rothii.
<i>Gramuntia</i> 173	366	<i>radicans</i> 383
<i>hladnickiana</i> 172	366	<i>romanus</i> . Holoschœn. γ 382
<i>holosericea</i> 172	366	<i>Rothii</i> 382
<i>hybrida</i> . Knaut. hybr.		<i>rufus</i> , Koch. Blysm. rufus.
<i>integrifolia</i> . Knautia hybrida.		<i>Savii</i> 382
<i>limoniifolia</i> 171	366	<i>setaceus</i> 382
<i>longifolia</i> , R.B. Knautia longifolia.		<i>supinus</i> 382
lucida 172	366	<i>sylvaticus</i> 383
maritima 172	366	<i>Tabernæmontani</i> 382
<i>monspeliensis</i> 172	366	<i>tenuifolius</i> . Rothii.
<i>multisetæ</i> 171	366	<i>triqueter</i> 382
<i>ochroleuca</i> 172	366	<i>uniglumis</i> 381
<i>pauciseta</i> 173	366	Scleranthus xlvi, 131
<i>prolifera</i> 172	366	<i>annuus</i> 131
<i>pyrenaica</i> 172	366	<i>hirsutus</i> , Guss. perenn.
<i>rutifolia</i> 172	366	<i>marginatus</i> , Guss. per-
<i>sicula</i> , Guss. <i>argentea</i> ?		ennis.
<i>sileneifolia</i> 173	366	<i>neglectus</i> , R.B. <i>perennis</i> .
<i>stellata</i> 172	366	<i>perennis</i> 131
<i>suaveolens</i> 173	366	<i>polycarpus</i> 131
<i>Succisa</i> 173	366	<i>verticillatus</i> . annuus.
<i>sylvatica</i> . Knaut. <i>sylv.</i>		Sclerochloa xxiii, 411
<i>uckranica</i> . <i>argentea</i> .		<i>Borreri</i> 411
<i>uniseta</i> . <i>pauciseta</i> 173	366	<i>convoluta</i> 411
<i>urceolata</i> . <i>rutifolia</i> .		<i>distans</i> 411
<i>vestina</i> 173		<i>divaricata</i> 411
SCANDICINEÆ xxxiii.,	358	<i>dura</i> 411
	xxxvii., 158	<i>hemipoa</i> . <i>rigida</i> 411
<i>Scandix</i> xxxvii., 158	358	<i>loliacea</i> 411
<i>australis</i> 158	358	<i>maritima</i> 411
<i>brachycarpa</i> 158	358	<i>procumbens</i> 411
<i>hispanica</i> 432	358	<i>rigida</i> 411
<i>Pecten-Veneris</i> 158	358	<i>Triticum</i> 411
<i>Scheuchzeria</i> xlii., 345	358	Scolopendrium lxxi., 425
<i>palustris</i> 345	358	<i>Ceterach</i> . Ceterach officinarum.
<i>Schismus</i> xxii., 407	358	<i>Hemionitis</i> 425
<i>calycinus</i> 407	358	<i>officinale</i> . <i>vulgare</i> .
<i>Schoberia</i> . Suæda.		<i>officinale</i> . <i>vulgare</i> .
<i>Schoenus</i> xviii., 380	358	<i>sagittatum</i> 425
<i>albus</i> . Rhynchosp. alba.		<i>vulgare</i> 425
<i>compressus</i> . Blysmus compressus.		SCOLYMEÆ lxiv., lxv., 173
<i>ferrugineus</i> 381	358	<i>Scolymus</i> lxv., 173
<i>fucus</i> . Rhynchosp. fusc.		<i>grandiflorus</i> 173
<i>Mariscus</i> . Cladium Mariscus.		<i>hispanicus</i> 173
<i>Mucronatus</i> 380	358	<i>maculatus</i> 173
<i>nigricans</i> 380	358	Scopolina xxix., 259
<i>rufus</i> . Blysmus rufus.		<i>atropoides</i> 259
<i>Scilla</i> xlii., 365	358	<i>hladnickiana</i> , Koch. viridiflora.
	358	<i>viridiflora</i> 259
	358	Scorpiurus lxiii., 100

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

493

Page.	Page.	Page.
<i>S. acutifolia</i> 100	<i>S. oblongifolia</i> 263	<i>S. Fabaria</i> . <i>Telephium</i> β 132
<i>muricata</i> 100	<i>peregrina</i> 262	<i>fosterianum</i> 134
<i>subvillosa</i> 100	<i>pinnatifida</i> . <i>canina</i> . 262	<i>gahvooides</i> . <i>Cepaea</i> .
<i>sulcata</i> 100	<i>pyrenaica</i> 262	<i>glanduliferum</i> 133
<i>vermiculata</i> 100	<i>ramosissima</i> 263	<i>glaucum</i> , R.B. <i>hispan</i> .
<i>Scorzonera</i> lxi, 179	<i>sambucifolia</i> . <i>trifoliata</i> . 263	<i>glaucum</i> , Sm. <i>reflexum</i> .
<i>angustifolia</i> 179	<i>Scopolii</i> 262	<i>heptapetalum</i> . <i>cæruleum</i> .
<i>aristata</i> 179	<i>Scorodonia</i> 262	<i>hirsutum</i> 133
<i>austriaca</i> 179	<i>subverticillata</i> 262	<i>hispanicum</i> 133
<i>calcitrifolia</i> , R.B. <i>Podospermum calcif</i> - <i>trapifolium</i> .	<i>trifoliata</i> 262	<i>latifolium</i> . <i>maximum</i> .
<i>Columnæ</i> . <i>Podosp. Col.</i>	<i>vernalis</i> 262	<i>litoreum</i> 132
<i>decumbens</i> . <i>Podosper.</i>	<i>SCROPHULARIACEÆ</i> 262	<i>magellense</i> 132
<i>calcitrapifolium</i> .	<i>SCROPHULARINEÆ</i> 262	<i>Magnolii</i> 132
<i>deliciosa</i> 179	<i>Scutellaria</i> liii, 290	<i>maximum</i> 132
<i>glastifolia</i> . <i>hispanica</i> β 179	<i>alpina</i> 290	<i>micranthum</i> . <i>album</i> .
<i>graminifolia</i> . <i>austriaca</i> ?	<i>altissima</i> 290	<i>micranthum</i> , Gr. & G. <i>alb</i> .
<i>hirsuta</i> 179	<i>Columnæ</i> 290	<i>monregalese</i> 132
<i>hispanica</i> 179	<i>commutata</i> , Guss. <i>al-</i> <i>tissima</i> .	<i>neapoitanum</i> . <i>dasyphyl</i> .
<i>humilis</i> 179	<i>galericulata</i> 290	<i>neglectum</i> . <i>acre</i> .
<i>intermedia</i> . <i>Podosper.</i>	<i>Gussonii</i> 290	<i>nicaenae</i> , Guss. <i>altissi-</i> <i>mum</i> ?
<i>intermedium</i> .	<i>hastifolia</i> 290	<i>Notar-janni</i> 132
<i>laciniata</i> . <i>Podosp. lac.</i>	<i>minor</i> 290	<i>purpureum</i> , R.B. <i>Teleph.</i>
<i>macrorrhiza</i> . <i>humilis</i> γ 179	<i>pallida</i> . <i>Columnæ</i> .	<i>purpurascens</i> , KOCH.
<i>montana</i> . <i>hispanica</i> γ . 179	<i>peregrina</i> 290	<i>Telephium</i> .
<i>muricata</i> . <i>Podosp. lacin</i> .	<i>SCUTELLARINEÆ</i> li, liii, 290	<i>recurvatum</i> , R.B. <i>reflexum</i> .
<i>octangularis</i> . <i>Podosp.</i>	<i>Secale</i> xix, 419	<i>reflexum</i> 134
<i>jacquinianum</i> .	<i>cereale</i> 419	<i>Rhodiola</i> . <i>Rhod. rosea</i> .
<i>parviflora</i> 179	<i>montanum</i> 419	<i>rubens</i> 132
<i>plantaginea</i> . <i>humilis</i> β 179	<i>Securigera</i> lxxii, 101	<i>rupestre</i> , DUBY, R.B. <i>reflex</i> .
<i>purpurea</i> 179	<i>Coronilla</i> 101	<i>rupestre</i> , Sm. 134
<i>rosea</i> 179	<i>Sedum</i> xlvi, 132	<i>saxatile</i> 133
<i>tenuifolia</i> 179	<i>acre</i> 133	<i>sexangulare</i> 134
<i>trachysperma</i> 179	<i>albescens</i> 134	<i>stellatum</i> 132
<i>villosa</i> . <i>Galasia villosa</i> .	<i>album</i> 133	<i>Telephium</i> 132
<i>SCORZONERÆ</i> lxi, lxi, 178	<i>alpestre</i> , Gr. & G. <i>saxat</i> .	<i>tetraphyllum</i> , R.B. <i>Cepaea</i> .
<i>Scrophularia</i> lv, 262	<i>alsinifolium</i> 132	<i>uniflorum</i> 132
<i>alpestris</i> 262	<i>altissimum</i> 134	<i>villosum</i> 133
<i>aquatica</i> 263	<i>amplexicaule</i> 133	<i>Selinum</i> xxvi, 151
<i>auriculata</i> 263	<i>Anacampteros</i> 132	<i>caruifolium</i> 151
<i>Balbisii</i> . <i>aquatica</i> β . 263	<i>andegavense</i> 133	<i>Cervaria</i> . <i>Peuced. Cerv.</i>
<i>betonicaefolia</i> , R.B. <i>gran-</i>	<i>anglicum</i> 133	<i>Gmelini</i> , R.B. <i>Coniose-</i> <i>linum Fischeri</i> .
<i>didentata</i> .	<i>annuum</i> 133	<i>Oreoselinum</i> . <i>Peuced.</i>
<i>bicolor</i> , Guss. <i>canina</i> ?	<i>anopetalum</i> 134	<i>Oreoselinum</i> .
<i>canina</i> 263	<i>atratum</i> 133	<i>palustre</i> . <i>Ostericum pal.</i>
<i>chrysanthemifolia</i> . <i>can.</i>	<i>boloniense</i> . <i>sexangulare</i> .	<i>rablese</i> . <i>Peuced. rabl.</i>
<i>Ehrharti</i> 263	<i>brevifolium</i> 133	<i>sulcatum</i> , BERT. <i>Peu-</i> <i>ced. austriacum</i> ?
<i>glandulosa</i> . <i>Scopolii.</i>	<i>cæruleum</i> 133	<i>venetum</i> . <i>Peuced. venet.</i>
<i>glauca</i> , BERT. <i>lucida</i> .	<i>cæspitosum</i> . <i>Magnolii</i> .	<i>Sempervivum</i> xlvi, 134
<i>grandidentata</i> 262	<i>Cepæa</i> 132	<i>arachnoideum</i> 134
<i>Hoppii</i> 263	<i>corsicum</i> 133	<i>arboreum</i> 134
<i>laciniata</i> 263	<i>cruciatum</i> . <i>monregalese</i> .	<i>arenarium</i> 135
<i>lucida</i> 263	<i>dasyphyllum</i> 133	<i>arvernensis</i> , Gr. & G.
<i>mellifera</i> 262	<i>elegans</i> 134	<i>tectorum</i> .
<i>Neesii</i> 263	<i>eriocarpum</i> , Guss. <i>his-</i> <i>panicum</i> .	
<i>nodosa</i> 262		

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

494

INDEX.

Page.	Page.	Page.
S. Braunii 134	S. leucophyllum 210	S. heterophylla 219
Funekii 134	linifolius 211	humilis 219
<i>globiferum</i> , R.B. sobolif.	<i>lividus</i> . <i>sylvaticus</i> β . 208	<i>integrifolia</i> . <i>tinctoria</i> γ 219
<i>globiferum</i> , WULFEN.	<i>lycopifolius</i> 209	mollis 219
Wulfenii.	<i>lyratifolius</i> 209	<i>moschata</i> . <i>mollis</i> β . 219
hirtum 134	<i>maritimus</i> , R.B. <i>Cineraria</i> .	<i>nitida</i> . <i>heterophylla</i> β . 219
montanum 134	Marmoræ 208	<i>nudicaulis</i> 219
soboliferum 135	<i>nebrodensis</i> 209	<i>pumila</i> . <i>tinctoria</i> β . 219
tectorum 134	<i>nemorensis</i> 210	<i>radiata</i> 219
Wulfenii.	<i>octoglossus</i> . <i>nemorense</i> γ 210	<i>Rhaponticum</i> . <i>Rhapon-</i>
<i>Senebiera</i> lxxi., 17	<i>paludosus</i> 211	<i>ticum</i> <i>scariosum</i> .
<i>Coronopus</i> 17	<i>paradoxus</i> . <i>nebrod.</i> β . 209	<i>tinctoria</i> 219
<i>didyma</i> . <i>pinnatifida</i> .	<i>parviflorus</i> 210	<i>Seseli</i> xxxv., 149
<i>pinnatifida</i> 17	<i>praecultus</i> 209	<i>ammoides</i> . <i>Ptychotis</i>
<i>Senecio</i> lxx., 207	<i>pratensis</i> , DC. <i>Cinera-</i>	<i>verticillata</i> .
<i>abrotanifolius</i> 210	<i>ria</i> <i>pratensis</i> .	<i>annuum</i> . <i>coloratum</i> .
<i>adonisifolius</i> . <i>artemisif.</i>	<i>pygmæus</i> 208	<i>bienne</i> . <i>coloratum</i> .
<i>æthensis</i> 208	<i>rotundifolius</i> . <i>Doroni-</i>	<i>Bocconii</i> 149
<i>alpinus</i> 209	<i>cum</i> β 211	<i>caruifolium</i> 432
<i>ambiguus</i> 210	<i>rupestris</i> . <i>nebrodensis</i> .	<i>coloratum</i> 189
<i>anthoræfolius</i> , R.B. <i>del.</i>	<i>saracenicus</i> 210	<i>elatum</i> . <i>Gouani?</i> . 149
<i>phimifolius</i> .	<i>Scheuchzeri</i> 209	<i>glaucum</i> 149
<i>apuanus</i> , R.B. <i>Doria?</i>	<i>squalidus</i> 209	<i>Gouani</i> 149
<i>aquaticus</i> 209	<i>subalpinus</i> 209	<i>Hippomarathrum</i> 149
<i>artemisiifolius</i> 209	<i>sylvaticus</i> 208	<i>Libanotis</i> . <i>Libanotis</i>
<i>barbareæfolius</i> , R.B. <i>aquat.</i>	<i>tenuifolius</i> . <i>erucifolius</i> .	<i>montana</i> .
<i>bicolor</i> 210	<i>tomentosus</i> . <i>Doronic.</i> γ 211	<i>lucanum</i> 433
<i>Cacaliaster</i> 210	Tournefortii 211	<i>montanum</i> 149
<i>candidus</i> 210	<i>uniflorus</i> 210	<i>polyphyllum</i> 149
<i>carniolicus</i> 210	<i>vernalis</i> 209	<i>Sibthorpii</i> , Gr. & G. Li-
<i>ceratophyllum</i> . <i>Cine-</i>	<i>vernum</i> 208	<i>banotis</i> <i>verticillata</i> .
<i>raria</i> β 210	<i>viscosus</i> 208	<i>tortuosum</i> 149
<i>Cineraria</i> 210	<i>vulgaris</i> 208	<i>varium</i> 149
<i>cordatus</i> . <i>alpinus</i> .	SENECIONIDÆ lxxviii. lxx., 207	SESELINÆ xxxiii., xxxv., 147
<i>crassifolius</i> 209	<i>Serapias</i> lxxiv., 355	<i>Sesleria</i> xxi., 408
<i>delphinifolius</i> 209	<i>cordigera</i> 355	<i>carulea</i> 408
<i>denticulatus</i> , R.B. <i>vulgaris</i> .	Lingua 355	<i>cylindrica</i> . <i>elongata</i> .
<i>Doria</i> 211	<i>longipetala</i> . Lingua.	<i>disticha</i> . <i>Oreochloa dis-</i>
<i>Doronicum</i> 211	<i>oxyglottis</i> 355	<i>ticha</i> .
<i>erraticus</i> 209	<i>parviflora</i> 355	<i>elongata</i> 408
<i>erucifolius</i> 209	<i>Pseudo-cordigera</i> . Ling.	<i>juncifolia</i> , R.B. <i>tenui-</i>
<i>flosculosus</i> . <i>saraceni-</i>	<i>triloba</i> 355	<i>folia</i> .
<i>cus</i> β 210	<i>Seriola</i> lxvi., 175	<i>microcephala</i> . <i>tenella</i> .
<i>foeniculaceus</i> 208	<i>ætnensis</i> . <i>Metabasis æt-</i>	<i>nitida</i> 408
<i>Fuchsii</i> . <i>nemorensis</i> β 210	<i>nensis</i> .	<i>sphaerocephala</i> 408
<i>gallicus</i> 208	<i>albicans</i> . <i>lævigata</i> γ 175	<i>tenella</i> 408
<i>gibbosus</i> 210	<i>cretensis</i> . <i>Metab. cret.</i>	<i>tenuifolia</i> 408
<i>glabratus</i> . <i>incanus</i> β . 210	<i>depressa</i> 175	Setaria xx., 396
<i>humilis</i> . <i>leucanthemi-</i>	<i>glauca</i> . <i>lævigata</i> β . 175	<i>ambigua</i> , Guss. <i>viridis</i> .
<i>folius</i> β 208	<i>lævigata</i> 175	<i>germanica</i> 396
<i>incanus</i> 210	Serratula lxxii., 219	<i>glaucha</i> 396
<i>incrassatus</i> 208	<i>alpina</i> . <i>Saussurea alpin.</i>	<i>italica</i> 396
<i>italicus</i> . <i>incanus</i> γ . 210	<i>Bocconi</i> . <i>humilis</i> β . 219	<i>verticillata</i> 396
<i>Jacobæa</i> 209	<i>cichoracea</i> . See <i>Errata</i> .	<i>viridis</i> 396
<i>jacquinianus</i> , R.B. <i>nemor.</i>	<i>cyanoides</i> 219	<i>Sherardia</i> xxiv., 163
<i>lanatus</i> 211	<i>cynaroïdes</i> . <i>Rhaponti-</i>	<i>arvensis</i> 163
<i>leucanthemifolius</i> 208	<i>cum</i> <i>cynaroïdes</i> .	<i>Sibbaldia</i> xxxix., 120

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

495

Page.	Page.	Page.
<i>S. proeumbens</i> 120	<i>S. Elizabethæ</i> 50	<i>S. sassiana</i> 51
<i>Sibthorpia</i> liv. 266	<i>escapa</i> 47	<i>Saxifraga</i> 50
<i>europea</i> 266	<i>Fabaria</i> 48	<i>scabra</i> 51
<i>Sida</i> lx. 65	<i>fimbriata</i> 47	<i>sedoides</i> 51
<i>Abutilon</i> 65	<i>fruticosa</i> 50	<i>sericea</i> 48
<i>Sideritis</i> liv. 296	<i>fuscata</i> 52	<i>sicula</i> , Guss. <i>italica</i> .
<i>approximata</i> . <i>romana</i> β 296	<i>gallica</i> 48	<i>staminea</i> 49
<i>hirsuta</i> 296	<i>glandulosa</i> , BERT. gal.?	<i>sylvestris</i> , RB. <i>gallica</i> .
<i>hyssopifolia</i> . <i>scord.</i> β 296	<i>Grafferi</i> 49	<i>tatarica</i> 49
<i>incana</i> . <i>hirsuta</i> .	<i>hispida</i> 49	<i>tenoriana</i> , Gr. & G. <i>in-</i>
<i>montana</i> 296	<i>inaperta</i> 51	<i>flata</i> .
<i>perfoliata</i> 296	<i>inaperta</i> , Gr. & G. <i>scabr.</i>	<i>tenuiflora</i> 51
<i>pyrenaica</i> . <i>scord.</i> γ 296	<i>infata</i> 48	<i>Thorei</i> , Gr. & G. <i>ma-</i>
<i>romana</i> 296	<i>infacta</i> , RB. <i>nutans</i> .	<i>ritima</i> .
<i>scordioides</i> 296	<i>italica</i> 50	<i>tridentata</i> 48
<i>sicula</i> 296	<i>Kaulfussii</i> 52	<i>trinervia</i> 48
<i>tomentosa</i> 296	<i>lanuginosa</i> 48	<i>turbanata</i> 52
<i>Silaus</i> xxxv. 150	<i>linicola</i> 51	<i>umbellata</i> . <i>Otites</i> β . 49
<i>pratensis</i> 150	<i>livida</i> . <i>nutans</i> .	<i>uniflora</i> . <i>maritima</i> .
<i>virescens</i> , Gr. & G. <i>Gas-</i>	<i>Loiseleurii</i> , Gr. & G.	<i>vallesia</i> 50
<i>parinia virescens</i> .	<i>Lychnis lœta</i> .	<i>velutina</i> , Gr. & G. <i>molliss.</i>
<i>Silene</i> xlvi. 47	<i>lusitanica</i> . <i>gallica</i> δ . 48	<i>vespertina</i> 49
<i>acaulis</i> 47	<i>Mandralisci</i> 51	<i>viridiflora</i> 49
<i>alpestris</i> 51	<i>maritima</i> 47	<i>viscosa</i> 49
<i>amblevana</i> . <i>nutans</i> β . 50	<i>mollissima</i> 49	<i>SILENEÆ</i> 44
<i>anglica</i> . <i>gallica</i> β . 48	<i>multicaulis</i> , Guss. <i>in-</i>	<i>Siler</i> xxxvii. 154
<i>angustifolia</i> . <i>inflata</i> β 48	<i>aperta</i> .	<i>aquilegifolium</i> , RB. <i>tri-</i>
<i>annulata</i> , THORE. <i>cre-</i>	<i>muscipula</i> 51	<i>lobum</i> .
<i>tica</i> .	<i>neglecta</i> 48	<i>trilebūm</i> 154
<i>Armeria</i> 52	<i>nemoralis</i> 50	<i>SILERINEÆ</i> xxxiii. xxxvii. 154
<i>auriculata</i> , RB. <i>lanugin.</i>	<i>niceensis</i> 50	<i>Silybum</i> Ixii. 230
<i>Behen</i> 48	<i>noctiflora</i> 51	<i>Marianum</i> 230
<i>bicolor</i> 51	<i>nocturna</i> 48	<i>Simethis</i> xli. 365
<i>bipartita</i> , Gr. & G. <i>se-</i>	<i>nutans</i> 50	<i>planifolia</i> 365
<i>ricea</i> .	<i>Oties</i> 49	<i>Sinapis</i> lix. 22
<i>brachypetala</i> 48	<i>paradoxa</i> 50	<i>alba</i> 22
<i>bracteosa</i> , BERT. <i>mus-</i>	<i>pauciflora</i> 50	<i>amplexicaulis</i> 23
<i>cipula?</i>	<i>pelidna</i> , RB. <i>nutans</i> .	<i>apula</i> 23
<i>calycina</i> 52	<i>pendula</i> 48	<i>arvensis</i> 23
<i>Campanula</i> 51	<i>petræa</i> , RB. <i>Saxifraga</i> ?	<i>Cheiranthus</i> . <i>Erucas-</i>
<i>canescens</i> . <i>sericea</i> .	<i>pilosæ</i> , RB. <i>italica</i> .	<i>trum monense</i> .
<i>catholica</i> 50	<i>portensis</i> , Gr. & G. <i>bi-</i>	<i>dissecta</i> 23
<i>cerastoides</i> . <i>gallica</i> ϵ . 48	<i>color</i> .	<i>heterophylla</i> . <i>incana</i> β 23
<i>chlorantha</i> 49	<i>pubescens</i> 48	<i>hispida</i> 23
<i>ciliata</i> 49	<i>pudibunda</i> , RB. <i>quad-</i>	<i>incana</i> 23
<i>clandestina</i> 52	<i>rifida</i> .	<i>nigra</i> 23
<i>commutata</i> . <i>Fabaria</i> .	<i>Pumilio</i> 47	<i>orientalis</i> 23
<i>congesta</i> , DUBY. <i>italica</i> ?	<i>pusilla</i> , RB. <i>quadrifida</i> .	<i>panormitana</i> 23
<i>conica</i> 47	<i>quadridentata</i> . <i>quadrifid.</i>	<i>pubescens</i> 23
<i>conoidea</i> 47	<i>quadrifida</i> 51	<i>sicula</i> . <i>virgata</i> .
<i>cordifolia</i> 50	<i>quinquevulnera</i> . <i>gallica</i> γ 48	<i>virgata</i> 23
<i>corsica</i> 50	<i>Requienii</i> 50	<i>Sison</i> xxxiv. 146
<i>corymbifera</i> 52	<i>rubella</i> 52	<i>Amomum</i> 146
<i>cretica</i> 51	<i>rubens</i> 49	<i>lateriflorum</i> 146
<i>decumbens</i> . <i>sericea</i> .	<i>rupestris</i> 51	<i>segetum</i> . <i>Petroselinum</i>
<i>dichotoma</i> 48	<i>sabuletorum</i> 49	<i>segetum</i> .
<i>echinata</i> 51	<i>Salzmanni</i> 50	<i>SISYMBRIÆ</i> lvi., lix., 25

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

496

INDEX.

Page.	Page.	Page.
<i>Sisymbrium</i> lix., 25	SOLANACEÆ 257	S. <i>Chamæespilus</i> 125
<i>acutangulum</i> . <i>austria-</i>		<i>domestica</i> 125
<i>cum</i> γ 25		<i>florentina</i> 125
<i>Alliaria</i> . <i>Alliaria offi-</i>		<i>hybrida</i> 124
<i>cinalis</i> .		<i>lanuginosa</i> , R.B. <i>Aucu-</i>
<i>altissimum</i> 25		<i>paria</i> .
<i>amphibium</i> . <i>Nasturtium</i>		<i>latifolia</i> 124
<i>amphibium</i> .		<i>præmorsa</i> 124
<i>asperum</i> . <i>Braya aspera</i> .		<i>scandica</i> . <i>latifolia</i> .
<i>austriacum</i> 25		<i>torminalis</i> 125
<i>bursifolium</i> 26		Sorghum xx., 395
<i>Columnæ</i> 26		<i>halepense</i> 395
<i>erysimoides</i> 25		<i>saccharatum</i> 396
<i>hispanicum</i> 25		<i>strictum</i> 395
<i>Irio</i> 25		<i>vulgare</i> 395
<i>Loeselii</i> 25		Soyeria . <i>Crepis</i> .
<i>monense</i> . <i>Erucastrum</i>		Spallanzania xliv., 120
<i>monense</i> .		<i>agrimonioides</i> 120
<i>multisiliquosum</i> , R.B.		Sparganium lxv., 379
<i>austriacum</i> .		<i>erectum</i> , R.B. <i>ramosum</i> .
<i>Nasturtium</i> . <i>Nastur-</i>		<i>natans</i> 379
<i>tium officinale</i> .		<i>ramosum</i> 379
<i>obtusangulum</i> . <i>Eruca-</i>		<i>simplex</i> 379
<i>stylum obtusangulum</i> .		Spartina xxi., 402
<i>officinale</i> 25		<i>alterniflora</i> 403
<i>pannonicum</i> 26		<i>stricta</i> 402
<i>pinnatifidum</i> . <i>Braya</i>		Spartium lxi., 78
<i>pinnatifida</i> .		<i>etnense</i> . <i>Genista etn.</i>
<i>polyceratum</i> 25		<i>corsicum</i> . <i>Genist. cors.</i>
<i>Sophia</i> 26		<i>Cupani</i> . <i>Genista Cu-</i>
<i>strictissimum</i> 25		<i>pani</i> .
<i>supinum</i> . <i>Braya supina</i> .		<i>decumbens</i> . <i>Gen. diffusa</i> .
<i>tanacetifolium</i> . <i>Hu-</i>		<i>erinacioides</i> . <i>Gen. aspa-</i>
<i>guemina</i> . <i>tanacetifol</i> .		<i>lath.</i> and <i>Salzmanni</i> .
<i>taraxacifolium</i> . <i>austr.</i> β		<i>Gussonii</i> . <i>Gen. monosp.</i>
<i>thalianum</i> 26		<i>gymnopterum</i> . <i>Genist.</i>
Sium xxiv., 145		<i>ephedrioides</i> .
<i>angustifolium</i> 145		<i>infestum</i> . <i>Cytisus in-</i>
<i>crassipes</i> . <i>Helosciadium</i>		<i>festus</i> .
<i>crassipes</i> .		<i>juncum</i> 78
<i>intermedium</i> , TEN. <i>He-</i>		<i>lanigerum</i> . <i>Cyt. spinosus</i> .
<i>losciad. nodiflorum?</i>		<i>Morisii</i> . <i>Gen. Morisii</i> .
<i>inundatum</i> . <i>Hel. inund.</i>		<i>radiatum</i> . <i>Gen. radiata</i> .
<i>latifolium</i> 145		<i>scoparium</i> . <i>Cytisus scop.</i>
<i>longifolium</i> 145		<i>spinosum</i> . <i>Cytisus spin.</i>
<i>nodiflorum</i> . <i>Hel. nodif.</i>		<i>villosum</i> . <i>Cyt. lanigerus</i> .
<i>stoloniferum</i> , Guss. <i>He-</i>		Specularia xxx., 241
<i>losciad. nodiflorum?</i>		<i>falcata</i> 241
Smilax lxxix., 363		<i>hirta</i> . <i>Speculum β</i> 241
<i>aspera</i> 363		<i>hybrida</i> 241
<i>mauritanica</i> 363		<i>Speculum</i> 241
<i>nigra</i> 363		Spergula xlvi., 57
SMYNEÆ xxxii. 160		<i>arvensis</i> 57
Smyrnium xxviii., 161		<i>glabra</i> 58
<i>Olusatrum</i> 161		<i>maxima</i> . <i>arvensis</i> .
<i>perfoliatum</i> 161		<i>Morisonii</i> . <i>pentandra</i> .
<i>rotundifolium</i> 161		<i>nodosa</i> 57

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

497

Page.	Page.	Page.
S. pentandra 57	S. sylvatica 293	S. reticulata 306
pilifera 57	Stachelia . . . lxxii., 219	scopoliana. Dodartii?
saginoides 57	arborescens 219	serotina. Limonium.
sativa 57	dubia 219	sibthoriana 305
subulata 57	tenuifolia 219	sinuata 304
vulgaris, RB. arvensis.	Stapelia . . . xxxii., 246	Smithii. oleifolia.
<i>Spergularia</i> . Alsine.	europea 246	spatulata, HOOKER.
<i>Sphenopus</i> . Poa.	Staphylea . . . xxxix., 73	Dodartii.
Spireæ xlvi., 112	pinnata 73	tenuicula. Cumana β . 306
Aruncus 112	Statice. (See also Ar- meria.) . . . xxxix., 304	Tinei 306
chamædryfolia 112	acutifolia, BERT. mi-	virgata, BOISSIER. olei-
crenata. hypericifolia.	nuta β 306	folia.
decumbens 112	albida, Guss. psiloclada.	Steinhammera . . . xxvii., 255
denudata, RB. Ulmaria.	articulata 306	maritima 255
Filipendula 112	auriculifolia 305	Stellaria xlvi., 56
flabellata 112	bellidifolia, DUBY. caspia.	anomala, RB. viscosa.
flexuosa, RB. decumbens.	bellidifolia, BERT. psi-	aquatica, Coss. uligi-
hypericifolia 112	lociada.	nosa.
oblongifolia. chamæ-	cancellata 306	bulbosa 56
dryfolia.	caspia 306	cerastoides 56
obovata. hypericifolia.	cordata 306	crassifolia 56
salicifolia 112	cossyrensis. oleifolia.	dilleniana, RB. uliginosa.
Ulmaria 112	cumana 306	friesiana 56
ulmifolia 112	densiflora 305	glauca 56
SPIREÆ 111, 112	dichotoma, Guss. olei-	graminea 56
Spiranthes lxxiv., 355	folia.	grandiflora. media β . 56
festivalis 355	dictyoclada 306	holostea 56
autumnalis. spiralis.	diffusa 306	latifolia 56
cernua 355	Dodartii 305	longifolia, RB. friesiana.
spiralis 355	drepanensis. Limo-	media 56
STACHYDEÆ lii., liii., 291	nium γ 305	neglecta, RB. media.
Stachys liii., 293	dubia, Guss. oleifolia.	nemorum 56
alpina 293	duriuscula 305	nivalis. cerastoides β . 56
ambigua. palustris β . 293	echoides 305	radicans. cerastoides.
annua 294	ferulacea 306	saxifraga 56
arenaria 293	furfuracea, RB. can-	scapigera 56
arvensis 293	cellata.	uliginosa 56
barbigera 294	globulariifolia 305	viscida 56
bienensis, RB. germanic.	Gmelini. Limonium β 304	STELLATEÆ. See RUBIACEÆ.
corsica 293	gracilis. Tineii α 306	Stellera xliv., 321
dasyanthes. germanica.	intermedia. globulariif.	Passerina 321
germanica 293	Limonium 304	pubescens 321
glutinosa 294	lychnidifolia 305	Stenactis lxviii., 198
heraclea 293	minuta 306	annua 198
hirta 294	minutiflora 305	bellidiflora. annua.
italica 293	monopetala 307	Sternbergia xl., 360
labiosa 294	occidentalis 305	colchiciflora 360
lanata 293	oleifolia 305	lutea 360
maritima 294	ovalifolia 305	sicula, lutea?
marrubiafolia 293	oxylepis, BOISSIER. au-	Stipa xxii., 401
palustris 293	riculifolia.	Aristella 401
pubescens 294	parvifolia. Tineii β 306	capillata 401
recta 294	psiloclada 305	junccea 401
salviæfolia. italicica.	pubescens 306	Lagaseæ, Guss. capill.
Sideritis. recta.	pygmæa. Tineii γ 306	pinnata 401
spinulosa 294	rariﬂora 304	tortilis 401
subcrenata 294		STIPACEÆ 394, 401

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

498

INDEX.

Page.	Page.	Page.
Stratiotes 1, 345 aloides 345	T. corniculatum 193 <i>Dens-Leonis. officinale.</i>	T. spinosum 296 <i>supinum. montanum</i> β 297 <i>valentinum</i> , Guss. Po-
Streptopus xli, 362 amplexifolius 362	erythrospermum 193 lævigatum 193	lium.
Struthiopteris lxxxii, 426 germanica 426	minimum 194	Thalictrum li, 1
<i>Sturmia.</i> Liparis.	obovatum 193	<i>acutilobum. fœtidum</i> β 2
Styrax xlv, 244 officinalis 244	officinale 193	<i>alpestre. fœtidum</i> γ 2
Suëda xxxi, 312 altissima 312	palustre 194	<i>alpinum</i> 1
fruticosa 312	serotinum 193	<i>angustifolium</i> 2
<i>hirsuta.</i> Kochia hirs.	tenuifolium 193	<i>aquilegifolium</i> 1
<i>hyssopifolia.</i> Kochia	Taxus lxxx., 343	<i>calabrum</i> 2
<i>hyssopifolia.</i>	baccata 343	<i>capillare, R.B. majus.</i>
maritima 312	Teesdaleia lvi., 15	<i>elatum</i> 2
setigera 312	<i>Iberis. nudicaulis.</i>	<i>exaltatum</i> 2
Subularia lvii, 17 aquatica 17	<i>Lepidium. regularis.</i>	<i>flavum</i> 2
<i>Succisa.</i> Scabiosa.	<i>nudicaulis</i> 15	<i>flexuosum, R.B. minus.</i>
Succowia lviii, 21 balearica 21	<i>petraea, R.B. Hutchinsia</i>	<i>fœtidum</i> 2
Suffrenia xvi, 127 filiformis 127	petræa.	<i>galoides</i> 2
Swertia xxxii, 246 <i>carinthiaca.</i> Lomatog.	regularis 15	<i>jaegerianum.</i> minus γ 2
<i>carinthiacum.</i>	Telekia. Bupthalmum.	<i>lucidum</i> 2
perennis 246	Telephium xxxix., 130	<i>macrocarpum</i> 428
Sympyrum xxvii., 256 bulbosum 256	Imperati 130	<i>majus</i> 2
<i>macrolepis.</i> bulbosum.	TEREBINTHACEÆ 74	<i>minus</i> 2
mediterraneum 256	Tetragonolobus lxii., 96	<i>Morisonii, R.B. angus-</i>
officinale 256	biflorus 96	<i>tifolium.</i>
<i>patens.</i> officinale β 256	conjugatus 96	<i>nigricans, DUBY.</i> an-
tuberosum 256	<i>maritimus.</i> siliquosus β 96	<i>gustifolium</i> β 2
Syrenia lix., 27 <i>angustifolia</i> 27	purpureus 96	<i>nigricans, R.B. flavum.</i>
Syringa xvi., 244 <i>vulgaris</i> 244	siliquosus 96	<i>nutans.</i> minus.
TAMARISCINEÆ 128	Teucrium. Polium β 296	<i>odoratum, Gr. & G. fœ-</i>
Tamarix xxxix., 128 <i>africana</i> 128, 431	<i>aurevire.</i> Polium β 297	<i>tidum?</i>
<i>anglica</i> 431	Botrys 297	<i>pubescens.</i> minus β 2
<i>gallica</i> 128, 431	campanulatum 297	<i>rufinerve</i> 2
<i>germanica</i> 128	<i>capitatum.</i> Polium γ 297	<i>saxatile, DUBY.</i> syl-
Tamus lxxix., 363 <i>communis</i> 363	Chamaedrys 297	<i>vaticum.</i>
Tanacetum lxi, 206 <i>annuum</i> 206	creticum 297	<i>saxatile, Gr. & G. minus?</i>
Audiberti 206	euganeum 297	<i>simplex</i> 2
Balsamita 206	<i>flavescens.</i> Polium 297	<i>spurium, Gr. & G. an-</i>
vulgare 206	<i>flavicans.</i> Polium β 297	<i>gustifolium.</i>
Taraxacum lxvii., 193 <i>alpestre</i> 194	flavum 297	<i>sylvaticum</i> 2
<i>bulbosum.</i> Ætheorhiza	<i>fruticans</i> 297	<i>tuberosum</i> 2
<i>bulbosa.</i>	latifolium 297	Thapsia xxxvii., 154
	lucidum 297	<i>fœtida</i> 154
	Marum 297	<i>garganica</i> 154
	massiliense 296	<i>villosa</i> 154
	montanum 297	THAPSIEÆ xxxiii. xxxvii., 154
	Poliūm 297	Thelygonum lxxvii., 317
	Pseudo-Chamæpitys 297	<i>Cynocrambe</i> 317
	<i>Pseudo-Hyssopus. Po-</i>	Thesium xxxi., 322
	lium.	<i>alpinum</i> 323
	Pseudo-Scorodonia 296	<i>divaricatum</i> 323
	pyrenaicum 297	<i>ebraeatum</i> 323
	scordioïdes 297	<i>humifusum.</i> linophyll.
	Scordium 297	<i>humile</i> 323
	Scorodonia 296	<i>intermedium</i> 322
	<i>siculum, Guss. Scoro-</i>	<i>linophyllum</i> 323
	<i>dona.</i>	<i>montanum</i> 322

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

499

	Page.		Page.
T. pratense	323	<i>Thyselinum</i> . Peucedanum.	
ramosum	323	<i>Tilia</i>	lxix., 65
rostratum	323	<i>corallina</i> , R.B. grandifol.	
tenuifolium	323	<i>corylifolia</i> , R.B. grandi-	
<i>Thlaspi</i>	lvi., 15	folia.	
<i>alliaceum</i>	15	<i>europaea</i>	65
<i>alpestre</i>	15	<i>grandifolia</i>	65
<i>alpinum</i>	16	<i>intermedia</i> , parvifol. β	65
<i>arvense</i>	15	<i>latibracteata</i> , R.B. grandi-	
<i>Bursa-pastoris</i> . <i>Capsella</i>		folia.	
<i>Bursa-pastoris</i> .		<i>microphylla</i> . parvifolia.	
<i>cepaeifolium</i>	16	<i>mutabilis</i> , R.B. grandifol.	
<i>luteum</i> , Guss. <i>Bivonea</i>		<i>obliqua</i> , R.B. grandifolia.	
<i>lutea</i> .		<i>parvifolia</i>	65
<i>montanum</i>	15	<i>platyphyllus</i> . grandifol.	
<i>perfoliatum</i>	15	<i>præcox</i> , R.B. grandifol.	
<i>præcox</i>	16	<i>pyramidalis</i> , R.B. gran-	
<i>rivale</i>	16	difolia.	
<i>rotundifolium</i>	16	<i>rubra</i> , GODRON	65
<i>Schrankii</i>	16	<i>tenuifolia</i> , R.B. grandifol.	
<i>virens</i> , Gr. & G. <i>alpin?</i>		<i>vitifolia</i> , R.B. grandifol.	
<i>virgatum</i> , Gr. & G. <i>al-</i>		<i>TILIACEÆ</i>	65
<i>liaceum?</i>		<i>Tillæa</i>	xxv., 131
<i>THLASPIDEÆ</i>	lvi., 14	<i>muscosa</i>	131
<i>Thrincia</i>	lvi., 177	<i>Tinea</i> , Guss. <i>Orchis</i> .	
<i>hirta</i>	177	<i>Tofieldia</i>	xliii., 373
<i>hispida</i>	177	<i>borealis</i> . palustris.	
<i>Leysseri</i> , R.B. <i>hirta</i> .		<i>calyculata</i>	373
<i>tuberosa</i>	177	<i>glacialis</i> . calyculata.	
<i>Thymelea</i> . <i>Daphne</i> .		<i>palustris</i>	373
<i>THYMELEÆ</i>	321	<i>Tolpis</i>	lxv., 174
<i>Thymus</i> . (<i>See also Cala-</i>		<i>altissima</i>	175
<i>mintha</i> .)	lii., 287	<i>barbata</i>	174
<i>angustifolius</i>	287	<i>grandiflora</i>	174
<i>capitatus</i>	288	<i>quadriaristata</i>	175
<i>cephalotus</i>	288	<i>sexaristata</i> . <i>altissima</i> β	175
<i>Chamaedrys</i> , R.B. <i>Ser-</i>		<i>umbellata</i>	174
<i>pyllum</i> .		<i>virgata</i> . <i>altissima</i> .	
<i>creticus</i> , DUBY. <i>Micro-</i>		<i>Tomasinia</i>	xxxvi., 151
<i>meria marifolia</i> .		<i>verticillaris</i>	151
<i>glabratus</i> . <i>Serpillum</i> .		<i>Tordylium</i>	xxxvi., 154
<i>Herba-Barone</i>	287	<i>apulum</i>	154
<i>humifusus</i> , R.B. <i>pan-</i>		<i>maximum</i>	154
<i>nonicus</i> .		<i>officinale</i>	154
<i>lanuginosus</i> , DUBY. <i>Ser-</i>		<i>Torilis</i>	xxxvii., 158
<i>pyllum</i> .		<i>Anthriscus</i>	158
<i>Marinosci</i> . <i>striatus</i> .		<i>helvetica</i> . <i>infesta</i> .	
<i>montanus</i> . <i>Serpull</i> . β	287	<i>heterophylla</i>	158
<i>nitidus</i> . <i>Piperella</i> .		<i>infesta</i>	158
<i>pannonicus</i>	287	<i>neglecta</i>	158
<i>parviflorus</i> . <i>Mentha Re-</i>		<i>nodosa</i>	432
<i>quiensi</i> .		<i>purpurea</i> , Guss. <i>infesta</i> ?	
<i>Piperella</i>	287	<i>Tormentilla</i> . <i>Potentilla</i> .	
<i>Serpillum</i>	287	<i>Tozzia</i>	liv., 273
<i>striatus</i>	288	<i>alpina</i>	273
<i>vulgaris</i>	287	<i>Trachelium</i>	xxx., 241
<i>Zygis</i> . <i>striatus</i> .		<i>cæruleum</i>	241

3 s 2

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

500

INDEX.

	Page.		Page.	Page.
T. congestum	88	T. pratense	90	<i>Tripleurospermum</i> . Pyreth.
Cupani	91	procumbens	93	<i>Trisetum</i>
dalmaticum	91	purpureum	89	<i>argenteum</i>
diffusum	89	repens	93	<i>Cavanillesii</i>
elegans	93	resupinatum	92	<i>condensatum</i>
<i>expansum</i> , Rb. <i>pratense</i> .		rubens	89	<i>distichophyllum</i>
filiforme	93	rupestre	92	<i>flavescens</i>
flavescens	90	<i>sativum</i> , Rb. <i>pratense</i> .		<i>gracile</i>
flavum	94	savinum	93	<i>myrianthum</i>
fragiferum	91	saxatile	90	<i>neglectum</i>
glabellum	94	scabrum	91	<i>parviflorum</i>
glomeratum	92	Sebastiani	94	<i>subspicatum</i>
hirtum	89	spadiceum	94	<i>tenue</i>
hybridum	93	speciosum	93	<i>villosum</i>
incanum	94	spinosum	92	<i>Triticum</i>
incarnatum	89	squarrosum	90	<i>acutum</i>
intermedium	89	stellatum	89	<i>estivum</i> . <i>vulgare</i> α .
isthmocarpum	92	striatum	90	<i>biflorum</i>
<i>levigatum</i> . strictum.		strictum	92	<i>cespitosum</i> . <i>Brachypodium ramosum</i> .
Lagopus	89	<i>suaveolens</i> . <i>resupinatum</i> .		<i>caninum</i>
lappaceum	88	subterraneum	91	<i>ciliatum</i> . <i>Brachypodium distachyon</i> .
latinum	91	suffocatum	91	<i>compositum</i> . <i>turgid</i> . β
leucanthum	91	supinum	91	<i>cristatum</i>
ligusticum	91	tenuiflorum	91	<i>dicoecum</i>
longestipulatum	90	tenuifolium	94	<i>divaricatum</i> . <i>Sclerochloa divaricata</i> .
Lupinaster	93	<i>Thalii</i> , Gr. & G. <i>cæpitosum</i> .		<i>durum</i>
<i>macropodium</i> , Guss. <i>angulatum</i> .		<i>thymiflorum</i> , Gr. & G. <i>saxatile</i> .		<i>elongatum</i> . <i>rigidum</i> .
maritimum	89	tomentosum	91	<i>festucoides</i> . <i>Brachypodium festucoides</i> .
medium	90	uniflorum	93	<i>glaucum</i>
michelianum	93	vesiculosum	92	<i>hispanicum</i> . <i>Brachypodium tenellum</i> .
<i>micranthum</i> , Koch. <i>forme</i> .		villosum	89	<i>hybernum</i> . <i>vulgare</i> β
<i>microphyllum</i> . <i>pratense</i> β	90	Xatardii	89	<i>juncicum</i>
minus	93	<i>Triglochin</i>	xlii., 345	<i>loliaceum</i> . <i>Sclerochloa loliacea</i> .
minutum	92	Barrelieri	346	<i>maritimum</i> . <i>Sclerochloa maritima</i> .
<i>Molinieri</i> . <i>incarnat</i> . β	89	laxiflorum	346	<i>monococcum</i>
montanum	92	maritimum	346	<i>Nardus</i> . <i>Brachypodium tenellum</i> .
multistriatum	92	palustre	345	<i>obtusiflorum</i>
mutable	92	<i>Trigonella</i>	lxii., 86	<i>panormitanum</i>
nervosum	94	corniculata	87	<i>phœnicoides</i> . <i>Brachypodium phœnicoides</i> .
nigrescens	93	Fenum-græcum	86	<i>pinnatum</i> . <i>Brachypodium pinnatum</i> .
noricum	90	gladiata	86	<i>Poa</i> . <i>Brachypodium tenellum</i> .
obscurum	91	hybrida	87	<i>polonicum</i>
ochroleucum	90	monspeliaca	87	<i>pungens</i>
pallescens	92	ornithopodioides	87	<i>repens</i>
pallidum	90	polycerata	87	<i>rigidum</i>
pannonicum	90	prostrata. gladiata.		<i>Rotboella</i> , DUBY. <i>Sclerochloa loliacea</i> .
panormitanum	94	uncinata. <i>Melilotus unc.</i>		<i>sativum</i> . <i>vulgare</i> .
<i>parisiense</i> . <i>patens</i> .		<i>Trinia</i>	xxxiv., 147	
parviflorum	92	<i>Dalechampii</i> . <i>vulg.</i> β	147	
patens	93	<i>glaberrima</i> . <i>vulgaris</i> .		
<i>Perreymondii</i> , Gr. & G. <i>parviflorum</i> ?		<i>glauca</i> . <i>vulgaris</i> .		
phleoides	91	Kitaibelii	147	
<i> pictum</i> , Rb. <i>hirtum</i> .		<i>pumila</i> . <i>vulgaris</i> .		
		vulgaris	147	
		<i>Triodia</i> . <i>Danthonia</i> .		

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INLEX.

501

Page.	Page.	Page.
T. <i>scirpeum</i> 419	U. <i>occidentalis</i> 345	V. <i>celtica</i> 169
Spelta 418	Ulex lxi., 75	dioica 170
strictum 418	europaeus 75	elongata 169
<i>sylvaticum</i> . Brach. <i>sylv.</i>	nanus 75	exaltata 170
<i>tenellum</i> . Brach. <i>tenell.</i>	provincialis 75	<i>globulariifolia</i> 170
<i>tenuiculum</i> . Br. <i>tenell.</i> 8 417	strictus 75	montana 169
<i>tuberculatum</i> . Brach. <i>tub.</i>	Ulmus xxxi., 331	officinalis 170
<i>turgidum</i> 418	campestris 331	Phu 170
<i>unilaterale</i> . Brach. <i>unil.</i>	<i>ciliata</i> . effusa. 331	<i>pyrenaica</i> 170
<i>unofoides</i> . Brach. <i>unoil.</i>	effusa 331	<i>rubra</i> . <i>Centranth. ruber.</i>
<i>villosum</i> . Secale <i>vilos.</i>	glabra 331	<i>saliunca</i> 169
<i>vulgare</i> 418	major 331	<i>sambucifolia</i> 170
Trixago lv., 270	montana 331	<i>saxatilis</i> 169
apula 270	suberosa 331	<i>supina</i> 169
<i>latifolia</i> . <i>Eufragia latif.</i>	UMBELLATÆ 141	<i>trinervis</i> . <i>Centranth. trin.</i>
<i>viscosa</i> . <i>Odontites visc.</i>	<i>Umbilicus</i> xlvi., 181	<i>tripteris</i> 170
Trochiscanthes 150	horizontalis 181	<i>tuberosa</i> 170
<i>nodiflorus</i> 150	pendulinus 181	VALERIANÆ 168
Trollius li., 8	sedoides 182	<i>Valerianella</i> . <i>Fedia.</i>
<i>europaeus</i> 8	Urospermum lxvi., 175	<i>Vallisneria</i> lxxviii., 345
Tulipa xli., 363	<i>asperum</i> . <i>picrodes</i> β 175	<i>spiralis</i> 345
apula 364	Dalechampii 175	<i>Velezia</i> xlvi., 53
<i>celsiana</i> 264	<i>picrodes</i> 175	<i>rigida</i> 53
clusiana 364	Urtica lxxvi., 330	<i>Vella</i> . <i>Carrichtera.</i>
Didieri 364	<i>balearica</i> . <i>pilulif.</i> β 331	VELLEÆ lvi., lviii., 21
gesneriana 363	dioica 330	Veratrum xliii., 373
maleolens 364	Dodartii 330	album 373
Oculus-Solis 364	hispida 330	<i>lobelianum</i> . <i>album</i> β 373
precox 363	membranacea 330	nigrum 373
scabriscapa 364	neglecta 330	VERBASCEÆ 258
serotina 364	pilulifera 330	Verbascum xxix., 259
spatulata 364	rupestris 330	<i>adulterinum</i> . <i>Thapsi-</i>
<i>strangulata</i> . <i>scabrisc.</i>	<i>sicula</i> 330	<i>formi-nigrum</i> 261
<i>sylvestris</i> 364	urens 330	<i>Alopecurus</i> , DUBY. ni-
Tunica. <i>Gypsophila.</i>	URTICÆ 330	grum.
Turgenia. <i>Caucalis.</i>	Utricularia xvi., 298	<i>ambiguum</i> . <i>Thapsi-</i>
Turritis ix., 30	Bremii 298	<i>nigrum</i> .
glabra 30	intermedia 298	<i>angustifolium</i> 260
Tussilago lxx., 212	minor 298	<i>argyrostachyon</i> , BERT.
<i>alba</i> . <i>Petasites albus.</i>	neglecta 298	<i>viminale</i> .
<i>alpina</i> . <i>Homogyne alp.</i>	vulgaris 298	<i>australe</i> . <i>phlomoides</i> .
Farfara 212	VACCINIEÆ 241	<i>austriacum</i> , R.B. Chaixi.
<i>fragrans</i> . <i>Nardosmia frag.</i>	Vaccinium xlvi., 241	bicolor 260
<i>nivea</i> . <i>Petasites niveus.</i>	intermedium 241	Bertolonii 259
<i>Petasites</i> . <i>Petasites vulg.</i>	Myrtillus 241	Blattaria 260
Typha lxxv., 379	<i>Oxycoccus</i> . <i>Oxyc. palustr.</i>	<i>blattarioides</i> . <i>Iychni-</i>
<i>angustifolia</i> 379	uliginosum 241	<i>tidi-Blattaria</i> .
<i>glauca</i> 379	Vitis-Idæa 241	Boerhavii 260
<i>latifolia</i> 379	Vaillantia. <i>Valantia.</i>	<i>candidissimum</i> . <i>mucro-</i>
<i>media</i> , DUBY. <i>minima</i> .	Valantia xxiv., 167	<i>natum</i> ?
minima 379	hispida 167	Chaixi 261
<i>minor</i> . <i>minima</i> .	muralis 167	<i>collinum</i> . <i>Thapsi-nigr.</i> 261
Shuttleworthii 379	Valeriana xvii., 169	<i>condensatum</i> . <i>phlo-</i>
TYPHACEÆ 379	<i>angustifolia</i> . offic. β 170	<i>moides</i> .
Tyrimnus. <i>Carduus.</i>	Calcitrapa. <i>Centran-</i>	conocarpum 260
Udora lxxix., 345	<i>thus</i> <i>Calcitrapa.</i>	<i>crassifolium</i> , DUBY.
		<i>montanum</i> .

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

502

INDEX.

Page.	Page.	Page.	
<i>V. cuspidatum</i> , R.B. <i>thapsif.</i>	260	<i>V. urticifolia</i>	268
<i>densiflorum</i>	260	<i>verna</i>	269
<i>floccosum</i> . <i>pulverul.</i>		<i>Vesicaria</i>	Ivii., 18
<i>garganicum</i> . <i>simplex.</i>		<i>sinuata</i>	18
<i>Gussonii</i>	261	<i>utriculata</i>	18
<i>lanatum</i> , R.B. <i>Chaixi.</i>		<i>Viburnum</i>	xxxix., 162
<i>leptostachyum</i> . <i>simplex.</i>		<i>Lantana</i>	162
<i>longifolium</i>	260	<i>Opulus</i>	162
<i>Lychnitidi-Blattaria</i> .	261	<i>Tiuis</i>	162
<i>Lychnitidi-floccosum</i> .	261	<i>Vicia</i>	lxiii., 102
<i>Lychnitis</i>	261	<i>altissima</i>	103
<i>macrurum</i> , TEN. <i>thapsif.</i>		<i>ambigua</i>	103
<i>majale</i> . <i>Boerhavii?</i>		<i>amphicarpa</i>	105
<i>mixtum</i> . <i>nigro-floccos.</i>		<i>angustifolia</i>	105
<i>montanum</i>	259	<i>argentea</i>	104
<i>mucronatum</i>	260	<i>atropurpurea</i>	104
<i>nemorosum</i> . <i>phlomoides.</i>		<i>Biebersteinii</i> , Guss. grandiflora.	
<i>nigro-floccosum</i>	261	<i>biennis</i>	103
<i>nigro-Lychnitis</i>	261	<i>bithynica</i>	104
<i>nigro-phœnieceum</i>	261	<i>Bivonaet</i>	104
<i>nigrum</i>	261	<i>Bobartii</i> . <i>angustifolia</i> β	105
<i>niveum</i>	260	<i>candoliana</i> . Cracca.	
<i>nothum</i> . <i>thapsif.-focc.</i>	261	<i>cassubica</i>	103
<i>orientale</i> . <i>Chaixi.</i>		<i>cordata</i>	105
<i>phlomoides</i>	259	<i>corsica</i>	430
<i>phœnieceum</i>	261	<i>cosentina</i> , TEN.	103
<i>plantagineum</i> , BERT.		<i>Cosentini</i> , Guss.	105
<i>montanum</i> .		<i>Cracca</i>	103
<i>Pseudo-Blattaria</i> . <i>Lych-</i>		<i>cuneata</i>	105
<i>nitidi-Blattaria</i>	261	<i>dasycarpa</i>	104
<i>pulverulentum</i>	261	<i>disperma</i>	104
<i>ramigerum</i> . <i>thapsi-</i>		<i>dumetorum</i>	103
<i>formi-Lychnitis</i>	261	<i>elegans</i>	103
<i>repandum</i>	260	<i>Faba</i>	106
<i>rotundifolium</i> , TEN.		<i>Gerardi</i>	103
<i>Boerhavii.</i>		<i>glauca</i>	104
<i>rubiginosum</i> . <i>nigro-</i>		<i>gracilis</i> . <i>Ervum grac.</i>	
<i>phœnieceum</i>	261	<i>grandiflora</i>	105
<i>schiedianum</i> . <i>nigro-</i>		<i>heterophylla</i>	
<i>Lychnitis</i>	261	<i>hirsuta</i> . <i>Ervum hirs.</i>	
<i>schottianum</i> . <i>nigro-</i>		<i>hirta</i>	106
<i>floccosum</i>	261	<i>hybrida</i>	105
<i>Schraderi</i> . <i>Thapsus.</i>		<i>lavigata</i>	106
<i>simplex</i>	260	<i>lathyroides</i>	105
<i>sinuatum</i>	260	<i>Lens</i> , Coss. <i>Ervum Lens.</i>	
<i>speciosum</i>	260	<i>leucantha</i> , Guss. <i>Er-</i>	
<i>spurium</i> . <i>thapsi.-Lych.</i>	261	<i>vum tetraspermum?</i>	
<i>thapsiforme</i>	259	<i>lutea</i>	106
<i>thapsiformi-floccosum</i> .	261	<i>maculata</i>	105
<i>thapsiformi-Lychnitis</i> .	261	<i>monantha</i> . <i>Erv. monan.</i>	
<i>thapsiformi-nigrum</i>	261	<i>narbonensis</i>	106
<i>Thapso-Lychnitis</i>	261	<i>ochroleuca</i>	103
<i>Thapso-nigrum</i>	261	<i>onobrychoides</i>	104
<i>Thapso-phœnieceum</i> .	261	<i>orbooides</i>	105
<i>Thapsus</i>	259	<i>Orobus</i> . <i>Orobus sylvat.</i>	
<i>versicolor</i> . <i>Thapso-</i>		<i>pannonica</i>	104
<i>phœnieceum</i>	261	<i>peregrina</i>	105
<i>viminale</i>	260		

Cambridge University Press

978-1-108-06246-6 - The Tourist's Flora: A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, Italy, and the Italian Islands

Joseph Woods

Index

[More information](#)

INDEX.

503

Page.	Page.	Page.
V. perennis 104	V. heterophylla 41	W. tenuifolia 150
pimpinelloides 105	hirta 39, 429	Willemetia lxvii., 194
pisiformis 103	hirto-alba. See hirta.	apargioides 194
polysperma 103	insularis, GR. & G. sylvatica.	Woodsia lxxxi., 424
Pseudo-Crassa 104	lactea 40	hyperborea 424
pyrenaica 106	lancifolia, BESSER. stricta.	ilvensis 424
sativa 105	lancifolia, THORE. lact.	Woodwardia lxxxii., 425
segetalis, RB. angustifol.	lutea 41	radicans 425
sepium 106	mirabilis 40	Wulfenia xvi., 267
serratifolia. narbonensis β 106	montana, BERT. stagnina.	carinthiaca 267
sicula. Orobus atropurpurea. grandiflora.	nummulariifolia 40	Xanthium lxxvi., 236
spuria 105	odorata 39	italicum, RB. macroc.
striata 104	palustris 39	macrocarpum 236
sylvatica 103	parvula. tricolor.	spinosum 236
syrtica 104	persicifolia. stagnina.	Strumarium 236
tenuifolia 103	pinnata 39	Xatardia, GR. & G. Angelica.
tetraspermum. Erv. tetr.	pratensis 40	XERANTHEMÆ lxvii., 235
tricolor 106	prostrata 41	Ixxiv., 235
triflora 104	pumila. pratensis.	Xeranthemum Ixxiv., 235
uncinata, RB. pannonic.	pyrenaica, DUBY. odrata?	annuum 235
villosa 104	riviniana. sylvatica β 40	cylindricum 235
VICIEÆ 75, 102	rothomagensis 41	inapertum 235
Vilfa xxii., 400	rupestris, RB. arenaria.	Zacyntha lxvii., 189
pungens 400	Ruppia. canina.	verrucosa 189
Villarsia xxviii., 246	saxatilis. tricolor β 41	Zahlbrucknera xlvi., 141
nymphæoides 246	Schultzii 40	paradoxa 141
Vinca xxix., 245	sciaphila 39	Zannichellia lxxv., 348
acutiflora 245	stagna 40	gibberosa, RB. pedicell.
herbacea 245	stricta 40	major, RB. palustris.
major 245	suavis 39	palustris 348
minor 245	sudetica, DUBY. lutea.	pedicellata 348
Vincetoxicum, Coss. Cy-	svylvatica 40	pedunculata, RB. pedicell.
nanchum.	svylestris. sylvatica.	polycarpa 348
Viola xxx., 39	tricolor 41	repens, RB. palustris.
alba 39	uliginosa 39	Zapania liv., 282
Allionii 40	valderia, RB. cenisia.	nodiflora. repens.
alpina 41	Zoysia. calcarata β 41	repens 282
ambigua 39	VIOLARIEÆ 39	Zea Mays 398
arborescens 40	Viscum lxxix., 162	Zizyphora vi., 286
arenaria 40	album 162	capitata 286
arvensis. tricolor δ 41	Oxycedri 162	tenuior 286
bannatica. tricolor γ 41	Vitaliana. Gregoria.	Zizyphus xxx., 73
Bertoloniæ, GR. & G. heterophylla.	Vitex liv., 282	Lotus 73
biflora 40	Agnus-castus 282	vulgaris 73
calcarata 41	Vitis xxx., 68	Zollikoferia lxvii., 188
campestris, RB. ambigua.	laciniosa. vinifera.	chondrilloides 188
canina 40	vinifera 68	Zostera xv., 349
cenisia 40	Vulneraria, GUSS. Anthyllis.	marina 349
collina 39	Vulpia. Festuca.	mediterranea. Phuca-
comollia 40	Wahlenbergia xxx., 240	gronis major.
cornuta 41	hederacea 241	nana 349
elatior 40	nutabunda 240	nodosa 349
epipsila 39	Wallrothia xxxv., 150	uninervis, RB. nana.
flavicornis, Sm. canina.		ZYGOPHYLLEÆ 71
gracilis. heterophylla.		Zygophyllum xlvi., 72
		Fabago 72