

INDEX.

~~~~~  
 \* \* *Lines in Italics are Woodcut illustrations.*  
 ~~~~~

- Abberley hills, 90.
 Abbeville, peat beds and flint tools of, 423.
 Abietinæ, 170.
Acanthoides, 109.
 Acephalous, or headless Mollusks, 167.
 Acrogens, viz., mosses and ferns, 89, 135.
 Adams on the Siberian Mammoth, 339.
 Adapis, 287.
 Adelsberg Cave, 380.
Adeona folifera, 216.
 Adhemar's glacial hypothesis, 388.
 Agassiz on glaciers, 392.
 Age of Angiosperms, 263.
 Agglomerate, gathered into a mass, 77.
 Ailsa Craig, 66.
Aerodius nobilis, 189.
 Air volcanoes at Turbaco, 76.
 Alabaster, crystallized gypsum, 152, 334.
 Albien of D'Orbigny, 261.
 Aleutian Isles, 82.
 Algæ, 98, 278.
 Alkaline earths, 64; waters, 78.
 Alluvial deposits, 433.
 Alps upheaved, 377; age of, 377.
 Amber, 312.
Amblypterus, 132.
 Amiens peat beds, 423.
 Ammonites, 166, 167, 185, 215, 258.
Ammonites, a perfect, 215.
Ammonite restored, 187.
Ammonites rostratus, 182.
 Amorphozoaires, 263, 265.
 Andes (volcanoes of the), 70.
Andrias Scheuchzeri, 298.
 Ancient glaciers of the Rhine,
 Linth, and the Reus, 401.
 Ancient granite, 52.
 Ancolin, 261.
 Angiosperm seeds, in a seed-vessel, 172,
 245.
 Animal of Paraguay, 358.
Annularia orifolia, 138.
 Annularia, 124.
 Anodontas, 293.
 Anoplotherium, 282, 285.
 Anopteris, 170.
 Ansted on incandescence, 23.
 Antediluvian man, 327.
 Antiquity of man, 419, 422.
 Antwerp crag, 332.
Apiocrinites rotundis, 225.
Aploceras, 132.
 Aptien, or greensand of Apt fossils, of
 Havre, of the Isle of Wight, 259.
 Aqueous rocks, 48.
 Araucaria, 170.
 Arborescent Amentaceæ, 259.
Arborescent ferns, 117.
Archæopteris, 230.
Archegosaurus minor, 138.
 Argile plastique, 291.
 Argillaceous or earthy sand, 44.
 Artificially-formed coal, 145.
Asaphus caudatus, 89.
 Asiatic deluge, 429; caused by the up-
 heaval of Caucasian range, 439.
 Ashburnham sands, 250.
 Ashdown sands, 250.
 Asteria lombricales, 185.
 Asterophyllites, 105.
Asterophyllites foliosa, 137.
Astrea longirostris, 310.
 Atherfield series of rocks, 250.
 Atlantis of Plato, 242.
 Atmosphere, or vapoury sphere surrounding
 the earth, 33; its constituents, 34.
Atrypa reticularis, 110.
 Auvergne (gold mountains of), 62.
 Avicula beads, 182.
 Azores (volcanoes of the), 70.
 Bagshot beds, 295.
 Bajocien formation, 218.
 Balena of Monte Pulgnasco, 330.
 Balenodon Lamanaia, 330.
 Baltic Sea filling up, 244.
 Banksia, 281.
 Bauman's Cave, 379.
 Baroulier's experiment, 145.
 Barton clay, 295.
 Basaltic formation, 63.
Basalt in prismatic columns, 65.
 Bathonian formation, 218.
 Bay of Fundy, 142.
 Beaver, 161.
Belemnite canaliculatus, 189.
Belemnite restored, 188.
Bellerophon costatus, 130.

- Bellerophon heuleus, 334.
 Ben Nevis, 37, 102, 161, 408.
 Bernese Alps, 377.
Beryx Lewesiensis, 258.
 Biblical account of the Noahic Deluge, 430.
 Bicarbonates, their origin, 45.
 Bird of Montmartre, 288.
 Birds of the pliocene period, 328.
Bird of Solenhofen, 228.
 Bituminous clay, 156; schists, *ib*.
 Bituminous fountains, 76.
 Black Mount, 111.
 Blown sand in Guienne, 435.
 Boccaccio's giant, 341.
 Bogs of the Danish island, 426.
 Bone beds of Sausan, 310.
 Bone bed, Ludlow, 95.
 Bone caverns, 379.
Bos priscus, 339.
 Bosses of granite, 60.
 Brachiopodes rudistes, 264.
 Bracheux sands, 291.
 Bracklesham beds, 395.
 Bradford clay, 219.
 Bradford pear encrinite, 225.
Branch of Banksia, 280.
Branch of Eucalyptus, 279.
 Bray-head cliffs, 91.
 Brecciated limestone, 152, 154.
 Bridlington beds, 330.
 Brixham cave deposits, 423.
 Bronze age, 426.
 Bryozoaires, 263, 265.
 Buckland, Dr., on the bone caverns, 381.
 Buffon and Voltaire, 14.
 Buffon on incandescence, 23.
 Buffon on man, 420.

 Caithness flags, 111.
Calamites cannaeformis, 136.
Calamite restored, 121.
 Calamodendrons, 170.
 Calcaire de la Beauce, 313.
 Calcaire grossier, 287, 292.
 Calcareous waters, 238.
 Calvados, the, 184.
Calymene Bowringii, 97.
Calymenia Sedgwickii, 110.
 Cambrian rocks, 89, 90.
 Canstadt excavations, 351.
 Cantal group of mountains, 61, 62.
 Cape de Verde Islands, 70.
 Cape Wrath, 52.
 Capilosaurus, 168.
 Caradoc limestones, 94.
 Carbonate of iron, 146.
 Carbonate of lime, its origin, 237.
 Carboniferous flora, 134; compared to islands in the Pacific, 135.
 Carboniferous limestone, 116.
 Carboniferous period, 115.
 Carboniferous rocks, 133.
 Carboniferous seas, 132.
 Carbured hydrogen, 144.
 Cardium striatulum, 230.
Caryophyllum cyathus, 314.
 Carrara marble, 334.
 Cassanion's 'De Gigantibus,' 342.
 Cavern bear, 353.
 Cavern deposits, 422.
 Caverns, their origin, 382.
 Cellaria loriculata, 216.
 Celts, ancient stone implements which have been ground into an oblong shape, 427.
 Central Alps, 377.
 Central volcanoes, 69.
 Centrifugal force, 32.
 Cephalaspis, 108.
Ceratites nodosus, 167.
Cerithium telescopium, 295.
 Cerithites, 292, 293.
Cerithium plicatum, 310.
 Cervus megaceros, 339, 355.
 Cestracions, 190.
 Cetiosaurus, 227.
 Chains of mountains, how produced, 25.
 Chalk and flints, 370.
 Chalk, effects of heat upon, 65.
 Chalk formations, 237.
Chalk of Cattolica Sicily, 243.
Chalk of the Isle of Man, 242.
Chalk of Meudon, 240.
 Chalky marl, 271.
 Changes on the surface of the earth, 9.
 Charas, 277.
 Chæropotomus, 287.
 Cheirotherium, 21, 311.
 Chemical action of water, 4.
 Chemical constituents of the earth, 34.
 Chesil Bank, 231.
 Chillesford beds, 331.
 Chimæra, 190.
 Chinese mammoth, 316.
 Chloride of sodium, 176.
 Chloritic schists, a scaly mineral substance coloured by silicate of iron, 48; abounds in Languedoc and the Alps, 49.
 Chondrites, 270.
 Clonetas, 132.
 Christiania granite and syenite, 56.
 Cinder beds of Purbeck, 233.
 Cirropodes, 224.
 Clermont-Ferrand, 68; fossils, 231.
 Climate in the Permian period, 160.
Climatus, 109.
 Clinkstone, 62.
 Coal-basin of Aveyron, 147.
 Coalbrookdale, 126.
 Coal measures, 133; of England, 148; Scotland, *ib*.; Wales, *ib*.; Belgium, *ib*.

- Coal measures, 116; time of formation, *ib.* ;
 origin, 118; composition, *ib.*
 Coal-mines of Treuil, 141.
Coccasteus, 108.
 Columnar structure of basalt, 65.
 Compact limestone, 152.
Common Anoplotherium, 286.
Comparative size of the earth, 31.
 Condensation of vapour, 39.
 Cone of ejection in volcanoes, 72.
 Cone-shaped mountains, 151.
 Conifers of the chalk, 270.
 Conglomerates, 374.
 Coniferous trees, 166, 229.
 Conifers of Jurassic times, 218.
Contortions of coal beds, 149.
 Conybeare's account of Plesiosaurus, 202.
 Copper slate of Thuringia, 153.
 Coprolites, petrified excrements of antediluvian animals, 19.
Coprolites of Ichthyosaurus, enclosing bones, 196.
Coprolite of Ichthyosaurus, showing the muscles of the intestines, 15, 197.
 Coprolites of the hyæna, 380.
 Coralline crag, 332; formations of the Jurassic period, 216.
 Coral rag, 227; of the Jurassic period, 264.
 Coral reefs of the Antilles, 264.
 Coseguina, volcano of, 70.
 Cornbrash, 219.
 Corne mountains, 264.
 Cornwall granite, 56.
 Coralline stratum of the chalk hills, 227.
 Coryphodon, 292.
 Country round Lyme Regis, 190.
 Crabs (*Pagurus*), 289, 310.
Crater of Vesuvius, 71.
 Craven fault, 101.
 Credneria, 258.
 Creopteris, 170.
 Cretaceous period, 237; fauna, 248.
 Cretaceous seas, 249; fishes of the, 257.
 Cretaceous vegetation, 245.
 Crinoides, 110.
 Crioceratites Duvali Tropæum, 236.
 Crocodileimus, 230.
 Crocodile of Maestricht, 266.
 Cromarty, quarries of, 107.
 Cromer forest, 370.
 Cross Fell, 101.
 Crust of the earth, 35.
 Cryptogamæ, 178, 245.
 Cryptomerias, 170.
 Crystalline formation, 155.
 Crystalline limestone, 152.
 Crystalline strata, 47.
 Crystalline rocks, 28.
 Cucumites, 277.
 Culm measures of Devonshire, 56.
 Cupanioïdes, 277.
Cupressocrinus crassus, 110.
 Cupressinaceæ, 170.
 Cupriferous schists, 156.
 Cuvier's account of Plesiosaurus, 203; account of Pterodactylus, 205; method of studying fossils, 14; on the destruction of species, 338; on the Mammoth, 307.
 Cyathocrinus, 132.
 Cycadaceæ, 172, 229.
Cycas Circinalis, 150.
Cypris spinigera and Waldensis, 260.
Cyrtoceras depressum, 154.
 Dammaria, 170.
 Danian beds, 271.
 Dartmoor granite, 56.
 Darwin on the coral formations, 226; on Megatheroid animals, 367.
 Dasypus, 356.
 De la Beche (Sir Henry), 18.
 Deluge, confirmed by traditions of all ancient races, 431.
 Diluvium, earth washed down by a river, and deposited in its bed, 373.
 Descartes on incandescence, 23; tourbillon, 32.
Devonian fishes, 108.
 Devonian period, 104; rocks, 111; their composition, 112.
Devonian plants, 106.
 Diameter of the earth, 35.
 Dicotyledons, 172.
 Dicorn fossil, 343.
 Diluvial fossils, 379.
Dinornis, 368.
Dinotherium restored, 300.
 Dinotherium described, 311.
 Diornis, 161.
Diplocanthus, 109.
 Direct measurement of the earth, 33.
 Dirt-bed fossils, 231.
 Dodo, 161.
 Donati's discovery, 13.
 Downs (North and South), 240.
 Downton sandstone, 95.
 Dragons of mythology, 320; personified, 207.
Draco fimbriatus, 208.
 Dryopithecus, 311.
 Dueras limestone, 227.
 Durdlestone Bay, 233.
 Dykes or veins of metal injected through other strata, 64.
 Early geologists, 13.
Earth in a gaseous state, 31.
 Edentata, the, 356.
 Echinoderms, 225, 265.
 Ehrenberg's microscopic investigations, 239.
 Electric fluid, 34.

Cambridge University Press

978-1-108-06247-3 - The World Before the Deluge

Louis Figuier Translated by Henry W. Bristow

Index

[More information](#)

- Elephant and horse, 369.
 Elephants' cemetery at Canstadt, 343.
 Elephant of the Ohio, 306.
 Ellipsoid form explained, 32.
Elephas primigenius, 307, 338.
Encrinurus lilliformis, 168.
 Emys, 227.
 Encrinures, 105.
 Endogens increasing internally, 135.
 Eocene minerals of France and England, 290.
 Eocene, 275; period, 277; its vegetation, fauna, seas, 281.
 Epilogue, 436.
 Epiornis, 367.
Equisetum (mares-tail) 120.
Equisetites columnaris, 176.
 Erratic blocks, 376, 399.
Erratic blocks of the Alps, 400.
 Encrinures, 172.
 Eruptive rocks, granite and other rocks, which have been ejected in a molten state from the centre to the surface of the earth, 11, 51; Plutonic eruptions, *ib.*; volcanic eruptions, *ib.*
Eryon archiformis, 224.
 Estimated coal measures of the world, 147.
 Etna, volcano of Mount, 70, 80.
 Ericinaceæ, 279.
 Encrinures, 159.
 European deluges, 373.
 Europe in saliferous times, 182.
 Europe in the cretaceous period, 272.
 Europe in the Jurassic period, 236.
 Europe at close of pliocene period, 333.
Eurypterus remipes, 97.
 Exogens, 135.
Exogyra conica, 272.
 Extinct volcanoes of Auvergne, 68.
- Falconer, Dr., on Brixham deposits, 423.
 Faluns, 314.
 Fans of Brecon, 111.
 Fault, a dislocation in stratification, 39.
 Fauna of the middle oolite, 229.
Felis spelæa, 338.
 Felspar, a white crystalline substance, composed of silicate of aluminum and of potash, 43.
Fenestrella retiformis, 153.
 Fingal's Cave, Staffa, 66.
 First epoch of the globe, 47.
 Fissures and ruptures in the earth's crust, 25.
Fissures near Locarno, 72.
Fissurella nimbosa, 413.
 Flabellaria, 277.
 Flint tools in peat beds, 423, 425.
 Foot-prints in rocks, 20; at Corncockle Moor, 21.
 Foraminifera, 265, 289.
Foraminifera, 131; of the chalk, 131.
- Forbes (Professor) on the pliocene marine fauna, 332.
 Forest beds, 370.
 Forest marble, 219.
 Formation of coal beds, 140.
Formation of primitive granite, 37.
 Fossils, a bone or other organic substance which has become petrified, 12.
 Fossil bones of elephants, 340.
 Fossiliferous limestone, 152.
 Fossil ivory of Siberia, 346.
 Fossil remains, 10.
 Fossil shells, properly speaking, are those in which the carbonate of lime has been washed out, and the impress of the shell left in the solid rock, 12.
 Fournet on the Drome, 261.
 Framework of the earth, 43.
 Fucoids, 105.
 Fuller's earth, 219.
Fusulina cylindrica, 131.
 Future of the earth and man considered, 437.
- Gaelenreuth, caves of, 379.
 Ganoid fishes, 107, 159.
 Garonne valley, 377.
 Gasteropodes, having the belly and the feet joined, 167.
 Gastornis, 291.
 Gault, the, 267.
 Gavials of India, 223.
 Gemerelli, the monk, 13.
 Geology, its influence on other sciences, 11; how it is to be studied, *ib.*
 Geology only a recent branch of science, 11.
Geothutis, 224.
 Geosaurus, 222.
Geysers of Iceland, 79.
 Giant's Causeway, 65.
Giant's Causeway of the Ardèche, 66.
 Gigantology, 341.
 Giornis, 161.
 Glacial period, 387.
 Glacial period, evidences of, 412.
 Glacial regions of Europe, 404.
 Glacial theory of Martins 411.
 Glaciers of Scotland, 405.
 Glaciers of Switzerland, 393.
 Glaciers of Wales, 406.
 Glaciers of the British Isles, 403.
 Glauconous formation, 262.
 Glos, coral rag of, 19.
 Glenroy lines, 408.
 Glyptodon, the, 356.
 Gneiss, a combination of silicate of aluminum, of potash and soda, 43, 48.
Goniatis evolutus, 130.
 Gorges and ravines, 25.
 Goulet, Great and Little, 261.
 Graham's Island, 82.

Cambridge University Press

978-1-108-06247-3 - The World Before the Deluge

Louis Figuier Translated by Henry W. Bristow

Index

[More information](#)

INDEX.

443

- Grampians, 112.
 Granite, a granulated rock of felspar, quartz and mica, 43; stratified or foliated, *ib.*
 Granitic eruptions, 39.
 Granite, how formed, 25; its qualities, 52.
 Granite ridges of the Alps, 397.
 Grauwacke, 146.
 Graphite limestone, 184.
 Graptolites, 91.
Gravesend chalk microscopically examined, 241.
 Great year, 390.
 Great oolite, 219.
 Greensand, upper and lower, 244, 250.
 Grongar Hill, 111.
 Grotto del Cana, 77.
Grotto des Demoiselles, 383.
 Grotto of Cheeses, Treves, 66.
Gryphæa incurva, 185.
Gryphæa obliqua, 184; virgula, 231.
 Guadersandstein, 184.
 Gymnogens, cone-seeded plants, 135.
 Gymnosperms, 135, 170, 245.
 Gypseous formation, 292.
 Gypsum, 156, 179, 287.
 Gypsum quarries of Montmartre, 292.

Hamites, 251.
Hardingera speciosa, 170.
 Hartz Mountains, 185, 379.
 Heaton beds, 295.
Head of the cave bear, 353.
Head of Hyæna spelæa, 354.
Head of Ichthyosaurus platydon, 191.
 Head of Mastodon, 302.
 Head of Mosasaurus Camperi, 269.
Head of Rhinoceros tichorhynchus, 319.
Hemicostes pyreiformis, 93.
 Hemipterous insects, 222.
 Hepaticas, 277.
Herbaceous ferns, 117.
 Herbivora of the eocene, 288.
 Herschel, Sir John, on incandescence, 23.
 Heterocercal, 153.
Halysites labyrinthica, 96.
 High rock, Tunbridge, 250.
 Hind on incandescence, 23.
 Hippurites, 264.
 Human period, 415.
 Historical, as compared with geological traces, 21.
 Holoptychius, 138.
 Homo diluvii testis, 325.
 Homocercal, 153.
 Homo sapiens, 416.
 Hopkins' theory of central heat, 27.
 Hornblende schists, 47.
 Horse and elephant, 369.
 Horse-tails, 176.
 Hunter, Dr., on the Mammoth, 307.

 Huttonian theory, 48.
 Hybodus, 190.
 Hyænodon, 288.
 Hyæna spelæa, 333.
 Hylæosaurus, 224, 227.
 Hylæosaurus, lizard of the woods, 253.
 Hypersthene, 63.
 Hypoginic rocks, 48.

 Iceland geysers, 238.
 Ichthyodorulites, 189.
Ichthyosaurus communis, 190.
Ichthyosaurus platydon, 193.
 Iguanodon, 256, 258, 269.
 Iguanodon Mantelli, 248.
 Incandescence of the globe, 11, 23, 388.
 Increase of temperature towards the centre of the earth, 10.
 Indian traditions of the father of the ox, 306.
 Inferior oolite, 218.
Injected veins of granite, 52.
 Iron age, 426.
 Isbrant Isles, 347.
 Isle of bones, 346.
 Isle of Lachon, 345.
 Isle of Purbeck, 233.
 Isle of Wight alligator, 289.
 Isolated volcanoes, 69.
 Isolated mountains, 25.

 Jarrow colliery, 126.
Jaw and tooth of Megalosaurus, 254.
Jaw of Phascolotherium, 214.
 Jaw of Scelidotherium, 363.
Jaw of Thylacotherium, 214.
 Jura Mountains, 235, 400.
 Jurassic limestone, 235.
 Jurassic period, 183.

 Kelloway clay, 226.
 Kent's Hole, 337.
 Kentish rag, 250.
 Kelauea, volcano of, 71.
 Kimmeridge, 19; clay, 230.
 Kirkdale Cave, 337, 379.
 Klagenfurth legend, 320.
 Kupferschiefer, 156.

 Labradorite, 63.
 Labyrinthodon, 288.
Labyrinthodon pachygnathus, 20.
Labyrinthodon restored, 169.
 La Coupe, crater of, 64.
 Lacustrine formations, 283.
 Lacustrine habitations, 427.
 Lacertian reptiles, 254.
 Ladies' fingers, 189.
 Lake mountains, 101.
 Dammermoor hills, 102.
 Land turtles, 168.

Cambridge University Press

978-1-108-06247-3 - The World Before the Deluge

Louis Figuier Translated by Henry W. Bristow

Index

[More information](#)

- Lapilli formations, 67.
 Laplace's theory of the earth, 30.
Le Puy chain, 68.
 Laurentian formation, 94.
 Lavic formations, 68.
 Laws of fluid bodies, 32.
 Leibnitz on the incandescence of the earth, 23; speculations, 26; fossil unicorn, 343.
 Lecoq, on ancient vegetation, 170; on the saliferous flora, 178; on the cretaceous flora, 245.
Lepidodendron elegans, 126.
Lepidodendron Sternbergii restored, 127.
Lepidodendron Sternbergii, 125, 126.
Lepidostrobus variabilis, 125.
 Lepidotus, 233.
Lepidotus gigas, 189.
 Le Puy de Dome, 62.
 Liasic period, 209; fauna, *ib.*; flora, *ib.*
 Lias, the, 183.
 Lignite, 293, 311; of Provence, 294.
 Limestone mountains, 115, 133.
 Limestone of La Beauce, 313.
 Lingula rocks, 91.
 Lipari Isles, 70, 80.
 Lithographic stone of Solenhofen, 228.
Lithostrotion, 159.
Lithostrotion basaltiforme, 131.
Lituites articulatus, 137.
Lituites cornu-arietis, 93.
 Lizard of the Meuse, 268.
 Lizard of the woods, 253.
 Llandeilo beds, 91.
 Llandoverly rocks, 103.
 Loss of Alsace, 378.
 Lomatophlojos crassicaule, 121.
Lonchopterus Bricii, 128.
 Longmynd hills, 90.
Lonsdalea floriformis, 131.
 Lophiodon, 287, 292.
 Losmocystus, 132.
 Lower Silurian rocks, 90.
 Lower Cambrian, 94.
 Lower sandstone, 152.
 Lower lias, 184.
Lower jaw of Ichthyosaurus, 195.
 Lower oolite rocks, 218.
 Lower oolite, 213.
 Lower greensand, 244.
Lower jaw of Mylodon, 365.
 Lower cretaceous period, 249.
 Lucerne giant, the, 342.
 Ludlow rocks, 94, 103.
 Lulworth Cove, 233.
Lupea pelagica, 312.
 Lycopodendrons, 120.
 Lycopods, 98.
 Lyell, Sir Charles, 18; on incandescence, 23; speculations on glaciers, 413.
 Lyme Regis, 185.
Machairodus, 255, 337.
 Machéroménil, 19.
 Macrorhynchus, 227, 233.
 Madreporas, 229.
 Maestricht quarries, 248; animal, 265.
 Magnesian limestone, 153, 156.
 Malvern hills, 90.
 Mammifers of the pliocene period, 318.
 Mammiferous didelphæ, 214.
 Mammoth, 338; of Unstrutt, 343.
 Mammoth, origin of the name, 346.
Mammoth restored, 350.
 Mastodon, 301: its discovery, 303; opinions of naturalists, *ib.*
 Mastodon Avernensis, 318.
 Mastodon angustidens, 298, 307.
Mastodon restored, 305.
 Man and animals compared, 416.
 Man's antiquity considered, 427; age of St. Acheul beds, 428; Morlat's calculation, *ib.*
 Maupertuis measures the earth in Laponia, 33.
 Mantell's, Dr., discoveries, 256.
 Marine fauna of the pliocene period, 329.
 Marl, 156; slate, 152.
 Marlstone of the lias, 185.
 Marselli's discoveries, 13.
 Marsupial mammalia, 213.
 Martins on glaciers, 394.
 Mary Anning's discoveries, 196.
 May Hill sandstone, 103.
 Mazuyer's invention, 308.
Meandrina dædalæa, 220.
 Mechanical action of water, 43.
 Midden heaps of Scandinavia, 426.
 Megalonyx, 356, 365.
 Megalosaurus, 254, 258, 269.
 Megalichthys, 138.
 Megatherium, 356, 358.
Megatherium restored, 363.
Meudon chalk microscopically examined, 210.
 Mesenc peak, 63.
Mesopithecus restored, 309.
 Mesozoic life, 244.
Metallic veins, 37.
 Metamorphosed rock, 133.
 Metamorphic rocks, minerals which have been changed in their character by heat which was not sufficiently powerful to melt them, 11, 48.
 Mexican deluge, 432.
 Mica a silicate of aluminium and potash, magnesia and oxide of iron, 43.
 Middle lias, 184.
 Middle oolite, 222.
 Millepora alicornis, 211.
 Miller's, Hugh, first lesson, 107; how he became a geologist, 18.
 Milliolites, 289, 292.

- Mining intrepidity, 9.
 Miocene, nearer the dawn, 275.
 Miocene period, 296; vegetation, *ib.*; fauna, 297.
 Miocene rocks of Greece, 310.
 Miocene vegetation, 311.
 Modifications of the earth's surface, 24.
Molar teeth of Mastodon, 302, 306.
 Molasse, or soft clay, 313.
 Molasse sandstone, 298.
 Molluscos cephalopodes, 264.
 Molluscos gasteropodes, 264.
 Mona marble, 59.
 Monocotyledons, 229.
Monitor Niloticus, 268.
 Mont D'Ores, Auvergne, 62.
 Moraines, 398.
 Moraines of Glenroy, 409.
 Moro, Lazzaro, 13.
 Mortillet on glaciers, 401.
 Moulin-Quignon chalk beds, 424.
Mount Ararat, 429.
 Mountain chains, how produced, 25.
 Mount Trafaen, 407.
 Mount Zion, 401.
 Mososaurus, 245.
 Mountain limestone, 132, 157.
 Movements of the earth, 32.
 Micaceous schists, 47; bright, shining foliated minerals, 48.
 Mud volcanoes, 74; of Italy, 76.
 Murchison's, Sir R. L., discoveries, 18; on incandescence, 23.
Murex Turonensis, 310.
 Muschelkalk, 174.
 Muschelkalk, chalk in which the mussels abound, 167.
 Mussels, *Mytilus*, 167.
 Mylodon, 356.
Mylodon restored, 364.
 Naidaceæ, 229.
 Nantwich salt works, 180.
 Nasal horn of Iguanodon, 256.
 Nothosaurus, 172.
 Nebular theory explained, 26, 32.
 Neocomian beds of France, 259.
 Neocomian formation, 250; fauna, 251.
 Neptunian philosophers, men who opposed the igneous theory, and contended that the earth was wholly formed by watery or aqueous deposits, 13.
Neuropteris gigantea, 128.
 Newer pliocene formation, 333.
 New red conglomerate, 174.
 New red sandstone, 156, 166.
 Newton, Sir I., theory, 33.
Nileus armadillo, 103.
 Nilsonia, 210.
 Norwich crag, 331, 370.
 Northern deluge, 376.
 Nothosaurus, 169.
 Nummulites, 289.
 Nummulitic limestone, 289.
 Nymphaceæ, 278.
Oculina axillaris, 83.
 Odontaspis, 257.
Odontopteris Brardii, 128.
 Oldhamia, 91.
 Old red sandstone, 104.
 Eningen formation, 298.
 Oolitic ironstone, 184.
 Oolitic sub-period, 212; flora, 217, 229.
 Oolitic fauna, 213, 229.
 Oolite upper, 227.
 Oolitic seas, fishes, 229.
 Oolite, consisting of egg-shaped crystalline grains, 234.
 Orgon limestone, 259.
 Ornithorhynchus, 194.
Orthoceras laterale, 130.
 Orthose, felspar of soda, 43.
Osmeroides Mantelli, 258.
 Ossiferous beds of Sansan, 310.
 Ossiferous caverns, 381.
 Osorno, volcano of, 70.
Otopteris acuminata, 217.
Otopteris cuneata, 217.
Otopteris dubia, 217.
 Oural Mountains, 99.
 Ovid as a geologist, 13.
 Owen on Plesiosaurus, 201.
 Oxford clay, 226.
Oxygia Guettardi, 92.
 Oysters, 186.
 Pachydermous fossils, 286.
 Pachyderms, 281.
 Pachypteris microphylla, 222.
 Parkfield colliery, 141.
 Parthenon of Athens, 378.
 Pœcilopleuron, 227.
 Pagurus, 310.
Palæocoma Fustenbergii, 185.
 Palæoniscus, 153.
 Palæontology, the study of ancient life, 21.
 Palæophognos Gesneri, 371.
 Palæotherium, 282.
Palæotherium magnum, 283.
 Palæoxyris Munsteri, 178.
 Palissy, Bernard, discoveries, 12.
 Palm-trees, Palmacites, 277.
 Pallas on the Siberian rhinoceros, 320.
 Pandanaceæ, the, 218.
 Paradoxis Tessini, 87.
Parallel lines of Glenroy, 410.
 Pandanas, 230.
Pancrinites Briareus, 162.
Patella vulgata, 181.

Cambridge University Press

978-1-108-06247-3 - The World Before the Deluge

Louis Figuier Translated by Henry W. Bristow

Index

[More information](#)

446

INDEX.

- Peaks of the Cantal chain*, 61.
 Peat deposits and shell mounds, 422.
Pecopteris lonchitica, 128.
Pecten orbicularis, 174.
Pecten Jacobæus, 331.
 Pelvis of *Megatherium*, 361.
 Pennine chain, 100; fault, 101.
Pentacrinus fasciculosus, 186.
Pentacrinus, 184.
 Perched rocks, 401.
Perfect ammonite, 224.
 Permian formation, origin of the name, 157.
 Permian period, 151.
 Permian vegetation, 152.
 Permian rocks, 156.
 Permian seas, 158.
 Permian fauna and flora, 160.
Perna Mullati, 251.
 Pernodus, 168.
Phascolotherium, 221.
 Philadelphia Museum, 305.
 Phonolite, or clinkstone, 62.
Physa fontinalis, 229.
Phytosaurus, 168.
 Pié de Lancy, 62.
 Pisolithic limestone, 272.
Pithecius antiquus, 299.
 Plastic clay, 291.
Platax altissimus, 289.
 Plateau described, 64.
 Plateau of St. Gaudens, 378.
Platemys, 227.
 Plater's giant of Lucerne, 341.
Platycrinus, 132.
Pleurotoma Babylonia, 215.
Pleurorostus, 222.
Plesiosaurus, 185, 198.
Pleuranectes, 289.
 Pliocene period, 315; its vegetation, *ib.*
 Pliocene rocks, 330.
 Plombières, wells of, 238.
 Plombières, alkaline waters of, 78.
 Plutonian philosophers, men who adopted the igneous or incandescent theory of the origin of rocks in opposition to the aqueous, 13.
 Plutonic or igneous rocks, 48.
 Plutonic eruptions, 52; ancient granite, *ib.*
Podophthalmus vigil, 311.
 Polypiers, 132, 263.
 Polypiers of Oceana, 225.
 Polypiers of the Jurassic period, 216.
 Pontigibaud mines, 77.
 Porphyry, 56; quartz, felspar, and mica, set in non-crystalline paste, 57.
 Porphyritic mountains, 151.
 Portland sandstone, 230.
 Portland limestone, 231.
 Portland quarries, 231; beds, 240.
 Post pliocene period, 336.
 Potamogeton, 278.
 Pozzuolana, 68.
 Precession of the equinoxes, 390.
Presteria, 178; *antiqua*, 177.
 PRIMITIVE EPOCH, 30.
 Primitive rocks, 29, 47.
 Prismatic structure of basalt, 65.
Productus horridus, 154.
Productus Martini, 130, 181.
 Proofs of stratification, 10.
 Prussian granitic blocks, 376.
Psaronius, 153.
Psilophyton, 106.
Pterichthys cornutus, 107.
Pterichthys, 108.
Pterodactylus brevirostris, 205.
Pterodactylus crassirostris, 204.
Pterophyllum, 210.
Pterophyllum Jøgeri, 176.
Pterygotus bilotus, 96.
 Purbeck beds, 230, 233; marble, 234.
Pygopterus, 153.
 Pyritic coal, 179.
 Pyroxene, 63.
 QUATERNARY EPOCH, 335.
 Quartzose sand, 44.
 Quartz, a silica often crystallized, 43.
 Radius of the globe, 36.
Rain-drops, impressions of, in rocks, 22.
 Raised beaches, 434.
 Ramsay, on the British islands, 336.
 Rathlin Island, 65.
 Ravines and gorges, how produced, 25.
 Red crag of Suffolk, 332.
 Red porphyry, 58.
Relative volume of the earth, 36.
Remains of Plesiosaurus macrocephalus, 201.
Rhamphorynchus, 223, 230.
Rhinoceros tichorhynchus, 320.
Rhombus minimus, 289.
 Ripple-marked sandstones, 180.
 Rocks, in geology, apply to every formation whether consolidated into stone, or merely loose earth or clay, 29.
 Rock salt, 158.
 Rock salt, its origin, 175.
 Roches moutonnées, 405.
 Rothieglende, 153.
 Ruin of Cutch, 176.
Rudistes of Lamarck, 263.
Rhyncholites, 159.
 St. Acheul gravel beds, 425, 428; probable date, *ib.*
 St. Austell granite, 60.
 St. Christopher's tooth, 312.
 Sables Inférieure, 291.
 Salamander of Oeningen, 326.

- Solfataras, 77.
 Saliferous period, 175; fauna and flora, 176; beds, 179; rocks, 179; deposits of England, 180; fossils, 181.
 Salsis, or mud volcanoes, 76.
 Salt-mines of Vielizka, 179.
 Salt-works of the Meurthe, 179.
 Sandwich Islands, 70.
 Sapindales, 277.
 Sargassum, 270.
 Saurian reptiles, 167.
 Savoy Alps, 377.
Scheuchzer's Salamander, 327.
 Schizaster, 289.
 Schistose structure, 44.
 Schists, 47.
Schistopleuron typus restored, 357.
 Scialets of the plateaux, 261.
 Scilla on Italian fossils, 13.
 Screw pines, 218.
 Sea pen, Virgularia Patagonia, 225.
 Sea water, its constituents, 176.
 Scandinavian continent, 244.
 SECONDARY EPOCH, 165.
Section of a volcano in action, 69.
 Secondary rocks, 29.
 Sedimentary rocks, 25, 28.
 Sedgwick (Professor), 18.
 Septaria concrete, 294.
 Serpentine rock, 59.
 Senonian beds, 271.
Shell of Planorbis corneus, 229.
 Siberian Mammoth, 306.
 Sicilian diluvium, 378.
Sigillaria lævigata, 124.
Sigillaria reniformis, 137.
 Siliceous limestone, 292.
 Silurian system, 17; origin of the name, 18.
 Silurian period, 88; fossils, *ib.*
Silurian plants, 98.
Sivatherium restored, 325.
 Skaptor Jokul of Iceland, 75.
 Skiddaw slates, 100.
Skeleton of Ichthyosaurus, 196.
Skeleton of Plesiosaurus, 199.
Skeleton of Palæotherium magnum and minimum, 285.
Skeleton of Mastodon, 304.
Skeleton of Mesopithecus, 309.
Skeleton of the Turin Mastodon, 317.
Skeleton of Megatherium foreshortened, 360.
Skeleton of the Mammoth, 339.
Skull of Palæotherium magnum, 284.
Skull of Plesiosaurus, 198.
 Slate formations, 47.
 Smith's, Dr. W., labours, 17.
 Smilax, 176.
 Solidification of the globe, 35.
 Somme valley peat beds, 423.
 Sonde (volcanoes of the), 70.
 Southern Grampians, 102.
 Spalacotherium, 227.
 Stalactite, crystallized bicarbonate of lime hanging from the roofs of caves, 380.
 Stalagmite, bicarbonate of lime spread over a plain surface, 380.
 Star-fishes of the lias, 185.
 Steam as a volcanic agent, 73.
 Stenosaurus, 27.
 Sternum and pelvis of Plesiosaurus, 200.
 Steno, the Danish geologist, 12.
Stigmaria, 124.
 Stone age (the), 426.
 Stone lilies, 111.
 Stratification of coal beds, 146.
 Stratified rocks, 28.
 Streptospondyles, 227.
 Stromboli, volcanic island of, 70.
Sphenopteris artemisiæfolia, 129.
 Sphenopteris, 123.
 Sphenophyllum, 139.
 Sphærodon, 168.
Spirifer trigonalis, 154.
 Submarine fauna of the gault, 264.
 Subsidence of coast line, 434.
 Succin, 312.
Succession of British strata, 213.
 Swiss Alps, 379.
 Syenite of Egypt, 54; mountains, 151.
 Talc, a compound of diallage, garnet, chlorite, chromate of iron, and silicate of magnesia, 54.
 Talcose granite, 55.
 Talus, a sloping heap of fragments at the base of a rock, 342.
 Taxodites Munsterianus, 176.
Teeth of Iguanodon, 257.
Teeth of Mastodon, 301.
 Teleosaurus, 214, 269.
 Teleosaurus cadomensis, 223.
 Tilgate Forest, 253.
 Temperature of planetary regions, 35.
 Temperature of the earth at various depths, 24.
 Terebellaria ramosissima, 163.
 Terebratulas, 172.
Terebratula alata, 45.
Terebratula canaliformis, 252; *do. lyra*, 252; *do. deformis*, 252.
Terebratula digona, 215.
 Tertiary epoch, its fauna, seas, vegetation, climate, 273.
 Terrestrial fauna of the miocene, 299.
 Turonian, 271.
 Tertiary rocks, 29, 283.
 Tetragonolepis, 189.
 Teutobocchus Rex, 308.
 Thallogen vegetation, 87, 106, 135.
 Thanet, Isle of, sand, 291.

Cambridge University Press

978-1-108-06247-3 - The World Before the Deluge

Louis Figuier Translated by Henry W. Bristow

Index

[More information](#)

448

INDEX.

- Theoretic view of a plateau*, 64.
 Thermal waters, 238.
 Thunder and lightning, 40.
 Tigers, 337.
 Tile stones, 111.
 Till formation, 370.
 Tooth of *Machairodus*, 255.
Tooth of the Mammoth, 340.
 Toulouse diluvium, 378.
 Trachytes, basalts, lava, porphyry, granite, 238.
 Trachytic formations, 61.
 Traditional bones of giants, 341.
 Transition epoch, 85.
 Transition rocks, 29, 115.
Transported blocks, 406.
 Transported rocks, 25.
Trappian grotto, Staffa, 66.
 Tree-ferns, 209.
 Triassic period, 166; flora, 170.
Trigonia margaritacea, 275.
Trigonocarpum Nöggerathi, 155.
 Trilobites, 92, 159.
 Trionyx, the turtle, 289.
Trunk of Calamites, 122.
Trunk of Sigillaria, 122.
 Trouville, 19.
 Tunbridge sand, 250.
 Tungusan traditions of the Mammoth, 348.
 Turf beds, 145.
Turrilites communis, 370.
Turrilites costatus, 253.
Turritella terebra, 253.
 Turtles, 227.
 Universal diffusion of mammoth bones, 344.
 Upheaval, swelling upwards as from internal pressure, 11.
 Upper Cambrian, 94.
 Upper cretaceous period, 270.
 Upper cretaceous period, flora and fauna, seas, 263.
 Upper greensand, 244, 271.
 Upper oolite, 227.
 Upper lias, 184.
 Upper Silurian period, 94.
Ursus spelæus, 338.
 Urganian, 259.
 Vaches Noires of La Manche, 227.
 Vale of Wardour, 233.
 Valleys, how produced, 25.
 Valley of Montmorency, 288.
 Vallisneri's discoveries, 13.
Voltzia restored, 171.
 Variegated marl, 179.
 Variegated sandstone, 173.
 Vegetation of the middle oolite, 229.
 Velay chain, 62.
 Vercors, valley of, 260.
Vespertilio Parisiensis, 289.
 Vesuvius, 79.
 Vesuvius, volcano of Mount, 71.
 Vivarais, valley of, 64.
 Volcanic islands, 82; Hyera, 83; Graham's Island, *ib.*; Japan, *ib.*; Sandwich Islands, 82.
 Volcanic mountains of Indienne, 78.
 Volcanic regions of France, 68.
 Volcanic rocks, 48.
 Volcanoes, extinct, 78.
 Volcanoes in actual activity, 79.
 Volant river, 64.
 Voltaire and Buffon, 14.
 Vosges, the, 184.
 Wadhurst clay, 250.
Walchia Schlotheimii, 155.
 Wardour vale, 233.
 Watery volcanoes, 74.
 Wealden area, its submergence, 243.
 Wealden clay, 240, 241, 249.
 Wenlock rocks, 103.
 Whale of the Rue de Dauphiné, 329.
 White chalk, its structure, Berthier's analysis, 260, 271.
 Wild man of Aveyron, 418.
 Woolhope limestone, 103.
Xiphodon gracilis, 287.
 Zamites, 210. Moreana, 222.
 Zechstein, 156.
 Zeolitic mineral, 63.
 Ziphodon, 282.
 Zoophytes of the lias, 186.
Zostera, 106, 229.

LONDON: PRINTED BY WILLIAM CLOWES AND SONS, STAMFORD STREET, AND CHANCING CROSS.