

INDEX OF GREEK WORDS

[The pages are those of the first volume except where otherwise stated.]

- ἀβιξ, ἀβάκιον 47.
 ἀγεωμέτρητος, -ον: ἀγεωμέτρητος μηδεὶς εἰσίτω (Plato) iii. 355.
 ἀδιεξιτητος, -ον, that cannot be gone through, i.e. infinite 343.
 ἀδύνατος, -ον ii. 462: ἀπαγωγὴ εἰς ἀδύνατον, &c. 372.
 αἴτημα, postulate 373.
 ἀκουσματικοί 11.
 ἀλογος, -ον, irrational 84, 90: περὶ ἀλόγων γραμμῶν καὶ ναστῶν (Democritus) 156-7, 181: ἀλογοι ὡσπερ γραμμαί (Plato) 157.
 ἀνάλημμα ii. 287.
 ἀνάλογον, proportional: used as adjective 85.
 ἀναλούμενος (*τόπος*), *Treasury of Analysis* 421-2, ii. 399, 400, ii. 426.
 ἀνάπαλιν, inversely 385: ἀνάπαλιν λύσις ii. 400.
 ἀναστρέψαντι (*ἀναστρέφω*), *convertendo* 386.
 ἀναστροφή, conversion *ib.*
 ἀναστροφικὸς (*τόπος*), a class of locus ii. 185.
 Ἀναφορικός by Hypsicles 419, ii. 213.
 ἀνελίπτειν ii. 244.
 ἀξων, axis 341.
 ἀόριστος, -ον, undefined: πλῆθος μνίδων ἀόριστον (= unknown, x) 94, ii. 456: ἐν ἀόριστῳ ii. 489, 491.
 ἀπαγωγὴ, reduction 372: ἀπ. εἰς ἀδύνατον, *reductio ad absurdum* 372.
 ἀπόδειξις, proof 370, ii. 533.
 ἀποκαταστατικός, -ή, -όν, recurring 108.
 ἀπόστασις, distance or dimension 305 *n.*, or *interval* 306 *n.*
 ἄρβηλος, 'shoemaker's knife' ii. 23, ii. 101-2, ii. 371-7.
 ἀριθμητική, theory of numbers, opp. το λογιστική 13-16.
- ἀριθμητικός, -ή, -όν: ἀριθμητικὴ εἰσαγώγη of Nicomachus 97.
 ἀριθμός, number: definitions of 'number' 69-70: in Diophantus, used for unknown quantity (x) 94, ii. 456.
 ἀριθμοστόν: reciprocal of ἀριθμός ($=x$) in Diophantus ii. 458.
 ἀρπεδούάστραι, 'rope-stretchers' 121-2, 178.
 ἄρρητος, -ον, irrational 157.
 ἀρτιάκις ἄρτιος, even-times-even 71, with Neo-Pythagoreans = 2ⁿ, 72.
 ἀρτιάκις περιττός, even-times-odd 72.
 ἄρτιοπερίττος, even-odd, restricted by Neo-Pythagoreans to form 2(2^{m+1}), 72.
 ἄρτιος, -α, ον, even 70.
 Ἀρχαῖ, a lost work of Archimedes ii. 81.
 , Αστροθεσίαι of Eratosthenes ii. 109.
 ἀστρολάβον ὅργανον of Hipparchus ii. 256.
 ἀσύμμετρος, -ον, incommensurable 157.
 ἀσύμπτωτος, -ον, non-secant ii. 227.
 ἀσύνθετος, -ον, incomposite 72.
 ἀτομος, -ον, indivisible 181: Aristotelian περὶ ἀτόμων γραμμῶν 157, 346-8.
 ἀτοπος, -ον, absurd ii. 462.
 ἀνέξανεν: τρὶς αὐξηθεῖς (Plato) 306-7.
 αὔξη, τρίτη, 297: κύβων αὔξη, 297.
 αὔξησις 305-6 *n.*
 αὐτοματοποιητική ii. 308.
 ἀψίς, segment of circle less than a semicircle ii. 314.
- Βαρουλκός of Heron ii. 309, ii. 346-7.
 Βελοποιϊκά of Heron 18, ii. 298, ii. 302, ii. 308-9.
 βιάζειν: βεβιασμένος, forced or unnatural ii. 362.

βωμίσκος, ‘little altar’, properly a wedge-shaped solid ii. 319, ii. 333: measurement of (Heron), ii. 332–3: (= σφηνίσκος) of a certain kind of solid number 107, ii. 240, ii. 315.

γεωδιασία = mensuration 16. **Γεωμετρούμενα** of Heilon ii. 318, ii. 453.

γλωχίς (arrow-head), Pythagorean name for angle 166.

γνώμων, *gnomon*, q.v.: *κατὰ γνώμονα* = perpendicular 78, 175.

γνώριμος, -ον, known: *γνώριμον*, an alternative term for δέδομένον, given ii. 537.

γνωρίμως, ‘in the recognized manner’ ii. 79.

γράμμα, ‘figure’ or proposition, of theorem of Eucl. I. 47, 144.

γραμμή: διὰ or ἐκ τῶν γραμμῶν of theoretical proof ii. 257, 258.

γραμμικές, -ή, -όν, linear: used of prime numbers 73: *γραμμικὴ ἐπιστάσεις*, ‘Considerations on Curves’, by Demetrius ii. 359: *γραμμικῶς*, graphically 93.

γράφειν, to draw or write on 159, 173: also to *prove* 203 n., 339.

δέδομένος, -η, -ον, given: senses of, ii. 537–8.

δεικνύναι, to prove 328.

δεῖν: δεῖ δῆ 371.

δεύτερος, secondary: of composite numbers 72: δεύτερα μυηᾶς (= 10,000²) 40.

διαβήτης, compasses 308, ii. 540.

διαιρέιν: διελόντι, *separando* or *dividendo* (in transformation of ratios) 386.

διαιρέσις: λόγου, separation of a ratio 386: περὶ διαιρέσεων βιβλίον, *On divisions (of figures)*, by Euclid 425.

διάστασις, dimension: περὶ διαστάσεως, a work of Ptolemy ii. 295.

διάστημα, interval 215: distance 239.

διανύλος, ‘race-course’: representations of square and oblong numbers as sums of terms 114.

διδόναι: δέδομένον, given, senses ii. 537–8.

διεξοδικὸς (*τόπος*), a species of locus ii. 185.

διεστάναι: ἐφ' ἐν διεστώς, extended one way ii. 428.

δικόλουρος, -ον, twice-truncated 107.

διοπτρα, dioptra, q.v.

διοπτρική 18.

διορίζειν: διωρισμένη τομή, *Determinate Section*, by Apollonius ii. 180.

διορισμός, definition, delimitation: two senses (1) a constituent part of a theorem or problem 370, (2) a statement of conditions of possibility of a problem 303, 319–20, 371, 377, 395, 396, 428. ii. 45–6, ii. 129–32, ii. 168, ii. 230.

διπλοῦτης, double-equation (Diophantus) ii. 468.

διπλοῦς, -ῆ, -ον: διπλῆ μηρίας = 10,000² (Apollonius) 40: διπλὴ ισοτητα, διπλὴ ισωσις, double-equation (Diophantus) ii. 468.

δοκίς, beam, a class of solid number 107, ii. 240.

δοκός = **δοκίς** ii. 315.

δραχμή, sign for, 31, 49, 50.

δύναμι: incommensurable side of square containing a non-square number of units of area 203–4: square or square root 209 n., 297: square of unknown quantity (= x^2) (Diophantus) ii. 457–8: δύναμι, ‘in square’ 187, 308: τετραπλῆ δύναμις = eighth power (Egypt) ii. 546; power in mechanics 445.

δυναμοδύναμις, square-square = fourth power (Heron) ii. 458: fourth power of unknown (Diophantus) ii. 458, ii. 546.

δυναμόκυβος, square-cube, = fifth power of unknown (Diophantus) ii. 458.

δυναμοστόν, δυναμοδυναμοστόν, &c., reciprocals of powers of unknown (Diophantus) ii. 458.

δυνασθαι, to be equivalent ‘in square’ to, i.e. to be the side of a square equal to (a given area): δυναμένη 305–6 n.

δυναστενομένη, opp. to δυναμένη 305–6 n.

εἶδος, ‘figure’ of a conic ii. 139: ‘species’ = particular power

INDEX OF GREEK WORDS

565

- of unknown, or term, in an equation (Diophantus) ii. 460.
- εἷς, μία, ἕν,* one : *ἕνα πλειώ,* ‘several ones’ (definition of ‘number’) 70.
- εἰσηγεῖσθαι,* to introduce or explain 213.
- ἐκθετις, setting-out* 370, ii. 533.
- ‘*Ἐκπετάσματα* of Democritus
- 178, 181.
- ἐκτήμορος (κύκλος)* ii. 288.
- ἐλλειψις, falling-short* (in application of areas), name given to *ellipse* by Apollonius 150, ii. 138.
- ἐλλιπής, -ές,* defective (of numbers), contrasted with *perfect* 74, 101 : Ψ *ἐλλιπὲς κάτω νενού* ii. 459.
- ἐναλλάξ,* alternately (in proportions) 385.
- ἐννοια,* notion : *κοιναὶ ἐννοιαὶ,* common notions = axioms 336.
- ἐνστασις, objection* 372, ii. 311, ii. 533.
- ἐντασις,* bulging out 6.
- ἐξελιγμός* ii. 234.
- ἐξήγησις,* elucidation ii. 223, ii. 231–2.
- ἐξηκοστόν,* or *πρῶτον ἔξι,* a 60th (= a minute), *δεύτερον ἔξι,* a second, &c. 45.
- ἐπάνθημα,* (‘bloom’) of Thymaridas : a system of linear equations solved 94.
- ἐπαφή,* contact : ‘*Ἐπαφαί, Contacts or Tangencies*, by Apollonius ii. 181.
- ἐπί,* on : *τὸ σημεῖον ἐφ' φ (or οὐ) K,* archaic for ‘the point *K*’, 199 : *ἡ ἐφ' ἡ AB,* ‘the straight line *AB*’, *ib.*
- ἐπιμερής, superpartiens,*
- = ratio $1 + \frac{m}{m+n}$, 102.
- ἐπιμόριος, superparticularis* = ratio of form $(n+1)/n$, 90, 101 : *ἐπιμόριον διάστημα* 215.
- ἐπιπεδομετρικά* ii. 453.
- ἐπισημαῖαι,* weather indications 177 n., ii. 234.
- ἐπίτριτος* = ratio $4/3$, 101 : *ἐπίτριτος πυθμήν* (Plato) 306–7.
- ἐσχατος :* τὰ ἐσχάτα, extremities 293.
- ἐτερομήκης, -ες, oblong* ; of numbers of form $m(m+1)$, 82, 108.
- εὐθυγραμμικὸς (ἀριθμός) = prime* 72.
- ἐφεκτικός,* a class of locus ii. 185, ii. 193.
- ἐφόδιον, Method* ii. 246.
- ζυγόν,* lever or balance : *περὶ ζυγῶν,* a work of Archimedes ii. 23–4, ii. 351.
- ἡμιόλιος, -α, -ον,* ratio of $3/2$, 101.
- ἡμιωβελίον, $\frac{1}{2}$ -obol*, sign for, 31, 49, 50.
- θαυματοποιīκή* 18.
- θεολογούμενα ἀριθμητικῆς* 97.
- θέσις,* position : *παρὰ θέσει* (*sc.* δέδομένην), parallel to a straight line given in position ii. 193 : *πρὸς θέσεις εὐθέους*, on straight lines given in position ii. 426.
- θυρεός, shield*, old name for ellipse 439, ii. 111, ii. 125.
- ἴλλεσθαι :* *ἰλλομένην* used by Plato of the earth 314–15.
- ἰσάκις ἵσος,* equal an equal number of times, or equal multiplied by equal 204.
- ἰσόμετρος, -ον,* of equal contour : *περὶ ἴσομέτρων σχημάτων*, by Zeno-dorus ii. 207, ii. 390.
- ἰσόπλευρος, -ον,* equilateral : of square number (Plato) 204.
- ἰσορροπία, equilibrium* : *περὶ ἴσορροπίῶν*, work by Archimedes ii. 24, ii. 351.
- ἴσος, equal* : δι’ *ἴσον, ex aequali* (in proportions) 386 : δι’ *ἴσον ἐν τε· παραγμένῃ ἀισλογίᾳ* 386.
- ἰσότης οἱ ἴσωσις, equation* ii. 468.
- ἰστορία, inquiry*, Pythagoras’s name for geometry 166.
- ἰσχύς, power* (in mechanics) 445.
- καμπτήρ,* turning-point in race-course 114.
- καμπύλος, -η, -ον,* curved 249, 341.
- κανονική, Canonice,* q.v.
- κανών, ruler* 239 : *Table* (astron.), *Προχείρων κανόνων διάτασις καὶ ψηφοφορία*, work by Ptolemy ii. 293 : *canon* (in music), v. *Κατατομή*.
- καταγράφειν :* *to inscribe in or on* (c. gen.) 131.
- Καταλόγοι, work by Eratosthenes* ii. 108.
- κατασκευάζειν* 193 n.
- κατασκευή, construction* (constituent part of proposition) 370, ii. 533.

- Καταστερισμοί**, work by Eratosthenes ii. 108.
- Κατατομὴ κανόνος**, *Sectio canonis*, attributed to Euclid 17, 444.
- κατονόμαξις τῶν ἀριθμῶν**, naming of numbers (Archimedes) ii. 23.
- κατοπτρικὴ**, theory of mirrors 18.
- κεντροβαρικά**, problems on centre of gravity ii. 24, ii. 350.
- κέντρον**, centre : ὅ ἐκ τοῦ κέντρου = radius 381.
- κερατοειδῆς** (*γωνία*) 178, 382.
- Κηρία** of Sporus 234.
- κλίειν**, inflect : **κεκλάσθαι** 337.
- κογχοειδῆς γραμμή**, *conchoid* 238.
- κοιλογύνιον** ii. 211.
- κόλουρος**, -ον, truncated ii. 333 : (of pyramidical number) 107.
- κόβικον**, *sieve* (of Eratosthenes) 16, 100, ii. 105.
- κοχλοειδῆς γραμμή**, *cochloid* 238.
- κυβόκυβος**, cube-cube, = sixth power of unknown (Diophantus) ii. 458.
- κυβοκυβοστόν**, reciprocal of **κυβόκυβος** ii. 458.
- κύβος**, cube : **κύβων αὕξη** (Plato) 297 : cube of unknown (Diophantus) ii. 458 : **κύβος ἔξελικτός** = ninth power of unknown (Egyptian) ii. 546.
- κυκλικὴ θεωρία**, *De motu circulari*, by Cleomedes ii. 235.
- κυκλικός**, -ή, -όν, *circular*, used of square numbers ending in 5 or 6, 108.
- λείπειν**: forms used to express *minus*, and sign for (Diophantus), ii. 459.
- λεῖψις**, *wanting* (Diophantus) : **λείψει** = *minus* ii. 459.
- λέξις** : **κατὰ λέξιν**, word for word 183.
- λεπτόν**, a *fraction* (Heron) 43 : = a *minute* (Ptolemy) 45.
- λῆμμα**, *lemma* 373.
- λογισμός**, calculation 13.
- λογιστική**, art of calculation, opp. to *ἀριθμητική* 13–16, 53.
- λόγος**, ratio : **λόγου ἀποτομή**, *sectio rationis*, by Apollonius ii. 175.
- μαθήματα**, subjects of instruction 10–11 : term first appropriated to mathematics by Pythagoreans 11 : **περὶ τῶν μαθημάτων**, a work by Protagoras 179.
- μαθηματικός**, -ή, -όν : **μαθηματικοί** in Pythagorean school, opp. to **ἀκονοματικοί** 11 : **Μαθηματικὴ σύνταξις** of Ptolemy ii. 273–4 : **μαθηματικά**, τὰ (Plato) 288.
- μεθόριον**, boundary ii. 449.
- μείουρον προεκαριφευμένον** (Heron), curtailed and pared in front (cf. *scarify*), of a long, narrow, triangular prism (Heib.) ii. 319.
- μέρος** : **μέρη**, *parts* (= proper fraction) dist. from **μέρος** (aliquot part) 42 (cf. p. 294).
- μετολάζον**, *mean-finder* (of Eratosthenes) ii. 104, ii. 359.
- μετέωρος**, -ον : **περὶ μετέωρων**, work by Posidonius ii. 219, ii. 231–2.
- μετεωροσκοπική** 18.
- Μετρήσεις**, *Mensurae* (Heronian) ii. 319.
- μῆκος**, length: used by Plato of side of square containing a square number of units of area 204.
- μηλίτης** (*ἀριθμός*), term for problems about numbers of apples (e.g.) 14, ii. 442.
- Μικρὸς ἀστρονομούμενος** (*τόπος*), *Little Astronomer* ii. 273.
- μνᾶ**, mina (= 1000 drachmae) : M stands for, 31.
- μοῖρα**, fraction : 1/360th of circumference or a *degree* 45, 61 : **μοῖρα τοπική**, *χρονική* (in Hypsicles) ii. 214.
- μονάς**, monad or unit 43 : definitions of, 69 : **μονάδων σύστημα** = number, 69 : **δευτερωδονμένη μονάς** = 10, **τριτονμένη μ.** = 100, &c. (Iamb.) 114 : **μονὰς θέσιν ἔχονσα** = point 69, 283.
- μορίον**, part or fraction : **μορίον** or **ἐν μορίῳ** = divided by (Diophantus) 44.
- μυριάς** (with or without **πρώτη** or **άπλη**) myriad (10,000), **μ.** δευτέρα or **διπλῆ** 10,000², &c. 40.
- ναστόν** (solid?) 156, 178.
- νεύειν**, to verge (towards) 196, 239, 337, ii. 65.
- νεύσις**, *inclinatio* or ‘verging’, a type of problem 235–41, 260, ii. 199, ii. 385 : **νεύσεις** in Archimedes ii. 65–8 : two books of **νεύσεις** by Apollonius ii. 189–92 ii. 401, ii. 412–13.

INDEX OF GREEK WORDS

567

- νύσσα**, goal or end of race-course 114.
- ὅβολός**, obol : sign for, 31, 49, 50.
- 'Ολυμπιονίκαι**, work by Eratosthenes ii. 109.
- ὅνυξ**, a wedge-shaped figure ii. 319, ii. 333.
- ὅργανοποιήκη** 18.
- ὅρθιος**, -α, -ον, right or perpendicular: *ὅρθια πλευρά*, *latus rectum* ii. 139: *ὅρθια διάμετρος*, 'erect diameter', in double hyperbola, ii. 134.
- ὅριζειν**: *ώρισμένος*, defined, i. e. determinate 94, 340.
- ὅριζων** (*κύκλος*), dividing circle : *horizon* (Eucl.) 351, 352.
- ὅρος**, (1) definition 373: (2) limit or boundary 293: (3) term (in a proportion) 306 n.
- οὐδέμια** or **οὐδέν**, sign for (0), 39, 45.
- πᾶ βῶ καὶ κινῶ τὰν γᾶν**, saying of Archimedes ii. 18.
- παρ'** ἦν δύνανται (*αἱ καταγόμεναι τεταγμένως*), expression for parameter of ordinates ii. 139.
- παραβολή**, application: *π. τῶν χωρίων*, application of areas 150: *τὰ ἐκ τῆς παραβολῆς γινόμενα σημεῖα*, the foci of a central conic, ii. 156: *parabola* (the conic) 150, ii. 138
- Παραδεξογράφοι** ii. 541.
- παράδοξος** γραμμή, paradoxical curve (of Menelaus) ii. 260-1, ii. 360.
- παράπτυγμα** 177, ii. 234.
- παρασπᾶν**, to pull awry: *παρεσπασμένος* ii. 398.
- παρισότης**, nearness to equality, approximation: *παρισότης ἀγωγῆ* (Diophantus) ii. 477, ii. 500.
- πέλεκυς**, axe-shaped figure ii. 315.
- πεμπάξειν**, to 'five' (= count) 26.
- πένταθλος** 176, ii. 104.
- περαίνουσα ποσότης** = unit, 69.
- πέρας**, limit or extremity 293: limiting surface 166: *πέρας συγκλείον*, definition of figure ii. 221.
- περισσάρτιος**, odd-even : with Neo-Pythagoreans is of form $2^{n+1}(2m+1)$, 72.
- περισσός**, -ή, -όν, odd, q.v.
- πεττεία** 19.
- πηλίκος**, -η, -ον, how great (of magnitude) 12.
- πηλικότης**, size 384.
- πλάγιος**, -α, -ον, transverse: *πλαγία διάμετρος* or *πλευρά* ii. 139.
- πλασματικός**, -όν, (easily) formable ii. 487.
- Πλιατωνική**, a work by Eratosthenes ii. 104.
- πλῆθος**, multitude: *πλῆθος ἕν* = unit, 69: *πλῆθος ὡρισμένον* = number, 70: *πλῆθος μοράδων ἀδριστον*, def. of unknown 'quantity' 94, ii. 456.
- πλινθίς**, a *brick*, a solid number of a certain form 107, ii. 240, ii. 315.
- πολλαπλασιεπιμέρης**, *multiplex superpartiens*, = ratio of form $p + \frac{m}{m+n}$, 103.
- πολλαπλασιεπιμόριος**, *multiplex superparticularis*, = ratio of form $m + \frac{1}{n}$, 103.
- πολλαπλάσιος**, -α, -ον, multiple 101.
- πολύσπαστος**, a compound pulley ii. 18.
- πόριμος**, -ον (*πορίζειν*), procurable: one sense of δεδομένος ii. 538.
- πόρισμα**, porism: (1) = corollary, (2) a certain type of proposition 372-3, ii. 533.
- ποσόν**, quantity, of number, 12.
- ποσότης**, quantity 69, 70 : number defined as *ποσότητος χύμα ἐκ μονάδων συγκέιμενον* 70.
- προρίκης**, prolate (= oblong) 203: but distinguished from *ἐπερομήκης* 88, 108.
- προσαγώγιον** 309.
- πρότασις** = enunciation 370, ii. 533.
- πρώτος**, prime 72.
- πτῶσις**, case 372.
- πιθήνη**, base; = digit 55-7, 115-17: *ἐπιτριτος πιθηνη* 306-7.
- πυραμίς**, pyramid 126.
- πύρειον**, *πύριον*, burning mirror: *περὶ πυρείων*, work by Diocles 264, ii. 200; *περὶ τοῦ πυρίον*, by Apollonius ii. 194.
- ρήτρός**, -ή, -όν, rational: used in sense of 'given' ii. 537.
- ρόπη**: *περὶ ρόπων*, a mechanical work by Ptolemy ii. 295.

568

INDEX OF GREEK WORDS

- σάλιον* of Archimedes ii. 23, ii. 103.
- σήκωμα* 49.
- σκάφη*, a form of sun-dial ii. 1, ii. 4.
- σκηνογραφική*, scene-painting 18, ii. 224.
- Σοφία*, nickname of Democritus 176
- σπέιρα*, spire or tore ii. 117: varieties of (*διεχής*, *συνεχής*, *ἐπιπελεγμένη* or *ἐπαλλάττων τα*), ii. 204.
- στάθμη*, plumb-line 78, 309.
- στατήρ*, sign for, 31.
- στερεομετρία*, solid geometry 12–13.
- στερεομετρούμενα* ii. 453.
- στηλίς*, column, a class of solid number, 107.
- στιγμή*, point 69: *στιγμὴ ἄθετος* = unit, 69.
- στοιχιώτης*, -ός, the writer of Elements (*στοιχεῖον*), used of Euclid 357.
- στρογγύλος*, -ον, round or circular 293.
- συμπέρασμα*, conclusion (of proposition) 370, ii. 533.
- σύνθετος* (*λόγου*), composition (of a ratio) 385.
- σύνταξις*, collection: Μεγάλη *σύνταξις* of Ptolemy 348, called *Μαθηματική σύνταξις* ii. 273.
- συντίθεναι*: *συνθέτει* = *componendo* (in proportion) 385.
- σύντασις*, construction 151, 158.
- σφαιρικός*, -ή, -όν, spherical: used of cube numbers ending in 5 or 6, 107–8.
- σφηκίσκος*, stake, a form of solid number, 107.
- σφρίσκος*, wedge, a solid of a certain form, measurement of, ii. 332–3: a solid number, 107, ii. 315, ii. 319.
- σχέσις*, relation 384.
- σχηματοποιεῖν*, to form a figure ii. 226.
- Τάλαντον*, sign for (T), 31, 50.
- ταράσσειν*: (*δι’ ὕδατον*) *ἐν τετραγραμένῃ ἀναλογίᾳ*, in disturbed proportion 386.
- τίσσειν*: *τεταγμένον*, assigned = *datum* ii. 192, ii. 537: *αἱ καταγόμεναι τεταγμένως* (*εὐθεῖαι*), (straight lines) drawn *ordinate-wise* = coordinates ii. 139: *τεταγμένως κατήχθαι* ii. 134.
- τάχος*, speed: *περὶ ταχῶν*, work by Eudoxus 329.
- τέλειος*, -α, -ον, perfect: *τέλειος ἀριθμός* 74, 101.
- τεταρτημόριον*, $\frac{1}{4}$ of obol, sign for, 31, 49, 50.
- τετραγωνίζειν*, to square: *ἡ τετραγωνίζουσα (γραμμῆ)*, the *quadratrix* 225, ii. 359.
- τετραγωνισμός*, squaring 173.
- τετρακτύς* 75, 99 n., 313, ii. 241.
- τετραπλῆ δύναμις* = 8th power of unknown (Egyptian term) ii. 546.
- τρήμα*, segment: used of lunes as well as segments of circles 184: segments or sectors 187–9: *τρήματα* = 1/360th parts of circumference and 1/120th parts of diameter of circle (Ptolemy) 45.
- τομέας*, shoemaker's knife, term for sector of circle 381.
- τομή*, section: *τὰ περὶ τὴν τομήν* (Proclus) 324–5.
- τόπος*, locus: classifications of loci 218–19, ii. 185: *τόποι πρὸς γραμμαῖς*, *τόποι πρὸς ἐπιφανείαις* (-α) 218–19, 439: *τόποι πρὸς μεσάπτητας* ii. 105: *τόπος ἀναλυόμενος*, *Treatment of Analysis*, q. v.
- τόρος*, circle-drawer 78, 308.
- τρίγωνος ἀριθμός*, triangular number, 15–16.
- τρικόλουρος*, thrice-truncated 107.
- τρίτλευρον*, three-side, Menelaus's term for spherical triangle ii. 262.
- τριώβολοι*, sign for, 49.
- ὑδρία ὧροσκοπεῖα*, water-clocks ii. 309.
- ὑπαρξίς*, forthcoming: *positive* term, dist. from negative (*λεῖψις*) ii. 459.
- ὑπεπιμερής*, *subsupperpartiens*, reciprocal of *ἐπιμερής* 102.
- ὑπεπιμόριος*, *subsupperparticularis*, reciprocal of *ἐπιμόριος* 101.
- ὑπερβολή*, exceeding (in application of areas): name given to *hyperbola* 150, ii. 138.
- ὑπερτέλειος*, *ὑπερτελής*, over-perfect (number) 74, 100.
- '*Υποθέσεις τῶν πλανωμένων*, work by Ptolemy ii. 293.
- ὑποπολλαπλάσιος*, *ὑποπολλαπλασιεπι-*

Cambridge University Press

978-1-108-06307-4 - A History of Greek Mathematics: Volume 2

T. L. Heath

Index

[More information](#)

INDEX OF GREEK WORDS

569

$\muερύς$, ὑποπολλαπλασιεπιμόριος, &c.	$\chiείρ$, <i> manus</i> , in sense of number of men 27.
101–3.	$\chiειροβάλλιστρα$ ii. 309.
$\hat{\eta}\piοτείνειν$, subtend 193 n.	$\chiρούά$, colour or skin: Pythagorean name for surface 166, 293.
$\hat{\eta}\sigmaπληξ$, starting-point (of race-course) 114.	$\chiρογραφία$, work by Eratosthenes ii. 109.
$\Phiάσεις$ ἀπλανῶν ἀστέρων, work by Ptolemy, ii. 293.	$\chiρώμα$, colour (in relation to surface) 293.
$\phiιαλίτης$ ($\hat{\alpha}\rhoιθμός$), (number) of bowls (in simple algebraical problems) 14, ii. 442.	$\chiωρίον$, area 300 n.: $\chiωρίον$ $\hat{\alpha}\piοτομή$, <i>sectio spatii</i> , by Apollonius ii. 179.
Φιλοκαλία, by Geminus ii. 223.	$\Psiηφοφορία$ <i>κατ' Ινδούς</i> ii. 546.
$\chiαλκοῦς$ ($\frac{1}{8}$ th of obol), sign for, 31 : 48, 50.	' $\Omegaκυτόκιον$ of Apollonius 234, ii. 194. ii. 253.

Cambridge University Press

978-1-108-06307-4 - A History of Greek Mathematics: Volume 2

T. L. Heath

Index

[More information](#)

ENGLISH INDEX

[The pages are those of the first volume except where otherwise stated.]

- | | |
|---|--|
| <p>Abacus 46–8.
 <i>'Abdelmelik al-Shirāzī</i> ii. 128.
 Abraham Echellensis ii. 127.
 Abū Bekr Muh. b. al-Hasan al-Karkhī, <i>see</i> al-Karkhī.
 Abū 'l Fath al-Isfahānī ii. 127.
 Abū 'l Wafā al-Būzjānī ii. 328, ii. 450, ii. 453.
 Abū Nasr Maṇṣūr ii. 262.
 <i>Achilles</i> of Zeno 275–6, 278–80.
 Adam, James, 305–7, 313.
 Addition in Greek notation 52.
 Adrastus ii. 241, 243, 244.
 Aētius 158–9, 163, ii. 2.
 'Aganis': attempt to prove parallel-postulate 358, ii. 228–30.
 Agatharchus 174.
 Ahmes (Papyrus Rhind) 125, 130, ii. 441.
 Akhmīm, Papyrus of, ii. 543–5.
 Albertus Pius ii. 26.
 Al-Chāzīnī ii. 260–1.
 Alexander the 'Aetolian' ii. 242.
 Alexander Aphrodisiensis 184, 185, 186, 222, 223, ii. 223, ii. 231.
 Alexeieff, ii. 324–5 <i>n.</i>
 <i>Al-Fakhrī</i>, by al-Karkhī 109, ii. 449–50.
 Algebra: beginnings in Egypt ii. 440: <i>hau</i>-calculations ii. 440–1: Pythagorean, 91–7: <i>epantheme</i> of Thymaridas 94–6.
 Algebra, geometrical, 150–4: application of areas (q.v.) 150–3: scope of geometrical algebra 153–4: method of proportion <i>ib.</i>
 Al-Hajjāj, translator of Euclid, 362: of Ptolemy ii. 274.
 Alhazen, problem of, ii. 294.
 <i>Al-Kāfi</i> of al-Karkhī 111.
 Al-Karkhī: on sum of $1^3 + 2^3 + \dots + n^3$ 109–10, 111, ii. 51, ii. 449.</p> | Allman, G. J. 134, 183.
<i>Almagest</i> ii. 274.
Alphabet, Greek: derived from Phoenician, 81–2: Milesian, 33–4: quasi-numerical use of alphabet, 35–6 <i>n.</i>
Alphabetic numerals 31–40, 42–4.
Amasis 4, 129.
Amenemhat I 122, III 122.
Ameristus 140, 141, 171.
Amyclas (better Amyntas) 320–1.
Amyntas 320–1.
<i>Analemma</i> of Ptolemy ii. 286–92: of Diodorus ii. 287.
Analysis: already used by Pythagoreans 168: supposed invention by Plato 291–2: absent from Euclid's <i>Elements</i> 371–2: defined by Pappus ii. 400.
Anatolius 11, 14, 97, ii. 448, ii. 545–6.
Anaxagoras: explanation of eclipses 7, 162, 172: moon borrows light from sun 138, 172, ii. 244: centrifugal force and centripetal tendency 172–3: geometry 170: tried to square circle 173, 220: on perspective 174: in <i>Erastae</i> 22, 174.
Anaximander 67, 177: introduced <i>gnomon</i> 78, 139, 140: astronomy 139, ii. 244: distances of sun and moon 139: first map of inhabited earth <i>ib.</i>
Anaximenes ii. 244.
Anchor-ring, <i>see</i> Tore.
Anderson, Alex., ii. 190.
Angelo Poliziano ii. 26.
Angle 'of a segment' and 'of a semicircle' 179: 'angle of contact' 178–9, ii. 202.
Anharmonic property, of arcs of great circles ii. 269–70: of straight lines ii. 270, ii. 420–1. |
|---|--|

ENGLISH INDEX

571

- Anthemius of Tralles 243, ii. 194, ii. 200–3, ii. 518, ii. 540, ii. 541–3.
- Antiphon 184, 219, 221–2, 224, 271.
- Āpastamba-Śulba-Sūtra* 145–6.
- Apelt, E. F. 330.
- Apelt, O. 181 *n.*, 182.
- Apices* 47.
- Apollodorus, author of *Chronica*, 176.
- Apollodorus ὁ λογιστικός: distich of, 131, 133, 134, 144, 145.
- Apollonius of Perga ii. 1, ii. 126. Arithmetic: ὀκυρόκινοι 234, ii. 194, ii. 253 (approximation to π , *ib.*), ‘tetrads’ 40, continued multiplications 54–7.
- Astronomy ii. 195–6: A. and Tycho Brahe 317, ii. 196: on epicycles and eccentrics ii. 195–6, ii. 243; trigonometry ii. 253.
- Conics* ii. 126–75: text ii. 126–8, Arabic translations ii. 127, prefaces ii. 128–32, characteristics ii. 132–3: conics obtained from oblique cone ii. 134–8, prime property equivalent to Cartesian equation (oblique axes) ii. 139, new names, *parabola*, &c. 150, 167, ii. 138, transformation of coordinates ii. 141–7, tangents ii. 140–1, asymptotes ii. 148–9, rectangles under segments of intersecting chords ii. 152–3, harmonic properties ii. 154–5, focal properties (centroid conics) ii. 156–7, normals as maxima and minima ii. 159–67, construction of normals ii. 166–7, number of normals through point ii. 163–4, propositions giving evolute ii. 164–5.
- On contacts* ii. 181–5 (lemmas to, ii. 416–17), three-circle problem ii. 182–5.
- Sectio rationis* ii. 175–9 (lemmas to, ii. 404–5).
- Sectio spatii* ii. 179–80, ii. 337, ii. 339.
- Determinate section* ii. 180–1 (lemmas to, ii. 405–12).
- Comparison of dodecahedron and icosahedron 419–20, ii. 192.
- Duplication of cube 262–3, ii. 194.
- ‘General treatise’ ii. 192–3, ii. 253: on Book I of Euclid 358. $\nuένπεις$ ii. 68, ii. 189–92 (lemmas to, ii. 412–16), rhombus-problem ii. 190–2, square - problem ii. 412–13.
- Plane Loci* ii. 185–9 (lemmas to, ii. 417–19).
- On cochlias* 232, ii. 193, ‘sister of cochloid’ 225, 231–2, *On irrationals* ii. 193, *On the burning mirror* ii. 194, ii. 200–1.
- Application of areas 150–3: method attributed to Pythagoras 150, equivalent to solution of general quadratic 150–2, 394–6.
- Approximations to $\sqrt{2}$ (by means of ‘side-’ and ‘diameter-’ numbers) 91–3, (Indian) 146: to $\sqrt{3}$ (Ptolemy) 45, 62–3, (Archimedes) ii. 51–2: to π 232–5, ii. 194, ii. 253: to surds (Heron) ii. 323–6, cf. ii. 547–9, ii. 553–4: to cube root (Heron) ii. 341–2.
- Apuleius of Madaura 97, 99.
- Archibald, R. C. 425 *n.*
- Archimedes 3, 52, 54, 180, 199, 202, 203 *n.*, 213, 217, 224–5, 229, 234, 272, ii. 1.
- Traditions ii. 16–17, engines ii. 17, mechanics ii. 18, general estimate ii. 19–20.
- Works: character of, ii. 20–2, works extant ii. 22–3, lost ii. 23–5, 103; text ii. 25–7, MSS. ii. 26, editions ii. 27: *The Method* ii. 20, 21, 22, 27–34, ii. 246, ii. 317–18: *On the Sphere and Cylinder* ii. 34–50: *Measurement of a circle* ii. 50–6, ii. 253: *On Conoids and Spheroids* ii. 56–64: *On Spirals* 230–1, ii. 64–75 (cf. ii. 377–9), ii. 556–61: *Sand-reckoner* ii. 81–5: *Quadrature of Parabola* ii. 85–91: mechanical works, titles ii. 23–4, *Plane equilibria* ii. 75–81: *On Floating Bodies* ii. 91–7, problem of crown ii. 92–4: *Liber assump-torum* ii. 101–3: Cattle-problem 14, 15, ii. 23, ii. 97–8, ii. 447: *Catoptrica* 444, ii. 24.
- Arithmetic: octads 40–1, fractions 42, value of π 232–3, 234, ii. 50–6: approximations to $\sqrt{3}$ ii. 51–2.
- Astronomy ii. 17–18, sphere-

Cambridge University Press

978-1-108-06307-4 - A History of Greek Mathematics: Volume 2

T. L. Heath

Index

[More information](#)

572

ENGLISH INDEX

- making ii. 18, on Aristarchus's hypothesis ii. 3-4.
- Conics, propositions in, 438-9, ii. 122-6.
- Cubic equation solved by conics ii. 45-6.
- On Democritus 180, 327, equality of angles of incidence and reflection ii. 353-4, integral calculus anticipated ii. 41-2, 61, 62-3, 74, 89-90: Lemma or Axiom of A. 326-8, ii. 35: *νεύστεις* in, ii. 65-8 (Pappus on, ii. 68): on semi-regular solids ii. 98-101: triangle, area in terms of sides ii. 103: trisection of any angle 240-1.
- Archytas 2, 170, 212-16, ii. 1: on *μαθήματα* 11, on *logistic* 14, on 1 as odd-even 71: on means 85, 86: no mean proportional between n and $n+1$, 90, 215: on music 214: mechanics 213: solution of problem of two mean proportionals 214, 219, 245, 246-9, 334, ii. 261.
- Argyrus, Isaac, 224 n., ii. 555.
- Aristaeus: comparison of five regular solids 420: *Solid Loci* (conics) 438, ii. 116, 118-19.
- Aristaeus of Croton 86.
- Aristarchus of Samos 43, 139, ii. 1-15, ii. 251: date ii. 2: *σκάφη* of, ii. 1: anticipated Copernicus ii. 2-3: other hypotheses ii. 3, 4: treatise *On sizes and distances of Sun and Moon* ii. 1, 3, 4-15, trigonometrical purpose ii. 5: numbers in, 39: fractions in, 43.
- Aristonophus, vase of, 162.
- Aristophanes 48, 161, 220.
- Aristotelian treatise on indivisible lines 157, 346-8.
- Aristotherus 348.
- Aristotle 5, 120, 121: on origin of science 8: on mathematical subjects 16-17: on first principles, definitions, postulates, axioms 336-8.
- Arithmetical reckoning by tens 26-7, why 1 is odd-even 71: 2 even and prime 73: on Pythagoreans and numbers 67-9: on the gnomon 77-8, 83.
- Astronomy: Pythagorean system 164-5, on hypothesis of concentric spheres 329, 335, ii. 244, on Plato's view about the earth 314-15.
- On the continuous and infinite 342-3: proof of incommensurability of diagonal 91: on principle of exhaustion 340: on Zeno's paradoxes 272, 275-7, 278-9, 282: on Hippocrates 22: encomium on Democritus 176.
- Geometry: illustrations from, 335, 336, 338-40, on parallels 339, proofs differing from Euclid's 338-9, propositions not in Euclid 340, on quadratures 184-5, 221, 223, 224 n., 271, on quadrature by lunes (Hippocrates) 184-5, 198-9: on Plato and regular solids 159: curves and solids in A. 341.
- Mechanics 344-6, 445-6: parallelogram of velocities 346: 'Aristotle's wheel' ii. 347-8.
- Aristoxenus 24 n., 66.
- Arithmetic (1) = theory of numbers (opp. to *λογιστική*) 13-16: early 'Elements of Arithmetic' 90, 216: systematic treatises, Nicomachus *Introd. Ar.* 97-112, Theon of Smyrna 112-3, Iamblichus, Comm. on Nicomachus 113-15, Domninus ii. 538. (2) Practical arithmetic: originated with Phoenicians 120-1, in primary education 19-20.
- Arithmetic mean, defined 85.
- Arithmetica of Diophantus 15-16, ii. 449-514.
- Arithmetical operations: see Addition, Subtraction, &c.
- Arrow of Zeno 276, 280-1.
- Āryabhaṭṭa 234.
- Asclepius of Tralles 99.
- Astronomy in elementary education 19: as secondary subject 20-1.
- Athelhard of Bath, first translator of Euclid 362-4.
- Athenaeus 144, 145.
- Athenaeus of Cyzicus 320-1.
- 'Attic' (or 'Herodianic') numerals 30-1.
- August, E. F. 299, 302, 361.
- Autolycus of Pitane 348: works *On the moving Sphere* 348-52, *On Risings and Settings* 352-3: relation to Euclid 251-2.
- Auverus, C. ii. 26.
- Axioms: Aristotle on, 336: = *Common Notions* in Euclid 376: Axiom of Archimedes 326-8, ii. 35.

Cambridge University Press

978-1-108-06307-4 - A History of Greek Mathematics: Volume 2

T. L. Heath

Index

[More information](#)

ENGLISH INDEX

573

- Babylonians: civilization of, 8, 9 : system of numerals 28-9 : sexagesimal fractions 29 : 'perfect proportion' 86.
- Bachet, editor of Diophantus ii. 454-5, ii. 480.
- Bacon, Roger: on Euclid 367-8.
- Baillet, J. ii. 543.
- Baldi, B. ii. 308.
- Barlaam ii. 324 *n.*, ii. 554-5.
- Barocius ii. 545.
- Barrow, I., edition of Euclid, 369-70 : on Book V 384.
- Bathyycles 142.
- Bāudhāyana Ś. S. 146.
- Baynard, D. ii. 128.
- Benecke, A. 298, 302-3.
- Benedetti, G. B. 344, 446.
- Bertrand, J. ii. 324 *n.*
- Bessarion ii. 27.
- Besthorn, R. O. 362, ii. 310.
- Billingsley, Sir H. 369.
- Björnbo, A. A. 197 *n.*, 363, ii. 262.
- Blass, C. 298.
- Blass, F. 182.
- Boeckh, A. 50, 78, 315.
- Boëtius 37, 47, 90 : translation of Euclid 359.
- Boissonade ii. 538.
- Bombelli, Rafael, ii. 454.
- Borchardt, L. 125, 127.
- Borelli, G. A. ii. 127.
- Bouillaud (Bullialdus) ii. 238, ii. 556.
- Braunmühl, A. von, ii. 268-9 *n.*, ii. 288, ii. 291.
- Bretton (de Champ), P. 436, ii. 360.
- Bretschneider, C. A. 149, 183, 324-5, ii. 539.
- Brochard, V. 276-7, 279 *n.*, 282.
- Brougham, Lord, 436.
- Brugsch, H. K. 124.
- Bryson 219, 223-5.
- Burnet, J. 203 *n.*, 285, 314-15.
- Butcher, S. H. 299, 300.
- Buzengeiger ii. 324 *n.*
- Cajori, F. 283 *n.*
- Calculation, practical: the abacus 46-8, addition and subtraction 52, multiplication (i) Egyptian 52-3 (Russian ? 53 *n.*), (ii) Greek 53-8, division 58-60, extraction of square root 60-3, of cube root 63-4, ii. 341-2.
- Callimachus 141-2.
- Callippus: Great Year 177: system of concentric spheres 329, 335, ii. 244.
- Cambyses 5.
- Camerarius, Joachim, ii. 274.
- Camerer, J. G. ii. 360.
- Campanus, translator of Euclid 363-4.
- Canonic* = theory of musical intervals 17.
- Cantor, G. 279.
- Cantor, M. 37-8, 123, 127, 131, 135, 182, ii. 203, ii. 207.
- Carpus of Antioch 225, 232, ii. 359.
- Case* ($\pi\tau\omega\sigma\tau$) 372, ii. 533.
- Cassini ii. 206.
- Casting out nines 115-17, ii. 549.
- Catoptric*, theory of mirrors 18.
- Catoptrica*: treatises by Euclid (?) 442, by Theon (?) 444, by Archimedes 444, and Heron 444, ii. 294, ii. 310, ii. 352-4.
- Cattle-problem of Archimedes 14, 15, ii. 23, ii. 97-8, ii. 447.
- Cavalieri, B. 180, ii. 20.
- Censorinus 177.
- Centre of gravity: definitions ii. 302, ii. 350-1, ii. 430.
- Ceria Aristotelica* ii. 531.
- Chalcidius ii. 242, 244.
- Chaldaeans: measurement of angles by *ells* ii. 215-16: order of planets ii. 242.
- Charmandrus ii. 359.
- Chasles, M. ii. 19, 20 : on Porisms 435-7, ii. 419.
- Chords, Tables of, 45, ii. 257, ii. 259-60.
- Chrysippus 179: definition of unit 69.
- Cicero 144, 359, ii. 17, 19.
- Circle: division into degrees ii. 214-15 : squaring of, 173, 220-35, Antiphon 221-2, Bryson 223-4, by Archimedes's spiral 225, 230-1, Nicomedes, Dinostratus, and quadratrix 225-9, Apollonius 225, Carpus 225; approximations to π 124, 232-5, ii. 194, ii. 258, ii. 545,
- Cissoid of Diocles 264-6.
- Clausen, Th. 200.
- Cleanthes ii. 2.
- Cleomedes: 'paradoxical' eclipse 6 : *De motu circulari* ii. 235-8, 244.
- Cleonides 444.
- Cochlias* 232, ii. 193.

- Cochloids* 238-40: ‘sister of cochloid’ 225, 231-2.
- Coins and weights, notation for, 31.
- Columella ii. 303.
- Commandinus, F., translator of Euclid, 365, 425, Apollonius ii. 127, *Analemma* of Ptolemy ii. 287, *Planispherium* ii. 292, Heron’s *Pneumatica* ii. 308, Pappus ii. 360, Serenus ii. 519.
- Conchoid of Nicomedes 238-40.
- Conclusion* 370, ii. 533.
- Cone: Democritus on, 179-80, ii. 110: volume of, 176, 180, 217, 327, 413, ii. 21, ii. 332: volume of frustum ii. 334: division of frustum in given ratio ii. 340-3.
- Conic sections: discovered by Menaechmus 252-3, ii. 110-16: Euclid’s *Conics* and Aristaeus’s *Solid Loci* 438, ii. 116-19: propositions included in Euclid’s *Conics* ii. 121-2 (focus-directrix property 243-4, ii. 119-21), conics in Archimedes ii. 122-6: names due to Apollonius 150, ii. 138: Apollonius’s *Conics* ii. 126-75: conics in *Fragmentum Bobiense* ii. 200-203: in Anthemius ii. 541-3.
- Conon of Samos ii. 16, ii. 359.
- Construction* 370, ii. 533.
- Conversion of ratio (convertendo)* 386.
- Cook-Wilson, J. 300 n., ii. 370.
- Counter-earth 164.
- Croesus 4, 129.
- Ctesibius 213: relation to Philon and Heron ii. 298-302.
- Cube: called ‘geometrical harmony’ (Philolaus) 85-6.
- Cube, duplication of: history of problem 244-6: reduction by Hippocrates to problem of two mean proportionals 2, 183, 200, 245: solutions, by Archytas 246-9, Eudoxus 249-51, Menaechmus 251-5, ‘Plato’ 255-8, Eratosthenes 258-60, Nicomedes 260-2, Apollonius, Philon, Heron 262-4, Diocles 264-6, Sporus and Pappus 266-8: approximation by plane method 268-70.
- Cube root, extraction of, 63-4: Heron’s case ii. 341-2.
- Cubic equations, solved by conics, 237-8, ii. 45-6, ii. 46; particular case in Diophantus ii. 465, ii. 512.
- Curtze, M. 75 n., ii. 309.
- Cyrus 129.
- Dactylus*, 1/24th of ell, ii. 216.
- Damastes of Sigeum 177.
- Damianus ii. 294.
- Darius-vase 48-9.
- D’Armagnac, G. ii. 26.
- Dasyopodus ii. 554 n.
- De la Hire ii. 550.
- De levi et ponderoso* 445-6.
- Decagon inscribed in circle, side of, 416: area of, ii. 328.
- Dee, John, 369, 425.
- Definitions: Pythagorean 166: in Plato 289, 292-4: Aristotle on, 337: in Euclid 373: *Definitions* of Heron, ii. 314-16.
- Demetrius of Alexandria ii. 260, ii. 359.
- Democritus of Abdera 12, 119, 121, 182: date 176, travels 177: Aristotle’s encomium 176: list of works (1) astronomical 177, (2) mathematical 178: on irrational lines and solids 156-7, 181: on angle of contact 178-9: on circular sections of cone 179-80, ii. 110: first discovered volume of cone and pyramid 176, 180, 217, ii. 21: atoms mathematically divisible *ad inf.* 181: ‘Ἐκπετάσματα’ 178, 181: on perspective 174: on Great Year 177.
- Dercyllides ii. 244.
- Descartes 75 n., 279.
- Dicaearchus ii. 242.
- Dichotomy* of Zeno 275, 278-80.
- Diels, H., 142 n., 176, 178, 184, 188.
- Digamma: from Phoenician Vau 32: signs for, *ib.*
- Digit* 27.
- Dinostratus 225, 229, 320-1, ii. 359.
- Diocles: inventor of cissoid 264-6: solution of Archimedes *On Sph. and Cyl.* II. 4, ii. 47-8: on burning-mirrors ii. 200-3.
- Diodorus (math.): on parallel-postulate 358: *Analemma* of, ii. 287, ii. 359.
- Diodorus Siculus 121, 141, 142, 176.
- Diogenes Laertius 144, 145, 177, 291.
- Dionysius, Plato’s master, 22.
- Dionysius, a friend of Heron, ii. 306.
- Dionysodorus ii. 46, ii. 218-19, ii. 334-5.
- Diophantus of Alexandria: date ii.

Cambridge University Press

978-1-108-06307-4 - A History of Greek Mathematics: Volume 2

T. L. Heath

Index

[More information](#)

ENGLISH INDEX

575

- 448: works and editions ii. 448–55: *Arithmetica* 15–16: fractions in, 42–4: notation and definitions ii. 455–61: signs for unknown (x) and powers ii. 456–9; for *minus* ii. 459: methods ii. 462–79: determinate equations ii. 462–5, 484–90: indeterminate analysis ii. 466–76, 491–514: ‘Porisms’ ii. 449, 450, 451, ii. 479–80: propositions in theory of numbers ii. 481–4: conspectus of *Arithmetica* ii. 484–514: *On Polygonal Numbers* 16, 84, ii. 514–17: ‘*Moriastica*’ ii. 449.
- Dioptora* 18, ii. 256: Heron’s *Dioptora* ii. 345–6.
- Division: Egyptian method 58, Greek 58–60: example with sexagesimal fractions (Theon of Alexandria) 59–60.
- Divisions (of Figures)*, *On*, by Euclid 425–30: similar problems in Heron ii. 336–40.
- Dodecagon, area of, ii. 328.
- Dodecahedron: discovery attributed to Pythagoras or Pythagoreans 65, 141, 158–60, 162: early occurrence 160: inscribed in sphere (Euclid) 418–19, (Pappus) ii. 369: Apollonius on, 419–20: volume of, ii. 335.
- Dominicus ii. 538.
- Dositheus ii. 34.
- Duhem, P. 446.
- Dupuis, J. ii. 239.
- Earth: measurements of, ii. 82, (Eratosthenes) ii. 106–7, (Posidonius) ii. 220.
- Ecliptic: obliquity discovered by Oenopides 174, ii. 244: estimate of inclination (Eratosthenes, Ptolemy) ii. 107–8.
- Eckphantus 317, ii. 2.
- Edfu, Temple of Horus 124.
- Egypt: priests 4–5, 8–9: relations with Greece 8; origin of geometry in, 120–2: orientation of temples 122.
- Egyptian mathematics: numeral system 27–8, fractions 28, multiplication, &c. 14–15, 52–3: geometry (mensuration) 122–8: triangle (3, 4, 5) right-angled 122, 147: value of π 124, 125: measurement of pyramids 126–8: maps (regional) 139: algebra in Papyrus Rhind, &c. ii. 440–1.
- Eisenlohr, A. 123, 126, 127.
- Eisenmann, H. J. ii. 360.
- Elements: as known to Pythagoreans 166–8: progress in, down to Plato 170–1, 175–6, 201–2, 209–13, 216–17: writers of Elements, Hippocrates of Chios 170–1, 201–2, Leon, Theudius 320–1: other contributors to, Leodamas, Archytas 170, 212–13, Theaetetus 209–12, 354, Hermotimus of Colophon 320, Eudoxus 320, 323–9, 354: *Elements of Euclid* 357–419: the so-called ‘Books XIV, XV’, 419–21.
- Ell*, as measure of angles ii. 215–16.
- Empedocles: on Pythagoras 65.
- Eneström, G. ii. 341–2.
- Enneagon: Heron’s measurement of side ii. 259, of area ii. 328–9.
- Epanthema* of Thymaridas (system of simple equations) 94: other types reduced to, 94–6.
- Equations: simple, in Papyrus Rhind, &c. ii. 441: in *epanthema* of Thymaridas and in Iamblichus 94–6: in Greek anthology ii. 441–3: indeterminate, see Indeterminate Analysis: *see also* Quadratic, Cubic.
- Eratosthenes ii. 1, 16: date, &c. ii. 104: *sieve (κόσκινον)* for finding primes 16, 100, ii. 105: on duplication of cube 244–6, 251, 258–60: the *Platonicus* ii. 104–5: *On Means* ii. 105–6, ii. 359: *Measurement of earth* ii. 106–7, ii. 242, ii. 346: astronomy ii. 107–9: chronology and *Geographica* ii. 109: on *Octaëteris ib.*
- Erycinus ii. 359, 365–8.
- Euclid 2–3, 93, 131: date, &c. 354–6: stories of, 25, 354, 357: relation to predecessors 354, 357: Pappus on, 356–7.
- Arithmetic: classification and definitions of numbers 72–3, 397, ‘perfect’ numbers 74, 402: formula for right-angled triangles in rational numbers 81–2, 405.
- Conics* 438–9, ii. 121–2, focus-directrice property ii. 119–21: on ellipse 439, ii. 111, ii. 125.

- Data* 421–5, *Divisions (of figures)* 425–30, ii. 336, 339.
- Elements*: text 360–1, Theon's edition 358, 360, ii. 527–8, translation by Boëtius 359, Arabic translations 362, ancient commentaries 358–9, *editio princeps* of Greek text 360, Greek texts of Gregory, Peyrard, August, Heiberg 360–1: Latin translations, Athelhard 362–3, Gherard 363, Campanus 363–4, Commandinus 365: first printed editions, Ratzdolt 364–5, Zamberti 365: first introduction into England 363: first English editions, Billingsley, &c. 369–70: Euclid in Middle Ages 365–9, at Universities 368–9: analysis of, 373–419: arrangement of postulates and axioms 361: I. 47, how originally proved 147–9: parallel-postulate 358, 375, ii. 227–30, ii. 295–7, ii. 534: so-called 'Books XIV, XV' 419–21.
- Mechanics 445–6: Music 444–5, *Seccio canonis* 17, 90, 215, 444–5; *Optics* 17–18, 441–4: *Phænomena* 349, 351–2, 440–1, ii. 249: *Porisms* 431–8, lemmas to, ii. 419–24: *Pseudaria* 430–1: *Surface-Loci* 243–4, 439–40, lemmas to, ii. 119–21, ii. 425–6.
- Eudemus 201, 209, 222: *History of Geometry* 118, 119, 120, 130, 131, 135, 150, 171: on Hippocrates's lunes 173, 182, 183–98: *History of Astronomy* 174, 329, ii. 244.
- Eudoxus 24, 118, 119, 121, 320, 322–4: new theory of proportion (that of Eucl. V. ii) 2, 153, 216, 325–7: discovered method of exhaustion 2, 176, 202, 206, 217, 222, 326, 327–9: problem of two mean proportionals 245, 246, 249–51: discovered three new means 86: 'general theorems' 323–4: *On speeds*, theory of concentric spheres 329–34, ii. 244: *Phænomena* and *Mirror* 322.
- Eugenius Siculus, Admiral, ii. 293.
- Euler, L. 75 n., ii. 482, ii. 483.
- Euphorbus (= Pythagoras) 142.
- Eurytus 69.
- Eutocius 52, 57–8, ii. 25, ii. 45, ii. 126, ii. 518, ii. 540–1.
- Exhaustion, method of, 2, 176, 202, 217, 222, 326, 327–9: development of, by Archimedes 224, ii. 35–6.
- False hypothesis: Egyptian use ii. 441: in Diophantus ii. 488, 489.
- Fermat, P. 75 n., ii. 20, ii. 185, ii. 454, ii. 480, ii. 481–4: on Porisms 435.
- Fontenelle ii. 556.
- Fractions: Egyptian (submultiples except $\frac{2}{3}$) 27–8, 41: Greek systems 42–4: Greek notation *ib.*: sexagesimal fractions, Babylonian 29, in Greek 44–5.
- 'Friendly' numbers 75.
- Galilei 344, 446.
- Geēponicus*, *Liber*, 124, ii. 309, ii. 318, ii. 344.
- Geminus 119, ii. 222–34: on arithmetic and logistic 14: on divisions of optics, &c. 17–18: on original steps in proof of Eucl. I 32, 135–6: on parallels 358: attempt to prove parallel-postulate ii. 227–30: on original way of producing the three conics ii. 111: encyclopaedic work on mathematics ii. 223–31: on Posidonius's *Meteorologica* ii. 231–2: *Introduction to Phænomena* ii. 232–4.
- Geodesy (*γεωδαισία*) = mensuration (as distinct from geometry) 16–17.
- Geometric mean, defined (Archytas) 85: one mean between two squares (or similar numbers), two between cubes (or similar solid numbers) 89–90, 112, 201, 297, 400: no rational mean between consecutive numbers 90, 215.
- 'Geometrical harmony' (Philolaus's name for cube) 85–6.
- Geometry: origin in Egypt 120–2: geometry in secondary education 20–1.
- Georgius Pachymeres ii. 453, ii. 546.
- Gerbert (Pope Sylvester II) 365–7: geometry of, 366: ii. 547.
- Gerhardt, C. J. ii. 360, ii. 547.
- Gherard of Cremona, translator of Euclid and an-Nairīzī 363, 367, ii. 309: of Menelaus ii. 252, ii. 262.

ENGLISH INDEX

577

- Ghetaldi, Marino, ii. 190.
 Girard, Albert, 435, ii. 455.
Gnomon: history of term 78-9: gnomons of square numbers 77-8, of oblong numbers 82-3, of polygonal numbers 79: in application of areas 151-2: use by al-Karkhi 109-10; in Euclid 379: sun-dial with vertical needle 139.
 Gomperz, Th. 176.
 Govi, G. ii. 293 *n.*
 Gow, J. 38.
 Great Year, of Oenopides 174-5, of Callippus and Democritus 177.
 Gregory, D. 360-1, 440, 441, ii. 127.
 Griffith, F. Ll. 125.
 Günther, S. ii. 325 *n.*, ii. 550.
 Guldin's theorem, anticipated by Pappus ii. 403.
 Halicarnassus inscriptions 32-3, 34.
 Halley, E., editions of Apollonius's *Conics* ii. 127-8, and *Sectio rationalis* ii. 175, 179, of Menelaus ii. 252, ii. 262, of extracts from Pappus ii. 360, of Serenus ii. 519.
 Halma, editor of Ptolemy ii. 274, 275.
 Hammer-Jensen, I. ii. 300 *n.*, ii. 304 *n.*
 Hankel, H. 145, 149, 288, 369, ii. 483.
 Hardy, G. H. 280.
 Harmonic mean (originally 'sub-contrary') 85.
Harpedonaptae, 'rope-stretchers' 121-2, 178.
 Hārūn ar-Rashīd 362.
Hau-calculations (Egyptian) ii. 440-1.
 Hecataeus of Miletus 65, 177.
 Heiben, J. L. 233 *n.*
 Heiberg, J. L. 184, 187 *n.*, 188, 192 *n.*, 196-7 *n.*, 315, 361, ii. 203, ii. 309, 310, 316, 318, 319, ii. 519, ii. 535, 543, 553, 555 *n.*
Helcēph 111.
 Hendecagon in a circle (Heron) ii. 259, ii. 329.
 Henry, C. ii. 453.
 Heptagon in a circle, ii. 103: Heron's measurement of, ii. 328.
 Heraclides of Pontus 24, ii. 231-2: discovered rotation of earth about axis 316-17, ii. 2-3, and that Venus and Mercury revolve about sun 312, 317, ii. 2, ii. 244.
 Heraclitus of Ephesus 65.
 Heraclitus, mathematician ii. 192, ii. 359, ii. 412.
 Hermannus Secundus ii. 292.
 Hermesianax 142 *n.*, 163.
 Hermodorus ii. 359.
 Hermotimus of Colophon 320-1: Elements and Loci *ib.*, 354.
 'Herodianic' (or 'Attic') numerals 30-1.
 Herodotus 4, 5, 48, 65, 121, 139.
 Heron of Alexandria 121, ii. 198, ii. 259: controversies on date ii. 298-307: relation to Ctesibius and Philon ii. 298-302, to Pappus ii. 299-300, to Posidonius and Vitruvius ii. 302-3, to *agrimensores* ii. 303, to Ptolemy ii. 303-6.
 Arithmetic: fractions 42-4, multiplications 58, approximation to surds ii. 51, ii. 323-6, approximation to cube root 64, ii. 341-2, quadratic equations ii. 344, indeterminate problems ii. 344, 444-7.
 Character of works ii. 307-8: list of treatises ii. 308-10.
 Geometry ii. 310-14, *Definitions* ii. 314-16: comm. on Euclid's *Elements* 358, ii. 310-14: proof of formula for area of triangle in terms of sides ii. 321-3: duplication of cube 262-3.
Metrica ii. 320-43: (1) mensuration ii. 316-35: triangles ii. 320-3, quadrilaterals ii. 326, regular polygons ii. 326-9, circle and segments ii. 329-31: volumes ii. 331-5, *βωμίσκος* ii. 332-3, frustum of cone, sphere and segment ii. 334, *tore* ii. 334-5, five regular solids ii. 335. (2) divisions of figures ii. 336-43, of frustum of cone ii. 342-3.
Mechanics ii. 346-52: on Archimedes's mechanical works ii. 23-4, on centre of gravity ii. 350-1, 352.
Belopoeica 18, ii. 308-9, *Catoptrica* 18, ii. 294, ii. 310, ii. 352-4.
Dioptra ii. 345-6, *Pneumatica* and *Automata* 18, ii. 308, 310.
On Water-clocks ii. 429, ii. 536.
 Heron, teacher of Proclus ii. 529.

Cambridge University Press

978-1-108-06307-4 - A History of Greek Mathematics: Volume 2

T. L. Heath

Index

[More information](#)

578

ENGLISH INDEX

- 'Heron the Younger' ii. 545.
 Heronas 99.
 Hicetas 317.
 Hierius 268, ii. 359.
 Hieronymus 129.
 Hilāl b. Abī Hilāl al-Himṣī ii. 127.
 Hiller, E. ii. 239.
 Hilprecht, H. V. 29.
 Hipparchus ii. 3, 18, 198, 216, 218: date, &c. ii. 253: work ii. 254-6: on epicycles and eccentrics ii. 243, ii. 255: discovery of precession ii. 254: on mean lunar month ii. 254-5: catalogue of stars ii. 255: geography ii. 256: trigonometry ii. 257-60, ii. 270.
 Hippasus 65, 85, 86, 214: construction of 'twelve pentagons in sphere' 160.
 Hippias of Elis: taught mathematics 23: varied accomplishments *ib.*, lectures in Sparta 24: inventor of *quadratrix* 2, 171, 182, 219, 225-6.
 Hippocrates of Chios 2, 182, 211: taught for money 22: first writer of Elements 119, 170, 171: elements as known to, 201-2: assumes *redundant* equivalent to solution of quadratic equation 88, 195-6: on quadratures of lunes 170, 171, 173, 182, 183-99, 220, 221: proved theorem of Eucl. XII 2, 187, 328: reduced duplication of cube to problem of finding two mean proportionals 2, 183, 200, 245.
 Hippolytus: on *πνθμένες* (bases) and 'rule of nine' and 'seven' 115-16.
Hippopede of Eudoxus 333-4.
 Homer 5.
 'Horizon': use in technical sense by Euclid 352.
 Horsley, Samuel, ii. 190, ii. 360.
 Hultsch, F. 204, 230, 349, 350, ii. 51, ii. 308, ii. 318, 319, ii. 361.
 Hunrath, K. ii. 51.
 Hunt, A. S. 142.
 Hypatia ii. 449, ii. 519, ii. 528-9.
 Hypotenuse, theorem of square on, 142, 144-9: Proclus on discovery of, 145: supposed Indian origin 145-6.
 Hypsicles: author of so-called Book XIV of Eucl. 419-20, ii. 192: definition of 'polygonal number' 84, ii. 213, ii. 515: 'Αναφορικός' ii. 213-18, first Greek division of zodiac circle into 360 parts ii. 214.
 Iamblichus 4, 69, 72, 73, 74, 75, 86, 107, ii. 515, 529: on ἐπάνθημα of Thymaridas, &c. 94-6: works 113-14: comm. on Nicomachus 113-15: squares and oblong numbers as 'race-courses' 114: property of sum of numbers $3n-2$, $3n-1$, $3n$ 114-15.
 Ibn al-Haitham, on burning-mirrors ii. 201: ii. 453.
 Icosahedron 159: discovery attributed to Theaetetus 162: volume of, ii. 335.
 Incommensurable, discovery of, 65, 90-1, 154: proof of incommensurability of diagonal of square 91.
 Indeterminate analysis: first cases, right-angled triangles in rational numbers 80, 81, 'side-' and 'diameter' numbers 91-3, ii. 536: rectangles with area and perimeter numerically equal 96-7: indeterminate equations, first degree ii. 443, second degree ii. 443-4 (*see also* Diophantus), in Heronian collections ii. 344, ii. 444-7.
 India: rational right-angled triangles in, 145-6: approximation to $\sqrt{2}$, 146.
 Indian Table of Sines ii. 253.
 Irrational: discovered by Pythagoreans 65, 90-1, 154, and with reference to $\sqrt{2}$, 155, 168: Democritus 156-7, 181: Theodorus 203-9: extensions by Theaetetus 209-12, Euclid 402-11, Apollonius ii. 193.
 Isaac Argyrus 224 *n.*, ii. 555.
 Ishāq b. Hunain, translator of Euclid 362, of Menelaus ii. 261, and Ptolemy ii. 274.
 Isidorus Hispalensis 365.
 Isidorus of Miletus 421, ii. 25, ii. 518, ii. 540.
 Isocrates: on mathematics in education 21.
 Isoperimetric figures ii. 206-13, ii. 390-4.
 Jacob b. Machir ii. 252, ii. 262.
 Jacobus Cremonensis ii. 26-7.

ENGLISH INDEX

579

- Jan, C. 444.
 Joachim Camerarius ii. 274.
 Joachim, H. H. 348 *n.*
 Johannes de Sacrobosco 368.
 Jordanus Nemorarius ii. 328.
 Jourdain, P. E. B. 283 *n.*
- Kahun Papyri 125, 126.
 Kant 173.
 Keil, B. 34–5.
 Kepler ii. 20, ii. 99.
 Köchly, H. A. T. ii. 309.
 Koppa (Ϙ for 90) = Phoenician Qoph 32.
 Kubitschek, W. 50.
- Lagrange ii. 483.
 Laird, A. G. 306 *n.*
 Laplace 173.
 Larfeld, W. 31 *n.*, 33–4.
 Lawson 436.
 Leibniz 279, ii. 20.
Lemma 373, ii. 533.
 Leodamas of Thasos 120, 170, 212, 291, 319.
 Leon 319.
 Leon (of Constantinople) ii. 25.
 Leonardo of Pisa 367, 426, ii. 547.
 Lepsius, C. R. 124.
 Leucippus 181.
 Libri, G. ii. 556.
 ‘Linear’ (of numbers) 73.
 ‘Linear’ loci and problems 218–19.
 Lines, classification of, ii. 226.
 Livy ii. 18.
 Loci: classification of, 218–19, plane, solid, linear 218: loci on surfaces 219: ‘solid loci’ ii. 116–19.
 Loftus, W. K. 28.
 Logistic (opp. to ‘arithmetic’), science of calculation 18–16, 23, 53.
Logistica speciosa and *numerosa* (Vieta) ii. 456.
 Loria, G. iv–v, 350 *n.*, ii. 293 *n.*
 Luca Pacioli 367, ii. 324 *n.*
 Lucas, E. 75 *n.*
 Lucian 75 *n.*, 77, 99, 161, ii. 18.
 Lucretius 177.
- Magic squares ii. 550.
 Magnus, *Logistica* 234–5.
 Mameritus or Mamertius 140, 141, 171.
 al-Ma'mūn, Caliph 362.
 al-Manṣūr, Caliph 362.
- Manus*, for number 27.
 Marinus 444, ii. 192, ii. 537–8.
 Martianus Capella 359, 365.
 Martin, T. H. ii. 238, ii. 546.
 Maslama b. Ahmād al-Majrītī ii. 292.
 Massalia 8.
 Mastaba tombs 128.
 Mathematics: meaning 10–11, classification of subjects 11–18: branches of applied mathematics 17–18: mathematics in Greek education 18–25.
 Maurolycus ii. 262.
 Means: arithmetic, geometric, and subcontrary (harmonic) known in Pythagoras’s time 85: defined by Archytas *ib.*: fourth, fifth, and sixth discovered, perhaps by Eudoxus 86, four more by Myonides and Euphranor 86: ten means in Nicomachus and Pappus 87–9, Pappus’s propositions 88–9: no rational geom. mean between successive numbers (Archytas) 90, 215.
 Mechanics, divisions of, 18: writers on, Archytas 213, Aristotle 344–6, 445–6, Archimedes ii. 18, ii. 23–4, ii. 75–81, Ptolemy ii. 295, Heronii. 346–52, Pappus ii. 427–34.
 Megethion ii. 360.
 Memus, Johannes Baptista, ii. 127.
 Menaechmus 2, 25, 251–2, 320–1: discoverer of conic sections 251–3, ii. 110–16: solved problem of two mean proportionals 245, 246, 251–5: on ‘problems’ 318.
 Menelaus of Alexandria ii. 198, ii. 252–3: date, &c. ii. 260–1: Table of Chords ii. 257: *Sphaerica* ii. 261–73: Menelaus’s theorem ii. 266–8, 270: anharmonic property ii. 269: *παράδοξος* curve ii. 260–1.
Mensa Pythagorea 47.
 Mensuration: in primary education 19: in Egypt 122–8: in Heron ii. 316–35.
 Meton 220.
 Metrodorus ii. 442.
Minus, sign for, in Diophantus ii. 459–60.
 Mochus 4.
 Moschopoulos, Manuel, ii. 549–50.
 Muhammad Bagdadinus 425.
 Multiplication: Egyptian method

Cambridge University Press

978-1-108-06307-4 - A History of Greek Mathematics: Volume 2

T. L. Heath

Index

[More information](#)

580

ENGLISH INDEX

- 52–3, Greek 53–4, ‘Russian’ 53 n.: examples from Eutocius, Heron, Theon 57–8: Apollonius’s continued multiplications 54–7.
- Multiplication Table 53.
- Murran*, an angular measure ii. 215.
- Musical intervals and numerical ratios 69, 75–6, 85, 165.
- Myriads, ‘first’, ‘second’, &c., notation for, 39–40.
- Nagl, A. 50.
- an-Nairizi: comm. on Euclid 363, ii. 224, ii. 228–30, ii. 309–10.
- Nasiriddin at-Tūsi: version of Euclid 362, of Apollonius’s *Conics* ii. 127: of Ptolemy ii. 275.
- Naueratris inscriptions 33.
- Nemesius 441.
- Neoclides 319.
- Ner* (Babylonian) (= 600) 28, ii. 215.
- Nesselmann, G. H. F. ii. 450–1, ii. 455–6.
- Newton 370, ii. 20, ii. 182.
- Nicolas Rhabdas 40, ii. 324 n., ii. 550–3.
- Nicomachus of Gerasa 12, 69, 70, 72, 73, 74, 76, 83, 85, 86, ii. 238, ii. 515: works of, 97: *Introductio arithmeticæ*: character of treatise 98–9, contents 99–112, classification of numbers 99–100: on ‘perfect’ numbers 74, 100–1: on ten means 87: on a ‘Platonic’ theorem 297: sum of series of natural cubes 109–10.
- Nicomedes 225–6, ii. 199: cochloids or conchoids 238–40: duplication of cube 260–2.
- Niloxenus 129.
- Nine, rule of, 115–16: casting out nines ii. 549.
- Nipsus, M. Junius, 132.
- Nix, L. ii. 128, 131, ii. 309.
- Noël, G. 282.
- Number: defined, by Thales 69, by Moderatus, Eudoxus, Nicomachus, Aristotle 70: classification of numbers 70–4: ‘perfect’, ‘over-perfect’ and ‘defective’ numbers 74–5, ‘friendly’ 75, figured 76–9: ‘oblong’, ‘prolate’ 82–3, 108, 114, similar plane and solid numbers 81–2, 90, solid numbers classified 106–8: ‘the number in the heaven’ (Pythagorean) 68, ‘number’ of an object 69.
- Numerals: systems of, decimal, quinary, vigesimal 26: origin of decimal system 26–7: Egyptian 27–8; Babylonian systems (1) decimal 28, (2) sexagesimal 28–9: Greek (1) ‘Attic’ or ‘Herodianic’ 30–1: (2) alphabetic system, original in Greece 31–7, how evolved 31–2, date of introduction 33–5, mode of writing 36–7, comparison of two systems 37–9: notation for large numbers, Apollonius’s tetrads 40, Archimedes’s octads 40–1.
- Nymphodorus 213.
- ‘Oblong’ numbers 82–3, 108, 114: gnomons of, 82–3.
- Ocreatus, 111.
- Octads, of Archimedes 40–1.
- Octagon, regular, area of, ii. 328.
- Octahedron 159, 160, 162: volume of, ii. 335.
- ‘Odd’ number defined 70–1: 1 called ‘odd-even’ 71: ‘odd-even’, ‘odd-times-odd’, &c., numbers 71–4.
- Oenopides of Chios 22, 121: discovered obliquity of ecliptic 138, 174, ii. 244: Great Year of, 174–5: called perpendicular *gnomon-wise* 78, 175: two propositions in elementary geometry 175.
- Olympiodorus 444.
- One, the principle of number 69.
- Oppermann ii. 324 n.
- Optics: divisions of, 17–18: of Euclid 441–4: of Ptolemy ii. 293–4.
- Oval of Cassini ii. 206.
- Oxyrhynchus Papyri 142.
- Pamphile, 131, 133, 134.
- Pandrosion ii. 360.
- Pappus (*see also* Table of Contents, under Chap. XIX) ii. 17–18, ii. 175, 180, 181, 182, 183, 185, 186, 187, 188, 189, 190, ii. 207, 211, 212, 213, ii. 262, ii. 337, ii. 355–439: on Apollonius’s tetrads 40, on Apollonius’s continued multiplications 54–7: on ten means 87–9: on mechanical works of Archimedes ii. 23–4: on conics

Cambridge University Press

978-1-108-06307-4 - A History of Greek Mathematics: Volume 2

T. L. Heath

Index

[More information](#)

ENGLISH INDEX

581

- of Euclid and Apollonius 438, proof of focus-directrix property ii. 120–1; commentary on Euclid 358, ii. 356–7, on Book X 154–5, 209, 211, ii. 193; commentary on Euclid's *Data* 421–2, ii. 357, on Diodorus's *Analemma* ii. 287, scholia on *Syntaxis* ii. 274: on classification of problems and loci (plane, solid, linear) 218–19, ii. 117–18, criticism on Archimedes and Apollonius 288, ii. 68, ii. 167: on surface-loci 439–40, ii. 425–6: on Euclid's *Porisms* 431–3, 436–7, ii. 270, ii. 419–24: on 'Treasury of Analysis' 421, 422, 439, ii. 399–427: on *cochloids* 238–9: on *quadratrix* 229–30, ii. 379–80, constructions for, ii. 380–2: on duplication of cube 266–8, 268–70: on trisection of any angle 241–3, ii. 385–6, *νεῦσις* with regard to parallelogram 236–7: on isoperimetry (cf. Zenodorus) ii. 207, ii. 211–12, ii. 390–4.
- 'Paradoxes' of Erycinus ii. 365–8.
- Parallelogram of velocities 346, ii. 348–9.
- Parapegma* of Democritus 177.
- Parmenides 138.
- Paterius ii. 536–7.
- Patricius ii. 318, 319.
- Pebbles, for calculation 46, 48.
- Pentagon, regular: construction Pythagorean 160–2; area of, ii. 327.
- Pentagram, Pythagorean 161–2 (see *Errata*).
- 'Perfect' numbers 74–5: list of first ten *ib.*: contrasted with 'over-perfect' and 'defective' *ib.*: 10 with Pythagoreans 75.
- 'Perfect' proportion 86.
- Pericles 172.
- Pericles, a mathematician ii. 360.
- Perseus 226: spiric sections ii. 203–6.
- 'Phaenomena' = observational astronomy 17: 322, 349.
- Philippos of Opus 354: works by, 321: on polygonal numbers 84, ii. 515: astronomy 321.
- Philolaus 67, 72, 76, 78, 86, 158, ii. 1: on odd, even, and even-odd numbers 70–1: Pythagorean non-geocentric astronomy attributed to, 163–4.
- Philon of Byzantium 213: duplication of cube 262–3: Philon, Ctesibius and Heron ii. 298–302.
- Philon of Gadara 234.
- Philon of Tyana ii. 260.
- Philoponus, Joannes, 99, 223, 224 *n.*
- Phocaean 7.
- Phocas of Samos 138.
- Phoenician alphabet, how treated by Greeks 31–2: arithmetic originated with Phoenicians 120–1.
- 'Piremus' or 'peremus' in pyramid 126, 127.
- 'Plane' loci 218.
- 'Plane' problems 218–19.
- Planisphaerium* of Ptolemy ii. 292–3.
- Planudes, Maximus, 117, ii. 453, ii. 546–9.
- Plato 19, 22, 24, 121, 142 *n.*, 170, 176: Θεός ἀεί γεωμετρεῖ 10: μηδεὶς ἀγεωμέτρητος εἰσιτω iii, 24, 355: on education in mathematics 19–20, 284: on mathematical 'arts', measurement and weighing 308, instruments for, 308–9, principle of lever 309: on optics 309, 441: on music 310: Plato's astronomy 310–15: on arithmetic and logistic 13–14: classification of numbers, odd, even, &c. 71–2, 292: on number 5040, 294: the Geometrical Number, 305–8: on arithmetical problems 15, ii. 442: on geometry 286–8, constructions alien to true geometry *ib.*: ontology of mathematics 288–9: hypotheses of mathematics 289–90: two intellectual methods 290–2: supposed discovery of mathematical analysis, 120, 212–13, 291–2: definitions of various species of numbers 292, figure 292–3, line and straight line 293, circle and sphere 293–4: on points and indivisible lines 293: formula for rational right-angled triangles 81, 304: 'rational' and 'irrational' diameter of 5' 93, 306–7: Plato and the irrational 156, 203–5, 304: on solid geometry 12–13, 303: on regular and semi-regular solids 294–7: Plato and duplication of cube 245–6, 255, 287–8, 303: on geometric means between two squares and two cubes respectively 89, 112,

Cambridge University Press

978-1-108-06307-4 - A History of Greek Mathematics: Volume 2

T. L. Heath

Index

[More information](#)

582

ENGLISH INDEX

- 201, 297, 400: on ‘perfect’ proportion 86: a proposition in proportion 294: two geometrical passages in *Meno* 297–303: propositions ‘on the section’ 304, 324–5.
 ‘Platonic’ figures (the regular solids) 158, 162, 294–5, 296–7.
 Playfair, John, 436.
 Pliny 129, ii. 207.
 Plutarch 84, 96, 128, 129, 130, 133, 144, 145, 167, 179, ii. 2, 3, ii. 516: on Archimedes ii. 17–18.
 Point: defined as a ‘unit having position’ 69, 166: Plato on points 293.
 Polybius 48, ii. 17 n., ii. 207.
 Polygon: propositions about sum of exterior or interior angles 144: measurement of regular polygons ii. 326–9.
 Polygonal numbers 15, 76, 79, ii. 213, ii. 514–17.
 Polyhedra, *see* Solids.
Porism (1) = corollary 372: (2) a certain type of proposition 373, 431–8: *Porisms* of Euclid, *see* Euclid: of Diophantus, *see* Diophantus.
 Porphyry 145: commentary on Euclid’s *Elements* 358, ii. 529.
 Poselger, F. T. ii. 455.
 Posidonius ii. 219–22: definitions ii. 221, 226; on parallels 358, ii. 228: *versus* Zeno of Sidon ii. 221–2: *Meteorologica* ii. 219: measurement of earth ii. 220: on size of sun ii. 108, ii. 220–1.
 Postulates: Aristotle on, 336: in Euclid 336, 374–5: in Archimedes 336, ii. 75.
 Powers, R. E. 75 n.
 Prestet, Jean, 75 n.
 Prime numbers and numbers prime to one another 72–3: defined 73: 2 prime with Euclid and Aristotle, not Theon of Smyrna and Neo-Pythagoreans *ib.*
 Problems: classification 218–19: plane and solid ii. 117–18: problems and theorems 318, 431, ii. 533.
 Proclus 12, 99, 175, 183, 213, 224 n., ii. 529–37: *Comm. on Eucl. I.* ii. 530–5: sources ii. 530–2: ‘summary’ 118–21, 170, object of, 170–1: on discoveries of Pythagoras 84–5, 90, 119, 141, 154: on Euclid i. 47, 145, 147: attempt to prove parallel-postulate 358, ii. 534: on loci 219: on porisms 433–4: on Euclid’s music 444: comm. on *Republic* 92–3, ii. 536–7: *Hypothesis of astronomical hypotheses* ii. 535–6.
 Prodicus, on secondary education 20–1.
Prolate, of numbers 108, 204.
Proof 370, ii. 533.
 Proportion: theory discovered by Pythagoras 84–5, but his theory numerical and applicable to commensurables only 153, 155, 167: def. of numerical proportion 190: the ‘perfect’ proportion 86: Euclid’s universally applicable theory due to Eudoxus 153, 155, 216, 325–7.
 Proposition, geometrical: formal divisions of, 370–1.
 Protagoras 202: on mathematics 23, 179.
 Prou, V. ii. 309.
Psammites or *Sand-reckoner* of Archimedes 40, ii. 3, ii. 81–5.
 Psellus, Michael, 223–4 n., ii. 453, ii. 545–6.
Pseudaria of Euclid 430–1.
Pseudo-Boëthius 47.
Pseudo-Eratosthenes: letter on duplication of cube 244–5.
 Ptolemies: coins of, with alphabetic numerals 84–5: Ptolemy I, story of, 354.
 Ptolemy, Claudius, 181, ii. 198, ii. 216, ii. 218, ii. 273–97: sexagesimal fractions 44–5, approximation to π 233: attempt to prove parallel-postulate 358, ii. 295–7: *Syntaxis* ii. 273–86, commentaries and editions ii. 274–5, contents of, ii. 275–6, trigonometry in, ii. 276–86, 290–1, Table of Chords ii. 259, ii. 283–4, on obliquity of ecliptic ii. 107–8: *Analemma* ii. 286–92: *Planisphereum* ii. 292–3, *Optics* ii. 293–4, other works ii. 293: $\pi\epsilon\rho\lambda\dot{\rho}\pi\alpha\omega\nu$ ii. 295: $\pi\epsilon\rho\lambda\dot{\rho}\sigma\alpha\tau\omega\epsilon\omega\sigma\omega\lambda\dot{\rho}$ *ib.*
 Pyramids: origin of name 126: measurements of, in Rhind Papyrus 126–8: pyramids of Dakshur,

ENGLISH INDEX

583

Gizeh, and Mēdūm 128: measurement of height by Thales 129–30; volume of pyramid 176, 180, 217, ii. 21, &c., volume of frustum ii. 334.

Pythagoras 65–6, 121, 131, 133, 138: travels 4–5, story of bribed pupil 24–5: motto 25, 141: Heraclitus, Empedocles and Herodotus on, 65: Proclus on discoveries of, 84–5, 90, 119, 141, 154: made mathematics a part of liberal education 141, called geometry ‘inquiry’ 166, used definitions 166: arithmetic (theory of numbers) 66–80, figured numbers 76–9: gnomons 77, 79: ‘friendly’ numbers 75: formula for right-angled triangles in rational numbers 79–80: founded theory of proportion 84–5, introduced ‘perfect’ proportion 86: discovered dependence of musical intervals on numerical ratios 69, 75–6, 85, 165: astronomy 162–3, earth spherical *ib.*, independent movement of planets 67, 163: Theorem of Pythagoras 142, 144–9, how discovered? 147–9, general proof, how developed *ib.*, Pappus’s extension ii. 369–71.

Pythagoreans 2, 11, 220: *quadrivium* 11: a Pythagorean first taught for money 22: first to advance mathematics 66: ‘all things are numbers’ 67–9: ‘number’ of an object 69, ‘number in the heaven’ 68: figured numbers 69: definition of unit 69: 1 is odd-even 71: classification of numbers 72–4: ‘friendly’ numbers 75: 10 the ‘perfect’ number 75: oblong numbers 82–3, 108, 114: side-and-diameter-numbers giving approximations to $\sqrt{2}$, 91–3: first cases of indeterminate analysis 80, 91, 96–7: sum of angles of triangle = $2R$, 135, 143: geometrical theorems attributed to, 143–54: invented application of areas and geometrical algebra 150–4: discovered the incommensurable 65, 90–1, 154, with reference to $\sqrt{2}$ 155, 168: theory of proportion only applicable to commensurables 153,

155, 167, 216: construction of regular pentagon 160–2: astronomical system (non-geocentric) 163–5: definitions 166: on order of planets ii. 242.

Qay en heru, height (of pyramid) 127.

Quadratic equation: solved by Pythagorean application of areas 150–2, 167, 394–6, 422–3: numerical solutions ii. 344, ii. 448, ii. 463–5.

Quadratrix 2, 23, 171, 182, 218, 219, 225–30, ii. 379–82.

Quadrivium of Pythagoreans 11.

Quinary system of numerals 26.

Quintilianii 207.

Qustā b. Lūqā, translator of Euclid 362, ii. 453.

Rangabé, A. R. 49–50.

Ratdolt, Erhard, first edition of Euclid 364–5.

Reductio ad absurdum 372: already used by Pythagoreans 168.

Reduction (of a problem) 372.

Reflection: equality of angles of incidence and reflection 442, ii. 294, ii. 353–4.

Refraction 6–7, 444: first attempt at a law (Ptolemy) ii. 294.

Regiomontanus 369, ii. 27, ii. 453–4.

Regula Nicomachi 111.

Rhabdas, Nicolas, 40, ii. 324 n., ii. 550–3.

Rhind Papyrus: mensuration in, 122–8: algebra in, ii. 440–1.

Right-angled triangle: inscribed by Thales in circle 131: theorem of Eucl. I. 47, attributed to Pythagoras 142, 144–5, supposed Indian origin of, 145–6.

Right-angled triangles in rational numbers: Pythagoras’s formula 80, Plato’s 81, Euclid’s 81–2, 405: triangle (3, 4, 5) known to Egyptians 122: Indian examples 146: Diophantus’s problems on, ii. 507–14.

Robertson, Abram, ii. 27.

Rodet, L. 234.

Rodolphus Pius ii. 26.

Roomen, A. van, ii. 182.

Radio, F. 173, 184, 187–91, ii. 539.

Cambridge University Press

978-1-108-06307-4 - A History of Greek Mathematics: Volume 2

T. L. Heath

Index

[More information](#)

584

ENGLISH INDEX

- Rudolph of Bruges ii. 292.
 Ruelle, Ch. Ém. ii. 538.
 Rüstow, F. W. ii. 309.
 Ruler-and-compasses restriction. 175–6.
 Sachs, Eva, 209 *n.*
 Salaminian table 48, 50–1.
Salinon ii. 28, ii. 103.
 Sampi ($\vartheta = 90^\circ$) derived from Ssade q.v.
Sar (Babylonian for 60°) 28, ii. 215.
Satapatha Brāhmaṇa, 146.
 Savile, Sir H., on Euclid 360, 369.
Scalene: of triangles 142: of certain solid numbers 107: of an odd number (Plato) 292: of an oblique cone ii. 134.
 Schiaparelli, G. 317, 330, ii. 539.
 Schmidt, W. ii. 308, 309, 310.
 Schöne, H. ii. 308.
 Schöne, R. ii. 308, 317.
 Scholiast to *Charmonides* 14, 53.
 Schooten, F. van, 75 *n.*, ii. 185.
 Schulz, O. ii. 455.
 Scopinas ii. 1.
 Secondary numbers 72.
Secio canonis 17, 215, 444.
 Seelhoff, P. 75 *n.*
 Seleucus ii. 3.
 Semicircle: angle in, is right (Thales) 131, 133–7.
 Senkerah, Tables 28, 29.
Senti, base (of pyramid) 127.
Se-get, ‘that which makes the nature’ (of pyramid) = cotangent of angle of slope 127–8, 130, 131.
 Serenus ii. 519–26: *On section of cylinder* ii. 519–22, *On section of cone* ii. 522–6.
 Sesostrius (Ramses II) 121.
 Sexagesimal system of numerals and fractions 28–9: sexagesimal fractions in Greek 44–5, 59, 61–3, 233, ii. 277–83.
 Sextius 220.
 Sicily 8.
 ‘Side-’ and ‘diameter-numbers’ 91–3, 112, 153, 308, 380, ii. 536.
 Simon, M. 200.
 Simplicius: extract from Eudemus on Hippocrates’s quadrature of lunes 171, 182–99: on Antiphon 221–2: on Eudoxus’s theory of concentric spheres 329: commentary on Euclid 358, ii. 539–40: on mechanical works of Archimedes ii. 24: ii. 538–40.
 Simson, R., edition of Euclid’s *Elements* 365, 369, and of Euclid’s *Data* 421: on Euclid’s *Porisms* 435–6: restoration of *Plane Loci* of Apollonius ii. 185, ii. 360.
 Simus of Posidonia 86.
 Sines, Tables of, ii. 253, ii. 259–60.
Sinus rectus, sinus versus 367.
 Sluse, R. F. de, 96.
 Smith, D. E. 49, 133 *n.*
 ‘Solid’ loci and problems 218, ii. 117–18: *Solid Loci* of Aristaeus 438, ii. 118–19.
 ‘Solid’ numbers, classified 106–8.
 Solids, Five regular: discovery attributed to Pythagoras or Pythagoreans 84, 141, 158–60, 168, alternatively (as regards octahedron and icosahedron) to Theaetetus 162: all five investigated by Theaetetus 159, 162, 212, 217: Plato on, 158–60: Euclid’s constructions for, 415–19: Pappus’s constructions ii. 368–9: content of, ii. 335, ii. 395–6.
 Solon 4, 48.
 Sophists: taught mathematics 23.
 Sosigenes 316, 329.
Soss = sussu = 60 (Babylonian) 28, ii. 215.
 Speusippus 72, 73, 75, ii. 515: on Pythagorean numbers 76, 318: on the five regular solids 318: on *theorems ib.*
Sphaeric 11–12: treatises on, by Autolycus and Euclid 348–52, 440–1: earlier text-book presupposed in Autolycus 349–50: *Sphaerica* of Theodosius ii. 245, 246–52, of Menelaus ii. 252–3, 260, 261–73.
 Sphere-making 18: Archimedes on, ii. 17–18.
 Spiric sections ii. 203–6.
 Sporus 226: criticisms on *quadratrix* 229–30: *κυρία* 234: duplication of cube 266–8.
 Square root, extraction of, 60–3: ex. in sexagesimal fractions (Theon) 61–2, (scholiast to Euclid) 63: method of approximating to surds ii. 51–2, ii. 323–6, ii. 547–9, ii. 553–4.
 Square numbers 69: formation by adding successive gnomons (odd

Cambridge University Press

978-1-108-06307-4 A History of Greek Mathematics: Volume 2

T. L. Heath

Index

[More information](#)

ENGLISH INDEX

585

- numbers) 77 : any square is sum of two triangular numbers 83–4 : 8 times a triangular number + 1 = square, 84, ii. 516.
- Ssade*, Phoenician sibilant (signs $\text{T} \wedge \text{M} \text{ T}$) became Z (900) 32.
- 'Stadium,' 1/60th of 30° , ii. 215.
- Stadium* of Zeno 276–7, 281–3.
- Star-pentagon, or *pentagram*, of Pythagoreans 161–2.
- Stereographic projection (Ptolemy) ii. 292.
- Stevin, S. ii. 455.
- 'Stigma,' name for numeral originally \square (digamma) 32.
- Strabo 121, ii. 107, ii. 220.
- Strato ii. 1.
- Subcontrary (= harmonic) mean, defined 85.
- Subtraction in Greek notation 52.
- Surds: Theodorus on, 22–3, 155–6, 203–9, 304: Theaetetus's generalization 203–4, 205, 209, 304: see also 'Approximations'.
- Surface-Loci* 219, ii. 380–5: Euclid's 439–40, ii. 119, ii. 425–6.
- Surya-Siddhānta* ii. 253.
- Sussu = soss* (Babylonian for 60) 28, ii. 215.
- Synesius of Cyrene ii. 293.
- Synthesis 371–2: defined by Pappus ii. 400.
- Syracuse 8.
- Table of Chords 45, ii. 259–60, ii. 283.
- Tāittirīya Samhitā* 146.
- Tannery, P. 15, 44, 87, 89, 119, 132, 180, 182, 184, 188, 196 n., 232, 279, 326, 440, ii. 51, ii. 105, ii. 204–5, ii. 215, ii. 218, ii. 253, ii. 317, ii. 453, ii. 483, ii. 519, ii. 538, ii. 545, 546, ii. 550, ii. 556, ii. 561.
- Teles on secondary education 21.
- Teos inscription 32, 34.
- Tetradrs of Apollonius 40.
- Tetrahedron: construction 416, ii. 368 : volume of, ii. 335.
- Thābit b. Qurra: translator of Euclid 362, 363 : of Archimedes's *Liber assumptorum* ii. 22 : of Apollonius's *Conics* V–VII ii. 127 : of Menelaus's *Elements of Geometry* ii. 260 : of Ptolemy ii. 274–5.
- Thales 2, 4, 67 : one of Seven Wise Men 128, 142 : introduced geometry into Greece 128 : geometrical theorems attributed to, 130–7 : measurement of height of pyramid 129–30, and of distance of ship from shore 131–3 : definition of number 69 : astronomy 137–9, ii. 244 : predicted solar eclipse 137–8.
- Theaetetus 2, 119, 170 : on surds 22–3, 155, 203–4, 205, 209, 304 : investigated regular solids 159, 162, 212, 217 : on irrationals 209–12, 216–17.
- Themistius 221, 223, 224.
- Theodorus of Cyrene: taught mathematics 22–3 : on surds 22–3, 155–6, 203–9, 304.
- Theodosius ii. 245–6: *Sphaerica* 349–50, ii. 246–52 : other works ii. 246 : no trigonometry in, ii. 250.
- Theologumena arithmetices* 96, 97, 318.
- Theon of Alexandria: examples of multiplication and division 58, 59–60 : extraction of square root 61–3 : edition of Euclid's *Elements* 360–1, ii. 527–8 : of *Optics* 441, ii. 528 : *Catoptrica ib.* : commentary on *Syntaxis* 58, 60, ii. 274, ii. 526–7.
- Theon of Smyrna 12, 72, 73, 74, 75, 76, 79, 88, 87, ii. 515 : treatise of, ii. 238–44 : on 'side-' and 'diameter-numbers' 91–3, 112 : forms of numbers which cannot be squares 112–13.
- Theophrastus 158, 163 : on Plato's view of the earth 315.
- Theudius 320–1.
- Theuth, Egyptian god, reputed inventor of mathematics 121.
- Thévenot, M. ii. 308.
- Thrasyllus 97, 176, 177, ii. 241, ii. 243.
- Thucydides ii. 207.
- Thymaridas: definition of unit 69 : 'rectilinear' = prime numbers 72 : *ἐπάνθημα*, a system of simple equations solved 94.
- Timaeus of Locri 86.
- Tittel ii. 300, 301, 304.
- Tore (or anchor-ring): use by Archytas 219, 247–9 : sections of (Perseus), ii. 203–6 : volume of

Cambridge University Press

978-1-108-06307-4 A History of Greek Mathematics: Volume 2

T. L. Heath

Index

[More information](#)

586

ENGLISH INDEX

- (Dionysodorus and Heron), ii. 218–19, ii. 334–5.
- Torelli, J. ii. 27.
- Transversal: Menelaus's theorem for spherical and plane triangles ii. 266–70: lemmas relating to quadrilateral and transversal (Pappus) ii. 419–20.
- 'Treasury of Analysis' 421, 422, 439, ii. 399–427.
- Triangle: theorem about sum of angles Pythagorean 135, 143, Geminus and Aristotle on, 135–6.
- Triangle, spherical: called *τρίπλευρον* (Menelaus) ii. 262: propositions analogous to Euclid's on plane triangles ii. 262–5: sum of angles greater than two right angles ii. 264.
- Triangular numbers 15, 69: formation 76–7: 8 times triangular number +1 = a square 84, ii. 516.
- Trigonometry ii. 5, ii. 198, ii. 257–9, ii. 265–73, ii. 276–86, ii. 290–1.
- Trisection of any angle: solutions 235–44: Pappus on, ii. 385–6.
- Tschirnhausen, E. W. v., 200.
- Tycho Brahe 317, ii. 2, ii. 196.
- Tzifra (= 0) ii. 547.
- Ukha-thebt* (side of base in pyramid) 126, 127.
- Unit: definitions (Pythagoreans, Euclid, Thymaridas, Chrysippus) 69.
- Usener, H. 184, 188.
- Valla, G.: translator of extracts from Euclid 365, and from Archimedes ii. 26.
- Venatorius, Thomas Gechauff: *ed. princeps* of Archimedes ii. 27.
- Venturi, G. ii. 308.
- Vieta 200, 223, ii. 182, ii. 456, ii. 480, ii. 557.
- Vigesimal system (of numerals) 26.
- Vincent, A. J. H. 50, 436, ii. 308, ii. 545, ii. 546.
- Vitruvius 18, 147, 174, 213, ii. 1, ii. 245: Vitruvius and Heron, ii. 302–3.
- Viviani, V. ii. 261.
- Vogt, H., 156 n., 203 n.
- Wescher, C. ii. 309.
- Wilamowitz-Moellendorff, U. v., 158 n., 245, ii. 128.
- Xenocrates 24, 319: works on Numbers 319: upheld 'indivisible lines' 181.
- Xenophon, on arithmetic in education 19.
- Xylander (W. Holzmann) ii. 454–5, ii. 545.
- Yahyā b. Khālid b. Barmak ii. 274.
- Zamberti, B., translator of Euclid 365, 441.
- Zeno of Elea 271–3: arguments on motion 273–83.
- Zeno of Sidon on Eucl. I. 1, 359, ii. 221–2.
- Zenodorus ii. 207–13.
- Zero in Babylonian notation 29: O in Ptolemy 39, 45.
- Zenthen, H. G. 190, 206–9, 210–11, 398, 437, ii. 52, ii. 105, ii. 203, ii. 290–1, ii. 403, ii. 444.
- Zodiac circle: obliquity discovered by Oenopides 188, 174, ii. 244.