

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.:
To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his
Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

A.

ABSORBENTS, remarks on, II. 161. Capillary attraction of, 378, *note*.

ABSTINENCE, effects of on a young physician, II. 27.

ACIDS, *mineral*, astringency of increased by vegetable astringents, I. 70, *note*. Utility of in biliary diseases, &c. 102. In the *angina maligna*, 253.

Vegetable, their peculiar power of sweetening putrid acrimony, I. 104. Of neutralizing putrid gall, 102. Immoderate use of impairs digestion, 106.

ACKWORTH, account of christenings, &c. in, II. 33—35.

Agaricus clypeatus, supposed to be poisonous, II. 188.

AIR, *faustitious*, essay on the varieties of, I. 321. See

FIXED AIR.

Ajava, root, a powerful remedy for the colic, I. 423.

ALTRINGHAM, state of population in, II. 9.

ALUM, added to syrup of violets produces a green colour, I. 189, *note*. Successful exhibition of in obstinate colics, 401, 459.

Aluminous waters, proper for dyeing black, I. 207.

ANGINA, *inflammatory*, blisters applied to the neck probably serviceable in, I. 153. *Maligna*, salutary effects of blisters in, 154; and of other external applications, 249. Symptom in not commonly noticed, 252. A disease of the whole habit, *ib.* *Pleuris*, cases of, II. 191. *Œ seq.*

ANIMALS,

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.: To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his

Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

- ANIMALS, number of estimated, II. 245, *note*.
 ANTIMONY, sometimes excites a ptyalism, II. 311.
 APOPLEXY, use of blisters in, I. 136. Hint concerning, II. 196.
 ARSENIC, vapour of probably not deleterious, I. 474.
 ASHTON-UNDER-LINE, survey of the town and parish of, II. 56.
 ASTHMA, *chronic*, cautions respecting the use of blisters in, I. 154.
 ASTRINGENTS, experiments on, I. 36—118. Do not universally strike a black colour with green vitriol, 70, 99.
 ATABILIS, essay on, I. 342.
 ATTRACTION, facts and queries relative to, II. 249.

B.

- BATH, *warm*, cases in which it was successfully employed, I. 409, & *seq.*
 BELLAND, cause of, I. 458, 503.
 BILE, generation of promoted by heat, I. 103.
 BIRMINGHAM, estimate of the quantity of *malt* consumed in the *public houses* there, II. 40, *note*.
 BIRTHS, proportion of male and female, II. 64.
 BITTERS, experiments on, I. 36—118. Probably neutralize acids, 60, 75. Use of in acidities of the *primæ viæ*, 73. In the jaundice, 74.
 BLISTERS, on the use and operation of, I. 117, & *seq.* Act chiefly on the solids, 120. Lower the pulse in inflammatory diseases, 122. Produce strangury, 124, 129. Symptoms induced by them accounted for, 126. Use of, when indicated in inflammatory fevers, 132, 142. Petechial fevers, *ib.* Small-pox, 133, 156. Apoplexy, 136. Palsy, *ib.* *Gutta serena*, 137. *Tympanites*, *ib.* Rickets, 138. Schirrous tumors, *ib.* White-swellings, *ib.* Spasms, 139. Delirium, 147. *Ophthalmia*, 152. Bleeding of the nose, 153. Inflammatory *angina*, *ib.* *Angina maligna*,

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.:
To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his
Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

- maligna*, 154, 250. Peripneumony, 155. Chronic asthma, 156. Febrile coughs, 157. *Hepatitis*, *ib.* Inflammation of the stomach, *ib.* Dysentery, *ib.* Diarrhœa attending measles, *ib.* Rheumatisms, *ib.* Nervous fever, 159. Dropsy, *ib.* Lymphatic small-pox, *ib.* Warty small-pox, 160. Infantile convulsions, *ib.*
- BOLTON, population of, II. 8.
- Bombax ceiba*, observations on, II. 420.
- BRICK, improper for lining wells, I. 198.
- BROWN'S, Dr. sufferings from visiting a coal pit, II. 292.
- BURY, population of, II. 9.
- BUXTON-WATER, analysis of, I. 295. Effects of on the pulse, 296. Precautions to be observed in its use, 298. Easily admits of a chalybeate impregnation, *ib.* Cautions respecting its use in consumptions, II. 352.

C.

- CALCULI, *human*, on the solution of by means of fixed air, II. 104. Vary in their structure and composition, 109, 206. Experiments on, 126.
- CALCUTTA, sufferings of the persons confined there, II. 278.
- CAMPHOR, its solvent power on resinous substances, II. 322. Action in *phthisis pulmonalis*, 337.
- CANTHARIDES, see BLISTERS. Not possessed of any colligative power, I. 125.
- Carduus benedictus*, an agreeable bitter, I. 60.
- CARTE'S, Dr. JOHN, letter to Dr. Grew, I. 503.
- CATS, subject to the *colica pictonum* from the poison of lead, I. 451.
- CHAMOMILE-FLOWERS lose their bitterness by cold maceration, I. 60. Experiment on, 61. Warm bath prepared from recommended in the small-pox, II. 75, *note*.
- CHARCOAL, on the noxious vapours of, I. 329.
- CHINA, inhabitants of annually numbered, II. 17.
- CHOWBENT, survey of, II. 33.

CHYLE

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.:
To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his
Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

- CHYLE** and MILK, resemblance between, I. 164.
- CRYSTALLIZATION**, in what manner affected by oils,
II. 251.
- COCKEY-MOOR**, state of population in, II. 32.
- COFFEE**, medicinal qualities of I. 354—357.
- COLIC**, cures of successfully treated by alum, I. 401.
- Colica pittonum* known to the ancients, I. 465.
- COLLIER**, narrative of the sufferings of, II. 260.
- COLTSFOOT**, efficacy of in hectic complaints, I. 421.
- COLUMBO-ROOT**, experiments and observations on, I. 263.
Use of in the *cholera morbus*, 265. Diarrhœas, 266.
Bilious colic, *ib.* Bilious fever, 267. Impaired digestion,
269. Habitual vomiting, 270. Complaints during preg-
nancy, *ib.* Yellow fever? 278. Action of in biliary dis-
eases explained, 277, 279. Its power of preventing and
neutralizing acidities, 281. Propriety of its exhibition
in *phthisis pulmonalis*, 282.
- CONTAGION**, means of obviating, II. 431.
- COPAIBA**, *balsam of*, its effect on the urine, II. 392.
- COPPER**, fatal effects of pickles impregnated with, II. 225.
Test for ascertaining the presence of, *ib. note.* Vessels
of supposed to be the chief cause of the sea scurvy, 230.
- COTTON**, *silk of Sumatra*, observations on, II. 420.
- COTTON-WORKS**, regulations for preserving the health of
persons employed in, II. 297.
- CULTURE**, effects of on climate, II. 145, *note.*
- CURRIE**, Dr. case of *tetanus* by, II. 366, *note.*
- Cutaneous evacuations in phthisis pulmonalis*, not to be suppressed,
II. 348.
- Cynanche trachealis*, conjecture respecting, II. 325.

D.

- DADE'S**, Rev. Mr. proposals for establishing parish registers
I. 438.
- DARWEN**, survey of the population of, II. 29.
- DARWIN**, Dr. case of *hydrophobia* by, II. 367, *note.*
- DEGLUTITION**,

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.:
To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his
Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

- DEGLUTITION, *obstructed*, case of successfully treated,
I. 365. Observations on, 369.
- DELIRIUM, use of blisters in, I. 147.
- DEW, attraction and repulsion of, II. 256.
- Digitalis purpurea*, recommended to trial in cases of *hydrophobia*,
II. 380.
- Dionæa muscipula*, structure of, II. 237.
- DROPSY, remarks on the use of blisters in, I. 159. Cases
of, 381, 382, 386. Of the *ovarium*, case of relieved by
the operation of nature, 375.
- DYSENTERY, frequently relieved by blisters, I. 157.
- Dysodia pulmonica*, probable cause of, II. 391.
- Dysuria*, remarkable case of, II. 396. A *chronic* species of,
pointed out, *ib.*

E.

- EARTHQUAKE, account of, II. 416.
- EASTHAM, population, &c. in, II. 11.
- ÉDALE, average of deaths in, II. 30.
- ELECTRICITY, efficacy of, in *palsies*, I. 392, & *seq.* Not
confined to five days after application, 399. Small shocks,
repeated, preferable to stronger ones, *ib.* Supposed in-
fluence of, in the descent of rain, II. 94. Probable good
effects of, in the gout, 186. Not the cause of motion in
plants, 242, 246.
- ELEPHANTIASIS, ascribed to the use of the waters of the
Nile, I. 181.
- EMETICS recommended in *dropfies* of the *ovarium*, I. 379
- EPILEPSY, use of blisters in, I. 149. Remedies for, re-
commended by *Celsus*, 141. Case of, related by Dr.
MEAD, 162.
- Ergot*, ascribed to the use of unsound corn, II. 309.
- EXTRACTS, directions for preparing, I. 48, *note.*

VOL. II.

G g

FAMINE,

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.:
To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his
Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

F.

- FAMINE**, observations on the effects of, II. 260. Probably alleviated by lymphatic absorption, 267. Life protracted under, by an allowance of water, 268. Affects old men less than children, 269. Effects of, on a ship's crew, 272. Composition, used by the Americans, to obviate the effects of, 273. Treatment of persons suffering from, 283.
- FAT**, *animal*, its power of assuaging the sensation of thirst, II. 278.
- FIXED-AIR**, efficacy of, in *phthical* cases, I. 309. Fœtid ulcers, 310. Malignant fevers, 312. Putrid diarrhœas, *ib.* Sea scurvy, 316. Schrophulous complaints, 316. *Oxæna*, 320. Asthma, 460. Its powers of dissolving human *calculi*, II. 104. Capable of being conveyed to the kidneys and bladder, 119, 123. Effects of, on the colours and vegetation of plants, 133. Operation of, in the *dysodia pulmonica*, 391.
- FŒTUS**, *extra-uterine*, voided by stool, II. 182.
- FRANKLIN'S**, Dr. observations on moisture, II. 27. On the quantities of rain falling at different heights, 98. On the means of remedying a scarcity of water at sea, 276.

G.

- GALL**, *putrid*, neutralized by acids, I. 102.
- GARAYE'S**, COUNT DE LA, process for obtaining vegetable products by trituration, I. 47.
- Garlic**, externally applied, affects the *breath*, II. 312.
- GAS**, discharged from fermenting liquors, different from pure fixed air, II. 144.
- GASTRIC-JUICE** recommended to trial, as an antidote to the canine poison, II. 373, 384.
- GUM ARABIC**, its power of assuaging hunger and thirst, II. 282.
- Gutta serena*, service derived from blisters in, I. 137.

HÆMOPTYSIS,

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.:
To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his
Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

H.

- HÆMOPHTYSIS**, treatment of, II. 342. By common salt,
344.
- HÆMORRHAGES**, occasioned by the weight of the air, II. 185.
- HAIRS**, power of extension in, varied by different fluids, II.
421.
- HALE**, state of population in, II. 28.
- HARTFELL-SPA-WATER**, recommended, II. 324.
- HAYGARTH**, Dr. on Goulard's saturnine water, I. 484.
Proposals by, for obviating the effects of the bite of rabid
animals, II. 362, *note*.
- HEBERDEN**, Dr. on the different quantities of rain falling
at different heights, II. 88.
- Hedysarum movens*, its remarkable powers of motion, II. 243.
- HENRY**, Mr. on vegetation, as influenced by fixed air,
II. 153.
- HEPATITIS**, salutary use of blisters in, I. 157.
- HOME'S**, Dr. proposal for the inoculation of the measles,
II. 81.
- HONEY**, use of, in cases of gravel, II. 121.
- HORWICH**, population of, II. 29.
- HOSPITALS**, essay on the internal regulation of, II. 170.
- HYDROCEPHALUS INTERNUS**, case of, terminating fatally
II. 407; successfully 414.
- HYDROPHOBIA**, see **RABIES CANINA**. Analogy of, to *tetanus*,
II. 367, 383. Case of, occasioned by mental
impression, 368. By the bite of an *enraged* cat, *ib*.

I.

- INK**, composition of, I. 114.
- INOCULATION**, *early*, impropriety of, I. 232, & *seq*.
Most proper period for, 246; II. 76.
- IPECACUANHA**, operation of, II. 305.
- IRON**, the colouring matter in ink, I. 108.

G g 2

JAUNDICE,

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.:
To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his
Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

J.

JAUNDICE, cases of, in which objects assumed a yellow cast,
II. 327.

JEBB, DR. JOHN, observations on his tract on prisons, II.
427.

JOCKEY, case of, related by Bishop **WATSON**, II. 284.

L.

Lalan-lout, a species of coral, sensibility of, II. 241.

LEAD, pipes of, condemned, I. 203. Experiments and ob-
servations on the poison of, 449. Equally noxious to
quadrupeds and birds, as to the human species, *ib.*

LEMON-JUICE, salutary effects of, in a palpitation of the
heart, I. 105. In suppression of urine, 106.

LEVERPOOL, state of population in, II. 4.

LOCK HOSPITAL, in Manchester, advertisements prefixed to
the reports of, II. 203, & *seq.*

LOGWOOD, sometimes communicates colour and astringency to
the urine, II. 387.

LUNGS and STOMACH, reciprocal sympathy of, noticed, II.
393.

LYMPHATICS, absorption of, I. 372, 379; II. 267, 284.
Retrograde motion of, 386.

M.

MACKENZIE'S, DR. distinction relative to visiting persons in
the plague, II. 432.

MAD ANIMALS, bite of, not always fatal, II. 369. Poison
of, may remain latent for many years, 370. Directions
to be pursued by persons bitten, 372, & *seq.*

MADDER, tinges the urine and bones of animals, II. 390.

MAGNESIA, calcined, efficacy of, as an antidote to mine-
ral poisons, II. 228. Decomposition of, in the stomach,
305.

MALES, mortality of, exceeds that of females, II. 65.

MALVERN

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.:
To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his
Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

- MALVERN-WATER, use of, in nephritic complaints, I. 185.
- MANCHESTER, number of inhabitants in 1773, II. 2.
In 1774, 38. In 1788, 63. Annual average of births
and burials, 4. Quantity of rain, 20. Infirmary at, re-
marks on the improvement of, 406.
- Mania*, removed by camphor, II. 338. Alternation of, with
pulmonary complaints, 339.
- MANURES, operation of, II. 158.
- MARSDEN'S, Mr. account of the *bombax ceiba*, II. 422.
- MATLOCK-WATER, temperature of, I. 301. Compared
with that of Bath, Bristol, and Buxton, 306. Analysis
of, 303, 304. Effect of, on the pulse, 302.
- MEASLES, comparative mortality of, II. 78. Use of peru-
vian bark in, 80. Mortality of, compared with that of the
small-pox, 82.
- MEDICINES, inquiry into the powers and operation of,
II. 301.
- MEMBRANE, generated in the intestines, discharged by stool,
II. 326.
- MERCURY, use of, in *hydrocephalus internus*, II. 407, & seq.
Found, restored to its original form, in carious bones,
II. 311, note.
- MIDDLETON, account of births, &c. at, II. 43.
- MILK, resemblance of, to chyle pointed out, I. 164.
- MONTON, estimate of the population of, II. 15.
- MORTALITY, bills of, proposals for establishing, in Man-
chester, I. 431.
- MYRRH, operation of, in the *dyſſodia pulmonica*, II. 407,
& seq.

N.

- NITRE, employed as a febrifuge, effects of, II. 336.
- Nitrous air*, antiseptic powers of, I. 311.
- Nopal*, fruit of, its quality of imparting colour to the urine,
II. 308, note.

OIL,

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.:
To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his
Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

O.

- OIL**, effect of, on the crystallization of salts, II. 251. Supposed to favour obstructions, 281.
- Oleum jecoris aselli*, medicinal use of, II. 354. Method of procuring, 357. Formula for administering, *ib.* Taints the perspiration, 314.
- OPHTHALMIA**, frequently removed by blisters, I. 152.
- OPIUM**, unfavourable operation of, I. 422. Use of, in *hæmoptysis*, II. 343. Mode of exhibiting, in violent colics, 405.
- ORCHIS-ROOT**, preparation, culture, and uses of, I. 285.

P.

- PALSY**, use of blisters in, I. 136. Supposed to arise frequently from diseased *viscera*, 419.
- Pediluvia*, hint respecting the temperature of, II. 343.
- PERCEPTION** of *vegetables*, II. 230.
- PERIPNEUMONY** blisters, when serviceable in, I. 155.
- PERUVIAN BARK**, Experiments on, I. 36, & *seq.* Infusion in cold water, beyond eight hours unnecessary, 43. Decomposed by boiling, 45. Infusion in port wine, 46. Extract of, a weak preparation, 48. Solubility of, in water not promoted by quick lime, 51. Decoction and infusion calculated for immediate use, 51. Decoction to be filtered whilst hot, 52. Means of obtaining a saturated infusion, 54. Its effects, taken in substance, on weak stomachs, 71. Combined with acids, serviceable in the yellow fever, 78. Exhibition of, in the small-pox and measles, 97; II. 80. Effects of, in the yellow fever, accounted for, 278. In disorders of the lymphatics, &c. 390.
- PICKLES**, impregnated with copper, fatal effects of, II. 221.
- PLANE-TREE**, remarkable fact concerning, II. 240.
- Plica polonica*, attributed to the use of impure water, I. 180.
Pomponius

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.:
To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his
Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

- Pomponius Atticus*, conjecture respecting his abstinence, II.
272.
- Porcupine, of Canada*, bones, of, green during the winter, II.
308, *note*.
- PORTER, recommended in pulmonary complaints, II. 338.
- POT-ASH, a new and cheap method of preparing, II. 211.
- PRIESTLEY, Dr. on the lithontriptic powers of fixed air, II.
120. On the food of plants, 152
- PRIMÆ VIÆ, in children, why peculiarly subject to acidity,
I. 107.
- PRISONS, observations on the construction and polity of, II.
427.
- PULMONARY DISORDERS, cautions and remarks relative to,
II. 329. Alternation of, with lunacy, 339. Pathology
of, 341. Cutaneous evacuations in, not to be suppressed,
348.

Q.

- QUAKERS, in Manchester, comparative mortality of, II. 30.
- QUICK LIME, utility of, in accomplishing ventilation, II.
265, *note*.

R.

- RABIES CANINA, attempt to ascertain the nature of, II.
363. A spasmodic disease, 366. Analogy of, to *ittanus*,
367, 383. Symptoms of, 379.
- RAIN, on the different quantities of, falling at different heights,
II. 85. Queries concerning, 97.
- REPULSION, facts and queries relative to, II. 249.
- RHUBARB, colouring matter of, speedily conveyed to the
bladder, II. 391.
- RICHMOND, survey of the population of, II. 48.
- Ricinoides*, fatal effects from chewing the seeds of, II. 227.
- RICKETS, use of blisters in, recommended by BOERHAAVE,
I. 138.

ROTHERHAM,

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.:
To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his
Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

ROTHERHAM, Dr. on the poison of lead, I. 489.

ROYTON, state of population, &c. in, II.

S.

SALEP, preparation of, I. 287. Superior to rice, as an aliment, 289. Conceals the taste of salt-water, 290. Retards the acetous fermentation of milk, *ib.* Medicinal uses of, 292. Recommended, as an article of sea provision, II. 276.

SALT, *alimentary*, septic quality of, I. 344. Considered as a manure, II. 159. Use of, in *hæmoptysis*, 344. Remarks concerning its operation, 345, *note*.

SAUNDERS, Dr. on preparations of lead, I. 497.

SCURVY, cause of, I. 424.

SEASONS, *wet*, more free from epidemic diseases than *dry* ones, II. 20, 22, 23. Comparative mortality of, 24, 25.

SENSITIVE PLANT, experiments on, II. 247.

Sextius Baculus, cause of, recorded by Cæsar, II. 271.

SMALL-POX, use of blisters in, I. 133, 156, 160. Account of deaths by, in Manchester, II. 69: In Warrington, 71: In Chowbent, 73: In Chester, 77: In Luton, *ib.* *note*. More fatal to females than to males, 72. Mortality of, compared with that of measles, 82.

SPASMS, use of blisters in, 139.

STOMACH and LUNGS, reciprocal sympathy of, II. 393.

STRANGURY, caused by no other vesicating *stimulus*, but *cantharides*, I. 128. Prevented by copious drinking, 129.

SUFFOCATION, not the cause of death in animals killed by noxious vapours, I. 333, & *seq.* II. 285.

Sulphur, operation of, in cutaneous diseases, II. 310.

SUMATRA, observations on the *silks cotton* of, II. 420.

SUTTON-COLDFIELD, account of, II. 49.

SWELLINGS, *white*, blisters serviceable in, I. 138.

TAR,

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.:
To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his
Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

T.

- TAR, *acid of*, observations respecting, II. 423.
- TASTE, the least fallacious test of asfringency, I. 70.
- TATTENHALL, parish of, II. 194.
- TEA, *green*, more relaxant than *bohea*, I. 85. Particular effects of, on a young lady, 86, *note*. Pernicious qualities of, to be ascribed to its volatile parts, 91. Use of, in inflammatory fevers, *ib*. Injurious consequences ascribed to the early exhibition of, in intermittents, false, 94. Its powers as an aphrodisiac. II. 45.
- TEMPERATURE, accommodating faculty of the human body with respect to, II. 290.
- TOBACCO, operation of, in cases of abstinence, II. 274.
- TROUT, mishapen, probably owing to the poison of lead, I. 462.
- TUMORS, *schirrous*, use of blisters in, I. 138.
- Tussis convulsiva*, resemblance of, to the *cynanche trachealis*, II. 325.
- TYMPANITES, blisters in, recommended by Dr. MEAD, I. 137.
- TYPHUS, remarks on the treatment of, II. 194.

V.

- VALETUDINARY, cautions to, on visiting crowded factories, &c. II. 294.
- VEGETABLES, their property of purifying the atmosphere, II. 146. Perceptive power of, 231. Endowed with a *living principle*, 233; *Instinct*, 235; *Spontaneity*, 238; *locomotive power*, 240. Number of, estimated, 245, *note*.
- VENÆSECTION, caution to be observed previous to, II. 333.
- VENTILATION, means of procuring, in infirmaries,
- VINEGAR, its property of softening animal fibres, I. 69. Taken *internally*, astringent, *ib*. Probably neutralizes vegetable bitters, 75.

VOL. II.

H h

VITRIOL,

Cambridge University Press

978-1-108-06736-2 - The Works, Literary, Moral, and Medical, of Thomas Percival, M.D.:
To which are Prefixed, Memoirs of his Life and Writings, and a Selection from his
Literary Correspondence: Volume 4

Thomas Percival

Index

[More information](#)

I N D E X.

VITRIOL, *blue*, to be cautiously administered, II. 226.
Operation of, 305. Vitriolic acid, transfusion of, II.
310.

W.

WATER, *cold*, too much neglected in pharmacy, I. 61.
Impure, effects of, on the inhabitants of the Alps, 176.
Distilled, recommended in nephritic complaints, 186, *note*.
Hard, corrected by boiling, 194, and filtration, 195.
No alteration produced in it by malt, 196; Fermentation,
197; Nor tea, *ib*. Acquires an aluminous quality from
brick, 198. Impregnated with alum suited to dye black,
207. *Soft*, a more perfect menstruum than *hard*, for
extracting the virtues of plants, 206. A more powerful
solvent of quick lime, 217. Solution of, in air, known
to Dr. HALLEY, II. 197. Remarkable instance of, 198.
Moderate supplies of, tend to prolong life in famine, II.
268, 270.

WAVERTON, enumeration of the inhabitants of, II. 59.

WINE, *Rhenish*, a powerful solvent of the peruvian bark,
I. 58. Efficacy of, in *hæmoptysis*, II. 342. In pulmonary
disorders, 349.

WORMS, discharged from the lungs, II. 188.

Y.

YEW LEAVES, fatal effects of, II. 180.

Z.

ZELLER's account of the pernicious effects of litharge, I. 456.

ZINC, *flowers of*, recommended in consumptions, II. 351.
Efficacy of, in various pulmonic complaints, 400. Un-
favourable action of, 404, *note*.

N. B. In the Errata, line penult. for *trachæa* read *trachea*.

T H E E N D.