

Cambridge University Press

978-1-108-06890-1 - Heat Considered as a Mode of Motion: Being a Course of Twelve Lectures Delivered at the Royal Institution of Great Britain in the Season of 1862

John Tyndall

Table of Contents

[More information](#)

CONTENTS.



LECTURE I.

Introduction — Description of Instruments — The Thermo-electric Pile and the Galvanometer — Heat and Cold indicated by the Deflection of a Magnetic Needle — Heat generated by Friction, Compression, and Percussion — Waterfalls generate Heat — Friction of Railway Axles — The Force necessary to heat the Axles is withdrawn from the urging Force of the Engine — Meteorites probably rendered incandescent by Friction against Air — Rumford's Experiments on the Heat excited by Friction — Water boiled by Friction — Consumption of Heat when compressed Air is suffered to expand — Action of a Current of Air when urged by a bellows against the Face of the Thermo-electric Pile . . . PAGE 1

APPENDIX TO LECTURE I.

Mode of constructing a Thermo-electric Pile — Mode of constructing a Galvanometer — Mode of rendering Needles astatic — Experiments on the Magnetism of Galvanometer Coils, and Mode of avoiding this Magnetism 17

LECTURE II.

The Nature of Heat — the Material Theory supposes it to be a subtle Fluid stored up in the inter-atomic Spaces of Bodies — The idea of 'Capacity' for Heat originated in this way — The Dynamical Theory supposes Heat to be a Motion of the ultimate Particles of Bodies — Rumford's and Davy's Views — Davy's Fusion of Ice by Friction — Bearing of the Experiment on the Material Theory — Heat and Light developed by the Compression of Air — Ignition of Bisulphide of Carbon Vapour in Fire Syringe — Thermal Effects of Air in Motion — Condensation of Aqueous Vapour by the Rarefaction of Air — Machine of Schemnitz — Deportment of a Conductor between the Poles of a Magnet — Apparent Viscosity of the Magnetic Field — The Conductor encounters Resistance to its Motion — A Conductor swiftly rotating is struck motionless when the Magnet is excited — When the Conductor is compelled to rotate Heat is generated —

Cambridge University Press

978-1-108-06890-1 - Heat Considered as a Mode of Motion: Being a Course of Twelve Lectures Delivered at the Royal Institution of Great Britain in the Season of 1862

John Tyndall

Table of Contents

[More information](#)

xiv

CONTENTS.

Fusion of an Alloy by this Heat — Measurement of the Amount of Heat generated by a given Expenditure of Force — Dr. Mayer and Mr. Joule — The Mechanical Equivalent of Heat — Definition of the Term 'Foot-pound' — Heat developed increases as the height of the fall, and is proportional to the Square of the Velocity — Calculation of Heat generated by the impact of Projectiles — Heat equivalent to the Stoppage of the Earth in its Orbit — Heat equivalent to the Falling of the Earth into the Sun — Preliminary Statement of Meteoric Theory of the Sun's Heat — Analysis of Combustion — Ignition of Diamond — Its Combustion in Oxygen due to the Showering of the Atoms of the Gas against the Surface of the Diamond — Structure of Flame — Candle and Gas Flames — Combustion on Mont Blanc — The Light of Flames is materially diminished by the Rarefaction of the Air, though the Quantity of Combustible Matter consumed remains the same — Frankland's Experiments — All Cases of Combustion are due to the Collision of Atoms which have been urged together by their mutual Attractions PAGE 23

APPENDIX TO LECTURE II.

Extracts from the Twentieth Aphorism of the 'Novum Organum'—Abstract of Count Rumford's Essay entitled 'An Enquiry concerning the Source of the Heat which is excited by Friction'—Note on the Compression of Bisulphide of Carbon Vapour. 52

LECTURE III.

Expansion of Bodies by Heat—Liberation of Particles from the thrall of Cohesion — The Liquid and Gaseous States of Matter defined — Illustrations of the Expansion of Air by Heat — Ascent of Fire Balloon — Gases expand by a constant Increment for every Degree above 32° Fahr.—Coefficient of Expansion — Heating of Gas at a constant Pressure — Heating of Gas at a constant Volume — In the former case Work is done by the Gas — In the latter case no Work is done — In the former case an Excess of Heat equivalent to the Work done must be imparted — Calculation of the Mechanical Equivalent of Heat — Mayer and Joule's Determinations — Absolute Zero of Temperature — Expansion without Refrigeration — Expansion of Liquids — Exceptional Department of Water and Bismuth — Energy of Atomic Forces — Pyrometers — Strains and Pressures superinduced by sudden Cooling — Chilling of Metallic Wires by Stretching — Heating of India-rubber by Stretching — Contraction of stretched India-rubber by Heat 59

APPENDIX TO LECTURE III.

Further Remarks on Dilatation — Linear, Superficial, and Cubic Coefficients of Expansion — The Thermometer — Extracts from Sir Humphry Davy's First Memoir, entitled 'Heat, Light, and the Combinations of Light' 90

Cambridge University Press

978-1-108-06890-1 - Heat Considered as a Mode of Motion: Being a Course of Twelve Lectures Delivered at the Royal Institution of Great Britain in the Season of 1862

John Tyndall

Table of Contents

[More information](#)

CONTENTS.

xv

LECTURE IV.

Vibrations and Tones produced by the contact of Bodies of different Temperatures — The Trevelyan Instrument — Rotation of hollow Spheres by Electricity — Effect of Pressure on Fusing Point — The Fusing Point of Bodies which contract on solidifying is raised by Pressure — The Fusing Point of Bodies which expand on solidifying is lowered by Pressure — Liquefaction of Ice by Pressure — Dissection of Ice by Calorific Beam — Negative Crystallisation, Ice reduced internally to Liquid Flowers, having six Petals each — Central Spot a Vacuum — Sound heard when the Spot is formed — Physical Properties of Water from which Air has been removed — Its Cohesion enormously augmented — It can be heated far above its boiling Point — Its Ebullition becomes Explosion — Application of this Property to explain the Sound heard, when the central Spot is formed in Ice — Possible bearing of this Property of Water on Boiler explosions — The Boiling Point of Liquids — Resistance to Ebullition — Cohesion of Particles, adhesion to Vessel, external Pressure — Boiling Points on various Alpine Summits — The law of Conservation illustrated in the Steam Engine — The Geysers of Iceland — Description of the Geysers and their Phenomena — Bunsen's Theory — Experimental Illustration PAGE 98

APPENDIX TO LECTURE IV.

Abstract of a Lecture on the Vibrations and Tones produced by the contact of Bodies having different Temperatures — Extracts from a Paper on the Physical Properties of Ice. 127

LECTURE V.

Application of the Dynamical Theory to the Phenomena of Specific and Latent Heat — Definition of Energy — Potential and Dynamic Energy, illustrated by the Raising and Falling of a Weight — Convertibility of Potential into Dynamic Energy and the reverse — Constancy of the Sum of both Energies — Application of the Ideas of Potential and Dynamic Energy to Atoms and Molecules — Magnitude of Molecular Forces — The separation of a Body's Particles by Heat is an Act the same in kind as the separation of a Weight from the Earth — Work is here done within the heated Body — Interior Work — The Heat communicated to a Body divides itself into Potential and Dynamic Energy — All Single Atoms, whatever be their weight, possess the same amount of Dynamic Energy — Specific Heat or Capacity for Heat explained by Reference to Interior Work and to Atomic Number — Experimental Illustrations of Specific Heat — Table of Specific Heats — Influence of high Specific Heat of Water on Climate — Heat consumed in Change of Aggregation — Latent Heat of Liquids and Vapours — It is Heat consumed in conferring Potential Energy on the ultimate Particles — By Condensation and Liquefaction this

Cambridge University Press

978-1-108-06890-1 - Heat Considered as a Mode of Motion: Being a Course of Twelve Lectures Delivered at the Royal Institution of Great Britain in the Season of 1862

John Tyndall

Table of Contents

[More information](#)

xvi

CONTENTS.

Potential Energy is converted into Heat— Mechanical Value of the Union of Oxygen and Hydrogen — Mechanical Value of the Change from Steam to liquid Water — Mechanical Value of the Change from liquid Water to solid Ice — Experimental Illustrations — Consumption and Generation of Heat by Changes of Aggregation—Water frozen by its own Evaporation — The Cryophorus — Solid Carbonic Acid — The Spheroidal State of Liquids — In this State the Liquid is supported on a Bed of its own Vapour — Proofs that the Spheroidal Drop is not in Contact with the hot Surface underneath it — Experimental Illustrations of the Spheroidal Condition — Possible Bearing of these Facts on the Fiery Ordeal, and on Boiler Explosions — Freezing of Water and Mercury in red-hot Vessels. PAGE 136

LECTURE VI.

Convection in Air—Larger physical Phenomena —Winds caused by the heating Action of the Sun—The upper and lower Trade Winds — Effect of the Earth's Rotation in changing the apparent Direction of Winds — The Existence of the upper Current proved by the Discharge of Ashes into it by Volcanoes — Effects which accompany the apparent Motion of the Sun from side to side of the Equator — Aqueous Vapour — Tropical Rains — Region of Calms — Europe, for the most Part in the upper Trade — Europe the Condenser of the Western Atlantic—This is the Cause of the Mildness of European Temperature — Rainfall in Ireland—Effect of Mountain Ranges on Rainfall — Convection in Liquids— Experimental Illustrations — The Gulf Stream: its influence on the Climate of Britain — Formation of Snow — The Molecules aggregate to form Frozen Stars with Rays sixty degrees apart — Figures of Snow Crystals—Collection of Snow on Mountains—The Snow Line—Squeezing of this Snow to Ice — Formation of Glaciers — The Motion of a Glacier resembles that of a River — Theories of Glacier Motion — The Regelation of Ice — The Moulding of Ice by Pressure — Ancient Glaciers — Their Traces in Switzerland, England, Ireland, and Wales — The Cedars of Lebanon grow on Glacier Moraines — Theories of the Glacial Epoch — Not due to a Diminution of Solar Power, or to the passage of the Solar System through cold Regions of Space . . . 167

APPENDIX TO LECTURE VI.

Abstract of a Lecture on the Mer de Glace 194

LECTURE VII.

The Conduction of Heat a Transmission of Molecular Motion — Different Bodies possess different Powers of Transmission — Good Conductors and bad Conductors — Experimental Illustrations — Experiments of Ingenhausz, Despretz, Wiedemann, and Franz—Table of Conductivities

Cambridge University Press

978-1-108-06890-1 - Heat Considered as a Mode of Motion: Being a Course of Twelve Lectures Delivered at the Royal Institution of Great Britain in the Season of 1862

John Tyndall

Table of Contents

[More information](#)

CONTENTS.

xvii

— Parallelism of Conduction of Heat and Conduction of Electricity — Good Conductors of the one are also good Conductors of the other, and vice versa — Influence of Heat on Electric Conduction — The Motion of Heat interferes with the Motion of Electricity — Conduction of Cold — Constancy of Temperature of Animal Body — Capacity to bear high Temperatures — Diversion of Heat from the Purposes of Temperature to the Performance of Work — Influence of Molecular Structure — Some Bodies conduct differently in different Directions — Conduction in Crystals and in Wood — Feeble Conductivity of Organic Substances — This secures them from sudden Alternations of Temperature — Influence of Specific Heat on the Speed of Conduction — Anomalous Case of Bismuth as compared with Iron — Bismuth, though the worst Conductor, apparently transmits Heat most speedily — Action of Clothing — Rumford's Experiments — Influence of mechanical Texture on Conduction — A Powder conducts ill, on account of the incessant Break in the Continuity of the Mass along which the Motion of Heat is transmitted — Non-conductivity of Gypsum — Effect of Boiler encrustations — Withdrawal of Heat from Flames by good Conductors — The Motion of Flame, though intense, is much lowered by being transferred from so light a Body to a heavy one — Effect of Wire Gauze — The Safety Lamp — Conduction of Liquids denied by Rumford, but proved by M. Despretz — Conduction of Gases denied by Rumford, but affirmed in the case of Hydrogen by Prof. Magnus — Cooling Effect of Air and Hydrogen — Experiments on Gaseous Conduction doubtful. PAGE 204

LECTURE VIII.

Radiant Heat — Cooling a loss of Motion — To what is this Motion imparted? — Preliminary Experiments on Sound — Communication of Vibrations through the Air to Membranes and to Flames — The Vibrations of a Body propagated through the Air and striking on the Drum of the Ear produce Sound — Analogous Phenomena of Light — Theories of Emission and Undulation — Discussions on the Subject — Newton — Huyghens — Euler — Young — Fresnel — Space filled with an elastic Medium called *Ether* — The Motion of a hot or of a luminous body communicated to this *Ether* is propagated through it in waves — In this form Heat is called *Radiant Heat* — The Thermo-electric Pile in relation to Radiant Heat — Distribution of Heat in the Electric Spectrum examined experimentally — Low Calorific Power of blue End of Spectrum — The most luminous Part not the hottest Part — Of the visible rays Red is the hottest — The maximum Calorific Action is beyond the Red, and is due to Rays which are incompetent to excite the Sense of Vision — Extra Violet Rays — Physical Cause of Colour — The Spectrum is to the Eye what the Gamut is to the Ear — The Colour of Light corresponds to the Pitch of Sound — Number of Impulses involved in the Perception of Light — Theory of Exchanges — Reflection of Radiant

a

Cambridge University Press

978-1-108-06890-1 - Heat Considered as a Mode of Motion: Being a Course of Twelve Lectures Delivered at the Royal Institution of Great Britain in the Season of 1862

John Tyndall

Table of Contents

[More information](#)

xviii

CONTENTS.

Heat from Plane Surfaces — Angle of Incidence equal to the Angle of Reflection — Experimental Proof — The obscure Rays of the Electric Lamp pursue the same Track as the luminous ones — Angular Velocity of reflected Ray twice that of rotating Mirror — Experiments with radiant Heat of Fire and of obscure Bodies — Reflection from curved Surfaces — Parabolic Mirrors — Explosion of Chlorine and Hydrogen in Focus of Mirror by Light — Explosion of Oxygen and Hydrogen by Radiant Heat — Reflection of Cold PAGE 243

APPENDIX TO LECTURE VIII.

On the Sounds produced by the Combustion of Gases in Tubes 270

LECTURE IX.

The Intensity of Radiant Heat diminishes as the Square of the Distance from the radiant Point increases — Experimental Proof — Undulations of Sound longitudinal, of Light transversal — The ultimate Particles of different Bodies possess different Powers of Communicating Motion to the Ether — Experimental Illustrations of good and bad Radiators — Reciprocity of Radiation and Absorption — Protection by Gilding against Radiant Heat — Transmission of Radiant Heat through Solids and Liquids — Diathermancy — Absorption occurs within the Body — Absorption of Light by Water — Radiant Heat passes through Diathermic Bodies without heating them — Athermic Bodies are heated — Concentration of Beam on bulb of Air Thermometer — Penetrative Power of Sunbeams — Sifting of Radiant Heat — Ratio of Obscure to Luminous Radiation in various Flames 283

APPENDIX TO LECTURE IX.

On some physical Properties of Ice 310

LECTURE X.

Absorption of Heat by Gases and Vapours — First Apparatus — Rocksalt Plates — Peculiarities of the Galvanometer — The higher Degrees of greater Value than the lower ones — Improved Apparatus — Principle of Compensation permits the use of a powerful Source of Heat while it preserves the Needle in a sensitive Position — Air, Oxygen, Hydrogen, and Nitrogen, are practical Vacua to Radiant Heat — Opacity of Olefiant Gas and Sulphuric Ether — Radiation through other Gases and Vapours — Great difference of Absorbing Power — Radiation of Heat by Gases — The atom which Absorbs powerfully Radiates powerfully — Absorption by Gases at a Tension of an Atmosphere — Absorptions at smaller Tensions — Comparison of Elementary and Compound Gases and Vapours — Radiation through Lampblack, &c. 323

APPENDIX TO LECTURE X.

Calibration of the Galvanometer 355

Cambridge University Press

978-1-108-06890-1 - Heat Considered as a Mode of Motion: Being a Course of Twelve Lectures Delivered at the Royal Institution of Great Britain in the Season of 1862

John Tyndall

Table of Contents

[More information](#)

CONTENTS.

xix

LECTURE XI.

Action of Odorous Substances on Radiant Heat—List of Perfumes examined — Action of Ozone on Radiant Heat — Influence of the Size of the Electrodes on the Quantity of Ozone generated — Constitution of Ozone — Radiation and Absorption of Gases and Vapours determined without any Source of Heat external to the gaseous Body itself—Dynamic Radiation and Absorption—Varnishing a metal Surface by a Gas—Varnishing of a Gas by a Vapour—Tenuity of Boracic Ether shown in Experiments on Dynamic Radiation—Influence of Length of radiating Column—In a long Tube, a Vapour at a small Tension may exceed a Gas at a high Tension, while in a short Tube the Gas exceeds the Vapour—Radiation through Humid Air—Action of the Vapour of the Atmosphere on Terrestrial and Solar Radiation—Objections answered—Applicability of Rocksalt Plates—Experiments in Tube without Plates—Experiments without either Tube or Plates—Examination of Air from various localities—Influence of the Results on the Science of Meteorology—Application to tropical Rain Torrents—To the Formation of Cumuli—To the Condensation of a Mountainous Region—To Radiation Experiments at high and low Elevations—To the Cold of Central Asia—To the Thermometric Range in Australia—To the Meteorology of Sahara—To Leslie's Experiments—To Wells's Theory of Ice-formation in India—To Melloni's Theory of *Sérein* PAGE 358

APPENDIX TO LECTURE XI.

Further Details regarding the Action of aqueous Vapour on Radiant Heat 394

LECTURE XII.

Dew—a clear Sky and calm but damp Atmosphere necessary for its copious Formation—Dewed Substances colder than undewed ones—Dewed Substances better Radiators than undewed ones—Theory of Wells—Dew is the Condensation of the atmospheric Vapour on Substances which have been chilled by Radiation—Lunar Radiation—Constitution of the Sun—The bright Lines in the Spectra of the Metals—An incandescent Vapour absorbs the Rays which it can itself emit—Kirchhoff's Generalisation—Fraunhofer's Lines, caused by the Absorption of such Rays by the luminous Solar Atmosphere as that Atmosphere itself could emit—Solar Chemistry—Emission by the Sun—Herschel and Pouillet's Experiments—Mayer's Meteoric Theory—Effect of the Tides on the Earth's Rotation—Energies of the Solar System—Helmholtz, Thomson, Waterston—Relation of the Sun to Vegetable and Animal Life . . . 399

APPENDIX TO LECTURE XII.

Lecture on Force; Letters of Dr. Joule and Prof. Tyndall . . . 435