

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

CAMBRIDGE LIBRARY COLLECTION

Books of enduring scholarly value

Botany and Horticulture

Until the nineteenth century, the investigation of natural phenomena, plants and animals was considered either the preserve of elite scholars or a pastime for the leisured upper classes. As increasing academic rigour and systematisation was brought to the study of 'natural history', its subdisciplines were adopted into university curricula, and learned societies (such as the Royal Horticultural Society, founded in 1804) were established to support research in these areas. A related development was strong enthusiasm for exotic garden plants, which resulted in plant collecting expeditions to every corner of the globe, sometimes with tragic consequences. This series includes accounts of some of those expeditions, detailed reference works on the flora of different regions, and practical advice for amateur and professional gardeners.

Catalogus bibliothecæ historico-naturalis Josephi Banks

Following his stint as the naturalist aboard the *Endeavour* on James Cook's pioneering voyage, Sir Joseph Banks (1743–1820) became a pre-eminent member of the scientific community in London. President of the Royal Society from 1778, and a friend and adviser to George III, Banks significantly strengthened the bonds between the practitioners and patrons of science. Between 1796 and 1800, the Swedish botanist and librarian Jonas Dryander (1748–1810) published this five-volume work recording the contents of Banks's extensive library. The catalogue was praised by many, including the distinguished botanist Sir James Edward Smith, who wrote that 'a work so ingenious in design and so perfect in execution can scarcely be produced in any science'. Volume 3 (1797) lists Banks's collection of books on botanical subjects, including works on the medical and economic applications of various plants.

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

Cambridge University Press has long been a pioneer in the reissuing of out-of-print titles from its own backlist, producing digital reprints of books that are still sought after by scholars and students but could not be reprinted economically using traditional technology. The Cambridge Library Collection extends this activity to a wider range of books which are still of importance to researchers and professionals, either for the source material they contain, or as landmarks in the history of their academic discipline.

Drawing from the world-renowned collections in the Cambridge University Library and other partner libraries, and guided by the advice of experts in each subject area, Cambridge University Press is using state-of-the-art scanning machines in its own Printing House to capture the content of each book selected for inclusion. The files are processed to give a consistently clear, crisp image, and the books finished to the high quality standard for which the Press is recognised around the world. The latest print-on-demand technology ensures that the books will remain available indefinitely, and that orders for single or multiple copies can quickly be supplied.

The Cambridge Library Collection brings back to life books of enduring scholarly value (including out-of-copyright works originally issued by other publishers) across a wide range of disciplines in the humanities and social sciences and in science and technology.

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

Catalogus bibliothecæ historico-naturalis Josephi Banks

VOLUME 3:

BOTANICI

JONAS DRYANDER



CAMBRIDGE
UNIVERSITY PRESS

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

CAMBRIDGE
UNIVERSITY PRESS

University Printing House, Cambridge, CB2 8BS, United Kingdom

Published in the United States of America by Cambridge University Press, New York

Cambridge University Press is part of the University of Cambridge.

It furthers the University's mission by disseminating knowledge in the pursuit of education, learning and research at the highest international levels of excellence.

www.cambridge.org

Information on this title: www.cambridge.org/9781108069526

© in this compilation Cambridge University Press 2014

This edition first published 1797

This digitally printed version 2014

ISBN 978-1-108-06952-6 Paperback

This book reproduces the text of the original edition. The content and language reflect the beliefs, practices and terminology of their time, and have not been updated.

Cambridge University Press wishes to make clear that the book, unless originally published by Cambridge, is not being republished by, in association or collaboration with, or with the endorsement or approval of, the original publisher or its successors in title.

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

CATALOGUS
BIBLIOTHECÆ
HISTORICO-NATURALIS
JOSEPHI BANKS

REGI A CONSILIIS INTIMIS,
BARONETI, BALNEI EQUITIS,
REGIÆ SOCIETATIS PRÆSIDIS CÆT.

AUCTORE
JONA DRYANDER, A. M.
REGIÆ SOCIETATIS BIBLIOTHECARIO.

TOMUS III.
BOTANICI.

LONDINI:

TYPIS GUL. BULMER ET SOC.
1797.

Cambridge University Press
978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:
Volume 3: Botanici
Jonas Dryander
Frontmatter
[More information](#)

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

ELENCHUS SECTIONUM.

Numerus prior Sectionem, posterior Paginam indicat.

- | | |
|-------------------------------|------------------------------|
| 1 Encomia Botanices. Pag. 1. | miscellæ et Observationes |
| 2 Historia Botanices. 5. | Botanicæ. 70, 646. |
| 3 Bibliothecæ Botanicae. 6. | 24 Collectiones Opusculorum |
| 4 Lexica Botanica. 8, 646. | Botanicorum. 90. |
| 5 Methodus studii Botanici. | |
| 12. | |
| 6 Herbaria viva conficienda. | 25 Horti Botanici. 94. |
| 13. | Encomia Hortorum Botani- |
| 7 Plantæ in arena siccandæ. | corum. |
| 14. | 26 Horti varii. |
| 8 Plantæ in liquoribus ser- | 27 Magnæ Britannia et Hiber- |
| vandæ. | niæ. 95. |
| 9 Plantarum Ectypa confici- | Hortus Regius Kewensis. |
| enda. | 95, 646. |
| 10 Elementa Botanica et de | 28 Episcopi Londinensis, in |
| Plantis in genere Scrip- | Fulham. 95. |
| tores. 15. | 29 Chelseanus, Societatis |
| 11 Termini Botanici. 25. | Pharmacopœorum |
| 12 Systemata Plantarum ad Ge- | Londinensis. |
| nera (nec Species) exten- | 30 Johannis Gerardi, Lon- |
| sa. 27. | dini. 97. |
| 13 Nova Plantarum Genera, | 31 Johannis Tradescant, in |
| ubi Species ad ea referen- | Lambeth. |
| dæ etiam recensentur. 34. | 32 Guilhelmi Curtis, in Lam- |
| 14 Pinaces et Systemata Plan- | beth Marsh, et postea |
| tarum ad Species extensa. | in Brompton. 98, 646. |
| 36. | 33 Jacobi Sherard, M. D. |
| 15 De Methodis Plantarum | Elthami. 98. |
| Scriptores Critici. 43, 646. | 34 Johannis Fothergill, |
| 16 De Generibus Plantarum | M. D. in Upton. |
| Scriptores Critici. 49. | 35 Oxoniensis. |
| 17 De Speciebus Plantarum | 36 Cantabrigiensis. 99. |
| Scriptores Critici. | 37 Philippi Brown, M. D. |
| 18 De Nominibus Plantarum. | prope Mancestriam. |
| 50. | 38 Johannis Blackburne Ar- |
| 19 Historiæ Plantarum. 51. | mig. Orfordiæ. |
| 20 Icones Plantarum. 63, 646. | R. A. Salisbury Armig. |
| 21 Iconum edendarum regulæ. | in Chapel Allerton. |
| 69. | 647. |
| 22 Catalogi Iconum Plantarum. | 39 Catalogi Hortulanorum. |
| 23 Descriptiones Plantarum | 100. |

A 2

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

iv

Elenchus Sectionum.

- | | |
|-------------------------------|---------------------------------|
| 40 Hortus Edinburgensis. 101. | 75 Hortus Marchionis Pancia- |
| 41 Dublinensis. | tichi, prope Florenti- |
| 42 Belgii Foederati. | am. 112. |
| 43 Hortus Simonis Beaumont, | 76 Romanus. |
| Hagæ Comitum. | 77 Cardinalis Odoardi Far- |
| 44 M.W.Schwencke, Hagæ | nesii, Romæ. 113. |
| Comitum. 102. | 78 Messanensis. |
| 45 Academicus Lugduno- | 79 Josephi Principis Catho- |
| Batavus. | licæ, Panormi. |
| 46 Georgii Clifford, Harte- | 80 Helvetiæ. |
| campi. 104. | Hortus Societatis Physicæ |
| 47 Medicus Harlemensis. | Turicensis. |
| 48 Amstelodamensis. | 81 Germaniæ. 114. |
| 49 Academicus Ultrajecti- | 82 Circuli Austriaci. |
| nus. 105. | Hortus Vindobonensis. |
| 50 Harderovicensis. | 83 Circuli Bavarici. |
| 51 Henr. Munting, Gro- | Hortus Universitatis Salis- |
| ningæ. | burgensis. |
| 52 Scholæ Auriacæ, Bredæ. | 84 Circuli Svevici. |
| 53 Catalogi Hortulanorum. | Hortus Carolusruhanus, Mar- |
| 54 Galliæ. 106. | chionis Badensis. |
| Hortus Regius Parisinus. | 85 Circuli Franconici. 115. |
| 55 Joannis Robini, Parisiis. | Hortus Johannis Conradi |
| 107. | Episcopi Eystettensis. |
| 56 Dionysii Joncquet, Pari- | 86 Horti Norimbergenses. |
| siis. | 87 Hortus Academiæ Altorfi- |
| 57 Pharmacopœorum Pari- | næ. 116. |
| siensium. | 88 Circuli Rhenani Inferioris |
| 58 Royer, Parisiis. | s. Electoralis. |
| 59 Barbeu Dubourg. 108. | Hortus Heidelbergensis. |
| 60 Catalogi Hortulanorum. | Electoralis Manheimi- |
| 61 Hortus Insulanus. | ensis. 647. |
| 62 Academiæ Rothomagen- | 89 Circuli Burgundici. 116. |
| sis. | Hortus Johannis Hermanni, |
| 63 Blesensis, Ducis Aure- | Bruxellis. |
| lianensium. | 90 Circuli Rhenani Superioris. |
| 64 Academiæ Scientiarum | 117. |
| Tolosanæ. | Hortus Senkenbergianus, |
| 65 Monspelienensis. 109. | Francofurti ad |
| 66 Academicus Argentora- | Moenum. |
| tensis. | 91 Meyeri, Hanoviæ. |
| 67 Italiæ. | 92 Medicus Gissensis. |
| Hortus Taurinensis. | 93 Circuli Saxonici Inferioris. |
| 68 Ticinensis. | Hortus G. C. Schelhamme- |
| 69 Mantuanus. | ri, Helmstadii. |
| 70 Gymnasii Patavini. 110. | 94 J. A. Stisser, Helmsta- |
| 71 J.F. Mauroceni, Patavii. | dii. |
| 72 Bononiensis. 111. | 95 Academiæ Helmstadien- |
| 73 Pisanus. | sis. 118. |
| 74 Florentinus. | 96 Hessensis. |

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)*Elenchus Sectionum.*

v

- | | |
|---|--|
| 97 Hortus Academicus Gottingensis. 119. | Hortus Universitatis, Pestini. 125. |
| 98 Horti Regii Hannoverani. 119, 647. | 122 Imperii Russici. 126. |
| 99 Hortus Consulis von Bostel, Hornæ prope Hamburgum. 120. | Hortus Petropolitanus. 126, 647. |
| 100 Circuli Saxonici Superioris. Hortus Jenensis. | 123 P. a Demidof, Moscua. 126. |
| 101 Academiæ Lipsiensis. | 124 Demidovianus, Solkamskiæ. |
| 102 Caspari Bosii, Lipsiæ. | 125 Jamaica. |
| 103 A. F. Waltheri, Lipsiæ. 121. | 126 Botanici Topographici. 128. |
| 104 Academicus Wittebergensis. | 127 Variarum regionum Europæ. |
| 105 Halensis. | 128 Magnæ Britanniae et HiBerniæ. 130, 647, 648. |
| 106 Pædagogii Glauchensis (prope Halam.) 122. | 129 Belgii Foederati. 139. |
| 107 Regius Berolinensis. | 130 Galliæ. 140, 648. |
| 108 C. L. Krause (Hortulani,) Berolini. | 131 Hispaniæ. 145. |
| F. C. Achard, Berolini. 647. | 132 Lusitaniæ. 146. |
| 109 Academiæ, quæ Francofurti ad Viadrum est. 122. | 133 Italiæ. 147. |
| 110 Dom. de Zieten, Trebnizii, in Circulo Marchiæ Lebusano. | 134 Helvetiæ. 150. |
| 111 Academiæ Gryphicæ. | 135 Germaniæ. 152. |
| 112 Catalogi Hortulanorum. 123. | 136 Circuli Austriaci. 153, 618. |
| 113 Imperii Danici. | 137 Bavarici. 154. |
| Hortus Hafniensis. | 138 Svevici. 155. |
| 114 Horti Nidrosienses. | 139 Franconici. |
| 115 Sveciæ. 124. | 140 Rhenani Inferioris s. Electoralis. 156. |
| Hortus Academiæ Upsaliensis. | 141 Rhenani Superioris. |
| 116 Comititis M. G. De la Gardie, in Jacobsdal (hodie Ulricsdal.) | 142 Westphalici. 157. |
| 117 J. E. Ferber in Agerum, (prope Carls-crona.) 125. | 143 Saxonici Inferioris. 158. |
| 118 Academiæ Aboënsis. | 144 Superioris. 160. |
| 119 Borussia. | 145 Bohemiæ et Moraviæ. 163. |
| 120 Horti Regii Warsavienses. | 146 Silesiæ. 164. |
| 121 Hungariæ. | 147 Lusatiæ. 165. |
| | 148 Imperii Danici. |
| | 149 Sveciæ. 167, 648. |
| | 150 Borussia. 171. |
| | 151 Hungariæ. 172, 648. |
| | 152 Imperii Russici. 172, 648. |
| | 153 Orientis. 174. |
| | 154 Africa Septentrionalis. 176. |

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

vi

Elenchus Sectionum.

- | | | | |
|-----|---|-----|---|
| 155 | Africæ Australis. 177. | 183 | Cerealia: 214. |
| 156 | Insularum Africæ adjacentium. 178. | 184 | Ensatae. |
| 157 | Indiæ Orientalis. 178, 648. | 185 | Orchideæ. |
| 158 | Cochinchinæ et Chinæ. 182. | 186 | Scitamineæ. 215. |
| 159 | Japoniæ. 183. | 187 | Succulentæ. |
| 160 | Novæ Cambriæ. 184. | | Hesperideæ. 650. |
| 161 | Insularum Oceani Pacifici. | 188 | Caryophyllei. 215. |
| 162 | Americæ Septentrionalis. 185. | 189 | Multisiliquæ. 216. |
| 163 | Meridionalis, et adjacentium Insularum. 186, 649. | 190 | Luridæ. |
| | | 191 | Contortæ. |
| 164 | Poëmata de Plantis. 191. | 192 | Papilionaceæ. |
| 165 | Phyto-theologi. 192, 649. | 193 | Columniferæ. 217. |
| 166 | Plantæ Biblicæ. 193. | 194 | Siliquosæ. |
| 167 | Plantarum Biblicarum Monographiæ. 196, 649. | 195 | Verticillatæ. |
| 168 | De Plantis veterum Auctorum Scriptores Critici. 200, 649. | 196 | Umbellatæ. |
| 169 | Plantarum Historia superstitiosa et fabularis. 203, 649. | 197 | Stellatæ. |
| 170 | Plantæ fabulosæ. 204. | 198 | Aggregatæ. 218. |
| | | 199 | Compositæ. 218, 650. |
| 171 | Familie Plantarum. 205. | 200 | Coniferæ. 218. |
| | Dendrologi. | 201 | Cryptogamæ. 219. |
| 172 | Topographici. 206. | 202 | De Cryptogamis Scriptores Topographici. |
| | Magnæ Britanniæ. | | Magnæ Britannia. |
| 173 | Galliæ. | 203 | Germaniæ. 220. |
| 174 | Germaniæ. 207. | 204 | Daniæ. |
| 175 | Sveciæ. 209. | 205 | Filices. |
| 176 | Americæ. | 206 | Musci et Algæ. 221, 650. |
| 177 | Arbores vulgo Fructiferæ dictæ. 210, 649. | 207 | Algæ. 222. |
| 178 | Palmæ. 211. | 208 | Fungi. 223. |
| 179 | Gramina. 212. | 209 | Mycologi Topographici. |
| 180 | De Graminibus Scriptores Topographici. 213. | | 225. |
| | Magnæ Britannia. | | Magnæ Britannia. 225, 650. |
| 181 | Italiæ. 214. | 210 | Galliæ. 225. |
| 182 | Helvetiæ. | 211 | Italiæ. 226. |
| | | 212 | Germaniæ. |
| | | 213 | Hungariæ. 227. |
| | | 214 | Plantæ volubiles. |
| | | 215 | Parasiticæ. |
| | | 216 | Bulbosæ et Tuberosæ. 228. |
| | | 217 | flore liliaceo Tournefortii. |
| | | 218 | Staminibus connatis. |
| | | 219 | Monographiæ Plantarum. 230. |

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)*Elenchus Sectionum.*

vii

- MONANDRIA. 230.**
Monogynia.
 Amomum Zingiber.
 220 Cardamomum.
 221 *Thalia* species?
 222 *Usteria guineensis*.
 223 *Hippuridis* genus.
 224 *Digynia. 231.*
Lacistema Myricoides.
 225 *Corispermum hyssopifolium.*

 226 **DIANDRIA.**
Monogynia.
Nyctanthes elongata Linn. suppl.
 227 *Olea europæa.*
 228 *Veronicæ variæ. 232.*
 229 *Veronica fruticulosa.*
 230 *alpina.*
 231 *Justiciæ variæ.*
 232 *Schwenkia americana.*
 233 *Calceolaria pinnata.*
 234 *Pinguicula campanulata Lamarck. 233.*
 235 *Verbena officinalis.*
 236 *Aubletia Linn. suppl.*
 237 *Amethystea cærulea.*
Monardæ genus. 650.
 238 *Salviæ genus. 233.*
 239 *Salvia Scabiosæfolia Lamarck. 234.*
 240 *Trigynia.*
Piperis species variæ.

 241 **TRIANDRIA.**
Monogynia.
Valeriana cornucopiæ.
 242 *officinalis.*
 243 *celtica.*
 244 *Loeflingia hispanica.*
 245 *Crocus sativus æ. officinalis. 235.*
 246 *Ixiæ genus.*
 247 *Ixia Bulbocodium.*
 248 *chinensis.*
 249 *Gladioli genus.*
 250 *varii. 236.*
 251 *Iridis genus.*
 252 *Iris Gùldenstædtiana Lepech.*

 253 *Morææ genus. 236.*
 254 *Dilatrix genus.*
 255 *Wachendorfiæ genus.*
 256 *Cyperus Papyrus. 237, 650.*
 257 *Scirpi varii. 237.*
 258 *Digynia.*
Bobartia indica.
 259 *Leersia oryzoides Swartz.*
 260 *Paspalum stoloniferum Bosc.*
 261 *Poa bohemica Mayer. 238.*
 262 *Cynosurus echinatus.*
 263 *Festuca spadicea.*
 264 *fluitans.*
 265 *Avenæ variæ. 239.*
 266 *Aristida quædam.*
 267 *Elymus Hystrix.*
 268 *Hordei genus.*
 269 *Triticum.*
 270 *compositum. junceum. 650.*

 271 *Trigynia. 240.*
Eriocaulon decangulare.
 272 *Minuartiæ genus.*
 273 *Polypara cochinchinensis Loureiro.*

 274 **TETRANDRIA.**
Monogynia.
Proteæ genus.
 275 *duæ. 241.*
 276 *Protea argentea.*
 277 *Scepttrum Linn. suppl.*
 278 *Globularia Alypum.*
 279 *Scabiosa tatarica.*
Opercularia paleata Young. 651.
 280 *Spermacoce capitata Bergii. 241.*
 281 *Galii species duæ. 242.*
 282 *Rubia tinctorum.*
 283 *Buddlea globosa Hort. Kew.*
 284 *Corni genus.*
 285 *Cornus svecica.*
 286 *Chloranthus inconspicuus Hort. Kew.*
 287 *Ammannia baccifera. 243.*
 288 *Isnardia palustris.*
 289 *Trapa natans.*

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

- | | |
|--|--|
| 290 Drapetes muscosus <i>La-</i> | 324 Mirabilis viscosa <i>Cavanill.</i> |
| <i>marck.</i> 243. | 325 Verbasci genus. |
| 291 Salvadora persica. | 326 Verbascum quoddam. 250. |
| 292 Louichea (Pteranthus | 327 Nicotianæ genus. |
| <i>Forsk.</i>) | 328 Nicotiana paniculata et glu- |
| 293 <i>Digynia.</i> 244. | <i>tinosa.</i> |
| Cuscutæ genus. | 329 Atropa Mandragora. |
| 294 <i>Tetragynia.</i> | 330 Belladonna. |
| Ilex Aquifolium. | 331 physalodes. 251. |
| 295 Sagina erecta. | 332 Capsici genus. |
| 296 cerastoides <i>Smith.</i> | 333 Sideroxyli genus. |
| | 334 Ayenia pusilla. |
| 297 PENTANDRIA. | 335 Celastrus scandens. |
| <i>Monogynia.</i> | 336 Evonymi genus. |
| Cerinthæ genus. | 337 Diosmæ species duæ. 252. |
| 298 Borago indica et africana. | 338 Calodendrum capense |
| 245. | <i>Thunb.</i> |
| 299 Nolana prostrata. | Ribes spicatum <i>Robson.</i> 651. |
| 300 Aretia helvetica. | 339 Hedera Helix. 252. |
| 301 <i>Vitaliana.</i> | 340 Claytonia sibirica. |
| 302 Cortusa Matthioli. | 341 Strelizia Reginæ <i>Hort. Kew.</i> |
| 303 Menyanthes Nymphoides. | 252, 651. |
| 304 Hydrophyllum magellani- | 342 Illecebræ genus. 252. |
| cum <i>Lamarck.</i> 246. | 343 Policarpea <i>Lamarck.</i> 253. |
| 305 Ellisia Nyctelea. | 344 Nerium Oleander. |
| 306 Fagræa ceylanica <i>Thunb.</i> | 345 Echites semidigyna <i>Bergii.</i> |
| 307 Azalea pontica. | 346 <i>Digynia.</i> |
| 308 Sprengelia incarnata <i>Smith.</i> | Stapelie variæ. 253, 651. |
| 309 Weigela japonica <i>Thunb.</i> | 347 Salsola Kali. 253. |
| 310 Retzia spicata <i>Linn. suppl.</i> | 348 Bosea yervamora. |
| 247. | 349 Ulmus campestris. 254, 651. |
| 311 Convolvuli et Ipomœæ ge- | 350 lævis <i>Pallas.</i> 254. |
| nera. | 351 Gentianæ genus. |
| 312 Campanula latifolia. | 352 Gentiana saxosa <i>Forst.</i> |
| 313 Cinchonæ genus. 247, 651. | 353 pulchella <i>Swartz.</i> |
| 314 Cinchona angustifolia | 354 Cussoniæ genus. 255. |
| <i>Swartz.</i> 247. | 355 Astrantia major. |
| 315 Cinchonæ species (Gam- | 356 ciliaris <i>Linn. suppl.</i> |
| ber.) | 357 Caucalis species variæ. |
| 316 Gardeniæ genus. | 358 mauritanica. |
| 317 Gardenia florida. 248. | 359 Athamanta Oreoselinum. |
| 318 <i>Thunbergia Linn.</i> | 360 Ferula quædam. 256. |
| <i>suppl.</i> | 361 Sium nodiflorum et latifo- |
| 319 <i>Rothmannia Linn.</i> | <i>lum.</i> |
| <i>suppl.</i> | 362 latifolium. |
| 320 Coffea arabica. | 363 Cicuta virosa. |
| 321 Serissa <i>Juss. gen.</i> 249. | 364 Scandix odorata. |
| 322 Solandra grandiflora <i>Hort.</i> | 365 Chærophyllum aureum. |
| <i>Kew.</i> | 366 <i>Trigynia.</i> 257. |
| 323 Mirabilis longiflora. | Passifloræ genus. |

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)*Elenchus Sectionum.*

ix

- | | |
|---------------------------------------|---|
| 367 <i>Passifloræ variæ.</i> 257. | 407 <i>Frankenia lævis.</i> 268. |
| 368 <i>Passiflora quadrangularis.</i> | 408 <i>Bambos arundinacea Retz.</i> |
| 369 <i>incarnata.</i> | 409 <i>Ehrharta cartilaginea Smith.</i> |
| 370 <i>Pentagynia.</i> 258. | 410 <i>bulbosa Smith.</i> 269. |
| <i>Aldrovanda vesiculosa.</i> | 411 <i>Trigynia.</i> |
| 371 <i>Drosera rotundifolia et</i> | <i>Rumices varii.</i> |
| <i>longifolia.</i> | 412 <i>Triglochin genus.</i> |
| 372 <i>Crassulæ variæ.</i> | 413 <i>Tetragynia.</i> |
| 373 <i>Crassula perfoliata.</i> | <i>Petiveria alliacea.</i> |
| 374 HEXANDRIA. 259. | 414 HEPTANDRIA. 270. |
| <i>Monogynia.</i> | <i>Monogynia.</i> |
| <i>Bromelia Ananas.</i> | <i>Trientalis europæa.</i> |
| 375 <i>Hæmanthus multiflorus</i> | 415 <i>Æsculus Hippocastanum.</i> |
| <i>Linn. fil.</i> | 416 <i>flava Hort. Kew.</i> |
| 376 <i>Pancratia varia.</i> | 417 <i>Tetragynia.</i> |
| 377 <i>Amaryllis formosissima.</i> | <i>Saururus cernuus.</i> |
| 378 <i>sarniensis.</i> | |
| 379 <i>orientalis.</i> 260. | 418 OCTANDRIA. 271. |
| 380 <i>Allii genus.</i> | <i>Monogynia.</i> |
| 381 <i>Allium carinatum.</i> | <i>Tropæoli genus.</i> |
| 382 <i>Chamæmoly.</i> | 419 <i>Tropæolum hybridum.</i> |
| 383 <i>Lilium album.</i> | 420 <i>Gaura biennis.</i> |
| 384 <i>Tulipa gesneriana.</i> | 421 <i>Xylocarpus.</i> |
| 385 <i>Albucæ genus.</i> 261. | 422 <i>Koelreutera paniculata</i> |
| 386 <i>Hypoxis species variæ.</i> | <i>Hort. Kew.</i> |
| 387 <i>Ornithogalum bohemicum</i> | 423 <i>Fuchsiae genus.</i> 272. |
| <i>Zauschn.</i> | 424 <i>Michauxia campanuloides</i> |
| 388 <i>Cyanellæ genus.</i> | <i>Hort. Kew.</i> |
| 389 <i>Antericum ossifragum.</i> | 425 <i>Lawsonia inermis.</i> |
| <i>262.</i> | 426 <i>Ericæ genus.</i> 272, 651. |
| 390 <i>Asparagus officinalis.</i> | 427 <i>variæ.</i> 272. |
| 391 <i>Dracæna Draco.</i> | 428 <i>Erica vulgaris.</i> |
| 392 <i>Convallaria majalis.</i> | 429 <i>Sparrmanni Linn.</i> |
| 393 <i>Hyacinthi genus.</i> 263. | <i>suppl.</i> 273. |
| 394 <i>varii.</i> | 430 <i>retorta Linn. suppl.</i> |
| 395 <i>Aletris capensis.</i> | 431 <i>Grubbia Bergii.</i> |
| 396 <i>Yucca gloriosa.</i> | 432 <i>Trigynia.</i> |
| 397 <i>Draconis.</i> | <i>Polygonum frutescens.</i> |
| 398 <i>Aloës genus.</i> 264. | 433 <i>orientale.</i> |
| 399 <i>et Agaves species</i> | 434 <i>tataricum.</i> |
| <i>variæ.</i> | <i>Tetragynia.</i> |
| 400 <i>Agave americana.</i> 265. | <i>Forskolea tenacissima.</i> 651. |
| 401 <i>Alstroemeræ genus.</i> 267. | |
| 402 <i>Gethyllis genus.</i> | 435 ENNEANDRIA. 274. |
| 403 <i>Junci varii.</i> 268. | <i>Monogynia.</i> |
| 404 <i>Juncus bufonius.</i> | <i>Lauri genus.</i> |
| 405 <i>Berberis vulgaris.</i> | <i>Laurus Camphora.</i> 652. |
| 406 <i>Loranthus cucullaris La-</i> | 436 <i>nobilis.</i> 274. |
| <i>marck.</i> | 437 <i>Sassafras.</i> |

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

x

Elenchus Sectionum.

- 438 *Trigynia*. 274.
Rheum Rhaponticum.
- 439 Rhubarbarum. 275.
440 palmatum.
441 Ribes.
442 hybridum *Murræi*.
- 443 **DECANDRIA.**
Monogynia.
Sophora japonica.
444 Cassia procumbens. 276.
445 Poinciana coriaria *Jacqu.*
446 Schotia speciosa.
447 Cadia purpurea *Hort. Kew.*
Prosopis spicigera. 652.
448 Hæmatoxylon campechia-
num. 276.
449 Ekebergia capensis.
450 Turraë variae. 277.
451 Quassia excelsa *Swartz.*
277, 652.
452 Dionæa muscipula. 277.
453 Kalmia glauca *Hort. Kew.*
454 Ledum palustre. 278.
455 buxifolium *Hort.*
Kew.
456 Arbutus Andrachne.
457 Uva ursi.
458 Styra Benzoin.
459 *Digynia*. 279.
Chrysosplenii genus.
460 Chrysosplenium oppositi-
folium.
461 Saxifraga androsacea.
462 sarmentosa.
463 Scleranthus perennis.
464 Dianthi genus.
465 Dianthus caryophyllus γ .
imbricatus. 280.
466 Dianthus chinensis.
467 *Trigynia.*
Cucubalus bacciferus.
468 Arenaria peploides.
469 Cherleria sedoides.
470 *Pentagynia.*
Penthorum sedoides.
471 Oxalidis genus. 281.
472 Oxalides duæ.
473 Oxalis sensitiva.
- 474 *Decagynia*. 281.
Phytolacca octandra et de-
candra.
475 dodecandra *Hort. Kew.*
- 476 **DODECANDRIA.** 282.
Monogynia.
Bassia latifolia *Roxb. corom.*
477 Garcinia Mangostana.
478 Halesiæ genus.
479 Halesia tetraptera.
480 Canella alba.
481 Hudsonia ericoides.
482 Nitraria Schoberi. 283.
483 Talini genus *Juss.*
484 *Trigynia.*
Reseda odorata.
485 Euphorbiæ genus.
486 fruticosæ.
487 *Tetragynia*. 284.
Calligoni genus.
- 488 **ICOSANDRIA.**
Monogynia.
Cactus mammillaris.
489 hexagonus.
490 peruvianus. 285.
491 grandiflorus.
492 triangularis. 286.
493 Eugenia caryophyllata
Thunb.
494 Calyptranthis genus.
495 Myrtus Pimenta.
496 Punica Granatum.
497 Prunus sibirica. 287.
498 Cerasus δ . pumila.
499 *Digynia.*
Cratægus Oxyacantha.
500 *Pentagynia.*
Pyrus communis.
501 Malus.
502 Cydonia. 288.
503 Mesembryanthemi genus.
504 Mesembryanthema varia.
505 *Polygynia.*
Rosæ genus.
506 Rosæ variae.
507 Rosa canina. 289.
508 Rubus idæus.
509 arcticus.

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)*Elenchus Sectionum.*

xi

- 510 *Fragariæ* genus. 289.
 511 *Fragaria vesca*. 290.
 512 *monophylla*.
 513 **POLYANDRIA.**
 Monogynia.
 Dolocarpi genus.
 514 *Capparis erythrocarpos* *L.*
 sert.
 515 *Podophyllum diphyllum*.
 516 *Chelidonii* genus. 291.
 517 *Papavera varia*.
 518 *Nymphæa Lotus*.
 519 *Nelumbo*.
 520 *Decumaria barbara*.
 521 *Lemniscia* species.
 522 *Lagerströmia indica*.
 523 *Cistus Fumana*. 292.
 524 *Trigynia*
 Aconiti genus.
 525 *Aconitum Napellus*.
 526 *Tetragynia*.
 Wahlbomia indica *Thunb.*
 527 *Cmicifuga foetida*.
 528 *Hexagynia*. 293.
 Stratiotes Aloides.
 529 *Polygynia*.
 Dillenia genus.
 530 *Illicium floridanum*.
 531 *Anemones* species *variæ*.
 532 *Clematis virginiana*. 294.
 533 *balearica* *Lamarck.*
 534 *Ranunculi varii*.
 535 *Ranunculus aquaticus*.
 536 **DIDYNAMIA.**
 Gymnospermia.
 Ajugæ et *Teucree* genera.
 537 *Lavandulæ* genus.
 Mentha exigua. 652.
 538 *Elsholtzia Willden.* 295.
 539 *Lamium Orvala* et *garga-*
 nicum.
 540 *Stachys quædam*.
 541 *Angiospermia*.
 Bartsia alpina.
 542 *Pedicularis* *variæ*.
 543 *Pedicularis Sceptrum Ca-*
 rolinum. 296.
 544 *Antirrhinum marginatum*
 Desfont. 296.
 545 *Martynia Probooscidea* *Hort.*
 Kew.
 546 *Thunbergia capensis* *Linn.*
 suppl.
 547 *Tourrettia*. (*Dombeya L'*
 Heritieri.)
 548 **TETRADYNAMIA.**
 Siliculosa.
 Anastatica hierochuntica.
 549 *Lepidium Cardamines*.
 297.
 550 *oleraceum* *Hort.*
 Kew.
 551 *Thlaspi saxatile*.
 552 *Siliquosa*.
 Sisymbrium tenuifolium.
 supinum.
 553 *supinum*.
 554 *Erysimum quoddam*. 298.
 555 *Heliophila incana*.
 556 *Turritis* species *duæ*.
 557 *Brassica alpina*.
 558 *Raphanus sativus*.
 559 *Crambe tataria* *Jacquini.*
 298, 652.
 560 **MONADELPHIA.** 299.
 Triandria.
 Tamarindus indica.
 561 *Sisyrinchium Bermudiana*.
 562 *Ferraria undulata*.
 563 *Aphyteja Hydnora*.
 564 *Pentandria*.
 Waltheria americana.
 565 *Hermannia* genus. 300.
 566 *Ochroma Lagopus*.
 567 *Octandria*.
 Aitonia capensis *Linn. suppl.*
 568 *Decandria*.
 Brownæ Rosa de monte
 Bergii.
 Brownæ species. 652.
 569 *Gerani* genus. 300.
 570 *Gerania varia*. 301.
 571 *Polyandria*.
 Bombax pentandrum.
 572 *Adansonia Bahobab*.
 573 *Malachra capitata*.

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

- | | | | |
|-----|-----------------------------------|-----|---|
| 574 | Gossypii genus. 301. | 607 | SYNGENESIA. 308. |
| 575 | Gordonia Lasianthus. 302. | | <i>Polygamia Æqualis.</i> |
| 576 | Symplocos genus. | | Sonchus alpinus et cana- |
| | | | densis. |
| 577 | DIADELPHIA. | 608 | Perdicii genus. |
| | <i>Hexandria.</i> | 609 | Perdicium lævigatum <i>Ber-</i> |
| | Fumariæ genus. 652. | | <i>gii.</i> |
| | Fumaria Cucullaria. 302. | 610 | Leontodontis species va- |
| 578 | bulbosa. | | riæ. |
| 579 | capnoides. | 611 | Hieracium stipitatum. |
| 580 | corymbosa <i>Des-</i> | 612 | Crepis virgata et coronopifolia <i>Desfont.</i> |
| | <i>font.</i> 303. | 613 | Hyoseris virginica. 309. |
| 581 | <i>Octandria.</i> | 614 | Lapsana quædam. |
| | Polygalæ genus. | 615 | Cichorii genus, et præcipue |
| 582 | <i>Decandria.</i> | | Intybus. |
| | Pterocarpus Ecastaphyl- | 616 | Atractylis gummiifera. |
| | lum. | 617 | Spilanthus oleracea. |
| 583 | Buteæ genus <i>Koenigii.</i> | 618 | Cacalia Kleinia. 309, 653. |
| 584 | Spartium scoparium. | 619 | saracenicæ. 310. |
| 585 | decumbens <i>Hort.</i> | 620 | Rothia <i>Lamarck.</i> |
| | <i>Kew.</i> 304. | 621 | <i>Polygamia Superflua.</i> |
| 586 | Ononis arvensis et hircina. | | Tanaceta varia. |
| 587 | Arachis hypogæa. | 622 | Artemisiæ genus. |
| 588 | Ebenus pinnata <i>Hort. Kew.</i> | 623 | Xeranthemum annuum β . |
| 589 | Phaseolus farinosus. | | inapertum. |
| 590 | radiatus. | 624 | Conyza quædam. 311. |
| 591 | Dolichos Soja. | 625 | Tussilaginis genus. |
| 592 | Orobis sylvaticus. 305. | 626 | Tussilago Anandria. |
| 593 | Vicia Faba. | 627 | Solidaginis genus. |
| 594 | Viciæ species. | 628 | Helenium varia. |
| 595 | Stylosanthis genus. | 629 | Bellium minutum. 312. |
| 596 | Hedysarum obscurum. | 630 | Pectis pinnata <i>Lamarck.</i> |
| 597 | Indigofera tinctoria. | 631 | Chrysanthemum indicum. |
| 598 | Astragali genus. | 632 | Cotula coronopifolia. |
| 599 | Trifolia varia. 306. | 633 | Achilleæ genus. |
| 600 | Trigonella platycarpus. | 634 | Sanvitalia <i>Lamarck.</i> |
| | | 635 | <i>Polygamia Frustranea.</i> 313. |
| 601 | POLYADELPHIA. | | Galardia. |
| | <i>Dodecandria.</i> | 636 | Osmites Asteriscoides. |
| | Monsonia lobata <i>Hort. Kew.</i> | 637 | Berckheyæ genus. |
| 602 | <i>Icosandria.</i> | 638 | Centaureæ variæ. |
| | Citri species variæ. | 639 | Centaurea Cyanus. |
| 603 | Citrus Medica. 307. | 640 | orientalis. 314. |
| 604 | Aurantium. | 641 | <i>Polygamia Necessaria.</i> |
| 605 | <i>Polyandria.</i> | | Calendula hybrida. |
| | Hyperici genus, et præci- | 642 | <i>Monogamia.</i> |
| | pue perforatum. | | Lobelia inflata. |
| 606 | Hyperica varia. | 643 | Violæ genus. |

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)*Elenchus Sectionum.*

xiii

- | | |
|---------------------------------------|--|
| 644 GYNANDRIA. 314. | 680 Juglans regia. 323. |
| <i>Diandria</i> . | alba. |
| Orchidæ variæ. | 682 nigra. |
| 645 Orchis Morio. 315. | 683 cinerea. |
| 646 Satyrium albidum. | 684 Fagus Castanea. 324. |
| 647 Ophrys corallorhiza. | 685 sylvatica. 324, 653. |
| 648 cordata. | 686 <i>Monadelphia</i> . 324. |
| 649 lilifolia. | Pinus species variæ. |
| 650 Cypripedia varia. 316. | 687 sylvestris. |
| 651 Gunnera perpensa. | 688 Cedrus. |
| 652 <i>Polyandria</i> . | 689 Picea. 325. |
| Ambrosinia Bassii. 316, | 690 Abies. |
| 653. | 691 Cupressi genus. |
| 653 Callæ genus. 316. | 692 Cupressus disticha. |
| 654 Zostera marina. | 693 Croton tinctorium. |
| 655 oceanica. | 694 lucidum. |
| 656 MONOECIA. 317. | 695 Jatropha gossypifolia. 326. |
| <i>Monandria</i> . | 696 Sterculia platanifolia. |
| Artocarpi genus. | 697 Hippomane Mancinella. |
| 657 Cynomorium coccineum. | 698 Siphonia. |
| 658 <i>Diandria</i> . 318. | 699 <i>Syngenesia</i> . |
| Lemna minor. | Momordica Balsamina. |
| 659 gibba. | 700 Cucurbita Pepo. |
| 660 <i>Triandria</i> . | 701 Cucumis Melo. 327. |
| Typha. | 702 lineatus Bosc. |
| 661 Carices variæ. | 703 Bryonia alba. |
| 662 Scleriæ genus. | |
| 663 Axyris ceratoides. 319. | 704 DIOECIA. |
| 664 <i>Tetrandria</i> . | <i>Monandria</i> . |
| Littorella lacustris. | Pandanus quidam. |
| 665 Betula alba. | 705 Dahlia <i>Thunbergii</i> . |
| 666 nana. | 706 Phyllachne uliginosa. |
| 667 incana. 320. | 707 <i>Diandria</i> . 328. |
| 668 Betulæ hybridæ. | Salicis genus. |
| 669 Urticæ variæ. | 708 Salices variæ. |
| 670 Morus alba. | 709 Salix babylonica. |
| 671 rubra. | 710 <i>Triandria</i> . |
| 672 Dorsteniæ genus. 321. | Restionis genus. |
| 673 <i>Pentandria</i> . | 711 Willdenowia <i>Thunbergii</i> . |
| Amaranthi genus. | 329. |
| 674 <i>Decandria</i> . | 712 <i>Tetrandria</i> . |
| Ailanthus glandulosa. | Viscum album. |
| 675 <i>Polyandria</i> . | 713 Montinia acris Linn. <i>suppl.</i> |
| Begoniæ genus. | 714 Hippophaës genus. |
| 676 Quercus species variæ. | 715 Sarcophyte <i>Sparmanni</i> . 330. |
| 677 Robur. 322. | 716 <i>Pentandria</i> . |
| 678 Cerris. | Cannabis sativa. |
| 679 Ballota <i>Desfontaini</i> . 323. | 717 Humulus Lupulus. |
| Salisburia <i>Smithii</i> . 653. | 718 <i>Octandria</i> . |
| | Populi species variæ. |

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

- | | | | |
|-----|--|-----|--|
| 719 | <i>Populus tremula.</i> 330. | 753 | <i>Pilularia globulifera.</i> 338. |
| 720 | <i>Populus balsamifera.</i> | 754 | <i>Filices.</i> |
| 721 | <i>Decandria.</i> 331. | | Acrostichi genus. |
| | <i>Schinus</i> Molle. | 755 | <i>Acrostichum alpinum</i> <i>Bol-</i> |
| 722 | <i>Dodecandria.</i> | | <i>ton.</i> 339. |
| | <i>Triplaris americana.</i> | 756 | <i>Pteris aquilina.</i> |
| 723 | <i>Polyandria.</i> | 757 | <i>Lindsææ</i> genus. |
| | <i>Pera Mutisii.</i> | 758 | <i>Cænopteris Bergii.</i> |
| 724 | <i>Hisingera Hellenii.</i> | 759 | <i>Polypodium vulgare.</i> |
| 725 | <i>Monadelphia.</i> 332. | 760 | <i>Filix mas.</i> |
| | <i>Nepenthes destillatoria.</i> | 761 | <i>Oreopteris Will</i> |
| 726 | <i>Cycas circinalis.</i> | | <i>denow.</i> 340. |
| 727 | <i>Cycadis et Zamie genera.</i> | 762 | <i>Musci.</i> |
| 728 | <i>Zamia Cycadis</i> <i>Linn. suppl.</i> | | <i>Buxbaumie</i> genus. |
| 729 | <i>Dombeya (Lamarckii.)</i> | 763 | <i>Buxbaumia aphylla.</i> |
| 730 | <i>Batschia Thunbergii.</i> | 764 | <i>foliosa.</i> |
| 731 | <i>Myristica.</i> 333. | 765 | <i>Phasci</i> genus. |
| | <i>Hyenanche globosa Lam-</i> | 766 | <i>Splachnum rubrum et lu-</i> |
| | <i>bert.</i> 653. | | <i>teum.</i> 341. |
| 732 | POLYGAMIA. 333. | 767 | <i>Hepaticæ.</i> |
| | <i>Monoecia.</i> | | <i>Jungermannie</i> genus. |
| | <i>Musa.</i> | 768 | <i>Targionia hypophylla.</i> |
| 733 | <i>Holci varii.</i> 334. | 769 | <i>Marchantia polymorpha.</i> |
| 734 | <i>Anthistirie</i> genus. | 770 | <i>Blasia pusilla.</i> 342. |
| 735 | <i>Atriplex portulacoides.</i> | 771 | <i>Algæ.</i> |
| 736 | <i>pedunculata.</i> | | <i>Lichenes varii.</i> 342, 653. |
| 737 | <i>Aceris</i> genus. 335. | 772 | <i>Tremella Nostoc.</i> 343, 654. |
| 738 | <i>species variae.</i> | 773 | <i>difformis.</i> 343. |
| 739 | <i>Acer tataricum.</i> | 774 | <i>Fuci et Ulvæ genera.</i> 344. |
| 740 | <i>Pseudoplatanus.</i> | 775 | <i>varii.</i> |
| 741 | <i>Mimosa suaveolens Smith.</i> | 776 | <i>Fucus palmatus.</i> 345. |
| 742 | <i>heterophylla La-</i> | 777 | <i>digitatus.</i> |
| | <i>march.</i> 336. | 778 | <i>saccharinus.</i> |
| 743 | <i>Lebbeck.</i> | 779 | <i>Ulvæ</i> genus. |
| 744 | <i>Dioecia.</i> | 780 | <i>variae.</i> 345, 654. |
| | <i>Fraxinus Ornus.</i> | 781 | <i>Ulva pruniformis.</i> 346. |
| 745 | <i>Diospyros Ebenum.</i> | 782 | <i>Confervæ variae.</i> |
| 746 | <i>Panax quinquefolium.</i> | 783 | <i>Conferva fontinalis.</i> 347. |
| 747 | <i>Trioecia.</i> | 784 | <i>Ægagropila.</i> |
| | <i>Cerantonía Siliqua.</i> | 785 | <i>Byssi varii.</i> |
| 748 | <i>Ficus</i> genus. 337. | 786 | <i>Byssus velutina.</i> 348. |
| 749 | <i>Carica.</i> | 787 | <i>Jolithus.</i> |
| 750 | CRYPTOGAMIA. 338. | 788 | <i>Fungi.</i> |
| | <i>Miscellaneæ.</i> | | <i>Agarici</i> genus. |
| | <i>Equiseti</i> genus. 653. | 789 | <i>varii.</i> |
| | <i>Lycopodium nudum.</i> 338. | 790 | <i>Agaricus alliaceus Buillard.</i> |
| 751 | <i>Salvinia.</i> | | <i>349.</i> |
| 752 | <i>Marsilea quadrifolia.</i> | 791 | <i>procerus Huds.</i> |
| | | 792 | <i>Boleti varii.</i> |
| | | 793 | <i>Boletus ignarius.</i> |

Elenchus Sectionum.

xv

794	<i>Boletus suaveolens.</i> 349.	814	<i>Tuber parasiticum Buil-</i>
795	<i>bovinus.</i> 350.	<i>lard.</i> 356.	
796	<i>lapidis fungiferi.</i>	815	<i>Lycoperdon Bovista.</i>
797	<i>rangiferinus Bolton.</i>	816	<i>stellatum, et affines</i>
			<i>species.</i>
798	<i>Phallus impudicus.</i> 351.	817	<i>fornicatum Huds.</i>
799	<i>Mokusin Linn.</i>	818	<i>Carpobolus.</i> 357.
	<i>suppl.</i>	819	<i>Phalloides Dick-</i>
800	<i>Clathrus cancellatus.</i>	<i>son.</i>	
801	<i>Helvellæ genus.</i>	820	<i>axatum Bosc.</i>
802	<i>Pezizæ genus.</i> 352.	821	<i>Anemones Pulten.</i>
803	<i>variæ.</i>	822	<i>Sphæria brassicæ Dickson.</i>
804	<i>lentiferæ.</i>	823	<i>Mucoris genus.</i>
805	<i>Peziza polymorpha Lightf.</i>	824	<i>Mucoris varii.</i> 358.
806	<i>Clavariæ genus.</i> 353.	825	<i>Mucor septicus.</i>
807	<i>Clavaria digitata.</i>	826	<i>Cryptogamæ incerti gene-</i>
808	<i>Hypoxylon.</i>	<i>ris.</i>	
809	<i>cornuta Retz.</i>		
	<i>scand.</i>	827	<i>PALMÆ.</i> 359.
810	<i>brachyorrhiza Scop.</i>	<i>Borassus Sonnerati Giseke.</i>	
	<i>pol.</i> 354.	828	<i>Licuala.</i> 360.
811	<i>Clavariæ in Insectis mor-</i>	829	<i>Phoenix dactylifera.</i>
	<i>tuis enatæ.</i>	830	<i>Areca Cathecu.</i>
812	<i>Lycoperda varia.</i> 355.	831	<i>Nipa.</i>
813	<i>Lycoperdon Tuber.</i> 355,	832	<i>Sagus Gærtneri.</i> 360, 654.
	654.	833	<i>Bache Aublet guian.</i> 360.

PARS II. PHYSICA.

1	<i>Anatome plantarum.</i> 363.	11	<i>Figuræ in substantia lignea</i>
2	<i>Observationes Physiologicæ</i>	<i>Arborum repertæ.</i> 379.	
	<i>miscellæ.</i> 366.	12	<i>Corpora aliena in ligno in-</i>
3	<i>Partes Vegetabilium solidæ.</i>	<i>venta.</i> 380.	
	370.		
4	<i>Cortex.</i>		
5	<i>Lignum.</i>	13	<i>Partes Plantarum organicæ.</i>
6	<i>Vasa.</i> 371.	14	<i>Radix.</i>
7	<i>Partes Vegetabilium fluidæ.</i>	15	<i>Caulis.</i> 381.
	373.	16	<i>Nodi.</i> 382.
8	<i>Circulatio Fluidorum.</i> 375.	17	<i>Gemmæ.</i>
9	<i>Transpiratio.</i>	18	<i>Folia.</i> 383.
10	<i>Plantarum Vegetatio ; Nu-</i>	19	<i>Foliorum Epidermis.</i> 384.
	<i>trimentum, Incremen-</i>	20	<i>Sceletæ.</i>
	<i>tum.</i> 376, 654.	21	<i>Pubes.</i> 385.

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

xvi

Elenchus Sectionum.

- | | |
|----------------------------------|----------------------------------|
| 22 Arma. 385. | 52 Vernatio Arborum. |
| 23 Partes fructificationis. 386. | 53 Stationes plantarum. 420. |
| 24 Calyx. 387. | 54 Frigoris effectus in Plantas. |
| 25 Nectaria. | 421. |
| 26 Antheræ. 388. | 55 Nebularum effectus in Plan- |
| 27 Stylus. 389. | tas. 423. |
| 28 Sexus et Generatio Planta- | 56 Lucis effectus in Plantas. |
| rum. | |
| 29 Plantæ hybridæ. 395. | 57 Morbi Plantarum. 425. |
| 30 Semina. 397. | 58 Arborum. 426. |
| 31 Plantarum Germinatio. 399. | 59 Cerealium. |
| 32 Foecunditas. 401, | 60 Plethora. 427. |
| 654. | 61 Rubigo. |
| 33 Propagatio alia quam | 62 Ustilago. 428. |
| per semina. 401. | 63 Clavus. 429. |
| 34 Monstra. 402, 654. | 64 Morbi Oleæ Europææ. 430, |
| 35 Plantæ fasciatæ. 404. | 654. |
| 36 Flores proliferi. 405. | 65 Oryzæ sativæ. 430. |
| 37 Fructus monstrosi. 406. | 66 Phaseoli vulgaris. 431. |
| 38 in fructu. 407. | 67 Zeæ Maydis. |
| 39 Monstra Cerealium. 408. | 68 Mori albæ. |
| 40 Rosæ salicinæ. | |
| 41 Plantarum Anomaliz. | 69 Colores Plantarum. 432. |
| 42 Metamorphosis. | 70 Plantarum examen chemi- |
| 409. | cum. 433. |
| 43 Ortus. | 71 Specierum singularum exa- |
| 44 Transmutatio specierum in | men chemicum. 434. |
| plantis. 410, 654. | 72 Succī plantarum concreti. |
| | 436. |
| 45 Plantarum Irritabilitas. 412. | 73 Camphora. |
| 46 Motus. 414. | 74 Resina elastica. 437. |
| 47 Gyratio foliorum Hedysari. | 75 Palingenesia Plantarum. |
| 415. | 438. |
| 48 Somnus Plantarum. 416. | 76 De Plantis Cryptogamis |
| 49 Horologium et Hygrome- | Scriptores Physici. 440. |
| trum Floræ. 417. | 77 Filicibus. |
| 50 Calendaria Floræ. | 78 Muscis et Algis. 441. |
| 51 Thermometrum Floræ. 419. | 79 Fungis. 442. |

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)*Elenchus Sectionum.*

xvii

PARS III. MEDICA.

- | | |
|---|---|
| 1 Collectio Simplicium. 445. | 25 Salvia officinalis. 468. |
| 2 Vires Plantarum medicæ. 446. | 26 Trigynia. |
| 3 medicas investi-
gandi methodi. | 27 Piper nigrum. |
| 4 Virium Plantarum investi-
gatio per Affinitates Bo-
tanicas. 447. | 28 Cubeba <i>Linn. suppl.</i> |
| 5 Methodus chemica investi-
gandi Vires Medicamen-
torum. 448. | 28 Triandria. 469. |
| 6 Sapores Medicamentorum. 449. | Monogynia. |
| 7 Odores Medicamentorum. | Valeriana officinalis et Phu. |
| 8 Classes Medicamentorum. 450. | 29 officinalis. |
| 9 Materia Medica e Regno
Vegetabili. 451, 654, 655. | 30 Crocus sativus officinalis. |
| 10 Materię Medicę Scriptores
Topographici. 461. | 31 Iridis species officinales. |
| Magnę Britannię. | 32 Digynia. 470. |
| 11 Svecię. | Triticum repens. |
| 12 Imperii Russici. 462. | 33 Tetrandria. |
| 13 Indię Orientalis, | Monogynia. |
| 14 Chinę. 463. | Plantago major. |
| 15 Africę. | 34 Pentandria. |
| 16 Americę Septentrionalis. | Monogynia. |
| 17 Meridionalis. | Cynoglossum officinale. |
| 18 Medicamenta varia. 464. | 35 Symphytum officinale. |
| 19 Materię Medicę Monogra-
phię. 466. | 36 Menyanthes trifoliata. 471. |
| Monandria. | 37 Anagallis arvensis. |
| Monogynia. | 38 Spigelia Anthelmia. |
| Amomum Zingiber. | 39 marilandica. 472. |
| 20 Cardamomum. 467. | 40 Ophiorhiza Mungos. |
| 21 Diandria. | 41 Convolvulus Scammonia. |
| Monogynia. | 42 Mechoacanna. |
| Veronica officinalis. | 43 Cinchonę species varię. |
| 22 Gratiola officinalis. 467, 655 | 472, 655. |
| 23 Verbena officinalis. 467. | 44 Cinchona officinalis. 474. |
| 24 Rosmarinus officinalis. 468. | 45 caribęa. 476. |
| | 46 Hyoscyamus niger. |
| | 47 Nicotiana Tabacum. |
| | 48 Atropa Mandragora. 478. |
| | 49 Belladonna, Sola-
num Dulcamara
et nigrum. |
| | 50 Belladonna. |
| | 51 Solanum Dulcamara. |
| | 52 Strychnos Nux Vomica. 479. |
| | 53 Ignatia amara <i>Linn. suppl.</i> |
| | 54 Ribes nigrum. |
| | 55 Digynia. |
| | Asclepias Vincetoxicum. |

Tom. 3.

a

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

xviii

Elenchus Sectionum.

- | | | | |
|----|---|-----|---|
| 56 | Chenopodium Bonus Hen-
ricus. 480. | 93 | <i>Enneandria</i> . 492.
Monogynia.
Cinnamomum et Cassia. |
| 57 | Botrys. | 94 | Flores Cassiæ. 493. |
| 58 | Gentiana lutea. | 95 | Camphora. |
| 59 | Centaureum. | 96 | Laurus Culilaban. 495. |
| 60 | Conium maculatum. | 97 | Trigynia.
Rhabarbarum. |
| 61 | Peucedanum officinale. 481. | 98 | Rheum Ribes. 496. |
| 62 | Asa foetida. 481, 655. | 99 | <i>Decandria</i> .
Monogynia.
Cassia Fistula. |
| 63 | Heracleum Sphondylium.
482. | 100 | Senna. |
| 64 | Cuminum Cyminum. | 101 | Lignum Brasiliense. |
| 65 | Phellandrium aquaticum. | 102 | Myrospermum. 497. |
| 66 | Scandix Cerefolium. 483. | 103 | Moringa aptera <i>Gartn.</i> |
| 67 | Anethum graveolens. | 104 | Guajacum officinale. |
| 68 | Foeniculum. | 105 | Swietenia febrifuga <i>Rox-
burgh.</i> |
| 69 | Carum Carvi. | 106 | Dictamnus albus. 498. |
| 70 | Pimpinella Saxifraga. | 107 | Ruta graveolens. |
| 71 | magna. 484. | 108 | Lignum Quassiæ. |
| 72 | Anisum. | 109 | Quassia Simaruba <i>Linn.
suppl.</i> 499. |
| 73 | Trigynia.
Rhus radicans. | 110 | Copaifera officinalis. |
| 74 | Sambucus nigra. | 111 | Rhododendron crysan-
thum <i>Linn. suppl.</i> |
| 75 | Pentagynia.
Linum catharticum. | 112 | Arbutus Uva ursi. 500. |
| 76 | <i>Hexandria</i> . 485.
Monogynia.
Narcissus pseudonarcissus. | 113 | Styrax officinale. |
| 77 | Allium sativum. | 114 | Benzoë. |
| 78 | Scilla maritima. | 115 | Agallochum. |
| 79 | Convallaria majalis. | 116 | Digynia.
Saponaria officinalis. |
| 80 | Aloë officinarum. 486. | 117 | Pentagynia. 501. |
| 81 | Xanthorrhoea Hastile <i>Smith.</i> | | Oxalis Acetosella. |
| 82 | Acorus Calamus. | 118 | <i>Dodecandria</i> .
Monogynia.
Asarum europæum. |
| 83 | Calamus Rotang. | 119 | Canella alba. |
| 84 | Bambos arundinacea <i>Retzii.</i>
487. | 120 | Lythrum Salicaria. |
| 85 | Trigynia.
Rumex aquaticus. | 121 | <i>Icosandria</i> . 502.
Monogynia.
Myrtus Pimenta. |
| 86 | Colchicum autumnale. | 122 | Amygdalus communis. |
| 87 | <i>Heptandria</i> . 488.
Monogynia.
Æsculus Hippocastanum. | 123 | Persica. |
| 88 | <i>Octandria</i> .
Monogynia.
Tropæolum majus. | 124 | Prunus spinosa. |
| 89 | Opobalsamum. 489. | 125 | Pentagynia.
Pyrus Cydonia. |
| 90 | Vaccinium Oxycoccus. 491. | 126 | Mesembryanthemum crys-
tallinum. 503. |
| 91 | Daphne Gnidium et Meze-
reum. | | |
| 92 | Trigynia. 492.
Polygonum amphibium. | | |

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)*Elenchus Sectionum.*

xix

- | | |
|---------------------------------|---------------------------------|
| 127 Polygynia. 503. | 159 Decandria. 513. |
| Rosæ species variæ. | Dolichos pruriens. |
| 128 Fragaria vesca. | 160 Geoffræa inermis. |
| 129 Geum Urbanum. | 161 surinamensis |
| 130 rivale. 504. | <i>Bohd.</i> |
| 131 Polyandria. | 162 Glycyrrhiza glabra. |
| Monogynia. | 163 Hedysarum Alhagi. 514. |
| Chelidonium majus. | 164 Astragalus exscapus. |
| 132 Papaver Rhoeas. | 165 gummifera <i>Labillard.</i> |
| 133 Opium. | 166 Psoralea pentaphylla. |
| 134 Digynia. 506. | 167 Polyadelphia. |
| Pæonia officinalis. | Pentandria. |
| 135 Pentagynia. | Theobroma Cacao. |
| Aquilegia officinalis. | 168 Icosandria. 515. |
| 136 Polygynia. | Citrus Medica. |
| Wintera aromatica. | 169 β. Limon. |
| 137 Anemone pratensis. 507. | 170 Aurantium. |
| 138 Helleborus niger. | 171 Polygynia. |
| 139 Didynamia. | Melaleuca Leucadendra. |
| Gymnospermia. | 172 Hypericum perforatum. |
| Teucrium Marum. | 516. |
| 140 Scordium. 508. | 173 Syngenesia. |
| 141 Menthæ species officinales. | Polygamia æqualis. |
| 142 Mentha piperita. | Scorzonera humilis. |
| 143 Glecoma hederacea. | 174 hispanica. |
| 144 Betonica officinalis. 509. | 175 Prenanthes chondrilloides. |
| 145 Origanum Majorana. | 176 Leontodon Taraxacum. |
| 146 Melissa officinalis. | 517. |
| 147 Angiospermia. | 177 Cichorium Intybus. |
| Euphrasia officinalis. | 178 Spilanthus Acmella. |
| 148 Antirrhinum Cymbalaria. | 179 Polygamia Superflua. |
| 149 Scrophularia nodosa. 510. | Artemisia Absinthium. |
| 150 quædam. | 180 vulgaris. 518. |
| 151 Digitalis purpurea. | 181 Moxa. |
| 152 Tetradynamia. | 182 Tussilago Farfara. |
| Siliculosa. | 183 Petasites. |
| Cochlearia officinalis. | 184 Inula Helenium. |
| 153 Siliquosa. 511. | 185 Arnica montana. 519. |
| Cardamine pratensis. | 655. |
| 154 Sinapis nigra. | 186 Bellis perennis. 519. |
| 155 Monadelphia. | 187 Chamomilla. |
| Triandria. | 188 Achillea Millefolium. |
| Tamarindus indica. | 189 Clavennæ. 520. |
| 156 Decandria. | 190 Polygamia Frustranea. |
| Geranium robertianum. | Centaurea benedicta. |
| 157 Diadelphia. 512. | 191 Monogamia. |
| Hexandria. | Lobelia siphilitica. |
| Fumaria officinalis. | 192 Viola odorata. 521. |
| 158 Octandria. | 193 canina. |
| Polygala Senega. | 194 tricolor. |

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

xx

Elenchus Sectionum.

- | | | | |
|-----|---|-----|-----------------------------------|
| 195 | <i>Gynandria</i> . 521. | 223 | <i>Polygamia</i> . 529. |
| | Diandria. | | Monoecia. |
| | Salep. | | Veratrum album. |
| 196 | <i>Epidendrum Vanilla</i> . 522. | 224 | <i>Stalagmitis Cambogioides</i> |
| 197 | Hexandria. | | <i>Murray</i> . |
| | <i>Aristolochiæ officinales</i> . | 225 | <i>Mimosæ variæ</i> . 530. |
| | (præter <i>Serpentariam</i> .) | 226 | <i>Terra Catechu</i> . |
| 198 | <i>Aristolochia trilobata</i> . | 227 | <i>Dioecia</i> . 531. |
| 199 | <i>Serpentaria</i> . | | <i>Fraxinus excelsior</i> . |
| 200 | <i>Polygynia</i> . 523. | 228 | <i>Manna</i> . |
| | <i>Arum maculatum</i> . | 229 | <i>Panax quinquefolium</i> . 532. |
| 201 | <i>Monoecia</i> . | 230 | <i>Cryptogamia</i> . |
| | Triandria. | 231 | <i>Miscellanæ</i> . |
| | <i>Carices Sarsaparillæ succedanæ</i> . | | <i>Lycopodium clavatum</i> . |
| 202 | <i>Tetrandria</i> . | 232 | <i>Filices</i> . |
| | <i>Dorstenia Contrajerva</i> . | | <i>Osmunda regalis</i> . |
| 203 | <i>Monadelphica</i> . | 233 | <i>Radix Calaguala</i> . 533. |
| | <i>Pinus sylvestris</i> . | 234 | <i>Polypodium vulgare</i> . |
| 204 | <i>Abies et sylvestris</i> . | 235 | <i>Adiantum Capillus vene-</i> |
| | 524. | | <i>ris</i> . |
| 205 | <i>Cembra</i> . | 236 | <i>Algæ</i> . |
| 206 | <i>Ricinus communis</i> . | | <i>Lichen islandicus</i> . |
| 207 | <i>Syngenesia</i> . 525. | 237 | <i>caninus</i> . 534. |
| | <i>Momordica Balsamina</i> . | 238 | <i>cocciferus, et affi-</i> |
| 208 | <i>Elaterium</i> . | | <i>nes</i> . |
| 209 | <i>Cucumis Colocynthis</i> . | 239 | <i>Fucus Helminthochortos</i> . |
| 210 | <i>Dioecia</i> . | 240 | <i>Fungi</i> . |
| | Diandria. | 241 | <i>Agaricus muscarius</i> 535. |
| | <i>Salix pentandra</i> . | 242 | <i>Boletus ignarius</i> . |
| 211 | <i>Tetrandria</i> . 526. | 243 | <i>Laricis</i> . |
| | <i>Viscum album</i> . | 244 | <i>Obscure originis</i> . |
| 212 | <i>Pentandria</i> . | | <i>Cortex Angusturæ</i> . |
| | <i>Pistacia Lentiscus</i> α. | 245 | <i>Camphora Sumatrensis</i> . |
| 213 | β. | | 536. |
| 214 | Hexandria. | 246 | <i>Cassena</i> . |
| | <i>Smilax China</i> . | 247 | <i>Radix Colomba</i> . |
| 215 | <i>Octandria</i> . 527. | 248 | <i>Lignum Colubrinum</i> . 537. |
| | <i>Populus alba</i> . | 249 | <i>Gummi Copal</i> . |
| 216 | <i>Dodecandria</i> . | 250 | <i>Jalapa</i> . |
| | <i>Datisca cannabina</i> . | 251 | <i>Ipecacuanha</i> . |
| 217 | <i>Monadelphica</i> . | 252 | <i>Kino</i> . 538. |
| | <i>Juniperus communis</i> . | 253 | <i>Myrrha</i> . |
| 218 | <i>Sabina</i> . 528. | 254 | <i>Balsamum Peruvianum</i> . |
| 219 | <i>Cissampelos Pareira</i> . | | 539. |
| 220 | <i>Myristica</i> . | 255 | <i>Pichurim</i> . |
| 221 | <i>Syngenesia</i> . 529. | 256 | <i>Lignum Rhodium</i> . 540. |
| | <i>Ruscus aculeatus</i> . | 257 | <i>Semina Sabadilla</i> . |
| 222 | <i>Gynandria</i> . | 258 | <i>Radix Zedoariæ</i> . |
| | <i>Clusia Eluteria</i> . | 259 | <i>Plantæ venenatæ</i> . 541. |

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)*Elenchus Sectionum.*

xxi

- | | |
|---|--|
| <p>260 De Plantis venenatis Scrip-
tores Topographici. 542.
Galliæ.
261 Helvetiæ. 543.
262 Germaniæ.
263 Americæ Meridionalis.
264 Plantarum venenatarum
Monographiæ. 544.
Lolium temulentum.
265 Secale cornutum.
266 Datura Stramonium.
267 Hyoscyamus niger et albus.
268 Atropa Belladonna. 545.
269 Solanum nigrum. 546.
270 Conium maculatum et Ci-
cuta virosa.
271 Sium latifolium. 547.
272 Oenanthe crocata.
273 Rhus Toxicodendrum. 548.
274 Anthericum ossifragum.
549.</p> | <p>275 Anacardium occidentale.
549.
276 Amygdala amara.
277 Prunus Laurocerasus.
278 Chelidonium majus. 550.
279 Aconitum Napellus.
280 Ranunculi varii. 551.
281 Ranunculus sceleratus.
282 arvensis.
283 Raphanus Raphanistrum.
284 Lathyrus quidam.
285 Jatropha Manihot.
286 Hippomane Mancinella.
552.
287 Mercurialis perennis.
288 Fungi varii.

289 Usus plantarum medicus
et œconomicus. 554.</p> |
|---|--|

PARS IV. ŒCONOMICA.

- | | |
|--|---|
| <p>1 Usus Plantarum œconomi-
cus. 556.
2 Plantæ esculentæ. 559.
3 Fructus. 560.
4 Olera.
5 Radices. 561.
6 Acetaria.
7 Plantæ Farinacæ. 562.
8 Sacchariferæ. 564.
9 Potus genera. 566.
10 Vinum.
11 Vina Gallica. 568.
12 Lusitanica. 569.
13 Italica.
14 Germanica.
15 Hungarica. 570.
16 Vinum Persicum.
17 Vinum et Pomaceum.
18 Pomaceum.
19 Cerevisia. 571.</p> | <p>20 Coffea, Thea, Chocolata,
(Tabacum.) 572.
21 Potus Coffeæ. 573.
22 Succedanea Coffeæ.
576.
23 Potus Theæ. 576, 655.
24 Succedanea Theæ. 578.
25 Potus Chocolatæ.
26 Inebriantia. 580.
27 Plantæ Oleiferæ.
28 Raphanus sativus γ. 581.
29 Arachis Hypogæa.
30 Onopordum Acanthium.
31 Fagus sylvatica.
32 Plantæ Tinctoriæ.
33 Curcuma. 583.
34 Rubia tinctorum.
35 Morinda citrifolia.
36 Solanum nigrum δ. gui-
neense.</p> |
|--|---|

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)

xxii

Elenchus Sectionum.

- | | | | |
|----|---|-----|--|
| 37 | Nerium tinctorium Roxb. | 77 | Polygoni species variæ. 598. |
| | 584. | 78 | Cassia Chamæcrista. |
| 38 | Daucus. Carota. | 79 | Tetragonia herbacea. 599. |
| 39 | Rhois species variæ. | 80 | Rubus idæus. |
| 40 | Vaccinium Myrtillus. | 81 | Malvaceæ. |
| 41 | Poinciana coriaria. 585. | 82 | Gossypium. |
| | Cæsalpinia Sappan. 655. | 83 | Spartium junceum. |
| 42 | Potentilla argentea. 585. | 84 | Dolichos Soja. |
| 43 | Bixa Orellana. | 85 | Robinia Pseudacacia. 600. |
| 44 | Melampyrum arvense et nemorosum. | 86 | Caragana. |
| 45 | Isatis tinctoria. | 87 | Citrorum genus. |
| 46 | Trifolium pratense. | 88 | Zea Mays. |
| 47 | Hypericum perforatum et quadrangulare. 586. | 89 | Carices variæ. |
| 48 | Solidago canadensis. | 90 | Betula alba. 601. |
| 49 | Chrysanthemum segetum. | 91 | Urtica urens. |
| 50 | Mercurialis perennis. | 92 | Morus alba. |
| 51 | Lichenes. 587. | 93 | Quercus Suber. |
| 52 | Lichen pustulatus. | 94 | Corylus Avellana. |
| 53 | Roccella et Parelus. | 95 | Jatropha Manihot. 602. |
| 54 | Lignum Fernambuci. | 96 | Populus tremula. |
| 55 | Plantæ Coriariæ. | 97 | Juniperus communis. |
| 56 | Cera. 588. | 98 | Fraxinus excelsior. |
| 57 | Amylum. | 99 | Osmunda Struthiopteris. |
| 58 | Sapo. 589. | 100 | Conferva rivularis. |
| 59 | Sal Sodæ. | 101 | Cocos nucifera. |
| 60 | Funes. | 102 | Phoenix dactylifera. 603. |
| 61 | Telæ. 590. | | |
| 62 | Pilei. | 103 | Plantarum cultura, et speciatim Horticultura. 604. |
| 63 | Charta scriptoria. | 104 | Calendaria hortensia. 611. |
| 64 | Ligna. 591, 656. | 105 | Seminum conservatio, eorumque ac Plantarum deportatio. 612. |
| 65 | Baculi. 593. | 106 | Seminum satio. 613. |
| 66 | Plantæ Pabulares. 593, 656. | 107 | Floristæ, seu de cultura Plantarum Coronarium Scriptores. 614. |
| 67 | Sepiariæ. 595. | 108 | Arborum Cultura. 615. |
| 68 | Usus oeconomicus specierum singularum. | 109 | Sylvestrium cultura. 617. |
| | Festuca fluitans. | 110 | Cultura Arborum, quæ vulgo Fructiferæ audiunt. 620. |
| 69 | Convolvulus Batatas. 596. | 111 | Arborum Insitio &c. 621. |
| 70 | Solanum tuberosum. | 112 | Putatio. 622. |
| 71 | Ribes nigrum. | 113 | Cultura variarum plantarum. |
| 72 | Grossularia. 597. | | |
| 73 | Asclepias syriaca. | | |
| 74 | Chenopodium quoddam. | | |
| 75 | Sambucus nigra. | | |
| 76 | Æsculus Hippocastanum. 598. | | |

Cambridge University Press

978-1-108-06952-6 - Catalogus Bibliothecæ Historico-Naturalis Josephi Banks:

Volume 3: Botanici

Jonas Dryander

Frontmatter

[More information](#)*Elenchus Sectionum.*

xxiii

- | | |
|-------------------------------------|------------------------------------|
| 114 Cultura specierum singu- | 151 Brassica Napus. 634. |
| larum. 623. | 152 Rapa. |
| Canna indica. | 153 Brassicæ oleraceæ varie- |
| 115 Olea europæa. | tates. |
| 116 Piper nigrum. 624. | 154 Gossypium. 635. |
| 117 Crocus sativus. | 155 Lathyrus tuberosus. |
| 118 Scirpus lacustris. | 156 Glycyrrhiza glabra. |
| 119 Saccharum officinarum. | 157 Indigofera tinctoria. |
| 120 Poa aquatica. 625. | 158 Theobroma Cacao. 636. |
| 121 Hordeum distichon β . nu- | 159 Citri genus. |
| dum. | 160 Citrus Aurantium β . si- |
| 122 Triticum repens. | nensis. 637. |
| 123 Dipsacus fullonum β . | 161 Cynara Scolymus. |
| 124 Rubia tinctorum. | 162 Carthamus tinctorius. |
| 125 Convolvulus Batatas. 626. | 163 Buxus sempervirens. |
| 126 Coffea arabica. 627. | 164 Urtica urens. |
| 127 Solanum tuberosum. | 165 Morus alba. 638. |
| 128 Nicotiana Tabacum. 628. | 166 Quercus species variæ. |
| 129 Vitis vinifera. 629. | 167 Robur. 639. |
| 130 Beta Cicla. | 168 Juglans regia. |
| 131 Carum Carvi. | 169 Fagus Castanea. |
| 132 Linum usitatissimum. 630. | 170 Pinus sylvestris. |
| 133 Bromelia Ananas. | 171 Ricinus communis. |
| 134 Amaryllis Belladonna. 631. | 172 Cucumis Melo. 640. |
| 135 Allium Cepa. | 173 Humulus Lupulus. |
| 136 Tulipa gesneriana. | 174 Cannabis sativa. |
| 137 Polianthes Tuberosa. | 175 Ficus Carica. 641. |
| 138 Hyacinthus orientalis. 632. | 176 Agaricus campestris. |
| 139 Asparagus officinalis. | |
| 140 Dracæna Draco. | 177 Vegetatio Plantarum in |
| 141 Oryza sativa. | aqua sola. |
| 142 Dianthus Caryophyllus. | 178 Vegetatio Plantarum abs- |
| 143 Reseda Luteola. 633. | que terra. 642. |
| 144 Caryophyllus aromaticus. | 179 Cultura arenæ volatilis. |
| 145 Cratægus Oxyacantha. | |
| 146 Pyrus Malus. | 180 Plantæ Agris nocentes. |
| 147 Rubus arcticus. | 644. |
| 148 Fragaria vesca. | Addenda. 646. |
| 149 Capparis spinosa. 634. | |
| 150 Sesamum orientale. | |